Inter-band_DC_Including_FR2

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_1A_n257A	DC_1A_n257A		
DC_1A_n257D	DC_1A_n257A DC_1A_n257D		
DC_1A_n257E	DC_1A_n257A DC_1A_n257D		
DC_1A_n257F	DC_1A_n257A DC_1A_n257D		
DC_1A_n257G	DC_1A_n257A DC_1A_n257G		
DC_1A_n257H	DC_1A_n257A DC_1A_n257G DC_1A_n257H		
DC_1A_n257I	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I		
DC_1A_n257J	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_1A_n257J		
DC_1A_n257K	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_1A_n257J DC_1A_n257K		
DC_1A_n257L	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_1A_n257J DC_1A_n257K DC_1A_n257L		
DC_1A_n257M	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_1A_n257J DC_1A_n257K DC_1A_n257L DC_1A_n257M		
DC_1A_n257(2A)	DC_1A_n257A DC_1A_n257(2A)		
DC_1A_n257(2G)	DC_1A_n257A DC_1A_n257G DC_1A_n257(2A) DC_1A_n257(2G)		
DC_1A_n257(A-G)	DC_1A_n257A DC_1A_n257G DC_1A_n257(2A)		
DC_1A_n258A	DC_1A_n258A		
DC_1A_n258B	DC_1A_n258A		
DC_1A_n258C	DC_1A_n258A		
DC_1A_n258D	DC_1A_n258A DC_1A_n258D		
DC_1A_n258E	DC_1A_n258A DC_1A_n258D		
DC_1A_n258F	DC_1A_n258A DC_1A_n258D		
DC_1A_n258G	DC_1A_n258A DC_1A_n258G		
DC_1A_n258H	DC_1A_n258A DC_1A_n258G DC_1A_n258H		
DC_1A_n258I	DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_1A_n258I		
DC_1A_n258J	DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_1A_n258I		
DC_1A_n258K	DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_1A_n258I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_1A_n258L	DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_1A_n258I		
DC_1A_n258M	DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_1A_n258I		
DC_1A_n258(2A)	DC_1A_n258A DC_1A_n258(2A)		
DC_1A_n258(2G)	DC_1A_n258A DC_1A_n258G DC_1A_n258(2A) DC_1A_n258(A-G) DC_1A_n258(2G)		
DC_1A_n258(A-G)	DC_1A_n258A DC_1A_n258G DC_1A_n258(2A) DC_1A_n258(A-G)		
DC_2A_n257A	DC_2A_n257A		
DC_2A_n257G	DC_2A_n257A DC_2A_n257G		
DC_2A_n257H	DC_2A_n257A DC_2A_n257G DC_2A_n257H		
DC_2A_n257I	DC_2A_n257A DC_2A_n257G DC_2A_n257H DC_2A_n257I		
DC_2A_n257J	DC_2A_n257A DC_2A_n257G DC_2A_n257H DC_2A_n257I DC_2A_n257J		
DC_2A_n257K	DC_2A_n257A DC_2A_n257G DC_2A_n257H DC_2A_n257I DC_2A_n257J DC_2A_n257K		
DC_2A_n257L	DC_2A_n257A DC_2A_n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_2A_n257H DC_2A_n257I DC_2A_n257J DC_2A_n257K DC_2A_n257L		
DC_2A_n257M	DC_2A_n257A DC_2A_n257G DC_2A_n257H DC_2A_n257I DC_2A_n257J DC_2A_n257K DC_2A_n257L DC_2A_n257M		
DC_2A_n257(2A)	DC_2A_n257A		
DC_2A_n258A	DC_2A_n258A		
DC_2A_n258D	DC_2A_n258A DC_2A_n258D		
DC_2A_n258G	DC_2A_n258A DC_2A_n258G		
DC_2A_n258H	DC_2A_n258A DC_2A_n258G DC_2A_n258H		
DC_2A_n258I	DC_2A_n258A DC_2A_n258G DC_2A_n258H DC_2A_n258I		
DC_2A_n258J	DC_2A_n258A DC_2A_n258G DC_2A_n258H DC_2A_n258I DC_2A_n258J		
DC_2A_n258K	DC_2A_n258A DC_2A_n258G DC_2A_n258H DC_2A_n258I DC_2A_n258J DC_2A_n258K		
DC_2A_n258L	DC_2A_n258A DC_2A_n258G DC_2A_n258H DC_2A_n258I DC_2A_n258J DC_2A_n258K		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_2A_n258L		
DC_2A_n258M	DC_2A_n258A DC_2A_n258G DC_2A_n258H DC_2A_n258I DC_2A_n258J DC_2A_n258K DC_2A_n258L DC_2A_n258M		
DC_2A_n258O	DC_2A_n258A DC_2A_n258O		
DC_2A_n258P	DC_2A_n258A DC_2A_n258O DC_2A_n258P		
DC_2A_n258Q	DC_2A_n258A DC_2A_n258O DC_2A_n258P DC_2A_n258Q		
DC_2A_n258(2A)	DC_2A_n258A		
DC_2A_n258(3A)	DC_2A_n258A		
DC_2A_n258(4A)	DC_2A_n258A		
DC_2A_n258(5A)	DC_2A_n258A		
DC_2A_n260A	DC_2A_n260A		
DC_2A_n260D	DC_2A_n260A DC_2A_n260D		
DC_2A_n260E	DC_2A_n260A DC_2A_n260D DC_2A_n260E		
DC_2A_n260G	DC_2A_n260A DC_2A_n260G		
DC_2A_n260H	DC_2A_n260A DC_2A_n260G DC_2A_n260H		
DC_2A_n260I	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I		
DC_2A_n260J	DC_2A_n260A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_2A_n260J		
DC_2A_n260K	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_2A_n260J DC_2A_n260K		
DC_2A_n260L	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_2A_n260J DC_2A_n260K DC_2A_n260L		
DC_2A_n260M	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_2A_n260J DC_2A_n260K DC_2A_n260L DC_2A_n260M		
DC_2A_n260O	DC_2A_n260A DC_2A_n260O		
DC_2A_n260P	DC_2A_n260A DC_2A_n260O DC_2A_n260P		
DC_2A_n260Q	DC_2A_n260A DC_2A_n260O DC_2A_n260P DC_2A_n260Q		
DC_2A_n260(2A)	DC_2A_n260A		
DC_2A_n260(2A-2G)	DC_2A_n260A DC_2A_n260G		
DC_2A_n260(2A-2H)	DC_2A_n260A DC_2A_n260G DC_2A_n260H		
DC_2A_n260(2A-2O)	DC_2A_n260A DC_2A_n260O		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_2A_n260(2A-G)	DC_2A_n260A DC_2A_n260G		
DC_2A_n260(2A-G-H)	DC_2A_n260A DC_2A_n260G DC_2A_n260H		
DC_2A_n260(2A-H)	DC_2A_n260A DC_2A_n260G DC_2A_n260H		
DC_2A_n260(2A-O)	DC_2A_n260A DC_2A_n260O		
DC_2A_n260(2A-O-P)	DC_2A_n260A DC_2A_n260O DC_2A_n260P		
DC_2A_n260(2A-P)	DC_2A_n260A DC_2A_n260O DC_2A_n260P		
DC_2A_n260(2A-Q)	DC_2A_n260A DC_2A_n260O DC_2A_n260P DC_2A_n260Q		
DC_2A_n260(2D)	DC_2A_n260A		
DC_2A_n260(2G)	DC_2A_n260A DC_2A_n260G		
DC_2A_n260(2H)	DC_2A_n260A DC_2A_n260G DC_2A_n260H		
DC_2A_n260(2O)	DC_2A_n260A DC_2A_n260O		
DC_2A_n260(2P)	DC_2A_n260A DC_2A_n260O DC_2A_n260P		
DC_2A_n260(3A)	DC_2A_n260A		
DC_2A_n260(3A-2O)	DC_2A_n260A DC_2A_n260O		
DC_2A_n260(3A-G)	DC_2A_n260A DC_2A_n260G		
DC_2A_n260(3A-H)	DC_2A_n260A DC_2A_n260G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_2A_n260H		
DC_2A_n260(3A-O)	DC_2A_n260A DC_2A_n260O		
DC_2A_n260(3A-O-P)	DC_2A_n260A DC_2A_n260O DC_2A_n260P		
DC_2A_n260(3A-P)	DC_2A_n260A DC_2A_n260O DC_2A_n260P		
DC_2A_n260(3G)	DC_2A_n260A DC_2A_n260G		
DC_2A_n260(3O)	DC_2A_n260A DC_2A_n260O		
DC_2A_n260(4A)	DC_2A_n260A		
DC_2A_n260(4A-2O)	DC_2A_n260A DC_2A_n260O		
DC_2A_n260(4A-O)	DC_2A_n260A DC_2A_n260O		
DC_2A_n260(4A-P)	DC_2A_n260A DC_2A_n260O DC_2A_n260P		
DC_2A_n260(4G)	DC_2A_n260A DC_2A_n260G		
DC_2A_n260(4O)	DC_2A_n260A DC_2A_n260O		
DC_2A_n260(5A)	DC_2A_n260A		
DC_2A_n260(5A-O)	DC_2A_n260A DC_2A_n260O		
DC_2A_n260(6A)	DC_2A_n260A		
DC_2A_n260(7A)	DC_2A_n260A		
DC_2A_n260(8A)	DC_2A_n260A		
DC_2A_n260(A-2G)	DC_2A_n260A DC_2A_n260G		
DC_2A_n260(A-2H)	DC_2A_n260A DC_2A_n260G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_2A_n260H		
DC_2A_n260(A-2O)	DC_2A_n260A DC_2A_n260O		
DC_2A_n260(A-2P)	DC_2A_n260A DC_2A_n260O DC_2A_n260P		
DC_2A_n260(A-3G)	DC_2A_n260A DC_2A_n260G		
DC_2A_n260(A-3O)	DC_2A_n260A DC_2A_n260O		
DC_2A_n260(A-D)	DC_2A_n260A		
DC_2A_n260(A-G)	DC_2A_n260A DC_2A_n260G		
DC_2A_n260(A-G-H)	DC_2A_n260A DC_2A_n260G DC_2A_n260H		
DC_2A_n260(A-H)	DC_2A_n260A DC_2A_n260G DC_2A_n260H		
DC_2A_n260(A-O)	DC_2A_n260A DC_2A_n260O		
DC_2A_n260(A-O-P)	DC_2A_n260A DC_2A_n260O DC_2A_n260P		
DC_2A_n260(A-O-Q)	DC_2A_n260A DC_2A_n260O DC_2A_n260P DC_2A_n260Q		
DC_2A_n260(A-P)	DC_2A_n260A DC_2A_n260O DC_2A_n260P		
DC_2A_n260(A-P-Q)	DC_2A_n260A DC_2A_n260O DC_2A_n260P DC_2A_n260Q		
DC_2A_n260(A-Q)	DC_2A_n260A DC_2A_n260O DC_2A_n260P DC_2A_n260Q		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_2A_n260(G-H)	DC_2A_n260A DC_2A_n260G DC_2A_n260H		
DC_2A_n260(O-P)	DC_2A_n260A DC_2A_n260O DC_2A_n260P		
DC_2A_n260(O-Q)	DC_2A_n260A DC_2A_n260O DC_2A_n260P DC_2A_n260Q		
DC_2A_n260(P-Q)	DC_2A_n260A DC_2A_n260O DC_2A_n260P DC_2A_n260Q		
DC_2A_n261A	DC_2A_n261A		
DC_2A_n261B	DC_2A_n261A DC_2A_n261B		
DC_2A_n261C	DC_2A_n261A DC_2A_n261C		
DC_2A_n261D	DC_2A_n261A DC_2A_n261D		
DC_2A_n261E	DC_2A_n261A DC_2A_n261D DC_2A_n261E		
DC_2A_n261F	DC_2A_n261A DC_2A_n261D DC_2A_n261E DC_2A_n261F		
DC_2A_n261G	DC_2A_n261A DC_2A_n261G		
DC_2A_n261H	DC_2A_n261A DC_2A_n261G DC_2A_n261H		
DC_2A_n261I	DC_2A_n261A DC_2A_n261G DC_2A_n261H DC_2A_n261I		
DC_2A_n261J	DC_2A_n261A DC_2A_n261G DC_2A_n261H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_2A_n261I DC_2A_n261J		
DC_2A_n261K	DC_2A_n261A DC_2A_n261G DC_2A_n261H DC_2A_n261I DC_2A_n261J DC_2A_n261K		
DC_2A_n261L	DC_2A_n261A DC_2A_n261G DC_2A_n261H DC_2A_n261I DC_2A_n261J DC_2A_n261K DC_2A_n261L		
DC_2A_n261M	DC_2A_n261A DC_2A_n261G DC_2A_n261H DC_2A_n261I DC_2A_n261J DC_2A_n261K DC_2A_n261L DC_2A_n261M		
DC_2A_n261O	DC_2A_n261A DC_2A_n261O		
DC_2A_n261P	DC_2A_n261A DC_2A_n261O DC_2A_n261P		
DC_2A_n261Q	DC_2A_n261A DC_2A_n261O DC_2A_n261P DC_2A_n261Q		
DC_2A_n261(2A)	DC_2A_n261A		
DC_2A_n261(2A-G)	DC_2A_n261A DC_2A_n261G		
DC_2A_n261(2A-H)	DC_2A_n261A DC_2A_n261G DC_2A_n261H		
DC_2A_n261(2A-I)	DC_2A_n261A DC_2A_n261G DC_2A_n261H DC_2A_n261I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_2A_n261(2G)	DC_2A_n261A DC_2A_n261G		
DC_2A_n261(2H)	DC_2A_n261A DC_2A_n261G DC_2A_n261H		
DC_2A_n261(2I)	DC_2A_n261A DC_2A_n261G DC_2A_n261H DC_2A_n261I		
DC_2A_n261(3A)	DC_2A_n261A		
DC_2A_n261(3A-G)	DC_2A_n261A DC_2A_n261G		
DC_2A_n261(4A)	DC_2A_n261A		
DC_2A_n261(A-2G)	DC_2A_n261A DC_2A_n261G		
DC_2A_n261(A-G)	DC_2A_n261A DC_2A_n261G		
DC_2A_n261(A-G-H)	DC_2A_n261A DC_2A_n261G DC_2A_n261H		
DC_2A_n261(A-G-I)	DC_2A_n261A DC_2A_n261G DC_2A_n261H DC_2A_n261I		
DC_2A_n261(A-H)	DC_2A_n261A DC_2A_n261G DC_2A_n261H		
DC_2A_n261(A-I)	DC_2A_n261A DC_2A_n261G DC_2A_n261H DC_2A_n261I		
DC_2A_n261(A-J)	DC_2A_n261A DC_2A_n261G DC_2A_n261H DC_2A_n261I		
DC_2A_n261(A-K)	DC_2A_n261A DC_2A_n261G DC_2A_n261H DC_2A_n261I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_2A_n261(A-L)	DC_2A_n261A DC_2A_n261G DC_2A_n261H DC_2A_n261I		
DC_2A_n261(G-H)	DC_2A_n261A DC_2A_n261G DC_2A_n261H		
DC_2A_n261(G-I)	DC_2A_n261A DC_2A_n261G DC_2A_n261H DC_2A_n261I		
DC_2A_n261(G-J)	DC_2A_n261A DC_2A_n261G DC_2A_n261H DC_2A_n261I		
DC_2A_n261(H-I)	DC_2A_n261A DC_2A_n261G DC_2A_n261H DC_2A_n261I		
DC_2C_n257A	DC_2A_n257A		
DC_2C_n260A	DC_2A_n260A		
DC_3A_n257A	DC_3A_n257A		
DC_3A_n257B	DC_3A_n257A DC_3A_n257B		
DC_3A_n257C	DC_3A_n257A		
DC_3A_n257D	DC_3A_n257A DC_3A_n257D		
DC_3A_n257E	DC_3A_n257A DC_3A_n257D		
DC_3A_n257F	DC_3A_n257A DC_3A_n257D		
DC_3A_n257G	DC_3A_n257A DC_3A_n257G		
DC_3A_n257H	DC_3A_n257A DC_3A_n257G DC_3A_n257H		
DC_3A_n257I	DC_3A_n257A DC_3A_n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_3A_n257H DC_3A_n257I		
DC_3A_n257J	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J		
DC_3A_n257K	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K		
DC_3A_n257L	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_3A_n257L		
DC_3A_n257M	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_3A_n257L DC_3A_n257M		
DC_3A_n258A	DC_3A_n258A		
DC_3A_n258B	DC_3A_n258A		
DC_3A_n258C	DC_3A_n258A		
DC_3A_n258D	DC_3A_n258A		
DC_3A_n258E	DC_3A_n258A		
DC_3A_n258F	DC_3A_n258A		
DC_3A_n258G	DC_3A_n258A DC_3A_n258G		
DC_3A_n258H	DC_3A_n258A DC_3A_n258G DC_3A_n258H		
DC_3A_n258I	DC_3A_n258A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_3A_n258G DC_3A_n258H DC_3A_n258I		
DC_3A_n258J	DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I		
DC_3A_n258K	DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I		
DC_3A_n258L	DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I		
DC_3A_n258M	DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I		
DC_3C_n257A	DC_3A_n257A DC_3C_n257A		
DC_3C_n257D	DC_3A_n257A DC_3A_n257D DC_3C_n257A		
DC_3C_n257E	DC_3A_n257A DC_3A_n257D DC_3C_n257A		
DC_3C_n257F	DC_3A_n257A DC_3A_n257D DC_3C_n257A		
DC_3C_n257G	DC_3A_n257A DC_3A_n257G DC_3C_n257A		
DC_3C_n257H	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3C_n257A		
DC_3C_n257I	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3C_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_3C_n257J	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3C_n257A		
DC_3C_n257K	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_3C_n257A		
DC_3C_n257L	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_3A_n257L DC_3C_n257A		
DC_3C_n257M	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_3A_n257L DC_3A_n257M DC_3C_n257A		
DC_3C_n258A	DC_3A_n258A DC_3C_n258A		
DC_3C_n258B	DC_3A_n258A DC_3C_n258A		
DC_3C_n258C	DC_3A_n258A DC_3C_n258A		
DC_3C_n258D	DC_3A_n258A DC_3C_n258A		
DC_3C_n258E	DC_3A_n258A DC_3C_n258A		
DC_3C_n258F	DC_3A_n258A DC_3C_n258A		
	DC_3A_n258A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_3C_n258G	DC_3A_n258G DC_3C_n258A DC_3C_n258G		
DC_3C_n258H	DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3C_n258A DC_3C_n258G DC_3C_n258H		
DC_3C_n258I	DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I DC_3C_n258A DC_3C_n258G DC_3C_n258H DC_3C_n258I		
DC_3C_n258J	DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I DC_3C_n258A DC_3C_n258G DC_3C_n258H DC_3C_n258I		
DC_3C_n258K	DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I DC_3C_n258A DC_3C_n258G DC_3C_n258H DC_3C_n258I		
DC_3C_n258L	DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I DC_3C_n258A DC_3C_n258G DC_3C_n258H DC_3C_n258I		
DC_3C_n258M	DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I DC_3C_n258A DC_3C_n258G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_3C_n258H DC_3C_n258I		
DC_4A_n258A	DC_4A_n258A		
DC_4A_n258G	DC_4A_n258A DC_4A_n258G		
DC_4A_n258H	DC_4A_n258A DC_4A_n258G DC_4A_n258H		
DC_4A_n258I	DC_4A_n258A DC_4A_n258G DC_4A_n258H DC_4A_n258I		
DC_4A_n260A	DC_4A_n260A		
DC_4A_n260D	DC_4A_n260A		
DC_4A_n260G	DC_4A_n260A DC_4A_n260G		
DC_4A_n260H	DC_4A_n260A DC_4A_n260G DC_4A_n260H		
DC_4A_n260O	DC_4A_n260A DC_4A_n260O		
DC_4A_n260P	DC_4A_n260A DC_4A_n260O DC_4A_n260P		
DC_4A_n260Q	DC_4A_n260A DC_4A_n260O DC_4A_n260P DC_4A_n260Q		
DC_4A_n260(2A)	DC_4A_n260A		
DC_4A_n260(2A-2D)	DC_4A_n260A		
DC_4A_n260(2A-2G)	DC_4A_n260A DC_4A_n260G		
DC_4A_n260(2A-2G-2O)	DC_4A_n260A DC_4A_n260G DC_4A_n260O		
DC_4A_n260(2A-2G-O)	DC_4A_n260A DC_4A_n260G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_4A_n260O		
DC_4A_n260(2A-2H)	DC_4A_n260A DC_4A_n260G DC_4A_n260H		
DC_4A_n260(2A-2O)	DC_4A_n260A DC_4A_n260O		
DC_4A_n260(2A-2P)	DC_4A_n260A DC_4A_n260O DC_4A_n260P		
DC_4A_n260(2A-3G)	DC_4A_n260A DC_4A_n260G		
DC_4A_n260(2A-3O)	DC_4A_n260A DC_4A_n260O		
DC_4A_n260(2A-4O)	DC_4A_n260A DC_4A_n260O		
DC_4A_n260(2A-D)	DC_4A_n260A		
DC_4A_n260(2A-D-2O)	DC_4A_n260A DC_4A_n260O		
DC_4A_n260(2A-D-O)	DC_4A_n260A DC_4A_n260O		
DC_4A_n260(2A-G)	DC_4A_n260A DC_4A_n260G		
DC_4A_n260(2A-G-2O)	DC_4A_n260A DC_4A_n260G DC_4A_n260O		
DC_4A_n260(2A-G-3O)	DC_4A_n260A DC_4A_n260G DC_4A_n260O		
DC_4A_n260(2A-G-H)	DC_4A_n260A DC_4A_n260G DC_4A_n260H		
DC_4A_n260(2A-G-O)	DC_4A_n260A DC_4A_n260G DC_4A_n260O		
DC_4A_n260(2A-H)	DC_4A_n260A DC_4A_n260G DC_4A_n260H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_4A_n260(2A-O)	DC_4A_n260A DC_4A_n260O		
DC_4A_n260(2A-O-P)	DC_4A_n260A DC_4A_n260O DC_4A_n260P		
DC_4A_n260(2A-P)	DC_4A_n260A DC_4A_n260O DC_4A_n260P		
DC_4A_n260(2A-Q)	DC_4A_n260A DC_4A_n260O DC_4A_n260P DC_4A_n260Q		
DC_4A_n260(2D)	DC_4A_n260A		
DC_4A_n260(2D-O)	DC_4A_n260A DC_4A_n260O		
DC_4A_n260(2G)	DC_4A_n260A DC_4A_n260G		
DC_4A_n260(2G-2O)	DC_4A_n260A DC_4A_n260G DC_4A_n260O		
DC_4A_n260(2G-3O)	DC_4A_n260A DC_4A_n260G DC_4A_n260O		
DC_4A_n260(2G-4O)	DC_4A_n260A DC_4A_n260G DC_4A_n260O		
DC_4A_n260(2G-O)	DC_4A_n260A DC_4A_n260G DC_4A_n260O		
DC_4A_n260(2H)	DC_4A_n260A DC_4A_n260G DC_4A_n260H		
DC_4A_n260(2H-O)	DC_4A_n260A DC_4A_n260G DC_4A_n260H DC_4A_n260O		
DC_4A_n260(2O)	DC_4A_n260A DC_4A_n260O		
	DC_4A_n260A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_4A_n260(2P)	DC_4A_n260O DC_4A_n260P		
DC_4A_n260(3A)	DC_4A_n260A		
DC_4A_n260(3A-2G)	DC_4A_n260A DC_4A_n260G		
DC_4A_n260(3A-2G-O)	DC_4A_n260A DC_4A_n260G DC_4A_n260O		
DC_4A_n260(3A-2O)	DC_4A_n260A DC_4A_n260O		
DC_4A_n260(3A-3O)	DC_4A_n260A DC_4A_n260O		
DC_4A_n260(3A-D)	DC_4A_n260A		
DC_4A_n260(3A-D-O)	DC_4A_n260A DC_4A_n260O		
DC_4A_n260(3A-G)	DC_4A_n260A DC_4A_n260G		
DC_4A_n260(3A-G-2O)	DC_4A_n260A DC_4A_n260G DC_4A_n260O		
DC_4A_n260(3A-G-O)	DC_4A_n260A DC_4A_n260G DC_4A_n260O		
DC_4A_n260(3A-H)	DC_4A_n260A DC_4A_n260G DC_4A_n260H		
DC_4A_n260(3A-O)	DC_4A_n260A DC_4A_n260O		
DC_4A_n260(3A-O-P)	DC_4A_n260A DC_4A_n260O DC_4A_n260P		
DC_4A_n260(3A-P)	DC_4A_n260A DC_4A_n260O DC_4A_n260P		
DC_4A_n260(3G)	DC_4A_n260A DC_4A_n260G		
DC_4A_n260(3G-O)	DC_4A_n260A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_4A_n260G DC_4A_n260O		
DC_4A_n260(3O)	DC_4A_n260A DC_4A_n260O		
DC_4A_n260(4A)	DC_4A_n260A		
DC_4A_n260(4A-2G)	DC_4A_n260A DC_4A_n260G		
DC_4A_n260(4A-2O)	DC_4A_n260A DC_4A_n260O		
DC_4A_n260(4A-D)	DC_4A_n260A		
DC_4A_n260(4A-G)	DC_4A_n260A DC_4A_n260G		
DC_4A_n260(4A-G-O)	DC_4A_n260A DC_4A_n260G DC_4A_n260O		
DC_4A_n260(4A-O)	DC_4A_n260A DC_4A_n260O		
DC_4A_n260(4A-P)	DC_4A_n260A DC_4A_n260O DC_4A_n260P		
DC_4A_n260(4G)	DC_4A_n260A DC_4A_n260G		
DC_4A_n260(4G-O)	DC_4A_n260A DC_4A_n260G DC_4A_n260O		
DC_4A_n260(4O)	DC_4A_n260A DC_4A_n260O		
DC_4A_n260(5A)	DC_4A_n260A		
DC_4A_n260(5A-G)	DC_4A_n260A DC_4A_n260G		
DC_4A_n260(5A-O)	DC_4A_n260A DC_4A_n260O		
DC_4A_n260(6A)	DC_4A_n260A		
DC_4A_n260(7A)	DC_4A_n260A		
DC_4A_n260(8A)	DC_4A_n260A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_4A_n260(A-2D)	DC_4A_n260A		
DC_4A_n260(A-2G)	DC_4A_n260A DC_4A_n260G		
DC_4A_n260(A-2G-2O)	DC_4A_n260A DC_4A_n260G DC_4A_n260O		
DC_4A_n260(A-2G-3O)	DC_4A_n260A DC_4A_n260G DC_4A_n260O		
DC_4A_n260(A-2G-O)	DC_4A_n260A DC_4A_n260G DC_4A_n260O		
DC_4A_n260(A-2H)	DC_4A_n260A DC_4A_n260G DC_4A_n260H		
DC_4A_n260(A-2O)	DC_4A_n260A DC_4A_n260O		
DC_4A_n260(A-2P)	DC_4A_n260A DC_4A_n260O DC_4A_n260P		
DC_4A_n260(A-3G)	DC_4A_n260A DC_4A_n260G		
DC_4A_n260(A-3G-O)	DC_4A_n260A DC_4A_n260G DC_4A_n260O		
DC_4A_n260(A-3O)	DC_4A_n260A DC_4A_n260O		
DC_4A_n260(A-4G)	DC_4A_n260A DC_4A_n260G		
DC_4A_n260(A-4O)	DC_4A_n260A DC_4A_n260O		
DC_4A_n260(A-D)	DC_4A_n260A		
DC_4A_n260(A-D-2O)	DC_4A_n260A DC_4A_n260O		
DC_4A_n260(A-D-G)	DC_4A_n260A DC_4A_n260G		
	DC_4A_n260A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_4A_n260(A-D-O)	DC_4A_n260O		
DC_4A_n260(A-G)	DC_4A_n260A DC_4A_n260G		
DC_4A_n260(A-G-2O)	DC_4A_n260A DC_4A_n260G DC_4A_n260O		
DC_4A_n260(A-G-3O)	DC_4A_n260A DC_4A_n260G DC_4A_n260O		
DC_4A_n260(A-G-4O)	DC_4A_n260A DC_4A_n260G DC_4A_n260O		
DC_4A_n260(A-G-H)	DC_4A_n260A DC_4A_n260G DC_4A_n260H		
DC_4A_n260(A-G-O)	DC_4A_n260A DC_4A_n260G DC_4A_n260O		
DC_4A_n260(A-H)	DC_4A_n260A DC_4A_n260G DC_4A_n260H		
DC_4A_n260(A-H-O)	DC_4A_n260A DC_4A_n260G DC_4A_n260H DC_4A_n260O		
DC_4A_n260(A-O)	DC_4A_n260A DC_4A_n260O		
DC_4A_n260(A-O-P)	DC_4A_n260A DC_4A_n260O DC_4A_n260P		
DC_4A_n260(A-O-Q)	DC_4A_n260A DC_4A_n260O DC_4A_n260P DC_4A_n260Q		
DC_4A_n260(A-P)	DC_4A_n260A DC_4A_n260O DC_4A_n260P		
DC_4A_n260(A-P-Q)	DC_4A_n260A DC_4A_n260O DC_4A_n260P		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_4A_n260Q		
DC_4A_n260(A-Q)	DC_4A_n260A DC_4A_n260O DC_4A_n260P DC_4A_n260Q		
DC_4A_n260(D-2G)	DC_4A_n260A DC_4A_n260G		
DC_4A_n260(D-2O)	DC_4A_n260A DC_4A_n260O		
DC_4A_n260(D-G)	DC_4A_n260A DC_4A_n260G		
DC_4A_n260(D-O)	DC_4A_n260A DC_4A_n260O		
DC_4A_n260(G-2O)	DC_4A_n260A DC_4A_n260G DC_4A_n260O		
DC_4A_n260(G-3O)	DC_4A_n260A DC_4A_n260G DC_4A_n260O		
DC_4A_n260(G-4O)	DC_4A_n260A DC_4A_n260G DC_4A_n260O		
DC_4A_n260(G-H)	DC_4A_n260A DC_4A_n260G DC_4A_n260H		
DC_4A_n260(G-H-O)	DC_4A_n260A DC_4A_n260G DC_4A_n260H DC_4A_n260O		
DC_4A_n260(G-O)	DC_4A_n260A DC_4A_n260G DC_4A_n260O		
DC_4A_n260(H-O)	DC_4A_n260A DC_4A_n260G DC_4A_n260H DC_4A_n260O		
DC_4A_n260(O-P)	DC_4A_n260A DC_4A_n260O DC_4A_n260P		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_4A_n260(O-Q)	DC_4A_n260A DC_4A_n260O DC_4A_n260P DC_4A_n260Q		
DC_4A_n260(P-Q)	DC_4A_n260A DC_4A_n260O DC_4A_n260P DC_4A_n260Q		
DC_4A_n261A	DC_4A_n261A		
DC_4A_n261D	DC_4A_n261A DC_4A_n261D		
DC_4A_n261G	DC_4A_n261A DC_4A_n261G		
DC_4A_n261H	DC_4A_n261A DC_4A_n261G DC_4A_n261H		
DC_4A_n261I	DC_4A_n261A DC_4A_n261G DC_4A_n261H DC_4A_n261I		
DC_4A_n261J	DC_4A_n261A DC_4A_n261G DC_4A_n261H DC_4A_n261I		
DC_4A_n261K	DC_4A_n261A DC_4A_n261G DC_4A_n261H DC_4A_n261I		
DC_4A_n261L	DC_4A_n261A DC_4A_n261G DC_4A_n261H DC_4A_n261I		
DC_4A_n261M	DC_4A_n261A DC_4A_n261G DC_4A_n261H DC_4A_n261I		
DC_4A_n261(2A)	DC_4A_n261A		
DC_4A_n261(2A-D)	DC_4A_n261A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_4A_n261(2A-G)	DC_4A_n261A DC_4A_n261G		
DC_4A_n261(2A-H)	DC_4A_n261A DC_4A_n261H DC_4A_n261G		
DC_4A_n261(2A-I)	DC_4A_n261A DC_4A_n261H DC_4A_n261I DC_4A_n261G		
DC_4A_n261(2G)	DC_4A_n261A DC_4A_n261G		
DC_4A_n261(2H)	DC_4A_n261A DC_4A_n261H DC_4A_n261G		
DC_4A_n261(2I)	DC_4A_n261A DC_4A_n261H DC_4A_n261I DC_4A_n261G		
DC_4A_n261(3A)	DC_4A_n261A		
DC_4A_n261(4A)	DC_4A_n261A		
DC_4A_n261(A-2G)	DC_4A_n261A DC_4A_n261G		
DC_4A_n261(A-2H)	DC_4A_n261A DC_4A_n261H DC_4A_n261G		
DC_4A_n261(A-2I)	DC_4A_n261A DC_4A_n261H DC_4A_n261I DC_4A_n261G		
DC_4A_n261(A-D)	DC_4A_n261A		
DC_4A_n261(A-D-G)	DC_4A_n261A DC_4A_n261G		
DC_4A_n261(A-D-H)	DC_4A_n261A DC_4A_n261H DC_4A_n261G		
DC_4A_n261(A-G)	DC_4A_n261A DC_4A_n261G		
	DC_4A_n261A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_4A_n261(A-G-H)	DC_4A_n261H DC_4A_n261G		
DC_4A_n261(A-G-I)	DC_4A_n261A DC_4A_n261H DC_4A_n261I DC_4A_n261G		
DC_4A_n261(A-H)	DC_4A_n261A DC_4A_n261H DC_4A_n261G		
DC_4A_n261(A-H-I)	DC_4A_n261A DC_4A_n261H DC_4A_n261I DC_4A_n261G		
DC_4A_n261(A-I)	DC_4A_n261A DC_4A_n261H DC_4A_n261I DC_4A_n261G		
DC_4A_n261(D-G)	DC_4A_n261A DC_4A_n261G		
DC_4A_n261(D-H)	DC_4A_n261A DC_4A_n261H DC_4A_n261G		
DC_4A_n261(G-H)	DC_4A_n261A DC_4A_n261H DC_4A_n261G		
DC_4A_n261(G-I)	DC_4A_n261A DC_4A_n261H DC_4A_n261I DC_4A_n261G		
DC_4A_n261(H-I)	DC_4A_n261A DC_4A_n261H DC_4A_n261I DC_4A_n261G		
DC_5A_n257A	DC_5A_n257A		
DC_5A_n257D	DC_5A_n257A DC_5A_n257D		
DC_5A_n257E	DC_5A_n257A DC_5A_n257D		
DC_5A_n257F	DC_5A_n257A DC_5A_n257D		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_5A_n257G	DC_5A_n257A DC_5A_n257G		
DC_5A_n257H	DC_5A_n257A DC_5A_n257G DC_5A_n257H		
DC_5A_n257I	DC_5A_n257A DC_5A_n257G DC_5A_n257H DC_5A_n257I		
DC_5A_n257J	DC_5A_n257A DC_5A_n257G DC_5A_n257H DC_5A_n257I		
DC_5A_n257K	DC_5A_n257A DC_5A_n257G DC_5A_n257H DC_5A_n257I		
DC_5A_n257L	DC_5A_n257A DC_5A_n257G DC_5A_n257H DC_5A_n257I		
DC_5A_n257M	DC_5A_n257A DC_5A_n257G DC_5A_n257H DC_5A_n257I		
DC_5A_n258A	DC_5A_n258A		
DC_5A_n258D	DC_5A_n258A DC_5A_n258D		
DC_5A_n258G	DC_5A_n258A DC_5A_n258G		
DC_5A_n258H	DC_5A_n258A DC_5A_n258G DC_5A_n258H		
DC_5A_n258I	DC_5A_n258A DC_5A_n258G DC_5A_n258H DC_5A_n258I		
DC_5A_n258J	DC_5A_n258A DC_5A_n258G DC_5A_n258H DC_5A_n258I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_5A_n258J		
DC_5A_n258K	DC_5A_n258A DC_5A_n258G DC_5A_n258H DC_5A_n258I DC_5A_n258J DC_5A_n258K		
DC_5A_n258L	DC_5A_n258A DC_5A_n258G DC_5A_n258H DC_5A_n258I DC_5A_n258J DC_5A_n258K DC_5A_n258L		
DC_5A_n258M	DC_5A_n258A DC_5A_n258G DC_5A_n258H DC_5A_n258I DC_5A_n258J DC_5A_n258K DC_5A_n258L DC_5A_n258M		
DC_5A_n258O	DC_5A_n258A DC_5A_n258O		
DC_5A_n258P	DC_5A_n258A DC_5A_n258O DC_5A_n258P		
DC_5A_n258Q	DC_5A_n258A DC_5A_n258O DC_5A_n258P DC_5A_n258Q		
DC_5A_n260A	DC_5A_n260A		
DC_5A_n260B	DC_5A_n260A		
DC_5A_n260C	DC_5A_n260A		
DC_5A_n260D	DC_5A_n260A		
DC_5A_n260E	DC_5A_n260A		
DC_5A_n260F	DC_5A_n260A		
DC_5A_n260G	DC_5A_n260A DC_5A_n260G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_5A_n260H	DC_5A_n260A DC_5A_n260G DC_5A_n260H		
DC_5A_n260I	DC_5A_n260A DC_5A_n260G DC_5A_n260H DC_5A_n260I		
DC_5A_n260J	DC_5A_n260A DC_5A_n260G DC_5A_n260H DC_5A_n260I DC_5A_n260J		
DC_5A_n260K	DC_5A_n260A DC_5A_n260G DC_5A_n260H DC_5A_n260I DC_5A_n260J DC_5A_n260K		
DC_5A_n260L	DC_5A_n260A DC_5A_n260G DC_5A_n260H DC_5A_n260I DC_5A_n260J DC_5A_n260K DC_5A_n260L		
DC_5A_n260M	DC_5A_n260A DC_5A_n260G DC_5A_n260H DC_5A_n260I DC_5A_n260J DC_5A_n260K DC_5A_n260L DC_5A_n260M		
DC_5A_n260O	DC_5A_n260A DC_5A_n260O		
DC_5A_n260P	DC_5A_n260A DC_5A_n260O DC_5A_n260P		
DC_5A_n260Q	DC_5A_n260A DC_5A_n260O DC_5A_n260P DC_5A_n260Q		
DC_5A_n260(10A)	DC_5A_n260A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_5A_n260(2A)	DC_5A_n260A		
DC_5A_n260(2A-2D)	DC_5A_n260A		
DC_5A_n260(2A-2G)	DC_5A_n260A DC_5A_n260G		
DC_5A_n260(2A-2G-2O)	DC_5A_n260A DC_5A_n260G DC_5A_n260O		
DC_5A_n260(2A-2G-O)	DC_5A_n260A DC_5A_n260G DC_5A_n260O		
DC_5A_n260(2A-2H)	DC_5A_n260A DC_5A_n260G DC_5A_n260H		
DC_5A_n260(2A-2O)	DC_5A_n260A DC_5A_n260O		
DC_5A_n260(2A-2O-2P)	DC_5A_n260A DC_5A_n260O DC_5A_n260P		
DC_5A_n260(2A-2O-2Q)	DC_5A_n260A DC_5A_n260O DC_5A_n260P DC_5A_n260Q		
DC_5A_n260(2A-2O-P)	DC_5A_n260A DC_5A_n260O DC_5A_n260P		
DC_5A_n260(2A-2O-P-Q)	DC_5A_n260A DC_5A_n260O DC_5A_n260P DC_5A_n260Q		
DC_5A_n260(2A-2O-Q)	DC_5A_n260A DC_5A_n260O DC_5A_n260P DC_5A_n260Q		
DC_5A_n260(2A-2P)	DC_5A_n260A DC_5A_n260O DC_5A_n260P		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_5A_n260(2A-2Q)	DC_5A_n260A DC_5A_n260O DC_5A_n260P DC_5A_n260Q		
DC_5A_n260(2A-3G)	DC_5A_n260A DC_5A_n260G		
DC_5A_n260(2A-3O)	DC_5A_n260A DC_5A_n260O		
DC_5A_n260(2A-3O-P)	DC_5A_n260A DC_5A_n260O DC_5A_n260P		
DC_5A_n260(2A-3O-Q)	DC_5A_n260A DC_5A_n260O DC_5A_n260P DC_5A_n260Q		
DC_5A_n260(2A-3P)	DC_5A_n260A DC_5A_n260O DC_5A_n260P		
DC_5A_n260(2A-4O)	DC_5A_n260A DC_5A_n260O		
DC_5A_n260(2A-4P)	DC_5A_n260A DC_5A_n260O DC_5A_n260P		
DC_5A_n260(2A-D)	DC_5A_n260A		
DC_5A_n260(2A-D-2O)	DC_5A_n260A DC_5A_n260O		
DC_5A_n260(2A-D-O)	DC_5A_n260A DC_5A_n260O		
DC_5A_n260(2A-G)	DC_5A_n260A DC_5A_n260G		
DC_5A_n260(2A-G-2O)	DC_5A_n260A DC_5A_n260G DC_5A_n260O		
DC_5A_n260(2A-G-3O)	DC_5A_n260A DC_5A_n260G DC_5A_n260O		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_5A_n260(2A-G-H)	DC_5A_n260A DC_5A_n260G DC_5A_n260H		
DC_5A_n260(2A-G-O)	DC_5A_n260A DC_5A_n260G DC_5A_n260O		
DC_5A_n260(2A-H)	DC_5A_n260A DC_5A_n260G DC_5A_n260H		
DC_5A_n260(2A-O)	DC_5A_n260A DC_5A_n260O		
DC_5A_n260(2A-O-2P)	DC_5A_n260A DC_5A_n260O DC_5A_n260P		
DC_5A_n260(2A-O-2Q)	DC_5A_n260A DC_5A_n260O DC_5A_n260P DC_5A_n260Q		
DC_5A_n260(2A-O-3P)	DC_5A_n260A DC_5A_n260O DC_5A_n260P		
DC_5A_n260(2A-O-P)	DC_5A_n260A DC_5A_n260O DC_5A_n260P		
DC_5A_n260(2A-O-P-Q)	DC_5A_n260A DC_5A_n260O DC_5A_n260P DC_5A_n260Q		
DC_5A_n260(2A-O-Q)	DC_5A_n260A DC_5A_n260O DC_5A_n260P DC_5A_n260Q		
DC_5A_n260(2A-P)	DC_5A_n260A DC_5A_n260O DC_5A_n260P		
DC_5A_n260(2A-P-Q)	DC_5A_n260A DC_5A_n260O DC_5A_n260P DC_5A_n260Q		
DC_5A_n260(2A-Q)	DC_5A_n260A DC_5A_n260O		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_5A_n260P DC_5A_n260Q		
DC_5A_n260(2D)	DC_5A_n260A		
DC_5A_n260(2D-O)	DC_5A_n260A DC_5A_n260O		
DC_5A_n260(2G)	DC_5A_n260A DC_5A_n260G		
DC_5A_n260(2G-2O)	DC_5A_n260A DC_5A_n260G DC_5A_n260O		
DC_5A_n260(2G-3O)	DC_5A_n260A DC_5A_n260G DC_5A_n260O		
DC_5A_n260(2G-4O)	DC_5A_n260A DC_5A_n260G DC_5A_n260O		
DC_5A_n260(2G-O)	DC_5A_n260A DC_5A_n260G DC_5A_n260O		
DC_5A_n260(2H)	DC_5A_n260A DC_5A_n260G DC_5A_n260H		
DC_5A_n260(2H-O)	DC_5A_n260A DC_5A_n260G DC_5A_n260H DC_5A_n260O		
DC_5A_n260(2O)	DC_5A_n260A DC_5A_n260O		
DC_5A_n260(2O-2P)	DC_5A_n260A DC_5A_n260O DC_5A_n260P		
DC_5A_n260(2O-2Q)	DC_5A_n260A DC_5A_n260O DC_5A_n260P DC_5A_n260Q		
DC_5A_n260(2O-P)	DC_5A_n260A DC_5A_n260O DC_5A_n260P		
DC_5A_n260(2O-P-Q)	DC_5A_n260A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_5A_n260O DC_5A_n260P DC_5A_n260Q		
DC_5A_n260(2O-Q)	DC_5A_n260A DC_5A_n260O DC_5A_n260P DC_5A_n260Q		
DC_5A_n260(2P)	DC_5A_n260A DC_5A_n260O DC_5A_n260P		
DC_5A_n260(2Q)	DC_5A_n260A DC_5A_n260O DC_5A_n260P DC_5A_n260Q		
DC_5A_n260(3A)	DC_5A_n260A		
DC_5A_n260(3A-2G)	DC_5A_n260A DC_5A_n260G		
DC_5A_n260(3A-2G-O)	DC_5A_n260A DC_5A_n260G DC_5A_n260O		
DC_5A_n260(3A-2O)	DC_5A_n260A DC_5A_n260O		
DC_5A_n260(3A-2O-P)	DC_5A_n260A DC_5A_n260O DC_5A_n260P		
DC_5A_n260(3A-2O-Q)	DC_5A_n260A DC_5A_n260O DC_5A_n260P DC_5A_n260Q		
DC_5A_n260(3A-2P)	DC_5A_n260A DC_5A_n260O DC_5A_n260P		
DC_5A_n260(3A-2Q)	DC_5A_n260A DC_5A_n260O DC_5A_n260P DC_5A_n260Q		
DC_5A_n260(3A-3O)	DC_5A_n260A DC_5A_n260O		
DC_5A_n260(3A-3P)	DC_5A_n260A DC_5A_n260O		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_5A_n260P		
DC_5A_n260(3A-4O)	DC_5A_n260A DC_5A_n260O		
DC_5A_n260(3A-D)	DC_5A_n260A		
DC_5A_n260(3A-D-O)	DC_5A_n260A DC_5A_n260O		
DC_5A_n260(3A-G)	DC_5A_n260A DC_5A_n260G		
DC_5A_n260(3A-G-2O)	DC_5A_n260A DC_5A_n260G DC_5A_n260O		
DC_5A_n260(3A-G-O)	DC_5A_n260A DC_5A_n260G DC_5A_n260O		
DC_5A_n260(3A-H)	DC_5A_n260A DC_5A_n260G DC_5A_n260H		
DC_5A_n260(3A-O)	DC_5A_n260A DC_5A_n260O		
DC_5A_n260(3A-O-2P)	DC_5A_n260A DC_5A_n260O DC_5A_n260P		
DC_5A_n260(3A-O-2Q)	DC_5A_n260A DC_5A_n260O DC_5A_n260P DC_5A_n260Q		
DC_5A_n260(3A-O-P)	DC_5A_n260A DC_5A_n260O DC_5A_n260P		
DC_5A_n260(3A-O-P-Q)	DC_5A_n260A DC_5A_n260O DC_5A_n260P DC_5A_n260Q		
DC_5A_n260(3A-O-Q)	DC_5A_n260A DC_5A_n260O DC_5A_n260P DC_5A_n260Q		
DC_5A_n260(3A-P)	DC_5A_n260A DC_5A_n260O		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_5A_n260P		
DC_5A_n260(3A-P-Q)	DC_5A_n260A DC_5A_n260O DC_5A_n260P DC_5A_n260Q		
DC_5A_n260(3A-Q)	DC_5A_n260A DC_5A_n260O DC_5A_n260P DC_5A_n260Q		
DC_5A_n260(3G)	DC_5A_n260A DC_5A_n260G		
DC_5A_n260(3G-O)	DC_5A_n260A DC_5A_n260G DC_5A_n260O		
DC_5A_n260(3O)	DC_5A_n260A DC_5A_n260O		
DC_5A_n260(3O-P)	DC_5A_n260A DC_5A_n260O DC_5A_n260P		
DC_5A_n260(3O-Q)	DC_5A_n260A DC_5A_n260O DC_5A_n260P DC_5A_n260Q		
DC_5A_n260(3P)	DC_5A_n260A DC_5A_n260O DC_5A_n260P		
DC_5A_n260(4A)	DC_5A_n260A		
DC_5A_n260(4A-2G)	DC_5A_n260A DC_5A_n260G		
DC_5A_n260(4A-2O)	DC_5A_n260A DC_5A_n260O		
DC_5A_n260(4A-2P)	DC_5A_n260A DC_5A_n260O DC_5A_n260P		
DC_5A_n260(4A-2Q)	DC_5A_n260A DC_5A_n260O DC_5A_n260P DC_5A_n260Q		
DC_5A_n260(4A-3O)	DC_5A_n260A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_5A_n260O		
DC_5A_n260(4A-4O)	DC_5A_n260A DC_5A_n260O		
DC_5A_n260(4A-D)	DC_5A_n260A		
DC_5A_n260(4A-G)	DC_5A_n260A DC_5A_n260G		
DC_5A_n260(4A-G-O)	DC_5A_n260A DC_5A_n260G DC_5A_n260O		
DC_5A_n260(4A-O)	DC_5A_n260A DC_5A_n260O		
DC_5A_n260(4A-O-P)	DC_5A_n260A DC_5A_n260O DC_5A_n260P		
DC_5A_n260(4A-O-Q)	DC_5A_n260A DC_5A_n260O DC_5A_n260P DC_5A_n260Q		
DC_5A_n260(4A-P)	DC_5A_n260A DC_5A_n260O DC_5A_n260P		
DC_5A_n260(4A-P-Q)	DC_5A_n260A DC_5A_n260O DC_5A_n260P DC_5A_n260Q		
DC_5A_n260(4A-Q)	DC_5A_n260A DC_5A_n260O DC_5A_n260P DC_5A_n260Q		
DC_5A_n260(4G)	DC_5A_n260A DC_5A_n260G		
DC_5A_n260(4G-O)	DC_5A_n260A DC_5A_n260G DC_5A_n260O		
DC_5A_n260(4O)	DC_5A_n260A DC_5A_n260O		
DC_5A_n260(4P)	DC_5A_n260A DC_5A_n260O DC_5A_n260P		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_5A_n260(5A)	DC_5A_n260A		
DC_5A_n260(5A-2O)	DC_5A_n260A DC_5A_n260O		
DC_5A_n260(5A-2P)	DC_5A_n260A DC_5A_n260O DC_5A_n260P		
DC_5A_n260(5A-3O)	DC_5A_n260A DC_5A_n260O		
DC_5A_n260(5A-G)	DC_5A_n260A DC_5A_n260G		
DC_5A_n260(5A-O)	DC_5A_n260A DC_5A_n260O		
DC_5A_n260(5A-O-P)	DC_5A_n260A DC_5A_n260O DC_5A_n260P		
DC_5A_n260(5A-P)	DC_5A_n260A DC_5A_n260O DC_5A_n260P		
DC_5A_n260(5A-Q)	DC_5A_n260A DC_5A_n260O DC_5A_n260P DC_5A_n260Q		
DC_5A_n260(6A)	DC_5A_n260A		
DC_5A_n260(6A-2O)	DC_5A_n260A DC_5A_n260O		
DC_5A_n260(6A-2P)	DC_5A_n260A DC_5A_n260O DC_5A_n260P		
DC_5A_n260(6A-3O)	DC_5A_n260A DC_5A_n260O		
DC_5A_n260(6A-O)	DC_5A_n260A DC_5A_n260O		
DC_5A_n260(6A-O-P)	DC_5A_n260A DC_5A_n260O DC_5A_n260P		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_5A_n260(6A-P)	DC_5A_n260A DC_5A_n260O DC_5A_n260P		
DC_5A_n260(7A)	DC_5A_n260A		
DC_5A_n260(7A-2O)	DC_5A_n260A DC_5A_n260O		
DC_5A_n260(7A-O)	DC_5A_n260A DC_5A_n260O		
DC_5A_n260(7A-P)	DC_5A_n260A DC_5A_n260O DC_5A_n260P		
DC_5A_n260(8A)	DC_5A_n260A		
DC_5A_n260(8A-2O)	DC_5A_n260A DC_5A_n260O		
DC_5A_n260(8A-O)	DC_5A_n260A DC_5A_n260O		
DC_5A_n260(9A)	DC_5A_n260A		
DC_5A_n260(9A-O)	DC_5A_n260A DC_5A_n260O		
DC_5A_n260(A-2D)	DC_5A_n260A		
DC_5A_n260(A-2G)	DC_5A_n260A DC_5A_n260G		
DC_5A_n260(A-2G-2O)	DC_5A_n260A DC_5A_n260G DC_5A_n260O		
DC_5A_n260(A-2G-3O)	DC_5A_n260A DC_5A_n260G DC_5A_n260O		
DC_5A_n260(A-2G-O)	DC_5A_n260A DC_5A_n260G DC_5A_n260O		
DC_5A_n260(A-2H)	DC_5A_n260A DC_5A_n260G DC_5A_n260H		
DC_5A_n260(A-2O)	DC_5A_n260A DC_5A_n260O		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_5A_n260(A-2O-2P)	DC_5A_n260A DC_5A_n260O DC_5A_n260P		
DC_5A_n260(A-2O-2Q)	DC_5A_n260A DC_5A_n260O DC_5A_n260P DC_5A_n260Q		
DC_5A_n260(A-2O-P)	DC_5A_n260A DC_5A_n260O DC_5A_n260P		
DC_5A_n260(A-2O-P-Q)	DC_5A_n260A DC_5A_n260O DC_5A_n260P DC_5A_n260Q		
DC_5A_n260(A-2O-Q)	DC_5A_n260A DC_5A_n260O DC_5A_n260P DC_5A_n260Q		
DC_5A_n260(A-2P)	DC_5A_n260A DC_5A_n260O DC_5A_n260P		
DC_5A_n260(A-2Q)	DC_5A_n260A DC_5A_n260O DC_5A_n260P DC_5A_n260Q		
DC_5A_n260(A-3G)	DC_5A_n260A DC_5A_n260G		
DC_5A_n260(A-3G-O)	DC_5A_n260A DC_5A_n260G DC_5A_n260O		
DC_5A_n260(A-3O)	DC_5A_n260A DC_5A_n260O		
DC_5A_n260(A-3O-P)	DC_5A_n260A DC_5A_n260O DC_5A_n260P		
DC_5A_n260(A-3O-Q)	DC_5A_n260A DC_5A_n260O DC_5A_n260P DC_5A_n260Q		
DC_5A_n260(A-3P)	DC_5A_n260A DC_5A_n260O		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_5A_n260P		
DC_5A_n260(A-4G)	DC_5A_n260A DC_5A_n260G		
DC_5A_n260(A-4O)	DC_5A_n260A DC_5A_n260O		
DC_5A_n260(A-4P)	DC_5A_n260A DC_5A_n260O DC_5A_n260P		
DC_5A_n260(A-D)	DC_5A_n260A		
DC_5A_n260(A-D-2O)	DC_5A_n260A DC_5A_n260O		
DC_5A_n260(A-D-G)	DC_5A_n260A DC_5A_n260G		
DC_5A_n260(A-D-O)	DC_5A_n260A DC_5A_n260O		
DC_5A_n260(A-E)	DC_5A_n260A		
DC_5A_n260(A-G)	DC_5A_n260A DC_5A_n260G		
DC_5A_n260(A-G-2O)	DC_5A_n260A DC_5A_n260G DC_5A_n260O		
DC_5A_n260(A-G-3O)	DC_5A_n260A DC_5A_n260G DC_5A_n260O		
DC_5A_n260(A-G-4O)	DC_5A_n260A DC_5A_n260G DC_5A_n260O		
DC_5A_n260(A-G-H)	DC_5A_n260A DC_5A_n260G DC_5A_n260H		
DC_5A_n260(A-G-O)	DC_5A_n260A DC_5A_n260G DC_5A_n260O		
DC_5A_n260(A-H)	DC_5A_n260A DC_5A_n260G DC_5A_n260H		
DC_5A_n260(A-H-O)	DC_5A_n260A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_5A_n260G DC_5A_n260H DC_5A_n260O		
DC_5A_n260(A-I)	DC_5A_n260A DC_5A_n260G DC_5A_n260H		
DC_5A_n260(A-O)	DC_5A_n260A DC_5A_n260O		
DC_5A_n260(A-O-2P)	DC_5A_n260A DC_5A_n260O DC_5A_n260P		
DC_5A_n260(A-O-2Q)	DC_5A_n260A DC_5A_n260O DC_5A_n260P DC_5A_n260Q		
DC_5A_n260(A-O-3P)	DC_5A_n260A DC_5A_n260O DC_5A_n260P		
DC_5A_n260(A-O-P)	DC_5A_n260A DC_5A_n260O DC_5A_n260P		
DC_5A_n260(A-O-P-Q)	DC_5A_n260A DC_5A_n260O DC_5A_n260P DC_5A_n260Q		
DC_5A_n260(A-O-Q)	DC_5A_n260A DC_5A_n260O DC_5A_n260P DC_5A_n260Q		
DC_5A_n260(A-P)	DC_5A_n260A DC_5A_n260O DC_5A_n260P		
DC_5A_n260(A-P-Q)	DC_5A_n260A DC_5A_n260O DC_5A_n260P DC_5A_n260Q		
DC_5A_n260(A-Q)	DC_5A_n260A DC_5A_n260O DC_5A_n260P DC_5A_n260Q		
DC_5A_n260(D-2G)	DC_5A_n260A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_5A_n260G		
DC_5A_n260(D-2O)	DC_5A_n260A DC_5A_n260O		
DC_5A_n260(D-G)	DC_5A_n260A DC_5A_n260G		
DC_5A_n260(D-H)	DC_5A_n260A DC_5A_n260G DC_5A_n260H		
DC_5A_n260(D-I)	DC_5A_n260A DC_5A_n260G DC_5A_n260H		
DC_5A_n260(D-O)	DC_5A_n260A DC_5A_n260O		
DC_5A_n260(D-P)	DC_5A_n260A DC_5A_n260O DC_5A_n260P		
DC_5A_n260(D-Q)	DC_5A_n260A DC_5A_n260O DC_5A_n260P DC_5A_n260Q		
DC_5A_n260(E-O)	DC_5A_n260A DC_5A_n260O		
DC_5A_n260(E-P)	DC_5A_n260A DC_5A_n260O DC_5A_n260P		
DC_5A_n260(E-Q)	DC_5A_n260A DC_5A_n260O DC_5A_n260P DC_5A_n260Q		
DC_5A_n260(G-2O)	DC_5A_n260A DC_5A_n260G DC_5A_n260O		
DC_5A_n260(G-3O)	DC_5A_n260A DC_5A_n260G DC_5A_n260O		
DC_5A_n260(G-4O)	DC_5A_n260A DC_5A_n260G DC_5A_n260O		
DC_5A_n260(G-H)	DC_5A_n260A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_5A_n260G DC_5A_n260H		
DC_5A_n260(G-H-O)	DC_5A_n260A DC_5A_n260G DC_5A_n260H DC_5A_n260O		
DC_5A_n260(G-I)	DC_5A_n260A DC_5A_n260G DC_5A_n260H		
DC_5A_n260(G-O)	DC_5A_n260A DC_5A_n260G DC_5A_n260O		
DC_5A_n260(H-O)	DC_5A_n260A DC_5A_n260G DC_5A_n260H DC_5A_n260O		
DC_5A_n260(O-2P)	DC_5A_n260A DC_5A_n260O DC_5A_n260P		
DC_5A_n260(O-2Q)	DC_5A_n260A DC_5A_n260O DC_5A_n260P DC_5A_n260Q		
DC_5A_n260(O-3P)	DC_5A_n260A DC_5A_n260O DC_5A_n260P		
DC_5A_n260(O-P)	DC_5A_n260A DC_5A_n260O DC_5A_n260P		
DC_5A_n260(O-P-Q)	DC_5A_n260A DC_5A_n260O DC_5A_n260P DC_5A_n260Q		
DC_5A_n260(O-Q)	DC_5A_n260A DC_5A_n260O DC_5A_n260P DC_5A_n260Q		
DC_5A_n260(P-Q)	DC_5A_n260A DC_5A_n260O DC_5A_n260P DC_5A_n260Q		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_5A_n261A	DC_5A_n261A		
DC_5A_n261B	DC_5A_n261A		
DC_5A_n261C	DC_5A_n261A		
DC_5A_n261D	DC_5A_n261A		
DC_5A_n261E	DC_5A_n261A		
DC_5A_n261F	DC_5A_n261A		
DC_5A_n261G	DC_5A_n261A DC_5A_n261G		
DC_5A_n261H	DC_5A_n261A DC_5A_n261G DC_5A_n261H		
DC_5A_n261I	DC_5A_n261A DC_5A_n261G DC_5A_n261H DC_5A_n261I		
DC_5A_n261J	DC_5A_n261A DC_5A_n261G DC_5A_n261H DC_5A_n261I DC_5A_n261J		
DC_5A_n261K	DC_5A_n261A DC_5A_n261G DC_5A_n261H DC_5A_n261I DC_5A_n261J DC_5A_n261K		
DC_5A_n261L	DC_5A_n261A DC_5A_n261G DC_5A_n261H DC_5A_n261I DC_5A_n261J DC_5A_n261K DC_5A_n261L		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_5A_n261M	DC_5A_n261A DC_5A_n261G DC_5A_n261H DC_5A_n261I DC_5A_n261J DC_5A_n261K DC_5A_n261L DC_5A_n261M		
DC_5A_n261O	DC_5A_n261A DC_5A_n261O		
DC_5A_n261P	DC_5A_n261A DC_5A_n261O		
DC_5A_n261Q	DC_5A_n261A DC_5A_n261O		
DC_5A_n261(2A)	DC_5A_n261A		
DC_5A_n261(2A-2G)	DC_5A_n261A DC_5A_n261G		
DC_5A_n261(2A-2G-O)	DC_5A_n261A DC_5A_n261G		
DC_5A_n261(2A-2O)	DC_5A_n261A		
DC_5A_n261(2A-3G)	DC_5A_n261A DC_5A_n261G		
DC_5A_n261(2A-3O)	DC_5A_n261A		
DC_5A_n261(2A-4O)	DC_5A_n261A		
DC_5A_n261(2A-5O)	DC_5A_n261A		
DC_5A_n261(2A-6O)	DC_5A_n261A		
DC_5A_n261(2A-D)	DC_5A_n261A		
DC_5A_n261(2A-D-O)	DC_5A_n261A		
DC_5A_n261(2A-G)	DC_5A_n261A DC_5A_n261G		
DC_5A_n261(2A-G-2O)	DC_5A_n261A DC_5A_n261G		
DC_5A_n261(2A-G-O)	DC_5A_n261A DC_5A_n261G		
	DC_5A_n261A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_5A_n261(2A-H)	DC_5A_n261G DC_5A_n261H		
DC_5A_n261(2A-I)	DC_5A_n261A DC_5A_n261G DC_5A_n261H DC_5A_n261I		
DC_5A_n261(2A-O)	DC_5A_n261A		
DC_5A_n261(2A-P)	DC_5A_n261A		
DC_5A_n261(2A-Q)	DC_5A_n261A		
DC_5A_n261(2D)	DC_5A_n261A		
DC_5A_n261(2G)	DC_5A_n261A DC_5A_n261G		
DC_5A_n261(2G-2O)	DC_5A_n261A DC_5A_n261G		
DC_5A_n261(2G-O)	DC_5A_n261A DC_5A_n261G		
DC_5A_n261(2H)	DC_5A_n261A DC_5A_n261G DC_5A_n261H		
DC_5A_n261(2I)	DC_5A_n261A DC_5A_n261G DC_5A_n261H DC_5A_n261I		
DC_5A_n261(2O)	DC_5A_n261A		
DC_5A_n261(2P)	DC_5A_n261A		
DC_5A_n261(2Q)	DC_5A_n261A		
DC_5A_n261(3A)	DC_5A_n261A		
DC_5A_n261(3A-2G)	DC_5A_n261A DC_5A_n261G		
DC_5A_n261(3A-2O)	DC_5A_n261A		
DC_5A_n261(3A-3O)	DC_5A_n261A		
DC_5A_n261(3A-4O)	DC_5A_n261A		
DC_5A_n261(3A-5O)	DC_5A_n261A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_5A_n261(3A-D)	DC_5A_n261A		
DC_5A_n261(3A-G)	DC_5A_n261A DC_5A_n261G		
DC_5A_n261(3A-G-O)	DC_5A_n261A DC_5A_n261G		
DC_5A_n261(3A-O)	DC_5A_n261A		
DC_5A_n261(3G)	DC_5A_n261A DC_5A_n261G		
DC_5A_n261(3G-O)	DC_5A_n261A DC_5A_n261G		
DC_5A_n261(3O)	DC_5A_n261A		
DC_5A_n261(4A)	DC_5A_n261A		
DC_5A_n261(4A-2O)	DC_5A_n261A		
DC_5A_n261(4A-3O)	DC_5A_n261A		
DC_5A_n261(4A-4O)	DC_5A_n261A		
DC_5A_n261(4A-G)	DC_5A_n261A DC_5A_n261G		
DC_5A_n261(4A-O)	DC_5A_n261A		
DC_5A_n261(4G)	DC_5A_n261A DC_5A_n261G		
DC_5A_n261(4O)	DC_5A_n261A		
DC_5A_n261(5A)	DC_5A_n261A		
DC_5A_n261(5A-2O)	DC_5A_n261A		
DC_5A_n261(5A-3O)	DC_5A_n261A		
DC_5A_n261(5A-O)	DC_5A_n261A		
DC_5A_n261(5O)	DC_5A_n261A		
DC_5A_n261(6A)	DC_5A_n261A		
DC_5A_n261(6A-2O)	DC_5A_n261A		
DC_5A_n261(6A-O)	DC_5A_n261A		
	DC_5A_n261A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_5A_n261(6O)			
DC_5A_n261(7A)	DC_5A_n261A		
DC_5A_n261(7A-O)	DC_5A_n261A		
DC_5A_n261(7O)	DC_5A_n261A		
DC_5A_n261(8A)	DC_5A_n261A		
DC_5A_n261(A-2D)	DC_5A_n261A		
DC_5A_n261(A-2G)	DC_5A_n261A DC_5A_n261G		
DC_5A_n261(A-2G-2O)	DC_5A_n261A DC_5A_n261G		
DC_5A_n261(A-2G-O)	DC_5A_n261A DC_5A_n261G		
DC_5A_n261(A-2H)	DC_5A_n261A DC_5A_n261G DC_5A_n261H		
DC_5A_n261(A-2I)	DC_5A_n261A DC_5A_n261G DC_5A_n261H DC_5A_n261I		
DC_5A_n261(A-2O)	DC_5A_n261A		
DC_5A_n261(A-2P)	DC_5A_n261A		
DC_5A_n261(A-2Q)	DC_5A_n261A		
DC_5A_n261(A-3G)	DC_5A_n261A DC_5A_n261G		
DC_5A_n261(A-3G-O)	DC_5A_n261A DC_5A_n261G		
DC_5A_n261(A-3O)	DC_5A_n261A		
DC_5A_n261(A-4G)	DC_5A_n261A DC_5A_n261G		
DC_5A_n261(A-4O)	DC_5A_n261A		
DC_5A_n261(A-5O)	DC_5A_n261A		
DC_5A_n261(A-6O)	DC_5A_n261A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_5A_n261(A-7O)	DC_5A_n261A		
DC_5A_n261(A-D)	DC_5A_n261A		
DC_5A_n261(A-D-2O)	DC_5A_n261A		
DC_5A_n261(A-D-G)	DC_5A_n261A DC_5A_n261G		
DC_5A_n261(A-D-H)	DC_5A_n261A DC_5A_n261G DC_5A_n261H		
DC_5A_n261(A-D-O)	DC_5A_n261A		
DC_5A_n261(A-E)	DC_5A_n261A		
DC_5A_n261(A-G)	DC_5A_n261A DC_5A_n261G		
DC_5A_n261(A-G-2O)	DC_5A_n261A DC_5A_n261G		
DC_5A_n261(A-G-H)	DC_5A_n261A DC_5A_n261G DC_5A_n261H		
DC_5A_n261(A-G-I)	DC_5A_n261A DC_5A_n261G DC_5A_n261H DC_5A_n261I		
DC_5A_n261(A-G-O)	DC_5A_n261A DC_5A_n261G		
DC_5A_n261(A-H)	DC_5A_n261A DC_5A_n261G DC_5A_n261H		
DC_5A_n261(A-H-I)	DC_5A_n261A DC_5A_n261G DC_5A_n261H DC_5A_n261I		
DC_5A_n261(A-I)	DC_5A_n261A DC_5A_n261G DC_5A_n261H DC_5A_n261I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_5A_n261(A-J)	DC_5A_n261A DC_5A_n261G DC_5A_n261H DC_5A_n261I		
DC_5A_n261(A-K)	DC_5A_n261A DC_5A_n261G DC_5A_n261H DC_5A_n261I		
DC_5A_n261(A-L)	DC_5A_n261A DC_5A_n261G DC_5A_n261H DC_5A_n261I		
DC_5A_n261(A-O)	DC_5A_n261A		
DC_5A_n261(A-O-P)	DC_5A_n261A		
DC_5A_n261(A-O-Q)	DC_5A_n261A		
DC_5A_n261(A-P)	DC_5A_n261A		
DC_5A_n261(A-P-Q)	DC_5A_n261A		
DC_5A_n261(A-Q)	DC_5A_n261A		
DC_5A_n261(D-2O)	DC_5A_n261A		
DC_5A_n261(D-G)	DC_5A_n261A DC_5A_n261G		
DC_5A_n261(D-H)	DC_5A_n261A DC_5A_n261G DC_5A_n261H		
DC_5A_n261(D-I)	DC_5A_n261A DC_5A_n261G DC_5A_n261H DC_5A_n261I		
DC_5A_n261(D-O)	DC_5A_n261A		
DC_5A_n261(D-P)	DC_5A_n261A		
DC_5A_n261(D-Q)	DC_5A_n261A		
DC_5A_n261(E-O)	DC_5A_n261A		
DC_5A_n261(E-P)	DC_5A_n261A		
DC_5A_n261(E-Q)	DC_5A_n261A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_5A_n261(G-2O)	DC_5A_n261A DC_5A_n261G		
DC_5A_n261(G-H)	DC_5A_n261A DC_5A_n261G DC_5A_n261H		
DC_5A_n261(G-I)	DC_5A_n261A DC_5A_n261G DC_5A_n261H DC_5A_n261I		
DC_5A_n261(G-J)	DC_5A_n261A DC_5A_n261G DC_5A_n261H DC_5A_n261I		
DC_5A_n261(G-O)	DC_5A_n261A DC_5A_n261G		
DC_5A_n261(H-I)	DC_5A_n261A DC_5A_n261G DC_5A_n261H DC_5A_n261I		
DC_5A_n261(O-P)	DC_5A_n261A		
DC_5A_n261(O-Q)	DC_5A_n261A		
DC_5A_n261(P-Q)	DC_5A_n261A		
DC_5B_n257A	DC_5A_n257A DC_5B_n257A		
DC_5B_n260A	DC_5A_n260A DC_5B_n260A		
DC_7A_n257A	DC_7A_n257A		
DC_7A_n257D	DC_7A_n257A DC_7A_n257D		
DC_7A_n257E	DC_7A_n257A DC_7A_n257D		
DC_7A_n257F	DC_7A_n257A DC_7A_n257D		
DC_7A_n257G	DC_7A_n257A DC_7A_n257G		
DC_7A_n257H	DC_7A_n257A DC_7A_n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_7A_n257H		
DC_7A_n257I	DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I		
DC_7A_n257J	DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J		
DC_7A_n257K	DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_7A_n257K		
DC_7A_n257L	DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_7A_n257K		
DC_7A_n257M	DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_7A_n257K		
DC_7A_n257(2A)	DC_7A_n257A DC_7A_n257(2A)		
DC_7A_n257(2G)	DC_7A_n257A DC_7A_n257G DC_7A_n257(2A) DC_7A_n257(2G)		
DC_7A_n257(A-G)	DC_7A_n257A DC_7A_n257G DC_7A_n257(2A)		
DC_7A_n258A	DC_7A_n258A		
DC_7A_n258B	DC_7A_n258A DC_7A_n258B		
DC_7A_n258C	DC_7A_n258A DC_7A_n258C		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_7A_n258D	DC_7A_n258A DC_7A_n258D		
DC_7A_n258E	DC_7A_n258A DC_7A_n258D DC_7A_n258E		
DC_7A_n258F	DC_7A_n258A DC_7A_n258D DC_7A_n258E DC_7A_n258F		
DC_7A_n258G	DC_7A_n258A DC_7A_n258G		
DC_7A_n258H	DC_7A_n258A DC_7A_n258G DC_7A_n258H		
DC_7A_n258I	DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I		
DC_7A_n258J	DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I DC_7A_n258J		
DC_7A_n258K	DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I DC_7A_n258J DC_7A_n258K		
DC_7A_n258L	DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I DC_7A_n258J DC_7A_n258K DC_7A_n258L		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_7A_n258M	DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I DC_7A_n258J DC_7A_n258K DC_7A_n258L DC_7A_n258M		
DC_7A_n258(2A)	DC_7A_n258A DC_7A_n258(2A)		
DC_7A_n258(2G)	DC_7A_n258A DC_7A_n258G DC_7A_n258(2A) DC_7A_n258(A-G) DC_7A_n258(2G)		
DC_7A_n258(A-G)	DC_7A_n258A DC_7A_n258G DC_7A_n258(2A) DC_7A_n258(A-G)		
DC_7A_n260A	DC_7A_n260A		
DC_7A_n260G	DC_7A_n260A DC_7A_n260G		
DC_7A_n260H	DC_7A_n260A DC_7A_n260G DC_7A_n260H		
DC_7A_n260I	DC_7A_n260A DC_7A_n260G DC_7A_n260H DC_7A_n260I		
DC_7A_n260J	DC_7A_n260A DC_7A_n260G DC_7A_n260H DC_7A_n260I DC_7A_n260J		
DC_7A_n260K	DC_7A_n260A DC_7A_n260G DC_7A_n260H DC_7A_n260I DC_7A_n260J DC_7A_n260K		
DC_7A_n260L	DC_7A_n260A DC_7A_n260G DC_7A_n260H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_7A_n260I DC_7A_n260J DC_7A_n260K DC_7A_n260L		
DC_7A_n260M	DC_7A_n260A DC_7A_n260G DC_7A_n260H DC_7A_n260I DC_7A_n260J DC_7A_n260K DC_7A_n260L DC_7A_n260M		
DC_7A_n260O	DC_7A_n260A DC_7A_n260O		
DC_7A_n260P	DC_7A_n260A DC_7A_n260O DC_7A_n260P		
DC_7A_n260Q	DC_7A_n260A DC_7A_n260O DC_7A_n260P DC_7A_n260Q		
DC_7A_n261A	DC_7A_n261A		
DC_7A_n261G	DC_7A_n261A DC_7A_n261G		
DC_7A_n261H	DC_7A_n261A DC_7A_n261G DC_7A_n261H		
DC_7A_n261I	DC_7A_n261A DC_7A_n261G DC_7A_n261H DC_7A_n261I		
DC_7A_n261J	DC_7A_n261A DC_7A_n261G DC_7A_n261H DC_7A_n261I DC_7A_n261J		
DC_7A_n261K	DC_7A_n261A DC_7A_n261G DC_7A_n261H DC_7A_n261I DC_7A_n261J DC_7A_n261K		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_7A_n261L	DC_7A_n261A DC_7A_n261G DC_7A_n261H DC_7A_n261I DC_7A_n261J DC_7A_n261K DC_7A_n261L		
DC_7A_n261M	DC_7A_n261A DC_7A_n261G DC_7A_n261H DC_7A_n261I DC_7A_n261J DC_7A_n261K DC_7A_n261L DC_7A_n261M		
DC_7A_n261O	DC_7A_n261A DC_7A_n261O		
DC_7A_n261P	DC_7A_n261A DC_7A_n261O DC_7A_n261P		
DC_7A_n261Q	DC_7A_n261A DC_7A_n261O DC_7A_n261P DC_7A_n261Q		
DC_7C_n258A	DC_7A_n258A DC_7C_n258A		
DC_7C_n258B	DC_7A_n258A DC_7A_n258B DC_7C_n258A DC_7C_n258B		
DC_7C_n258C	DC_7A_n258A DC_7A_n258C DC_7C_n258A DC_7C_n258C		
DC_7C_n258D	DC_7A_n258A DC_7A_n258D DC_7C_n258A DC_7C_n258D		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_7C_n258E	DC_7A_n258A DC_7A_n258D DC_7A_n258E DC_7C_n258A DC_7C_n258D DC_7C_n258E		
DC_7C_n258F	DC_7A_n258A DC_7A_n258D DC_7A_n258E DC_7A_n258F DC_7C_n258A DC_7C_n258D DC_7C_n258E DC_7C_n258F		
DC_7C_n258G	DC_7A_n258A DC_7A_n258G DC_7C_n258A DC_7C_n258G		
DC_7C_n258H	DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7C_n258A DC_7C_n258G DC_7C_n258H		
DC_7C_n258I	DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I DC_7C_n258A DC_7C_n258G DC_7C_n258H DC_7C_n258I		
DC_7C_n258J	DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I DC_7A_n258J DC_7C_n258A DC_7C_n258G DC_7C_n258H DC_7C_n258I DC_7C_n258J		
DC_7C_n258K	DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I DC_7A_n258J		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_7A_n258K DC_7C_n258A DC_7C_n258G DC_7C_n258H DC_7C_n258I DC_7C_n258J DC_7C_n258K		
DC_7C_n258L	DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I DC_7A_n258J DC_7A_n258K DC_7A_n258L DC_7C_n258A DC_7C_n258G DC_7C_n258H DC_7C_n258I DC_7C_n258J DC_7C_n258K DC_7C_n258L		
DC_7C_n258M	DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I DC_7A_n258J DC_7A_n258K DC_7A_n258L DC_7A_n258M DC_7C_n258A DC_7C_n258G DC_7C_n258H DC_7C_n258I DC_7C_n258J DC_7C_n258K DC_7C_n258L DC_7C_n258M		
DC_8A_n257A	DC_8A_n257A		
DC_8A_n257D	DC_8A_n257A DC_8A_n257D		
DC_8A_n257E	DC_8A_n257A DC_8A_n257D		
DC_8A_n257F	DC_8A_n257A DC_8A_n257D		
DC_8A_n257G	DC_8A_n257A DC_8A_n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_8A_n257H	DC_8A_n257A DC_8A_n257G DC_8A_n257H		
DC_8A_n257I	DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I		
DC_8A_n257J	DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I		
DC_8A_n257K	DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I		
DC_8A_n257L	DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I		
DC_8A_n257M	DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I		
DC_8A_n258A	DC_8A_n258A		
DC_8A_n258B	DC_8A_n258A		
DC_8A_n258C	DC_8A_n258A		
DC_8A_n258D	DC_8A_n258A		
DC_8A_n258E	DC_8A_n258A		
DC_8A_n258F	DC_8A_n258A		
DC_8A_n258G	DC_8A_n258A		
DC_8A_n258H	DC_8A_n258A		
DC_8A_n258I	DC_8A_n258A		
DC_8A_n258J	DC_8A_n258A		
DC_8A_n258K	DC_8A_n258A		
DC_8A_n258L	DC_8A_n258A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_8A_n258M	DC_8A_n258A		
DC_8B_n257A	DC_8A_n257A		
DC_8B_n257D	DC_8A_n257A DC_8A_n257D		
DC_8B_n257G	DC_8A_n257A DC_8A_n257G		
DC_8B_n257H	DC_8A_n257A DC_8A_n257G DC_8A_n257H		
DC_8B_n257I	DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I		
DC_11A_n257A	DC_11A_n257A		
DC_11A_n257D	DC_11A_n257A DC_11A_n257D		
DC_11A_n257G	DC_11A_n257A DC_11A_n257G		
DC_11A_n257H	DC_11A_n257A DC_11A_n257G DC_11A_n257H		
DC_11A_n257I	DC_11A_n257A DC_11A_n257G DC_11A_n257H DC_11A_n257I		
DC_12A_n257A	DC_12A_n257A		
DC_12A_n257G	DC_12A_n257A DC_12A_n257G		
DC_12A_n257H	DC_12A_n257A DC_12A_n257G DC_12A_n257H		
DC_12A_n257I	DC_12A_n257A DC_12A_n257G DC_12A_n257H DC_12A_n257I		
DC_12A_n257J	DC_12A_n257A DC_12A_n257G DC_12A_n257H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_12A_n257I DC_12A_n257J		
DC_12A_n257K	DC_12A_n257A DC_12A_n257G DC_12A_n257H DC_12A_n257I DC_12A_n257J DC_12A_n257K		
DC_12A_n257L	DC_12A_n257A DC_12A_n257G DC_12A_n257H DC_12A_n257I DC_12A_n257J DC_12A_n257K DC_12A_n257L		
DC_12A_n257M	DC_12A_n257A DC_12A_n257G DC_12A_n257H DC_12A_n257I DC_12A_n257J DC_12A_n257K DC_12A_n257L DC_12A_n257M		
DC_12A_n258A	DC_12A_n258A		
DC_12A_n258D	DC_12A_n258A DC_12A_n258D		
DC_12A_n258G	DC_12A_n258A DC_12A_n258G		
DC_12A_n258H	DC_12A_n258A DC_12A_n258G DC_12A_n258H		
DC_12A_n258I	DC_12A_n258A DC_12A_n258G DC_12A_n258H DC_12A_n258I		
DC_12A_n258J	DC_12A_n258A DC_12A_n258G DC_12A_n258H DC_12A_n258I DC_12A_n258J		
DC_12A_n258K	DC_12A_n258A DC_12A_n258G DC_12A_n258H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_12A_n258I DC_12A_n258J DC_12A_n258K		
DC_12A_n258L	DC_12A_n258A DC_12A_n258G DC_12A_n258H DC_12A_n258I DC_12A_n258J DC_12A_n258K DC_12A_n258L		
DC_12A_n258M	DC_12A_n258A DC_12A_n258G DC_12A_n258H DC_12A_n258I DC_12A_n258J DC_12A_n258K DC_12A_n258L DC_12A_n258M		
DC_12A_n258O	DC_12A_n258A DC_12A_n258O		
DC_12A_n258P	DC_12A_n258A DC_12A_n258O DC_12A_n258P		
DC_12A_n258Q	DC_12A_n258A DC_12A_n258O DC_12A_n258P DC_12A_n258Q		
DC_12A_n260A	DC_12A_n260A		
DC_12A_n260D	DC_12A_n260A DC_12A_n260D		
DC_12A_n260E	DC_12A_n260A DC_12A_n260D DC_12A_n260E		
DC_12A_n260G	DC_12A_n260A DC_12A_n260G		
DC_12A_n260H	DC_12A_n260A DC_12A_n260G DC_12A_n260H		
DC_12A_n260I	DC_12A_n260A DC_12A_n260G DC_12A_n260H DC_12A_n260I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_12A_n260J	DC_12A_n260A DC_12A_n260G DC_12A_n260H DC_12A_n260I DC_12A_n260J		
DC_12A_n260K	DC_12A_n260A DC_12A_n260G DC_12A_n260H DC_12A_n260I DC_12A_n260J DC_12A_n260K		
DC_12A_n260L	DC_12A_n260A DC_12A_n260G DC_12A_n260H DC_12A_n260I DC_12A_n260J DC_12A_n260K DC_12A_n260L		
DC_12A_n260M	DC_12A_n260A DC_12A_n260G DC_12A_n260H DC_12A_n260I DC_12A_n260J DC_12A_n260K DC_12A_n260L DC_12A_n260M		
DC_12A_n260O	DC_12A_n260A DC_12A_n260O		
DC_12A_n260P	DC_12A_n260A DC_12A_n260O DC_12A_n260P		
DC_12A_n260Q	DC_12A_n260A DC_12A_n260O DC_12A_n260P DC_12A_n260Q		
DC_12A_n260(2A)	DC_12A_n260A		
DC_12A_n260(2G)	DC_12A_n260A		
DC_12A_n260(A-G)	DC_12A_n260A		
DC_12A_n260(A-H)	DC_12A_n260A		
DC_12A_n260(A-I)	DC_12A_n260A		
	DC_12A_n260A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_12A_n260(G-H)			
DC_12A_n260(G-I)	DC_12A_n260A		
DC_12A_n261A	DC_12A_n261A		
DC_12A_n261B	DC_12A_n261A DC_12A_n261B		
DC_12A_n261C	DC_12A_n261A DC_12A_n261C		
DC_12A_n261D	DC_12A_n261A DC_12A_n261D		
DC_12A_n261E	DC_12A_n261A DC_12A_n261D DC_12A_n261E		
DC_12A_n261F	DC_12A_n261A DC_12A_n261D DC_12A_n261E DC_12A_n261F		
DC_12A_n261G	DC_12A_n261A DC_12A_n261G		
DC_12A_n261H	DC_12A_n261A DC_12A_n261G DC_12A_n261H		
DC_12A_n261I	DC_12A_n261A DC_12A_n261G DC_12A_n261H DC_12A_n261I		
DC_12A_n261J	DC_12A_n261A DC_12A_n261G DC_12A_n261H DC_12A_n261I DC_12A_n261J		
DC_12A_n261K	DC_12A_n261A DC_12A_n261G DC_12A_n261H DC_12A_n261I DC_12A_n261J DC_12A_n261K		
DC_12A_n261L	DC_12A_n261A DC_12A_n261G DC_12A_n261H DC_12A_n261I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_12A_n261J DC_12A_n261K DC_12A_n261L		
DC_12A_n261M	DC_12A_n261A DC_12A_n261G DC_12A_n261H DC_12A_n261I DC_12A_n261J DC_12A_n261K DC_12A_n261L DC_12A_n261M		
DC_12A_n261O	DC_12A_n261A DC_12A_n261O		
DC_12A_n261P	DC_12A_n261A DC_12A_n261O DC_12A_n261P		
DC_12A_n261Q	DC_12A_n261A DC_12A_n261O DC_12A_n261P DC_12A_n261Q		
DC_13A_n257A	DC_13A_n257A		
DC_13A_n260A	DC_13A_n260A		
DC_13A_n260D	DC_13A_n260A		
DC_13A_n260G	DC_13A_n260A DC_13A_n260G		
DC_13A_n260H	DC_13A_n260A DC_13A_n260G DC_13A_n260H		
DC_13A_n260I	DC_13A_n260A DC_13A_n260G DC_13A_n260H DC_13A_n260I		
DC_13A_n260J	DC_13A_n260A DC_13A_n260G DC_13A_n260H DC_13A_n260I DC_13A_n260J		
DC_13A_n260K	DC_13A_n260A DC_13A_n260G DC_13A_n260H DC_13A_n260I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_13A_n260J DC_13A_n260K		
DC_13A_n260L	DC_13A_n260A DC_13A_n260G DC_13A_n260H DC_13A_n260I DC_13A_n260J DC_13A_n260K DC_13A_n260L		
DC_13A_n260M	DC_13A_n260A DC_13A_n260G DC_13A_n260H DC_13A_n260I DC_13A_n260J DC_13A_n260K DC_13A_n260L DC_13A_n260M		
DC_13A_n260O	DC_13A_n260A DC_13A_n260O		
DC_13A_n260P	DC_13A_n260A DC_13A_n260O DC_13A_n260P		
DC_13A_n260Q	DC_13A_n260A DC_13A_n260O DC_13A_n260P DC_13A_n260Q		
DC_13A_n260(2A)	DC_13A_n260A		
DC_13A_n260(2A-2G)	DC_13A_n260A DC_13A_n260G		
DC_13A_n260(2A-2H)	DC_13A_n260A DC_13A_n260G DC_13A_n260H		
DC_13A_n260(2A-2O)	DC_13A_n260A DC_13A_n260O		
DC_13A_n260(2A-G)	DC_13A_n260A DC_13A_n260G		
DC_13A_n260(2A-G-H)	DC_13A_n260A DC_13A_n260G DC_13A_n260H		
DC_13A_n260(2A-H)	DC_13A_n260A DC_13A_n260G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_13A_n260H		
DC_13A_n260(2A-O)	DC_13A_n260A DC_13A_n260O		
DC_13A_n260(2A-O-P)	DC_13A_n260A DC_13A_n260O DC_13A_n260P		
DC_13A_n260(2A-P)	DC_13A_n260A DC_13A_n260O DC_13A_n260P		
DC_13A_n260(2A-Q)	DC_13A_n260A DC_13A_n260O DC_13A_n260P DC_13A_n260Q		
DC_13A_n260(2D)	DC_13A_n260A		
DC_13A_n260(2G)	DC_13A_n260A DC_13A_n260G		
DC_13A_n260(2H)	DC_13A_n260A DC_13A_n260G DC_13A_n260H		
DC_13A_n260(2O)	DC_13A_n260A DC_13A_n260O		
DC_13A_n260(2P)	DC_13A_n260A DC_13A_n260O DC_13A_n260P		
DC_13A_n260(3A)	DC_13A_n260A		
DC_13A_n260(3A-2O)	DC_13A_n260A DC_13A_n260O		
DC_13A_n260(3A-G)	DC_13A_n260A DC_13A_n260G		
DC_13A_n260(3A-H)	DC_13A_n260A DC_13A_n260G DC_13A_n260H		
DC_13A_n260(3A-O)	DC_13A_n260A DC_13A_n260O		
DC_13A_n260(3A-O-P)	DC_13A_n260A DC_13A_n260O DC_13A_n260P		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_13A_n260(3A-P)	DC_13A_n260A DC_13A_n260O DC_13A_n260P		
DC_13A_n260(3G)	DC_13A_n260A DC_13A_n260G		
DC_13A_n260(3O)	DC_13A_n260A DC_13A_n260O		
DC_13A_n260(4A)	DC_13A_n260A		
DC_13A_n260(4A-2O)	DC_13A_n260A DC_13A_n260O		
DC_13A_n260(4A-O)	DC_13A_n260A DC_13A_n260O		
DC_13A_n260(4A-P)	DC_13A_n260A DC_13A_n260O DC_13A_n260P		
DC_13A_n260(4G)	DC_13A_n260A DC_13A_n260G		
DC_13A_n260(4O)	DC_13A_n260A DC_13A_n260O		
DC_13A_n260(5A)	DC_13A_n260A		
DC_13A_n260(5A-O)	DC_13A_n260A DC_13A_n260O		
DC_13A_n260(6A)	DC_13A_n260A		
DC_13A_n260(7A)	DC_13A_n260A		
DC_13A_n260(8A)	DC_13A_n260A		
DC_13A_n260(A-2G)	DC_13A_n260A DC_13A_n260G		
DC_13A_n260(A-2H)	DC_13A_n260A DC_13A_n260G DC_13A_n260H		
DC_13A_n260(A-2O)	DC_13A_n260A DC_13A_n260O		
DC_13A_n260(A-2P)	DC_13A_n260A DC_13A_n260O DC_13A_n260P		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_13A_n260(A-3G)	DC_13A_n260A DC_13A_n260G		
DC_13A_n260(A-3O)	DC_13A_n260A DC_13A_n260O		
DC_13A_n260(A-D)	DC_13A_n260A		
DC_13A_n260(A-G)	DC_13A_n260A DC_13A_n260G		
DC_13A_n260(A-G-H)	DC_13A_n260A DC_13A_n260G DC_13A_n260H		
DC_13A_n260(A-H)	DC_13A_n260A DC_13A_n260G DC_13A_n260H		
DC_13A_n260(A-O)	DC_13A_n260A DC_13A_n260O		
DC_13A_n260(A-O-P)	DC_13A_n260A DC_13A_n260O DC_13A_n260P		
DC_13A_n260(A-O-Q)	DC_13A_n260A DC_13A_n260O DC_13A_n260P DC_13A_n260Q		
DC_13A_n260(A-P)	DC_13A_n260A DC_13A_n260O DC_13A_n260P		
DC_13A_n260(A-P-Q)	DC_13A_n260A DC_13A_n260O DC_13A_n260P DC_13A_n260Q		
DC_13A_n260(A-Q)	DC_13A_n260A DC_13A_n260O DC_13A_n260P DC_13A_n260Q		
DC_13A_n260(G-H)	DC_13A_n260A DC_13A_n260G DC_13A_n260H		
DC_13A_n260(O-P)	DC_13A_n260A DC_13A_n260O DC_13A_n260P		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_13A_n260(O-Q)	DC_13A_n260A DC_13A_n260O DC_13A_n260P DC_13A_n260Q		
DC_13A_n260(P-Q)	DC_13A_n260A DC_13A_n260O DC_13A_n260P DC_13A_n260Q		
DC_13A_n261A	DC_13A_n261A		
DC_13A_n261G	DC_13A_n261A DC_13A_n261G		
DC_13A_n261H	DC_13A_n261A DC_13A_n261G DC_13A_n261H		
DC_13A_n261I	DC_13A_n261A DC_13A_n261G DC_13A_n261H DC_13A_n261I		
DC_13A_n261J	DC_13A_n261A DC_13A_n261G DC_13A_n261H DC_13A_n261I DC_13A_n261J		
DC_13A_n261K	DC_13A_n261A DC_13A_n261G DC_13A_n261H DC_13A_n261I DC_13A_n261J DC_13A_n261K		
DC_13A_n261L	DC_13A_n261A DC_13A_n261G DC_13A_n261H DC_13A_n261I DC_13A_n261J DC_13A_n261K DC_13A_n261L		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_13A_n261M	DC_13A_n261A DC_13A_n261G DC_13A_n261H DC_13A_n261I DC_13A_n261J DC_13A_n261K DC_13A_n261L DC_13A_n261M		
DC_13A_n261(2A)	DC_13A_n261A		
DC_13A_n261(2A-G)	DC_13A_n261A DC_13A_n261G		
DC_13A_n261(2A-H)	DC_13A_n261A DC_13A_n261G DC_13A_n261H		
DC_13A_n261(2A-I)	DC_13A_n261A DC_13A_n261G DC_13A_n261H DC_13A_n261I		
DC_13A_n261(2G)	DC_13A_n261A DC_13A_n261G		
DC_13A_n261(2H)	DC_13A_n261A DC_13A_n261G DC_13A_n261H		
DC_13A_n261(2I)	DC_13A_n261A DC_13A_n261G DC_13A_n261H DC_13A_n261I		
DC_13A_n261(3A)	DC_13A_n261A		
DC_13A_n261(3A-G)	DC_13A_n261A DC_13A_n261G		
DC_13A_n261(4A)	DC_13A_n261A		
DC_13A_n261(A-2G)	DC_13A_n261A DC_13A_n261G		
DC_13A_n261(A-G)	DC_13A_n261A DC_13A_n261G		
DC_13A_n261(A-G-H)	DC_13A_n261A DC_13A_n261G DC_13A_n261H		
	DC_13A_n261A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_13A_n261(A-G-I)	DC_13A_n261G DC_13A_n261H DC_13A_n261I		
DC_13A_n261(A-H)	DC_13A_n261A DC_13A_n261G DC_13A_n261H		
DC_13A_n261(A-I)	DC_13A_n261A DC_13A_n261G DC_13A_n261H DC_13A_n261I		
DC_13A_n261(A-J)	DC_13A_n261A DC_13A_n261G DC_13A_n261H DC_13A_n261I		
DC_13A_n261(A-K)	DC_13A_n261A DC_13A_n261G DC_13A_n261H DC_13A_n261I		
DC_13A_n261(A-L)	DC_13A_n261A DC_13A_n261G DC_13A_n261H DC_13A_n261I		
DC_13A_n261(G-H)	DC_13A_n261A DC_13A_n261G DC_13A_n261H		
DC_13A_n261(G-I)	DC_13A_n261A DC_13A_n261G DC_13A_n261H DC_13A_n261I		
DC_13A_n261(G-J)	DC_13A_n261A DC_13A_n261G DC_13A_n261H DC_13A_n261I		
DC_13A_n261(H-I)	DC_13A_n261A DC_13A_n261G DC_13A_n261H DC_13A_n261I		
DC_14A_n258A	DC_14A_n258A		
DC_14A_n260A	DC_14A_n260A		
DC_14A_n260G	DC_14A_n260A DC_14A_n260G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_14A_n260H	DC_14A_n260A DC_14A_n260G DC_14A_n260H		
DC_14A_n260I	DC_14A_n260A DC_14A_n260G DC_14A_n260H DC_14A_n260I		
DC_14A_n260J	DC_14A_n260A DC_14A_n260G DC_14A_n260H DC_14A_n260I DC_14A_n260J		
DC_14A_n260K	DC_14A_n260A DC_14A_n260G DC_14A_n260H DC_14A_n260I DC_14A_n260J DC_14A_n260K		
DC_14A_n260L	DC_14A_n260A DC_14A_n260G DC_14A_n260H DC_14A_n260I DC_14A_n260J DC_14A_n260K DC_14A_n260L		
DC_14A_n260M	DC_14A_n260A DC_14A_n260G DC_14A_n260H DC_14A_n260I DC_14A_n260J DC_14A_n260K DC_14A_n260L DC_14A_n260M		
DC_18A_n257A	DC_18A_n257A		
DC_18A_n257D	DC_18A_n257A		
DC_18A_n257E	DC_18A_n257A		
DC_18A_n257F	DC_18A_n257A		
DC_18A_n257G	DC_18A_n257A DC_18A_n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_18A_n257H	DC_18A_n257A DC_18A_n257G DC_18A_n257H		
DC_18A_n257I	DC_18A_n257A DC_18A_n257G DC_18A_n257H DC_18A_n257I		
DC_18A_n257J	DC_18A_n257A DC_18A_n257G DC_18A_n257H DC_18A_n257I		
DC_18A_n257K	DC_18A_n257A DC_18A_n257G DC_18A_n257H DC_18A_n257I		
DC_18A_n257L	DC_18A_n257A DC_18A_n257G DC_18A_n257H DC_18A_n257I		
DC_18A_n257M	DC_18A_n257A DC_18A_n257G DC_18A_n257H DC_18A_n257I		
DC_19A_n257A	DC_19A_n257A		
DC_19A_n257D	DC_19A_n257A		
DC_19A_n257E	DC_19A_n257A		
DC_19A_n257F	DC_19A_n257A		
DC_19A_n257G	DC_19A_n257A DC_19A_n257G		
DC_19A_n257H	DC_19A_n257A DC_19A_n257G DC_19A_n257H		
DC_19A_n257I	DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_19A_n257I		
DC_19A_n257J	DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_19A_n257I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_19A_n257J		
DC_19A_n257K	DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_19A_n257I DC_19A_n257J DC_19A_n257K		
DC_19A_n257L	DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_19A_n257I DC_19A_n257J DC_19A_n257K DC_19A_n257L		
DC_19A_n257M	DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_19A_n257I DC_19A_n257J DC_19A_n257K DC_19A_n257L DC_19A_n257M		
DC_20A_n257A	DC_20A_n257A		
DC_20A_n257B	DC_20A_n257A		
DC_20A_n257C	DC_20A_n257A		
DC_20A_n257D	DC_20A_n257A		
DC_20A_n257E	DC_20A_n257A		
DC_20A_n257F	DC_20A_n257A		
DC_20A_n257G	DC_20A_n257A		
DC_20A_n257H	DC_20A_n257A		
DC_20A_n257I	DC_20A_n257A		
DC_20A_n257J	DC_20A_n257A		
DC_20A_n257K	DC_20A_n257A		
DC_20A_n257L	DC_20A_n257A		
DC_20A_n257M	DC_20A_n257A		
DC_20A_n258A	DC_20A_n258A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_20A_n258B	DC_20A_n258A		
DC_20A_n258C	DC_20A_n258A		
DC_20A_n258D	DC_20A_n258A		
DC_20A_n258E	DC_20A_n258A		
DC_20A_n258F	DC_20A_n258A		
DC_20A_n258G	DC_20A_n258A		
DC_20A_n258H	DC_20A_n258A		
DC_20A_n258I	DC_20A_n258A		
DC_20A_n258J	DC_20A_n258A		
DC_20A_n258K	DC_20A_n258A		
DC_20A_n258L	DC_20A_n258A		
DC_20A_n258M	DC_20A_n258A		
DC_21A_n257A	DC_21A_n257A		
DC_21A_n257D	DC_21A_n257A		
DC_21A_n257E	DC_21A_n257A		
DC_21A_n257F	DC_21A_n257A		
DC_21A_n257G	DC_21A_n257A DC_21A_n257G		
DC_21A_n257H	DC_21A_n257A DC_21A_n257G DC_21A_n257H		
DC_21A_n257I	DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I		
DC_21A_n257J	DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I DC_21A_n257J		
DC_21A_n257K	DC_21A_n257A DC_21A_n257G DC_21A_n257H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_21A_n257I DC_21A_n257J DC_21A_n257K		
DC_21A_n257L	DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I DC_21A_n257J DC_21A_n257K DC_21A_n257L		
DC_21A_n257M	DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I DC_21A_n257J DC_21A_n257K DC_21A_n257L DC_21A_n257M		
DC_26A_n257A	DC_26A_n257A		
DC_26A_n258A	DC_26A_n258A		
DC_26A_n258B	DC_26A_n258A		
DC_26A_n258C	DC_26A_n258A		
DC_26A_n258D	DC_26A_n258A		
DC_26A_n258E	DC_26A_n258A		
DC_26A_n258F	DC_26A_n258A		
DC_26A_n258G	DC_26A_n258A DC_26A_n258G		
DC_26A_n258H	DC_26A_n258A DC_26A_n258G DC_26A_n258H		
DC_26A_n258I	DC_26A_n258A DC_26A_n258G DC_26A_n258H DC_26A_n258I		
DC_26A_n258J	DC_26A_n258A DC_26A_n258G DC_26A_n258H DC_26A_n258I		
DC_26A_n258K	DC_26A_n258A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_26A_n258G DC_26A_n258H DC_26A_n258I		
DC_26A_n258L	DC_26A_n258A DC_26A_n258G DC_26A_n258H DC_26A_n258I		
DC_26A_n258M	DC_26A_n258A DC_26A_n258G DC_26A_n258H DC_26A_n258I		
DC_28A_n257A	DC_28A_n257A		
DC_28A_n257D	DC_28A_n257A DC_28A_n257D		
DC_28A_n257E	DC_28A_n257A DC_28A_n257D		
DC_28A_n257F	DC_28A_n257A DC_28A_n257D		
DC_28A_n257G	DC_28A_n257A DC_28A_n257G		
DC_28A_n257H	DC_28A_n257A DC_28A_n257G DC_28A_n257H		
DC_28A_n257I	DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_28A_n257I		
DC_28A_n257J	DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_28A_n257I DC_28A_n257J		
DC_28A_n257K	DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_28A_n257I DC_28A_n257J DC_28A_n257K		
DC_28A_n257L	DC_28A_n257A DC_28A_n257G DC_28A_n257H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_28A_n257I DC_28A_n257J DC_28A_n257K DC_28A_n257L		
DC_28A_n257M	DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_28A_n257I DC_28A_n257J DC_28A_n257K DC_28A_n257L DC_28A_n257M		
DC_28A_n258A	DC_28A_n258A		
DC_28A_n258B	DC_28A_n258A		
DC_28A_n258C	DC_28A_n258A		
DC_28A_n258D	DC_28A_n258A		
DC_28A_n258E	DC_28A_n258A		
DC_28A_n258F	DC_28A_n258A		
DC_28A_n258G	DC_28A_n258A DC_28A_n258G		
DC_28A_n258H	DC_28A_n258A DC_28A_n258G DC_28A_n258H		
DC_28A_n258I	DC_28A_n258A DC_28A_n258G DC_28A_n258H DC_28A_n258I		
DC_28A_n258J	DC_28A_n258A DC_28A_n258G DC_28A_n258H DC_28A_n258I		
DC_28A_n258K	DC_28A_n258A DC_28A_n258G DC_28A_n258H DC_28A_n258I		
DC_28A_n258L	DC_28A_n258A DC_28A_n258G DC_28A_n258H DC_28A_n258I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_28A_n258M	DC_28A_n258A DC_28A_n258G DC_28A_n258H DC_28A_n258I		
DC_30A_n258A	DC_30A_n258A		
DC_30A_n260A	DC_30A_n260A		
DC_30A_n260G	DC_30A_n260A DC_30A_n260G		
DC_30A_n260H	DC_30A_n260A DC_30A_n260G DC_30A_n260H		
DC_30A_n260I	DC_30A_n260A DC_30A_n260G DC_30A_n260H DC_30A_n260I		
DC_30A_n260J	DC_30A_n260A DC_30A_n260G DC_30A_n260H DC_30A_n260I DC_30A_n260J		
DC_30A_n260K	DC_30A_n260A DC_30A_n260G DC_30A_n260H DC_30A_n260I DC_30A_n260J DC_30A_n260K		
DC_30A_n260L	DC_30A_n260A DC_30A_n260G DC_30A_n260H DC_30A_n260I DC_30A_n260J DC_30A_n260K DC_30A_n260L		
DC_30A_n260M	DC_30A_n260A DC_30A_n260G DC_30A_n260H DC_30A_n260I DC_30A_n260J DC_30A_n260K DC_30A_n260L DC_30A_n260M		
DC_30A_n260(2A)	DC_30A_n260A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_30A_n260(2G)	DC_30A_n260A		
DC_30A_n260(A-G)	DC_30A_n260A		
DC_30A_n260(A-H)	DC_30A_n260A		
DC_30A_n260(A-I)	DC_30A_n260A		
DC_30A_n260(G-H)	DC_30A_n260A		
DC_30A_n260(G-I)	DC_30A_n260A		
DC_38A_n257A	DC_38A_n257A		
DC_38A_n257G	DC_38A_n257A DC_38A_n257G		
DC_38A_n257H	DC_38A_n257A DC_38A_n257G DC_38A_n257H		
DC_38A_n257I	DC_38A_n257A DC_38A_n257G DC_38A_n257H DC_38A_n257I		
DC_38A_n257J	DC_38A_n257A DC_38A_n257G DC_38A_n257H DC_38A_n257I DC_38A_n257J		
DC_38A_n257K	DC_38A_n257A DC_38A_n257G DC_38A_n257H DC_38A_n257I DC_38A_n257J DC_38A_n257K		
DC_38A_n257L	DC_38A_n257A DC_38A_n257G DC_38A_n257H DC_38A_n257I DC_38A_n257J DC_38A_n257K DC_38A_n257L		
DC_38A_n257M	DC_38A_n257A DC_38A_n257G DC_38A_n257H DC_38A_n257I DC_38A_n257J DC_38A_n257K		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_38A_n257L DC_38A_n257M		
DC_38A_n258A	DC_38A_n258A		
DC_38A_n258G	DC_38A_n258A DC_38A_n258G		
DC_38A_n258H	DC_38A_n258A DC_38A_n258G DC_38A_n258H		
DC_38A_n258I	DC_38A_n258A DC_38A_n258G DC_38A_n258H DC_38A_n258I		
DC_38A_n258J	DC_38A_n258A DC_38A_n258G DC_38A_n258H DC_38A_n258I DC_38A_n258J		
DC_38A_n258K	DC_38A_n258A DC_38A_n258G DC_38A_n258H DC_38A_n258I DC_38A_n258J DC_38A_n258K		
DC_38A_n258L	DC_38A_n258A DC_38A_n258G DC_38A_n258H DC_38A_n258I DC_38A_n258J DC_38A_n258K DC_38A_n258L		
DC_38A_n258M	DC_38A_n258A DC_38A_n258G DC_38A_n258H DC_38A_n258I DC_38A_n258J DC_38A_n258K DC_38A_n258L DC_38A_n258M		
DC_39A_n257A	DC_39A_n257A		
DC_39A_n257D	DC_39A_n257A		
DC_39A_n257E	DC_39A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_39A_n257F	DC_39A_n257A		
DC_39A_n257G	DC_39A_n257A		
DC_39A_n257H	DC_39A_n257A		
DC_39A_n257I	DC_39A_n257A		
DC_39A_n257J	DC_39A_n257A		
DC_39A_n257K	DC_39A_n257A		
DC_39A_n257L	DC_39A_n257A		
DC_39A_n257M	DC_39A_n257A		
DC_39A_n258A	DC_39A_n258A		
DC_39A_n258B	DC_39A_n258A DC_39A_n258B		
DC_39A_n258C	DC_39A_n258A DC_39A_n258C		
DC_39A_n258D	DC_39A_n258A DC_39A_n258D		
DC_39A_n258E	DC_39A_n258A DC_39A_n258D DC_39A_n258E		
DC_39A_n258F	DC_39A_n258A DC_39A_n258D DC_39A_n258E DC_39A_n258F		
DC_39A_n258G	DC_39A_n258A DC_39A_n258G		
DC_39A_n258H	DC_39A_n258A DC_39A_n258G DC_39A_n258H		
DC_39A_n258I	DC_39A_n258A DC_39A_n258G DC_39A_n258H DC_39A_n258I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_39A_n258J	DC_39A_n258A DC_39A_n258G DC_39A_n258H DC_39A_n258I DC_39A_n258J		
DC_39A_n258K	DC_39A_n258A DC_39A_n258G DC_39A_n258H DC_39A_n258I DC_39A_n258J DC_39A_n258K		
DC_39A_n258L	DC_39A_n258A DC_39A_n258G DC_39A_n258H DC_39A_n258I DC_39A_n258J DC_39A_n258K DC_39A_n258L		
DC_39A_n258M	DC_39A_n258A DC_39A_n258G DC_39A_n258H DC_39A_n258I DC_39A_n258J DC_39A_n258K DC_39A_n258L DC_39A_n258M		
DC_40A_n257A	DC_40A_n257A		
DC_40A_n257D	DC_40A_n257A DC_40A_n257D		
DC_40A_n257E	DC_40A_n257A DC_40A_n257D DC_40A_n257E		
DC_40A_n257F	DC_40A_n257A DC_40A_n257D DC_40A_n257E DC_40A_n257F		
DC_40A_n257G	DC_40A_n257A DC_40A_n257G		
DC_40A_n257H	DC_40A_n257A DC_40A_n257G DC_40A_n257H		
DC_40A_n257I	DC_40A_n257A DC_40A_n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_40A_n257H DC_40A_n257I		
DC_40A_n257J	DC_40A_n257A DC_40A_n257G DC_40A_n257H DC_40A_n257I DC_40A_n257J		
DC_40A_n257K	DC_40A_n257A DC_40A_n257G DC_40A_n257H DC_40A_n257I DC_40A_n257J DC_40A_n257K		
DC_40A_n257L	DC_40A_n257A DC_40A_n257G DC_40A_n257H DC_40A_n257I DC_40A_n257J DC_40A_n257K DC_40A_n257L		
DC_40A_n257M	DC_40A_n257A DC_40A_n257G DC_40A_n257H DC_40A_n257I DC_40A_n257J DC_40A_n257K DC_40A_n257L DC_40A_n257M		
DC_40A_n258A	DC_40A_n258A		
DC_40A_n258B	DC_40A_n258A DC_40A_n258B		
DC_40A_n258C	DC_40A_n258A DC_40A_n258C		
DC_40A_n258D	DC_40A_n258A DC_40A_n258D		
DC_40A_n258E	DC_40A_n258A DC_40A_n258D DC_40A_n258E		
DC_40A_n258F	DC_40A_n258A DC_40A_n258D DC_40A_n258E DC_40A_n258F		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_40A_n258G	DC_40A_n258A DC_40A_n258G		
DC_40A_n258H	DC_40A_n258A DC_40A_n258G DC_40A_n258H		
DC_40A_n258I	DC_40A_n258A DC_40A_n258G DC_40A_n258H DC_40A_n258I		
DC_40A_n258J	DC_40A_n258A DC_40A_n258G DC_40A_n258H DC_40A_n258I DC_40A_n258J		
DC_40A_n258K	DC_40A_n258A DC_40A_n258G DC_40A_n258H DC_40A_n258I DC_40A_n258J DC_40A_n258K		
DC_40A_n258L	DC_40A_n258A DC_40A_n258G DC_40A_n258H DC_40A_n258I DC_40A_n258J DC_40A_n258K DC_40A_n258L		
DC_40A_n258M	DC_40A_n258A DC_40A_n258G DC_40A_n258H DC_40A_n258I DC_40A_n258J DC_40A_n258K DC_40A_n258L DC_40A_n258M		
DC_40C_n257A	DC_40A_n257A		
DC_40C_n257D	DC_40A_n257A DC_40A_n257D		
DC_40C_n257E	DC_40A_n257A DC_40A_n257D DC_40A_n257E		
DC_40C_n257F	DC_40A_n257A DC_40A_n257D		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_40A_n257E DC_40A_n257F		
DC_40C_n257G	DC_40A_n257A DC_40A_n257G		
DC_40C_n257H	DC_40A_n257A DC_40A_n257G DC_40A_n257H		
DC_40C_n257I	DC_40A_n257A DC_40A_n257G DC_40A_n257H DC_40A_n257I		
DC_40C_n257J	DC_40A_n257A DC_40A_n257G DC_40A_n257H DC_40A_n257I DC_40A_n257J		
DC_40C_n257K	DC_40A_n257A DC_40A_n257G DC_40A_n257H DC_40A_n257I DC_40A_n257J DC_40A_n257K		
DC_40C_n257L	DC_40A_n257A DC_40A_n257G DC_40A_n257H DC_40A_n257I DC_40A_n257J DC_40A_n257K DC_40A_n257L		
DC_40C_n257M	DC_40A_n257A DC_40A_n257G DC_40A_n257H DC_40A_n257I DC_40A_n257J DC_40A_n257K DC_40A_n257L DC_40A_n257M		
DC_41A_n257A	DC_41A_n257A		
DC_41A_n257D	DC_41A_n257A DC_41A_n257D		
DC_41A_n257E	DC_41A_n257A DC_41A_n257D		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_41A_n257F	DC_41A_n257A DC_41A_n257D		
DC_41A_n257G	DC_41A_n257A DC_41A_n257G		
DC_41A_n257H	DC_41A_n257A DC_41A_n257G DC_41A_n257H		
DC_41A_n257I	DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I		
DC_41A_n257J	DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I		
DC_41A_n257K	DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I		
DC_41A_n257L	DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I		
DC_41A_n257M	DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I		
DC_41A_n258A	DC_41A_n258A		
DC_41A_n258B	DC_41A_n258A DC_41A_n258B		
DC_41A_n258C	DC_41A_n258A DC_41A_n258C		
DC_41A_n258D	DC_41A_n258A DC_41A_n258D		
DC_41A_n258E	DC_41A_n258A DC_41A_n258D DC_41A_n258E		
DC_41A_n258F	DC_41A_n258A DC_41A_n258D DC_41A_n258E		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_41A_n258F		
DC_41A_n258G	DC_41A_n258A DC_41A_n258G		
DC_41A_n258H	DC_41A_n258A DC_41A_n258G DC_41A_n258H		
DC_41A_n258I	DC_41A_n258A DC_41A_n258G DC_41A_n258H DC_41A_n258I		
DC_41A_n258J	DC_41A_n258A DC_41A_n258G DC_41A_n258H DC_41A_n258I DC_41A_n258J		
DC_41A_n258K	DC_41A_n258A DC_41A_n258G DC_41A_n258H DC_41A_n258I DC_41A_n258J DC_41A_n258K		
DC_41A_n258L	DC_41A_n258A DC_41A_n258G DC_41A_n258H DC_41A_n258I DC_41A_n258J DC_41A_n258K DC_41A_n258L		
DC_41A_n258M	DC_41A_n258A DC_41A_n258G DC_41A_n258H DC_41A_n258I DC_41A_n258J DC_41A_n258K DC_41A_n258L DC_41A_n258M		
DC_41C_n257A	DC_41A_n257A DC_41C_n257A		
DC_41C_n257D	DC_41A_n257A DC_41A_n257D DC_41C_n257A DC_41C_n257D		
DC_41C_n257E	DC_41A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_41A_n257D DC_41C_n257A DC_41C_n257D		
DC_41C_n257F	DC_41A_n257A DC_41A_n257D DC_41C_n257A DC_41C_n257D		
DC_41C_n257G	DC_41A_n257A DC_41A_n257G DC_41C_n257A DC_41C_n257G		
DC_41C_n257H	DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41C_n257A DC_41C_n257G DC_41C_n257H		
DC_41C_n257I	DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_41C_n257I		
DC_41C_n257J	DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_41C_n257I		
DC_41C_n257K	DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_41C_n257I		
DC_41C_n257L	DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_41C_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_41C_n257G DC_41C_n257H DC_41C_n257I		
DC_41C_n257M	DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_41C_n257I		
DC_42A_n257A	DC_42A_n257A		
DC_42A_n257D	DC_42A_n257A DC_42A_n257D		
DC_42A_n257E	DC_42A_n257A DC_42A_n257D DC_42A_n257E		
DC_42A_n257F	DC_42A_n257A DC_42A_n257D DC_42A_n257E DC_42A_n257F		
DC_42A_n257G	DC_42A_n257A DC_42A_n257G		
DC_42A_n257H	DC_42A_n257A DC_42A_n257G DC_42A_n257H		
DC_42A_n257I	DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_42A_n257J	DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42A_n257J		
DC_42A_n257K	DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42A_n257J DC_42A_n257K		
DC_42A_n257L	DC_42A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42A_n257J DC_42A_n257K DC_42A_n257L		
DC_42A_n257M	DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42A_n257J DC_42A_n257K DC_42A_n257L DC_42A_n257M		
DC_42C_n257A	DC_42A_n257A DC_42C_n257A		
DC_42C_n257D	DC_42A_n257A DC_42A_n257D DC_42C_n257A DC_42C_n257D		
DC_42C_n257E	DC_42A_n257A DC_42A_n257D DC_42A_n257E DC_42C_n257A DC_42C_n257D DC_42C_n257E		
DC_42C_n257F	DC_42A_n257A DC_42A_n257D DC_42A_n257E DC_42A_n257F DC_42C_n257A DC_42C_n257D DC_42C_n257E DC_42C_n257F		
DC_42C_n257G	DC_42A_n257A DC_42A_n257G DC_42C_n257A		
DC_42C_n257H	DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42C_n257A		
DC_42C_n257I	DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_42C_n257A		
DC_42C_n257J	DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42A_n257J DC_42C_n257A		
DC_42C_n257K	DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42A_n257J DC_42A_n257K DC_42C_n257A		
DC_42C_n257L	DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42A_n257J DC_42A_n257K DC_42A_n257L DC_42C_n257A		
DC_42C_n257M	DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42A_n257J DC_42A_n257K DC_42A_n257L DC_42A_n257M DC_42C_n257A		
DC_42D_n257A	DC_42A_n257A DC_42C_n257A DC_42D_n257A		
DC_42D_n257D	DC_42A_n257A DC_42A_n257D DC_42C_n257A DC_42C_n257D DC_42D_n257A DC_42D_n257D		
DC_42D_n257E	DC_42A_n257A DC_42A_n257D DC_42A_n257E DC_42C_n257A DC_42C_n257D DC_42C_n257E		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_42D_n257A DC_42D_n257D DC_42D_n257E		
DC_42D_n257F	DC_42A_n257A DC_42A_n257D DC_42A_n257E DC_42A_n257F DC_42C_n257A DC_42C_n257D DC_42C_n257E DC_42C_n257F DC_42D_n257A DC_42D_n257D DC_42D_n257E DC_42D_n257F		
DC_42D_n257G	DC_42A_n257A DC_42A_n257G DC_42C_n257A DC_42D_n257A		
DC_42D_n257H	DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42C_n257A DC_42D_n257A		
DC_42D_n257I	DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42D_n257A		
DC_42D_n257J	DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42A_n257J DC_42C_n257A DC_42D_n257A		
DC_42D_n257K	DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42A_n257J DC_42A_n257K DC_42C_n257A DC_42D_n257A		
DC_42D_n257L	DC_42A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42A_n257J DC_42A_n257K DC_42A_n257L DC_42C_n257A DC_42D_n257A		
DC_42D_n257M	DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42A_n257J DC_42A_n257K DC_42A_n257L DC_42A_n257M DC_42C_n257A DC_42D_n257A		
DC_42E_n257A	DC_42A_n257A DC_42C_n257A DC_42D_n257A DC_42E_n257A		
DC_42E_n257D	DC_42A_n257A DC_42A_n257D DC_42C_n257A DC_42C_n257D DC_42D_n257A DC_42D_n257D DC_42E_n257A DC_42E_n257D		
DC_42E_n257E	DC_42A_n257A DC_42A_n257D DC_42A_n257E DC_42C_n257A DC_42C_n257D DC_42C_n257E DC_42D_n257A DC_42D_n257D DC_42D_n257E DC_42E_n257A DC_42E_n257D DC_42E_n257E		
DC_42E_n257F	DC_42A_n257A DC_42A_n257D DC_42A_n257E DC_42A_n257F DC_42C_n257A DC_42C_n257D		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_42C_n257E DC_42C_n257F DC_42D_n257A DC_42D_n257D DC_42D_n257E DC_42D_n257F DC_42E_n257A DC_42E_n257D DC_42E_n257E DC_42E_n257F		
DC_42E_n257G	DC_42A_n257A DC_42A_n257G DC_42C_n257A DC_42D_n257A DC_42E_n257A		
DC_42E_n257H	DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42C_n257A DC_42D_n257A DC_42E_n257A		
DC_42E_n257I	DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42D_n257A DC_42E_n257A		
DC_42E_n257J	DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42A_n257J DC_42C_n257A DC_42D_n257A DC_42E_n257A		
DC_42E_n257K	DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42A_n257J DC_42A_n257K DC_42C_n257A DC_42D_n257A DC_42E_n257A		
DC_42E_n257L	DC_42A_n257A DC_42A_n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_42A_n257H DC_42A_n257I DC_42A_n257J DC_42A_n257K DC_42A_n257L DC_42C_n257A DC_42D_n257A DC_42E_n257A		
DC_42E_n257M	DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42A_n257J DC_42A_n257K DC_42A_n257L DC_42A_n257M DC_42C_n257A DC_42D_n257A DC_42E_n257A		
DC_46A_n260A (B46WithInterBandCA)			
DC_46A_n261A (B46WithInterBandCA)			
DC_48A_n257A	DC_48A_n257A		
DC_48A_n260A	DC_48A_n260A		
DC_48A_n260G	DC_48A_n260A DC_48A_n260G		
DC_48A_n260H	DC_48A_n260A DC_48A_n260G DC_48A_n260H		
DC_48A_n260I	DC_48A_n260A DC_48A_n260G DC_48A_n260H DC_48A_n260I		
DC_48A_n260J	DC_48A_n260A DC_48A_n260G DC_48A_n260H DC_48A_n260I		
DC_48A_n260K	DC_48A_n260A DC_48A_n260G DC_48A_n260H DC_48A_n260I		
DC_48A_n260L	DC_48A_n260A DC_48A_n260G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_48A_n260H DC_48A_n260I		
DC_48A_n260M	DC_48A_n260A DC_48A_n260G DC_48A_n260H DC_48A_n260I		
DC_48A_n260(2A)	DC_48A_n260A		
DC_48A_n260(3A)	DC_48A_n260A		
DC_48A_n260(4A)	DC_48A_n260A		
DC_48A_n261A	DC_48A_n261A		
DC_48A_n261G	DC_48A_n261A DC_48A_n261G		
DC_48A_n261H	DC_48A_n261A DC_48A_n261G DC_48A_n261H		
DC_48A_n261I	DC_48A_n261A DC_48A_n261G DC_48A_n261H DC_48A_n261I		
DC_48A_n261J	DC_48A_n261A DC_48A_n261G DC_48A_n261H DC_48A_n261I		
DC_48A_n261K	DC_48A_n261A DC_48A_n261G DC_48A_n261H DC_48A_n261I		
DC_48A_n261L	DC_48A_n261A DC_48A_n261G DC_48A_n261H DC_48A_n261I		
DC_48A_n261M	DC_48A_n261A DC_48A_n261G DC_48A_n261H DC_48A_n261I		
DC_48A_n261(2A)	DC_48A_n261A		
DC_48A_n261(2A-G)	DC_48A_n261A DC_48A_n261G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_48A_n261(2A-H)	DC_48A_n261A DC_48A_n261G DC_48A_n261H		
DC_48A_n261(2A-I)	DC_48A_n261A DC_48A_n261G DC_48A_n261H DC_48A_n261I		
DC_48A_n261(2G)	DC_48A_n261A DC_48A_n261G		
DC_48A_n261(2H)	DC_48A_n261A DC_48A_n261G DC_48A_n261H		
DC_48A_n261(3A)	DC_48A_n261A		
DC_48A_n261(3A-G)	DC_48A_n261A DC_48A_n261G		
DC_48A_n261(4A)	DC_48A_n261A		
DC_48A_n261(A-2G)	DC_48A_n261A DC_48A_n261G		
DC_48A_n261(A-G)	DC_48A_n261A DC_48A_n261G		
DC_48A_n261(A-G-H)	DC_48A_n261A DC_48A_n261G DC_48A_n261H		
DC_48A_n261(A-G-I)	DC_48A_n261A DC_48A_n261G DC_48A_n261H DC_48A_n261I		
DC_48A_n261(A-H)	DC_48A_n261A DC_48A_n261G DC_48A_n261H		
DC_48A_n261(A-I)	DC_48A_n261A DC_48A_n261G DC_48A_n261H DC_48A_n261I		
DC_48A_n261(A-J)	DC_48A_n261A DC_48A_n261G DC_48A_n261H DC_48A_n261I		
	DC_48A_n261A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_48A_n261(A-K)	DC_48A_n261G DC_48A_n261H DC_48A_n261I		
DC_48A_n261(A-L)	DC_48A_n261A DC_48A_n261G DC_48A_n261H DC_48A_n261I		
DC_48A_n261(G-H)	DC_48A_n261A DC_48A_n261G DC_48A_n261H		
DC_48A_n261(G-I)	DC_48A_n261A DC_48A_n261G DC_48A_n261H DC_48A_n261I		
DC_48A_n261(G-J)	DC_48A_n261A DC_48A_n261G DC_48A_n261H DC_48A_n261I		
DC_48A_n261(H-I)	DC_48A_n261A DC_48A_n261G DC_48A_n261H DC_48A_n261I		
DC_48C_n257A	DC_48A_n257A DC_48C_n257A		
DC_48C_n260A	DC_48A_n260A DC_48C_n260A		
DC_48C_n260(2A)	DC_48A_n260A DC_48C_n260A		
DC_48C_n260(3A)	DC_48A_n260A DC_48C_n260A		
DC_48C_n260(4A)	DC_48A_n260A DC_48C_n260A		
DC_48C_n261A	DC_48A_n261A DC_48C_n261A		
DC_48C_n261(2A)	DC_48A_n261A DC_48C_n261A		
DC_48D_n260A	DC_48A_n260A DC_48C_n260A		
DC_48D_n260(2A)	DC_48A_n260A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_48C_n260A		
DC_48D_n260(3A)	DC_48A_n260A DC_48C_n260A		
DC_48D_n260(4A)	DC_48A_n260A DC_48C_n260A		
DC_48D_n261A	DC_48A_n261A DC_48C_n261A		
DC_48D_n261(2A)	DC_48A_n261A DC_48C_n261A		
DC_66A_n257A	DC_66A_n257A		
DC_66A_n257G	DC_66A_n257A DC_66A_n257G		
DC_66A_n257H	DC_66A_n257A DC_66A_n257G		
DC_66A_n257I	DC_66A_n257A DC_66A_n257G		
DC_66A_n257J	DC_66A_n257A DC_66A_n257G		
DC_66A_n257K	DC_66A_n257A DC_66A_n257G		
DC_66A_n257L	DC_66A_n257A DC_66A_n257G		
DC_66A_n257M	DC_66A_n257A DC_66A_n257G		
DC_66A_n257(2A)	DC_66A_n257A		
DC_66A_n258A	DC_66A_n258A		
DC_66A_n258D	DC_66A_n258A DC_66A_n258D		
DC_66A_n258G	DC_66A_n258A DC_66A_n258G		
DC_66A_n258H	DC_66A_n258A DC_66A_n258G DC_66A_n258H		
DC_66A_n258I	DC_66A_n258A DC_66A_n258G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_66A_n258H DC_66A_n258I		
DC_66A_n258J	DC_66A_n258A DC_66A_n258G DC_66A_n258H DC_66A_n258I DC_66A_n258J		
DC_66A_n258K	DC_66A_n258A DC_66A_n258G DC_66A_n258H DC_66A_n258I DC_66A_n258J DC_66A_n258K		
DC_66A_n258L	DC_66A_n258A DC_66A_n258G DC_66A_n258H DC_66A_n258I DC_66A_n258J DC_66A_n258K DC_66A_n258L		
DC_66A_n258M	DC_66A_n258A DC_66A_n258G DC_66A_n258H DC_66A_n258I DC_66A_n258J DC_66A_n258K DC_66A_n258L DC_66A_n258M		
DC_66A_n258O	DC_66A_n258A DC_66A_n258O		
DC_66A_n258P	DC_66A_n258A DC_66A_n258O DC_66A_n258P		
DC_66A_n258Q	DC_66A_n258A DC_66A_n258O DC_66A_n258P DC_66A_n258Q		
DC_66A_n258(2A)	DC_66A_n258A		
DC_66A_n258(3A)	DC_66A_n258A		
DC_66A_n258(4A)	DC_66A_n258A		
DC_66A_n258(5A)	DC_66A_n258A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_66A_n260A	DC_66A_n260A		
DC_66A_n260D	DC_66A_n260A		
DC_66A_n260E	DC_66A_n260A		
DC_66A_n260F	DC_66A_n260A		
DC_66A_n260G	DC_66A_n260A DC_66A_n260G		
DC_66A_n260H	DC_66A_n260A DC_66A_n260G DC_66A_n260H		
DC_66A_n260I	DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I		
DC_66A_n260J	DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I DC_66A_n260J		
DC_66A_n260K	DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I DC_66A_n260J DC_66A_n260K		
DC_66A_n260L	DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I DC_66A_n260J DC_66A_n260K DC_66A_n260L		
DC_66A_n260M	DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I DC_66A_n260J DC_66A_n260K DC_66A_n260L DC_66A_n260M		
DC_66A_n260O	DC_66A_n260A DC_66A_n260O		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_66A_n260P	DC_66A_n260A DC_66A_n260O DC_66A_n260P		
DC_66A_n260Q	DC_66A_n260A DC_66A_n260O DC_66A_n260P DC_66A_n260Q		
DC_66A_n260(10A)	DC_66A_n260A		
DC_66A_n260(2A)	DC_66A_n260A		
DC_66A_n260(2A-2D)	DC_66A_n260A		
DC_66A_n260(2A-2G)	DC_66A_n260A DC_66A_n260G		
DC_66A_n260(2A-2G-2O)	DC_66A_n260A DC_66A_n260G DC_66A_n260O		
DC_66A_n260(2A-2G-O)	DC_66A_n260A DC_66A_n260G DC_66A_n260O		
DC_66A_n260(2A-2H)	DC_66A_n260A DC_66A_n260G DC_66A_n260H		
DC_66A_n260(2A-2O)	DC_66A_n260A DC_66A_n260O		
DC_66A_n260(2A-2O-2P)	DC_66A_n260A DC_66A_n260O DC_66A_n260P		
DC_66A_n260(2A-2O-2Q)	DC_66A_n260A DC_66A_n260O DC_66A_n260P DC_66A_n260Q		
DC_66A_n260(2A-2O-P)	DC_66A_n260A DC_66A_n260O DC_66A_n260P		
DC_66A_n260(2A-2O-P-Q)	DC_66A_n260A DC_66A_n260O DC_66A_n260P DC_66A_n260Q		
DC_66A_n260(2A-2O-Q)	DC_66A_n260A DC_66A_n260O		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_66A_n260P DC_66A_n260Q		
DC_66A_n260(2A-2P)	DC_66A_n260A DC_66A_n260O DC_66A_n260P		
DC_66A_n260(2A-2Q)	DC_66A_n260A DC_66A_n260O DC_66A_n260P DC_66A_n260Q		
DC_66A_n260(2A-3G)	DC_66A_n260A DC_66A_n260G		
DC_66A_n260(2A-3O)	DC_66A_n260A DC_66A_n260O		
DC_66A_n260(2A-3O-P)	DC_66A_n260A DC_66A_n260O DC_66A_n260P		
DC_66A_n260(2A-3O-Q)	DC_66A_n260A DC_66A_n260O DC_66A_n260P DC_66A_n260Q		
DC_66A_n260(2A-3P)	DC_66A_n260A DC_66A_n260O DC_66A_n260P		
DC_66A_n260(2A-4O)	DC_66A_n260A DC_66A_n260O		
DC_66A_n260(2A-4P)	DC_66A_n260A DC_66A_n260O DC_66A_n260P		
DC_66A_n260(2A-D)	DC_66A_n260A		
DC_66A_n260(2A-D-2O)	DC_66A_n260A DC_66A_n260O		
DC_66A_n260(2A-D-O)	DC_66A_n260A DC_66A_n260O		
DC_66A_n260(2A-G)	DC_66A_n260A DC_66A_n260G		
DC_66A_n260(2A-G-2O)	DC_66A_n260A DC_66A_n260G DC_66A_n260O		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_66A_n260(2A-G-3O)	DC_66A_n260A DC_66A_n260G DC_66A_n260O		
DC_66A_n260(2A-G-H)	DC_66A_n260A DC_66A_n260G DC_66A_n260H		
DC_66A_n260(2A-G-O)	DC_66A_n260A DC_66A_n260G DC_66A_n260O		
DC_66A_n260(2A-H)	DC_66A_n260A DC_66A_n260G DC_66A_n260H		
DC_66A_n260(2A-O)	DC_66A_n260A DC_66A_n260O		
DC_66A_n260(2A-O-2P)	DC_66A_n260A DC_66A_n260O DC_66A_n260P		
DC_66A_n260(2A-O-2Q)	DC_66A_n260A DC_66A_n260O DC_66A_n260P DC_66A_n260Q		
DC_66A_n260(2A-O-3P)	DC_66A_n260A DC_66A_n260O DC_66A_n260P		
DC_66A_n260(2A-O-P)	DC_66A_n260A DC_66A_n260O DC_66A_n260P		
DC_66A_n260(2A-O-P-Q)	DC_66A_n260A DC_66A_n260O DC_66A_n260P DC_66A_n260Q		
DC_66A_n260(2A-O-Q)	DC_66A_n260A DC_66A_n260O DC_66A_n260P DC_66A_n260Q		
DC_66A_n260(2A-P)	DC_66A_n260A DC_66A_n260O DC_66A_n260P		
DC_66A_n260(2A-P-Q)	DC_66A_n260A DC_66A_n260O DC_66A_n260P		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_66A_n260Q		
DC_66A_n260(2A-Q)	DC_66A_n260A DC_66A_n260O DC_66A_n260P DC_66A_n260Q		
DC_66A_n260(2D)	DC_66A_n260A		
DC_66A_n260(2D-O)	DC_66A_n260A DC_66A_n260O		
DC_66A_n260(2G)	DC_66A_n260A DC_66A_n260G		
DC_66A_n260(2G-2O)	DC_66A_n260A DC_66A_n260G DC_66A_n260O		
DC_66A_n260(2G-3O)	DC_66A_n260A DC_66A_n260G DC_66A_n260O		
DC_66A_n260(2G-4O)	DC_66A_n260A DC_66A_n260G DC_66A_n260O		
DC_66A_n260(2G-O)	DC_66A_n260A DC_66A_n260G DC_66A_n260O		
DC_66A_n260(2H)	DC_66A_n260A DC_66A_n260G DC_66A_n260H		
DC_66A_n260(2H-O)	DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260O		
DC_66A_n260(2O)	DC_66A_n260A DC_66A_n260O		
DC_66A_n260(2O-2P)	DC_66A_n260A DC_66A_n260O DC_66A_n260P		
DC_66A_n260(2O-2Q)	DC_66A_n260A DC_66A_n260O DC_66A_n260P DC_66A_n260Q		
DC_66A_n260(2O-P)	DC_66A_n260A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_66A_n260O DC_66A_n260P		
DC_66A_n260(2O-P-Q)	DC_66A_n260A DC_66A_n260O DC_66A_n260P DC_66A_n260Q		
DC_66A_n260(2O-Q)	DC_66A_n260A DC_66A_n260O DC_66A_n260P DC_66A_n260Q		
DC_66A_n260(2P)	DC_66A_n260A DC_66A_n260O DC_66A_n260P		
DC_66A_n260(2Q)	DC_66A_n260A DC_66A_n260O DC_66A_n260P DC_66A_n260Q		
DC_66A_n260(3A)	DC_66A_n260A		
DC_66A_n260(3A-2G)	DC_66A_n260A DC_66A_n260G		
DC_66A_n260(3A-2G-O)	DC_66A_n260A DC_66A_n260G DC_66A_n260O		
DC_66A_n260(3A-2O)	DC_66A_n260A DC_66A_n260O		
DC_66A_n260(3A-2O-P)	DC_66A_n260A DC_66A_n260O DC_66A_n260P		
DC_66A_n260(3A-2O-Q)	DC_66A_n260A DC_66A_n260O DC_66A_n260P DC_66A_n260Q		
DC_66A_n260(3A-2P)	DC_66A_n260A DC_66A_n260O DC_66A_n260P		
DC_66A_n260(3A-2Q)	DC_66A_n260A DC_66A_n260O DC_66A_n260P DC_66A_n260Q		
DC_66A_n260(3A-3O)	DC_66A_n260A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_66A_n260O		
DC_66A_n260(3A-3P)	DC_66A_n260A DC_66A_n260O DC_66A_n260P		
DC_66A_n260(3A-4O)	DC_66A_n260A DC_66A_n260O		
DC_66A_n260(3A-D)	DC_66A_n260A		
DC_66A_n260(3A-D-O)	DC_66A_n260A DC_66A_n260O		
DC_66A_n260(3A-G)	DC_66A_n260A DC_66A_n260G		
DC_66A_n260(3A-G-2O)	DC_66A_n260A DC_66A_n260G DC_66A_n260O		
DC_66A_n260(3A-G-O)	DC_66A_n260A DC_66A_n260G DC_66A_n260O		
DC_66A_n260(3A-H)	DC_66A_n260A DC_66A_n260G DC_66A_n260H		
DC_66A_n260(3A-O)	DC_66A_n260A DC_66A_n260O		
DC_66A_n260(3A-O-2P)	DC_66A_n260A DC_66A_n260O DC_66A_n260P		
DC_66A_n260(3A-O-2Q)	DC_66A_n260A DC_66A_n260O DC_66A_n260P DC_66A_n260Q		
DC_66A_n260(3A-O-P)	DC_66A_n260A DC_66A_n260O DC_66A_n260P		
DC_66A_n260(3A-O-P-Q)	DC_66A_n260A DC_66A_n260O DC_66A_n260P DC_66A_n260Q		
DC_66A_n260(3A-O-Q)	DC_66A_n260A DC_66A_n260O DC_66A_n260P		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_66A_n260Q		
DC_66A_n260(3A-P)	DC_66A_n260A DC_66A_n260O DC_66A_n260P		
DC_66A_n260(3A-P-Q)	DC_66A_n260A DC_66A_n260O DC_66A_n260P DC_66A_n260Q		
DC_66A_n260(3A-Q)	DC_66A_n260A DC_66A_n260O DC_66A_n260P DC_66A_n260Q		
DC_66A_n260(3G)	DC_66A_n260A DC_66A_n260G		
DC_66A_n260(3G-O)	DC_66A_n260A DC_66A_n260G DC_66A_n260O		
DC_66A_n260(3O)	DC_66A_n260A DC_66A_n260O		
DC_66A_n260(3O-P)	DC_66A_n260A DC_66A_n260O DC_66A_n260P		
DC_66A_n260(3O-Q)	DC_66A_n260A DC_66A_n260O DC_66A_n260P DC_66A_n260Q		
DC_66A_n260(3P)	DC_66A_n260A DC_66A_n260O DC_66A_n260P		
DC_66A_n260(4A)	DC_66A_n260A		
DC_66A_n260(4A-2G)	DC_66A_n260A DC_66A_n260G		
DC_66A_n260(4A-2O)	DC_66A_n260A DC_66A_n260O		
DC_66A_n260(4A-2P)	DC_66A_n260A DC_66A_n260O DC_66A_n260P		
DC_66A_n260(4A-2Q)	DC_66A_n260A DC_66A_n260O		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_66A_n260P DC_66A_n260Q		
DC_66A_n260(4A-3O)	DC_66A_n260A DC_66A_n260O		
DC_66A_n260(4A-4O)	DC_66A_n260A DC_66A_n260O		
DC_66A_n260(4A-D)	DC_66A_n260A		
DC_66A_n260(4A-G)	DC_66A_n260A DC_66A_n260G		
DC_66A_n260(4A-G-O)	DC_66A_n260A DC_66A_n260G DC_66A_n260O		
DC_66A_n260(4A-O)	DC_66A_n260A DC_66A_n260O		
DC_66A_n260(4A-O-P)	DC_66A_n260A DC_66A_n260O DC_66A_n260P		
DC_66A_n260(4A-O-Q)	DC_66A_n260A DC_66A_n260O DC_66A_n260P DC_66A_n260Q		
DC_66A_n260(4A-P)	DC_66A_n260A DC_66A_n260O DC_66A_n260P		
DC_66A_n260(4A-P-Q)	DC_66A_n260A DC_66A_n260O DC_66A_n260P DC_66A_n260Q		
DC_66A_n260(4A-Q)	DC_66A_n260A DC_66A_n260O DC_66A_n260P DC_66A_n260Q		
DC_66A_n260(4G)	DC_66A_n260A DC_66A_n260G		
DC_66A_n260(4G-O)	DC_66A_n260A DC_66A_n260G DC_66A_n260O		
DC_66A_n260(4O)	DC_66A_n260A DC_66A_n260O		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_66A_n260(4P)	DC_66A_n260A DC_66A_n260O DC_66A_n260P		
DC_66A_n260(5A)	DC_66A_n260A		
DC_66A_n260(5A-2O)	DC_66A_n260A DC_66A_n260O		
DC_66A_n260(5A-2P)	DC_66A_n260A DC_66A_n260O DC_66A_n260P		
DC_66A_n260(5A-3O)	DC_66A_n260A DC_66A_n260O		
DC_66A_n260(5A-G)	DC_66A_n260A DC_66A_n260G		
DC_66A_n260(5A-O)	DC_66A_n260A DC_66A_n260O		
DC_66A_n260(5A-O-P)	DC_66A_n260A DC_66A_n260O DC_66A_n260P		
DC_66A_n260(5A-P)	DC_66A_n260A DC_66A_n260O DC_66A_n260P		
DC_66A_n260(5A-Q)	DC_66A_n260A DC_66A_n260O DC_66A_n260P DC_66A_n260Q		
DC_66A_n260(6A)	DC_66A_n260A		
DC_66A_n260(6A-2O)	DC_66A_n260A DC_66A_n260O		
DC_66A_n260(6A-2P)	DC_66A_n260A DC_66A_n260O DC_66A_n260P		
DC_66A_n260(6A-3O)	DC_66A_n260A DC_66A_n260O		
DC_66A_n260(6A-O)	DC_66A_n260A DC_66A_n260O		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_66A_n260(6A-O-P)	DC_66A_n260A DC_66A_n260O DC_66A_n260P		
DC_66A_n260(6A-P)	DC_66A_n260A DC_66A_n260O DC_66A_n260P		
DC_66A_n260(7A)	DC_66A_n260A		
DC_66A_n260(7A-2O)	DC_66A_n260A DC_66A_n260O		
DC_66A_n260(7A-O)	DC_66A_n260A DC_66A_n260O		
DC_66A_n260(7A-P)	DC_66A_n260A DC_66A_n260O DC_66A_n260P		
DC_66A_n260(8A)	DC_66A_n260A		
DC_66A_n260(8A-2O)	DC_66A_n260A DC_66A_n260O		
DC_66A_n260(8A-O)	DC_66A_n260A DC_66A_n260O		
DC_66A_n260(9A)	DC_66A_n260A		
DC_66A_n260(9A-O)	DC_66A_n260A DC_66A_n260O		
DC_66A_n260(A-2D)	DC_66A_n260A		
DC_66A_n260(A-2G)	DC_66A_n260A DC_66A_n260G		
DC_66A_n260(A-2G-2O)	DC_66A_n260A DC_66A_n260G DC_66A_n260O		
DC_66A_n260(A-2G-3O)	DC_66A_n260A DC_66A_n260G DC_66A_n260O		
DC_66A_n260(A-2G-O)	DC_66A_n260A DC_66A_n260G DC_66A_n260O		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_66A_n260(A-2H)	DC_66A_n260A DC_66A_n260G DC_66A_n260H		
DC_66A_n260(A-2O)	DC_66A_n260A DC_66A_n260O		
DC_66A_n260(A-2O-2P)	DC_66A_n260A DC_66A_n260O DC_66A_n260P		
DC_66A_n260(A-2O-2Q)	DC_66A_n260A DC_66A_n260O DC_66A_n260P DC_66A_n260Q		
DC_66A_n260(A-2O-P)	DC_66A_n260A DC_66A_n260O DC_66A_n260P		
DC_66A_n260(A-2O-P-Q)	DC_66A_n260A DC_66A_n260O DC_66A_n260P DC_66A_n260Q		
DC_66A_n260(A-2O-Q)	DC_66A_n260A DC_66A_n260O DC_66A_n260P DC_66A_n260Q		
DC_66A_n260(A-2P)	DC_66A_n260A DC_66A_n260O DC_66A_n260P		
DC_66A_n260(A-2Q)	DC_66A_n260A DC_66A_n260O DC_66A_n260P DC_66A_n260Q		
DC_66A_n260(A-3G)	DC_66A_n260A DC_66A_n260G		
DC_66A_n260(A-3G-O)	DC_66A_n260A DC_66A_n260G DC_66A_n260O		
DC_66A_n260(A-3O)	DC_66A_n260A DC_66A_n260O		
DC_66A_n260(A-3O-P)	DC_66A_n260A DC_66A_n260O DC_66A_n260P		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_66A_n260(A-3O-Q)	DC_66A_n260A DC_66A_n260O DC_66A_n260P DC_66A_n260Q		
DC_66A_n260(A-3P)	DC_66A_n260A DC_66A_n260O DC_66A_n260P		
DC_66A_n260(A-4G)	DC_66A_n260A DC_66A_n260G		
DC_66A_n260(A-4O)	DC_66A_n260A DC_66A_n260O		
DC_66A_n260(A-4P)	DC_66A_n260A DC_66A_n260O DC_66A_n260P		
DC_66A_n260(A-D)	DC_66A_n260A		
DC_66A_n260(A-D-2O)	DC_66A_n260A DC_66A_n260O		
DC_66A_n260(A-D-G)	DC_66A_n260A DC_66A_n260G		
DC_66A_n260(A-D-O)	DC_66A_n260A DC_66A_n260O		
DC_66A_n260(A-E)	DC_66A_n260A		
DC_66A_n260(A-G)	DC_66A_n260A DC_66A_n260G		
DC_66A_n260(A-G-2O)	DC_66A_n260A DC_66A_n260G DC_66A_n260O		
DC_66A_n260(A-G-3O)	DC_66A_n260A DC_66A_n260G DC_66A_n260O		
DC_66A_n260(A-G-4O)	DC_66A_n260A DC_66A_n260G DC_66A_n260O		
DC_66A_n260(A-G-H)	DC_66A_n260A DC_66A_n260G DC_66A_n260H		
DC_66A_n260(A-G-O)	DC_66A_n260A DC_66A_n260G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_66A_n260O		
DC_66A_n260(A-H)	DC_66A_n260A DC_66A_n260G DC_66A_n260H		
DC_66A_n260(A-H-O)	DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260O		
DC_66A_n260(A-I)	DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I		
DC_66A_n260(A-O)	DC_66A_n260A DC_66A_n260O		
DC_66A_n260(A-O-2P)	DC_66A_n260A DC_66A_n260O DC_66A_n260P		
DC_66A_n260(A-O-2Q)	DC_66A_n260A DC_66A_n260O DC_66A_n260P DC_66A_n260Q		
DC_66A_n260(A-O-3P)	DC_66A_n260A DC_66A_n260O DC_66A_n260P		
DC_66A_n260(A-O-P)	DC_66A_n260A DC_66A_n260O DC_66A_n260P		
DC_66A_n260(A-O-P-Q)	DC_66A_n260A DC_66A_n260O DC_66A_n260P DC_66A_n260Q		
DC_66A_n260(A-O-Q)	DC_66A_n260A DC_66A_n260O DC_66A_n260P DC_66A_n260Q		
DC_66A_n260(A-P)	DC_66A_n260A DC_66A_n260O DC_66A_n260P		
DC_66A_n260(A-P-Q)	DC_66A_n260A DC_66A_n260O DC_66A_n260P		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_66A_n260Q		
DC_66A_n260(A-Q)	DC_66A_n260A DC_66A_n260O DC_66A_n260P DC_66A_n260Q		
DC_66A_n260(D-2G)	DC_66A_n260A DC_66A_n260G		
DC_66A_n260(D-2O)	DC_66A_n260A DC_66A_n260O		
DC_66A_n260(D-G)	DC_66A_n260A DC_66A_n260G		
DC_66A_n260(D-H)	DC_66A_n260A DC_66A_n260G DC_66A_n260H		
DC_66A_n260(D-I)	DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I		
DC_66A_n260(D-O)	DC_66A_n260A DC_66A_n260O		
DC_66A_n260(D-P)	DC_66A_n260A DC_66A_n260O DC_66A_n260P		
DC_66A_n260(D-Q)	DC_66A_n260A DC_66A_n260O DC_66A_n260P DC_66A_n260Q		
DC_66A_n260(E-O)	DC_66A_n260A DC_66A_n260O		
DC_66A_n260(E-P)	DC_66A_n260A DC_66A_n260O DC_66A_n260P		
DC_66A_n260(E-Q)	DC_66A_n260A DC_66A_n260O DC_66A_n260P DC_66A_n260Q		
DC_66A_n260(G-2O)	DC_66A_n260A DC_66A_n260G DC_66A_n260O		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_66A_n260(G-3O)	DC_66A_n260A DC_66A_n260G DC_66A_n260O		
DC_66A_n260(G-4O)	DC_66A_n260A DC_66A_n260G DC_66A_n260O		
DC_66A_n260(G-H)	DC_66A_n260A DC_66A_n260G DC_66A_n260H		
DC_66A_n260(G-H-O)	DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260O		
DC_66A_n260(G-I)	DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I		
DC_66A_n260(G-O)	DC_66A_n260A DC_66A_n260G DC_66A_n260O		
DC_66A_n260(H-O)	DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260O		
DC_66A_n260(O-2P)	DC_66A_n260A DC_66A_n260O DC_66A_n260P		
DC_66A_n260(O-2Q)	DC_66A_n260A DC_66A_n260O DC_66A_n260P DC_66A_n260Q		
DC_66A_n260(O-3P)	DC_66A_n260A DC_66A_n260O DC_66A_n260P		
DC_66A_n260(O-P)	DC_66A_n260A DC_66A_n260O DC_66A_n260P		
DC_66A_n260(O-P-Q)	DC_66A_n260A DC_66A_n260O DC_66A_n260P DC_66A_n260Q		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_66A_n260(O-Q)	DC_66A_n260A DC_66A_n260O DC_66A_n260P DC_66A_n260Q		
DC_66A_n260(P-Q)	DC_66A_n260A DC_66A_n260O DC_66A_n260P DC_66A_n260Q		
DC_66A_n261A	DC_66A_n261A		
DC_66A_n261B	DC_66A_n261A DC_66A_n261B		
DC_66A_n261C	DC_66A_n261A DC_66A_n261C		
DC_66A_n261D	DC_66A_n261A		
DC_66A_n261E	DC_66A_n261A		
DC_66A_n261F	DC_66A_n261A		
DC_66A_n261G	DC_66A_n261A DC_66A_n261G		
DC_66A_n261H	DC_66A_n261A DC_66A_n261G DC_66A_n261H		
DC_66A_n261I	DC_66A_n261A DC_66A_n261G DC_66A_n261H DC_66A_n261I		
DC_66A_n261J	DC_66A_n261A DC_66A_n261G DC_66A_n261H DC_66A_n261I DC_66A_n261J		
DC_66A_n261K	DC_66A_n261A DC_66A_n261G DC_66A_n261H DC_66A_n261I DC_66A_n261J DC_66A_n261K		
DC_66A_n261L	DC_66A_n261A DC_66A_n261G DC_66A_n261H DC_66A_n261I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_66A_n261J DC_66A_n261K DC_66A_n261L		
DC_66A_n261M	DC_66A_n261A DC_66A_n261G DC_66A_n261H DC_66A_n261I DC_66A_n261J DC_66A_n261K DC_66A_n261L DC_66A_n261M		
DC_66A_n261O	DC_66A_n261A DC_66A_n261O		
DC_66A_n261P	DC_66A_n261A DC_66A_n261O		
DC_66A_n261Q	DC_66A_n261A DC_66A_n261O		
DC_66A_n261(2A)	DC_66A_n261A		
DC_66A_n261(2A-2G)	DC_66A_n261A DC_66A_n261G		
DC_66A_n261(2A-2G-O)	DC_66A_n261A DC_66A_n261G		
DC_66A_n261(2A-2O)	DC_66A_n261A		
DC_66A_n261(2A-3G)	DC_66A_n261A DC_66A_n261G		
DC_66A_n261(2A-3O)	DC_66A_n261A		
DC_66A_n261(2A-4O)	DC_66A_n261A		
DC_66A_n261(2A-5O)	DC_66A_n261A		
DC_66A_n261(2A-6O)	DC_66A_n261A		
DC_66A_n261(2A-D)	DC_66A_n261A		
DC_66A_n261(2A-D-O)	DC_66A_n261A		
DC_66A_n261(2A-G)	DC_66A_n261A DC_66A_n261G		
DC_66A_n261(2A-G-2O)	DC_66A_n261A DC_66A_n261G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_66A_n261(2A-G-O)	DC_66A_n261A DC_66A_n261G		
DC_66A_n261(2A-H)	DC_66A_n261A DC_66A_n261G DC_66A_n261H		
DC_66A_n261(2A-I)	DC_66A_n261A DC_66A_n261G DC_66A_n261H DC_66A_n261I		
DC_66A_n261(2A-O)	DC_66A_n261A		
DC_66A_n261(2A-P)	DC_66A_n261A		
DC_66A_n261(2A-Q)	DC_66A_n261A		
DC_66A_n261(2D)	DC_66A_n261A		
DC_66A_n261(2G)	DC_66A_n261A DC_66A_n261G		
DC_66A_n261(2G-2O)	DC_66A_n261A DC_66A_n261G		
DC_66A_n261(2G-O)	DC_66A_n261A DC_66A_n261G		
DC_66A_n261(2H)	DC_66A_n261A DC_66A_n261G DC_66A_n261H		
DC_66A_n261(2I)	DC_66A_n261A DC_66A_n261G DC_66A_n261H DC_66A_n261I		
DC_66A_n261(2O)	DC_66A_n261A		
DC_66A_n261(2P)	DC_66A_n261A		
DC_66A_n261(2Q)	DC_66A_n261A		
DC_66A_n261(3A)	DC_66A_n261A		
DC_66A_n261(3A-2G)	DC_66A_n261A DC_66A_n261G		
DC_66A_n261(3A-2O)	DC_66A_n261A		
DC_66A_n261(3A-3O)	DC_66A_n261A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_66A_n261(3A-4O)	DC_66A_n261A		
DC_66A_n261(3A-5O)	DC_66A_n261A		
DC_66A_n261(3A-D)	DC_66A_n261A		
DC_66A_n261(3A-G)	DC_66A_n261A DC_66A_n261G		
DC_66A_n261(3A-G-O)	DC_66A_n261A DC_66A_n261G		
DC_66A_n261(3A-O)	DC_66A_n261A		
DC_66A_n261(3G)	DC_66A_n261A DC_66A_n261G		
DC_66A_n261(3G-O)	DC_66A_n261A DC_66A_n261G		
DC_66A_n261(3O)	DC_66A_n261A		
DC_66A_n261(4A)	DC_66A_n261A		
DC_66A_n261(4A-2O)	DC_66A_n261A		
DC_66A_n261(4A-3O)	DC_66A_n261A		
DC_66A_n261(4A-4O)	DC_66A_n261A		
DC_66A_n261(4A-G)	DC_66A_n261A DC_66A_n261G		
DC_66A_n261(4A-O)	DC_66A_n261A		
DC_66A_n261(4G)	DC_66A_n261A DC_66A_n261G		
DC_66A_n261(4O)	DC_66A_n261A		
DC_66A_n261(5A)	DC_66A_n261A		
DC_66A_n261(5A-2O)	DC_66A_n261A		
DC_66A_n261(5A-3O)	DC_66A_n261A		
DC_66A_n261(5A-O)	DC_66A_n261A		
DC_66A_n261(5O)	DC_66A_n261A		
DC_66A_n261(6A)	DC_66A_n261A		
	DC_66A_n261A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_66A_n261(6A-2O)			
DC_66A_n261(6A-O)	DC_66A_n261A		
DC_66A_n261(6O)	DC_66A_n261A		
DC_66A_n261(7A)	DC_66A_n261A		
DC_66A_n261(7A-O)	DC_66A_n261A		
DC_66A_n261(7O)	DC_66A_n261A		
DC_66A_n261(8A)	DC_66A_n261A		
DC_66A_n261(A-2D)	DC_66A_n261A		
DC_66A_n261(A-2G)	DC_66A_n261A DC_66A_n261G		
DC_66A_n261(A-2G-2O)	DC_66A_n261A DC_66A_n261G		
DC_66A_n261(A-2G-O)	DC_66A_n261A DC_66A_n261G		
DC_66A_n261(A-2H)	DC_66A_n261A DC_66A_n261G DC_66A_n261H		
DC_66A_n261(A-2I)	DC_66A_n261A DC_66A_n261G DC_66A_n261H DC_66A_n261I		
DC_66A_n261(A-2O)	DC_66A_n261A		
DC_66A_n261(A-2P)	DC_66A_n261A		
DC_66A_n261(A-2Q)	DC_66A_n261A		
DC_66A_n261(A-3G)	DC_66A_n261A DC_66A_n261G		
DC_66A_n261(A-3G-O)	DC_66A_n261A DC_66A_n261G		
DC_66A_n261(A-3O)	DC_66A_n261A		
DC_66A_n261(A-4G)	DC_66A_n261A DC_66A_n261G		
DC_66A_n261(A-4O)	DC_66A_n261A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_66A_n261(A-5O)	DC_66A_n261A		
DC_66A_n261(A-6O)	DC_66A_n261A		
DC_66A_n261(A-7O)	DC_66A_n261A		
DC_66A_n261(A-D)	DC_66A_n261A		
DC_66A_n261(A-D-2O)	DC_66A_n261A		
DC_66A_n261(A-D-G)	DC_66A_n261A DC_66A_n261G		
DC_66A_n261(A-D-H)	DC_66A_n261A DC_66A_n261G DC_66A_n261H		
DC_66A_n261(A-D-O)	DC_66A_n261A		
DC_66A_n261(A-E)	DC_66A_n261A		
DC_66A_n261(A-G)	DC_66A_n261A DC_66A_n261G		
DC_66A_n261(A-G-2O)	DC_66A_n261A DC_66A_n261G		
DC_66A_n261(A-G-H)	DC_66A_n261A DC_66A_n261G DC_66A_n261H		
DC_66A_n261(A-G-I)	DC_66A_n261A DC_66A_n261G DC_66A_n261H DC_66A_n261I		
DC_66A_n261(A-G-O)	DC_66A_n261A DC_66A_n261G		
DC_66A_n261(A-H)	DC_66A_n261A DC_66A_n261G DC_66A_n261H		
DC_66A_n261(A-H-I)	DC_66A_n261A DC_66A_n261G DC_66A_n261H DC_66A_n261I		
DC_66A_n261(A-I)	DC_66A_n261A DC_66A_n261G DC_66A_n261H DC_66A_n261I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_66A_n261(A-J)	DC_66A_n261A DC_66A_n261G DC_66A_n261H DC_66A_n261I		
DC_66A_n261(A-K)	DC_66A_n261A DC_66A_n261G DC_66A_n261H DC_66A_n261I		
DC_66A_n261(A-L)	DC_66A_n261A DC_66A_n261G DC_66A_n261H DC_66A_n261I		
DC_66A_n261(A-O)	DC_66A_n261A		
DC_66A_n261(A-O-P)	DC_66A_n261A		
DC_66A_n261(A-O-Q)	DC_66A_n261A		
DC_66A_n261(A-P)	DC_66A_n261A		
DC_66A_n261(A-P-Q)	DC_66A_n261A		
DC_66A_n261(A-Q)	DC_66A_n261A		
DC_66A_n261(D-2O)	DC_66A_n261A		
DC_66A_n261(D-G)	DC_66A_n261A DC_66A_n261G		
DC_66A_n261(D-H)	DC_66A_n261A DC_66A_n261G DC_66A_n261H		
DC_66A_n261(D-I)	DC_66A_n261A DC_66A_n261G DC_66A_n261H DC_66A_n261I		
DC_66A_n261(D-O)	DC_66A_n261A		
DC_66A_n261(D-P)	DC_66A_n261A		
DC_66A_n261(D-Q)	DC_66A_n261A		
DC_66A_n261(E-O)	DC_66A_n261A		
DC_66A_n261(E-P)	DC_66A_n261A		
DC_66A_n261(E-Q)	DC_66A_n261A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_66A_n261(G-2O)	DC_66A_n261A DC_66A_n261G		
DC_66A_n261(G-H)	DC_66A_n261A DC_66A_n261G DC_66A_n261H		
DC_66A_n261(G-I)	DC_66A_n261A DC_66A_n261G DC_66A_n261H DC_66A_n261I		
DC_66A_n261(G-J)	DC_66A_n261A DC_66A_n261G DC_66A_n261H DC_66A_n261I		
DC_66A_n261(G-O)	DC_66A_n261A DC_66A_n261G		
DC_66A_n261(H-I)	DC_66A_n261A DC_66A_n261G DC_66A_n261H DC_66A_n261I		
DC_66A_n261(O-P)	DC_66A_n261A		
DC_66A_n261(O-Q)	DC_66A_n261A		
DC_66A_n261(P-Q)	DC_66A_n261A		
DC_66C_n257A	DC_66A_n257A		
DC_71A_n257A	DC_71A_n257A		
DC_71A_n257G	DC_71A_n257A DC_71A_n257G		
DC_71A_n257H	DC_71A_n257A DC_71A_n257G DC_71A_n257H		
DC_71A_n257I	DC_71A_n257A DC_71A_n257G DC_71A_n257H DC_71A_n257I		
DC_71A_n257J	DC_71A_n257A DC_71A_n257G DC_71A_n257H DC_71A_n257I DC_71A_n257J		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_71A_n257K	DC_71A_n257A DC_71A_n257G DC_71A_n257H DC_71A_n257I DC_71A_n257J DC_71A_n257K		
DC_71A_n257L	DC_71A_n257A DC_71A_n257G DC_71A_n257H DC_71A_n257I DC_71A_n257J DC_71A_n257K DC_71A_n257L		
DC_71A_n257M	DC_71A_n257A DC_71A_n257G DC_71A_n257H DC_71A_n257I DC_71A_n257J DC_71A_n257K DC_71A_n257L DC_71A_n257M		
DC_71A_n258A	DC_71A_n258A		
DC_71A_n258G	DC_71A_n258A DC_71A_n258G		
DC_71A_n258H	DC_71A_n258A DC_71A_n258G DC_71A_n258H		
DC_71A_n258I	DC_71A_n258A DC_71A_n258G DC_71A_n258H DC_71A_n258I		
DC_71A_n258J	DC_71A_n258A DC_71A_n258G DC_71A_n258H DC_71A_n258I DC_71A_n258J		
DC_71A_n258K	DC_71A_n258A DC_71A_n258G DC_71A_n258H DC_71A_n258I DC_71A_n258J DC_71A_n258K		
DC_71A_n258L	DC_71A_n258A DC_71A_n258G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_71A_n258H DC_71A_n258I DC_71A_n258J DC_71A_n258K DC_71A_n258L		
DC_71A_n258M	DC_71A_n258A DC_71A_n258G DC_71A_n258H DC_71A_n258I DC_71A_n258J DC_71A_n258K DC_71A_n258L DC_71A_n258M		
DC_71A_n260A	DC_71A_n260A		
DC_71A_n260G	DC_71A_n260A DC_71A_n260G		
DC_71A_n260H	DC_71A_n260A DC_71A_n260G DC_71A_n260H		
DC_71A_n260I	DC_71A_n260A DC_71A_n260G DC_71A_n260H DC_71A_n260I		
DC_71A_n260J	DC_71A_n260A DC_71A_n260G DC_71A_n260H DC_71A_n260I DC_71A_n260J		
DC_71A_n260K	DC_71A_n260A DC_71A_n260G DC_71A_n260H DC_71A_n260I DC_71A_n260J DC_71A_n260K		
DC_71A_n260L	DC_71A_n260A DC_71A_n260G DC_71A_n260H DC_71A_n260I DC_71A_n260J DC_71A_n260K DC_71A_n260L		
DC_71A_n260M	DC_71A_n260A DC_71A_n260G DC_71A_n260H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_71A_n260I DC_71A_n260J DC_71A_n260K DC_71A_n260L DC_71A_n260M		
DC_71A_n260O	DC_71A_n260A DC_71A_n260O		
DC_71A_n260P	DC_71A_n260A DC_71A_n260O DC_71A_n260P		
DC_71A_n260Q	DC_71A_n260A DC_71A_n260O DC_71A_n260P DC_71A_n260Q		
DC_71A_n261A	DC_71A_n261A		
DC_71A_n261G	DC_71A_n261A DC_71A_n261G		
DC_71A_n261H	DC_71A_n261A DC_71A_n261G DC_71A_n261H		
DC_71A_n261I	DC_71A_n261A DC_71A_n261G DC_71A_n261H DC_71A_n261I		
DC_71A_n261J	DC_71A_n261A DC_71A_n261G DC_71A_n261H DC_71A_n261I DC_71A_n261J		
DC_71A_n261K	DC_71A_n261A DC_71A_n261G DC_71A_n261H DC_71A_n261I DC_71A_n261J DC_71A_n261K		
DC_71A_n261L	DC_71A_n261A DC_71A_n261G DC_71A_n261H DC_71A_n261I DC_71A_n261J DC_71A_n261K DC_71A_n261L		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_71A_n261M	DC_71A_n261A DC_71A_n261G DC_71A_n261H DC_71A_n261I DC_71A_n261J DC_71A_n261K DC_71A_n261L DC_71A_n261M		
DC_71A_n261O	DC_71A_n261A DC_71A_n261O		
DC_71A_n261P	DC_71A_n261A DC_71A_n261O DC_71A_n261P		
DC_71A_n261Q	DC_71A_n261A DC_71A_n261O DC_71A_n261P DC_71A_n261Q		
DC_(n)3AA-n257A	DC_(n)3AA (switchedUlOnly) DC_3A_n257A		
DC_(n)3AA-n257G	DC_(n)3AA (switchedUlOnly) DC_3A_n257A		
DC_(n)3AA-n257H	DC_(n)3AA (switchedUlOnly) DC_3A_n257A		
DC_(n)3AA-n257I	DC_(n)3AA (switchedUlOnly) DC_3A_n257A		
DC_(n)3AA-n257J	DC_(n)3AA (switchedUlOnly) DC_3A_n257A		
DC_(n)3AA-n257K	DC_(n)3AA (switchedUlOnly) DC_3A_n257A		
DC_(n)3AA-n257L	DC_(n)3AA (switchedUlOnly) DC_3A_n257A		
DC_(n)3AA-n257M	DC_(n)3AA (switchedUlOnly) DC_3A_n257A		
DC_n257A_1A	DC_n257A_1A		
DC_n257A_3A	DC_n257A_3A		
DC_n257A_3C	DC_n257A_3A DC_n257A_3C		
	DC_n257A_5A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_n257A_5A			
DC_n257A_7A	DC_n257A_7A		
DC_n257A_8A	DC_n257A_8A		
DC_n257A_26A	DC_n257A_26A		
DC_n257A-3(n)AA	DC_3(n)AA (switchedUlOnly) DC_n257A_3A		
DC_n257G_1A	DC_n257A_1A DC_n257G_1A		
DC_n257G_3A	DC_n257A_3A DC_n257G_3A		
DC_n257G_3C	DC_n257A_3A DC_n257G_3A DC_n257A_3C DC_n257G_3C		
DC_n257G_5A	DC_n257A_5A		
DC_n257G_7A	DC_n257A_7A		
DC_n257G_8A	DC_n257A_8A		
DC_n257G-3(n)AA	DC_3(n)AA (switchedUlOnly) DC_n257A_3A		
DC_n257H_1A	DC_n257A_1A DC_n257G_1A DC_n257H_1A		
DC_n257H_3A	DC_n257A_3A DC_n257G_3A DC_n257H_3A		
DC_n257H_3C	DC_n257A_3A DC_n257G_3A DC_n257H_3A DC_n257A_3C DC_n257G_3C DC_n257H_3C		
DC_n257H_5A	DC_n257A_5A		
DC_n257H_7A	DC_n257A_7A		
DC_n257H_8A	DC_n257A_8A		
DC_n257H-3(n)AA	DC_3(n)AA (switchedUlOnly)		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_n257A_3A		
DC_n257I_1A	DC_n257A_1A DC_n257G_1A DC_n257H_1A DC_n257I_1A		
DC_n257I_3A	DC_n257A_3A DC_n257G_3A DC_n257H_3A DC_n257I_3A		
DC_n257I_3C	DC_n257A_3A DC_n257G_3A DC_n257H_3A DC_n257I_3A DC_n257A_3C DC_n257G_3C DC_n257H_3C DC_n257I_3C		
DC_n257I_5A	DC_n257A_5A		
DC_n257I_7A	DC_n257A_7A		
DC_n257I_8A	DC_n257A_8A		
DC_n257I-3(n)AA	DC_3(n)AA (switchedUlOnly) DC_n257A_3A		
DC_n257J_1A	DC_n257A_1A DC_n257G_1A DC_n257H_1A DC_n257I_1A DC_n257J_1A		
DC_n257J_3A	DC_n257A_3A DC_n257G_3A DC_n257H_3A DC_n257I_3A DC_n257J_3A		
DC_n257J_3C	DC_n257A_3A DC_n257G_3A DC_n257H_3A DC_n257I_3A DC_n257J_3A DC_n257A_3C DC_n257G_3C DC_n257H_3C DC_n257I_3C DC_n257J_3C		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_n257J_5A	DC_n257A_5A		
DC_n257J_7A	DC_n257A_7A		
DC_n257J_8A	DC_n257A_8A		
DC_n257J-3(n)AA	DC_3(n)AA (switchedUlOnly) DC_n257A_3A		
DC_n257K_1A	DC_n257A_1A DC_n257G_1A DC_n257H_1A DC_n257I_1A DC_n257J_1A DC_n257K_1A		
DC_n257K_3A	DC_n257A_3A DC_n257G_3A DC_n257H_3A DC_n257I_3A DC_n257J_3A DC_n257K_3A		
DC_n257K_3C	DC_n257A_3A DC_n257G_3A DC_n257H_3A DC_n257I_3A DC_n257J_3A DC_n257K_3A DC_n257A_3C DC_n257G_3C DC_n257H_3C DC_n257I_3C DC_n257J_3C DC_n257K_3C		
DC_n257K_5A	DC_n257A_5A		
DC_n257K_7A	DC_n257A_7A		
DC_n257K_8A	DC_n257A_8A		
DC_n257K-3(n)AA	DC_3(n)AA (switchedUlOnly) DC_n257A_3A		
DC_n257L_1A	DC_n257A_1A DC_n257G_1A DC_n257H_1A DC_n257I_1A DC_n257J_1A DC_n257K_1A DC_n257L_1A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_n257L_3A	DC_n257A_3A DC_n257G_3A DC_n257H_3A DC_n257I_3A DC_n257J_3A DC_n257K_3A DC_n257L_3A		
DC_n257L_3C	DC_n257A_3A DC_n257G_3A DC_n257H_3A DC_n257I_3A DC_n257J_3A DC_n257K_3A DC_n257L_3A DC_n257A_3C DC_n257G_3C DC_n257H_3C DC_n257I_3C DC_n257J_3C DC_n257K_3C DC_n257L_3C		
DC_n257L_5A	DC_n257A_5A		
DC_n257L_7A	DC_n257A_7A		
DC_n257L_8A	DC_n257A_8A		
DC_n257L-3(n)AA	DC_3(n)AA (switchedUlOnly) DC_n257A_3A		
DC_n257M_1A	DC_n257A_1A DC_n257G_1A DC_n257H_1A DC_n257I_1A DC_n257J_1A DC_n257K_1A DC_n257L_1A DC_n257M_1A		
DC_n257M_3A	DC_n257A_3A DC_n257G_3A DC_n257H_3A DC_n257I_3A DC_n257J_3A DC_n257K_3A DC_n257L_3A DC_n257M_3A		
DC_n257M_3C	DC_n257A_3A DC_n257G_3A DC_n257H_3A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_n257I_3A DC_n257J_3A DC_n257K_3A DC_n257L_3A DC_n257M_3A DC_n257A_3C DC_n257G_3C DC_n257H_3C DC_n257I_3C DC_n257J_3C DC_n257K_3C DC_n257L_3C DC_n257M_3C		
DC_n257M_5A	DC_n257A_5A		
DC_n257M_7A	DC_n257A_7A		
DC_n257M_8A	DC_n257A_8A		
DC_n257M-3(n)AA	DC_3(n)AA (switchedUlOnly) DC_n257A_3A		
DC_1A-3A_n257A (interBandEnDcSimRxTx)	DC_1A_n257A DC_3A_n257A		
DC_1A-3A_n257D (interBandEnDcSimRxTx)	DC_1A_n257A DC_1A_n257D DC_3A_n257A DC_3A_n257D		
DC_1A-3A_n257E (interBandEnDcSimRxTx)	DC_1A_n257A DC_1A_n257D DC_3A_n257A DC_3A_n257D		
DC_1A-3A_n257F (interBandEnDcSimRxTx)	DC_1A_n257A DC_1A_n257D DC_3A_n257A DC_3A_n257D		
DC_1A-3A_n257G	DC_1A_n257A DC_1A_n257G DC_3A_n257A DC_3A_n257G		
DC_1A-3A_n257H	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_3A_n257A DC_3A_n257G DC_3A_n257H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_1A-3A_n257I	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I		
DC_1A-3A_n257J	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J		
DC_1A-3A_n257K	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K		
DC_1A-3A_n257L	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_3A_n257L		
DC_1A-3A_n257M	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_3A_n257L		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_3A_n257M		
DC_1A-3A_n258A	DC_1A_n258A DC_3A_n258A		
DC_1A-3A_n258B	DC_1A_n258A DC_3A_n258A		
DC_1A-3A_n258C	DC_1A_n258A DC_3A_n258A		
DC_1A-3A_n258D	DC_1A_n258A DC_1A_n258D DC_3A_n258A DC_3A_n258D		
DC_1A-3A_n258E	DC_1A_n258A DC_1A_n258D DC_1A_n258E DC_3A_n258A DC_3A_n258D DC_3A_n258E		
DC_1A-3A_n258F	DC_1A_n258A DC_1A_n258D DC_1A_n258E DC_1A_n258F DC_3A_n258A DC_3A_n258D DC_3A_n258E DC_3A_n258F		
DC_1A-3A_n258G	DC_1A_n258A DC_1A_n258G DC_3A_n258A DC_3A_n258G		
DC_1A-3A_n258H	DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_3A_n258A DC_3A_n258G DC_3A_n258H		
DC_1A-3A_n258I	DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_1A_n258I DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_1A-3A_n258J	DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_1A_n258I DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I		
DC_1A-3A_n258K	DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_1A_n258I DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I		
DC_1A-3A_n258L	DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_1A_n258I DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I		
DC_1A-3A_n258M	DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_1A_n258I DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I		
DC_1A-3C_n257A	DC_1A_n257A DC_3A_n257A		
DC_1A-3C_n257D	DC_1A_n257A DC_1A_n257D DC_3A_n257A DC_3A_n257D		
DC_1A-3C_n257E	DC_1A_n257A DC_1A_n257D DC_3A_n257A DC_3A_n257D		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_1A-3C_n257F	DC_1A_n257A DC_1A_n257D DC_3A_n257A DC_3A_n257D		
DC_1A-3C_n257G	DC_1A_n257A DC_1A_n257G DC_3A_n257A DC_3A_n257G		
DC_1A-3C_n257H	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_3A_n257A DC_3A_n257G DC_3A_n257H		
DC_1A-3C_n257I	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I		
DC_1A-3C_n257J	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J		
DC_1A-3C_n257K	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K		
DC_1A-3C_n257L	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_3A_n257L		
DC_1A-3C_n257M	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_3A_n257L DC_3A_n257M		
DC_1A-3C_n258A	DC_1A_n258A DC_3A_n258A DC_3C_n258A		
DC_1A-3C_n258B	DC_1A_n258A DC_3A_n258A DC_3C_n258A		
DC_1A-3C_n258C	DC_1A_n258A DC_3A_n258A DC_3C_n258A		
DC_1A-3C_n258D	DC_1A_n258A DC_1A_n258D DC_3A_n258A DC_3A_n258D DC_3C_n258A DC_3C_n258D		
DC_1A-3C_n258E	DC_1A_n258A DC_1A_n258D DC_1A_n258E DC_3A_n258A DC_3A_n258D DC_3A_n258E DC_3C_n258A DC_3C_n258D DC_3C_n258E		
DC_1A-3C_n258F	DC_1A_n258A DC_1A_n258D DC_1A_n258E DC_1A_n258F DC_3A_n258A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_3A_n258D DC_3A_n258E DC_3A_n258F DC_3C_n258A DC_3C_n258D DC_3C_n258E DC_3C_n258F		
DC_1A-3C_n258G	DC_1A_n258A DC_1A_n258G DC_3A_n258A DC_3A_n258G DC_3C_n258A DC_3C_n258G		
DC_1A-3C_n258H	DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3C_n258A DC_3C_n258G DC_3C_n258H		
DC_1A-3C_n258I	DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_1A_n258I DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I DC_3C_n258A DC_3C_n258G DC_3C_n258H DC_3C_n258I		
DC_1A-3C_n258J	DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_1A_n258I DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I DC_3C_n258A DC_3C_n258G DC_3C_n258H DC_3C_n258I		
DC_1A-3C_n258K	DC_1A_n258A DC_1A_n258G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_1A_n258H DC_1A_n258I DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I DC_3C_n258A DC_3C_n258G DC_3C_n258H DC_3C_n258I		
DC_1A-3C_n258L	DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_1A_n258I DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I DC_3C_n258A DC_3C_n258G DC_3C_n258H DC_3C_n258I		
DC_1A-3C_n258M	DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_1A_n258I DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I DC_3C_n258A DC_3C_n258G DC_3C_n258H DC_3C_n258I		
DC_1A-5A_n257A (interBandEnDcSimRxTx)	DC_1A_n257A DC_5A_n257A		
DC_1A-5A_n257D	DC_1A_n257A DC_1A_n257D DC_5A_n257A DC_5A_n257D		
DC_1A-5A_n257E	DC_1A_n257A DC_1A_n257D DC_5A_n257A DC_5A_n257D		
DC_1A-5A_n257F	DC_1A_n257A DC_1A_n257D DC_5A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_5A_n257D		
DC_1A-5A_n257G	DC_1A_n257A DC_1A_n257G DC_5A_n257A DC_5A_n257G		
DC_1A-5A_n257H	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_5A_n257A DC_5A_n257G DC_5A_n257H		
DC_1A-5A_n257I	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_5A_n257A DC_5A_n257G DC_5A_n257H DC_5A_n257I		
DC_1A-5A_n257J	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_5A_n257A DC_5A_n257G DC_5A_n257H DC_5A_n257I		
DC_1A-5A_n257K	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_5A_n257A DC_5A_n257G DC_5A_n257H DC_5A_n257I		
DC_1A-5A_n257L	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_5A_n257A DC_5A_n257G DC_5A_n257H DC_5A_n257I		
DC_1A-5A_n257M	DC_1A_n257A DC_1A_n257G DC_1A_n257H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_1A_n257I DC_5A_n257A DC_5A_n257G DC_5A_n257H DC_5A_n257I		
DC_1A-7A_n257A (interBandEnDcSimRxTx)	DC_1A_n257A DC_7A_n257A		
DC_1A-7A_n257D	DC_1A_n257A DC_1A_n257D DC_7A_n257A DC_7A_n257D		
DC_1A-7A_n257E	DC_1A_n257A DC_1A_n257D DC_7A_n257A DC_7A_n257D		
DC_1A-7A_n257F	DC_1A_n257A DC_1A_n257D DC_7A_n257A DC_7A_n257D		
DC_1A-7A_n257G	DC_1A_n257A DC_1A_n257G DC_7A_n257A DC_7A_n257G		
DC_1A-7A_n257H	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_7A_n257A DC_7A_n257G DC_7A_n257H		
DC_1A-7A_n257I	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I		
DC_1A-7A_n257J	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_1A-7A_n257K	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I		
DC_1A-7A_n257L	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I		
DC_1A-7A_n257M	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I		
DC_1A-7A_n258A	DC_1A_n258A DC_7A_n258A		
DC_1A-7A_n258B	DC_1A_n258A DC_7A_n258A		
DC_1A-7A_n258C	DC_1A_n258A DC_7A_n258A		
DC_1A-7A_n258D	DC_1A_n258A DC_1A_n258D DC_7A_n258A DC_7A_n258D		
DC_1A-7A_n258E	DC_1A_n258A DC_1A_n258D DC_1A_n258E DC_7A_n258A DC_7A_n258D DC_7A_n258E		
DC_1A-7A_n258F	DC_1A_n258A DC_1A_n258D DC_1A_n258E DC_1A_n258F DC_7A_n258A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_7A_n258D DC_7A_n258E DC_7A_n258F		
DC_1A-7A_n258G	DC_1A_n258A DC_1A_n258G DC_7A_n258A DC_7A_n258G		
DC_1A-7A_n258H	DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_7A_n258A DC_7A_n258G DC_7A_n258H		
DC_1A-7A_n258I	DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_1A_n258I DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I		
DC_1A-7A_n258J	DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_1A_n258I DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I		
DC_1A-7A_n258K	DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_1A_n258I DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I		
DC_1A-7A_n258L	DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_1A_n258I DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I		
DC_1A-7A_n258M	DC_1A_n258A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_1A_n258G DC_1A_n258H DC_1A_n258I DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I		
DC_1A-7C_n258A	DC_1A_n258A DC_7A_n258A DC_7C_n258A		
DC_1A-7C_n258B	DC_1A_n258A DC_7A_n258A DC_7C_n258A		
DC_1A-7C_n258C	DC_1A_n258A DC_7A_n258A DC_7C_n258A		
DC_1A-7C_n258D	DC_1A_n258A DC_1A_n258D DC_7A_n258A DC_7A_n258D DC_7C_n258A DC_7C_n258D		
DC_1A-7C_n258E	DC_1A_n258A DC_1A_n258D DC_1A_n258E DC_7A_n258A DC_7A_n258D DC_7A_n258E DC_7C_n258A DC_7C_n258D DC_7C_n258E		
DC_1A-7C_n258F	DC_1A_n258A DC_1A_n258D DC_1A_n258E DC_1A_n258F DC_7A_n258A DC_7A_n258D DC_7A_n258E DC_7A_n258F DC_7C_n258A DC_7C_n258D DC_7C_n258E DC_7C_n258F		
DC_1A-7C_n258G	DC_1A_n258A DC_1A_n258G DC_7A_n258A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_7A_n258G DC_7C_n258A DC_7C_n258G		
DC_1A-7C_n258H	DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7C_n258A DC_7C_n258G DC_7C_n258H		
DC_1A-7C_n258I	DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_1A_n258I DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I DC_7C_n258A DC_7C_n258G DC_7C_n258H DC_7C_n258I		
DC_1A-7C_n258J	DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_1A_n258I DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I DC_7C_n258A DC_7C_n258G DC_7C_n258H DC_7C_n258I		
DC_1A-7C_n258K	DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_1A_n258I DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I DC_7C_n258A DC_7C_n258G DC_7C_n258H DC_7C_n258I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_1A-7C_n258L	DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_1A_n258I DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I DC_7C_n258A DC_7C_n258G DC_7C_n258H DC_7C_n258I		
DC_1A-7C_n258M	DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_1A_n258I DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I DC_7C_n258A DC_7C_n258G DC_7C_n258H DC_7C_n258I		
DC_1A-8A_n257A (interBandEnDcSimRxTx)	DC_1A_n257A DC_8A_n257A		
DC_1A-8A_n257D	DC_1A_n257A DC_1A_n257D DC_8A_n257A DC_8A_n257D		
DC_1A-8A_n257E	DC_1A_n257A DC_1A_n257D DC_8A_n257A DC_8A_n257D		
DC_1A-8A_n257F	DC_1A_n257A DC_1A_n257D DC_8A_n257A DC_8A_n257D		
DC_1A-8A_n257G	DC_1A_n257A DC_1A_n257G DC_8A_n257A DC_8A_n257G		
DC_1A-8A_n257H	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_8A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_8A_n257G DC_8A_n257H		
DC_1A-8A_n257I	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I		
DC_1A-8A_n257J	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I		
DC_1A-8A_n257K	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I		
DC_1A-8A_n257L	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I		
DC_1A-8A_n257M	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I		
DC_1A-8A_n258A	DC_1A_n258A DC_8A_n258A		
DC_1A-8A_n258D	DC_1A_n258A DC_1A_n258D		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_8A_n258A DC_8A_n258D		
DC_1A-8A_n258E	DC_1A_n258A DC_1A_n258D DC_8A_n258A DC_8A_n258D		
DC_1A-8A_n258F	DC_1A_n258A DC_1A_n258D DC_8A_n258A DC_8A_n258D		
DC_1A-8A_n258G	DC_1A_n258A DC_1A_n258G DC_8A_n258A DC_8A_n258G		
DC_1A-8A_n258H	DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_8A_n258A DC_8A_n258G DC_8A_n258H		
DC_1A-8A_n258I	DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_1A_n258I DC_8A_n258A DC_8A_n258G DC_8A_n258H DC_8A_n258I		
DC_1A-8A_n258J	DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_1A_n258I DC_8A_n258A DC_8A_n258G DC_8A_n258H DC_8A_n258I		
DC_1A-8A_n258K	DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_1A_n258I DC_8A_n258A DC_8A_n258G DC_8A_n258H DC_8A_n258I		
DC_1A-8A_n258L	DC_1A_n258A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_1A_n258G DC_1A_n258H DC_1A_n258I DC_8A_n258A DC_8A_n258G DC_8A_n258H DC_8A_n258I		
DC_1A-8A_n258M	DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_1A_n258I DC_8A_n258A DC_8A_n258G DC_8A_n258H DC_8A_n258I		
DC_1A-8B_n257A	DC_1A_n257A DC_8A_n257A		
DC_1A-8B_n257D	DC_1A_n257A DC_1A_n257D DC_8A_n257A DC_8A_n257D		
DC_1A-8B_n257G	DC_1A_n257A DC_1A_n257G DC_8A_n257A DC_8A_n257G		
DC_1A-8B_n257H	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_8A_n257A DC_8A_n257G DC_8A_n257H		
DC_1A-8B_n257I	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I		
DC_1A-11A_n257A	DC_1A_n257A DC_11A_n257A		
DC_1A-11A_n257D	DC_1A_n257A DC_1A_n257D DC_11A_n257A DC_11A_n257D		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_1A-11A_n257G	DC_1A_n257A DC_1A_n257G DC_11A_n257A DC_11A_n257G		
DC_1A-11A_n257H	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_11A_n257A DC_11A_n257G DC_11A_n257H		
DC_1A-11A_n257I	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_11A_n257A DC_11A_n257G DC_11A_n257H DC_11A_n257I		
DC_1A-18A_n257A (interBandEnDcSimRxTx)	DC_1A_n257A DC_18A_n257A		
DC_1A-18A_n257D	DC_1A_n257A DC_18A_n257A		
DC_1A-18A_n257E	DC_1A_n257A DC_18A_n257A		
DC_1A-18A_n257F	DC_1A_n257A DC_18A_n257A		
DC_1A-18A_n257G	DC_1A_n257A DC_1A_n257G DC_18A_n257A DC_18A_n257G		
DC_1A-18A_n257H	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_18A_n257A DC_18A_n257G DC_18A_n257H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_1A-18A_n257I	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_18A_n257A DC_18A_n257G DC_18A_n257H DC_18A_n257I		
DC_1A-18A_n257J	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_18A_n257A DC_18A_n257G DC_18A_n257H DC_18A_n257I		
DC_1A-18A_n257K	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_18A_n257A DC_18A_n257G DC_18A_n257H DC_18A_n257I		
DC_1A-18A_n257L	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_18A_n257A DC_18A_n257G DC_18A_n257H DC_18A_n257I		
DC_1A-18A_n257M	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_18A_n257A DC_18A_n257G DC_18A_n257H DC_18A_n257I		
DC_1A-19A_n257A (interBandEnDcSimRxTx)	DC_1A_n257A DC_19A_n257A		
DC_1A-19A_n257D (interBandEnDcSimRxTx)	DC_1A_n257A DC_1A_n257D DC_19A_n257A DC_19A_n257D		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_1A-19A_n257E (interBandEnDcSimRxTx)	DC_1A_n257A DC_1A_n257D DC_19A_n257A DC_19A_n257D		
DC_1A-19A_n257F (interBandEnDcSimRxTx)	DC_1A_n257A DC_1A_n257D DC_19A_n257A DC_19A_n257D		
DC_1A-19A_n257G	DC_1A_n257A DC_1A_n257G DC_19A_n257A DC_19A_n257G		
DC_1A-19A_n257H	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_19A_n257A DC_19A_n257G DC_19A_n257H		
DC_1A-19A_n257I	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_19A_n257I		
DC_1A-19A_n257J	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_1A_n257J DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_19A_n257I		
DC_1A-19A_n257K	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_1A_n257J DC_1A_n257K DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_19A_n257I		
	DC_1A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_1A-19A_n257L	DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_1A_n257J DC_1A_n257K DC_1A_n257L DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_19A_n257I		
DC_1A-19A_n257M	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_1A_n257J DC_1A_n257K DC_1A_n257L DC_1A_n257M DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_19A_n257I		
DC_1A-21A_n257A (interBandEnDcSimRxTx)	DC_1A_n257A DC_21A_n257A		
DC_1A-21A_n257D (interBandEnDcSimRxTx)	DC_1A_n257A DC_21A_n257A		
DC_1A-21A_n257E (interBandEnDcSimRxTx)	DC_1A_n257A DC_21A_n257A		
DC_1A-21A_n257F (interBandEnDcSimRxTx)	DC_1A_n257A DC_21A_n257A		
DC_1A-21A_n257G	DC_1A_n257A DC_1A_n257G DC_21A_n257A DC_21A_n257G		
DC_1A-21A_n257H	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_21A_n257A DC_21A_n257G DC_21A_n257H		
DC_1A-21A_n257I	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_21A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_21A_n257G DC_21A_n257H DC_21A_n257I		
DC_1A-21A_n257J	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_1A_n257J DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I DC_21A_n257J		
DC_1A-21A_n257K	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_1A_n257J DC_1A_n257K DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I DC_21A_n257J DC_21A_n257K		
DC_1A-21A_n257L	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_1A_n257J DC_1A_n257K DC_1A_n257L DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I DC_21A_n257J DC_21A_n257K DC_21A_n257L		
DC_1A-21A_n257M	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_1A_n257J DC_1A_n257K DC_1A_n257L DC_1A_n257M DC_21A_n257A DC_21A_n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_21A_n257H DC_21A_n257I DC_21A_n257J DC_21A_n257K DC_21A_n257L DC_21A_n257M		
DC_1A-26A_n258A	DC_1A_n258A DC_26A_n258A		
DC_1A-26A_n258B	DC_1A_n258A DC_26A_n258A		
DC_1A-26A_n258C	DC_1A_n258A DC_26A_n258A		
DC_1A-26A_n258D	DC_1A_n258A DC_26A_n258A		
DC_1A-26A_n258E	DC_1A_n258A DC_26A_n258A		
DC_1A-26A_n258F	DC_1A_n258A DC_26A_n258A		
DC_1A-26A_n258G	DC_1A_n258A DC_1A_n258G DC_26A_n258A DC_26A_n258G		
DC_1A-26A_n258H	DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_26A_n258A DC_26A_n258G DC_26A_n258H		
DC_1A-26A_n258I	DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_1A_n258I DC_26A_n258A DC_26A_n258G DC_26A_n258H DC_26A_n258I		
DC_1A-26A_n258J	DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_1A_n258I DC_26A_n258A DC_26A_n258G DC_26A_n258H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_26A_n258I		
DC_1A-26A_n258K	DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_1A_n258I DC_26A_n258A DC_26A_n258G DC_26A_n258H DC_26A_n258I		
DC_1A-26A_n258L	DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_1A_n258I DC_26A_n258A DC_26A_n258G DC_26A_n258H DC_26A_n258I		
DC_1A-26A_n258M	DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_1A_n258I DC_26A_n258A DC_26A_n258G DC_26A_n258H DC_26A_n258I		
DC_1A-28A_n257A (interBandEnDcSimRxTx)	DC_1A_n257A DC_28A_n257A		
DC_1A-28A_n257D (interBandEnDcSimRxTx)	DC_1A_n257A DC_1A_n257D DC_28A_n257A DC_28A_n257D		
DC_1A-28A_n257E (interBandEnDcSimRxTx)	DC_1A_n257A DC_1A_n257D DC_28A_n257A DC_28A_n257D		
DC_1A-28A_n257F (interBandEnDcSimRxTx)	DC_1A_n257A DC_1A_n257D DC_28A_n257A DC_28A_n257D		
DC_1A-28A_n257G (interBandEnDcSimRxTx)	DC_1A_n257A DC_1A_n257G DC_28A_n257A DC_28A_n257G		
	DC_1A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_1A-28A_n257H (interBandEnDcSimRxTx)	DC_1A_n257G DC_1A_n257H DC_28A_n257A DC_28A_n257G DC_28A_n257H		
DC_1A-28A_n257I (interBandEnDcSimRxTx)	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_28A_n257I		
DC_1A-28A_n257J	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_28A_n257I		
DC_1A-28A_n257K	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_28A_n257I		
DC_1A-28A_n257L	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_28A_n257I		
DC_1A-28A_n257M	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_28A_n257I		
DC_1A-28A_n258A	DC_1A_n258A DC_28A_n258A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_1A-28A_n258B	DC_1A_n258A DC_28A_n258A		
DC_1A-28A_n258C	DC_1A_n258A DC_28A_n258A		
DC_1A-28A_n258D	DC_1A_n258A DC_28A_n258A		
DC_1A-28A_n258E	DC_1A_n258A DC_28A_n258A		
DC_1A-28A_n258F	DC_1A_n258A DC_28A_n258A		
DC_1A-28A_n258G	DC_1A_n258A DC_1A_n258G DC_28A_n258A DC_28A_n258G		
DC_1A-28A_n258H	DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_28A_n258A DC_28A_n258G DC_28A_n258H		
DC_1A-28A_n258I	DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_1A_n258I DC_28A_n258A DC_28A_n258G DC_28A_n258H DC_28A_n258I		
DC_1A-28A_n258J	DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_1A_n258I DC_28A_n258A DC_28A_n258G DC_28A_n258H DC_28A_n258I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_1A-28A_n258K	DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_1A_n258I DC_28A_n258A DC_28A_n258G DC_28A_n258H DC_28A_n258I		
DC_1A-28A_n258L	DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_1A_n258I DC_28A_n258A DC_28A_n258G DC_28A_n258H DC_28A_n258I		
DC_1A-28A_n258M	DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_1A_n258I DC_28A_n258A DC_28A_n258G DC_28A_n258H DC_28A_n258I		
DC_1A-41A_n257A	DC_1A_n257A DC_41A_n257A		
DC_1A-41A_n257D	DC_1A_n257A DC_41A_n257A		
DC_1A-41A_n257E	DC_1A_n257A DC_41A_n257A		
DC_1A-41A_n257F	DC_1A_n257A DC_41A_n257A		
DC_1A-41A_n257G	DC_1A_n257A DC_1A_n257G DC_41A_n257A DC_41A_n257G		
DC_1A-41A_n257H	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_41A_n257A DC_41A_n257G DC_41A_n257H		
DC_1A-41A_n257I	DC_1A_n257A DC_1A_n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_1A_n257H DC_1A_n257I DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I		
DC_1A-41A_n257J	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I		
DC_1A-41A_n257K	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I		
DC_1A-41A_n257L	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I		
DC_1A-41A_n257M	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I		
DC_1A-41C_n257A	DC_1A_n257A DC_41A_n257A DC_41C_n257A		
DC_1A-41C_n257D	DC_1A_n257A DC_41A_n257A DC_41C_n257A		
DC_1A-41C_n257E	DC_1A_n257A DC_41A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_41C_n257A		
DC_1A-41C_n257F	DC_1A_n257A DC_41A_n257A DC_41C_n257A		
DC_1A-41C_n257G	DC_1A_n257A DC_1A_n257G DC_41A_n257A DC_41A_n257G DC_41C_n257A DC_41C_n257G		
DC_1A-41C_n257H	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41C_n257A DC_41C_n257G DC_41C_n257H		
DC_1A-41C_n257I	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_41C_n257I		
DC_1A-41C_n257J	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_41C_n257I		
DC_1A-41C_n257K	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_41C_n257I		
DC_1A-41C_n257L	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_41C_n257I		
DC_1A-41C_n257M	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_41C_n257I		
DC_1A-42A_n257A	DC_1A_n257A DC_42A_n257A		
DC_1A-42A_n257D	DC_1A_n257A DC_1A_n257D DC_42A_n257A DC_42A_n257D		
DC_1A-42A_n257E	DC_1A_n257A DC_1A_n257D DC_42A_n257A DC_42A_n257D		
DC_1A-42A_n257F	DC_1A_n257A DC_1A_n257D DC_42A_n257A DC_42A_n257D		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_1A-42A_n257G	DC_1A_n257A DC_1A_n257G DC_42A_n257A DC_42A_n257G		
DC_1A-42A_n257H	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H		
DC_1A-42A_n257I	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_1A-42A_n257J	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_1A_n257J DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_1A-42A_n257K	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_1A_n257J DC_1A_n257K DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_1A-42A_n257L	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_1A_n257J DC_1A_n257K DC_1A_n257L DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_1A-42A_n257M	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_1A_n257J DC_1A_n257K DC_1A_n257L DC_1A_n257M DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_1A-42C_n257A	DC_1A_n257A DC_42A_n257A DC_42C_n257A		
DC_1A-42C_n257D	DC_1A_n257A DC_1A_n257D DC_42A_n257A DC_42A_n257D DC_42C_n257A		
DC_1A-42C_n257E	DC_1A_n257A DC_1A_n257D DC_42A_n257A DC_42A_n257D DC_42C_n257A		
DC_1A-42C_n257F	DC_1A_n257A DC_1A_n257D DC_42A_n257A DC_42A_n257D DC_42C_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_1A-42C_n257G	DC_1A_n257A DC_1A_n257G DC_42A_n257A DC_42A_n257G DC_42C_n257A DC_42C_n257G		
DC_1A-42C_n257H	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42C_n257A DC_42C_n257G DC_42C_n257H		
DC_1A-42C_n257I	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_1A-42C_n257J	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_1A_n257J DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_1A-42C_n257K	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_1A_n257J DC_1A_n257K DC_42A_n257A DC_42A_n257G DC_42A_n257H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_1A-42C_n257L	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_1A_n257J DC_1A_n257K DC_1A_n257L DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_1A-42C_n257M	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_1A_n257J DC_1A_n257K DC_1A_n257L DC_1A_n257M DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_1A-42D_n257A	DC_1A_n257A DC_42A_n257A DC_42C_n257A		
DC_1A-42D_n257D	DC_1A_n257A DC_1A_n257D DC_42A_n257A DC_42A_n257D DC_42C_n257A		
DC_1A-42D_n257E	DC_1A_n257A DC_1A_n257D DC_42A_n257A DC_42A_n257D		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_42C_n257A		
DC_1A-42D_n257F	DC_1A_n257A DC_1A_n257D DC_42A_n257A DC_42A_n257D DC_42C_n257A		
DC_1A-42D_n257G	DC_1A_n257A DC_1A_n257G DC_42A_n257A DC_42A_n257G DC_42C_n257A DC_42C_n257G		
DC_1A-42D_n257H	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42C_n257A DC_42C_n257G DC_42C_n257H		
DC_1A-42D_n257I	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_1A-42D_n257J	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_1A_n257J DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_1A-42D_n257K	DC_1A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_1A_n257J DC_1A_n257K DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_1A-42D_n257L	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_1A_n257J DC_1A_n257K DC_1A_n257L DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_1A-42D_n257M	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_1A_n257J DC_1A_n257K DC_1A_n257L DC_1A_n257M DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_1A-42E_n257A	DC_1A_n257A DC_42A_n257A DC_42C_n257A		
DC_1A-42E_n257D	DC_1A_n257A DC_1A_n257D		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_42A_n257A DC_42A_n257D DC_42C_n257A		
DC_1A-42E_n257E	DC_1A_n257A DC_1A_n257D DC_42A_n257A DC_42A_n257D DC_42C_n257A		
DC_1A-42E_n257F	DC_1A_n257A DC_1A_n257D DC_42A_n257A DC_42A_n257D DC_42C_n257A		
DC_1A-42E_n257G	DC_1A_n257A DC_1A_n257G DC_42A_n257A DC_42A_n257G DC_42C_n257A DC_42C_n257G		
DC_1A-42E_n257H	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42C_n257A DC_42C_n257G DC_42C_n257H		
DC_1A-42E_n257I	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_1A-42E_n257J	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_1A_n257J DC_42A_n257A DC_42A_n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_1A-42E_n257K	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_1A_n257J DC_1A_n257K DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_1A-42E_n257L	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_1A_n257J DC_1A_n257K DC_1A_n257L DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_1A-42E_n257M	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_1A_n257J DC_1A_n257K DC_1A_n257L DC_1A_n257M DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_42C_n257I		
DC_1A_n3A-n257A (interBandEnDcSimRxTx)	DC_1A_n3A DC_1A_n257A		
DC_1A_n3A-n257G (interBandEnDcSimRxTx)	DC_1A_n3A DC_1A_n257A DC_1A_n257G		
DC_1A_n3A-n257H (interBandEnDcSimRxTx)	DC_1A_n3A DC_1A_n257A DC_1A_n257G DC_1A_n257H		
DC_1A_n3A-n257I (interBandEnDcSimRxTx)	DC_1A_n3A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I		
DC_1A_n3A-n257J	DC_1A_n3A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I		
DC_1A_n3A-n257K	DC_1A_n3A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I		
DC_1A_n3A-n257L	DC_1A_n3A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I		
DC_1A_n3A-n257M	DC_1A_n3A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I		
DC_1A-(n)3AA-n257A	DC_1A_n3A DC_1A_n257A DC_(n)3AA (switchedUlOnly) DC_3A_n257A		
DC_1A-(n)3AA-n257G	DC_1A_n3A DC_1A_n257A DC_(n)3AA (switchedUlOnly) DC_3A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_1A-(n)3AA-n257H	DC_1A_n3A DC_1A_n257A DC_(n)3AA (switchedUlOnly) DC_3A_n257A		
DC_1A-(n)3AA-n257I	DC_1A_n3A DC_1A_n257A DC_(n)3AA (switchedUlOnly) DC_3A_n257A		
DC_1A-(n)3AA-n257J	DC_1A_n3A DC_1A_n257A DC_(n)3AA (switchedUlOnly) DC_3A_n257A		
DC_1A-(n)3AA-n257K	DC_1A_n3A DC_1A_n257A DC_(n)3AA (switchedUlOnly) DC_3A_n257A		
DC_1A-(n)3AA-n257L	DC_1A_n3A DC_1A_n257A DC_(n)3AA (switchedUlOnly) DC_3A_n257A		
DC_1A-(n)3AA-n257M	DC_1A_n3A DC_1A_n257A DC_(n)3AA (switchedUlOnly) DC_3A_n257A		
DC_1A_n8A-n257A	DC_1A_n8A DC_1A_n257A		
DC_1A_n8A-n257G	DC_1A_n8A DC_1A_n257A		
DC_1A_n8A-n257H	DC_1A_n8A DC_1A_n257A		
DC_1A_n8A-n257I	DC_1A_n8A DC_1A_n257A		
DC_1A_n8A-n257J	DC_1A_n8A DC_1A_n257A		
DC_1A_n8A-n257K	DC_1A_n8A DC_1A_n257A		
DC_1A_n8A-n257L	DC_1A_n8A DC_1A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_1A_n8A-n257M	DC_1A_n8A DC_1A_n257A		
DC_1A_n28A-n257A (interBandEnDcSimRxTx)	DC_1A_n28A DC_1A_n257A		
DC_1A_n28A-n257G (interBandEnDcSimRxTx)	DC_1A_n28A DC_1A_n257A DC_1A_n257G		
DC_1A_n28A-n257H (interBandEnDcSimRxTx)	DC_1A_n28A DC_1A_n257A DC_1A_n257G DC_1A_n257H		
DC_1A_n28A-n257I (interBandEnDcSimRxTx)	DC_1A_n28A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I		
DC_1A_n38A-n257A	DC_1A_n38A DC_1A_n257A		
DC_1A_n38A-n257G	DC_1A_n38A DC_1A_n257A DC_1A_n257G		
DC_1A_n38A-n257H	DC_1A_n38A DC_1A_n257A DC_1A_n257G DC_1A_n257H		
DC_1A_n38A-n257I	DC_1A_n38A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I		
DC_1A_n40A-n258A	DC_1A_n40A DC_1A_n258A		
DC_1A_n40A-n258D	DC_1A_n40A DC_1A_n258A		
DC_1A_n40A-n258E	DC_1A_n40A DC_1A_n258A		
DC_1A_n40A-n258F	DC_1A_n40A DC_1A_n258A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_1A_n40A-n258G	DC_1A_n40A DC_1A_n258A		
DC_1A_n40A-n258H	DC_1A_n40A DC_1A_n258A		
DC_1A_n40A-n258I	DC_1A_n40A DC_1A_n258A		
DC_1A_n40A-n258J	DC_1A_n40A DC_1A_n258A		
DC_1A_n40A-n258K	DC_1A_n40A DC_1A_n258A		
DC_1A_n40A-n258L	DC_1A_n40A DC_1A_n258A		
DC_1A_n40A-n258M	DC_1A_n40A DC_1A_n258A		
DC_1A_n77A-n257A (interBandEnDcSimRxTx)	DC_1A_n77A DC_1A_n257A DC_1A_n77A-n257A		
DC_1A_n77A-n257D (interBandEnDcSimRxTx)	DC_1A_n77A DC_1A_n257A DC_1A_n257D DC_1A_n77A-n257A		
DC_1A_n77A-n257E (interBandEnDcSimRxTx)	DC_1A_n77A DC_1A_n257A DC_1A_n257D DC_1A_n77A-n257A		
DC_1A_n77A-n257F (interBandEnDcSimRxTx)	DC_1A_n77A DC_1A_n257A DC_1A_n257D DC_1A_n77A-n257A		
DC_1A_n77A-n257G (interBandEnDcSimRxTx)	DC_1A_n77A DC_1A_n257A DC_1A_n257G DC_1A_n77A-n257A DC_1A_n77A-n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_1A_n77A-n257H (interBandEnDcSimRxTx)	DC_1A_n77A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n77A-n257A DC_1A_n77A-n257G DC_1A_n77A-n257H		
DC_1A_n77A-n257I (interBandEnDcSimRxTx)	DC_1A_n77A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_1A_n77A-n257A DC_1A_n77A-n257G DC_1A_n77A-n257H DC_1A_n77A-n257I		
DC_1A_n77A-n257J	DC_1A_n77A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_1A_n77A-n257A DC_1A_n77A-n257G DC_1A_n77A-n257H DC_1A_n77A-n257I		
DC_1A_n77A-n257K	DC_1A_n77A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_1A_n77A-n257A DC_1A_n77A-n257G DC_1A_n77A-n257H DC_1A_n77A-n257I		
DC_1A_n77A-n257L	DC_1A_n77A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_1A_n77A-n257A DC_1A_n77A-n257G DC_1A_n77A-n257H DC_1A_n77A-n257I		
DC_1A_n77A-n257M	DC_1A_n77A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_1A_n77A-n257A DC_1A_n77A-n257G DC_1A_n77A-n257H DC_1A_n77A-n257I		
DC_1A_n77A-n258A	DC_1A_n77A DC_1A_n258A		
DC_1A_n77C-n257A (interBandEnDcSimRxTx)	DC_1A_n77A DC_1A_n257A DC_1A_n77A-n257A		
DC_1A_n77C-n257D (interBandEnDcSimRxTx)	DC_1A_n77A DC_1A_n257A DC_1A_n257D DC_1A_n77A-n257A		
DC_1A_n77C-n257E (interBandEnDcSimRxTx)	DC_1A_n77A DC_1A_n257A DC_1A_n257D DC_1A_n77A-n257A		
DC_1A_n77C-n257F (interBandEnDcSimRxTx)	DC_1A_n77A DC_1A_n257A DC_1A_n257D DC_1A_n77A-n257A		
DC_1A_n77(2A)-n257A (interBandEnDcSimRxTx)	DC_1A_n77A DC_1A_n257A		
DC_1A_n77(2A)-n257D (interBandEnDcSimRxTx)	DC_1A_n77A DC_1A_n257A DC_1A_n257D		
DC_1A_n77(2A)-n257G (interBandEnDcSimRxTx)	DC_1A_n77A DC_1A_n257A DC_1A_n257G		
DC_1A_n77(2A)-n257H (interBandEnDcSimRxTx)	DC_1A_n77A DC_1A_n257A DC_1A_n257G DC_1A_n257H		
DC_1A_n77(2A)-n257I (interBandEnDcSimRxTx)	DC_1A_n77A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I		
DC_1A_n77(2A)-n257J (interBandEnDcSimRxTx)	DC_1A_n77A DC_1A_n257A DC_1A_n257G DC_1A_n257H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_1A_n257I		
DC_1A_n77(2A)-n257K (interBandEnDcSimRxTx)	DC_1A_n77A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I		
DC_1A_n77(2A)-n257L (interBandEnDcSimRxTx)	DC_1A_n77A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I		
DC_1A_n77(2A)-n257M (interBandEnDcSimRxTx)	DC_1A_n77A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I		
DC_1A_n78A-n257A (interBandEnDcSimRxTx)	DC_1A_n78A DC_1A_n257A DC_1A_n78A-n257A		
DC_1A_n78A-n257D (interBandEnDcSimRxTx)	DC_1A_n78A DC_1A_n257A DC_1A_n257D DC_1A_n78A-n257A		
DC_1A_n78A-n257E (interBandEnDcSimRxTx)	DC_1A_n78A DC_1A_n257A DC_1A_n257D DC_1A_n78A-n257A		
DC_1A_n78A-n257F (interBandEnDcSimRxTx)	DC_1A_n78A DC_1A_n257A DC_1A_n257D DC_1A_n78A-n257A		
DC_1A_n78A-n257G (interBandEnDcSimRxTx)	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_1A_n78A-n257A DC_1A_n78A-n257G		
DC_1A_n78A-n257H (interBandEnDcSimRxTx)	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_1A_n78A-n257I (interBandEnDcSimRxTx)	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I		
DC_1A_n78A-n257J (interBandEnDcSimRxTx)	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I		
DC_1A_n78A-n257K (interBandEnDcSimRxTx)	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I		
DC_1A_n78A-n257L (interBandEnDcSimRxTx)	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I		
DC_1A_n78A-n257M (interBandEnDcSimRxTx)	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I		
DC_1A_n78A-n258A	DC_1A_n78A DC_1A_n258A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_1A_n78A-n258D	DC_1A_n78A DC_1A_n258A		
DC_1A_n78A-n258E	DC_1A_n78A DC_1A_n258A		
DC_1A_n78A-n258F	DC_1A_n78A DC_1A_n258A		
DC_1A_n78A-n258G	DC_1A_n78A DC_1A_n258A		
DC_1A_n78A-n258H	DC_1A_n78A DC_1A_n258A		
DC_1A_n78A-n258I	DC_1A_n78A DC_1A_n258A		
DC_1A_n78A-n258J	DC_1A_n78A DC_1A_n258A		
DC_1A_n78A-n258K	DC_1A_n78A DC_1A_n258A		
DC_1A_n78A-n258L	DC_1A_n78A DC_1A_n258A		
DC_1A_n78A-n258M	DC_1A_n78A DC_1A_n258A		
DC_1A_n78C-n257A (interBandEnDcSimRxTx)	DC_1A_n78A DC_1A_n257A DC_1A_n78A-n257A		
DC_1A_n78C-n257D (interBandEnDcSimRxTx)	DC_1A_n78A DC_1A_n257A DC_1A_n257D DC_1A_n78A-n257A		
DC_1A_n78C-n257E (interBandEnDcSimRxTx)	DC_1A_n78A DC_1A_n257A DC_1A_n257D DC_1A_n78A-n257A		
DC_1A_n78C-n257F (interBandEnDcSimRxTx)	DC_1A_n78A DC_1A_n257A DC_1A_n257D DC_1A_n78A-n257A		
DC_1A_n78C-n257G	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_1A_n78A-n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_1A_n78A-n257G		
DC_1A_n78C-n257H	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H		
DC_1A_n78C-n257I	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I		
DC_1A_n78C-n257J	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I		
DC_1A_n78C-n257K	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I		
DC_1A_n78C-n257L	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I		
DC_1A_n78C-n257M	DC_1A_n78A DC_1A_n257A DC_1A_n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_1A_n257H DC_1A_n257I DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I		
DC_1A_n79A-n257A (interBandEnDcSimRxTx)	DC_1A_n79A DC_1A_n257A DC_1A_n79A-n257A		
DC_1A_n79A-n257D (interBandEnDcSimRxTx)	DC_1A_n79A DC_1A_n257A DC_1A_n79A-n257A		
DC_1A_n79A-n257E (interBandEnDcSimRxTx)	DC_1A_n79A DC_1A_n257A DC_1A_n79A-n257A		
DC_1A_n79A-n257F (interBandEnDcSimRxTx)	DC_1A_n79A DC_1A_n257A DC_1A_n79A-n257A		
DC_1A_n79A-n257G (interBandEnDcSimRxTx)	DC_1A_n79A DC_1A_n257A DC_1A_n257G DC_1A_n79A-n257A DC_1A_n79A-n257G		
DC_1A_n79A-n257H (interBandEnDcSimRxTx)	DC_1A_n79A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n79A-n257A DC_1A_n79A-n257G DC_1A_n79A-n257H		
DC_1A_n79A-n257I (interBandEnDcSimRxTx)	DC_1A_n79A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_1A_n79A-n257A DC_1A_n79A-n257G DC_1A_n79A-n257H DC_1A_n79A-n257I		
DC_1A_n79A-n258A	DC_1A_n79A DC_1A_n258A		
DC_1A_n79C-n257A (interBandEnDcSimRxTx)	DC_1A_n79A DC_1A_n257A DC_1A_n79A-n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_1A_n79C-n257D (interBandEnDcSimRxTx)	DC_1A_n79A DC_1A_n257A DC_1A_n79A-n257A		
DC_1A_n79C-n257E (interBandEnDcSimRxTx)	DC_1A_n79A DC_1A_n257A DC_1A_n79A-n257A		
DC_1A_n79C-n257F (interBandEnDcSimRxTx)	DC_1A_n79A DC_1A_n257A DC_1A_n79A-n257A		
DC_1A_n105A-n257A	DC_1A_n105A DC_1A_n257A		
DC_1A_n105A-n258A	DC_1A_n105A DC_1A_n258A		
DC_2A-2A_n257A	DC_2A_n257A		
DC_2A-2A_n260A	DC_2A_n260A		
DC_2A-2A_n260G	DC_2A_n260A DC_2A_n260G		
DC_2A-2A_n260H	DC_2A_n260A DC_2A_n260G DC_2A_n260H		
DC_2A-2A_n260I	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I		
DC_2A-2A_n260J	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_2A_n260J		
DC_2A-2A_n260K	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_2A_n260J DC_2A_n260K		
DC_2A-2A_n260L	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_2A_n260J DC_2A_n260K		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_2A_n260L		
DC_2A-2A_n260M	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_2A_n260J DC_2A_n260K DC_2A_n260L DC_2A_n260M		
DC_2A-2A_n261A	DC_2A_n261A		
DC_2A-2A_n261G	DC_2A_n261A DC_2A_n261G		
DC_2A-2A_n261H	DC_2A_n261A DC_2A_n261G DC_2A_n261H		
DC_2A-2A_n261I	DC_2A_n261A DC_2A_n261G DC_2A_n261H DC_2A_n261I		
DC_2A-2A_n261J	DC_2A_n261A DC_2A_n261G DC_2A_n261H DC_2A_n261I DC_2A_n261J		
DC_2A-2A_n261K	DC_2A_n261A DC_2A_n261G DC_2A_n261H DC_2A_n261I DC_2A_n261J DC_2A_n261K		
DC_2A-2A_n261L	DC_2A_n261A DC_2A_n261G DC_2A_n261H DC_2A_n261I DC_2A_n261J DC_2A_n261K DC_2A_n261L		
DC_2A-2A_n261M	DC_2A_n261A DC_2A_n261G DC_2A_n261H DC_2A_n261I DC_2A_n261J DC_2A_n261K DC_2A_n261L		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_2A_n261M		
DC_2A-5A_n257A (interBandEnDcSimRxTx)	DC_2A_n257A DC_5A_n257A		
DC_2A-5A_n257G	DC_2A_n257A DC_2A_n257G DC_5A_n257A DC_5A_n257G		
DC_2A-5A_n257H	DC_2A_n257A DC_2A_n257G DC_5A_n257A DC_5A_n257G		
DC_2A-5A_n257I	DC_2A_n257A DC_2A_n257G DC_5A_n257A DC_5A_n257G		
DC_2A-5A_n257J	DC_2A_n257A DC_2A_n257G DC_5A_n257A DC_5A_n257G		
DC_2A-5A_n257K	DC_2A_n257A DC_2A_n257G DC_5A_n257A DC_5A_n257G		
DC_2A-5A_n257L	DC_2A_n257A DC_2A_n257G DC_5A_n257A DC_5A_n257G		
DC_2A-5A_n257M	DC_2A_n257A DC_2A_n257G DC_5A_n257A DC_5A_n257G		
DC_2A-5A_n260A	DC_2A_n260A DC_5A_n260A		
DC_2A-5A_n260G	DC_2A_n260A DC_5A_n260A DC_2A_n260G DC_5A_n260G		
DC_2A-5A_n260H	DC_2A_n260A DC_5A_n260A DC_2A_n260G DC_5A_n260G DC_2A_n260H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_5A_n260H		
DC_2A-5A_n260I	DC_2A_n260A DC_5A_n260A DC_2A_n260G DC_5A_n260G DC_2A_n260H DC_5A_n260H DC_2A_n260I DC_5A_n260I		
DC_2A-5A_n260J	DC_2A_n260A DC_5A_n260A DC_2A_n260G DC_5A_n260G DC_2A_n260H DC_5A_n260H DC_2A_n260I DC_5A_n260I DC_2A_n260J DC_5A_n260J		
DC_2A-5A_n260K	DC_2A_n260A DC_5A_n260A DC_2A_n260G DC_5A_n260G DC_2A_n260H DC_5A_n260H DC_2A_n260I DC_5A_n260I DC_2A_n260J DC_5A_n260J DC_2A_n260K DC_5A_n260K		
DC_2A-5A_n260L	DC_2A_n260A DC_5A_n260A DC_2A_n260G DC_5A_n260G DC_2A_n260H DC_5A_n260H DC_2A_n260I DC_5A_n260I DC_2A_n260J DC_5A_n260J DC_2A_n260K DC_5A_n260K DC_2A_n260L DC_5A_n260L		
DC_2A-5A_n260M	DC_2A_n260A DC_5A_n260A DC_2A_n260G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_5A_n260G DC_2A_n260H DC_5A_n260H DC_2A_n260I DC_5A_n260I DC_2A_n260J DC_5A_n260J DC_2A_n260K DC_5A_n260K DC_2A_n260L DC_5A_n260L DC_2A_n260M DC_5A_n260M		
DC_2A-5A_n260O	DC_2A_n260A DC_5A_n260A DC_2A_n260O DC_5A_n260O		
DC_2A-5A_n260P	DC_2A_n260A DC_5A_n260A DC_2A_n260O DC_5A_n260O		
DC_2A-5A_n260Q	DC_2A_n260A DC_5A_n260A DC_2A_n260O DC_5A_n260O		
DC_2A-5A_n261A	DC_2A_n261A DC_5A_n261A		
DC_2A-5A_n261G	DC_2A_n261A DC_5A_n261A DC_2A_n261G DC_5A_n261G		
DC_2A-5A_n261H	DC_2A_n261A DC_5A_n261A DC_2A_n261G DC_5A_n261G DC_2A_n261H DC_5A_n261H		
DC_2A-5A_n261I	DC_2A_n261A DC_5A_n261A DC_2A_n261G DC_5A_n261G DC_2A_n261H DC_5A_n261H DC_2A_n261I DC_5A_n261I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_2A-5A_n261J	DC_2A_n261A DC_5A_n261A DC_2A_n261G DC_5A_n261G DC_2A_n261H DC_5A_n261H DC_2A_n261I DC_5A_n261I		
DC_2A-5A_n261K	DC_2A_n261A DC_5A_n261A DC_2A_n261G DC_5A_n261G DC_2A_n261H DC_5A_n261H DC_2A_n261I DC_5A_n261I		
DC_2A-5A_n261L	DC_2A_n261A DC_5A_n261A DC_2A_n261G DC_5A_n261G DC_2A_n261H DC_5A_n261H DC_2A_n261I DC_5A_n261I		
DC_2A-5A_n261M	DC_2A_n261A DC_5A_n261A DC_2A_n261G DC_5A_n261G DC_2A_n261H DC_5A_n261H DC_2A_n261I DC_5A_n261I		
DC_2A-5A_n261O	DC_2A_n261A DC_5A_n261A DC_2A_n261O DC_5A_n261O		
DC_2A-5A_n261P	DC_2A_n261A DC_5A_n261A DC_2A_n261O DC_5A_n261O		
DC_2A-5A_n261Q	DC_2A_n261A DC_5A_n261A DC_2A_n261O DC_5A_n261O		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_2A-5A_n261(2A)	DC_2A_n261A DC_5A_n261A		
DC_2A-5A_n261(2A-G)	DC_2A_n261A DC_5A_n261A DC_2A_n261G DC_5A_n261G		
DC_2A-5A_n261(2A-H)	DC_2A_n261A DC_5A_n261A DC_2A_n261G DC_5A_n261G DC_2A_n261H DC_5A_n261H		
DC_2A-5A_n261(2A-I)	DC_2A_n261A DC_5A_n261A DC_2A_n261G DC_5A_n261G DC_2A_n261H DC_5A_n261H DC_2A_n261I DC_5A_n261I		
DC_2A-5A_n261(2G)	DC_2A_n261A DC_5A_n261A DC_2A_n261G DC_5A_n261G		
DC_2A-5A_n261(2H)	DC_2A_n261A DC_5A_n261A DC_2A_n261G DC_5A_n261G DC_2A_n261H DC_5A_n261H		
DC_2A-5A_n261(3A)	DC_2A_n261A DC_5A_n261A		
DC_2A-5A_n261(3A-G)	DC_2A_n261A DC_5A_n261A DC_2A_n261G DC_5A_n261G		
DC_2A-5A_n261(4A)	DC_2A_n261A DC_5A_n261A		
DC_2A-5A_n261(A-2G)	DC_2A_n261A DC_5A_n261A DC_2A_n261G DC_5A_n261G		
	DC_2A_n261A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_2A-5A_n261(A-G)	DC_5A_n261A DC_2A_n261G DC_5A_n261G		
DC_2A-5A_n261(A-G-H)	DC_2A_n261A DC_5A_n261A DC_2A_n261G DC_5A_n261G DC_2A_n261H DC_5A_n261H		
DC_2A-5A_n261(A-G-I)	DC_2A_n261A DC_5A_n261A DC_2A_n261G DC_5A_n261G DC_2A_n261H DC_5A_n261H DC_2A_n261I DC_5A_n261I		
DC_2A-5A_n261(A-H)	DC_2A_n261A DC_5A_n261A DC_2A_n261G DC_5A_n261G DC_2A_n261H DC_5A_n261H		
DC_2A-5A_n261(A-I)	DC_2A_n261A DC_5A_n261A DC_2A_n261G DC_5A_n261G DC_2A_n261H DC_5A_n261H DC_2A_n261I DC_5A_n261I		
DC_2A-5A_n261(A-J)	DC_2A_n261A DC_5A_n261A DC_2A_n261G DC_5A_n261G DC_2A_n261H DC_5A_n261H DC_2A_n261I DC_5A_n261I DC_2A_n261J DC_5A_n261J		
DC_2A-5A_n261(A-K)	DC_2A_n261A DC_5A_n261A DC_2A_n261G DC_5A_n261G DC_2A_n261H DC_5A_n261H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_2A_n261I DC_5A_n261I DC_2A_n261J DC_5A_n261J DC_2A_n261K DC_5A_n261K		
DC_2A-5A_n261(A-L)	DC_2A_n261A DC_5A_n261A DC_2A_n261G DC_5A_n261G DC_2A_n261H DC_5A_n261H DC_2A_n261I DC_5A_n261I DC_2A_n261J DC_5A_n261J DC_2A_n261K DC_5A_n261K DC_2A_n261L DC_5A_n261L		
DC_2A-5A_n261(G-H)	DC_2A_n261A DC_5A_n261A DC_2A_n261G DC_5A_n261G DC_2A_n261H DC_5A_n261H		
DC_2A-5A_n261(G-I)	DC_2A_n261A DC_5A_n261A DC_2A_n261G DC_5A_n261G DC_2A_n261H DC_5A_n261H DC_2A_n261I DC_5A_n261I		
DC_2A-5A_n261(G-J)	DC_2A_n261A DC_5A_n261A DC_2A_n261G DC_5A_n261G DC_2A_n261H DC_5A_n261H DC_2A_n261I DC_5A_n261I DC_2A_n261J DC_5A_n261J		
DC_2A-5A_n261(H-I)	DC_2A_n261A DC_5A_n261A DC_2A_n261G DC_5A_n261G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_2A_n261H DC_5A_n261H DC_2A_n261I DC_5A_n261I		
DC_2A-7A_n257A	DC_2A_n257A DC_7A_n257A		
DC_2A-7A_n257G	DC_2A_n257A DC_2A_n257G DC_7A_n257A DC_7A_n257G		
DC_2A-7A_n257H	DC_2A_n257A DC_2A_n257G DC_7A_n257A DC_7A_n257G		
DC_2A-7A_n257I	DC_2A_n257A DC_2A_n257G DC_7A_n257A DC_7A_n257G		
DC_2A-7A_n257J	DC_2A_n257A DC_2A_n257G DC_7A_n257A DC_7A_n257G		
DC_2A-7A_n257K	DC_2A_n257A DC_2A_n257G DC_7A_n257A DC_7A_n257G		
DC_2A-7A_n257L	DC_2A_n257A DC_2A_n257G DC_7A_n257A DC_7A_n257G		
DC_2A-7A_n257M	DC_2A_n257A DC_2A_n257G DC_7A_n257A DC_7A_n257G		
DC_2A-7A_n258A	DC_2A_n258A DC_7A_n258A		
DC_2A-7A_n258G	DC_2A_n258A DC_7A_n258A DC_2A_n258G DC_7A_n258G		
DC_2A-7A_n258H	DC_2A_n258A DC_7A_n258A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_2A_n258G DC_7A_n258G DC_2A_n258H DC_7A_n258H		
DC_2A-7A_n258I	DC_2A_n258A DC_7A_n258A DC_2A_n258G DC_7A_n258G DC_2A_n258H DC_7A_n258H DC_2A_n258I DC_7A_n258I		
DC_2A-7A_n258J	DC_2A_n258A DC_7A_n258A DC_2A_n258G DC_7A_n258G DC_2A_n258H DC_7A_n258H DC_2A_n258I DC_7A_n258I		
DC_2A-7A_n258K	DC_2A_n258A DC_7A_n258A DC_2A_n258G DC_7A_n258G DC_2A_n258H DC_7A_n258H DC_2A_n258I DC_7A_n258I		
DC_2A-7A_n258L	DC_2A_n258A DC_7A_n258A DC_2A_n258G DC_7A_n258G DC_2A_n258H DC_7A_n258H DC_2A_n258I DC_7A_n258I		
DC_2A-7A_n258M	DC_2A_n258A DC_7A_n258A DC_2A_n258G DC_7A_n258G DC_2A_n258H DC_7A_n258H DC_2A_n258I DC_7A_n258I		
DC_2A-7A_n260A	DC_2A_n260A DC_7A_n260A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_2A-7A_n260G	DC_2A_n260A DC_2A_n260G DC_7A_n260A DC_7A_n260G		
DC_2A-7A_n260H	DC_2A_n260A DC_2A_n260G DC_7A_n260A DC_7A_n260G		
DC_2A-7A_n260I	DC_2A_n260A DC_2A_n260G DC_7A_n260A DC_7A_n260G		
DC_2A-7A_n260J	DC_2A_n260A DC_2A_n260G DC_7A_n260A DC_7A_n260G		
DC_2A-7A_n260K	DC_2A_n260A DC_2A_n260G DC_7A_n260A DC_7A_n260G		
DC_2A-7A_n260L	DC_2A_n260A DC_2A_n260G DC_7A_n260A DC_7A_n260G		
DC_2A-7A_n260M	DC_2A_n260A DC_2A_n260G DC_7A_n260A DC_7A_n260G		
DC_2A-7A_n260O	DC_2A_n260A DC_2A_n260O DC_7A_n260A DC_7A_n260O		
DC_2A-7A_n260P	DC_2A_n260A DC_2A_n260O DC_7A_n260A DC_7A_n260O		
DC_2A-7A_n260Q	DC_2A_n260A DC_2A_n260O DC_7A_n260A DC_7A_n260O		
DC_2A-7A_n261A	DC_2A_n261A DC_7A_n261A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_2A-7A_n261G	DC_2A_n261A DC_2A_n261G DC_7A_n261A DC_7A_n261G		
DC_2A-7A_n261H	DC_2A_n261A DC_2A_n261G DC_7A_n261A DC_7A_n261G		
DC_2A-7A_n261I	DC_2A_n261A DC_2A_n261G DC_7A_n261A DC_7A_n261G		
DC_2A-7A_n261J	DC_2A_n261A DC_2A_n261G DC_7A_n261A DC_7A_n261G		
DC_2A-7A_n261K	DC_2A_n261A DC_2A_n261G DC_7A_n261A DC_7A_n261G		
DC_2A-7A_n261L	DC_2A_n261A DC_2A_n261G DC_7A_n261A DC_7A_n261G		
DC_2A-7A_n261M	DC_2A_n261A DC_2A_n261G DC_7A_n261A DC_7A_n261G		
DC_2A-7A_n261O	DC_2A_n261A DC_2A_n261O DC_7A_n261A DC_7A_n261O		
DC_2A-7A_n261P	DC_2A_n261A DC_2A_n261O DC_7A_n261A DC_7A_n261O		
DC_2A-7A_n261Q	DC_2A_n261A DC_2A_n261O DC_7A_n261A DC_7A_n261O		
DC_2A-12A_n257A	DC_2A_n257A DC_12A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_2A-12A_n257G	DC_2A_n257A DC_2A_n257G DC_12A_n257A DC_12A_n257G		
DC_2A-12A_n257H	DC_2A_n257A DC_2A_n257G DC_12A_n257A DC_12A_n257G		
DC_2A-12A_n257I	DC_2A_n257A DC_2A_n257G DC_12A_n257A DC_12A_n257G		
DC_2A-12A_n257J	DC_2A_n257A DC_2A_n257G DC_12A_n257A DC_12A_n257G		
DC_2A-12A_n257K	DC_2A_n257A DC_2A_n257G DC_12A_n257A DC_12A_n257G		
DC_2A-12A_n257L	DC_2A_n257A DC_2A_n257G DC_12A_n257A DC_12A_n257G		
DC_2A-12A_n257M	DC_2A_n257A DC_2A_n257G DC_12A_n257A DC_12A_n257G		
DC_2A-12A_n258A	DC_2A_n258A DC_12A_n258A		
DC_2A-12A_n258G	DC_2A_n258A DC_2A_n258G DC_12A_n258A DC_12A_n258G		
DC_2A-12A_n258H	DC_2A_n258A DC_2A_n258G DC_12A_n258A DC_12A_n258G		
DC_2A-12A_n258I	DC_2A_n258A DC_2A_n258G DC_12A_n258A DC_12A_n258G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_2A-12A_n258J	DC_2A_n258A DC_2A_n258G DC_12A_n258A DC_12A_n258G		
DC_2A-12A_n258K	DC_2A_n258A DC_2A_n258G DC_12A_n258A DC_12A_n258G		
DC_2A-12A_n258L	DC_2A_n258A DC_2A_n258G DC_12A_n258A DC_12A_n258G		
DC_2A-12A_n258M	DC_2A_n258A DC_2A_n258G DC_12A_n258A DC_12A_n258G		
DC_2A-12A_n260A	DC_2A_n260A DC_12A_n260A		
DC_2A-12A_n260G	DC_2A_n260A DC_2A_n260G DC_12A_n260A DC_12A_n260G		
DC_2A-12A_n260H	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_12A_n260A DC_12A_n260G DC_12A_n260H		
DC_2A-12A_n260I	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_12A_n260A DC_12A_n260G DC_12A_n260H DC_12A_n260I		
DC_2A-12A_n260J	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_2A_n260J DC_12A_n260A DC_12A_n260G DC_12A_n260H DC_12A_n260I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_12A_n260J		
DC_2A-12A_n260K	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_2A_n260J DC_2A_n260K DC_12A_n260A DC_12A_n260G DC_12A_n260H DC_12A_n260I DC_12A_n260J DC_12A_n260K		
DC_2A-12A_n260L	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_2A_n260J DC_2A_n260K DC_2A_n260L DC_12A_n260A DC_12A_n260G DC_12A_n260H DC_12A_n260I DC_12A_n260J DC_12A_n260K DC_12A_n260L		
DC_2A-12A_n260M	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_2A_n260J DC_2A_n260K DC_2A_n260L DC_2A_n260M DC_12A_n260A DC_12A_n260G DC_12A_n260H DC_12A_n260I DC_12A_n260J DC_12A_n260K DC_12A_n260L DC_12A_n260M		
DC_2A-12A_n260O	DC_2A_n260A DC_2A_n260O DC_12A_n260A DC_12A_n260O		
DC_2A-12A_n260P	DC_2A_n260A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_2A_n260O DC_12A_n260A DC_12A_n260O		
DC_2A-12A_n260Q	DC_2A_n260A DC_2A_n260O DC_12A_n260A DC_12A_n260O		
DC_2A-12A_n261A	DC_2A_n261A DC_12A_n261A		
DC_2A-12A_n261G	DC_2A_n261A DC_2A_n261G DC_12A_n261A DC_12A_n261G		
DC_2A-12A_n261H	DC_2A_n261A DC_2A_n261G DC_12A_n261A DC_12A_n261G		
DC_2A-12A_n261I	DC_2A_n261A DC_2A_n261G DC_12A_n261A DC_12A_n261G		
DC_2A-12A_n261J	DC_2A_n261A DC_2A_n261G DC_12A_n261A DC_12A_n261G		
DC_2A-12A_n261K	DC_2A_n261A DC_2A_n261G DC_12A_n261A DC_12A_n261G		
DC_2A-12A_n261L	DC_2A_n261A DC_2A_n261G DC_12A_n261A DC_12A_n261G		
DC_2A-12A_n261M	DC_2A_n261A DC_2A_n261G DC_12A_n261A DC_12A_n261G		
DC_2A-12A_n261O	DC_2A_n261A DC_2A_n261O DC_12A_n261A DC_12A_n261O		
DC_2A-12A_n261P	DC_2A_n261A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_2A_n261O DC_12A_n261A DC_12A_n261O		
DC_2A-12A_n261Q	DC_2A_n261A DC_2A_n261O DC_12A_n261A DC_12A_n261O		
DC_2A-13A_n257A (interBandEnDcSimRxTx)	DC_2A_n257A DC_13A_n257A		
DC_2A-13A_n260A (interBandEnDcSimRxTx)	DC_2A_n260A DC_13A_n260A		
DC_2A-13A_n260G	DC_2A_n260A DC_13A_n260A DC_2A_n260G DC_13A_n260G		
DC_2A-13A_n260H	DC_2A_n260A DC_13A_n260A DC_2A_n260G DC_13A_n260G DC_2A_n260H DC_13A_n260H		
DC_2A-13A_n260I	DC_2A_n260A DC_13A_n260A DC_2A_n260G DC_13A_n260G DC_2A_n260H DC_13A_n260H DC_2A_n260I DC_13A_n260I		
DC_2A-13A_n260J	DC_2A_n260A DC_13A_n260A DC_2A_n260G DC_13A_n260G DC_2A_n260H DC_13A_n260H DC_2A_n260I DC_13A_n260I DC_2A_n260J DC_13A_n260J		
DC_2A-13A_n260K	DC_2A_n260A DC_13A_n260A DC_2A_n260G DC_13A_n260G DC_2A_n260H DC_13A_n260H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_2A_n260I DC_13A_n260I DC_2A_n260J DC_13A_n260J DC_2A_n260K DC_13A_n260K		
DC_2A-13A_n260L	DC_2A_n260A DC_13A_n260A DC_2A_n260G DC_13A_n260G DC_2A_n260H DC_13A_n260H DC_2A_n260I DC_13A_n260I DC_2A_n260J DC_13A_n260J DC_2A_n260K DC_13A_n260K DC_2A_n260L DC_13A_n260L		
DC_2A-13A_n260M	DC_2A_n260A DC_13A_n260A DC_2A_n260G DC_13A_n260G DC_2A_n260H DC_13A_n260H DC_2A_n260I DC_13A_n260I DC_2A_n260J DC_13A_n260J DC_2A_n260K DC_13A_n260K DC_2A_n260L DC_13A_n260L DC_2A_n260M DC_13A_n260M		
DC_2A-13A_n260(2A)	DC_2A_n260A DC_13A_n260A		
DC_2A-13A_n260(2A-2G)	DC_2A_n260A DC_13A_n260A DC_2A_n260G DC_13A_n260G		
DC_2A-13A_n260(2A-G)	DC_2A_n260A DC_13A_n260A DC_2A_n260G DC_13A_n260G		
DC_2A-13A_n260(2G)	DC_2A_n260A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_13A_n260A DC_2A_n260G DC_13A_n260G		
DC_2A-13A_n260(2H)	DC_2A_n260A DC_13A_n260A DC_2A_n260G DC_13A_n260G DC_2A_n260H DC_13A_n260H		
DC_2A-13A_n260(3A)	DC_2A_n260A DC_13A_n260A		
DC_2A-13A_n260(3A-G)	DC_2A_n260A DC_13A_n260A DC_2A_n260G DC_13A_n260G		
DC_2A-13A_n260(4A)	DC_2A_n260A DC_13A_n260A		
DC_2A-13A_n260(5A)	DC_2A_n260A DC_13A_n260A		
DC_2A-13A_n260(6A)	DC_2A_n260A DC_13A_n260A		
DC_2A-13A_n260(A-2G)	DC_2A_n260A DC_13A_n260A DC_2A_n260G DC_13A_n260G		
DC_2A-13A_n260(A-G)	DC_2A_n260A DC_13A_n260A DC_2A_n260G DC_13A_n260G		
DC_2A-13A_n260(A-H)	DC_2A_n260A DC_13A_n260A DC_2A_n260G DC_13A_n260G DC_2A_n260H DC_13A_n260H		
DC_2A-13A_n260(G-H)	DC_2A_n260A DC_13A_n260A DC_2A_n260G DC_13A_n260G DC_2A_n260H DC_13A_n260H		
DC_2A-13A_n261A	DC_2A_n261A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_13A_n261A		
DC_2A-13A_n261G	DC_2A_n261A DC_13A_n261A DC_2A_n261G DC_13A_n261G		
DC_2A-13A_n261H	DC_2A_n261A DC_13A_n261A DC_2A_n261G DC_13A_n261G DC_2A_n261H DC_13A_n261H		
DC_2A-13A_n261I	DC_2A_n261A DC_13A_n261A DC_2A_n261G DC_13A_n261G DC_2A_n261H DC_13A_n261H DC_2A_n261I DC_13A_n261I		
DC_2A-13A_n261J	DC_2A_n261A DC_13A_n261A DC_2A_n261G DC_13A_n261G DC_2A_n261H DC_13A_n261H DC_2A_n261I DC_13A_n261I DC_2A_n261J DC_13A_n261J		
DC_2A-13A_n261K	DC_2A_n261A DC_13A_n261A DC_2A_n261G DC_13A_n261G DC_2A_n261H DC_13A_n261H DC_2A_n261I DC_13A_n261I DC_2A_n261J DC_13A_n261J DC_2A_n261K DC_13A_n261K		
DC_2A-13A_n261L	DC_2A_n261A DC_13A_n261A DC_2A_n261G DC_13A_n261G DC_2A_n261H DC_13A_n261H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_2A_n261I DC_13A_n261I DC_2A_n261J DC_13A_n261J DC_2A_n261K DC_13A_n261K DC_2A_n261L DC_13A_n261L		
DC_2A-13A_n261M	DC_2A_n261A DC_13A_n261A DC_2A_n261G DC_13A_n261G DC_2A_n261H DC_13A_n261H DC_2A_n261I DC_13A_n261I DC_2A_n261J DC_13A_n261J DC_2A_n261K DC_13A_n261K DC_2A_n261L DC_13A_n261L DC_2A_n261M DC_13A_n261M		
DC_2A-13A_n261(2A)	DC_2A_n261A DC_13A_n261A		
DC_2A-13A_n261(2A-G)	DC_2A_n261A DC_13A_n261A DC_2A_n261G DC_13A_n261G		
DC_2A-13A_n261(2A-H)	DC_2A_n261A DC_13A_n261A DC_2A_n261G DC_13A_n261G DC_2A_n261H DC_13A_n261H		
DC_2A-13A_n261(2A-I)	DC_2A_n261A DC_13A_n261A DC_2A_n261G DC_13A_n261G DC_2A_n261H DC_13A_n261H DC_2A_n261I DC_13A_n261I		
DC_2A-13A_n261(2G)	DC_2A_n261A DC_13A_n261A DC_2A_n261G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_13A_n261G		
DC_2A-13A_n261(2H)	DC_2A_n261A DC_13A_n261A DC_2A_n261G DC_13A_n261G DC_2A_n261H DC_13A_n261H		
DC_2A-13A_n261(3A)	DC_2A_n261A DC_13A_n261A		
DC_2A-13A_n261(3A-G)	DC_2A_n261A DC_13A_n261A DC_2A_n261G DC_13A_n261G		
DC_2A-13A_n261(4A)	DC_2A_n261A DC_13A_n261A		
DC_2A-13A_n261(A-2G)	DC_2A_n261A DC_13A_n261A DC_2A_n261G DC_13A_n261G		
DC_2A-13A_n261(A-G)	DC_2A_n261A DC_13A_n261A DC_2A_n261G DC_13A_n261G		
DC_2A-13A_n261(A-G-H)	DC_2A_n261A DC_13A_n261A DC_2A_n261G DC_13A_n261G DC_2A_n261H DC_13A_n261H		
DC_2A-13A_n261(A-G-I)	DC_2A_n261A DC_13A_n261A DC_2A_n261G DC_13A_n261G DC_2A_n261H DC_13A_n261H DC_2A_n261I DC_13A_n261I		
DC_2A-13A_n261(A-H)	DC_2A_n261A DC_13A_n261A DC_2A_n261G DC_13A_n261G DC_2A_n261H DC_13A_n261H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_2A-13A_n261(A-I)	DC_2A_n261A DC_13A_n261A DC_2A_n261G DC_13A_n261G DC_2A_n261H DC_13A_n261H DC_2A_n261I DC_13A_n261I		
DC_2A-13A_n261(A-J)	DC_2A_n261A DC_13A_n261A DC_2A_n261G DC_13A_n261G DC_2A_n261H DC_13A_n261H DC_2A_n261I DC_13A_n261I		
DC_2A-13A_n261(A-K)	DC_2A_n261A DC_13A_n261A DC_2A_n261G DC_13A_n261G DC_2A_n261H DC_13A_n261H DC_2A_n261I DC_13A_n261I		
DC_2A-13A_n261(A-L)	DC_2A_n261A DC_13A_n261A DC_2A_n261G DC_13A_n261G DC_2A_n261H DC_13A_n261H DC_2A_n261I DC_13A_n261I		
DC_2A-13A_n261(G-H)	DC_2A_n261A DC_13A_n261A DC_2A_n261G DC_13A_n261G DC_2A_n261H DC_13A_n261H		
DC_2A-13A_n261(G-I)	DC_2A_n261A DC_13A_n261A DC_2A_n261G DC_13A_n261G DC_2A_n261H DC_13A_n261H DC_2A_n261I DC_13A_n261I		
	DC_2A_n261A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_2A-13A_n261(G-J)	DC_13A_n261A DC_2A_n261G DC_13A_n261G DC_2A_n261H DC_13A_n261H DC_2A_n261I DC_13A_n261I		
DC_2A-13A_n261(H-I)	DC_2A_n261A DC_13A_n261A DC_2A_n261G DC_13A_n261G DC_2A_n261H DC_13A_n261H DC_2A_n261I DC_13A_n261I		
DC_2A-14A_n260A	DC_2A_n260A DC_14A_n260A		
DC_2A-14A_n260G	DC_2A_n260A DC_2A_n260G DC_14A_n260A DC_14A_n260G		
DC_2A-14A_n260H	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_14A_n260A DC_14A_n260G DC_14A_n260H		
DC_2A-14A_n260I	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_14A_n260A DC_14A_n260G DC_14A_n260H DC_14A_n260I		
DC_2A-14A_n260J	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_2A_n260J DC_14A_n260A DC_14A_n260G DC_14A_n260H DC_14A_n260I DC_14A_n260J		
DC_2A-14A_n260K	DC_2A_n260A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_2A_n260J DC_2A_n260K DC_14A_n260A DC_14A_n260G DC_14A_n260H DC_14A_n260I DC_14A_n260J DC_14A_n260K		
DC_2A-14A_n260L	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_2A_n260J DC_2A_n260K DC_2A_n260L DC_14A_n260A DC_14A_n260G DC_14A_n260H DC_14A_n260I DC_14A_n260J DC_14A_n260K DC_14A_n260L		
DC_2A-14A_n260M	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_2A_n260J DC_2A_n260K DC_2A_n260L DC_2A_n260M DC_14A_n260A DC_14A_n260G DC_14A_n260H DC_14A_n260I DC_14A_n260J DC_14A_n260K DC_14A_n260L DC_14A_n260M		
DC_2A-28A_n258A	DC_2A_n258A DC_28A_n258A		
DC_2A-28A_n258G	DC_2A_n258A DC_28A_n258A DC_2A_n258G DC_28A_n258G		
DC_2A-28A_n258H	DC_2A_n258A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_28A_n258A DC_2A_n258G DC_28A_n258G DC_2A_n258H DC_28A_n258H		
DC_2A-28A_n258I	DC_2A_n258A DC_28A_n258A DC_2A_n258G DC_28A_n258G DC_2A_n258H DC_28A_n258H DC_2A_n258I DC_28A_n258I		
DC_2A-29A_n260A	DC_2A_n260A		
DC_2A-29A_n260G	DC_2A_n260A DC_2A_n260G		
DC_2A-29A_n260H	DC_2A_n260A DC_2A_n260G DC_2A_n260H		
DC_2A-29A_n260I	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I		
DC_2A-29A_n260J	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_2A_n260J		
DC_2A-29A_n260K	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_2A_n260J DC_2A_n260K		
DC_2A-29A_n260L	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_2A_n260J DC_2A_n260K DC_2A_n260L		
DC_2A-29A_n260M	DC_2A_n260A DC_2A_n260G DC_2A_n260H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_2A_n260I DC_2A_n260J DC_2A_n260K DC_2A_n260L DC_2A_n260M		
DC_2A-30A_n260A	DC_2A_n260A DC_30A_n260A		
DC_2A-30A_n260G	DC_2A_n260A DC_2A_n260G DC_30A_n260A DC_30A_n260G		
DC_2A-30A_n260H	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_30A_n260A DC_30A_n260G DC_30A_n260H		
DC_2A-30A_n260I	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_30A_n260A DC_30A_n260G DC_30A_n260H DC_30A_n260I		
DC_2A-30A_n260J	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_2A_n260J DC_30A_n260A DC_30A_n260G DC_30A_n260H DC_30A_n260I DC_30A_n260J		
DC_2A-30A_n260K	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_2A_n260J DC_2A_n260K DC_30A_n260A DC_30A_n260G DC_30A_n260H DC_30A_n260I DC_30A_n260J DC_30A_n260K		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_2A-30A_n260L	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_2A_n260J DC_2A_n260K DC_2A_n260L DC_30A_n260A DC_30A_n260G DC_30A_n260H DC_30A_n260I DC_30A_n260J DC_30A_n260K DC_30A_n260L		
DC_2A-30A_n260M	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_2A_n260J DC_2A_n260K DC_2A_n260L DC_2A_n260M DC_30A_n260A DC_30A_n260G DC_30A_n260H DC_30A_n260I DC_30A_n260J DC_30A_n260K DC_30A_n260L DC_30A_n260M		
DC_2A-46A_n258A	DC_2A_n258A		
DC_2A-46A_n258(2A)	DC_2A_n258A		
DC_2A-46A_n258(3A)	DC_2A_n258A		
DC_2A-46A_n258(4A)	DC_2A_n258A		
DC_2A-46A_n258(5A)	DC_2A_n258A		
DC_2A-46A_n260A	DC_2A_n260A		
DC_2A-46A_n260G	DC_2A_n260A DC_2A_n260G		
DC_2A-46A_n260H	DC_2A_n260A DC_2A_n260G DC_2A_n260H		
DC_2A-46A_n260I	DC_2A_n260A DC_2A_n260G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_2A_n260H DC_2A_n260I		
DC_2A-46A_n260J	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_2A_n260J		
DC_2A-46A_n260K	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_2A_n260J DC_2A_n260K		
DC_2A-46A_n260L	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_2A_n260J DC_2A_n260K DC_2A_n260L		
DC_2A-46A_n260M	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_2A_n260J DC_2A_n260K DC_2A_n260L DC_2A_n260M		
DC_2A-46A_n261A	DC_2A_n261A		
DC_2A-46A_n261G	DC_2A_n261A DC_2A_n261G		
DC_2A-46A_n261H	DC_2A_n261A DC_2A_n261G DC_2A_n261H		
DC_2A-46A_n261I	DC_2A_n261A DC_2A_n261G DC_2A_n261H DC_2A_n261I		
DC_2A-46A_n261J	DC_2A_n261A DC_2A_n261G DC_2A_n261H DC_2A_n261I DC_2A_n261J		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_2A-46A_n261K	DC_2A_n261A DC_2A_n261G DC_2A_n261H DC_2A_n261I DC_2A_n261J DC_2A_n261K		
DC_2A-46A_n261L	DC_2A_n261A DC_2A_n261G DC_2A_n261H DC_2A_n261I DC_2A_n261J DC_2A_n261K DC_2A_n261L		
DC_2A-46A_n261M	DC_2A_n261A DC_2A_n261G DC_2A_n261H DC_2A_n261I DC_2A_n261J DC_2A_n261K DC_2A_n261L DC_2A_n261M		
DC_2A-46A_n261(2A)	DC_2A_n261A		
DC_2A-46A_n261(2G)	DC_2A_n261A DC_2A_n261G		
DC_2A-46A_n261(2H)	DC_2A_n261A DC_2A_n261G DC_2A_n261H		
DC_2A-46A_n261(A-G)	DC_2A_n261A DC_2A_n261G		
DC_2A-46A_n261(A-H)	DC_2A_n261A DC_2A_n261G DC_2A_n261H		
DC_2A-46A_n261(A-I)	DC_2A_n261A DC_2A_n261G DC_2A_n261H DC_2A_n261I		
DC_2A-46A_n261(A-J)	DC_2A_n261A DC_2A_n261G DC_2A_n261H DC_2A_n261I		
DC_2A-46A_n261(A-K)	DC_2A_n261A DC_2A_n261G DC_2A_n261H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_2A_n261I		
DC_2A-46A_n261(A-L)	DC_2A_n261A DC_2A_n261G DC_2A_n261H DC_2A_n261I		
DC_2A-46A_n261(G-H)	DC_2A_n261A DC_2A_n261G DC_2A_n261H		
DC_2A-46C_n258A	DC_2A_n258A		
DC_2A-46C_n258(2A)	DC_2A_n258A		
DC_2A-46C_n258(3A)	DC_2A_n258A		
DC_2A-46C_n258(4A)	DC_2A_n258A		
DC_2A-46C_n258(5A)	DC_2A_n258A		
DC_2A-46C_n260A	DC_2A_n260A		
DC_2A-46C_n260G	DC_2A_n260A DC_2A_n260G		
DC_2A-46C_n260H	DC_2A_n260A DC_2A_n260G DC_2A_n260H		
DC_2A-46C_n260I	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I		
DC_2A-46C_n260J	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_2A_n260J		
DC_2A-46C_n260K	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_2A_n260J DC_2A_n260K		
DC_2A-46C_n260L	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_2A_n260J		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_2A_n260K DC_2A_n260L		
DC_2A-46C_n260M	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_2A_n260J DC_2A_n260K DC_2A_n260L DC_2A_n260M		
DC_2A-46C_n261A	DC_2A_n261A		
DC_2A-46C_n261(2A)	DC_2A_n261A		
DC_2A-46D_n258A	DC_2A_n258A		
DC_2A-46D_n258(2A)	DC_2A_n258A		
DC_2A-46D_n258(3A)	DC_2A_n258A		
DC_2A-46D_n258(4A)	DC_2A_n258A		
DC_2A-46D_n258(5A)	DC_2A_n258A		
DC_2A-46D_n260A	DC_2A_n260A		
DC_2A-46D_n260G	DC_2A_n260A DC_2A_n260G		
DC_2A-46D_n260H	DC_2A_n260A DC_2A_n260G DC_2A_n260H		
DC_2A-46D_n260I	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I		
DC_2A-46D_n260J	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_2A_n260J		
DC_2A-46D_n260K	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_2A_n260J DC_2A_n260K		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_2A-46D_n260L	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_2A_n260J DC_2A_n260K DC_2A_n260L		
DC_2A-46D_n260M	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_2A_n260J DC_2A_n260K DC_2A_n260L DC_2A_n260M		
DC_2A-46D_n261A	DC_2A_n261A		
DC_2A-46D_n261(2A)	DC_2A_n261A		
DC_2A-46E_n260A	DC_2A_n260A		
DC_2A-46E_n260G	DC_2A_n260A DC_2A_n260G		
DC_2A-46E_n260H	DC_2A_n260A DC_2A_n260G DC_2A_n260H		
DC_2A-46E_n260I	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I		
DC_2A-46E_n260J	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_2A_n260J		
DC_2A-46E_n260K	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_2A_n260J DC_2A_n260K		
DC_2A-46E_n260L	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_2A_n260J		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_2A_n260K DC_2A_n260L		
DC_2A-46E_n260M	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_2A_n260J DC_2A_n260K DC_2A_n260L DC_2A_n260M		
DC_2A-66A_n257A (interBandEnDcSimRxTx)	DC_2A_n257A DC_66A_n257A		
DC_2A-66A_n257G	DC_2A_n257A DC_2A_n257G DC_66A_n257A DC_66A_n257G		
DC_2A-66A_n257H	DC_2A_n257A DC_2A_n257G DC_66A_n257A DC_66A_n257G		
DC_2A-66A_n257I	DC_2A_n257A DC_2A_n257G DC_66A_n257A DC_66A_n257G		
DC_2A-66A_n257J	DC_2A_n257A DC_2A_n257G DC_66A_n257A DC_66A_n257G		
DC_2A-66A_n257K	DC_2A_n257A DC_2A_n257G DC_66A_n257A DC_66A_n257G		
DC_2A-66A_n257L	DC_2A_n257A DC_2A_n257G DC_66A_n257A DC_66A_n257G		
DC_2A-66A_n257M	DC_2A_n257A DC_2A_n257G DC_66A_n257A DC_66A_n257G		
DC_2A-66A_n257(2A)	DC_2A_n257A DC_66A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_2A-66A_n258A	DC_2A_n258A DC_66A_n258A		
DC_2A-66A_n258G	DC_2A_n258A DC_2A_n258G DC_66A_n258A DC_66A_n258G		
DC_2A-66A_n258H	DC_2A_n258A DC_2A_n258G DC_66A_n258A DC_66A_n258G		
DC_2A-66A_n258I	DC_2A_n258A DC_2A_n258G DC_66A_n258A DC_66A_n258G		
DC_2A-66A_n258J	DC_2A_n258A DC_2A_n258G DC_66A_n258A DC_66A_n258G		
DC_2A-66A_n258K	DC_2A_n258A DC_2A_n258G DC_66A_n258A DC_66A_n258G		
DC_2A-66A_n258L	DC_2A_n258A DC_2A_n258G DC_66A_n258A DC_66A_n258G		
DC_2A-66A_n258M	DC_2A_n258A DC_2A_n258G DC_66A_n258A DC_66A_n258G		
DC_2A-66A_n260A	DC_2A_n260A DC_66A_n260A		
DC_2A-66A_n260G	DC_2A_n260A DC_66A_n260A DC_2A_n260G DC_66A_n260G		
DC_2A-66A_n260H	DC_2A_n260A DC_66A_n260A DC_2A_n260G DC_66A_n260G DC_2A_n260H DC_66A_n260H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_2A-66A_n260I	DC_2A_n260A DC_66A_n260A DC_2A_n260G DC_66A_n260G DC_2A_n260H DC_66A_n260H DC_2A_n260I DC_66A_n260I		
DC_2A-66A_n260J	DC_2A_n260A DC_66A_n260A DC_2A_n260G DC_66A_n260G DC_2A_n260H DC_66A_n260H DC_2A_n260I DC_66A_n260I DC_2A_n260J DC_66A_n260J		
DC_2A-66A_n260K	DC_2A_n260A DC_66A_n260A DC_2A_n260G DC_66A_n260G DC_2A_n260H DC_66A_n260H DC_2A_n260I DC_66A_n260I DC_2A_n260J DC_66A_n260J DC_2A_n260K DC_66A_n260K		
DC_2A-66A_n260L	DC_2A_n260A DC_66A_n260A DC_2A_n260G DC_66A_n260G DC_2A_n260H DC_66A_n260H DC_2A_n260I DC_66A_n260I DC_2A_n260J DC_66A_n260J DC_2A_n260K DC_66A_n260K DC_2A_n260L DC_66A_n260L		
DC_2A-66A_n260M	DC_2A_n260A DC_66A_n260A DC_2A_n260G DC_66A_n260G DC_2A_n260H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_66A_n260H DC_2A_n260I DC_66A_n260I DC_2A_n260J DC_66A_n260J DC_2A_n260K DC_66A_n260K DC_2A_n260L DC_66A_n260L DC_2A_n260M DC_66A_n260M		
DC_2A-66A_n260O	DC_2A_n260A DC_66A_n260A DC_2A_n260O DC_66A_n260O		
DC_2A-66A_n260P	DC_2A_n260A DC_66A_n260A DC_2A_n260O DC_66A_n260O		
DC_2A-66A_n260Q	DC_2A_n260A DC_66A_n260A DC_2A_n260O DC_66A_n260O		
DC_2A-66A_n260(2A)	DC_2A_n260A DC_66A_n260A		
DC_2A-66A_n260(2A-2G)	DC_2A_n260A DC_66A_n260A DC_2A_n260G DC_66A_n260G		
DC_2A-66A_n260(2A-G)	DC_2A_n260A DC_66A_n260A DC_2A_n260G DC_66A_n260G		
DC_2A-66A_n260(2G)	DC_2A_n260A DC_66A_n260A DC_2A_n260G DC_66A_n260G		
DC_2A-66A_n260(2H)	DC_2A_n260A DC_66A_n260A DC_2A_n260G DC_66A_n260G DC_2A_n260H DC_66A_n260H		
DC_2A-66A_n260(3A)	DC_2A_n260A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_66A_n260A		
DC_2A-66A_n260(3A-G)	DC_2A_n260A DC_66A_n260A DC_2A_n260G DC_66A_n260G		
DC_2A-66A_n260(4A)	DC_2A_n260A DC_66A_n260A		
DC_2A-66A_n260(5A)	DC_2A_n260A DC_66A_n260A		
DC_2A-66A_n260(6A)	DC_2A_n260A DC_66A_n260A		
DC_2A-66A_n260(A-2G)	DC_2A_n260A DC_66A_n260A DC_2A_n260G DC_66A_n260G		
DC_2A-66A_n260(A-G)	DC_2A_n260A DC_66A_n260A DC_2A_n260G DC_66A_n260G		
DC_2A-66A_n260(A-H)	DC_2A_n260A DC_66A_n260A DC_2A_n260G DC_66A_n260G DC_2A_n260H DC_66A_n260H		
DC_2A-66A_n260(G-H)	DC_2A_n260A DC_66A_n260A DC_2A_n260G DC_66A_n260G DC_2A_n260H DC_66A_n260H		
DC_2A-66A_n261A	DC_2A_n261A DC_66A_n261A		
DC_2A-66A_n261G	DC_2A_n261A DC_66A_n261A DC_2A_n261G DC_66A_n261G		
DC_2A-66A_n261H	DC_2A_n261A DC_66A_n261A DC_2A_n261G DC_66A_n261G DC_2A_n261H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_66A_n261H		
DC_2A-66A_n261I	DC_2A_n261A DC_66A_n261A DC_2A_n261G DC_66A_n261G DC_2A_n261H DC_66A_n261H DC_2A_n261I DC_66A_n261I		
DC_2A-66A_n261J	DC_2A_n261A DC_66A_n261A DC_2A_n261G DC_66A_n261G DC_2A_n261H DC_66A_n261H DC_2A_n261I DC_66A_n261I DC_2A_n261J DC_66A_n261J		
DC_2A-66A_n261K	DC_2A_n261A DC_66A_n261A DC_2A_n261G DC_66A_n261G DC_2A_n261H DC_66A_n261H DC_2A_n261I DC_66A_n261I DC_2A_n261J DC_66A_n261J DC_2A_n261K DC_66A_n261K		
DC_2A-66A_n261L	DC_2A_n261A DC_66A_n261A DC_2A_n261G DC_66A_n261G DC_2A_n261H DC_66A_n261H DC_2A_n261I DC_66A_n261I DC_2A_n261J DC_66A_n261J DC_2A_n261K DC_66A_n261K DC_2A_n261L DC_66A_n261L		
DC_2A-66A_n261M	DC_2A_n261A DC_66A_n261A DC_2A_n261G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_66A_n261G DC_2A_n261H DC_66A_n261H DC_2A_n261I DC_66A_n261I DC_2A_n261J DC_66A_n261J DC_2A_n261K DC_66A_n261K DC_2A_n261L DC_66A_n261L DC_2A_n261M DC_66A_n261M		
DC_2A-66A_n261O	DC_2A_n261A DC_66A_n261A DC_2A_n261O DC_66A_n261O		
DC_2A-66A_n261P	DC_2A_n261A DC_66A_n261A DC_2A_n261O DC_66A_n261O		
DC_2A-66A_n261Q	DC_2A_n261A DC_66A_n261A DC_2A_n261O DC_66A_n261O		
DC_2A-66A_n261(2A)	DC_2A_n261A DC_66A_n261A		
DC_2A-66A_n261(2A-G)	DC_2A_n261A DC_66A_n261A DC_2A_n261G DC_66A_n261G		
DC_2A-66A_n261(2A-H)	DC_2A_n261A DC_66A_n261A DC_2A_n261G DC_66A_n261G DC_2A_n261H DC_66A_n261H		
DC_2A-66A_n261(2A-I)	DC_2A_n261A DC_66A_n261A DC_2A_n261G DC_66A_n261G DC_2A_n261H DC_66A_n261H DC_2A_n261I DC_66A_n261I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_2A-66A_n261(2G)	DC_2A_n261A DC_66A_n261A DC_2A_n261G DC_66A_n261G		
DC_2A-66A_n261(2H)	DC_2A_n261A DC_66A_n261A DC_2A_n261G DC_66A_n261G DC_2A_n261H DC_66A_n261H		
DC_2A-66A_n261(3A)	DC_2A_n261A DC_66A_n261A		
DC_2A-66A_n261(3A-G)	DC_2A_n261A DC_66A_n261A DC_2A_n261G DC_66A_n261G		
DC_2A-66A_n261(4A)	DC_2A_n261A DC_66A_n261A		
DC_2A-66A_n261(A-2G)	DC_2A_n261A DC_66A_n261A DC_2A_n261G DC_66A_n261G		
DC_2A-66A_n261(A-G)	DC_2A_n261A DC_66A_n261A DC_2A_n261G DC_66A_n261G		
DC_2A-66A_n261(A-G-H)	DC_2A_n261A DC_66A_n261A DC_2A_n261G DC_66A_n261G DC_2A_n261H DC_66A_n261H		
DC_2A-66A_n261(A-G-I)	DC_2A_n261A DC_66A_n261A DC_2A_n261G DC_66A_n261G DC_2A_n261H DC_66A_n261H DC_2A_n261I DC_66A_n261I		
DC_2A-66A_n261(A-H)	DC_2A_n261A DC_66A_n261A DC_2A_n261G DC_66A_n261G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_2A_n261H DC_66A_n261H		
DC_2A-66A_n261(A-I)	DC_2A_n261A DC_66A_n261A DC_2A_n261G DC_66A_n261G DC_2A_n261H DC_66A_n261H DC_2A_n261I DC_66A_n261I		
DC_2A-66A_n261(A-J)	DC_2A_n261A DC_66A_n261A DC_2A_n261G DC_66A_n261G DC_2A_n261H DC_66A_n261H DC_2A_n261I DC_66A_n261I		
DC_2A-66A_n261(A-K)	DC_2A_n261A DC_66A_n261A DC_2A_n261G DC_66A_n261G DC_2A_n261H DC_66A_n261H DC_2A_n261I DC_66A_n261I		
DC_2A-66A_n261(A-L)	DC_2A_n261A DC_66A_n261A DC_2A_n261G DC_66A_n261G DC_2A_n261H DC_66A_n261H DC_2A_n261I DC_66A_n261I		
DC_2A-66A_n261(G-H)	DC_2A_n261A DC_66A_n261A DC_2A_n261G DC_66A_n261G DC_2A_n261H DC_66A_n261H		
DC_2A-66A_n261(G-I)	DC_2A_n261A DC_66A_n261A DC_2A_n261G DC_66A_n261G DC_2A_n261H DC_66A_n261H DC_2A_n261I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_66A_n261I		
DC_2A-66A_n261(G-J)	DC_2A_n261A DC_66A_n261A DC_2A_n261G DC_66A_n261G DC_2A_n261H DC_66A_n261H DC_2A_n261I DC_66A_n261I		
DC_2A-66A_n261(H-I)	DC_2A_n261A DC_66A_n261A DC_2A_n261G DC_66A_n261G DC_2A_n261H DC_66A_n261H DC_2A_n261I DC_66A_n261I		
DC_2A-71A_n257A	DC_2A_n257A DC_71A_n257A		
DC_2A-71A_n257G	DC_2A_n257A DC_2A_n257G DC_71A_n257A DC_71A_n257G		
DC_2A-71A_n257H	DC_2A_n257A DC_2A_n257G DC_71A_n257A DC_71A_n257G		
DC_2A-71A_n257I	DC_2A_n257A DC_2A_n257G DC_71A_n257A DC_71A_n257G		
DC_2A-71A_n257J	DC_2A_n257A DC_2A_n257G DC_71A_n257A DC_71A_n257G		
DC_2A-71A_n257K	DC_2A_n257A DC_2A_n257G DC_71A_n257A DC_71A_n257G		
DC_2A-71A_n257L	DC_2A_n257A DC_2A_n257G DC_71A_n257A DC_71A_n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_2A-71A_n257M	DC_2A_n257A DC_2A_n257G DC_71A_n257A DC_71A_n257G		
DC_2A-71A_n258A	DC_2A_n258A DC_71A_n258A		
DC_2A-71A_n258G	DC_2A_n258A DC_2A_n258G DC_71A_n258A DC_71A_n258G		
DC_2A-71A_n258H	DC_2A_n258A DC_2A_n258G DC_71A_n258A DC_71A_n258G		
DC_2A-71A_n258I	DC_2A_n258A DC_2A_n258G DC_71A_n258A DC_71A_n258G		
DC_2A-71A_n258J	DC_2A_n258A DC_2A_n258G DC_71A_n258A DC_71A_n258G		
DC_2A-71A_n258K	DC_2A_n258A DC_2A_n258G DC_71A_n258A DC_71A_n258G		
DC_2A-71A_n258L	DC_2A_n258A DC_2A_n258G DC_71A_n258A DC_71A_n258G		
DC_2A-71A_n258M	DC_2A_n258A DC_2A_n258G DC_71A_n258A DC_71A_n258G		
DC_2A-71A_n260A	DC_2A_n260A DC_71A_n260A		
DC_2A-71A_n260G	DC_2A_n260A DC_2A_n260G DC_71A_n260A DC_71A_n260G		
DC_2A-71A_n260H	DC_2A_n260A DC_2A_n260G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_71A_n260A DC_71A_n260G		
DC_2A-71A_n260I	DC_2A_n260A DC_2A_n260G DC_71A_n260A DC_71A_n260G		
DC_2A-71A_n260J	DC_2A_n260A DC_2A_n260G DC_71A_n260A DC_71A_n260G		
DC_2A-71A_n260K	DC_2A_n260A DC_2A_n260G DC_71A_n260A DC_71A_n260G		
DC_2A-71A_n260L	DC_2A_n260A DC_2A_n260G DC_71A_n260A DC_71A_n260G		
DC_2A-71A_n260M	DC_2A_n260A DC_2A_n260G DC_71A_n260A DC_71A_n260G		
DC_2A-71A_n260O	DC_2A_n260A DC_2A_n260O DC_71A_n260A DC_71A_n260O		
DC_2A-71A_n260P	DC_2A_n260A DC_2A_n260O DC_71A_n260A DC_71A_n260O		
DC_2A-71A_n260Q	DC_2A_n260A DC_2A_n260O DC_71A_n260A DC_71A_n260O		
DC_2A-71A_n261A	DC_2A_n261A DC_71A_n261A		
DC_2A-71A_n261G	DC_2A_n261A DC_2A_n261G DC_71A_n261A DC_71A_n261G		
DC_2A-71A_n261H	DC_2A_n261A DC_2A_n261G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_71A_n261A DC_71A_n261G		
DC_2A-71A_n261I	DC_2A_n261A DC_2A_n261G DC_71A_n261A DC_71A_n261G		
DC_2A-71A_n261J	DC_2A_n261A DC_2A_n261G DC_71A_n261A DC_71A_n261G		
DC_2A-71A_n261K	DC_2A_n261A DC_2A_n261G DC_71A_n261A DC_71A_n261G		
DC_2A-71A_n261L	DC_2A_n261A DC_2A_n261G DC_71A_n261A DC_71A_n261G		
DC_2A-71A_n261M	DC_2A_n261A DC_2A_n261G DC_71A_n261A DC_71A_n261G		
DC_2A-71A_n261O	DC_2A_n261A DC_2A_n261O DC_71A_n261A DC_71A_n261O		
DC_2A-71A_n261P	DC_2A_n261A DC_2A_n261O DC_71A_n261A DC_71A_n261O		
DC_2A-71A_n261Q	DC_2A_n261A DC_2A_n261O DC_71A_n261A DC_71A_n261O		
DC_2A_n7A-n258A	DC_2A_n7A DC_2A_n258A		
DC_2A_n7A-n258G	DC_2A_n7A DC_2A_n258A DC_2A_n258G		
DC_2A_n7A-n258H	DC_2A_n7A DC_2A_n258A DC_2A_n258G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_2A_n258H		
DC_2A_n7A-n258I	DC_2A_n7A DC_2A_n258A DC_2A_n258G DC_2A_n258H DC_2A_n258I		
DC_2A_n12A-n258A	DC_2A_n258A DC_2A_n12A		
DC_2A_n12A-n260A	DC_2A_n260A DC_2A_n12A		
DC_2A_n12A-n261A	DC_2A_n261A DC_2A_n12A		
DC_2A_n41A-n260A	DC_2A_n41A		
DC_2A_n41A-n260(2A)	DC_2A_n41A		
DC_2A_n41A-n260(3A)	DC_2A_n41A		
DC_2A_n41A-n260(4A)	DC_2A_n41A		
DC_2A_n41A-n261A	DC_2A_n41A		
DC_2A_n41A-n261(2A)	DC_2A_n41A		
DC_2A_n71A-n261A	DC_2A_n261A DC_2A_n71A		
DC_2A_n71A-n261(2A)	DC_2A_n261A DC_2A_n71A		
DC_3A-3A_n257A	DC_3A_n257A		
DC_3A-3A_n257D	DC_3A_n257A		
DC_3A-3A_n257E	DC_3A_n257A		
DC_3A-3A_n257F	DC_3A_n257A		
DC_3A-3A_n257G	DC_3A_n257A DC_3A_n257G		
DC_3A-3A_n257H	DC_3A_n257A DC_3A_n257G DC_3A_n257H		
DC_3A-3A_n257I	DC_3A_n257A DC_3A_n257G DC_3A_n257H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_3A_n257I		
DC_3A-3A_n257J	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J		
DC_3A-3A_n257K	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K		
DC_3A-3A_n257L	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K		
DC_3A-3A_n257M	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K		
DC_3A-5A_n257A (interBandEnDcSimRxTx)	DC_3A_n257A DC_5A_n257A		
DC_3A-5A_n257D	DC_3A_n257A DC_3A_n257D DC_5A_n257A DC_5A_n257D		
DC_3A-5A_n257E	DC_3A_n257A DC_3A_n257D DC_5A_n257A DC_5A_n257D		
DC_3A-5A_n257F	DC_3A_n257A DC_3A_n257D DC_5A_n257A DC_5A_n257D		
DC_3A-5A_n257G	DC_3A_n257A DC_3A_n257G DC_5A_n257A DC_5A_n257G		
DC_3A-5A_n257H	DC_3A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_3A_n257G DC_3A_n257H DC_5A_n257A DC_5A_n257G DC_5A_n257H		
DC_3A-5A_n257I	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_5A_n257A DC_5A_n257G DC_5A_n257H DC_5A_n257I		
DC_3A-5A_n257J	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_5A_n257A DC_5A_n257G DC_5A_n257H DC_5A_n257I		
DC_3A-5A_n257K	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_5A_n257A DC_5A_n257G DC_5A_n257H DC_5A_n257I		
DC_3A-5A_n257L	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_5A_n257A DC_5A_n257G DC_5A_n257H DC_5A_n257I		
DC_3A-5A_n257M	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_5A_n257A DC_5A_n257G DC_5A_n257H DC_5A_n257I		
DC_3A-7A_n257A (interBandEnDcSimRxTx)	DC_3A_n257A DC_7A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_3A-7A_n257D	DC_3A_n257A DC_3A_n257D DC_7A_n257A DC_7A_n257D		
DC_3A-7A_n257E	DC_3A_n257A DC_3A_n257D DC_7A_n257A DC_7A_n257D		
DC_3A-7A_n257F	DC_3A_n257A DC_3A_n257D DC_7A_n257A DC_7A_n257D		
DC_3A-7A_n257G	DC_3A_n257A DC_3A_n257G DC_7A_n257A DC_7A_n257G		
DC_3A-7A_n257H	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_7A_n257A DC_7A_n257G DC_7A_n257H		
DC_3A-7A_n257I	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I		
DC_3A-7A_n257J	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J		
DC_3A-7A_n257K	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_7A_n257K		
DC_3A-7A_n257L	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_7A_n257K		
DC_3A-7A_n257M	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_7A_n257K		
DC_3A-7A_n258A	DC_3A_n258A DC_7A_n258A		
DC_3A-7A_n258B	DC_3A_n258A DC_7A_n258A		
DC_3A-7A_n258C	DC_3A_n258A DC_7A_n258A		
DC_3A-7A_n258D	DC_3A_n258A DC_3A_n258D DC_7A_n258A DC_7A_n258D		
DC_3A-7A_n258E	DC_3A_n258A DC_3A_n258D DC_3A_n258E DC_7A_n258A DC_7A_n258D DC_7A_n258E		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_3A-7A_n258F	DC_3A_n258A DC_3A_n258D DC_3A_n258E DC_3A_n258F DC_7A_n258A DC_7A_n258D DC_7A_n258E DC_7A_n258F		
DC_3A-7A_n258G	DC_3A_n258A DC_3A_n258G DC_7A_n258A DC_7A_n258G		
DC_3A-7A_n258H	DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_7A_n258A DC_7A_n258G DC_7A_n258H		
DC_3A-7A_n258I	DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I		
DC_3A-7A_n258J	DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I		
DC_3A-7A_n258K	DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I		
DC_3A-7A_n258L	DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I DC_7A_n258A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_7A_n258G DC_7A_n258H DC_7A_n258I		
DC_3A-7A_n258M	DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I		
DC_3A-7C_n258A	DC_3A_n258A DC_7A_n258A DC_7C_n258A		
DC_3A-7C_n258B	DC_3A_n258A DC_7A_n258A DC_7C_n258A		
DC_3A-7C_n258C	DC_3A_n258A DC_7A_n258A DC_7C_n258A		
DC_3A-7C_n258D	DC_3A_n258A DC_3A_n258D DC_7A_n258A DC_7A_n258D DC_7C_n258A DC_7C_n258D		
DC_3A-7C_n258E	DC_3A_n258A DC_3A_n258D DC_3A_n258E DC_7A_n258A DC_7A_n258D DC_7A_n258E DC_7C_n258A DC_7C_n258D DC_7C_n258E		
DC_3A-7C_n258F	DC_3A_n258A DC_3A_n258D DC_3A_n258E DC_3A_n258F DC_7A_n258A DC_7A_n258D DC_7A_n258E DC_7A_n258F DC_7C_n258A DC_7C_n258D DC_7C_n258E		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_7C_n258F		
DC_3A-7C_n258G	DC_3A_n258A DC_3A_n258G DC_7A_n258A DC_7A_n258G DC_7C_n258A DC_7C_n258G		
DC_3A-7C_n258H	DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7C_n258A DC_7C_n258G DC_7C_n258H		
DC_3A-7C_n258I	DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I DC_7C_n258A DC_7C_n258G DC_7C_n258H DC_7C_n258I		
DC_3A-7C_n258J	DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I DC_7C_n258A DC_7C_n258G DC_7C_n258H DC_7C_n258I		
DC_3A-7C_n258K	DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_7C_n258A DC_7C_n258G DC_7C_n258H DC_7C_n258I		
DC_3A-7C_n258L	DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I DC_7C_n258A DC_7C_n258G DC_7C_n258H DC_7C_n258I		
DC_3A-7C_n258M	DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I DC_7C_n258A DC_7C_n258G DC_7C_n258H DC_7C_n258I		
DC_3A-8A_n257A	DC_3A_n257A DC_8A_n257A		
DC_3A-8A_n257D	DC_3A_n257A DC_3A_n257D DC_8A_n257A DC_8A_n257D		
DC_3A-8A_n257E	DC_3A_n257A DC_3A_n257D DC_8A_n257A DC_8A_n257D		
DC_3A-8A_n257F	DC_3A_n257A DC_3A_n257D DC_8A_n257A DC_8A_n257D		
DC_3A-8A_n257G	DC_3A_n257A DC_3A_n257G DC_8A_n257A DC_8A_n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_3A-8A_n257H	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_8A_n257A DC_8A_n257G DC_8A_n257H		
DC_3A-8A_n257I	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I		
DC_3A-8A_n257J	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I		
DC_3A-8A_n257K	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I		
DC_3A-8A_n257L	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I		
DC_3A-8A_n257M	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I		
	DC_3A_n258A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_3A-8A_n258A	DC_8A_n258A		
DC_3A-8A_n258D	DC_3A_n258A DC_8A_n258A		
DC_3A-8A_n258E	DC_3A_n258A DC_8A_n258A		
DC_3A-8A_n258F	DC_3A_n258A DC_8A_n258A		
DC_3A-8A_n258G	DC_3A_n258A DC_8A_n258A		
DC_3A-8A_n258H	DC_3A_n258A DC_8A_n258A		
DC_3A-8A_n258I	DC_3A_n258A DC_8A_n258A		
DC_3A-8A_n258J	DC_3A_n258A DC_8A_n258A		
DC_3A-8A_n258K	DC_3A_n258A DC_8A_n258A		
DC_3A-8A_n258L	DC_3A_n258A DC_8A_n258A		
DC_3A-8A_n258M	DC_3A_n258A DC_8A_n258A		
DC_3A-8B_n257A	DC_3A_n257A DC_8A_n257A		
DC_3A-8B_n257D	DC_3A_n257A DC_3A_n257D DC_8A_n257A DC_8A_n257D		
DC_3A-8B_n257G	DC_3A_n257A DC_3A_n257G DC_8A_n257A DC_8A_n257G		
DC_3A-8B_n257H	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_8A_n257A DC_8A_n257G DC_8A_n257H		
DC_3A-8B_n257I	DC_3A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I		
DC_3A-11A_n257A	DC_3A_n257A DC_11A_n257A		
DC_3A-11A_n257G	DC_3A_n257A DC_3A_n257G DC_11A_n257A DC_11A_n257G		
DC_3A-11A_n257H	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_11A_n257A DC_11A_n257G DC_11A_n257H		
DC_3A-11A_n257I	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_11A_n257A DC_11A_n257G DC_11A_n257H DC_11A_n257I		
DC_3A-18A_n257A	DC_3A_n257A DC_18A_n257A		
DC_3A-18A_n257D	DC_3A_n257A DC_18A_n257A		
DC_3A-18A_n257E	DC_3A_n257A DC_18A_n257A		
DC_3A-18A_n257F	DC_3A_n257A DC_18A_n257A		
DC_3A-18A_n257G	DC_3A_n257A DC_3A_n257G DC_18A_n257A DC_18A_n257G		
DC_3A-18A_n257H	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_18A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_18A_n257G DC_18A_n257H		
DC_3A-18A_n257I	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_18A_n257A DC_18A_n257G DC_18A_n257H DC_18A_n257I		
DC_3A-18A_n257J	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_18A_n257A DC_18A_n257G DC_18A_n257H DC_18A_n257I		
DC_3A-18A_n257K	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_18A_n257A DC_18A_n257G DC_18A_n257H DC_18A_n257I		
DC_3A-18A_n257L	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_18A_n257A DC_18A_n257G DC_18A_n257H DC_18A_n257I		
DC_3A-18A_n257M	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_18A_n257A DC_18A_n257G DC_18A_n257H DC_18A_n257I		
DC_3A-19A_n257A (interBandEnDcSimRxTx)	DC_3A_n257A DC_19A_n257A		
DC_3A-19A_n257D (interBandEnDcSimRxTx)	DC_3A_n257A DC_3A_n257D		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_19A_n257A DC_19A_n257D		
DC_3A-19A_n257E (interBandEnDcSimRxTx)	DC_3A_n257A DC_3A_n257D DC_19A_n257A DC_19A_n257D		
DC_3A-19A_n257F (interBandEnDcSimRxTx)	DC_3A_n257A DC_3A_n257D DC_19A_n257A DC_19A_n257D		
DC_3A-19A_n257G	DC_3A_n257A DC_3A_n257G DC_19A_n257A DC_19A_n257G		
DC_3A-19A_n257H	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_19A_n257A DC_19A_n257G DC_19A_n257H		
DC_3A-19A_n257I	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_19A_n257I		
DC_3A-19A_n257J	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_19A_n257I		
DC_3A-19A_n257K	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_19A_n257A DC_19A_n257G DC_19A_n257H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_19A_n257I		
DC_3A-19A_n257L	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_3A_n257L DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_19A_n257I		
DC_3A-19A_n257M	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_3A_n257L DC_3A_n257M DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_19A_n257I		
DC_3A-21A_n257A (interBandEnDcSimRxTx)	DC_3A_n257A DC_21A_n257A		
DC_3A-21A_n257D (interBandEnDcSimRxTx)	DC_3A_n257A DC_3A_n257D DC_21A_n257A DC_21A_n257D		
DC_3A-21A_n257E (interBandEnDcSimRxTx)	DC_3A_n257A DC_3A_n257D DC_21A_n257A DC_21A_n257D		
DC_3A-21A_n257F (interBandEnDcSimRxTx)	DC_3A_n257A DC_3A_n257D DC_21A_n257A DC_21A_n257D		
DC_3A-21A_n257G	DC_3A_n257A DC_3A_n257G DC_21A_n257A DC_21A_n257G		
DC_3A-21A_n257H	DC_3A_n257A DC_3A_n257G DC_3A_n257H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_21A_n257A DC_21A_n257G DC_21A_n257H		
DC_3A-21A_n257I	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I		
DC_3A-21A_n257J	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I		
DC_3A-21A_n257K	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I		
DC_3A-21A_n257L	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_3A_n257L DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I		
DC_3A-21A_n257M	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_3A_n257L		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_3A_n257M DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I		
DC_3A-26A_n258A	DC_3A_n258A DC_26A_n258A		
DC_3A-26A_n258B	DC_3A_n258A DC_26A_n258A		
DC_3A-26A_n258C	DC_3A_n258A DC_26A_n258A		
DC_3A-26A_n258D	DC_3A_n258A DC_26A_n258A		
DC_3A-26A_n258E	DC_3A_n258A DC_26A_n258A		
DC_3A-26A_n258F	DC_3A_n258A DC_26A_n258A		
DC_3A-26A_n258G	DC_3A_n258A DC_3A_n258G DC_26A_n258A DC_26A_n258G		
DC_3A-26A_n258H	DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_26A_n258A DC_26A_n258G DC_26A_n258H		
DC_3A-26A_n258I	DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I DC_26A_n258A DC_26A_n258G DC_26A_n258H DC_26A_n258I		
DC_3A-26A_n258J	DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I DC_26A_n258A DC_26A_n258G DC_26A_n258H DC_26A_n258I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_3A-26A_n258K	DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I DC_26A_n258A DC_26A_n258G DC_26A_n258H DC_26A_n258I		
DC_3A-26A_n258L	DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I DC_26A_n258A DC_26A_n258G DC_26A_n258H DC_26A_n258I		
DC_3A-26A_n258M	DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I DC_26A_n258A DC_26A_n258G DC_26A_n258H DC_26A_n258I		
DC_3A-28A_n257A (interBandEnDcSimRxTx)	DC_3A_n257A DC_28A_n257A		
DC_3A-28A_n257D (interBandEnDcSimRxTx)	DC_3A_n257A DC_3A_n257D DC_28A_n257A DC_28A_n257D		
DC_3A-28A_n257E (interBandEnDcSimRxTx)	DC_3A_n257A DC_3A_n257D DC_28A_n257A DC_28A_n257D		
DC_3A-28A_n257F (interBandEnDcSimRxTx)	DC_3A_n257A DC_3A_n257D DC_28A_n257A DC_28A_n257D		
DC_3A-28A_n257G	DC_3A_n257A DC_3A_n257G DC_28A_n257A DC_28A_n257G		
DC_3A-28A_n257H	DC_3A_n257A DC_3A_n257G DC_3A_n257H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_28A_n257A DC_28A_n257G DC_28A_n257H		
DC_3A-28A_n257I	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_28A_n257I		
DC_3A-28A_n257J	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_28A_n257I		
DC_3A-28A_n257K	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_28A_n257I		
DC_3A-28A_n257L	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_3A_n257L DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_28A_n257I		
DC_3A-28A_n257M	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_3A_n257L		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_3A_n257M DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_28A_n257I		
DC_3A-28A_n258A	DC_3A_n258A DC_28A_n258A		
DC_3A-28A_n258B	DC_3A_n258A DC_28A_n258A		
DC_3A-28A_n258C	DC_3A_n258A DC_28A_n258A		
DC_3A-28A_n258D	DC_3A_n258A DC_28A_n258A		
DC_3A-28A_n258E	DC_3A_n258A DC_28A_n258A		
DC_3A-28A_n258F	DC_3A_n258A DC_28A_n258A		
DC_3A-28A_n258G	DC_3A_n258A DC_3A_n258G DC_28A_n258A DC_28A_n258G		
DC_3A-28A_n258H	DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_28A_n258A DC_28A_n258G DC_28A_n258H		
DC_3A-28A_n258I	DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I DC_28A_n258A DC_28A_n258G DC_28A_n258H DC_28A_n258I		
DC_3A-28A_n258J	DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I DC_3A_n258J DC_28A_n258A DC_28A_n258G DC_28A_n258H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_28A_n258I DC_28A_n258J		
DC_3A-28A_n258K	DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I DC_3A_n258J DC_3A_n258K DC_28A_n258A DC_28A_n258G DC_28A_n258H DC_28A_n258I DC_28A_n258J DC_28A_n258K		
DC_3A-28A_n258L	DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I DC_3A_n258J DC_3A_n258K DC_3A_n258L DC_28A_n258A DC_28A_n258G DC_28A_n258H DC_28A_n258I DC_28A_n258J DC_28A_n258K DC_28A_n258L		
DC_3A-28A_n258M	DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I DC_3A_n258J DC_3A_n258K DC_3A_n258L DC_3A_n258M DC_28A_n258A DC_28A_n258G DC_28A_n258H DC_28A_n258I DC_28A_n258J DC_28A_n258K DC_28A_n258L DC_28A_n258M		
DC_3A-41A_n257A	DC_3A_n257A DC_41A_n257A		
DC_3A-41A_n257D	DC_3A_n257A DC_41A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_3A-41A_n257E	DC_3A_n257A DC_41A_n257A		
DC_3A-41A_n257F	DC_3A_n257A DC_41A_n257A		
DC_3A-41A_n257G	DC_3A_n257A DC_3A_n257G DC_41A_n257A DC_41A_n257G		
DC_3A-41A_n257H	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_41A_n257A DC_41A_n257G DC_41A_n257H		
DC_3A-41A_n257I	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I		
DC_3A-41A_n257J	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I		
DC_3A-41A_n257K	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_3A-41A_n257L	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I		
DC_3A-41A_n257M	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I		
DC_3A-41C_n257A	DC_3A_n257A DC_41A_n257A DC_41C_n257A		
DC_3A-41C_n257D	DC_3A_n257A DC_41A_n257A DC_41C_n257A		
DC_3A-41C_n257E	DC_3A_n257A DC_41A_n257A DC_41C_n257A		
DC_3A-41C_n257F	DC_3A_n257A DC_41A_n257A DC_41C_n257A		
DC_3A-41C_n257G	DC_3A_n257A DC_3A_n257G DC_41A_n257A DC_41A_n257G DC_41C_n257A DC_41C_n257G		
DC_3A-41C_n257H	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41C_n257A DC_41C_n257G DC_41C_n257H		
DC_3A-41C_n257I	DC_3A_n257A DC_3A_n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_3A_n257H DC_3A_n257I DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_41C_n257I		
DC_3A-41C_n257J	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_41C_n257I		
DC_3A-41C_n257K	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_41C_n257I		
DC_3A-41C_n257L	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_41C_n257I		
DC_3A-41C_n257M	DC_3A_n257A DC_3A_n257G DC_3A_n257H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_3A_n257I DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_41C_n257I		
DC_3A-42A_n257A (interBandEnDcSimRxTx)	DC_3A_n257A DC_42A_n257A		
DC_3A-42A_n257D (interBandEnDcSimRxTx)	DC_3A_n257A DC_3A_n257D DC_42A_n257A DC_42A_n257D		
DC_3A-42A_n257E (interBandEnDcSimRxTx)	DC_3A_n257A DC_3A_n257D DC_42A_n257A DC_42A_n257D		
DC_3A-42A_n257F (interBandEnDcSimRxTx)	DC_3A_n257A DC_3A_n257D DC_42A_n257A DC_42A_n257D		
DC_3A-42A_n257G	DC_3A_n257A DC_3A_n257G DC_42A_n257A DC_42A_n257G		
DC_3A-42A_n257H	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H		
DC_3A-42A_n257I	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_3A-42A_n257J	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_3A_n257J DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_3A-42A_n257K	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_3A-42A_n257L	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_3A_n257L DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_3A-42A_n257M	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_3A_n257L DC_3A_n257M DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_3A-42C_n257A (interBandEnDcSimRxTx)	DC_3A_n257A DC_42A_n257A DC_42C_n257A		
DC_3A-42C_n257D (interBandEnDcSimRxTx)	DC_3A_n257A DC_3A_n257D DC_42A_n257A DC_42A_n257D DC_42C_n257A		
	DC_3A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_3A-42C_n257E (interBandEnDcSimRxTx)	DC_3A_n257D DC_42A_n257A DC_42A_n257D DC_42C_n257A		
DC_3A-42C_n257F (interBandEnDcSimRxTx)	DC_3A_n257A DC_3A_n257D DC_42A_n257A DC_42A_n257D DC_42C_n257A		
DC_3A-42C_n257G	DC_3A_n257A DC_3A_n257G DC_42A_n257A DC_42A_n257G DC_42C_n257A DC_42C_n257G		
DC_3A-42C_n257H	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42C_n257A DC_42C_n257G DC_42C_n257H		
DC_3A-42C_n257I	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_3A-42C_n257J	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_42C_n257I		
DC_3A-42C_n257K	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_3A-42C_n257L	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_3A_n257L DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_3A-42C_n257M	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_3A_n257L DC_3A_n257M DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_3A-42D_n257A (interBandEnDcSimRxTx)	DC_3A_n257A DC_42A_n257A DC_42C_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_3A-42D_n257D	DC_3A_n257A DC_3A_n257D DC_42A_n257A DC_42A_n257D DC_42C_n257A		
DC_3A-42D_n257E	DC_3A_n257A DC_3A_n257D DC_42A_n257A DC_42A_n257D DC_42C_n257A		
DC_3A-42D_n257F	DC_3A_n257A DC_3A_n257D DC_42A_n257A DC_42A_n257D DC_42C_n257A		
DC_3A-42D_n257G	DC_3A_n257A DC_3A_n257G DC_42A_n257A DC_42A_n257G DC_42C_n257A DC_42C_n257G		
DC_3A-42D_n257H	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42C_n257A DC_42C_n257G DC_42C_n257H		
DC_3A-42D_n257I	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_3A-42D_n257J	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_3A-42D_n257K	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_3A-42D_n257L	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_3A_n257L DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_3A-42D_n257M	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_3A_n257L DC_3A_n257M DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_3A-42E_n257A (interBandEnDcSimRxTx)	DC_3A_n257A DC_42A_n257A DC_42C_n257A		
DC_3A-42E_n257D	DC_3A_n257A DC_3A_n257D DC_42A_n257A DC_42A_n257D DC_42C_n257A		
DC_3A-42E_n257E	DC_3A_n257A DC_3A_n257D DC_42A_n257A DC_42A_n257D DC_42C_n257A		
DC_3A-42E_n257F	DC_3A_n257A DC_3A_n257D DC_42A_n257A DC_42A_n257D DC_42C_n257A		
DC_3A-42E_n257G	DC_3A_n257A DC_3A_n257G DC_42A_n257A DC_42A_n257G DC_42C_n257A DC_42C_n257G		
DC_3A-42E_n257H	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42C_n257A DC_42C_n257G DC_42C_n257H		
DC_3A-42E_n257I	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_42C_n257H DC_42C_n257I		
DC_3A-42E_n257J	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_3A-42E_n257K	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_3A-42E_n257L	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_3A_n257L DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_3A-42E_n257M	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_3A_n257K DC_3A_n257L DC_3A_n257M DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_3A_n1A-n257A (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A		
DC_3A_n1A-n257D (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A		
DC_3A_n1A-n257E (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A		
DC_3A_n1A-n257F (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A		
DC_3A_n1A-n257G (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A DC_3A_n257G		
DC_3A_n1A-n257H (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A DC_3A_n257G DC_3A_n257H		
DC_3A_n1A-n257I (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I		
DC_3A_n1A-n257J (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J		
DC_3A_n1A-n257K (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_3A_n1A-n257L (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K		
DC_3A_n1A-n257M (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K		
DC_3A_n1A-n258A	DC_3A_n1A DC_3A_n258A		
DC_3A_n5A-n258A	DC_3A_n5A DC_3A_n258A		
DC_3A_n8A-n257A	DC_3A_n8A DC_3A_n257A		
DC_3A_n8A-n257G	DC_3A_n8A DC_3A_n257A DC_3A_n257G		
DC_3A_n8A-n257H	DC_3A_n8A DC_3A_n257A DC_3A_n257G DC_3A_n257H		
DC_3A_n8A-n257I	DC_3A_n8A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I		
DC_3A_n8A-n257J	DC_3A_n8A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J		
DC_3A_n8A-n257K	DC_3A_n8A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_3A_n257K		
DC_3A_n8A-n257L	DC_3A_n8A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K		
DC_3A_n8A-n257M	DC_3A_n8A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K		
DC_3A_n28A-n257A (interBandEnDcSimRxTx)	DC_3A_n28A DC_3A_n257A		
DC_3A_n28A-n257G (interBandEnDcSimRxTx)	DC_3A_n28A DC_3A_n257A DC_3A_n257G		
DC_3A_n28A-n257H (interBandEnDcSimRxTx)	DC_3A_n28A DC_3A_n257A DC_3A_n257G DC_3A_n257H		
DC_3A_n28A-n257I (interBandEnDcSimRxTx)	DC_3A_n28A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I		
DC_3A_n34A-n258A	DC_3A_n34A DC_3A_n258A DC_3A_n34A-n258A		
DC_3A_n38A-n257A	DC_3A_n38A DC_3A_n257A		
DC_3A_n38A-n257G	DC_3A_n38A DC_3A_n257A DC_3A_n257G		
DC_3A_n38A-n257H	DC_3A_n38A DC_3A_n257A DC_3A_n257G DC_3A_n257H		
DC_3A_n38A-n257I	DC_3A_n38A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I		
DC_3A_n40A-n258A	DC_3A_n40A DC_3A_n258A DC_3A_n40A-n258A		
DC_3A_n40A-n258D	DC_3A_n40A DC_3A_n258A DC_3A_n40A-n258A		
DC_3A_n40A-n258E	DC_3A_n40A DC_3A_n258A DC_3A_n40A-n258A		
DC_3A_n40A-n258F	DC_3A_n40A DC_3A_n258A DC_3A_n40A-n258A		
DC_3A_n40A-n258G	DC_3A_n40A DC_3A_n258A DC_3A_n40A-n258A		
DC_3A_n40A-n258H	DC_3A_n40A DC_3A_n258A DC_3A_n40A-n258A		
DC_3A_n40A-n258I	DC_3A_n40A DC_3A_n258A DC_3A_n40A-n258A		
DC_3A_n40A-n258J	DC_3A_n40A DC_3A_n258A DC_3A_n40A-n258A		
DC_3A_n40A-n258K	DC_3A_n40A DC_3A_n258A DC_3A_n40A-n258A		
DC_3A_n40A-n258L	DC_3A_n40A DC_3A_n258A DC_3A_n40A-n258A		
DC_3A_n40A-n258M	DC_3A_n40A DC_3A_n258A DC_3A_n40A-n258A		
DC_3A_n41A-n258A	DC_3A_n41A-n258A		
DC_3A_n77A-n257A (interBandEnDcSimRxTx)	DC_3A_n77A DC_3A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_3A_n77A-n257A		
DC_3A_n77A-n257D (interBandEnDcSimRxTx)	DC_3A_n77A DC_3A_n257A DC_3A_n257D DC_3A_n77A-n257A		
DC_3A_n77A-n257E (interBandEnDcSimRxTx)	DC_3A_n77A DC_3A_n257A DC_3A_n257D DC_3A_n77A-n257A		
DC_3A_n77A-n257F (interBandEnDcSimRxTx)	DC_3A_n77A DC_3A_n257A DC_3A_n257D DC_3A_n77A-n257A		
DC_3A_n77A-n257G (interBandEnDcSimRxTx)	DC_3A_n77A DC_3A_n257A DC_3A_n257G DC_3A_n77A-n257A DC_3A_n77A-n257G		
DC_3A_n77A-n257H (interBandEnDcSimRxTx)	DC_3A_n77A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n77A-n257A DC_3A_n77A-n257G DC_3A_n77A-n257H		
DC_3A_n77A-n257I (interBandEnDcSimRxTx)	DC_3A_n77A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n77A-n257A DC_3A_n77A-n257G DC_3A_n77A-n257H DC_3A_n77A-n257I		
DC_3A_n77A-n257J	DC_3A_n77A DC_3A_n257A		
DC_3A_n77A-n257K	DC_3A_n77A DC_3A_n257A		
DC_3A_n77A-n257L	DC_3A_n77A DC_3A_n257A		
DC_3A_n77A-n257M	DC_3A_n77A DC_3A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_3A_n77A-n258A	DC_3A_n77A DC_3A_n258A DC_3A_n77A-n258A		
DC_3A_n77C-n257A (interBandEnDcSimRxTx)	DC_3A_n77A DC_3A_n257A DC_3A_n77A-n257A		
DC_3A_n77C-n257D (interBandEnDcSimRxTx)	DC_3A_n77A DC_3A_n257A DC_3A_n257D DC_3A_n77A-n257A		
DC_3A_n77C-n257E (interBandEnDcSimRxTx)	DC_3A_n77A DC_3A_n257A DC_3A_n257D DC_3A_n77A-n257A		
DC_3A_n77C-n257F (interBandEnDcSimRxTx)	DC_3A_n77A DC_3A_n257A DC_3A_n257D DC_3A_n77A-n257A		
DC_3A_n77(2A)-n257A	DC_3A_n77A DC_3A_n257A		
DC_3A_n77(2A)-n257D	DC_3A_n77A DC_3A_n257A		
DC_3A_n77(2A)-n257G	DC_3A_n77A DC_3A_n257A DC_3A_n257G		
DC_3A_n77(2A)-n257H	DC_3A_n77A DC_3A_n257A DC_3A_n257G DC_3A_n257H		
DC_3A_n77(2A)-n257I	DC_3A_n77A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I		
DC_3A_n77(2A)-n257J	DC_3A_n77A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I		
DC_3A_n77(2A)-n257K	DC_3A_n77A DC_3A_n257A DC_3A_n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_3A_n257H DC_3A_n257I		
DC_3A_n77(2A)-n257L	DC_3A_n77A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I		
DC_3A_n77(2A)-n257M	DC_3A_n77A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I		
DC_3A_n78A-n257A (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A DC_3A_n78A-n257A		
DC_3A_n78A-n257D (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A DC_3A_n257D DC_3A_n78A-n257A		
DC_3A_n78A-n257E (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A DC_3A_n257D DC_3A_n78A-n257A		
DC_3A_n78A-n257F (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A DC_3A_n257D DC_3A_n78A-n257A		
DC_3A_n78A-n257G (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n78A-n257A DC_3A_n78A-n257G		
DC_3A_n78A-n257H (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H		
DC_3A_n78A-n257I (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I		
DC_3A_n78A-n257J (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I		
DC_3A_n78A-n257K (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I		
DC_3A_n78A-n257L (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I		
DC_3A_n78A-n257M (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I		
DC_3A_n78A-n258A	DC_3A_n78A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_3A_n258A		
DC_3A_n78A-n258D	DC_3A_n78A DC_3A_n258A		
DC_3A_n78A-n258E	DC_3A_n78A DC_3A_n258A		
DC_3A_n78A-n258F	DC_3A_n78A DC_3A_n258A		
DC_3A_n78A-n258G	DC_3A_n78A DC_3A_n258A DC_3A_n258G		
DC_3A_n78A-n258H	DC_3A_n78A DC_3A_n258A DC_3A_n258G DC_3A_n258H		
DC_3A_n78A-n258I	DC_3A_n78A DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I		
DC_3A_n78A-n258J	DC_3A_n78A DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I DC_3A_n258J		
DC_3A_n78A-n258K	DC_3A_n78A DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I DC_3A_n258J DC_3A_n258K		
DC_3A_n78A-n258L	DC_3A_n78A DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I DC_3A_n258J DC_3A_n258K		
DC_3A_n78A-n258M	DC_3A_n78A DC_3A_n258A DC_3A_n258G DC_3A_n258H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_3A_n258I DC_3A_n258J DC_3A_n258K		
DC_3A_n78C-n257A (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A DC_3A_n78A-n257A		
DC_3A_n78C-n257D (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A DC_3A_n257D DC_3A_n78A-n257A		
DC_3A_n78C-n257E (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A DC_3A_n257D DC_3A_n78A-n257A		
DC_3A_n78C-n257F (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A DC_3A_n257D DC_3A_n78A-n257A		
DC_3A_n78C-n257G	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n78A-n257A DC_3A_n78A-n257G		
DC_3A_n78C-n257H	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H		
DC_3A_n78C-n257I	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I		
DC_3A_n78C-n257J	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I		
DC_3A_n78C-n257K	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I		
DC_3A_n78C-n257L	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I		
DC_3A_n78C-n257M	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I		
DC_3A_n79A-n257A (interBandEnDcSimRxTx)	DC_3A_n79A DC_3A_n257A DC_3A_n79A-n257A		
DC_3A_n79A-n257D (interBandEnDcSimRxTx)	DC_3A_n79A DC_3A_n257A DC_3A_n79A-n257A		
DC_3A_n79A-n257E (interBandEnDcSimRxTx)	DC_3A_n79A DC_3A_n257A DC_3A_n79A-n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_3A_n79A-n257F (interBandEnDcSimRxTx)	DC_3A_n79A DC_3A_n257A DC_3A_n79A-n257A		
DC_3A_n79A-n257G (interBandEnDcSimRxTx)	DC_3A_n79A DC_3A_n257A DC_3A_n257G DC_3A_n79A-n257A DC_3A_n79A-n257G		
DC_3A_n79A-n257H (interBandEnDcSimRxTx)	DC_3A_n79A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n79A-n257A DC_3A_n79A-n257G DC_3A_n79A-n257H		
DC_3A_n79A-n257I (interBandEnDcSimRxTx)	DC_3A_n79A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n79A-n257A DC_3A_n79A-n257G DC_3A_n79A-n257H DC_3A_n79A-n257I		
DC_3A_n79A-n258A	DC_3A_n79A DC_3A_n258A DC_3A_n79A-n258A		
DC_3A_n79A-n258D	DC_3A_n79A DC_3A_n258A DC_3A_n79A-n258A		
DC_3A_n79A-n258E	DC_3A_n79A DC_3A_n258A DC_3A_n79A-n258A		
DC_3A_n79A-n258F	DC_3A_n79A DC_3A_n258A DC_3A_n79A-n258A		
DC_3A_n79A-n258G	DC_3A_n79A DC_3A_n258A DC_3A_n79A-n258A		
DC_3A_n79A-n258H	DC_3A_n79A DC_3A_n258A DC_3A_n79A-n258A		
	DC_3A_n79A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_3A_n79A-n258I	DC_3A_n258A DC_3A_n79A-n258A		
DC_3A_n79A-n258J	DC_3A_n79A DC_3A_n258A DC_3A_n79A-n258A		
DC_3A_n79A-n258K	DC_3A_n79A DC_3A_n258A DC_3A_n79A-n258A		
DC_3A_n79A-n258L	DC_3A_n79A DC_3A_n258A DC_3A_n79A-n258A		
DC_3A_n79C-n257A (interBandEnDcSimRxTx)	DC_3A_n79A DC_3A_n257A DC_3A_n79A-n257A		
DC_3A_n79C-n257D (interBandEnDcSimRxTx)	DC_3A_n79A DC_3A_n257A DC_3A_n79A-n257A		
DC_3A_n79C-n257E (interBandEnDcSimRxTx)	DC_3A_n79A DC_3A_n257A DC_3A_n79A-n257A		
DC_3A_n79C-n257F (interBandEnDcSimRxTx)	DC_3A_n79A DC_3A_n257A DC_3A_n79A-n257A		
DC_3A_n105A-n257A	DC_3A_n105A DC_3A_n257A		
DC_3A_n105A-n258A	DC_3A_n105A DC_3A_n258A		
DC_3C-7A_n258A	DC_3A_n258A DC_3C_n258A DC_7A_n258A		
DC_3C-7A_n258B	DC_3A_n258A DC_3C_n258A DC_7A_n258A		
DC_3C-7A_n258C	DC_3A_n258A DC_3C_n258A DC_7A_n258A		
DC_3C-7A_n258D	DC_3A_n258A DC_3A_n258D DC_3C_n258A DC_3C_n258D		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_7A_n258A DC_7A_n258D		
DC_3C-7A_n258E	DC_3A_n258A DC_3A_n258D DC_3A_n258E DC_3C_n258A DC_3C_n258D DC_3C_n258E DC_7A_n258A DC_7A_n258D DC_7A_n258E		
DC_3C-7A_n258F	DC_3A_n258A DC_3A_n258D DC_3A_n258E DC_3A_n258F DC_3C_n258A DC_3C_n258D DC_3C_n258E DC_3C_n258F DC_7A_n258A DC_7A_n258D DC_7A_n258E DC_7A_n258F		
DC_3C-7A_n258G	DC_3A_n258A DC_3A_n258G DC_3C_n258A DC_3C_n258G DC_7A_n258A DC_7A_n258G		
DC_3C-7A_n258H	DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3C_n258A DC_3C_n258G DC_3C_n258H DC_7A_n258A DC_7A_n258G DC_7A_n258H		
DC_3C-7A_n258I	DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I DC_3C_n258A DC_3C_n258G DC_3C_n258H DC_3C_n258I DC_7A_n258A DC_7A_n258G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_7A_n258H DC_7A_n258I		
DC_3C-7A_n258J	DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I DC_3C_n258A DC_3C_n258G DC_3C_n258H DC_3C_n258I DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I		
DC_3C-7A_n258K	DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I DC_3C_n258A DC_3C_n258G DC_3C_n258H DC_3C_n258I DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I		
DC_3C-7A_n258L	DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I DC_3C_n258A DC_3C_n258G DC_3C_n258H DC_3C_n258I DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I		
DC_3C-7A_n258M	DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I DC_3C_n258A DC_3C_n258G DC_3C_n258H DC_3C_n258I DC_7A_n258A DC_7A_n258G DC_7A_n258H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_7A_n258I		
DC_3C-7C_n258A	DC_3A_n258A DC_3C_n258A DC_7A_n258A DC_7C_n258A		
DC_3C-7C_n258B	DC_3A_n258A DC_3C_n258A DC_7A_n258A DC_7C_n258A		
DC_3C-7C_n258C	DC_3A_n258A DC_3C_n258A DC_7A_n258A DC_7C_n258A		
DC_3C-7C_n258D	DC_3A_n258A DC_3A_n258D DC_3C_n258A DC_3C_n258D DC_7A_n258A DC_7A_n258D DC_7C_n258A DC_7C_n258D		
DC_3C-7C_n258E	DC_3A_n258A DC_3A_n258D DC_3A_n258E DC_3C_n258A DC_3C_n258D DC_3C_n258E DC_7A_n258A DC_7A_n258D DC_7A_n258E DC_7C_n258A DC_7C_n258D DC_7C_n258E		
DC_3C-7C_n258F	DC_3A_n258A DC_3A_n258D DC_3A_n258E DC_3A_n258F DC_3C_n258A DC_3C_n258D DC_3C_n258E DC_3C_n258F DC_7A_n258A DC_7A_n258D DC_7A_n258E DC_7A_n258F DC_7C_n258A DC_7C_n258D		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_7C_n258E DC_7C_n258F		
DC_3C-7C_n258G	DC_3A_n258A DC_3A_n258G DC_3C_n258A DC_3C_n258G DC_7A_n258A DC_7A_n258G DC_7C_n258A DC_7C_n258G		
DC_3C-7C_n258H	DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3C_n258A DC_3C_n258G DC_3C_n258H DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7C_n258A DC_7C_n258G DC_7C_n258H		
DC_3C-7C_n258I	DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I DC_3C_n258A DC_3C_n258G DC_3C_n258H DC_3C_n258I DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I DC_7C_n258A DC_7C_n258G DC_7C_n258H DC_7C_n258I		
DC_3C-7C_n258J	DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I DC_3C_n258A DC_3C_n258G DC_3C_n258H DC_3C_n258I DC_7A_n258A DC_7A_n258G DC_7A_n258H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_7A_n258I DC_7C_n258A DC_7C_n258G DC_7C_n258H DC_7C_n258I		
DC_3C-7C_n258K	DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I DC_3C_n258A DC_3C_n258G DC_3C_n258H DC_3C_n258I DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I DC_7C_n258A DC_7C_n258G DC_7C_n258H DC_7C_n258I		
DC_3C-7C_n258L	DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I DC_3C_n258A DC_3C_n258G DC_3C_n258H DC_3C_n258I DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I DC_7C_n258A DC_7C_n258G DC_7C_n258H DC_7C_n258I		
DC_3C-7C_n258M	DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I DC_3C_n258A DC_3C_n258G DC_3C_n258H DC_3C_n258I DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I DC_7C_n258A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_7C_n258G DC_7C_n258H DC_7C_n258I		
DC_3C-8A_n257A	DC_3A_n257A DC_8A_n257A		
DC_3C-8A_n257D	DC_3A_n257A DC_3A_n257D DC_8A_n257A DC_8A_n257D		
DC_3C-8A_n257E	DC_3A_n257A DC_3A_n257D DC_8A_n257A DC_8A_n257D		
DC_3C-8A_n257F	DC_3A_n257A DC_3A_n257D DC_8A_n257A DC_8A_n257D		
DC_3C-8A_n257G	DC_3A_n257A DC_3A_n257G DC_8A_n257A DC_8A_n257G		
DC_3C-8A_n257H	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_8A_n257A DC_8A_n257G DC_8A_n257H		
DC_3C-8A_n257I	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I		
DC_3C-8A_n257J	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I		
DC_3C-8A_n257K	DC_3A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I		
DC_3C-8A_n257L	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I		
DC_3C-8A_n257M	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I		
DC_3C-28A_n258A	DC_3A_n258A DC_28A_n258A		
DC_3C-28A_n258B	DC_3A_n258A DC_28A_n258A		
DC_3C-28A_n258C	DC_3A_n258A DC_28A_n258A		
DC_3C-28A_n258D	DC_3A_n258A DC_28A_n258A		
DC_3C-28A_n258E	DC_3A_n258A DC_28A_n258A		
DC_3C-28A_n258F	DC_3A_n258A DC_28A_n258A		
DC_3C-28A_n258G	DC_3A_n258A DC_3A_n258G DC_28A_n258A DC_28A_n258G		
DC_3C-28A_n258H	DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_28A_n258A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_28A_n258G DC_28A_n258H		
DC_3C-28A_n258I	DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I DC_28A_n258A DC_28A_n258G DC_28A_n258H DC_28A_n258I		
DC_3C-28A_n258J	DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I DC_3A_n258J DC_28A_n258A DC_28A_n258G DC_28A_n258H DC_28A_n258I DC_28A_n258J		
DC_3C-28A_n258K	DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I DC_3A_n258J DC_3A_n258K DC_28A_n258A DC_28A_n258G DC_28A_n258H DC_28A_n258I DC_28A_n258J DC_28A_n258K		
DC_3C-28A_n258L	DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I DC_3A_n258J DC_3A_n258K DC_3A_n258L DC_28A_n258A DC_28A_n258G DC_28A_n258H DC_28A_n258I DC_28A_n258J DC_28A_n258K DC_28A_n258L		
DC_3C-28A_n258M	DC_3A_n258A DC_3A_n258G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_3A_n258H DC_3A_n258I DC_3A_n258J DC_3A_n258K DC_3A_n258L DC_3A_n258M DC_28A_n258A DC_28A_n258G DC_28A_n258H DC_28A_n258I DC_28A_n258J DC_28A_n258K DC_28A_n258L DC_28A_n258M		
DC_3C_n78A-n257A (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A		
DC_3C_n78A-n257D (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A		
DC_3C_n78A-n257E (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A		
DC_3C_n78A-n257F (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A		
DC_3C_n78A-n257G (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A		
DC_3C_n78A-n257H (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A		
DC_3C_n78A-n257I (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A		
DC_3C_n78A-n257J (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A		
DC_3C_n78A-n257K (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A		
DC_3C_n78A-n257L (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A		
DC_3C_n78A-n257M (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A		
DC_5A-5A_n257A	DC_5A_n257A		
DC_5A-5A_n260A	DC_5A_n260A		
DC_5A-7A_n257A (interBandEnDcSimRxTx)	DC_5A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_7A_n257A		
DC_5A-7A_n257D	DC_5A_n257A DC_5A_n257D DC_7A_n257A DC_7A_n257D		
DC_5A-7A_n257E	DC_5A_n257A DC_5A_n257D DC_7A_n257A DC_7A_n257D		
DC_5A-7A_n257F	DC_5A_n257A DC_5A_n257D DC_7A_n257A DC_7A_n257D		
DC_5A-7A_n257G	DC_5A_n257A DC_5A_n257G DC_7A_n257A DC_7A_n257G		
DC_5A-7A_n257H	DC_5A_n257A DC_5A_n257G DC_5A_n257H DC_7A_n257A DC_7A_n257G DC_7A_n257H		
DC_5A-7A_n257I	DC_5A_n257A DC_5A_n257G DC_5A_n257H DC_5A_n257I DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I		
DC_5A-7A_n257J	DC_5A_n257A DC_5A_n257G DC_5A_n257H DC_5A_n257I DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I		
DC_5A-7A_n257K	DC_5A_n257A DC_5A_n257G DC_5A_n257H DC_5A_n257I DC_7A_n257A DC_7A_n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_7A_n257H DC_7A_n257I		
DC_5A-7A_n257L	DC_5A_n257A DC_5A_n257G DC_5A_n257H DC_5A_n257I DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I		
DC_5A-7A_n257M	DC_5A_n257A DC_5A_n257G DC_5A_n257H DC_5A_n257I DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I		
DC_5A-7A_n258A	DC_5A_n258A DC_7A_n258A		
DC_5A-7A_n258G	DC_5A_n258A DC_5A_n258G DC_7A_n258A DC_7A_n258G		
DC_5A-7A_n258H	DC_5A_n258A DC_5A_n258G DC_7A_n258A DC_7A_n258G		
DC_5A-7A_n258I	DC_5A_n258A DC_5A_n258G DC_7A_n258A DC_7A_n258G		
DC_5A-7A_n258J	DC_5A_n258A DC_5A_n258G DC_7A_n258A DC_7A_n258G		
DC_5A-7A_n258K	DC_5A_n258A DC_5A_n258G DC_7A_n258A DC_7A_n258G		
DC_5A-7A_n258L	DC_5A_n258A DC_5A_n258G DC_7A_n258A DC_7A_n258G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_5A-7A_n258M	DC_5A_n258A DC_5A_n258G DC_7A_n258A DC_7A_n258G		
DC_5A-7A_n260A	DC_5A_n260A DC_7A_n260A		
DC_5A-7A_n260G	DC_5A_n260A DC_5A_n260G DC_7A_n260A DC_7A_n260G		
DC_5A-7A_n260H	DC_5A_n260A DC_5A_n260G DC_7A_n260A DC_7A_n260G		
DC_5A-7A_n260I	DC_5A_n260A DC_5A_n260G DC_7A_n260A DC_7A_n260G		
DC_5A-7A_n260J	DC_5A_n260A DC_5A_n260G DC_7A_n260A DC_7A_n260G		
DC_5A-7A_n260K	DC_5A_n260A DC_5A_n260G DC_7A_n260A DC_7A_n260G		
DC_5A-7A_n260L	DC_5A_n260A DC_5A_n260G DC_7A_n260A DC_7A_n260G		
DC_5A-7A_n260M	DC_5A_n260A DC_5A_n260G DC_7A_n260A DC_7A_n260G		
DC_5A-7A_n260O	DC_5A_n260A DC_5A_n260O DC_7A_n260A DC_7A_n260O		
DC_5A-7A_n260P	DC_5A_n260A DC_5A_n260O DC_7A_n260A DC_7A_n260O		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_5A-7A_n260Q	DC_5A_n260A DC_5A_n260O DC_7A_n260A DC_7A_n260O		
DC_5A-7A_n261A	DC_5A_n261A DC_7A_n261A		
DC_5A-7A_n261G	DC_5A_n261A DC_5A_n261G DC_7A_n261A DC_7A_n261G		
DC_5A-7A_n261H	DC_5A_n261A DC_5A_n261G DC_7A_n261A DC_7A_n261G		
DC_5A-7A_n261I	DC_5A_n261A DC_5A_n261G DC_7A_n261A DC_7A_n261G		
DC_5A-7A_n261J	DC_5A_n261A DC_5A_n261G DC_7A_n261A DC_7A_n261G		
DC_5A-7A_n261K	DC_5A_n261A DC_5A_n261G DC_7A_n261A DC_7A_n261G		
DC_5A-7A_n261L	DC_5A_n261A DC_5A_n261G DC_7A_n261A DC_7A_n261G		
DC_5A-7A_n261M	DC_5A_n261A DC_5A_n261G DC_7A_n261A DC_7A_n261G		
DC_5A-7A_n261O	DC_5A_n261A DC_5A_n261O DC_7A_n261A DC_7A_n261O		
DC_5A-7A_n261P	DC_5A_n261A DC_5A_n261O DC_7A_n261A DC_7A_n261O		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_5A-7A_n261Q	DC_5A_n261A DC_5A_n261O DC_7A_n261A DC_7A_n261O		
DC_5A-30A_n260A	DC_5A_n260A DC_30A_n260A		
DC_5A-30A_n260G	DC_5A_n260A DC_5A_n260G DC_30A_n260A DC_30A_n260G		
DC_5A-30A_n260H	DC_5A_n260A DC_5A_n260G DC_5A_n260H DC_30A_n260A DC_30A_n260G DC_30A_n260H		
DC_5A-30A_n260I	DC_5A_n260A DC_5A_n260G DC_5A_n260H DC_5A_n260I DC_30A_n260A DC_30A_n260G DC_30A_n260H DC_30A_n260I		
DC_5A-30A_n260J	DC_5A_n260A DC_5A_n260G DC_5A_n260H DC_5A_n260I DC_5A_n260J DC_30A_n260A DC_30A_n260G DC_30A_n260H DC_30A_n260I DC_30A_n260J		
DC_5A-30A_n260K	DC_5A_n260A DC_5A_n260G DC_5A_n260H DC_5A_n260I DC_5A_n260J DC_5A_n260K DC_30A_n260A DC_30A_n260G DC_30A_n260H DC_30A_n260I DC_30A_n260J DC_30A_n260K		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_5A-30A_n260L	DC_5A_n260A DC_5A_n260G DC_5A_n260H DC_5A_n260I DC_5A_n260J DC_5A_n260K DC_5A_n260L DC_30A_n260A DC_30A_n260G DC_30A_n260H DC_30A_n260I DC_30A_n260J DC_30A_n260K DC_30A_n260L		
DC_5A-30A_n260M	DC_5A_n260A DC_5A_n260G DC_5A_n260H DC_5A_n260I DC_5A_n260J DC_5A_n260K DC_5A_n260L DC_5A_n260M DC_30A_n260A DC_30A_n260G DC_30A_n260H DC_30A_n260I DC_30A_n260J DC_30A_n260K DC_30A_n260L DC_30A_n260M		
DC_5A-66A_n257A	DC_5A_n257A DC_66A_n257A		
DC_5A-66A_n257G	DC_5A_n257A DC_5A_n257G DC_66A_n257A DC_66A_n257G		
DC_5A-66A_n257H	DC_5A_n257A DC_5A_n257G DC_66A_n257A DC_66A_n257G		
DC_5A-66A_n257I	DC_5A_n257A DC_5A_n257G DC_66A_n257A DC_66A_n257G		
DC_5A-66A_n257J	DC_5A_n257A DC_5A_n257G DC_66A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_66A_n257G		
DC_5A-66A_n257K	DC_5A_n257A DC_5A_n257G DC_66A_n257A DC_66A_n257G		
DC_5A-66A_n257L	DC_5A_n257A DC_5A_n257G DC_66A_n257A DC_66A_n257G		
DC_5A-66A_n257M	DC_5A_n257A DC_5A_n257G DC_66A_n257A DC_66A_n257G		
DC_5A-66A_n258A	DC_5A_n258A DC_66A_n258A		
DC_5A-66A_n258G	DC_5A_n258A DC_5A_n258G DC_66A_n258A DC_66A_n258G		
DC_5A-66A_n258H	DC_5A_n258A DC_5A_n258G DC_66A_n258A DC_66A_n258G		
DC_5A-66A_n258I	DC_5A_n258A DC_5A_n258G DC_66A_n258A DC_66A_n258G		
DC_5A-66A_n258J	DC_5A_n258A DC_5A_n258G DC_66A_n258A DC_66A_n258G		
DC_5A-66A_n258K	DC_5A_n258A DC_5A_n258G DC_66A_n258A DC_66A_n258G		
DC_5A-66A_n258L	DC_5A_n258A DC_5A_n258G DC_66A_n258A DC_66A_n258G		
DC_5A-66A_n258M	DC_5A_n258A DC_5A_n258G DC_66A_n258A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_66A_n258G		
DC_5A-66A_n260A	DC_5A_n260A DC_66A_n260A		
DC_5A-66A_n260G	DC_5A_n260A DC_66A_n260A DC_5A_n260G DC_66A_n260G		
DC_5A-66A_n260H	DC_5A_n260A DC_66A_n260A DC_5A_n260G DC_66A_n260G DC_5A_n260H DC_66A_n260H		
DC_5A-66A_n260I	DC_5A_n260A DC_66A_n260A DC_5A_n260G DC_66A_n260G DC_5A_n260H DC_66A_n260H DC_5A_n260I DC_66A_n260I		
DC_5A-66A_n260J	DC_5A_n260A DC_66A_n260A DC_5A_n260G DC_66A_n260G DC_5A_n260H DC_66A_n260H DC_5A_n260I DC_66A_n260I DC_5A_n260J DC_66A_n260J		
DC_5A-66A_n260K	DC_5A_n260A DC_66A_n260A DC_5A_n260G DC_66A_n260G DC_5A_n260H DC_66A_n260H DC_5A_n260I DC_66A_n260I DC_5A_n260J DC_66A_n260J DC_5A_n260K DC_66A_n260K		
DC_5A-66A_n260L	DC_5A_n260A DC_66A_n260A DC_5A_n260G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_66A_n260G DC_5A_n260H DC_66A_n260H DC_5A_n260I DC_66A_n260I DC_5A_n260J DC_66A_n260J DC_5A_n260K DC_66A_n260K DC_5A_n260L DC_66A_n260L		
DC_5A-66A_n260M	DC_5A_n260A DC_66A_n260A DC_5A_n260G DC_66A_n260G DC_5A_n260H DC_66A_n260H DC_5A_n260I DC_66A_n260I DC_5A_n260J DC_66A_n260J DC_5A_n260K DC_66A_n260K DC_5A_n260L DC_66A_n260L DC_5A_n260M DC_66A_n260M		
DC_5A-66A_n260O	DC_5A_n260A DC_66A_n260A DC_5A_n260O DC_66A_n260O		
DC_5A-66A_n260P	DC_5A_n260A DC_66A_n260A DC_5A_n260O DC_66A_n260O		
DC_5A-66A_n260Q	DC_5A_n260A DC_66A_n260A DC_5A_n260O DC_66A_n260O		
DC_5A-66A_n261A	DC_5A_n261A DC_66A_n261A		
DC_5A-66A_n261G	DC_5A_n261A DC_66A_n261A DC_5A_n261G DC_66A_n261G		
DC_5A-66A_n261H	DC_5A_n261A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_66A_n261A DC_5A_n261G DC_66A_n261G DC_5A_n261H DC_66A_n261H		
DC_5A-66A_n261I	DC_5A_n261A DC_66A_n261A DC_5A_n261G DC_66A_n261G DC_5A_n261H DC_66A_n261H DC_5A_n261I DC_66A_n261I		
DC_5A-66A_n261J	DC_5A_n261A DC_66A_n261A DC_5A_n261G DC_66A_n261G DC_5A_n261H DC_66A_n261H DC_5A_n261I DC_66A_n261I DC_5A_n261J DC_66A_n261J		
DC_5A-66A_n261K	DC_5A_n261A DC_66A_n261A DC_5A_n261G DC_66A_n261G DC_5A_n261H DC_66A_n261H DC_5A_n261I DC_66A_n261I DC_5A_n261J DC_66A_n261J DC_5A_n261K DC_66A_n261K		
DC_5A-66A_n261L	DC_5A_n261A DC_66A_n261A DC_5A_n261G DC_66A_n261G DC_5A_n261H DC_66A_n261H DC_5A_n261I DC_66A_n261I DC_5A_n261J DC_66A_n261J DC_5A_n261K DC_66A_n261K DC_5A_n261L DC_66A_n261L		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_5A-66A_n261M	DC_5A_n261A DC_66A_n261A DC_5A_n261G DC_66A_n261G DC_5A_n261H DC_66A_n261H DC_5A_n261I DC_66A_n261I DC_5A_n261J DC_66A_n261J DC_5A_n261K DC_66A_n261K DC_5A_n261L DC_66A_n261L DC_5A_n261M DC_66A_n261M		
DC_5A-66A_n261O	DC_5A_n261A DC_66A_n261A DC_5A_n261O DC_66A_n261O		
DC_5A-66A_n261P	DC_5A_n261A DC_66A_n261A DC_5A_n261O DC_66A_n261O		
DC_5A-66A_n261Q	DC_5A_n261A DC_66A_n261A DC_5A_n261O DC_66A_n261O		
DC_5A-66A_n261(2A)	DC_5A_n261A DC_66A_n261A		
DC_5A-66A_n261(2A-G)	DC_5A_n261A DC_66A_n261A DC_5A_n261G DC_66A_n261G		
DC_5A-66A_n261(2A-H)	DC_5A_n261A DC_66A_n261A DC_5A_n261G DC_66A_n261G DC_5A_n261H DC_66A_n261H		
DC_5A-66A_n261(2A-I)	DC_5A_n261A DC_66A_n261A DC_5A_n261G DC_66A_n261G DC_5A_n261H DC_66A_n261H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_5A_n261I DC_66A_n261I		
DC_5A-66A_n261(2G)	DC_5A_n261A DC_66A_n261A DC_5A_n261G DC_66A_n261G		
DC_5A-66A_n261(2H)	DC_5A_n261A DC_66A_n261A DC_5A_n261G DC_66A_n261G DC_5A_n261H DC_66A_n261H		
DC_5A-66A_n261(3A)	DC_5A_n261A DC_66A_n261A		
DC_5A-66A_n261(3A-G)	DC_5A_n261A DC_66A_n261A DC_5A_n261G DC_66A_n261G		
DC_5A-66A_n261(4A)	DC_5A_n261A DC_66A_n261A		
DC_5A-66A_n261(A-2G)	DC_5A_n261A DC_66A_n261A DC_5A_n261G DC_66A_n261G		
DC_5A-66A_n261(A-G)	DC_5A_n261A DC_66A_n261A DC_5A_n261G DC_66A_n261G		
DC_5A-66A_n261(A-G-H)	DC_5A_n261A DC_66A_n261A DC_5A_n261G DC_66A_n261G DC_5A_n261H DC_66A_n261H		
DC_5A-66A_n261(A-G-I)	DC_5A_n261A DC_66A_n261A DC_5A_n261G DC_66A_n261G DC_5A_n261H DC_66A_n261H DC_5A_n261I DC_66A_n261I		
DC_5A-66A_n261(A-H)	DC_5A_n261A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_66A_n261A DC_5A_n261G DC_66A_n261G DC_5A_n261H DC_66A_n261H		
DC_5A-66A_n261(A-I)	DC_5A_n261A DC_66A_n261A DC_5A_n261G DC_66A_n261G DC_5A_n261H DC_66A_n261H DC_5A_n261I DC_66A_n261I		
DC_5A-66A_n261(A-J)	DC_5A_n261A DC_66A_n261A DC_5A_n261G DC_66A_n261G DC_5A_n261H DC_66A_n261H DC_5A_n261I DC_66A_n261I		
DC_5A-66A_n261(A-K)	DC_5A_n261A DC_66A_n261A DC_5A_n261G DC_66A_n261G DC_5A_n261H DC_66A_n261H DC_5A_n261I DC_66A_n261I		
DC_5A-66A_n261(A-L)	DC_5A_n261A DC_66A_n261A DC_5A_n261G DC_66A_n261G DC_5A_n261H DC_66A_n261H DC_5A_n261I DC_66A_n261I		
DC_5A-66A_n261(G-H)	DC_5A_n261A DC_66A_n261A DC_5A_n261G DC_66A_n261G DC_5A_n261H DC_66A_n261H		
DC_5A-66A_n261(G-I)	DC_5A_n261A DC_66A_n261A DC_5A_n261G DC_66A_n261G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_5A_n261H DC_66A_n261H DC_5A_n261I DC_66A_n261I		
DC_5A-66A_n261(G-J)	DC_5A_n261A DC_66A_n261A DC_5A_n261G DC_66A_n261G DC_5A_n261H DC_66A_n261H DC_5A_n261I DC_66A_n261I		
DC_5A-66A_n261(H-I)	DC_5A_n261A DC_66A_n261A DC_5A_n261G DC_66A_n261G DC_5A_n261H DC_66A_n261H DC_5A_n261I DC_66A_n261I		
DC_5A_n78A-n257A (interBandEnDcSimRxTx)	DC_5A_n78A DC_5A_n257A		
DC_5A_n78A-n257D	DC_5A_n78A DC_5A_n257A		
DC_5A_n78A-n257E	DC_5A_n78A DC_5A_n257A		
DC_5A_n78A-n257F	DC_5A_n78A DC_5A_n257A		
DC_5A_n78A-n257G	DC_5A_n78A DC_5A_n257A		
DC_5A_n78A-n257H	DC_5A_n78A DC_5A_n257A		
DC_5A_n78A-n257I	DC_5A_n78A DC_5A_n257A		
DC_5A_n78A-n257J	DC_5A_n78A DC_5A_n257A		
DC_5A_n78A-n257K	DC_5A_n78A DC_5A_n257A		
DC_5A_n78A-n257L	DC_5A_n78A DC_5A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_5A_n78A-n257M	DC_5A_n78A DC_5A_n257A		
DC_5A_n78C-n257A	DC_5A_n78A DC_5A_n257A		
DC_5A_n78C-n257D	DC_5A_n78A DC_5A_n257A		
DC_5A_n78C-n257E	DC_5A_n78A DC_5A_n257A		
DC_5A_n78C-n257F	DC_5A_n78A DC_5A_n257A		
DC_5A_n78C-n257G	DC_5A_n78A DC_5A_n257A		
DC_5A_n78C-n257H	DC_5A_n78A DC_5A_n257A		
DC_5A_n78C-n257I	DC_5A_n78A DC_5A_n257A		
DC_5A_n78C-n257J	DC_5A_n78A DC_5A_n257A		
DC_5A_n78C-n257K	DC_5A_n78A DC_5A_n257A		
DC_5A_n78C-n257L	DC_5A_n78A DC_5A_n257A		
DC_5A_n78C-n257M	DC_5A_n78A DC_5A_n257A		
DC_7A-7A_n257A	DC_7A_n257A		
DC_7A-7A_n257D	DC_7A_n257A DC_7A_n257D		
DC_7A-7A_n257E	DC_7A_n257A DC_7A_n257D		
DC_7A-7A_n257F	DC_7A_n257A DC_7A_n257D		
DC_7A-7A_n257G	DC_7A_n257A DC_7A_n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_7A-7A_n257H	DC_7A_n257A DC_7A_n257G DC_7A_n257H		
DC_7A-7A_n257I	DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I		
DC_7A-7A_n257J	DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J		
DC_7A-7A_n257K	DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_7A_n257K		
DC_7A-7A_n257L	DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_7A_n257K		
DC_7A-7A_n257M	DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_7A_n257K		
DC_7A-8A_n257A	DC_7A_n257A DC_8A_n257A		
DC_7A-8A_n257D	DC_7A_n257A DC_8A_n257A		
DC_7A-8A_n257E	DC_7A_n257A DC_8A_n257A		
DC_7A-8A_n257F	DC_7A_n257A DC_8A_n257A		
DC_7A-8A_n257G	DC_7A_n257A DC_8A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_7A-8A_n257H	DC_7A_n257A DC_8A_n257A		
DC_7A-8A_n257I	DC_7A_n257A DC_8A_n257A		
DC_7A-8A_n257J	DC_7A_n257A DC_8A_n257A		
DC_7A-8A_n257K	DC_7A_n257A DC_8A_n257A		
DC_7A-8A_n257L	DC_7A_n257A DC_8A_n257A		
DC_7A-8A_n257M	DC_7A_n257A DC_8A_n257A		
DC_7A-8A_n258A	DC_7A_n258A DC_8A_n258A		
DC_7A-8A_n258D	DC_7A_n258A DC_8A_n258A		
DC_7A-8A_n258E	DC_7A_n258A DC_8A_n258A		
DC_7A-8A_n258F	DC_7A_n258A DC_8A_n258A		
DC_7A-8A_n258G	DC_7A_n258A DC_8A_n258A		
DC_7A-8A_n258H	DC_7A_n258A DC_8A_n258A		
DC_7A-8A_n258I	DC_7A_n258A DC_8A_n258A		
DC_7A-8A_n258J	DC_7A_n258A DC_8A_n258A		
DC_7A-8A_n258K	DC_7A_n258A DC_8A_n258A		
DC_7A-8A_n258L	DC_7A_n258A DC_8A_n258A		
DC_7A-8A_n258M	DC_7A_n258A DC_8A_n258A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_7A-12A_n257A	DC_7A_n257A DC_12A_n257A		
DC_7A-12A_n257G	DC_7A_n257A DC_7A_n257G DC_12A_n257A DC_12A_n257G		
DC_7A-12A_n257H	DC_7A_n257A DC_7A_n257G DC_12A_n257A DC_12A_n257G		
DC_7A-12A_n257I	DC_7A_n257A DC_7A_n257G DC_12A_n257A DC_12A_n257G		
DC_7A-12A_n257J	DC_7A_n257A DC_7A_n257G DC_12A_n257A DC_12A_n257G		
DC_7A-12A_n257K	DC_7A_n257A DC_7A_n257G DC_12A_n257A DC_12A_n257G		
DC_7A-12A_n257L	DC_7A_n257A DC_7A_n257G DC_12A_n257A DC_12A_n257G		
DC_7A-12A_n257M	DC_7A_n257A DC_7A_n257G DC_12A_n257A DC_12A_n257G		
DC_7A-12A_n258A	DC_7A_n258A DC_12A_n258A		
DC_7A-12A_n258G	DC_7A_n258A DC_7A_n258G DC_12A_n258A DC_12A_n258G		
DC_7A-12A_n258H	DC_7A_n258A DC_7A_n258G DC_12A_n258A DC_12A_n258G		
DC_7A-12A_n258I	DC_7A_n258A DC_7A_n258G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_12A_n258A DC_12A_n258G		
DC_7A-12A_n258J	DC_7A_n258A DC_7A_n258G DC_12A_n258A DC_12A_n258G		
DC_7A-12A_n258K	DC_7A_n258A DC_7A_n258G DC_12A_n258A DC_12A_n258G		
DC_7A-12A_n258L	DC_7A_n258A DC_7A_n258G DC_12A_n258A DC_12A_n258G		
DC_7A-12A_n258M	DC_7A_n258A DC_7A_n258G DC_12A_n258A DC_12A_n258G		
DC_7A-12A_n260A	DC_7A_n260A DC_12A_n260A		
DC_7A-12A_n260G	DC_7A_n260A DC_7A_n260G DC_12A_n260A DC_12A_n260G		
DC_7A-12A_n260H	DC_7A_n260A DC_7A_n260G DC_12A_n260A DC_12A_n260G		
DC_7A-12A_n260I	DC_7A_n260A DC_7A_n260G DC_12A_n260A DC_12A_n260G		
DC_7A-12A_n260J	DC_7A_n260A DC_7A_n260G DC_12A_n260A DC_12A_n260G		
DC_7A-12A_n260K	DC_7A_n260A DC_7A_n260G DC_12A_n260A DC_12A_n260G		
DC_7A-12A_n260L	DC_7A_n260A DC_7A_n260G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_12A_n260A DC_12A_n260G		
DC_7A-12A_n260M	DC_7A_n260A DC_7A_n260G DC_12A_n260A DC_12A_n260G		
DC_7A-12A_n260O	DC_7A_n260A DC_7A_n260O DC_12A_n260A DC_12A_n260O		
DC_7A-12A_n260P	DC_7A_n260A DC_7A_n260O DC_12A_n260A DC_12A_n260O		
DC_7A-12A_n260Q	DC_7A_n260A DC_7A_n260O DC_12A_n260A DC_12A_n260O		
DC_7A-12A_n261A	DC_7A_n261A DC_12A_n261A		
DC_7A-12A_n261G	DC_7A_n261A DC_7A_n261G DC_12A_n261A DC_12A_n261G		
DC_7A-12A_n261H	DC_7A_n261A DC_7A_n261G DC_12A_n261A DC_12A_n261G		
DC_7A-12A_n261I	DC_7A_n261A DC_7A_n261G DC_12A_n261A DC_12A_n261G		
DC_7A-12A_n261J	DC_7A_n261A DC_7A_n261G DC_12A_n261A DC_12A_n261G		
DC_7A-12A_n261K	DC_7A_n261A DC_7A_n261G DC_12A_n261A DC_12A_n261G		
DC_7A-12A_n261L	DC_7A_n261A DC_7A_n261G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_12A_n261A DC_12A_n261G		
DC_7A-12A_n261M	DC_7A_n261A DC_7A_n261G DC_12A_n261A DC_12A_n261G		
DC_7A-12A_n261O	DC_7A_n261A DC_7A_n261O DC_12A_n261A DC_12A_n261O		
DC_7A-12A_n261P	DC_7A_n261A DC_7A_n261O DC_12A_n261A DC_12A_n261O		
DC_7A-12A_n261Q	DC_7A_n261A DC_7A_n261O DC_12A_n261A DC_12A_n261O		
DC_7A-26A_n258A	DC_7A_n258A DC_26A_n258A		
DC_7A-26A_n258B	DC_7A_n258A DC_26A_n258A		
DC_7A-26A_n258C	DC_7A_n258A DC_26A_n258A		
DC_7A-26A_n258D	DC_7A_n258A DC_26A_n258A		
DC_7A-26A_n258E	DC_7A_n258A DC_26A_n258A		
DC_7A-26A_n258F	DC_7A_n258A DC_26A_n258A		
DC_7A-26A_n258G	DC_7A_n258A DC_7A_n258G DC_26A_n258A DC_26A_n258G		
DC_7A-26A_n258H	DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_26A_n258A DC_26A_n258G DC_26A_n258H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_7A-26A_n258I	DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I DC_26A_n258A DC_26A_n258G DC_26A_n258H DC_26A_n258I		
DC_7A-26A_n258J	DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I DC_26A_n258A DC_26A_n258G DC_26A_n258H DC_26A_n258I		
DC_7A-26A_n258K	DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I DC_26A_n258A DC_26A_n258G DC_26A_n258H DC_26A_n258I		
DC_7A-26A_n258L	DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I DC_26A_n258A DC_26A_n258G DC_26A_n258H DC_26A_n258I		
DC_7A-26A_n258M	DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I DC_26A_n258A DC_26A_n258G DC_26A_n258H DC_26A_n258I		
DC_7A-28A_n257A	DC_7A_n257A DC_28A_n257A		
DC_7A-28A_n257G	DC_7A_n257A DC_7A_n257G DC_28A_n257A DC_28A_n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_7A-28A_n257H	DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_28A_n257A DC_28A_n257G DC_28A_n257H		
DC_7A-28A_n257I	DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_28A_n257I		
DC_7A-28A_n258A	DC_7A_n258A DC_28A_n258A		
DC_7A-28A_n258B	DC_7A_n258A DC_28A_n258A		
DC_7A-28A_n258C	DC_7A_n258A DC_28A_n258A		
DC_7A-28A_n258D	DC_7A_n258A DC_28A_n258A		
DC_7A-28A_n258E	DC_7A_n258A DC_28A_n258A		
DC_7A-28A_n258F	DC_7A_n258A DC_28A_n258A		
DC_7A-28A_n258G	DC_7A_n258A DC_7A_n258G DC_28A_n258A DC_28A_n258G		
DC_7A-28A_n258H	DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_28A_n258A DC_28A_n258G DC_28A_n258H		
DC_7A-28A_n258I	DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I DC_28A_n258A DC_28A_n258G DC_28A_n258H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_28A_n258I		
DC_7A-28A_n258J	DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I DC_28A_n258A DC_28A_n258G DC_28A_n258H DC_28A_n258I		
DC_7A-28A_n258K	DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I DC_28A_n258A DC_28A_n258G DC_28A_n258H DC_28A_n258I		
DC_7A-28A_n258L	DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I DC_28A_n258A DC_28A_n258G DC_28A_n258H DC_28A_n258I		
DC_7A-28A_n258M	DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I DC_28A_n258A DC_28A_n258G DC_28A_n258H DC_28A_n258I		
DC_7A-66A_n257A	DC_7A_n257A DC_66A_n257A		
DC_7A-66A_n257G	DC_7A_n257A DC_7A_n257G DC_66A_n257A DC_66A_n257G		
DC_7A-66A_n257H	DC_7A_n257A DC_7A_n257G DC_66A_n257A DC_66A_n257G		
DC_7A-66A_n257I	DC_7A_n257A DC_7A_n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_66A_n257A DC_66A_n257G		
DC_7A-66A_n257J	DC_7A_n257A DC_7A_n257G DC_66A_n257A DC_66A_n257G		
DC_7A-66A_n257K	DC_7A_n257A DC_7A_n257G DC_66A_n257A DC_66A_n257G		
DC_7A-66A_n257L	DC_7A_n257A DC_7A_n257G DC_66A_n257A DC_66A_n257G		
DC_7A-66A_n257M	DC_7A_n257A DC_7A_n257G DC_66A_n257A DC_66A_n257G		
DC_7A-66A_n258A	DC_7A_n258A DC_66A_n258A		
DC_7A-66A_n258G	DC_7A_n258A DC_7A_n258G DC_66A_n258A DC_66A_n258G		
DC_7A-66A_n258H	DC_7A_n258A DC_7A_n258G DC_66A_n258A DC_66A_n258G		
DC_7A-66A_n258I	DC_7A_n258A DC_7A_n258G DC_66A_n258A DC_66A_n258G		
DC_7A-66A_n258J	DC_7A_n258A DC_7A_n258G DC_66A_n258A DC_66A_n258G		
DC_7A-66A_n258K	DC_7A_n258A DC_7A_n258G DC_66A_n258A DC_66A_n258G		
DC_7A-66A_n258L	DC_7A_n258A DC_7A_n258G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_66A_n258A DC_66A_n258G		
DC_7A-66A_n258M	DC_7A_n258A DC_7A_n258G DC_66A_n258A DC_66A_n258G		
DC_7A-66A_n260A	DC_7A_n260A DC_66A_n260A		
DC_7A-66A_n260G	DC_7A_n260A DC_7A_n260G DC_66A_n260A DC_66A_n260G		
DC_7A-66A_n260H	DC_7A_n260A DC_7A_n260G DC_66A_n260A DC_66A_n260G		
DC_7A-66A_n260I	DC_7A_n260A DC_7A_n260G DC_66A_n260A DC_66A_n260G		
DC_7A-66A_n260J	DC_7A_n260A DC_7A_n260G DC_66A_n260A DC_66A_n260G		
DC_7A-66A_n260K	DC_7A_n260A DC_7A_n260G DC_66A_n260A DC_66A_n260G		
DC_7A-66A_n260L	DC_7A_n260A DC_7A_n260G DC_66A_n260A DC_66A_n260G		
DC_7A-66A_n260M	DC_7A_n260A DC_7A_n260G DC_66A_n260A DC_66A_n260G		
DC_7A-66A_n260O	DC_7A_n260A DC_7A_n260O DC_66A_n260A DC_66A_n260O		
DC_7A-66A_n260P	DC_7A_n260A DC_7A_n260O		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_66A_n260A DC_66A_n260O		
DC_7A-66A_n260Q	DC_7A_n260A DC_7A_n260O DC_66A_n260A DC_66A_n260O		
DC_7A-66A_n261A	DC_7A_n261A DC_66A_n261A		
DC_7A-66A_n261G	DC_7A_n261A DC_7A_n261G DC_66A_n261A DC_66A_n261G		
DC_7A-66A_n261H	DC_7A_n261A DC_7A_n261G DC_66A_n261A DC_66A_n261G		
DC_7A-66A_n261I	DC_7A_n261A DC_7A_n261G DC_66A_n261A DC_66A_n261G		
DC_7A-66A_n261J	DC_7A_n261A DC_7A_n261G DC_66A_n261A DC_66A_n261G		
DC_7A-66A_n261K	DC_7A_n261A DC_7A_n261G DC_66A_n261A DC_66A_n261G		
DC_7A-66A_n261L	DC_7A_n261A DC_7A_n261G DC_66A_n261A DC_66A_n261G		
DC_7A-66A_n261M	DC_7A_n261A DC_7A_n261G DC_66A_n261A DC_66A_n261G		
DC_7A-66A_n261O	DC_7A_n261A DC_7A_n261O DC_66A_n261A DC_66A_n261O		
DC_7A-66A_n261P	DC_7A_n261A DC_7A_n261O		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_66A_n261A DC_66A_n261O		
DC_7A-66A_n261Q	DC_7A_n261A DC_7A_n261O DC_66A_n261A DC_66A_n261O		
DC_7A-71A_n257A	DC_7A_n257A DC_71A_n257A		
DC_7A-71A_n257G	DC_7A_n257A DC_7A_n257G DC_71A_n257A DC_71A_n257G		
DC_7A-71A_n257H	DC_7A_n257A DC_7A_n257G DC_71A_n257A DC_71A_n257G		
DC_7A-71A_n257I	DC_7A_n257A DC_7A_n257G DC_71A_n257A DC_71A_n257G		
DC_7A-71A_n257J	DC_7A_n257A DC_7A_n257G DC_71A_n257A DC_71A_n257G		
DC_7A-71A_n257K	DC_7A_n257A DC_7A_n257G DC_71A_n257A DC_71A_n257G		
DC_7A-71A_n257L	DC_7A_n257A DC_7A_n257G DC_71A_n257A DC_71A_n257G		
DC_7A-71A_n257M	DC_7A_n257A DC_7A_n257G DC_71A_n257A DC_71A_n257G		
DC_7A-71A_n258A	DC_7A_n258A DC_71A_n258A		
DC_7A-71A_n258G	DC_7A_n258A DC_7A_n258G DC_71A_n258A DC_71A_n258G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_7A-71A_n258H	DC_7A_n258A DC_7A_n258G DC_71A_n258A DC_71A_n258G		
DC_7A-71A_n258I	DC_7A_n258A DC_7A_n258G DC_71A_n258A DC_71A_n258G		
DC_7A-71A_n258J	DC_7A_n258A DC_7A_n258G DC_71A_n258A DC_71A_n258G		
DC_7A-71A_n258K	DC_7A_n258A DC_7A_n258G DC_71A_n258A DC_71A_n258G		
DC_7A-71A_n258L	DC_7A_n258A DC_7A_n258G DC_71A_n258A DC_71A_n258G		
DC_7A-71A_n258M	DC_7A_n258A DC_7A_n258G DC_71A_n258A DC_71A_n258G		
DC_7A-71A_n260A	DC_7A_n260A DC_71A_n260A		
DC_7A-71A_n260G	DC_7A_n260A DC_7A_n260G DC_71A_n260A DC_71A_n260G		
DC_7A-71A_n260H	DC_7A_n260A DC_7A_n260G DC_71A_n260A DC_71A_n260G		
DC_7A-71A_n260I	DC_7A_n260A DC_7A_n260G DC_71A_n260A DC_71A_n260G		
DC_7A-71A_n260J	DC_7A_n260A DC_7A_n260G DC_71A_n260A DC_71A_n260G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_7A-71A_n260K	DC_7A_n260A DC_7A_n260G DC_71A_n260A DC_71A_n260G		
DC_7A-71A_n260L	DC_7A_n260A DC_7A_n260G DC_71A_n260A DC_71A_n260G		
DC_7A-71A_n260M	DC_7A_n260A DC_7A_n260G DC_71A_n260A DC_71A_n260G		
DC_7A-71A_n260O	DC_7A_n260A DC_7A_n260O DC_71A_n260A DC_71A_n260O		
DC_7A-71A_n260P	DC_7A_n260A DC_7A_n260O DC_71A_n260A DC_71A_n260O		
DC_7A-71A_n260Q	DC_7A_n260A DC_7A_n260O DC_71A_n260A DC_71A_n260O		
DC_7A-71A_n261A	DC_7A_n261A DC_71A_n261A		
DC_7A-71A_n261G	DC_7A_n261A DC_7A_n261G DC_71A_n261A DC_71A_n261G		
DC_7A-71A_n261H	DC_7A_n261A DC_7A_n261G DC_71A_n261A DC_71A_n261G		
DC_7A-71A_n261I	DC_7A_n261A DC_7A_n261G DC_71A_n261A DC_71A_n261G		
DC_7A-71A_n261J	DC_7A_n261A DC_7A_n261G DC_71A_n261A DC_71A_n261G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_7A-71A_n261K	DC_7A_n261A DC_7A_n261G DC_71A_n261A DC_71A_n261G		
DC_7A-71A_n261L	DC_7A_n261A DC_7A_n261G DC_71A_n261A DC_71A_n261G		
DC_7A-71A_n261M	DC_7A_n261A DC_7A_n261G DC_71A_n261A DC_71A_n261G		
DC_7A-71A_n261O	DC_7A_n261A DC_7A_n261O DC_71A_n261A DC_71A_n261O		
DC_7A-71A_n261P	DC_7A_n261A DC_7A_n261O DC_71A_n261A DC_71A_n261O		
DC_7A-71A_n261Q	DC_7A_n261A DC_7A_n261O DC_71A_n261A DC_71A_n261O		
DC_7A_n1A-n257A (interBandEnDcSimRxTx)	DC_7A_n1A DC_7A_n257A		
DC_7A_n1A-n257D (interBandEnDcSimRxTx)	DC_7A_n1A DC_7A_n257A		
DC_7A_n1A-n257E (interBandEnDcSimRxTx)	DC_7A_n1A DC_7A_n257A		
DC_7A_n1A-n257F (interBandEnDcSimRxTx)	DC_7A_n1A DC_7A_n257A		
DC_7A_n1A-n257G (interBandEnDcSimRxTx)	DC_7A_n1A DC_7A_n257A DC_7A_n257G		
DC_7A_n1A-n257H (interBandEnDcSimRxTx)	DC_7A_n1A DC_7A_n257A DC_7A_n257G DC_7A_n257H		
	DC_7A_n1A DC_7A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_7A_n1A-n257I (interBandEnDcSimRxTx)	DC_7A_n257G DC_7A_n257H DC_7A_n257I		
DC_7A_n1A-n257J (interBandEnDcSimRxTx)	DC_7A_n1A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J		
DC_7A_n1A-n257K (interBandEnDcSimRxTx)	DC_7A_n1A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_7A_n257K		
DC_7A_n1A-n257L (interBandEnDcSimRxTx)	DC_7A_n1A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_7A_n257K		
DC_7A_n1A-n257M (interBandEnDcSimRxTx)	DC_7A_n1A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_7A_n257K		
DC_7A_n8A-n257A (interBandEnDcSimRxTx)	DC_7A_n8A DC_7A_n257A		
DC_7A_n8A-n257G (interBandEnDcSimRxTx)	DC_7A_n8A DC_7A_n257A DC_7A_n257G		
DC_7A_n8A-n257H (interBandEnDcSimRxTx)	DC_7A_n8A DC_7A_n257A DC_7A_n257G DC_7A_n257H		
DC_7A_n8A-n257I (interBandEnDcSimRxTx)	DC_7A_n8A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_7A_n8A-n257J (interBandEnDcSimRxTx)	DC_7A_n8A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J		
DC_7A_n8A-n257K (interBandEnDcSimRxTx)	DC_7A_n8A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_7A_n257K		
DC_7A_n40A-n258A	DC_7A_n40A DC_7A_n258A		
DC_7A_n40A-n258D	DC_7A_n40A DC_7A_n258A		
DC_7A_n40A-n258E	DC_7A_n40A DC_7A_n258A		
DC_7A_n40A-n258F	DC_7A_n40A DC_7A_n258A		
DC_7A_n40A-n258G	DC_7A_n40A DC_7A_n258A		
DC_7A_n40A-n258H	DC_7A_n40A DC_7A_n258A		
DC_7A_n40A-n258I	DC_7A_n40A DC_7A_n258A		
DC_7A_n40A-n258J	DC_7A_n40A DC_7A_n258A		
DC_7A_n40A-n258K	DC_7A_n40A DC_7A_n258A		
DC_7A_n40A-n258L	DC_7A_n40A DC_7A_n258A		
DC_7A_n40A-n258M	DC_7A_n40A DC_7A_n258A		
DC_7A_n78A-n257A (interBandEnDcSimRxTx)	DC_7A_n78A DC_7A_n257A		
	DC_7A_n78A DC_7A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_7A_n78A-n257D (interBandEnDcSimRxTx)			
DC_7A_n78A-n257E (interBandEnDcSimRxTx)	DC_7A_n78A DC_7A_n257A		
DC_7A_n78A-n257F (interBandEnDcSimRxTx)	DC_7A_n78A DC_7A_n257A		
DC_7A_n78A-n257G (interBandEnDcSimRxTx)	DC_7A_n78A DC_7A_n257A DC_7A_n257G		
DC_7A_n78A-n257H (interBandEnDcSimRxTx)	DC_7A_n78A DC_7A_n257A DC_7A_n257G DC_7A_n257H		
DC_7A_n78A-n257I (interBandEnDcSimRxTx)	DC_7A_n78A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I		
DC_7A_n78A-n257J (interBandEnDcSimRxTx)	DC_7A_n78A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J		
DC_7A_n78A-n257K (interBandEnDcSimRxTx)	DC_7A_n78A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_7A_n257K		
DC_7A_n78A-n257L (interBandEnDcSimRxTx)	DC_7A_n78A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_7A_n257K		
DC_7A_n78A-n257M (interBandEnDcSimRxTx)	DC_7A_n78A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_7A_n257K		
DC_7A_n78A-n258A	DC_7A_n78A DC_7A_n258A		
DC_7A_n78A-n258D	DC_7A_n78A DC_7A_n258A		
DC_7A_n78A-n258E	DC_7A_n78A DC_7A_n258A		
DC_7A_n78A-n258F	DC_7A_n78A DC_7A_n258A		
DC_7A_n78A-n258G	DC_7A_n78A DC_7A_n258A DC_7A_n258G		
DC_7A_n78A-n258H	DC_7A_n78A DC_7A_n258A DC_7A_n258G DC_7A_n258H		
DC_7A_n78A-n258I	DC_7A_n78A DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I		
DC_7A_n78A-n258J	DC_7A_n78A DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I		
DC_7A_n78A-n258K	DC_7A_n78A DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I		
DC_7A_n78A-n258L	DC_7A_n78A DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I		
DC_7A_n78A-n258M	DC_7A_n78A DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_7A_n78C-n257A	DC_7A_n78A DC_7A_n257A		
DC_7A_n78C-n257D	DC_7A_n78A DC_7A_n257A		
DC_7A_n78C-n257E	DC_7A_n78A DC_7A_n257A		
DC_7A_n78C-n257F	DC_7A_n78A DC_7A_n257A		
DC_7A_n78C-n257G	DC_7A_n78A DC_7A_n257A DC_7A_n257G		
DC_7A_n78C-n257H	DC_7A_n78A DC_7A_n257A DC_7A_n257G DC_7A_n257H		
DC_7A_n78C-n257I	DC_7A_n78A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I		
DC_7A_n78C-n257J	DC_7A_n78A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J		
DC_7A_n78C-n257K	DC_7A_n78A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_7A_n257K		
DC_7A_n78C-n257L	DC_7A_n78A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_7A_n257K		
DC_7A_n78C-n257M	DC_7A_n78A DC_7A_n257A DC_7A_n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_7A_n257K		
DC_7A_n79A-n257A	DC_7A_n257A DC_7A_n79A		
DC_7A_n79A-n257G	DC_7A_n257A DC_7A_n257G DC_7A_n79A		
DC_7A_n79A-n257H	DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n79A		
DC_7A_n79A-n257I	DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n79A		
DC_7A_n79A-n257J	DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_7A_n79A		
DC_7A_n79A-n257K	DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_7A_n257K DC_7A_n79A		
DC_7A_n79A-n257L	DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_7A_n257K DC_7A_n257L DC_7A_n79A		
DC_7A_n79A-n257M	DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_7A_n257K		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_7A_n257L DC_7A_n257M DC_7A_n79A		
DC_7A_n79A-n258A	DC_7A_n258A DC_7A_n79A		
DC_7A_n79A-n258G	DC_7A_n258A DC_7A_n258G DC_7A_n79A		
DC_7A_n79A-n258H	DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n79A		
DC_7A_n79A-n258I	DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I DC_7A_n79A		
DC_7A_n79A-n258J	DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I DC_7A_n258J DC_7A_n79A		
DC_7A_n79A-n258K	DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I DC_7A_n258J DC_7A_n258K DC_7A_n79A		
DC_7A_n79A-n258L	DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I DC_7A_n258J DC_7A_n258K DC_7A_n258L DC_7A_n79A		
DC_7A_n79A-n258M	DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I DC_7A_n258J DC_7A_n258K DC_7A_n258L		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_7A_n258M DC_7A_n79A		
DC_7A_n105A-n257A	DC_7A_n105A DC_7A_n257A		
DC_7A_n105A-n258A	DC_7A_n105A DC_7A_n258A		
DC_7C-28A_n258A	DC_7A_n258A DC_7C_n258A DC_28A_n258A		
DC_7C-28A_n258B	DC_7A_n258A DC_7C_n258A DC_28A_n258A		
DC_7C-28A_n258C	DC_7A_n258A DC_7C_n258A DC_28A_n258A		
DC_7C-28A_n258D	DC_7A_n258A DC_7C_n258A DC_28A_n258A		
DC_7C-28A_n258E	DC_7A_n258A DC_7C_n258A DC_28A_n258A		
DC_7C-28A_n258F	DC_7A_n258A DC_7C_n258A DC_28A_n258A		
DC_7C-28A_n258G	DC_7A_n258A DC_7A_n258G DC_7C_n258A DC_7C_n258G DC_28A_n258A DC_28A_n258G		
DC_7C-28A_n258H	DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7C_n258A DC_7C_n258G DC_7C_n258H DC_28A_n258A DC_28A_n258G DC_28A_n258H		
DC_7C-28A_n258I	DC_7A_n258A DC_7A_n258G DC_7A_n258H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_7A_n258I DC_7C_n258A DC_7C_n258G DC_7C_n258H DC_7C_n258I DC_28A_n258A DC_28A_n258G DC_28A_n258H DC_28A_n258I		
DC_7C-28A_n258J	DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I DC_7C_n258A DC_7C_n258G DC_7C_n258H DC_7C_n258I DC_28A_n258A DC_28A_n258G DC_28A_n258H DC_28A_n258I		
DC_7C-28A_n258K	DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I DC_7C_n258A DC_7C_n258G DC_7C_n258H DC_7C_n258I DC_28A_n258A DC_28A_n258G DC_28A_n258H DC_28A_n258I		
DC_7C-28A_n258L	DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I DC_7C_n258A DC_7C_n258G DC_7C_n258H DC_7C_n258I DC_28A_n258A DC_28A_n258G DC_28A_n258H DC_28A_n258I		
DC_7C-28A_n258M	DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_7C_n258A DC_7C_n258G DC_7C_n258H DC_7C_n258I DC_28A_n258A DC_28A_n258G DC_28A_n258H DC_28A_n258I		
DC_7C_n78A-n258A	DC_7A_n78A DC_7A_n258A DC_7C_n78A DC_7C_n258A		
DC_7C_n78A-n258G	DC_7A_n78A DC_7A_n258A DC_7A_n258G DC_7C_n78A DC_7C_n258A DC_7C_n258G		
DC_7C_n78A-n258H	DC_7A_n78A DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7C_n78A DC_7C_n258A DC_7C_n258G DC_7C_n258H		
DC_7C_n78A-n258I	DC_7A_n78A DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I DC_7C_n78A DC_7C_n258A DC_7C_n258G DC_7C_n258H DC_7C_n258I		
DC_7C_n78A-n258J	DC_7A_n78A DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I DC_7C_n78A DC_7C_n258A DC_7C_n258G DC_7C_n258H DC_7C_n258I		
DC_7C_n78A-n258K	DC_7A_n78A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I DC_7C_n78A DC_7C_n258A DC_7C_n258G DC_7C_n258H DC_7C_n258I		
DC_7C_n78A-n258L	DC_7A_n78A DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I DC_7C_n78A DC_7C_n258A DC_7C_n258G DC_7C_n258H DC_7C_n258I		
DC_7C_n78A-n258M	DC_7A_n78A DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I DC_7C_n78A DC_7C_n258A DC_7C_n258G DC_7C_n258H DC_7C_n258I		
DC_8A-11A_n257A	DC_8A_n257A DC_11A_n257A		
DC_8A-11A_n257D	DC_8A_n257A DC_8A_n257D DC_11A_n257A DC_11A_n257D		
DC_8A-11A_n257G	DC_8A_n257A DC_8A_n257G DC_11A_n257A DC_11A_n257G		
DC_8A-11A_n257H	DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_11A_n257A DC_11A_n257G DC_11A_n257H		
DC_8A-11A_n257I	DC_8A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_8A_n257G DC_8A_n257H DC_8A_n257I DC_11A_n257A DC_11A_n257G DC_11A_n257H DC_11A_n257I		
DC_8A_n1A-n257A (interBandEnDcSimRxTx)	DC_8A_n1A DC_8A_n257A		
DC_8A_n1A-n257D (interBandEnDcSimRxTx)	DC_8A_n1A DC_8A_n257A		
DC_8A_n1A-n257E (interBandEnDcSimRxTx)	DC_8A_n1A DC_8A_n257A		
DC_8A_n1A-n257F (interBandEnDcSimRxTx)	DC_8A_n1A DC_8A_n257A		
DC_8A_n1A-n257G (interBandEnDcSimRxTx)	DC_8A_n1A DC_8A_n257A DC_8A_n257G		
DC_8A_n1A-n257H (interBandEnDcSimRxTx)	DC_8A_n1A DC_8A_n257A DC_8A_n257G DC_8A_n257H		
DC_8A_n1A-n257I (interBandEnDcSimRxTx)	DC_8A_n1A DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I		
DC_8A_n1A-n257J (interBandEnDcSimRxTx)	DC_8A_n1A DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I DC_8A_n257J		
DC_8A_n1A-n257K (interBandEnDcSimRxTx)	DC_8A_n1A DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I DC_8A_n257J DC_8A_n257K		
DC_8A_n1A-n257L (interBandEnDcSimRxTx)	DC_8A_n1A DC_8A_n257A DC_8A_n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_8A_n257H DC_8A_n257I DC_8A_n257J DC_8A_n257K		
DC_8A_n1A-n257M (interBandEnDcSimRxTx)	DC_8A_n1A DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I DC_8A_n257J DC_8A_n257K		
DC_8A_n3A-n257A	DC_8A_n3A DC_8A_n257A		
DC_8A_n3A-n257G	DC_8A_n3A DC_8A_n257A		
DC_8A_n3A-n257H	DC_8A_n3A DC_8A_n257A		
DC_8A_n3A-n257I	DC_8A_n3A DC_8A_n257A		
DC_8A_n3A-n257J	DC_8A_n3A DC_8A_n257A		
DC_8A_n3A-n257K	DC_8A_n3A DC_8A_n257A		
DC_8A_n3A-n257L	DC_8A_n3A DC_8A_n257A		
DC_8A_n3A-n257M	DC_8A_n3A DC_8A_n257A		
DC_8A-(n)3AA-n257A (interBandEnDcSimRxTx)	DC_(n)3AA (switchedUlOnly) DC_3A_n257A DC_8A_n3A DC_8A_n257A		
DC_8A-(n)3AA-n257G (interBandEnDcSimRxTx)	DC_(n)3AA (switchedUlOnly) DC_3A_n257A DC_8A_n3A DC_8A_n257A		
DC_8A-(n)3AA-n257H (interBandEnDcSimRxTx)	DC_(n)3AA (switchedUlOnly) DC_3A_n257A DC_8A_n3A DC_8A_n257A		
	DC_(n)3AA (switchedUlOnly)		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_8A-(n)3AA-n257I (interBandEnDcSimRxTx)	DC_3A_n257A DC_8A_n3A DC_8A_n257A		
DC_8A-(n)3AA-n257J (interBandEnDcSimRxTx)	DC_(n)3AA (switchedUlOnly) DC_3A_n257A DC_8A_n3A DC_8A_n257A		
DC_8A-(n)3AA-n257K (interBandEnDcSimRxTx)	DC_(n)3AA (switchedUlOnly) DC_3A_n257A DC_8A_n3A DC_8A_n257A		
DC_8A-(n)3AA-n257L (interBandEnDcSimRxTx)	DC_(n)3AA (switchedUlOnly) DC_3A_n257A DC_8A_n3A DC_8A_n257A		
DC_8A-(n)3AA-n257M (interBandEnDcSimRxTx)	DC_(n)3AA (switchedUlOnly) DC_3A_n257A DC_8A_n3A DC_8A_n257A		
DC_8A_n34A-n258A	DC_8A_n34A DC_8A_n258A DC_8A_n34A-n258A		
DC_8A_n39A-n258A	DC_8A_n39A DC_8A_n258A		
DC_8A_n40A-n258A	DC_8A_n40A DC_8A_n258A DC_8A_n40A-n258A		
DC_8A_n40A-n258D	DC_8A_n40A DC_8A_n258A DC_8A_n40A-n258A		
DC_8A_n40A-n258E	DC_8A_n40A DC_8A_n258A DC_8A_n40A-n258A		
DC_8A_n40A-n258F	DC_8A_n40A DC_8A_n258A DC_8A_n40A-n258A		
DC_8A_n40A-n258G	DC_8A_n40A DC_8A_n258A DC_8A_n40A-n258A		
DC_8A_n40A-n258H	DC_8A_n40A DC_8A_n258A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_8A_n40A-n258A		
DC_8A_n40A-n258I	DC_8A_n40A DC_8A_n258A DC_8A_n40A-n258A		
DC_8A_n40A-n258J	DC_8A_n40A DC_8A_n258A DC_8A_n40A-n258A		
DC_8A_n40A-n258K	DC_8A_n40A DC_8A_n258A DC_8A_n40A-n258A		
DC_8A_n40A-n258L	DC_8A_n40A DC_8A_n258A DC_8A_n40A-n258A		
DC_8A_n40A-n258M	DC_8A_n40A DC_8A_n258A DC_8A_n40A-n258A		
DC_8A_n41A-n258A	DC_8A_n41A DC_8A_n258A DC_8A_n41A-n258A		
DC_8A_n77A-n257A (interBandEnDcSimRxTx)	DC_8A_n77A DC_8A_n257A		
DC_8A_n77A-n257D (interBandEnDcSimRxTx)	DC_8A_n77A DC_8A_n257A DC_8A_n257D		
DC_8A_n77A-n257G (interBandEnDcSimRxTx)	DC_8A_n77A DC_8A_n257A DC_8A_n257G		
DC_8A_n77A-n257H (interBandEnDcSimRxTx)	DC_8A_n77A DC_8A_n257A DC_8A_n257G DC_8A_n257H		
DC_8A_n77A-n257I (interBandEnDcSimRxTx)	DC_8A_n77A DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I		
DC_8A_n77A-n257J (interBandEnDcSimRxTx)	DC_8A_n77A DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_8A_n77A-n257K (interBandEnDcSimRxTx)	DC_8A_n77A DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I		
DC_8A_n77A-n257L (interBandEnDcSimRxTx)	DC_8A_n77A DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I		
DC_8A_n77A-n257M (interBandEnDcSimRxTx)	DC_8A_n77A DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I		
DC_8A_n77(2A)-n257A (interBandEnDcSimRxTx)	DC_8A_n77A DC_8A_n257A		
DC_8A_n77(2A)-n257D (interBandEnDcSimRxTx)	DC_8A_n77A DC_8A_n257A DC_8A_n257D		
DC_8A_n77(2A)-n257G (interBandEnDcSimRxTx)	DC_8A_n77A DC_8A_n257A DC_8A_n257G		
DC_8A_n77(2A)-n257H (interBandEnDcSimRxTx)	DC_8A_n77A DC_8A_n257A DC_8A_n257G DC_8A_n257H		
DC_8A_n77(2A)-n257I (interBandEnDcSimRxTx)	DC_8A_n77A DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I		
DC_8A_n77(2A)-n257J (interBandEnDcSimRxTx)	DC_8A_n77A DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I		
DC_8A_n77(2A)-n257K (interBandEnDcSimRxTx)	DC_8A_n77A DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I		
	DC_8A_n77A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_8A_n77(2A)-n257L (interBandEnDcSimRxTx)	DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I		
DC_8A_n77(2A)-n257M (interBandEnDcSimRxTx)	DC_8A_n77A DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I		
DC_8A_n78A-n257A (interBandEnDcSimRxTx)	DC_8A_n78A DC_8A_n257A		
DC_8A_n78A-n257D (interBandEnDcSimRxTx)	DC_8A_n78A DC_8A_n257A		
DC_8A_n78A-n257E (interBandEnDcSimRxTx)	DC_8A_n78A DC_8A_n257A		
DC_8A_n78A-n257F (interBandEnDcSimRxTx)	DC_8A_n78A DC_8A_n257A		
DC_8A_n78A-n257G (interBandEnDcSimRxTx)	DC_8A_n78A DC_8A_n257A		
DC_8A_n78A-n257H (interBandEnDcSimRxTx)	DC_8A_n78A DC_8A_n257A		
DC_8A_n78A-n257I (interBandEnDcSimRxTx)	DC_8A_n78A DC_8A_n257A		
DC_8A_n78A-n257J (interBandEnDcSimRxTx)	DC_8A_n78A DC_8A_n257A		
DC_8A_n78A-n257K (interBandEnDcSimRxTx)	DC_8A_n78A DC_8A_n257A		
DC_8A_n78A-n257L (interBandEnDcSimRxTx)	DC_8A_n78A DC_8A_n257A		
DC_8A_n78A-n257M (interBandEnDcSimRxTx)	DC_8A_n78A DC_8A_n257A		
DC_8A_n78A-n258A	DC_8A_n78A DC_8A_n258A		
DC_8A_n78A-n258D	DC_8A_n78A DC_8A_n258A		
DC_8A_n78A-n258E	DC_8A_n78A DC_8A_n258A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_8A_n78A-n258F	DC_8A_n78A DC_8A_n258A		
DC_8A_n78A-n258G	DC_8A_n78A DC_8A_n258A		
DC_8A_n78A-n258H	DC_8A_n78A DC_8A_n258A		
DC_8A_n78A-n258I	DC_8A_n78A DC_8A_n258A		
DC_8A_n78A-n258J	DC_8A_n78A DC_8A_n258A		
DC_8A_n78A-n258K	DC_8A_n78A DC_8A_n258A		
DC_8A_n78A-n258L	DC_8A_n78A DC_8A_n258A		
DC_8A_n78A-n258M	DC_8A_n78A DC_8A_n258A		
DC_8A_n79A-n258A	DC_8A_n79A DC_8A_n258A DC_8A_n79A-n258A		
DC_8B-11A_n257A	DC_8A_n257A DC_11A_n257A		
DC_8B-11A_n257D	DC_8A_n257A DC_8A_n257D DC_11A_n257A DC_11A_n257D		
DC_8B-11A_n257G	DC_8A_n257A DC_8A_n257G DC_11A_n257A DC_11A_n257G		
DC_8B-11A_n257H	DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_11A_n257A DC_11A_n257G DC_11A_n257H		
DC_8B-11A_n257I	DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I DC_11A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_11A_n257G DC_11A_n257H DC_11A_n257I		
DC_11A-18A_n257A	DC_11A_n257A DC_18A_n257A		
DC_11A-18A_n257G	DC_11A_n257A DC_11A_n257G DC_18A_n257A DC_18A_n257G		
DC_11A-18A_n257H	DC_11A_n257A DC_11A_n257G DC_11A_n257H DC_18A_n257A DC_18A_n257G DC_18A_n257H		
DC_11A-18A_n257I	DC_11A_n257A DC_11A_n257G DC_11A_n257H DC_11A_n257I DC_18A_n257A DC_18A_n257G DC_18A_n257H DC_18A_n257I		
DC_11A_n77A-n257A (interBandEnDcSimRxTx)	DC_11A_n77A DC_11A_n257A		
DC_11A_n77A-n257D (interBandEnDcSimRxTx)	DC_11A_n77A DC_11A_n257A DC_11A_n257D		
DC_11A_n77A-n257G (interBandEnDcSimRxTx)	DC_11A_n77A DC_11A_n257A DC_11A_n257G		
DC_11A_n77A-n257H (interBandEnDcSimRxTx)	DC_11A_n77A DC_11A_n257A DC_11A_n257G DC_11A_n257H		
DC_11A_n77A-n257I (interBandEnDcSimRxTx)	DC_11A_n77A DC_11A_n257A DC_11A_n257G DC_11A_n257H DC_11A_n257I		
DC_11A_n77(2A)-n257A (interBandEnDcSimRxTx)	DC_11A_n77A DC_11A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_11A_n77(2A)-n257D (interBandEnDcSimRxTx)	DC_11A_n77A DC_11A_n257A DC_11A_n257D		
DC_11A_n77(2A)-n257G (interBandEnDcSimRxTx)	DC_11A_n77A DC_11A_n257A DC_11A_n257G		
DC_11A_n77(2A)-n257H (interBandEnDcSimRxTx)	DC_11A_n77A DC_11A_n257A DC_11A_n257G DC_11A_n257H		
DC_11A_n77(2A)-n257I (interBandEnDcSimRxTx)	DC_11A_n77A DC_11A_n257A DC_11A_n257G DC_11A_n257H DC_11A_n257I		
DC_12A-30A_n260A	DC_12A_n260A DC_30A_n260A		
DC_12A-30A_n260G	DC_12A_n260A DC_30A_n260A DC_12A_n260G DC_30A_n260G		
DC_12A-30A_n260H	DC_12A_n260A DC_30A_n260A DC_12A_n260G DC_30A_n260G DC_12A_n260H DC_30A_n260H		
DC_12A-30A_n260I	DC_12A_n260A DC_30A_n260A DC_12A_n260G DC_30A_n260G DC_12A_n260H DC_30A_n260H DC_12A_n260I DC_30A_n260I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_12A-30A_n260J	DC_12A_n260A DC_30A_n260A DC_12A_n260G DC_30A_n260G DC_12A_n260H DC_30A_n260H DC_12A_n260I DC_30A_n260I DC_12A_n260J DC_30A_n260J		
DC_12A-30A_n260K	DC_12A_n260A DC_30A_n260A DC_12A_n260G DC_30A_n260G DC_12A_n260H DC_30A_n260H DC_12A_n260I DC_30A_n260I DC_12A_n260J DC_30A_n260J DC_12A_n260K DC_30A_n260K		
DC_12A-30A_n260L	DC_12A_n260A DC_30A_n260A DC_12A_n260G DC_30A_n260G DC_12A_n260H DC_30A_n260H DC_12A_n260I DC_30A_n260I DC_12A_n260J DC_30A_n260J DC_12A_n260K DC_30A_n260K DC_12A_n260L DC_30A_n260L		
DC_12A-30A_n260M	DC_12A_n260A DC_30A_n260A DC_12A_n260G DC_30A_n260G DC_12A_n260H DC_30A_n260H DC_12A_n260I DC_30A_n260I DC_12A_n260J DC_30A_n260J DC_12A_n260K DC_30A_n260K DC_12A_n260L DC_30A_n260L		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_12A_n260M DC_30A_n260M		
DC_12A-66A_n257A	DC_12A_n257A DC_66A_n257A		
DC_12A-66A_n257G	DC_12A_n257A DC_12A_n257G DC_66A_n257A DC_66A_n257G		
DC_12A-66A_n257H	DC_12A_n257A DC_12A_n257G DC_66A_n257A DC_66A_n257G		
DC_12A-66A_n257I	DC_12A_n257A DC_12A_n257G DC_66A_n257A DC_66A_n257G		
DC_12A-66A_n257J	DC_12A_n257A DC_12A_n257G DC_66A_n257A DC_66A_n257G		
DC_12A-66A_n257K	DC_12A_n257A DC_12A_n257G DC_66A_n257A DC_66A_n257G		
DC_12A-66A_n257L	DC_12A_n257A DC_12A_n257G DC_66A_n257A DC_66A_n257G		
DC_12A-66A_n257M	DC_12A_n257A DC_12A_n257G DC_66A_n257A DC_66A_n257G		
DC_12A-66A_n258A	DC_12A_n258A DC_66A_n258A		
DC_12A-66A_n258G	DC_12A_n258A DC_12A_n258G DC_66A_n258A DC_66A_n258G		
DC_12A-66A_n258H	DC_12A_n258A DC_12A_n258G DC_66A_n258A DC_66A_n258G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_12A-66A_n258I	DC_12A_n258A DC_12A_n258G DC_66A_n258A DC_66A_n258G		
DC_12A-66A_n258J	DC_12A_n258A DC_12A_n258G DC_66A_n258A DC_66A_n258G		
DC_12A-66A_n258K	DC_12A_n258A DC_12A_n258G DC_66A_n258A DC_66A_n258G		
DC_12A-66A_n258L	DC_12A_n258A DC_12A_n258G DC_66A_n258A DC_66A_n258G		
DC_12A-66A_n258M	DC_12A_n258A DC_12A_n258G DC_66A_n258A DC_66A_n258G		
DC_12A-66A_n260A	DC_12A_n260A DC_66A_n260A		
DC_12A-66A_n260G	DC_12A_n260A DC_12A_n260G DC_66A_n260A DC_66A_n260G		
DC_12A-66A_n260H	DC_12A_n260A DC_12A_n260G DC_12A_n260H DC_66A_n260A DC_66A_n260G DC_66A_n260H		
DC_12A-66A_n260I	DC_12A_n260A DC_12A_n260G DC_12A_n260H DC_12A_n260I DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I		
DC_12A-66A_n260J	DC_12A_n260A DC_12A_n260G DC_12A_n260H DC_12A_n260I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_12A_n260J DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I DC_66A_n260J		
DC_12A-66A_n260K	DC_12A_n260A DC_12A_n260G DC_12A_n260H DC_12A_n260I DC_12A_n260J DC_12A_n260K DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I DC_66A_n260J DC_66A_n260K		
DC_12A-66A_n260L	DC_12A_n260A DC_12A_n260G DC_12A_n260H DC_12A_n260I DC_12A_n260J DC_12A_n260K DC_12A_n260L DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I DC_66A_n260J DC_66A_n260K DC_66A_n260L		
DC_12A-66A_n260M	DC_12A_n260A DC_12A_n260G DC_12A_n260H DC_12A_n260I DC_12A_n260J DC_12A_n260K DC_12A_n260L DC_12A_n260M DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I DC_66A_n260J DC_66A_n260K DC_66A_n260L DC_66A_n260M		
DC_12A-66A_n260O	DC_12A_n260A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_12A_n260O DC_66A_n260A DC_66A_n260O		
DC_12A-66A_n260P	DC_12A_n260A DC_12A_n260O DC_66A_n260A DC_66A_n260O		
DC_12A-66A_n260Q	DC_12A_n260A DC_12A_n260O DC_66A_n260A DC_66A_n260O		
DC_12A-66A_n261A	DC_12A_n261A DC_66A_n261A		
DC_12A-66A_n261G	DC_12A_n261A DC_12A_n261G DC_66A_n261A DC_66A_n261G		
DC_12A-66A_n261H	DC_12A_n261A DC_12A_n261G DC_66A_n261A DC_66A_n261G		
DC_12A-66A_n261I	DC_12A_n261A DC_12A_n261G DC_66A_n261A DC_66A_n261G		
DC_12A-66A_n261J	DC_12A_n261A DC_12A_n261G DC_66A_n261A DC_66A_n261G		
DC_12A-66A_n261K	DC_12A_n261A DC_12A_n261G DC_66A_n261A DC_66A_n261G		
DC_12A-66A_n261L	DC_12A_n261A DC_12A_n261G DC_66A_n261A DC_66A_n261G		
DC_12A-66A_n261M	DC_12A_n261A DC_12A_n261G DC_66A_n261A DC_66A_n261G		
DC_12A-66A_n261O	DC_12A_n261A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_12A_n261O DC_66A_n261A DC_66A_n261O		
DC_12A-66A_n261P	DC_12A_n261A DC_12A_n261O DC_66A_n261A DC_66A_n261O		
DC_12A-66A_n261Q	DC_12A_n261A DC_12A_n261O DC_66A_n261A DC_66A_n261O		
DC_13A-46A_n261A	DC_13A_n261A		
DC_13A-46A_n261G	DC_13A_n261A DC_13A_n261G		
DC_13A-46A_n261H	DC_13A_n261A DC_13A_n261G DC_13A_n261H		
DC_13A-46A_n261I	DC_13A_n261A DC_13A_n261G DC_13A_n261H DC_13A_n261I		
DC_13A-46A_n261J	DC_13A_n261A DC_13A_n261G DC_13A_n261H DC_13A_n261I DC_13A_n261J		
DC_13A-46A_n261K	DC_13A_n261A DC_13A_n261G DC_13A_n261H DC_13A_n261I DC_13A_n261J DC_13A_n261K		
DC_13A-46A_n261L	DC_13A_n261A DC_13A_n261G DC_13A_n261H DC_13A_n261I DC_13A_n261J DC_13A_n261K DC_13A_n261L		
DC_13A-46A_n261M	DC_13A_n261A DC_13A_n261G DC_13A_n261H DC_13A_n261I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_13A_n261J DC_13A_n261K DC_13A_n261L DC_13A_n261M		
DC_13A-46A_n261(2A)	DC_13A_n261A		
DC_13A-46A_n261(2G)	DC_13A_n261A DC_13A_n261G		
DC_13A-46A_n261(2H)	DC_13A_n261A DC_13A_n261G DC_13A_n261H		
DC_13A-46A_n261(A-G)	DC_13A_n261A DC_13A_n261G		
DC_13A-46A_n261(A-H)	DC_13A_n261A DC_13A_n261G DC_13A_n261H		
DC_13A-46A_n261(G-H)	DC_13A_n261A DC_13A_n261G DC_13A_n261H		
DC_13A-66A_n257A (interBandEnDcSimRxTx)	DC_13A_n257A DC_66A_n257A		
DC_13A-66A_n260A	DC_13A_n260A DC_66A_n260A		
DC_13A-66A_n260G	DC_13A_n260A DC_66A_n260A DC_13A_n260G DC_66A_n260G		
DC_13A-66A_n260H	DC_13A_n260A DC_66A_n260A DC_13A_n260G DC_66A_n260G DC_13A_n260H DC_66A_n260H		
DC_13A-66A_n260I	DC_13A_n260A DC_66A_n260A DC_13A_n260G DC_66A_n260G DC_13A_n260H DC_66A_n260H DC_13A_n260I DC_66A_n260I		
DC_13A-66A_n260J	DC_13A_n260A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_66A_n260A DC_13A_n260G DC_66A_n260G DC_13A_n260H DC_66A_n260H DC_13A_n260I DC_66A_n260I DC_13A_n260J DC_66A_n260J		
DC_13A-66A_n260K	DC_13A_n260A DC_66A_n260A DC_13A_n260G DC_66A_n260G DC_13A_n260H DC_66A_n260H DC_13A_n260I DC_66A_n260I DC_13A_n260J DC_66A_n260J DC_13A_n260K DC_66A_n260K		
DC_13A-66A_n260L	DC_13A_n260A DC_66A_n260A DC_13A_n260G DC_66A_n260G DC_13A_n260H DC_66A_n260H DC_13A_n260I DC_66A_n260I DC_13A_n260J DC_66A_n260J DC_13A_n260K DC_66A_n260K DC_13A_n260L DC_66A_n260L		
DC_13A-66A_n260M	DC_13A_n260A DC_66A_n260A DC_13A_n260G DC_66A_n260G DC_13A_n260H DC_66A_n260H DC_13A_n260I DC_66A_n260I DC_13A_n260J DC_66A_n260J DC_13A_n260K DC_66A_n260K DC_13A_n260L DC_66A_n260L DC_13A_n260M		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_66A_n260M		
DC_13A-66A_n260(2A)	DC_13A_n260A DC_66A_n260A		
DC_13A-66A_n260(2A-2G)	DC_13A_n260A DC_66A_n260A DC_13A_n260G DC_66A_n260G		
DC_13A-66A_n260(2A-G)	DC_13A_n260A DC_66A_n260A DC_13A_n260G DC_66A_n260G		
DC_13A-66A_n260(2G)	DC_13A_n260A DC_66A_n260A DC_13A_n260G DC_66A_n260G		
DC_13A-66A_n260(2H)	DC_13A_n260A DC_66A_n260A DC_13A_n260G DC_66A_n260G DC_13A_n260H DC_66A_n260H		
DC_13A-66A_n260(3A)	DC_13A_n260A DC_66A_n260A		
DC_13A-66A_n260(3A-G)	DC_13A_n260A DC_66A_n260A DC_13A_n260G DC_66A_n260G		
DC_13A-66A_n260(4A)	DC_13A_n260A DC_66A_n260A		
DC_13A-66A_n260(5A)	DC_13A_n260A DC_66A_n260A		
DC_13A-66A_n260(6A)	DC_13A_n260A DC_66A_n260A		
DC_13A-66A_n260(A-2G)	DC_13A_n260A DC_66A_n260A DC_13A_n260G DC_66A_n260G		
DC_13A-66A_n260(A-G)	DC_13A_n260A DC_66A_n260A DC_13A_n260G DC_66A_n260G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_13A-66A_n260(A-H)	DC_13A_n260A DC_66A_n260A DC_13A_n260G DC_66A_n260G DC_13A_n260H DC_66A_n260H		
DC_13A-66A_n260(G-H)	DC_13A_n260A DC_66A_n260A DC_13A_n260G DC_66A_n260G DC_13A_n260H DC_66A_n260H		
DC_13A-66A_n261A	DC_13A_n261A DC_66A_n261A		
DC_13A-66A_n261G	DC_13A_n261A DC_66A_n261A DC_13A_n261G DC_66A_n261G		
DC_13A-66A_n261H	DC_13A_n261A DC_66A_n261A DC_13A_n261G DC_66A_n261G DC_13A_n261H DC_66A_n261H		
DC_13A-66A_n261I	DC_13A_n261A DC_66A_n261A DC_13A_n261G DC_66A_n261G DC_13A_n261H DC_66A_n261H DC_13A_n261I DC_66A_n261I		
DC_13A-66A_n261J	DC_13A_n261A DC_66A_n261A DC_13A_n261G DC_66A_n261G DC_13A_n261H DC_66A_n261H DC_13A_n261I DC_66A_n261I DC_13A_n261J DC_66A_n261J		
DC_13A-66A_n261K	DC_13A_n261A DC_66A_n261A DC_13A_n261G DC_66A_n261G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_13A_n261H DC_66A_n261H DC_13A_n261I DC_66A_n261I DC_13A_n261J DC_66A_n261J DC_13A_n261K DC_66A_n261K		
DC_13A-66A_n261L	DC_13A_n261A DC_66A_n261A DC_13A_n261G DC_66A_n261G DC_13A_n261H DC_66A_n261H DC_13A_n261I DC_66A_n261I DC_13A_n261J DC_66A_n261J DC_13A_n261K DC_66A_n261K DC_13A_n261L DC_66A_n261L		
DC_13A-66A_n261M	DC_13A_n261A DC_66A_n261A DC_13A_n261G DC_66A_n261G DC_13A_n261H DC_66A_n261H DC_13A_n261I DC_66A_n261I DC_13A_n261J DC_66A_n261J DC_13A_n261K DC_66A_n261K DC_13A_n261L DC_66A_n261L DC_13A_n261M DC_66A_n261M		
DC_13A-66A_n261(2A)	DC_13A_n261A DC_66A_n261A		
DC_13A-66A_n261(2A-G)	DC_13A_n261A DC_66A_n261A DC_13A_n261G DC_66A_n261G		
DC_13A-66A_n261(2A-H)	DC_13A_n261A DC_66A_n261A DC_13A_n261G DC_66A_n261G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_13A_n261H DC_66A_n261H		
DC_13A-66A_n261(2A-I)	DC_13A_n261A DC_66A_n261A DC_13A_n261G DC_66A_n261G DC_13A_n261H DC_66A_n261H DC_13A_n261I DC_66A_n261I		
DC_13A-66A_n261(2G)	DC_13A_n261A DC_66A_n261A DC_13A_n261G DC_66A_n261G		
DC_13A-66A_n261(2H)	DC_13A_n261A DC_66A_n261A DC_13A_n261G DC_66A_n261G DC_13A_n261H DC_66A_n261H		
DC_13A-66A_n261(3A)	DC_13A_n261A DC_66A_n261A		
DC_13A-66A_n261(3A-G)	DC_13A_n261A DC_66A_n261A DC_13A_n261G DC_66A_n261G		
DC_13A-66A_n261(4A)	DC_13A_n261A DC_66A_n261A		
DC_13A-66A_n261(A-2G)	DC_13A_n261A DC_66A_n261A DC_13A_n261G DC_66A_n261G		
DC_13A-66A_n261(A-G)	DC_13A_n261A DC_66A_n261A DC_13A_n261G DC_66A_n261G		
DC_13A-66A_n261(A-G-H)	DC_13A_n261A DC_66A_n261A DC_13A_n261G DC_66A_n261G DC_13A_n261H DC_66A_n261H		
DC_13A-66A_n261(A-G-I)	DC_13A_n261A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_66A_n261A DC_13A_n261G DC_66A_n261G DC_13A_n261H DC_66A_n261H DC_13A_n261I DC_66A_n261I		
DC_13A-66A_n261(A-H)	DC_13A_n261A DC_66A_n261A DC_13A_n261G DC_66A_n261G DC_13A_n261H DC_66A_n261H		
DC_13A-66A_n261(A-I)	DC_13A_n261A DC_66A_n261A DC_13A_n261G DC_66A_n261G DC_13A_n261H DC_66A_n261H DC_13A_n261I DC_66A_n261I		
DC_13A-66A_n261(A-J)	DC_13A_n261A DC_66A_n261A DC_13A_n261G DC_66A_n261G DC_13A_n261H DC_66A_n261H DC_13A_n261I DC_66A_n261I		
DC_13A-66A_n261(A-K)	DC_13A_n261A DC_66A_n261A DC_13A_n261G DC_66A_n261G DC_13A_n261H DC_66A_n261H DC_13A_n261I DC_66A_n261I		
DC_13A-66A_n261(A-L)	DC_13A_n261A DC_66A_n261A DC_13A_n261G DC_66A_n261G DC_13A_n261H DC_66A_n261H DC_13A_n261I DC_66A_n261I		
DC_13A-66A_n261(G-H)	DC_13A_n261A DC_66A_n261A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_13A_n261G DC_66A_n261G DC_13A_n261H DC_66A_n261H		
DC_13A-66A_n261(G-I)	DC_13A_n261A DC_66A_n261A DC_13A_n261G DC_66A_n261G DC_13A_n261H DC_66A_n261H DC_13A_n261I DC_66A_n261I		
DC_13A-66A_n261(G-J)	DC_13A_n261A DC_66A_n261A DC_13A_n261G DC_66A_n261G DC_13A_n261H DC_66A_n261H DC_13A_n261I DC_66A_n261I		
DC_13A-66A_n261(H-I)	DC_13A_n261A DC_66A_n261A DC_13A_n261G DC_66A_n261G DC_13A_n261H DC_66A_n261H DC_13A_n261I DC_66A_n261I		
DC_14A-30A_n260A	DC_14A_n260A DC_30A_n260A		
DC_14A-30A_n260G	DC_14A_n260A DC_14A_n260G DC_30A_n260A DC_30A_n260G		
DC_14A-30A_n260H	DC_14A_n260A DC_14A_n260G DC_14A_n260H DC_30A_n260A DC_30A_n260G DC_30A_n260H		
DC_14A-30A_n260I	DC_14A_n260A DC_14A_n260G DC_14A_n260H DC_14A_n260I DC_30A_n260A DC_30A_n260G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_30A_n260H DC_30A_n260I		
DC_14A-30A_n260J	DC_14A_n260A DC_14A_n260G DC_14A_n260H DC_14A_n260I DC_14A_n260J DC_30A_n260A DC_30A_n260G DC_30A_n260H DC_30A_n260I DC_30A_n260J		
DC_14A-30A_n260K	DC_14A_n260A DC_14A_n260G DC_14A_n260H DC_14A_n260I DC_14A_n260J DC_14A_n260K DC_30A_n260A DC_30A_n260G DC_30A_n260H DC_30A_n260I DC_30A_n260J DC_30A_n260K		
DC_14A-30A_n260L	DC_14A_n260A DC_14A_n260G DC_14A_n260H DC_14A_n260I DC_14A_n260J DC_14A_n260K DC_14A_n260L DC_30A_n260A DC_30A_n260G DC_30A_n260H DC_30A_n260I DC_30A_n260J DC_30A_n260K DC_30A_n260L		
DC_14A-30A_n260M	DC_14A_n260A DC_14A_n260G DC_14A_n260H DC_14A_n260I DC_14A_n260J DC_14A_n260K DC_14A_n260L DC_14A_n260M DC_30A_n260A DC_30A_n260G DC_30A_n260H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_30A_n260I DC_30A_n260J DC_30A_n260K DC_30A_n260L DC_30A_n260M		
DC_14A-66A_n260A	DC_14A_n260A DC_66A_n260A		
DC_14A-66A_n260G	DC_14A_n260A DC_14A_n260G DC_66A_n260A DC_66A_n260G		
DC_14A-66A_n260H	DC_14A_n260A DC_14A_n260G DC_14A_n260H DC_66A_n260A DC_66A_n260G DC_66A_n260H		
DC_14A-66A_n260I	DC_14A_n260A DC_14A_n260G DC_14A_n260H DC_14A_n260I DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I		
DC_14A-66A_n260J	DC_14A_n260A DC_14A_n260G DC_14A_n260H DC_14A_n260I DC_14A_n260J DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I DC_66A_n260J		
DC_14A-66A_n260K	DC_14A_n260A DC_14A_n260G DC_14A_n260H DC_14A_n260I DC_14A_n260J DC_14A_n260K DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I DC_66A_n260J DC_66A_n260K		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_14A-66A_n260L	DC_14A_n260A DC_14A_n260G DC_14A_n260H DC_14A_n260I DC_14A_n260J DC_14A_n260K DC_14A_n260L DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I DC_66A_n260J DC_66A_n260K DC_66A_n260L		
DC_14A-66A_n260M	DC_14A_n260A DC_14A_n260G DC_14A_n260H DC_14A_n260I DC_14A_n260J DC_14A_n260K DC_14A_n260L DC_14A_n260M DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I DC_66A_n260J DC_66A_n260K DC_66A_n260L DC_66A_n260M		
DC_18A-28A_n257A (interBandEnDcSimRxTx)	DC_18A_n257A DC_28A_n257A		
DC_18A-41A_n257A	DC_18A_n257A DC_41A_n257A		
DC_18A-41A_n257G	DC_18A_n257A DC_18A_n257G DC_41A_n257A DC_41A_n257G		
DC_18A-41A_n257H	DC_18A_n257A DC_18A_n257G DC_18A_n257H DC_41A_n257A DC_41A_n257G DC_41A_n257H		
DC_18A-41A_n257I	DC_18A_n257A DC_18A_n257G DC_18A_n257H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_18A_n257I DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I		
DC_18A-41C_n257A	DC_18A_n257A DC_41A_n257A DC_41C_n257A		
DC_18A-41C_n257G	DC_18A_n257A DC_18A_n257G DC_41A_n257A DC_41A_n257G DC_41C_n257A DC_41C_n257G		
DC_18A-41C_n257H	DC_18A_n257A DC_18A_n257G DC_18A_n257H DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41C_n257A DC_41C_n257G DC_41C_n257H		
DC_18A-41C_n257I	DC_18A_n257A DC_18A_n257G DC_18A_n257H DC_18A_n257I DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_41C_n257I		
DC_18A-42A_n257A	DC_18A_n257A DC_42A_n257A		
DC_18A-42A_n257D	DC_18A_n257A DC_42A_n257A		
DC_18A-42A_n257E	DC_18A_n257A DC_42A_n257A		
DC_18A-42A_n257F	DC_18A_n257A DC_42A_n257A		
DC_18A-42A_n257G	DC_18A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_18A_n257G DC_42A_n257A DC_42A_n257G		
DC_18A-42A_n257H	DC_18A_n257A DC_18A_n257G DC_18A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H		
DC_18A-42A_n257I	DC_18A_n257A DC_18A_n257G DC_18A_n257H DC_18A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_18A-42A_n257J	DC_18A_n257A DC_18A_n257G DC_18A_n257H DC_18A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_18A-42A_n257K	DC_18A_n257A DC_18A_n257G DC_18A_n257H DC_18A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_18A-42A_n257L	DC_18A_n257A DC_18A_n257G DC_18A_n257H DC_18A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_18A-42A_n257M	DC_18A_n257A DC_18A_n257G DC_18A_n257H DC_18A_n257I DC_42A_n257A DC_42A_n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_42A_n257H DC_42A_n257I		
DC_18A-42C_n257A	DC_18A_n257A DC_42A_n257A DC_42C_n257A		
DC_18A-42C_n257D	DC_18A_n257A DC_42A_n257A DC_42C_n257A		
DC_18A-42C_n257E	DC_18A_n257A DC_42A_n257A DC_42C_n257A		
DC_18A-42C_n257F	DC_18A_n257A DC_42A_n257A DC_42C_n257A		
DC_18A-42C_n257G	DC_18A_n257A DC_18A_n257G DC_42A_n257A DC_42A_n257G DC_42C_n257A DC_42C_n257G		
DC_18A-42C_n257H	DC_18A_n257A DC_18A_n257G DC_18A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42C_n257A DC_42C_n257G DC_42C_n257H		
DC_18A-42C_n257I	DC_18A_n257A DC_18A_n257G DC_18A_n257H DC_18A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_18A-42C_n257J	DC_18A_n257A DC_18A_n257G DC_18A_n257H DC_18A_n257I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_18A-42C_n257K	DC_18A_n257A DC_18A_n257G DC_18A_n257H DC_18A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_18A-42C_n257L	DC_18A_n257A DC_18A_n257G DC_18A_n257H DC_18A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_18A-42C_n257M	DC_18A_n257A DC_18A_n257G DC_18A_n257H DC_18A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_18A_n3A-n257A	DC_18A_n3A DC_18A_n257A		
DC_18A_n3A-n257G	DC_18A_n3A DC_18A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_18A_n257G		
DC_18A_n3A-n257H	DC_18A_n3A DC_18A_n257A DC_18A_n257G DC_18A_n257H		
DC_18A_n3A-n257I	DC_18A_n3A DC_18A_n257A DC_18A_n257G DC_18A_n257H DC_18A_n257I		
DC_18A_n78A-n257A	DC_18A_n78A DC_18A_n257A		
DC_18A_n78A-n257G	DC_18A_n78A DC_18A_n257A DC_18A_n257G		
DC_18A_n78A-n257H	DC_18A_n78A DC_18A_n257A DC_18A_n257G DC_18A_n257H		
DC_18A_n78A-n257I	DC_18A_n78A DC_18A_n257A DC_18A_n257G DC_18A_n257H DC_18A_n257I		
DC_19A-21A_n257A (interBandEnDcSimRxTx)	DC_19A_n257A DC_21A_n257A		
DC_19A-21A_n257D (interBandEnDcSimRxTx)	DC_19A_n257A DC_19A_n257D DC_21A_n257A DC_21A_n257D		
DC_19A-21A_n257E (interBandEnDcSimRxTx)	DC_19A_n257A DC_19A_n257D DC_21A_n257A DC_21A_n257D		
DC_19A-21A_n257F (interBandEnDcSimRxTx)	DC_19A_n257A DC_19A_n257D DC_21A_n257A DC_21A_n257D		
DC_19A-21A_n257G	DC_19A_n257A DC_19A_n257G DC_21A_n257A DC_21A_n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_19A-21A_n257H	DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_21A_n257A DC_21A_n257G DC_21A_n257H		
DC_19A-21A_n257I	DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_19A_n257I DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I		
DC_19A-21A_n257J	DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_19A_n257I DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I DC_21A_n257J		
DC_19A-21A_n257K	DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_19A_n257I DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I DC_21A_n257J DC_21A_n257K		
DC_19A-21A_n257L	DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_19A_n257I DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I DC_21A_n257J DC_21A_n257K DC_21A_n257L		
DC_19A-21A_n257M	DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_19A_n257I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I DC_21A_n257J DC_21A_n257K DC_21A_n257L DC_21A_n257M		
DC_19A-28A_n257A	DC_19A_n257A DC_28A_n257A		
DC_19A-42A_n257A (interBandEnDcSimRxTx)	DC_19A_n257A DC_42A_n257A		
DC_19A-42A_n257D (interBandEnDcSimRxTx)	DC_19A_n257A DC_19A_n257D DC_42A_n257A DC_42A_n257D		
DC_19A-42A_n257E (interBandEnDcSimRxTx)	DC_19A_n257A DC_19A_n257D DC_42A_n257A DC_42A_n257D		
DC_19A-42A_n257F (interBandEnDcSimRxTx)	DC_19A_n257A DC_19A_n257D DC_42A_n257A DC_42A_n257D		
DC_19A-42A_n257G (interBandEnDcSimRxTx)	DC_19A_n257A DC_19A_n257G DC_42A_n257A DC_42A_n257G		
DC_19A-42A_n257H (interBandEnDcSimRxTx)	DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H		
DC_19A-42A_n257I (interBandEnDcSimRxTx)	DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_19A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_19A-42A_n257J	DC_19A_n257A DC_19A_n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_19A_n257H DC_19A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_19A-42A_n257K	DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_19A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_19A-42A_n257L	DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_19A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_19A-42A_n257M	DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_19A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_19A-42C_n257A (interBandEnDcSimRxTx)	DC_19A_n257A DC_42A_n257A		
DC_19A-42C_n257D	DC_19A_n257A DC_19A_n257D DC_42A_n257A DC_42A_n257D		
DC_19A-42C_n257E	DC_19A_n257A DC_19A_n257D DC_42A_n257A DC_42A_n257D		
DC_19A-42C_n257F	DC_19A_n257A DC_19A_n257D DC_42A_n257A DC_42A_n257D		
	DC_19A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_19A-42C_n257G (interBandEnDcSimRxTx)	DC_19A_n257G DC_42A_n257A DC_42A_n257G		
DC_19A-42C_n257H (interBandEnDcSimRxTx)	DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H		
DC_19A-42C_n257I (interBandEnDcSimRxTx)	DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_19A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_19A-42C_n257J	DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_19A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_19A-42C_n257K	DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_19A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_19A-42C_n257L	DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_19A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_19A-42C_n257M	DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_19A_n257I DC_42A_n257A DC_42A_n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_42A_n257H DC_42A_n257I		
DC_19A-42D_n257A	DC_19A_n257A DC_42A_n257A		
DC_19A-42D_n257D (interBandEnDcSimRxTx)	DC_19A_n257A DC_19A_n257D DC_42A_n257A DC_42A_n257D		
DC_19A-42D_n257E (interBandEnDcSimRxTx)	DC_19A_n257A DC_19A_n257D DC_42A_n257A DC_42A_n257D		
DC_19A-42D_n257F (interBandEnDcSimRxTx)	DC_19A_n257A DC_19A_n257D DC_42A_n257A DC_42A_n257D		
DC_19A_n77A-n257A (interBandEnDcSimRxTx)	DC_19A_n77A DC_19A_n257A DC_19A_n77A-n257A		
DC_19A_n77A-n257D (interBandEnDcSimRxTx)	DC_19A_n77A DC_19A_n257A DC_19A_n77A-n257A		
DC_19A_n77A-n257E (interBandEnDcSimRxTx)	DC_19A_n77A DC_19A_n257A DC_19A_n77A-n257A		
DC_19A_n77A-n257F (interBandEnDcSimRxTx)	DC_19A_n77A DC_19A_n257A DC_19A_n77A-n257A		
DC_19A_n77A-n257G (interBandEnDcSimRxTx)	DC_19A_n77A DC_19A_n257A DC_19A_n257G DC_19A_n77A-n257A DC_19A_n77A-n257G		
DC_19A_n77A-n257H (interBandEnDcSimRxTx)	DC_19A_n77A DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_19A_n77A-n257A DC_19A_n77A-n257G DC_19A_n77A-n257H		
DC_19A_n77A-n257I (interBandEnDcSimRxTx)	DC_19A_n77A DC_19A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_19A_n257G DC_19A_n257H DC_19A_n257I DC_19A_n77A-n257A DC_19A_n77A-n257G DC_19A_n77A-n257H DC_19A_n77A-n257I		
DC_19A_n77C-n257A (interBandEnDcSimRxTx)	DC_19A_n77A DC_19A_n257A DC_19A_n77A-n257A		
DC_19A_n77C-n257D (interBandEnDcSimRxTx)	DC_19A_n77A DC_19A_n257A DC_19A_n77A-n257A		
DC_19A_n77C-n257E (interBandEnDcSimRxTx)	DC_19A_n77A DC_19A_n257A DC_19A_n77A-n257A		
DC_19A_n77C-n257F (interBandEnDcSimRxTx)	DC_19A_n77A DC_19A_n257A DC_19A_n77A-n257A		
DC_19A_n78A-n257A (interBandEnDcSimRxTx)	DC_19A_n78A DC_19A_n257A DC_19A_n78A-n257A		
DC_19A_n78A-n257D (interBandEnDcSimRxTx)	DC_19A_n78A DC_19A_n257A DC_19A_n78A-n257A		
DC_19A_n78A-n257E (interBandEnDcSimRxTx)	DC_19A_n78A DC_19A_n257A DC_19A_n78A-n257A		
DC_19A_n78A-n257F (interBandEnDcSimRxTx)	DC_19A_n78A DC_19A_n257A DC_19A_n78A-n257A		
DC_19A_n78A-n257G (interBandEnDcSimRxTx)	DC_19A_n78A DC_19A_n257A DC_19A_n257G DC_19A_n78A-n257A DC_19A_n78A-n257G		
DC_19A_n78A-n257H (interBandEnDcSimRxTx)	DC_19A_n78A DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_19A_n78A-n257A DC_19A_n78A-n257G DC_19A_n78A-n257H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_19A_n78A-n257I (interBandEnDcSimRxTx)	DC_19A_n78A DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_19A_n257I DC_19A_n78A-n257A DC_19A_n78A-n257G DC_19A_n78A-n257H DC_19A_n78A-n257I		
DC_19A_n78C-n257A (interBandEnDcSimRxTx)	DC_19A_n78A DC_19A_n257A DC_19A_n78A-n257A		
DC_19A_n78C-n257D (interBandEnDcSimRxTx)	DC_19A_n78A DC_19A_n257A DC_19A_n78A-n257A		
DC_19A_n78C-n257E (interBandEnDcSimRxTx)	DC_19A_n78A DC_19A_n257A DC_19A_n78A-n257A		
DC_19A_n78C-n257F (interBandEnDcSimRxTx)	DC_19A_n78A DC_19A_n257A DC_19A_n78A-n257A		
DC_19A_n79A-n257A (interBandEnDcSimRxTx)	DC_19A_n79A DC_19A_n257A DC_19A_n79A-n257A		
DC_19A_n79A-n257D (interBandEnDcSimRxTx)	DC_19A_n79A DC_19A_n257A DC_19A_n79A-n257A		
DC_19A_n79A-n257E (interBandEnDcSimRxTx)	DC_19A_n79A DC_19A_n257A DC_19A_n79A-n257A		
DC_19A_n79A-n257F (interBandEnDcSimRxTx)	DC_19A_n79A DC_19A_n257A DC_19A_n79A-n257A		
DC_19A_n79A-n257G (interBandEnDcSimRxTx)	DC_19A_n79A DC_19A_n257A DC_19A_n257G DC_19A_n79A-n257A DC_19A_n79A-n257G		
DC_19A_n79A-n257H (interBandEnDcSimRxTx)	DC_19A_n79A DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_19A_n79A-n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_19A_n79A-n257G DC_19A_n79A-n257H		
DC_19A_n79A-n257I (interBandEnDcSimRxTx)	DC_19A_n79A DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_19A_n257I DC_19A_n79A-n257A DC_19A_n79A-n257G DC_19A_n79A-n257H DC_19A_n79A-n257I		
DC_19A_n79C-n257A (interBandEnDcSimRxTx)	DC_19A_n79A DC_19A_n257A DC_19A_n79A-n257A		
DC_19A_n79C-n257D (interBandEnDcSimRxTx)	DC_19A_n79A DC_19A_n257A DC_19A_n79A-n257A		
DC_19A_n79C-n257E (interBandEnDcSimRxTx)	DC_19A_n79A DC_19A_n257A DC_19A_n79A-n257A		
DC_19A_n79C-n257F (interBandEnDcSimRxTx)	DC_19A_n79A DC_19A_n257A DC_19A_n79A-n257A		
DC_21A-28A_n257A (interBandEnDcSimRxTx)	DC_21A_n257A DC_28A_n257A		
DC_21A-28A_n257D (interBandEnDcSimRxTx)	DC_21A_n257A DC_21A_n257D DC_28A_n257A DC_28A_n257D		
DC_21A-28A_n257E (interBandEnDcSimRxTx)	DC_21A_n257A DC_21A_n257D DC_28A_n257A DC_28A_n257D		
DC_21A-28A_n257F (interBandEnDcSimRxTx)	DC_21A_n257A DC_21A_n257D DC_28A_n257A DC_28A_n257D		
DC_21A-42A_n257A (interBandEnDcSimRxTx)	DC_21A_n257A DC_42A_n257A		
DC_21A-42A_n257D (interBandEnDcSimRxTx)	DC_21A_n257A DC_21A_n257D DC_42A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_42A_n257D		
DC_21A-42A_n257E (interBandEnDcSimRxTx)	DC_21A_n257A DC_21A_n257D DC_42A_n257A DC_42A_n257D		
DC_21A-42A_n257F (interBandEnDcSimRxTx)	DC_21A_n257A DC_21A_n257D DC_42A_n257A DC_42A_n257D		
DC_21A-42A_n257G	DC_21A_n257A DC_21A_n257G DC_42A_n257A DC_42A_n257G		
DC_21A-42A_n257H	DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H		
DC_21A-42A_n257I	DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_21A-42A_n257J	DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I DC_21A_n257J DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_21A-42A_n257K	DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I DC_21A_n257J DC_21A_n257K DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_21A-42A_n257L	DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I DC_21A_n257J DC_21A_n257K DC_21A_n257L DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_21A-42A_n257M	DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I DC_21A_n257J DC_21A_n257K DC_21A_n257L DC_21A_n257M DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_21A-42C_n257A (interBandEnDcSimRxTx)	DC_21A_n257A DC_42A_n257A		
DC_21A-42C_n257D	DC_21A_n257A DC_21A_n257D DC_42A_n257A DC_42A_n257D		
DC_21A-42C_n257E	DC_21A_n257A DC_21A_n257D DC_42A_n257A DC_42A_n257D		
DC_21A-42C_n257F	DC_21A_n257A DC_21A_n257D DC_42A_n257A DC_42A_n257D		
DC_21A-42C_n257G	DC_21A_n257A DC_21A_n257G DC_42A_n257A DC_42A_n257G		
DC_21A-42C_n257H	DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_42A_n257A DC_42A_n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_42A_n257H		
DC_21A-42C_n257I	DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_21A-42C_n257J	DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I DC_21A_n257J DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_21A-42C_n257K	DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I DC_21A_n257J DC_21A_n257K DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_21A-42C_n257L	DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I DC_21A_n257J DC_21A_n257K DC_21A_n257L DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_21A-42C_n257M	DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I DC_21A_n257J DC_21A_n257K DC_21A_n257L DC_21A_n257M DC_42A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_21A-42D_n257A	DC_21A_n257A DC_42A_n257A		
DC_21A-42D_n257D	DC_21A_n257A DC_21A_n257D DC_42A_n257A DC_42A_n257D		
DC_21A-42D_n257E	DC_21A_n257A DC_21A_n257D DC_42A_n257A DC_42A_n257D		
DC_21A-42D_n257F	DC_21A_n257A DC_21A_n257D DC_42A_n257A DC_42A_n257D		
DC_21A-42D_n257G	DC_21A_n257A DC_21A_n257G DC_42A_n257A DC_42A_n257G		
DC_21A-42D_n257H	DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H		
DC_21A-42D_n257I	DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_21A-42D_n257J	DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I DC_21A_n257J DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_21A-42D_n257K	DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I DC_21A_n257J DC_21A_n257K DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_21A-42D_n257L	DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I DC_21A_n257J DC_21A_n257K DC_21A_n257L DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_21A-42D_n257M	DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I DC_21A_n257J DC_21A_n257K DC_21A_n257L DC_21A_n257M DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_21A-42E_n257A	DC_21A_n257A DC_42A_n257A		
DC_21A-42E_n257D	DC_21A_n257A DC_21A_n257D DC_42A_n257A DC_42A_n257D		
DC_21A-42E_n257E	DC_21A_n257A DC_21A_n257D DC_42A_n257A DC_42A_n257D		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_21A-42E_n257F	DC_21A_n257A DC_21A_n257D DC_42A_n257A DC_42A_n257D		
DC_21A-42E_n257G	DC_21A_n257A DC_21A_n257G DC_42A_n257A DC_42A_n257G		
DC_21A-42E_n257H	DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H		
DC_21A-42E_n257I	DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_21A-42E_n257J	DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I DC_21A_n257J DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_21A-42E_n257K	DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I DC_21A_n257J DC_21A_n257K DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_21A-42E_n257L	DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I DC_21A_n257J DC_21A_n257K		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_21A_n257L DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_21A-42E_n257M	DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I DC_21A_n257J DC_21A_n257K DC_21A_n257L DC_21A_n257M DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_21A_n77A-n257A (interBandEnDcSimRxTx)	DC_21A_n77A DC_21A_n257A DC_21A_n77A-n257A		
DC_21A_n77A-n257G (interBandEnDcSimRxTx)	DC_21A_n77A DC_21A_n257A DC_21A_n257G DC_21A_n77A-n257A DC_21A_n77A-n257G		
DC_21A_n77A-n257H (interBandEnDcSimRxTx)	DC_21A_n77A DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n77A-n257A DC_21A_n77A-n257G DC_21A_n77A-n257H		
DC_21A_n77A-n257I (interBandEnDcSimRxTx)	DC_21A_n77A DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I DC_21A_n77A-n257A DC_21A_n77A-n257G DC_21A_n77A-n257H DC_21A_n77A-n257I		
DC_21A_n78A-n257A (interBandEnDcSimRxTx)	DC_21A_n78A DC_21A_n257A DC_21A_n78A-n257A		
DC_21A_n78A-n257G (interBandEnDcSimRxTx)	DC_21A_n78A DC_21A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_21A_n257G DC_21A_n78A-n257A DC_21A_n78A-n257G		
DC_21A_n78A-n257H (interBandEnDcSimRxTx)	DC_21A_n78A DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n78A-n257A DC_21A_n78A-n257G DC_21A_n78A-n257H		
DC_21A_n78A-n257I (interBandEnDcSimRxTx)	DC_21A_n78A DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I DC_21A_n78A-n257A DC_21A_n78A-n257G DC_21A_n78A-n257H DC_21A_n78A-n257I		
DC_21A_n79A-n257A (interBandEnDcSimRxTx)	DC_21A_n79A DC_21A_n257A DC_21A_n79A-n257A		
DC_21A_n79A-n257G (interBandEnDcSimRxTx)	DC_21A_n79A DC_21A_n257A DC_21A_n257G DC_21A_n79A-n257A DC_21A_n79A-n257G		
DC_21A_n79A-n257H (interBandEnDcSimRxTx)	DC_21A_n79A DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n79A-n257A DC_21A_n79A-n257G DC_21A_n79A-n257H		
DC_21A_n79A-n257I (interBandEnDcSimRxTx)	DC_21A_n79A DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I DC_21A_n79A-n257A DC_21A_n79A-n257G DC_21A_n79A-n257H DC_21A_n79A-n257I		
DC_28A-41A_n257A	DC_28A_n257A DC_41A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_28A-41A_n257G	DC_28A_n257A DC_28A_n257G DC_41A_n257A DC_41A_n257G		
DC_28A-41A_n257H	DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_41A_n257A DC_41A_n257G DC_41A_n257H		
DC_28A-41A_n257I	DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_28A_n257I DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I		
DC_28A-41C_n257A	DC_28A_n257A DC_41A_n257A DC_41C_n257A		
DC_28A-41C_n257G	DC_28A_n257A DC_28A_n257G DC_41A_n257A DC_41A_n257G DC_41C_n257A DC_41C_n257G		
DC_28A-41C_n257H	DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41C_n257A DC_41C_n257G DC_41C_n257H		
DC_28A-41C_n257I	DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_28A_n257I DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_41C_n257A DC_41C_n257G DC_41C_n257H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_41C_n257I		
DC_28A-42A_n257A (interBandEnDcSimRxTx)	DC_28A_n257A DC_42A_n257A		
DC_28A-42A_n257D (interBandEnDcSimRxTx)	DC_28A_n257A DC_42A_n257A		
DC_28A-42A_n257G (interBandEnDcSimRxTx)	DC_28A_n257A DC_28A_n257G DC_42A_n257A DC_42A_n257G		
DC_28A-42A_n257H (interBandEnDcSimRxTx)	DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H		
DC_28A-42A_n257I (interBandEnDcSimRxTx)	DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_28A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_28A-42A_n257J	DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_28A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_28A-42A_n257K	DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_28A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_28A-42A_n257L	DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_28A_n257I DC_42A_n257A DC_42A_n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_42A_n257H DC_42A_n257I		
DC_28A-42A_n257M	DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_28A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_28A-42C_n257A (interBandEnDcSimRxTx)	DC_28A_n257A DC_42A_n257A DC_42C_n257A		
DC_28A-42C_n257D (interBandEnDcSimRxTx)	DC_28A_n257A DC_42A_n257A DC_42C_n257A		
DC_28A-42C_n257G (interBandEnDcSimRxTx)	DC_28A_n257A DC_28A_n257G DC_42A_n257A DC_42A_n257G DC_42C_n257A DC_42C_n257G		
DC_28A-42C_n257H (interBandEnDcSimRxTx)	DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42C_n257A DC_42C_n257G DC_42C_n257H		
DC_28A-42C_n257I (interBandEnDcSimRxTx)	DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_28A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_28A-42C_n257J	DC_28A_n257A DC_28A_n257G DC_28A_n257H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_28A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_28A-42C_n257K	DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_28A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_28A-42C_n257L	DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_28A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_28A-42C_n257M	DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_28A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_28A_n1A-n258A	DC_28A_n1A DC_28A_n258A		
	DC_28A_n3A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_28A_n3A-n257A (interBandEnDcSimRxTx)	DC_28A_n257A		
DC_28A_n3A-n257G (interBandEnDcSimRxTx)	DC_28A_n3A DC_28A_n257A DC_28A_n257G		
DC_28A_n3A-n257H (interBandEnDcSimRxTx)	DC_28A_n3A DC_28A_n257A DC_28A_n257G DC_28A_n257H		
DC_28A_n3A-n257I (interBandEnDcSimRxTx)	DC_28A_n3A DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_28A_n257I		
DC_28A_n5A-n258A	DC_28A_n5A DC_28A_n258A		
DC_28A_n7A-n258A	DC_28A_n7A DC_28A_n258A		
DC_28A_n7A-n258B	DC_28A_n7A DC_28A_n258A		
DC_28A_n7A-n258C	DC_28A_n7A DC_28A_n258A		
DC_28A_n7A-n258D	DC_28A_n7A DC_28A_n258A		
DC_28A_n7A-n258E	DC_28A_n7A DC_28A_n258A		
DC_28A_n7A-n258F	DC_28A_n7A DC_28A_n258A		
DC_28A_n7A-n258G	DC_28A_n7A DC_28A_n258A DC_28A_n258G		
DC_28A_n7A-n258H	DC_28A_n7A DC_28A_n258A DC_28A_n258G DC_28A_n258H		
DC_28A_n7A-n258I	DC_28A_n7A DC_28A_n258A DC_28A_n258G DC_28A_n258H DC_28A_n258I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_28A_n7A-n258J	DC_28A_n7A DC_28A_n258A DC_28A_n258G DC_28A_n258H DC_28A_n258I		
DC_28A_n7A-n258K	DC_28A_n7A DC_28A_n258A DC_28A_n258G DC_28A_n258H DC_28A_n258I		
DC_28A_n7A-n258L	DC_28A_n7A DC_28A_n258A DC_28A_n258G DC_28A_n258H DC_28A_n258I		
DC_28A_n7A-n258M	DC_28A_n7A DC_28A_n258A DC_28A_n258G DC_28A_n258H DC_28A_n258I		
DC_28A_n7B-n258A	DC_28A_n7A DC_28A_n258A		
DC_28A_n7B-n258B	DC_28A_n7A DC_28A_n258A		
DC_28A_n7B-n258C	DC_28A_n7A DC_28A_n258A		
DC_28A_n7B-n258D	DC_28A_n7A DC_28A_n258A		
DC_28A_n7B-n258E	DC_28A_n7A DC_28A_n258A		
DC_28A_n7B-n258F	DC_28A_n7A DC_28A_n258A		
DC_28A_n7B-n258G	DC_28A_n7A DC_28A_n258A DC_28A_n258G		
DC_28A_n7B-n258H	DC_28A_n7A DC_28A_n258A DC_28A_n258G DC_28A_n258H		
DC_28A_n7B-n258I	DC_28A_n7A DC_28A_n258A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_28A_n258G DC_28A_n258H DC_28A_n258I		
DC_28A_n7B-n258J	DC_28A_n7A DC_28A_n258A DC_28A_n258G DC_28A_n258H DC_28A_n258I		
DC_28A_n7B-n258K	DC_28A_n7A DC_28A_n258A DC_28A_n258G DC_28A_n258H DC_28A_n258I		
DC_28A_n7B-n258L	DC_28A_n7A DC_28A_n258A DC_28A_n258G DC_28A_n258H DC_28A_n258I		
DC_28A_n7B-n258M	DC_28A_n7A DC_28A_n258A DC_28A_n258G DC_28A_n258H DC_28A_n258I		
DC_28A_n8A-n258A	DC_28A_n8A DC_28A_n258A		
DC_28A_n38A-n257A	DC_28A_n38A DC_28A_n257A		
DC_28A_n38A-n257G	DC_28A_n38A DC_28A_n257A DC_28A_n257G		
DC_28A_n38A-n257H	DC_28A_n38A DC_28A_n257A DC_28A_n257G DC_28A_n257H		
DC_28A_n38A-n257I	DC_28A_n38A DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_28A_n257I		
DC_28A_n77A-n257A (interBandEnDcSimRxTx)	DC_28A_n77A DC_28A_n257A		
	DC_28A_n77A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_28A_n77A-n257D (interBandEnDcSimRxTx)	DC_28A_n257A DC_28A_n257D		
DC_28A_n77A-n257G (interBandEnDcSimRxTx)	DC_28A_n77A DC_28A_n257A DC_28A_n257G		
DC_28A_n77A-n257H (interBandEnDcSimRxTx)	DC_28A_n77A DC_28A_n257A DC_28A_n257G DC_28A_n257H		
DC_28A_n77A-n257I (interBandEnDcSimRxTx)	DC_28A_n77A DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_28A_n257I		
DC_28A_n77(2A)-n257A (interBandEnDcSimRxTx)	DC_28A_n77A DC_28A_n257A		
DC_28A_n77(2A)-n257D (interBandEnDcSimRxTx)	DC_28A_n77A DC_28A_n257A DC_28A_n257D		
DC_28A_n77(2A)-n257G (interBandEnDcSimRxTx)	DC_28A_n77A DC_28A_n257A DC_28A_n257G		
DC_28A_n77(2A)-n257H (interBandEnDcSimRxTx)	DC_28A_n77A DC_28A_n257A DC_28A_n257G DC_28A_n257H		
DC_28A_n77(2A)-n257I (interBandEnDcSimRxTx)	DC_28A_n77A DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_28A_n257I		
DC_28A_n78A-n257A (interBandEnDcSimRxTx)	DC_28A_n78A DC_28A_n257A		
DC_28A_n78A-n257G (interBandEnDcSimRxTx)	DC_28A_n78A DC_28A_n257A DC_28A_n257G		
DC_28A_n78A-n257H (interBandEnDcSimRxTx)	DC_28A_n78A DC_28A_n257A DC_28A_n257G DC_28A_n257H		
	DC_28A_n78A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_28A_n78A-n257I (interBandEnDcSimRxTx)	DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_28A_n257I		
DC_28A_n78A-n258A	DC_28A_n78A DC_28A_n258A		
DC_28A_n78A-n258G	DC_28A_n78A DC_28A_n258A		
DC_28A_n78A-n258H	DC_28A_n78A DC_28A_n258A		
DC_28A_n78A-n258I	DC_28A_n78A DC_28A_n258A		
DC_28A_n78A-n258J	DC_28A_n78A DC_28A_n258A		
DC_28A_n78A-n258K	DC_28A_n78A DC_28A_n258A		
DC_28A_n78A-n258L	DC_28A_n78A DC_28A_n258A		
DC_28A_n78A-n258M	DC_28A_n78A DC_28A_n258A		
DC_29A-30A_n260A	DC_30A_n260A		
DC_29A-30A_n260G	DC_30A_n260A DC_30A_n260G		
DC_29A-30A_n260H	DC_30A_n260A DC_30A_n260G DC_30A_n260H		
DC_29A-30A_n260I	DC_30A_n260A DC_30A_n260G DC_30A_n260H DC_30A_n260I		
DC_29A-30A_n260J	DC_30A_n260A DC_30A_n260G DC_30A_n260H DC_30A_n260I DC_30A_n260J		
DC_29A-30A_n260K	DC_30A_n260A DC_30A_n260G DC_30A_n260H DC_30A_n260I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_30A_n260J DC_30A_n260K		
DC_29A-30A_n260L	DC_30A_n260A DC_30A_n260G DC_30A_n260H DC_30A_n260I DC_30A_n260J DC_30A_n260K DC_30A_n260L		
DC_29A-30A_n260M	DC_30A_n260A DC_30A_n260G DC_30A_n260H DC_30A_n260I DC_30A_n260J DC_30A_n260K DC_30A_n260L DC_30A_n260M		
DC_29A-66A_n260A	DC_66A_n260A		
DC_29A-66A_n260G	DC_66A_n260A DC_66A_n260G		
DC_29A-66A_n260H	DC_66A_n260A DC_66A_n260G DC_66A_n260H		
DC_29A-66A_n260I	DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I		
DC_29A-66A_n260J	DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I DC_66A_n260J		
DC_29A-66A_n260K	DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I DC_66A_n260J DC_66A_n260K		
DC_29A-66A_n260L	DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I DC_66A_n260J DC_66A_n260K		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_66A_n260L		
DC_29A-66A_n260M	DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I DC_66A_n260J DC_66A_n260K DC_66A_n260L DC_66A_n260M		
DC_30A-66A_n260A	DC_30A_n260A DC_66A_n260A		
DC_30A-66A_n260G	DC_30A_n260A DC_30A_n260G DC_66A_n260A DC_66A_n260G		
DC_30A-66A_n260H	DC_30A_n260A DC_30A_n260G DC_30A_n260H DC_66A_n260A DC_66A_n260G DC_66A_n260H		
DC_30A-66A_n260I	DC_30A_n260A DC_30A_n260G DC_30A_n260H DC_30A_n260I DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I		
DC_30A-66A_n260J	DC_30A_n260A DC_30A_n260G DC_30A_n260H DC_30A_n260I DC_30A_n260J DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I DC_66A_n260J		
DC_30A-66A_n260K	DC_30A_n260A DC_30A_n260G DC_30A_n260H DC_30A_n260I DC_30A_n260J DC_30A_n260K DC_66A_n260A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_66A_n260G DC_66A_n260H DC_66A_n260I DC_66A_n260J DC_66A_n260K		
DC_30A-66A_n260L	DC_30A_n260A DC_30A_n260G DC_30A_n260H DC_30A_n260I DC_30A_n260J DC_30A_n260K DC_30A_n260L DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I DC_66A_n260J DC_66A_n260K DC_66A_n260L		
DC_30A-66A_n260M	DC_30A_n260A DC_30A_n260G DC_30A_n260H DC_30A_n260I DC_30A_n260J DC_30A_n260K DC_30A_n260L DC_30A_n260M DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I DC_66A_n260J DC_66A_n260K DC_66A_n260L DC_66A_n260M		
DC_39A_n40A-n258A	DC_39A_n40A DC_39A_n258A DC_39A_n40A-n258A		
DC_39A_n41A-n258A	DC_39A_n41A DC_39A_n258A DC_39A_n41A-n258A		
DC_39A_n41C-n258A	DC_39A_n41A DC_39A_n258A DC_39A_n41A-n258A		
DC_39A_n79A-n258A	DC_39A_n79A DC_39A_n258A DC_39A_n79A-n258A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_39A_n79C-n258A	DC_39A_n79A DC_39A_n258A DC_39A_n79A-n258A		
DC_40A-40A_n257A	DC_40A_n257A		
DC_40A-40A_n257D	DC_40A_n257A		
DC_40A-40A_n257E	DC_40A_n257A		
DC_40A-40A_n257F	DC_40A_n257A		
DC_40A-40A_n257G	DC_40A_n257A DC_40A_n257G		
DC_40A-40A_n257H	DC_40A_n257A DC_40A_n257G DC_40A_n257H		
DC_40A-40A_n257I	DC_40A_n257A DC_40A_n257G DC_40A_n257H DC_40A_n257I		
DC_40A-40A_n257J	DC_40A_n257A DC_40A_n257G DC_40A_n257H DC_40A_n257I DC_40A_n257J		
DC_40A-40A_n257K	DC_40A_n257A DC_40A_n257G DC_40A_n257H DC_40A_n257I DC_40A_n257J DC_40A_n257K		
DC_40A-40A_n257L	DC_40A_n257A DC_40A_n257G DC_40A_n257H DC_40A_n257I DC_40A_n257J DC_40A_n257K DC_40A_n257L		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_40A-40A_n257M	DC_40A_n257A DC_40A_n257G DC_40A_n257H DC_40A_n257I DC_40A_n257J DC_40A_n257K DC_40A_n257L DC_40A_n257M		
DC_40A-42A_n257A	DC_40A_n257A DC_42A_n257A		
DC_40A-42A_n257D	DC_40A_n257A DC_42A_n257A		
DC_40A-42A_n257E	DC_40A_n257A DC_42A_n257A		
DC_40A-42A_n257F	DC_40A_n257A DC_42A_n257A		
DC_40A-42A_n257G	DC_40A_n257A DC_42A_n257A		
DC_40A-42A_n257H	DC_40A_n257A DC_42A_n257A		
DC_40A-42A_n257I	DC_40A_n257A DC_42A_n257A		
DC_40A-42A_n257J	DC_40A_n257A DC_42A_n257A		
DC_40A-42A_n257K	DC_40A_n257A DC_42A_n257A		
DC_40A-42A_n257L	DC_40A_n257A DC_42A_n257A		
DC_40A-42A_n257M	DC_40A_n257A DC_42A_n257A		
DC_40A-42C_n257A	DC_40A_n257A DC_42A_n257A		
DC_40A-42C_n257D	DC_40A_n257A DC_42A_n257A		
DC_40A-42C_n257E	DC_40A_n257A DC_42A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_40A-42C_n257F	DC_40A_n257A DC_42A_n257A		
DC_40A-42C_n257G	DC_40A_n257A DC_42A_n257A		
DC_40A-42C_n257H	DC_40A_n257A DC_42A_n257A		
DC_40A-42C_n257I	DC_40A_n257A DC_42A_n257A		
DC_40A-42C_n257J	DC_40A_n257A DC_42A_n257A		
DC_40A-42C_n257K	DC_40A_n257A DC_42A_n257A		
DC_40A-42C_n257L	DC_40A_n257A DC_42A_n257A		
DC_40A-42C_n257M	DC_40A_n257A DC_42A_n257A		
DC_40A_n41A-n258A	DC_40A_n41A DC_40A_n258A DC_40A_n41A-n258A		
DC_40A_n41C-n258A	DC_40A_n41A DC_40A_n258A DC_40A_n41A-n258A		
DC_40A_n77A-n257A	DC_40A_n257A DC_40A_n77A-n257A		
DC_40A_n77A-n257D	DC_40A_n257A DC_40A_n257D DC_40A_n77A-n257A DC_40A_n77A-n257D		
DC_40A_n77A-n257E	DC_40A_n257A DC_40A_n257D DC_40A_n257E DC_40A_n77A-n257A DC_40A_n77A-n257D DC_40A_n77A-n257E		
DC_40A_n77A-n257F	DC_40A_n257A DC_40A_n257D DC_40A_n257E DC_40A_n257F DC_40A_n77A-n257A DC_40A_n77A-n257D		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_40A_n77A-n257E DC_40A_n77A-n257F		
DC_40A_n77A-n257G	DC_40A_n257A DC_40A_n257G DC_40A_n77A-n257A DC_40A_n77A-n257G		
DC_40A_n77A-n257H	DC_40A_n257A DC_40A_n257G DC_40A_n257H DC_40A_n77A-n257A DC_40A_n77A-n257G DC_40A_n77A-n257H		
DC_40A_n77A-n257I	DC_40A_n257A DC_40A_n257G DC_40A_n257H DC_40A_n257I DC_40A_n77A-n257A DC_40A_n77A-n257G DC_40A_n77A-n257H DC_40A_n77A-n257I		
DC_40A_n77A-n257J	DC_40A_n257A DC_40A_n257G DC_40A_n257H DC_40A_n257I DC_40A_n257J DC_40A_n77A-n257A DC_40A_n77A-n257G DC_40A_n77A-n257H DC_40A_n77A-n257I DC_40A_n77A-n257J		
DC_40A_n77A-n257K	DC_40A_n257A DC_40A_n257G DC_40A_n257H DC_40A_n257I DC_40A_n257J DC_40A_n257K DC_40A_n77A-n257A DC_40A_n77A-n257G DC_40A_n77A-n257H DC_40A_n77A-n257I DC_40A_n77A-n257J DC_40A_n77A-n257K		
DC_40A_n77A-n257L	DC_40A_n257A DC_40A_n257G DC_40A_n257H DC_40A_n257I DC_40A_n257J		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_40A_n257K DC_40A_n257L DC_40A_n77A-n257A DC_40A_n77A-n257G DC_40A_n77A-n257H DC_40A_n77A-n257I DC_40A_n77A-n257J DC_40A_n77A-n257K DC_40A_n77A-n257L		
DC_40A_n77A-n257M	DC_40A_n257A DC_40A_n257G DC_40A_n257H DC_40A_n257I DC_40A_n257J DC_40A_n257K DC_40A_n257L DC_40A_n257M DC_40A_n77A-n257A DC_40A_n77A-n257G DC_40A_n77A-n257H DC_40A_n77A-n257I DC_40A_n77A-n257J DC_40A_n77A-n257K DC_40A_n77A-n257L DC_40A_n77A-n257M		
DC_40A_n77C-n257A	DC_40A_n257A DC_40A_n77A-n257A		
DC_40A_n77C-n257D	DC_40A_n257A DC_40A_n257D DC_40A_n77A-n257A DC_40A_n77A-n257D		
DC_40A_n77C-n257E	DC_40A_n257A DC_40A_n257D DC_40A_n257E DC_40A_n77A-n257A DC_40A_n77A-n257D DC_40A_n77A-n257E		
DC_40A_n77C-n257F	DC_40A_n257A DC_40A_n257D DC_40A_n257E DC_40A_n257F DC_40A_n77A-n257A DC_40A_n77A-n257D DC_40A_n77A-n257E DC_40A_n77A-n257F		
DC_40A_n77C-n257G	DC_40A_n257A DC_40A_n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_40A_n77A-n257A DC_40A_n77A-n257G		
DC_40A_n77C-n257H	DC_40A_n257A DC_40A_n257G DC_40A_n257H DC_40A_n77A-n257A DC_40A_n77A-n257G DC_40A_n77A-n257H		
DC_40A_n77C-n257I	DC_40A_n257A DC_40A_n257G DC_40A_n257H DC_40A_n257I DC_40A_n77A-n257A DC_40A_n77A-n257G DC_40A_n77A-n257H DC_40A_n77A-n257I		
DC_40A_n77C-n257J	DC_40A_n257A DC_40A_n257G DC_40A_n257H DC_40A_n257I DC_40A_n257J DC_40A_n77A-n257A DC_40A_n77A-n257G DC_40A_n77A-n257H DC_40A_n77A-n257I DC_40A_n77A-n257J		
DC_40A_n77C-n257K	DC_40A_n257A DC_40A_n257G DC_40A_n257H DC_40A_n257I DC_40A_n257J DC_40A_n257K DC_40A_n77A-n257A DC_40A_n77A-n257G DC_40A_n77A-n257H DC_40A_n77A-n257I DC_40A_n77A-n257J DC_40A_n77A-n257K		
DC_40A_n77C-n257L	DC_40A_n257A DC_40A_n257G DC_40A_n257H DC_40A_n257I DC_40A_n257J DC_40A_n257K DC_40A_n257L DC_40A_n77A-n257A DC_40A_n77A-n257G DC_40A_n77A-n257H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_40A_n77A-n257I DC_40A_n77A-n257J DC_40A_n77A-n257K DC_40A_n77A-n257L		
DC_40A_n77C-n257M	DC_40A_n257A DC_40A_n257G DC_40A_n257H DC_40A_n257I DC_40A_n257J DC_40A_n257K DC_40A_n257L DC_40A_n257M DC_40A_n77A-n257A DC_40A_n77A-n257G DC_40A_n77A-n257H DC_40A_n77A-n257I DC_40A_n77A-n257J DC_40A_n77A-n257K DC_40A_n77A-n257L DC_40A_n77A-n257M		
DC_40A_n78A-n257A	DC_40A_n257A		
DC_40A_n78A-n257D	DC_40A_n257A DC_40A_n257D		
DC_40A_n78A-n257E	DC_40A_n257A DC_40A_n257D DC_40A_n257E		
DC_40A_n78A-n257F	DC_40A_n257A DC_40A_n257D DC_40A_n257E DC_40A_n257F		
DC_40A_n78A-n257G	DC_40A_n257A DC_40A_n257G		
DC_40A_n78A-n257H	DC_40A_n257A DC_40A_n257G DC_40A_n257H		
DC_40A_n78A-n257I	DC_40A_n257A DC_40A_n257G DC_40A_n257H DC_40A_n257I		
DC_40A_n78A-n257J	DC_40A_n257A DC_40A_n257G DC_40A_n257H DC_40A_n257I DC_40A_n257J		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_40A_n78A-n257K	DC_40A_n257A DC_40A_n257G DC_40A_n257H DC_40A_n257I DC_40A_n257J DC_40A_n257K		
DC_40A_n78A-n257L	DC_40A_n257A DC_40A_n257G DC_40A_n257H DC_40A_n257I DC_40A_n257J DC_40A_n257K DC_40A_n257L		
DC_40A_n78A-n257M	DC_40A_n257A DC_40A_n257G DC_40A_n257H DC_40A_n257I DC_40A_n257J DC_40A_n257K DC_40A_n257L DC_40A_n257M		
DC_40A_n79A-n258A	DC_40A_n79A DC_40A_n258A DC_40A_n79A-n258A		
DC_40A_n79C-n258A	DC_40A_n79A DC_40A_n258A DC_40A_n79A-n258A		
DC_40C-42A_n257A	DC_40A_n257A DC_42A_n257A		
DC_40C-42A_n257D	DC_40A_n257A DC_42A_n257A		
DC_40C-42A_n257E	DC_40A_n257A DC_42A_n257A		
DC_40C-42A_n257F	DC_40A_n257A DC_42A_n257A		
DC_40C-42A_n257G	DC_40A_n257A DC_42A_n257A		
DC_40C-42A_n257H	DC_40A_n257A DC_42A_n257A		
DC_40C-42A_n257I	DC_40A_n257A DC_42A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_40C-42A_n257J	DC_40A_n257A DC_42A_n257A		
DC_40C-42A_n257K	DC_40A_n257A DC_42A_n257A		
DC_40C-42A_n257L	DC_40A_n257A DC_42A_n257A		
DC_40C-42A_n257M	DC_40A_n257A DC_42A_n257A		
DC_40C-42C_n257A	DC_40A_n257A DC_42A_n257A		
DC_40C-42C_n257D	DC_40A_n257A DC_42A_n257A		
DC_40C-42C_n257E	DC_40A_n257A DC_42A_n257A		
DC_40C-42C_n257F	DC_40A_n257A DC_42A_n257A		
DC_40C-42C_n257G	DC_40A_n257A DC_42A_n257A		
DC_40C-42C_n257H	DC_40A_n257A DC_42A_n257A		
DC_40C-42C_n257I	DC_40A_n257A DC_42A_n257A		
DC_40C-42C_n257J	DC_40A_n257A DC_42A_n257A		
DC_40C-42C_n257K	DC_40A_n257A DC_42A_n257A		
DC_40C-42C_n257L	DC_40A_n257A DC_42A_n257A		
DC_40C-42C_n257M	DC_40A_n257A DC_42A_n257A		
DC_41A-42A_n257A	DC_41A_n257A DC_42A_n257A		
DC_41A-42A_n257D	DC_41A_n257A DC_42A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_41A-42A_n257E	DC_41A_n257A DC_42A_n257A		
DC_41A-42A_n257F	DC_41A_n257A DC_42A_n257A		
DC_41A-42A_n257G	DC_41A_n257A DC_41A_n257G DC_42A_n257A DC_42A_n257G		
DC_41A-42A_n257H	DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H		
DC_41A-42A_n257I	DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_41A-42A_n257J	DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_41A-42A_n257K	DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_41A-42A_n257L	DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_41A-42A_n257M	DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_41A-42C_n257A	DC_41A_n257A DC_42A_n257A DC_42C_n257A		
DC_41A-42C_n257D	DC_41A_n257A DC_42A_n257A DC_42C_n257A		
DC_41A-42C_n257E	DC_41A_n257A DC_42A_n257A DC_42C_n257A		
DC_41A-42C_n257F	DC_41A_n257A DC_42A_n257A DC_42C_n257A		
DC_41A-42C_n257G	DC_41A_n257A DC_41A_n257G DC_42A_n257A DC_42A_n257G DC_42C_n257A DC_42C_n257G		
DC_41A-42C_n257H	DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42C_n257A DC_42C_n257G DC_42C_n257H		
DC_41A-42C_n257I	DC_41A_n257A DC_41A_n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_41A_n257H DC_41A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_41A-42C_n257J	DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_41A-42C_n257K	DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_41A-42C_n257L	DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_41A-42C_n257M	DC_41A_n257A DC_41A_n257G DC_41A_n257H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_41A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_41A_n3A-n257A (interBandEnDcSimRxTx)	DC_41A_n3A DC_41A_n257A		
DC_41A_n3A-n257G (interBandEnDcSimRxTx)	DC_41A_n3A DC_41A_n257A DC_41A_n257G		
DC_41A_n3A-n257H (interBandEnDcSimRxTx)	DC_41A_n3A DC_41A_n257A DC_41A_n257G DC_41A_n257H		
DC_41A_n3A-n257I (interBandEnDcSimRxTx)	DC_41A_n3A DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I		
DC_41A_n28A-n257A (interBandEnDcSimRxTx)	DC_41A_n28A DC_41A_n257A		
DC_41A_n28A-n257G (interBandEnDcSimRxTx)	DC_41A_n28A DC_41A_n257A DC_41A_n257G		
DC_41A_n28A-n257H (interBandEnDcSimRxTx)	DC_41A_n28A DC_41A_n257A DC_41A_n257G DC_41A_n257H		
DC_41A_n28A-n257I (interBandEnDcSimRxTx)	DC_41A_n28A DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I		
DC_41A_n77A-n257A	DC_41A_n77A DC_41A_n257A		
DC_41A_n77A-n257G	DC_41A_n77A DC_41A_n257A DC_41A_n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_41A_n77A-n257H	DC_41A_n77A DC_41A_n257A DC_41A_n257G DC_41A_n257H		
DC_41A_n77A-n257I	DC_41A_n77A DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I		
DC_41A_n78A-n257A	DC_41A_n78A DC_41A_n257A		
DC_41A_n78A-n257G	DC_41A_n78A DC_41A_n257A DC_41A_n257G		
DC_41A_n78A-n257H	DC_41A_n78A DC_41A_n257A DC_41A_n257G DC_41A_n257H		
DC_41A_n78A-n257I	DC_41A_n78A DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I		
DC_41A_n79A-n258A	DC_41A_n79A DC_41A_n258A DC_41A_n79A-n258A		
DC_41A_n79C-n258A	DC_41A_n79A DC_41A_n258A DC_41A_n79A-n258A		
DC_41C-42A_n257A	DC_41A_n257A DC_41C_n257A DC_42A_n257A		
DC_41C-42A_n257D	DC_41A_n257A DC_41C_n257A DC_42A_n257A		
DC_41C-42A_n257E	DC_41A_n257A DC_41C_n257A DC_42A_n257A		
DC_41C-42A_n257F	DC_41A_n257A DC_41C_n257A DC_42A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_41C-42A_n257G	DC_41A_n257A DC_41A_n257G DC_41C_n257A DC_41C_n257G DC_42A_n257A DC_42A_n257G		
DC_41C-42A_n257H	DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H		
DC_41C-42A_n257I	DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_41C_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_41C-42A_n257J	DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_41C_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_41C-42A_n257K	DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_41C_n257I DC_42A_n257A DC_42A_n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_42A_n257H DC_42A_n257I		
DC_41C-42A_n257L	DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_41C_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_41C-42A_n257M	DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_41C_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_41C-42C_n257A	DC_41A_n257A DC_41C_n257A DC_42A_n257A DC_42C_n257A		
DC_41C-42C_n257D	DC_41A_n257A DC_41C_n257A DC_42A_n257A DC_42C_n257A		
DC_41C-42C_n257E	DC_41A_n257A DC_41C_n257A DC_42A_n257A DC_42C_n257A		
DC_41C-42C_n257F	DC_41A_n257A DC_41C_n257A DC_42A_n257A DC_42C_n257A		
DC_41C-42C_n257G	DC_41A_n257A DC_41A_n257G DC_41C_n257A DC_41C_n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_42A_n257A DC_42A_n257G DC_42C_n257A DC_42C_n257G		
DC_41C-42C_n257H	DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42C_n257A DC_42C_n257G DC_42C_n257H		
DC_41C-42C_n257I	DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_41C_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_41C-42C_n257J	DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_41C_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_41C-42C_n257K	DC_41A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_41C_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_41C-42C_n257L	DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_41C_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_41C-42C_n257M	DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_41C_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_41C_n3A-n257A (interBandEnDcSimRxTx)	DC_41A_n3A DC_41A_n257A DC_41C_n3A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_41C_n257A		
DC_41C_n3A-n257G (interBandEnDcSimRxTx)	DC_41A_n3A DC_41A_n257A DC_41A_n257G DC_41C_n3A DC_41C_n257A DC_41C_n257G		
DC_41C_n3A-n257H (interBandEnDcSimRxTx)	DC_41A_n3A DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41C_n3A DC_41C_n257A DC_41C_n257G DC_41C_n257H		
DC_41C_n3A-n257I (interBandEnDcSimRxTx)	DC_41A_n3A DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_41C_n3A DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_41C_n257I		
DC_41C_n28A-n257A (interBandEnDcSimRxTx)	DC_41A_n28A DC_41A_n257A DC_41C_n28A DC_41C_n257A		
DC_41C_n28A-n257G (interBandEnDcSimRxTx)	DC_41A_n28A DC_41A_n257A DC_41A_n257G DC_41C_n28A DC_41C_n257A DC_41C_n257G		
DC_41C_n28A-n257H (interBandEnDcSimRxTx)	DC_41A_n28A DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41C_n28A DC_41C_n257A DC_41C_n257G DC_41C_n257H		
DC_41C_n28A-n257I (interBandEnDcSimRxTx)	DC_41A_n28A DC_41A_n257A DC_41A_n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_41A_n257H DC_41A_n257I DC_41C_n28A DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_41C_n257I		
DC_41C_n77A-n257A	DC_41A_n77A DC_41A_n257A DC_41C_n77A DC_41C_n257A		
DC_41C_n77A-n257G	DC_41A_n77A DC_41A_n257A DC_41A_n257G DC_41C_n77A DC_41C_n257A DC_41C_n257G		
DC_41C_n77A-n257H	DC_41A_n77A DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41C_n77A DC_41C_n257A DC_41C_n257G DC_41C_n257H		
DC_41C_n77A-n257I	DC_41A_n77A DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_41C_n77A DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_41C_n257I		
DC_41C_n78A-n257A	DC_41A_n78A DC_41A_n257A DC_41C_n78A DC_41C_n257A		
DC_41C_n78A-n257G	DC_41A_n78A DC_41A_n257A DC_41A_n257G DC_41C_n78A DC_41C_n257A DC_41C_n257G		
DC_41C_n78A-n257H	DC_41A_n78A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41C_n78A DC_41C_n257A DC_41C_n257G DC_41C_n257H		
DC_41C_n78A-n257I	DC_41A_n78A DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_41C_n78A DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_41C_n257I		
DC_42A-42A_n257A	DC_42A_n257A		
DC_42A-42A_n257D	DC_42A_n257A		
DC_42A-42A_n257E	DC_42A_n257A		
DC_42A-42A_n257F	DC_42A_n257A		
DC_42A-42A_n257G	DC_42A_n257A DC_42A_n257G		
DC_42A-42A_n257H	DC_42A_n257A DC_42A_n257G DC_42A_n257H		
DC_42A-42A_n257I	DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_42A-42A_n257J	DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42A_n257J		
DC_42A-42A_n257K	DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42A_n257J DC_42A_n257K		
DC_42A-42A_n257L	DC_42A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42A_n257J DC_42A_n257K DC_42A_n257L		
DC_42A-42A_n257M	DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42A_n257J DC_42A_n257K DC_42A_n257L DC_42A_n257M		
DC_42A_n77A-n257A	DC_42A_n257A		
DC_42A_n77A-n257D	DC_42A_n257A DC_42A_n257D		
DC_42A_n77A-n257E	DC_42A_n257A DC_42A_n257D DC_42A_n257E		
DC_42A_n77A-n257F	DC_42A_n257A DC_42A_n257D DC_42A_n257E DC_42A_n257F		
DC_42A_n77A-n257G	DC_42A_n257A DC_42A_n257G		
DC_42A_n77A-n257H	DC_42A_n257A DC_42A_n257G DC_42A_n257H		
DC_42A_n77A-n257I	DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_42A_n77A-n257J	DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_42A_n77A-n257K	DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42A_n257K		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_42A_n77A-n257L	DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42A_n257K DC_42A_n257L		
DC_42A_n77A-n257M	DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42A_n257K DC_42A_n257L DC_42A_n257M		
DC_42A_n77C-n257A	DC_42A_n257A		
DC_42A_n77C-n257D	DC_42A_n257A DC_42A_n257D		
DC_42A_n77C-n257E	DC_42A_n257A DC_42A_n257D DC_42A_n257E		
DC_42A_n77C-n257F	DC_42A_n257A DC_42A_n257D DC_42A_n257E DC_42A_n257F		
DC_42A_n77C-n257G	DC_42A_n257A DC_42A_n257G		
DC_42A_n77C-n257H	DC_42A_n257A DC_42A_n257G DC_42A_n257H		
DC_42A_n77C-n257I	DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_42A_n77C-n257J	DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_42A_n77C-n257K	DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42A_n257K		
	DC_42A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_42A_n77C-n257L	DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42A_n257K DC_42A_n257L		
DC_42A_n77C-n257M	DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42A_n257K DC_42A_n257L DC_42A_n257M		
DC_42A_n78A-n257A	DC_42A_n257A		
DC_42A_n78A-n257D	DC_42A_n257A DC_42A_n257D		
DC_42A_n78A-n257E	DC_42A_n257A DC_42A_n257D DC_42A_n257E		
DC_42A_n78A-n257F	DC_42A_n257A DC_42A_n257D DC_42A_n257E DC_42A_n257F		
DC_42A_n78A-n257G	DC_42A_n257A DC_42A_n257G		
DC_42A_n78A-n257H	DC_42A_n257A DC_42A_n257G DC_42A_n257H		
DC_42A_n78A-n257I	DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_42A_n78A-n257J	DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42A_n257J		
DC_42A_n78A-n257K	DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42A_n257J		
DC_42A_n78A-n257L	DC_42A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42A_n257J DC_42A_n257L		
DC_42A_n78A-n257M	DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42A_n257J DC_42A_n257L DC_42A_n257M		
DC_42A_n79A-n257A	DC_42A_n257A		
DC_42A_n79A-n257G	DC_42A_n257A DC_42A_n257G		
DC_42A_n79A-n257H	DC_42A_n257A DC_42A_n257G DC_42A_n257H		
DC_42A_n79A-n257I	DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_42C_n77A-n257A	DC_42A_n257A		
DC_42C_n77A-n257G	DC_42A_n257A DC_42A_n257G		
DC_42C_n77A-n257H	DC_42A_n257A DC_42A_n257G DC_42A_n257H		
DC_42C_n77A-n257I	DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_42C_n78A-n257A	DC_42A_n257A DC_42C_n257A		
DC_42C_n78A-n257G	DC_42A_n257A DC_42A_n257G DC_42C_n257A DC_42C_n257G		
DC_42C_n78A-n257H	DC_42A_n257A DC_42A_n257G DC_42A_n257H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_42C_n257A DC_42C_n257G DC_42C_n257H		
DC_42C_n78A-n257I	DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_42C_n79A-n257A	DC_42A_n257A		
DC_42C_n79A-n257G	DC_42A_n257A DC_42A_n257G		
DC_42C_n79A-n257H	DC_42A_n257A DC_42A_n257G DC_42A_n257H		
DC_42C_n79A-n257I	DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_46A-48A_n260A	DC_48A_n260A		
DC_46A-48A_n260(2A)	DC_48A_n260A		
DC_46A-48A_n260(3A)	DC_48A_n260A		
DC_46A-48A_n260(4A)	DC_48A_n260A		
DC_46A-48A_n261A	DC_48A_n261A		
DC_46A-48A_n261(2A)	DC_48A_n261A		
DC_46A-48C_n260A	DC_48A_n260A DC_48C_n260A		
DC_46A-48C_n260(2A)	DC_48A_n260A DC_48C_n260A		
DC_46A-48C_n260(3A)	DC_48A_n260A DC_48C_n260A		
DC_46A-48C_n260(4A)	DC_48A_n260A DC_48C_n260A		
DC_46A-48C_n261A	DC_48A_n261A DC_48C_n261A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_46A-48C_n261(2A)	DC_48A_n261A DC_48C_n261A		
DC_46A-48D_n260A	DC_48A_n260A DC_48C_n260A		
DC_46A-48D_n260(2A)	DC_48A_n260A DC_48C_n260A		
DC_46A-48D_n260(3A)	DC_48A_n260A DC_48C_n260A		
DC_46A-48D_n260(4A)	DC_48A_n260A DC_48C_n260A		
DC_46A-48D_n261A	DC_48A_n261A DC_48C_n261A		
DC_46A-48D_n261(2A)	DC_48A_n261A DC_48C_n261A		
DC_46A-66A_n258A	DC_66A_n258A		
DC_46A-66A_n258(2A)	DC_66A_n258A		
DC_46A-66A_n258(3A)	DC_66A_n258A		
DC_46A-66A_n258(4A)	DC_66A_n258A		
DC_46A-66A_n258(5A)	DC_66A_n258A		
DC_46A-66A_n260A	DC_66A_n260A		
DC_46A-66A_n260G	DC_66A_n260A DC_66A_n260G		
DC_46A-66A_n260H	DC_66A_n260A DC_66A_n260G DC_66A_n260H		
DC_46A-66A_n260I	DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I		
DC_46A-66A_n260J	DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I DC_66A_n260J		
DC_46A-66A_n260K	DC_66A_n260A DC_66A_n260G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_66A_n260H DC_66A_n260I DC_66A_n260J DC_66A_n260K		
DC_46A-66A_n260L	DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I DC_66A_n260J DC_66A_n260K DC_66A_n260L		
DC_46A-66A_n260M	DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I DC_66A_n260J DC_66A_n260K DC_66A_n260L DC_66A_n260M		
DC_46A-66A_n260(2A)	DC_66A_n260A		
DC_46A-66A_n261A	DC_66A_n261A		
DC_46A-66A_n261G	DC_66A_n261A DC_66A_n261G		
DC_46A-66A_n261H	DC_66A_n261A DC_66A_n261G DC_66A_n261H		
DC_46A-66A_n261I	DC_66A_n261A DC_66A_n261G DC_66A_n261H DC_66A_n261I		
DC_46A-66A_n261J	DC_66A_n261A DC_66A_n261G DC_66A_n261H DC_66A_n261I DC_66A_n261J		
DC_46A-66A_n261K	DC_66A_n261A DC_66A_n261G DC_66A_n261H DC_66A_n261I DC_66A_n261J DC_66A_n261K		
DC_46A-66A_n261L	DC_66A_n261A DC_66A_n261G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_66A_n261H DC_66A_n261I DC_66A_n261J DC_66A_n261K DC_66A_n261L		
DC_46A-66A_n261M	DC_66A_n261A DC_66A_n261G DC_66A_n261H DC_66A_n261I DC_66A_n261J DC_66A_n261K DC_66A_n261L DC_66A_n261M		
DC_46A-66A_n261(2A)	DC_66A_n261A		
DC_46A-66A_n261(2A-G)	DC_66A_n261A DC_66A_n261G		
DC_46A-66A_n261(2A-H)	DC_66A_n261A DC_66A_n261G DC_66A_n261H		
DC_46A-66A_n261(2G)	DC_66A_n261A DC_66A_n261G		
DC_46A-66A_n261(2H)	DC_66A_n261A DC_66A_n261G DC_66A_n261H		
DC_46A-66A_n261(3A)	DC_66A_n261A		
DC_46A-66A_n261(A-G)	DC_66A_n261A DC_66A_n261G		
DC_46A-66A_n261(A-H)	DC_66A_n261A DC_66A_n261G DC_66A_n261H		
DC_46A-66A_n261(A-I)	DC_66A_n261A DC_66A_n261G DC_66A_n261H DC_66A_n261I		
DC_46A-66A_n261(A-J)	DC_66A_n261A DC_66A_n261G DC_66A_n261H DC_66A_n261I		
DC_46A-66A_n261(A-K)	DC_66A_n261A DC_66A_n261G DC_66A_n261H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_66A_n261I		
DC_46A-66A_n261(A-L)	DC_66A_n261A DC_66A_n261G DC_66A_n261H DC_66A_n261I		
DC_46A-66A_n261(G-H)	DC_66A_n261A DC_66A_n261G DC_66A_n261H		
DC_46C-48A_n260A	DC_48A_n260A		
DC_46C-48A_n260(2A)	DC_48A_n260A		
DC_46C-48A_n260(3A)	DC_48A_n260A		
DC_46C-48A_n260(4A)	DC_48A_n260A		
DC_46C-48A_n261A	DC_48A_n261A		
DC_46C-48A_n261(2A)	DC_48A_n261A		
DC_46C-48C_n260A	DC_48A_n260A DC_48C_n260A		
DC_46C-48C_n260(2A)	DC_48A_n260A DC_48C_n260A		
DC_46C-48C_n260(3A)	DC_48A_n260A DC_48C_n260A		
DC_46C-48C_n260(4A)	DC_48A_n260A DC_48C_n260A		
DC_46C-48C_n261A	DC_48A_n261A DC_48C_n261A		
DC_46C-48C_n261(2A)	DC_48A_n261A DC_48C_n261A		
DC_46C-48D_n260A	DC_48A_n260A DC_48C_n260A		
DC_46C-48D_n260(2A)	DC_48A_n260A DC_48C_n260A		
DC_46C-48D_n260(3A)	DC_48A_n260A DC_48C_n260A		
DC_46C-48D_n260(4A)	DC_48A_n260A DC_48C_n260A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_46C-48D_n261A	DC_48A_n261A DC_48C_n261A		
DC_46C-48D_n261(2A)	DC_48A_n261A DC_48C_n261A		
DC_46C-66A_n258A	DC_66A_n258A		
DC_46C-66A_n258(2A)	DC_66A_n258A		
DC_46C-66A_n258(3A)	DC_66A_n258A		
DC_46C-66A_n258(4A)	DC_66A_n258A		
DC_46C-66A_n258(5A)	DC_66A_n258A		
DC_46C-66A_n260A	DC_66A_n260A		
DC_46C-66A_n260G	DC_66A_n260A DC_66A_n260G		
DC_46C-66A_n260H	DC_66A_n260A DC_66A_n260G DC_66A_n260H		
DC_46C-66A_n260I	DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I		
DC_46C-66A_n260J	DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I DC_66A_n260J		
DC_46C-66A_n260K	DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I DC_66A_n260J DC_66A_n260K		
DC_46C-66A_n260L	DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I DC_66A_n260J DC_66A_n260K DC_66A_n260L		
DC_46C-66A_n260M	DC_66A_n260A DC_66A_n260G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_66A_n260H DC_66A_n260I DC_66A_n260J DC_66A_n260K DC_66A_n260L DC_66A_n260M		
DC_46C-66A_n260(2A)	DC_66A_n260A		
DC_46C-66A_n261A	DC_66A_n261A		
DC_46C-66A_n261(2A)	DC_66A_n261A		
DC_46D-48A_n260A	DC_48A_n260A		
DC_46D-48A_n260(2A)	DC_48A_n260A		
DC_46D-48A_n260(3A)	DC_48A_n260A		
DC_46D-48A_n260(4A)	DC_48A_n260A		
DC_46D-48A_n261A	DC_48A_n261A		
DC_46D-48A_n261(2A)	DC_48A_n261A		
DC_46D-48C_n260A	DC_48A_n260A DC_48C_n260A		
DC_46D-48C_n260(2A)	DC_48A_n260A DC_48C_n260A		
DC_46D-48C_n260(3A)	DC_48A_n260A DC_48C_n260A		
DC_46D-48C_n260(4A)	DC_48A_n260A DC_48C_n260A		
DC_46D-48C_n261A	DC_48A_n261A DC_48C_n261A		
DC_46D-48C_n261(2A)	DC_48A_n261A DC_48C_n261A		
DC_46D-48D_n260A	DC_48A_n260A DC_48C_n260A		
DC_46D-48D_n260(2A)	DC_48A_n260A DC_48C_n260A		
DC_46D-48D_n260(3A)	DC_48A_n260A DC_48C_n260A		
DC_46D-48D_n260(4A)	DC_48A_n260A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_48C_n260A		
DC_46D-48D_n261A	DC_48A_n261A DC_48C_n261A		
DC_46D-48D_n261(2A)	DC_48A_n261A DC_48C_n261A		
DC_46D-66A_n258A	DC_66A_n258A		
DC_46D-66A_n258(2A)	DC_66A_n258A		
DC_46D-66A_n258(3A)	DC_66A_n258A		
DC_46D-66A_n258(4A)	DC_66A_n258A		
DC_46D-66A_n258(5A)	DC_66A_n258A		
DC_46D-66A_n260A	DC_66A_n260A		
DC_46D-66A_n260G	DC_66A_n260A DC_66A_n260G		
DC_46D-66A_n260H	DC_66A_n260A DC_66A_n260G DC_66A_n260H		
DC_46D-66A_n260I	DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I		
DC_46D-66A_n260J	DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I DC_66A_n260J		
DC_46D-66A_n260K	DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I DC_66A_n260J DC_66A_n260K		
DC_46D-66A_n260L	DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I DC_66A_n260J DC_66A_n260K DC_66A_n260L		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_46D-66A_n260M	DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I DC_66A_n260J DC_66A_n260K DC_66A_n260L DC_66A_n260M		
DC_46D-66A_n260(2A)	DC_66A_n260A		
DC_46D-66A_n261A	DC_66A_n261A		
DC_46D-66A_n261(2A)	DC_66A_n261A		
DC_46E-66A_n260A	DC_66A_n260A		
DC_46E-66A_n260G	DC_66A_n260A DC_66A_n260G		
DC_46E-66A_n260H	DC_66A_n260A DC_66A_n260G DC_66A_n260H		
DC_46E-66A_n260I	DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I		
DC_46E-66A_n260J	DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I DC_66A_n260J		
DC_46E-66A_n260K	DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I DC_66A_n260J DC_66A_n260K		
DC_46E-66A_n260L	DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I DC_66A_n260J DC_66A_n260K DC_66A_n260L		
DC_46E-66A_n260M	DC_66A_n260A DC_66A_n260G DC_66A_n260H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_66A_n260I DC_66A_n260J DC_66A_n260K DC_66A_n260L DC_66A_n260M		
DC_48A-48A_n257A	DC_48A_n257A		
DC_48A-48A_n260A	DC_48A_n260A		
DC_66A-66A_n257A	DC_66A_n257A		
DC_66A-66A_n260A	DC_66A_n260A		
DC_66A-66A_n260G	DC_66A_n260A DC_66A_n260G		
DC_66A-66A_n260H	DC_66A_n260A DC_66A_n260G DC_66A_n260H		
DC_66A-66A_n260I	DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I		
DC_66A-66A_n260J	DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I DC_66A_n260J		
DC_66A-66A_n260K	DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I DC_66A_n260J DC_66A_n260K		
DC_66A-66A_n260L	DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I DC_66A_n260J DC_66A_n260K DC_66A_n260L		
DC_66A-66A_n260M	DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I DC_66A_n260J DC_66A_n260K		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_66A_n260L DC_66A_n260M		
DC_66A-66A_n260(2A)	DC_66A_n260A		
DC_66A-66A_n260(2A-2G)	DC_66A_n260A DC_66A_n260G		
DC_66A-66A_n260(2A-G)	DC_66A_n260A DC_66A_n260G		
DC_66A-66A_n260(2G)	DC_66A_n260A DC_66A_n260G		
DC_66A-66A_n260(2H)	DC_66A_n260A DC_66A_n260G DC_66A_n260H		
DC_66A-66A_n260(3A)	DC_66A_n260A		
DC_66A-66A_n260(3A-G)	DC_66A_n260A DC_66A_n260G		
DC_66A-66A_n260(4A)	DC_66A_n260A		
DC_66A-66A_n260(5A)	DC_66A_n260A		
DC_66A-66A_n260(6A)	DC_66A_n260A		
DC_66A-66A_n260(A-2G)	DC_66A_n260A DC_66A_n260G		
DC_66A-66A_n260(A-G)	DC_66A_n260A DC_66A_n260G		
DC_66A-66A_n260(A-H)	DC_66A_n260A DC_66A_n260G DC_66A_n260H		
DC_66A-66A_n260(G-H)	DC_66A_n260A DC_66A_n260G DC_66A_n260H		
DC_66A-66A_n261A	DC_66A_n261A		
DC_66A-66A_n261G	DC_66A_n261A DC_66A_n261G		
DC_66A-66A_n261H	DC_66A_n261A DC_66A_n261G DC_66A_n261H		
DC_66A-66A_n261I	DC_66A_n261A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_66A_n261G DC_66A_n261H DC_66A_n261I		
DC_66A-66A_n261J	DC_66A_n261A DC_66A_n261G DC_66A_n261H DC_66A_n261I DC_66A_n261J		
DC_66A-66A_n261K	DC_66A_n261A DC_66A_n261G DC_66A_n261H DC_66A_n261I DC_66A_n261J DC_66A_n261K		
DC_66A-66A_n261L	DC_66A_n261A DC_66A_n261G DC_66A_n261H DC_66A_n261I DC_66A_n261J DC_66A_n261K DC_66A_n261L		
DC_66A-66A_n261M	DC_66A_n261A DC_66A_n261G DC_66A_n261H DC_66A_n261I DC_66A_n261J DC_66A_n261K DC_66A_n261L DC_66A_n261M		
DC_66A-66A_n261(2A)	DC_66A_n261A		
DC_66A-66A_n261(2A-G)	DC_66A_n261A DC_66A_n261G		
DC_66A-66A_n261(2A-H)	DC_66A_n261A DC_66A_n261G DC_66A_n261H		
DC_66A-66A_n261(2A-I)	DC_66A_n261A DC_66A_n261G DC_66A_n261H DC_66A_n261I		
DC_66A-66A_n261(2G)	DC_66A_n261A DC_66A_n261G		
DC_66A-66A_n261(2H)	DC_66A_n261A DC_66A_n261G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_66A_n261H		
DC_66A-66A_n261(3A)	DC_66A_n261A		
DC_66A-66A_n261(3A-G)	DC_66A_n261A DC_66A_n261G		
DC_66A-66A_n261(4A)	DC_66A_n261A		
DC_66A-66A_n261(A-2G)	DC_66A_n261A DC_66A_n261G		
DC_66A-66A_n261(A-G)	DC_66A_n261A DC_66A_n261G		
DC_66A-66A_n261(A-G-H)	DC_66A_n261A DC_66A_n261G DC_66A_n261H		
DC_66A-66A_n261(A-G-I)	DC_66A_n261A DC_66A_n261G DC_66A_n261H DC_66A_n261I		
DC_66A-66A_n261(A-H)	DC_66A_n261A DC_66A_n261G DC_66A_n261H		
DC_66A-66A_n261(A-I)	DC_66A_n261A DC_66A_n261G DC_66A_n261H DC_66A_n261I		
DC_66A-66A_n261(A-J)	DC_66A_n261A DC_66A_n261G DC_66A_n261H DC_66A_n261I		
DC_66A-66A_n261(A-K)	DC_66A_n261A DC_66A_n261G DC_66A_n261H DC_66A_n261I		
DC_66A-66A_n261(A-L)	DC_66A_n261A DC_66A_n261G DC_66A_n261H DC_66A_n261I		
DC_66A-66A_n261(G-H)	DC_66A_n261A DC_66A_n261G DC_66A_n261H		
DC_66A-66A_n261(G-I)	DC_66A_n261A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_66A_n261G DC_66A_n261H DC_66A_n261I		
DC_66A-66A_n261(G-J)	DC_66A_n261A DC_66A_n261G DC_66A_n261H DC_66A_n261I		
DC_66A-66A_n261(H-I)	DC_66A_n261A DC_66A_n261G DC_66A_n261H DC_66A_n261I		
DC_66A-71A_n257A	DC_66A_n257A DC_71A_n257A		
DC_66A-71A_n257G	DC_66A_n257A DC_66A_n257G DC_71A_n257A DC_71A_n257G		
DC_66A-71A_n257H	DC_66A_n257A DC_66A_n257G DC_71A_n257A DC_71A_n257G		
DC_66A-71A_n257I	DC_66A_n257A DC_66A_n257G DC_71A_n257A DC_71A_n257G		
DC_66A-71A_n257J	DC_66A_n257A DC_66A_n257G DC_71A_n257A DC_71A_n257G		
DC_66A-71A_n257K	DC_66A_n257A DC_66A_n257G DC_71A_n257A DC_71A_n257G		
DC_66A-71A_n257L	DC_66A_n257A DC_66A_n257G DC_71A_n257A DC_71A_n257G		
DC_66A-71A_n257M	DC_66A_n257A DC_66A_n257G DC_71A_n257A DC_71A_n257G		
DC_66A-71A_n258A	DC_66A_n258A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_71A_n258A		
DC_66A-71A_n258G	DC_66A_n258A DC_66A_n258G DC_71A_n258A DC_71A_n258G		
DC_66A-71A_n258H	DC_66A_n258A DC_66A_n258G DC_71A_n258A DC_71A_n258G		
DC_66A-71A_n258I	DC_66A_n258A DC_66A_n258G DC_71A_n258A DC_71A_n258G		
DC_66A-71A_n258J	DC_66A_n258A DC_66A_n258G DC_71A_n258A DC_71A_n258G		
DC_66A-71A_n258K	DC_66A_n258A DC_66A_n258G DC_71A_n258A DC_71A_n258G		
DC_66A-71A_n258L	DC_66A_n258A DC_66A_n258G DC_71A_n258A DC_71A_n258G		
DC_66A-71A_n258M	DC_66A_n258A DC_66A_n258G DC_71A_n258A DC_71A_n258G		
DC_66A-71A_n260A	DC_66A_n260A DC_71A_n260A		
DC_66A-71A_n260G	DC_66A_n260A DC_66A_n260G DC_71A_n260A DC_71A_n260G		
DC_66A-71A_n260H	DC_66A_n260A DC_66A_n260G DC_71A_n260A DC_71A_n260G		
DC_66A-71A_n260I	DC_66A_n260A DC_66A_n260G DC_71A_n260A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_71A_n260G		
DC_66A-71A_n260J	DC_66A_n260A DC_66A_n260G DC_71A_n260A DC_71A_n260G		
DC_66A-71A_n260K	DC_66A_n260A DC_66A_n260G DC_71A_n260A DC_71A_n260G		
DC_66A-71A_n260L	DC_66A_n260A DC_66A_n260G DC_71A_n260A DC_71A_n260G		
DC_66A-71A_n260M	DC_66A_n260A DC_66A_n260G DC_71A_n260A DC_71A_n260G		
DC_66A-71A_n260O	DC_66A_n260A DC_66A_n260O DC_71A_n260A DC_71A_n260O		
DC_66A-71A_n260P	DC_66A_n260A DC_66A_n260O DC_71A_n260A DC_71A_n260O		
DC_66A-71A_n260Q	DC_66A_n260A DC_66A_n260O DC_71A_n260A DC_71A_n260O		
DC_66A-71A_n261A	DC_66A_n261A DC_71A_n261A		
DC_66A-71A_n261G	DC_66A_n261A DC_66A_n261G DC_71A_n261A DC_71A_n261G		
DC_66A-71A_n261H	DC_66A_n261A DC_66A_n261G DC_71A_n261A DC_71A_n261G		
DC_66A-71A_n261I	DC_66A_n261A DC_66A_n261G DC_71A_n261A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_71A_n261G		
DC_66A-71A_n261J	DC_66A_n261A DC_66A_n261G DC_71A_n261A DC_71A_n261G		
DC_66A-71A_n261K	DC_66A_n261A DC_66A_n261G DC_71A_n261A DC_71A_n261G		
DC_66A-71A_n261L	DC_66A_n261A DC_66A_n261G DC_71A_n261A DC_71A_n261G		
DC_66A-71A_n261M	DC_66A_n261A DC_66A_n261G DC_71A_n261A DC_71A_n261G		
DC_66A-71A_n261O	DC_66A_n261A DC_66A_n261O DC_71A_n261A DC_71A_n261O		
DC_66A-71A_n261P	DC_66A_n261A DC_66A_n261O DC_71A_n261A DC_71A_n261O		
DC_66A-71A_n261Q	DC_66A_n261A DC_66A_n261O DC_71A_n261A DC_71A_n261O		
DC_66A_n5A-n260A	DC_66A_n5A DC_66A_n260A DC_66A_n5A-n260A		
DC_66A_n5A-n260G	DC_66A_n5A DC_66A_n260A DC_66A_n5A-n260A		
DC_66A_n5A-n260H	DC_66A_n5A DC_66A_n260A DC_66A_n5A-n260A		
DC_66A_n5A-n260I	DC_66A_n5A DC_66A_n260A DC_66A_n5A-n260A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_66A_n5A-n260J	DC_66A_n5A DC_66A_n260A DC_66A_n5A-n260A		
DC_66A_n5A-n260K	DC_66A_n5A DC_66A_n260A DC_66A_n5A-n260A		
DC_66A_n5A-n260L	DC_66A_n5A DC_66A_n260A DC_66A_n5A-n260A		
DC_66A_n5A-n260M	DC_66A_n5A DC_66A_n260A DC_66A_n5A-n260A		
DC_66A_n5A-n260(2A)	DC_66A_n5A-n260A		
DC_66A_n5A-n260(2A-2G)	DC_66A_n5A-n260A		
DC_66A_n5A-n260(2A-G)	DC_66A_n5A-n260A		
DC_66A_n5A-n260(2G)	DC_66A_n5A-n260A		
DC_66A_n5A-n260(2H)	DC_66A_n5A-n260A		
DC_66A_n5A-n260(3A)	DC_66A_n5A-n260A		
DC_66A_n5A-n260(3A-G)	DC_66A_n5A-n260A		
DC_66A_n5A-n260(4A)	DC_66A_n5A-n260A		
DC_66A_n5A-n260(5A)	DC_66A_n5A-n260A		
DC_66A_n5A-n260(6A)	DC_66A_n5A-n260A		
DC_66A_n5A-n260(A-2G)	DC_66A_n5A-n260A		
DC_66A_n5A-n260(A-G)	DC_66A_n5A-n260A		
DC_66A_n5A-n260(A-H)	DC_66A_n5A-n260A		
DC_66A_n5A-n260(G-H)	DC_66A_n5A-n260A		
DC_66A_n5A-n261A	DC_66A_n5A-n261A		
DC_66A_n5A-n261G	DC_66A_n5A-n261A		
DC_66A_n5A-n261H	DC_66A_n5A-n261A		
DC_66A_n5A-n261I	DC_66A_n5A-n261A		
	DC_66A_n5A-n261A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_66A_n5A-n261J			
DC_66A_n5A-n261K	DC_66A_n5A-n261A		
DC_66A_n5A-n261L	DC_66A_n5A-n261A		
DC_66A_n5A-n261M	DC_66A_n5A-n261A		
DC_66A_n5A-n261(2A)	DC_66A_n5A-n261A		
DC_66A_n5A-n261(2A-G)	DC_66A_n5A-n261A		
DC_66A_n5A-n261(2A-H)	DC_66A_n5A-n261A		
DC_66A_n5A-n261(2A-I)	DC_66A_n5A-n261A		
DC_66A_n5A-n261(2G)	DC_66A_n5A-n261A		
DC_66A_n5A-n261(2H)	DC_66A_n5A-n261A		
DC_66A_n5A-n261(3A)	DC_66A_n5A-n261A		
DC_66A_n5A-n261(3A-G)	DC_66A_n5A-n261A		
DC_66A_n5A-n261(4A)	DC_66A_n5A-n261A		
DC_66A_n5A-n261(A-2G)	DC_66A_n5A-n261A		
DC_66A_n5A-n261(A-G)	DC_66A_n5A-n261A		
DC_66A_n5A-n261(A-G-H)	DC_66A_n5A-n261A		
DC_66A_n5A-n261(A-G-I)	DC_66A_n5A-n261A		
DC_66A_n5A-n261(A-H)	DC_66A_n5A-n261A		
DC_66A_n5A-n261(A-I)	DC_66A_n5A-n261A		
DC_66A_n5A-n261(A-J)	DC_66A_n5A-n261A		
DC_66A_n5A-n261(A-K)	DC_66A_n5A-n261A		
DC_66A_n5A-n261(G-H)	DC_66A_n5A-n261A		
DC_66A_n5A-n261(G-I)	DC_66A_n5A-n261A		
DC_66A_n5A-n261(G-J)	DC_66A_n5A-n261A		
DC_66A_n5A-n261(H-I)	DC_66A_n5A-n261A		
DC_66A_n12A-n258A	DC_66A_n12A DC_66A_n258A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_66A_n12A-n260A	DC_66A_n12A DC_66A_n260A		
DC_66A_n12A-n261A	DC_66A_n12A DC_66A_n261A		
DC_66A_n41A-n260A	DC_66A_n41A		
DC_66A_n41A-n260(2A)	DC_66A_n41A		
DC_66A_n41A-n260(3A)	DC_66A_n41A		
DC_66A_n41A-n260(4A)	DC_66A_n41A		
DC_66A_n41A-n261A	DC_66A_n41A		
DC_66A_n41A-n261(2A)	DC_66A_n41A		
DC_66A_n71A-n260A	DC_66A_n71A DC_66A_n260A		
DC_66A_n71A-n260(2A)	DC_66A_n71A DC_66A_n260A		
DC_66A_n71A-n261A	DC_66A_n71A DC_66A_n261A		
DC_66A_n71A-n261(2A)	DC_66A_n71A DC_66A_n261A		
DC_n3A-n257A_1A	DC_n3A_1A DC_n257A_1A		
DC_n3A-n257A_8A	DC_n3A_8A DC_n257A_8A		
DC_n3A-n257G_1A	DC_n3A_1A DC_n257A_1A		
DC_n3A-n257G_8A	DC_n3A_8A DC_n257A_8A		
DC_n3A-n257H_1A	DC_n3A_1A DC_n257A_1A		
DC_n3A-n257H_8A	DC_n3A_8A DC_n257A_8A		
DC_n3A-n257I_1A	DC_n3A_1A DC_n257A_1A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_n3A-n257I_8A	DC_n3A_8A DC_n257A_8A		
DC_n3A-n257J_1A	DC_n3A_1A DC_n257A_1A		
DC_n3A-n257J_8A	DC_n3A_8A DC_n257A_8A		
DC_n3A-n257K_1A	DC_n3A_1A DC_n257A_1A		
DC_n3A-n257K_8A	DC_n3A_8A DC_n257A_8A		
DC_n3A-n257L_1A	DC_n3A_1A DC_n257A_1A		
DC_n3A-n257L_8A	DC_n3A_8A DC_n257A_8A		
DC_n3A-n257M_1A	DC_n3A_1A DC_n257A_1A		
DC_n3A-n257M_8A	DC_n3A_8A DC_n257A_8A		
DC_(n)3AA-n8A-n257A	DC_(n)3AA (switchedUlOnly) DC_3A_n8A DC_3A_n257A		
DC_(n)3AA-n8A-n257G	DC_(n)3AA (switchedUlOnly) DC_3A_n8A DC_3A_n257A		
DC_(n)3AA-n8A-n257H	DC_(n)3AA (switchedUlOnly) DC_3A_n8A DC_3A_n257A		
DC_(n)3AA-n8A-n257I	DC_(n)3AA (switchedUlOnly) DC_3A_n8A DC_3A_n257A		
DC_(n)3AA-n8A-n257J	DC_(n)3AA (switchedUlOnly) DC_3A_n8A DC_3A_n257A		
DC_(n)3AA-n8A-n257K	DC_(n)3AA (switchedUlOnly) DC_3A_n8A DC_3A_n257A		
DC_(n)3AA-n8A-n257L	DC_(n)3AA (switchedUlOnly) DC_3A_n8A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_3A_n257A		
DC_(n)3AA-n8A-n257M	DC_(n)3AA (switchedUlOnly) DC_3A_n8A DC_3A_n257A		
DC_(n)3AA-n77A-n257A	DC_(n)3AA (switchedUlOnly) DC_3A_n77A DC_3A_n257A		
DC_(n)3AA-n77A-n257G	DC_(n)3AA (switchedUlOnly) DC_3A_n77A DC_3A_n257A		
DC_(n)3AA-n77A-n257H	DC_(n)3AA (switchedUlOnly) DC_3A_n77A DC_3A_n257A		
DC_(n)3AA-n77A-n257I	DC_(n)3AA (switchedUlOnly) DC_3A_n77A DC_3A_n257A		
DC_(n)3AA-n77A-n257J	DC_(n)3AA (switchedUlOnly) DC_3A_n77A DC_3A_n257A		
DC_(n)3AA-n77A-n257K	DC_(n)3AA (switchedUlOnly) DC_3A_n77A DC_3A_n257A		
DC_(n)3AA-n77A-n257L	DC_(n)3AA (switchedUlOnly) DC_3A_n77A DC_3A_n257A		
DC_(n)3AA-n77A-n257M	DC_(n)3AA (switchedUlOnly) DC_3A_n77A DC_3A_n257A		
DC_(n)3AA-n77(2A)-n257A	DC_(n)3AA (switchedUlOnly) DC_3A_n77A DC_3A_n257A		
DC_(n)3AA-n77(2A)-n257G	DC_(n)3AA (switchedUlOnly) DC_3A_n77A DC_3A_n257A		
DC_(n)3AA-n77(2A)-n257H	DC_(n)3AA (switchedUlOnly) DC_3A_n77A DC_3A_n257A		
DC_(n)3AA-n77(2A)-n257I	DC_(n)3AA (switchedUlOnly) DC_3A_n77A DC_3A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_(n)3AA-n77(2A)-n257J	DC_(n)3AA (switchedUlOnly) DC_3A_n77A DC_3A_n257A		
DC_(n)3AA-n77(2A)-n257K	DC_(n)3AA (switchedUlOnly) DC_3A_n77A DC_3A_n257A		
DC_(n)3AA-n77(2A)-n257L	DC_(n)3AA (switchedUlOnly) DC_3A_n77A DC_3A_n257A		
DC_(n)3AA-n77(2A)-n257M	DC_(n)3AA (switchedUlOnly) DC_3A_n77A DC_3A_n257A		
DC_n8A-n257A_1A	DC_n8A_1A DC_n257A_1A		
DC_n8A-n257A_3A	DC_n8A_3A DC_n257A_3A		
DC_n8A-n257G_1A	DC_n8A_1A DC_n257A_1A		
DC_n8A-n257G_3A	DC_n8A_3A DC_n257A_3A		
DC_n8A-n257H_1A	DC_n8A_1A DC_n257A_1A		
DC_n8A-n257H_3A	DC_n8A_3A DC_n257A_3A		
DC_n8A-n257I_1A	DC_n8A_1A DC_n257A_1A		
DC_n8A-n257I_3A	DC_n8A_3A DC_n257A_3A		
DC_n8A-n257J_1A	DC_n8A_1A DC_n257A_1A		
DC_n8A-n257J_3A	DC_n8A_3A DC_n257A_3A		
DC_n8A-n257K_1A	DC_n8A_1A DC_n257A_1A		
DC_n8A-n257K_3A	DC_n8A_3A DC_n257A_3A		
	DC_n8A_1A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_n8A-n257L_1A	DC_n257A_1A		
DC_n8A-n257L_3A	DC_n8A_3A DC_n257A_3A		
DC_n8A-n257M_1A	DC_n8A_1A DC_n257A_1A		
DC_n8A-n257M_3A	DC_n8A_3A DC_n257A_3A		
DC_n77A-n257A_1A	DC_n77A_1A DC_n257A_1A		
DC_n77A-n257A_3A	DC_n77A_3A DC_n257A_3A		
DC_n77A-n257A_8A	DC_n77A_8A DC_n257A_8A		
DC_n77A-n257A-3(n)AA	DC_3(n)AA (switchedUlOnly) DC_n77A_3A DC_n257A_3A		
DC_n77A-n257G_1A	DC_n77A_1A DC_n257A_1A		
DC_n77A-n257G_3A	DC_n77A_3A DC_n257A_3A		
DC_n77A-n257G_8A	DC_n77A_8A DC_n257A_8A		
DC_n77A-n257G-3(n)AA	DC_3(n)AA (switchedUlOnly) DC_n77A_3A DC_n257A_3A		
DC_n77A-n257H_1A	DC_n77A_1A DC_n257A_1A		
DC_n77A-n257H_3A	DC_n77A_3A DC_n257A_3A		
DC_n77A-n257H_8A	DC_n77A_8A DC_n257A_8A		
DC_n77A-n257H-3(n)AA	DC_3(n)AA (switchedUlOnly) DC_n77A_3A DC_n257A_3A		
DC_n77A-n257I_1A	DC_n77A_1A DC_n257A_1A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_n77A-n257I_3A	DC_n77A_3A DC_n257A_3A		
DC_n77A-n257I_8A	DC_n77A_8A DC_n257A_8A		
DC_n77A-n257I-3(n)AA	DC_3(n)AA (switchedUlOnly) DC_n77A_3A DC_n257A_3A		
DC_n77A-n257J_1A	DC_n77A_1A DC_n257A_1A		
DC_n77A-n257J_3A	DC_n77A_3A DC_n257A_3A		
DC_n77A-n257J_8A	DC_n77A_8A DC_n257A_8A		
DC_n77A-n257J-3(n)AA	DC_3(n)AA (switchedUlOnly) DC_n77A_3A DC_n257A_3A		
DC_n77A-n257K_1A	DC_n77A_1A DC_n257A_1A		
DC_n77A-n257K_3A	DC_n77A_3A DC_n257A_3A		
DC_n77A-n257K_8A	DC_n77A_8A DC_n257A_8A		
DC_n77A-n257K-3(n)AA	DC_3(n)AA (switchedUlOnly) DC_n77A_3A DC_n257A_3A		
DC_n77A-n257L_1A	DC_n77A_1A DC_n257A_1A		
DC_n77A-n257L_3A	DC_n77A_3A DC_n257A_3A		
DC_n77A-n257L_8A	DC_n77A_8A DC_n257A_8A		
DC_n77A-n257L-3(n)AA	DC_3(n)AA (switchedUlOnly) DC_n77A_3A DC_n257A_3A		
DC_n77A-n257M_1A	DC_n77A_1A DC_n257A_1A		
	DC_n77A_3A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_n77A-n257M_3A	DC_n257A_3A		
DC_n77A-n257M_8A	DC_n77A_8A DC_n257A_8A		
DC_n77A-n257M-3(n)AA	DC_3(n)AA (switchedUlOnly) DC_n77A_3A DC_n257A_3A		
DC_n77(2A)-n257A_1A	DC_n77A_1A DC_n257A_1A		
DC_n77(2A)-n257A_3A	DC_n77A_3A DC_n257A_3A		
DC_n77(2A)-n257A_8A	DC_n77A_8A DC_n257A_8A		
DC_n77(2A)-n257A-3(n)AA	DC_3(n)AA (switchedUlOnly) DC_n77A_3A DC_n257A_3A		
DC_n77(2A)-n257G_1A	DC_n77A_1A DC_n257A_1A		
DC_n77(2A)-n257G_3A	DC_n77A_3A DC_n257A_3A		
DC_n77(2A)-n257G_8A	DC_n77A_8A DC_n257A_8A		
DC_n77(2A)-n257G-3(n)AA	DC_3(n)AA (switchedUlOnly) DC_n77A_3A DC_n257A_3A		
DC_n77(2A)-n257H_1A	DC_n77A_1A DC_n257A_1A		
DC_n77(2A)-n257H_3A	DC_n77A_3A DC_n257A_3A		
DC_n77(2A)-n257H_8A	DC_n77A_8A DC_n257A_8A		
DC_n77(2A)-n257H-3(n)AA	DC_3(n)AA (switchedUlOnly) DC_n77A_3A DC_n257A_3A		
DC_n77(2A)-n257I_1A	DC_n77A_1A DC_n257A_1A		
DC_n77(2A)-n257I_3A	DC_n77A_3A DC_n257A_3A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_n77(2A)-n257I_8A	DC_n77A_8A DC_n257A_8A		
DC_n77(2A)-n257I-3(n)AA	DC_3(n)AA (switchedUlOnly) DC_n77A_3A DC_n257A_3A		
DC_n77(2A)-n257J_1A	DC_n77A_1A DC_n257A_1A		
DC_n77(2A)-n257J_3A	DC_n77A_3A DC_n257A_3A		
DC_n77(2A)-n257J_8A	DC_n77A_8A DC_n257A_8A		
DC_n77(2A)-n257J-3(n)AA	DC_3(n)AA (switchedUlOnly) DC_n77A_3A DC_n257A_3A		
DC_n77(2A)-n257K_1A	DC_n77A_1A DC_n257A_1A		
DC_n77(2A)-n257K_3A	DC_n77A_3A DC_n257A_3A		
DC_n77(2A)-n257K_8A	DC_n77A_8A DC_n257A_8A		
DC_n77(2A)-n257K-3(n)AA	DC_3(n)AA (switchedUlOnly) DC_n77A_3A DC_n257A_3A		
DC_n77(2A)-n257L_1A	DC_n77A_1A DC_n257A_1A		
DC_n77(2A)-n257L_3A	DC_n77A_3A DC_n257A_3A		
DC_n77(2A)-n257L_8A	DC_n77A_8A DC_n257A_8A		
DC_n77(2A)-n257L-3(n)AA	DC_3(n)AA (switchedUlOnly) DC_n77A_3A DC_n257A_3A		
DC_n77(2A)-n257M_1A	DC_n77A_1A DC_n257A_1A		
DC_n77(2A)-n257M_3A	DC_n77A_3A DC_n257A_3A		
	DC_n77A_8A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_n77(2A)-n257M_8A	DC_n257A_8A		
DC_n77(2A)-n257M-3(n)AA	DC_3(n)AA (switchedUlOnly) DC_n77A_3A DC_n257A_3A		
DC_n257A_1A-3A	DC_n257A_1A DC_n257A_3A		
DC_n257A_1A-3C	DC_n257A_1A DC_n257A_3A		
DC_n257A_1A-5A	DC_n257A_1A DC_n257A_5A		
DC_n257A_1A-7A	DC_n257A_1A DC_n257A_7A		
DC_n257A_1A-8A	DC_n257A_1A DC_n257A_8A		
DC_n257A_3A-5A	DC_n257A_3A DC_n257A_5A		
DC_n257A_3A-7A	DC_n257A_3A DC_n257A_7A		
DC_n257A_3A-8A	DC_n257A_3A DC_n257A_8A		
DC_n257A_3C-8A	DC_n257A_3A DC_n257A_8A		
DC_n257A_5A-7A	DC_n257A_5A DC_n257A_7A		
DC_n257A_7A-7A	DC_n257A_7A		
DC_n257A-3(n)AA-1A	DC_n3A_1A DC_3(n)AA (switchedUlOnly) DC_n257A_1A DC_n257A_3A		
DC_n257A-3(n)AA-8A	DC_3(n)AA (switchedUlOnly) DC_n3A_8A DC_n257A_3A DC_n257A_8A		
DC_n257G_1A-3A	DC_n257A_1A DC_n257A_3A DC_n257G_3A		
DC_n257G_1A-3C	DC_n257A_1A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_n257A_3A DC_n257G_3A		
DC_n257G_1A-5A	DC_n257A_1A DC_n257A_5A		
DC_n257G_1A-7A	DC_n257A_1A DC_n257A_7A		
DC_n257G_1A-8A	DC_n257A_1A DC_n257A_8A		
DC_n257G_3A-5A	DC_n257A_3A DC_n257A_5A		
DC_n257G_3A-7A	DC_n257A_3A DC_n257A_7A		
DC_n257G_3A-8A	DC_n257A_3A DC_n257A_8A		
DC_n257G_3C-8A	DC_n257A_3A DC_n257A_8A		
DC_n257G_5A-7A	DC_n257A_5A DC_n257A_7A		
DC_n257G_7A-7A	DC_n257A_7A		
DC_n257G-3(n)AA-1A	DC_n3A_1A DC_3(n)AA (switchedUlOnly) DC_n257A_1A DC_n257A_3A		
DC_n257G-3(n)AA-8A	DC_3(n)AA (switchedUlOnly) DC_n3A_8A DC_n257A_3A DC_n257A_8A		
DC_n257H_1A-3A	DC_n257A_1A DC_n257A_3A DC_n257G_3A DC_n257H_3A		
DC_n257H_1A-3C	DC_n257A_1A DC_n257A_3A DC_n257G_3A DC_n257H_3A		
DC_n257H_1A-5A	DC_n257A_1A DC_n257A_5A		
DC_n257H_1A-7A	DC_n257A_1A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_n257A_7A		
DC_n257H_1A-8A	DC_n257A_1A DC_n257A_8A		
DC_n257H_3A-5A	DC_n257A_3A DC_n257A_5A		
DC_n257H_3A-7A	DC_n257A_3A DC_n257A_7A		
DC_n257H_3A-8A	DC_n257A_3A DC_n257A_8A		
DC_n257H_3C-8A	DC_n257A_3A DC_n257A_8A		
DC_n257H_5A-7A	DC_n257A_5A DC_n257A_7A		
DC_n257H_7A-7A	DC_n257A_7A		
DC_n257H-3(n)AA-1A	DC_n3A_1A DC_3(n)AA (switchedUlOnly) DC_n257A_1A DC_n257A_3A		
DC_n257H-3(n)AA-8A	DC_3(n)AA (switchedUlOnly) DC_n3A_8A DC_n257A_3A DC_n257A_8A		
DC_n257I_1A-3A	DC_n257A_1A DC_n257A_3A DC_n257G_3A DC_n257H_3A DC_n257I_3A		
DC_n257I_1A-3C	DC_n257A_1A DC_n257A_3A DC_n257G_3A DC_n257H_3A DC_n257I_3A		
DC_n257I_1A-5A	DC_n257A_1A DC_n257A_5A		
DC_n257I_1A-7A	DC_n257A_1A DC_n257A_7A		
DC_n257I_1A-8A	DC_n257A_1A DC_n257A_8A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_n257I_3A-5A	DC_n257A_3A DC_n257A_5A		
DC_n257I_3A-7A	DC_n257A_3A DC_n257A_7A		
DC_n257I_3A-8A	DC_n257A_3A DC_n257A_8A		
DC_n257I_3C-8A	DC_n257A_3A DC_n257A_8A		
DC_n257I_5A-7A	DC_n257A_5A DC_n257A_7A		
DC_n257I_7A-7A	DC_n257A_7A		
DC_n257I-3(n)AA-1A	DC_n3A_1A DC_3(n)AA (switchedUlOnly) DC_n257A_1A DC_n257A_3A		
DC_n257I-3(n)AA-8A	DC_3(n)AA (switchedUlOnly) DC_n3A_8A DC_n257A_3A DC_n257A_8A		
DC_n257J_1A-3A	DC_n257A_1A DC_n257A_3A DC_n257G_3A DC_n257H_3A DC_n257I_3A DC_n257J_3A		
DC_n257J_1A-3C	DC_n257A_1A DC_n257A_3A DC_n257G_3A DC_n257H_3A DC_n257I_3A DC_n257J_3A		
DC_n257J_1A-5A	DC_n257A_1A DC_n257A_5A		
DC_n257J_1A-7A	DC_n257A_1A DC_n257A_7A		
DC_n257J_1A-8A	DC_n257A_1A DC_n257A_8A		
DC_n257J_3A-5A	DC_n257A_3A DC_n257A_5A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_n257J_3A-7A	DC_n257A_3A DC_n257A_7A		
DC_n257J_3A-8A	DC_n257A_3A DC_n257A_8A		
DC_n257J_3C-8A	DC_n257A_3A DC_n257A_8A		
DC_n257J_5A-7A	DC_n257A_5A DC_n257A_7A		
DC_n257J_7A-7A	DC_n257A_7A		
DC_n257J-3(n)AA-1A	DC_n3A_1A DC_3(n)AA (switchedUlOnly) DC_n257A_1A DC_n257A_3A		
DC_n257J-3(n)AA-8A	DC_3(n)AA (switchedUlOnly) DC_n3A_8A DC_n257A_3A DC_n257A_8A		
DC_n257K_1A-3A	DC_n257A_1A DC_n257A_3A DC_n257G_3A DC_n257H_3A DC_n257I_3A DC_n257J_3A DC_n257K_3A		
DC_n257K_1A-3C	DC_n257A_1A DC_n257A_3A DC_n257G_3A DC_n257H_3A DC_n257I_3A DC_n257J_3A DC_n257K_3A		
DC_n257K_1A-5A	DC_n257A_1A DC_n257A_5A		
DC_n257K_1A-7A	DC_n257A_1A DC_n257A_7A		
DC_n257K_1A-8A	DC_n257A_1A DC_n257A_8A		
DC_n257K_3A-5A	DC_n257A_3A DC_n257A_5A		
	DC_n257A_3A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_n257K_3A-7A	DC_n257A_7A		
DC_n257K_3A-8A	DC_n257A_3A DC_n257A_8A		
DC_n257K_3C-8A	DC_n257A_3A DC_n257A_8A		
DC_n257K_5A-7A	DC_n257A_5A DC_n257A_7A		
DC_n257K_7A-7A	DC_n257A_7A		
DC_n257K-3(n)AA-1A	DC_n3A_1A DC_3(n)AA (switchedUlOnly) DC_n257A_1A DC_n257A_3A		
DC_n257K-3(n)AA-8A	DC_3(n)AA (switchedUlOnly) DC_n3A_8A DC_n257A_3A DC_n257A_8A		
DC_n257L_1A-3A	DC_n257A_1A DC_n257A_3A DC_n257G_3A DC_n257H_3A DC_n257I_3A DC_n257J_3A DC_n257K_3A DC_n257L_3A		
DC_n257L_1A-3C	DC_n257A_1A DC_n257A_3A DC_n257G_3A DC_n257H_3A DC_n257I_3A DC_n257J_3A DC_n257K_3A DC_n257L_3A		
DC_n257L_1A-5A	DC_n257A_1A DC_n257A_5A		
DC_n257L_1A-7A	DC_n257A_1A DC_n257A_7A		
DC_n257L_1A-8A	DC_n257A_1A DC_n257A_8A		
DC_n257L_3A-5A	DC_n257A_3A DC_n257A_5A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_n257L_3A-7A	DC_n257A_3A DC_n257A_7A		
DC_n257L_3A-8A	DC_n257A_3A DC_n257A_8A		
DC_n257L_3C-8A	DC_n257A_3A DC_n257A_8A		
DC_n257L_5A-7A	DC_n257A_5A DC_n257A_7A		
DC_n257L_7A-7A	DC_n257A_7A		
DC_n257L-3(n)AA-1A	DC_n3A_1A DC_3(n)AA (switchedUlOnly) DC_n257A_1A DC_n257A_3A		
DC_n257L-3(n)AA-8A	DC_3(n)AA (switchedUlOnly) DC_n3A_8A DC_n257A_3A DC_n257A_8A		
DC_n257M_1A-3A	DC_n257A_1A DC_n257A_3A DC_n257G_3A DC_n257H_3A DC_n257I_3A DC_n257J_3A DC_n257K_3A DC_n257L_3A DC_n257M_3A		
DC_n257M_1A-3C	DC_n257A_1A DC_n257A_3A DC_n257G_3A DC_n257H_3A DC_n257I_3A DC_n257J_3A DC_n257K_3A DC_n257L_3A DC_n257M_3A		
DC_n257M_1A-5A	DC_n257A_1A DC_n257A_5A		
DC_n257M_1A-7A	DC_n257A_1A DC_n257A_7A		
DC_n257M_1A-8A	DC_n257A_1A DC_n257A_8A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_n257M_3A-5A	DC_n257A_3A DC_n257A_5A		
DC_n257M_3A-7A	DC_n257A_3A DC_n257A_7A		
DC_n257M_3A-8A	DC_n257A_3A DC_n257A_8A		
DC_n257M_3C-8A	DC_n257A_3A DC_n257A_8A		
DC_n257M_5A-7A	DC_n257A_5A DC_n257A_7A		
DC_n257M_7A-7A	DC_n257A_7A		
DC_n257M-3(n)AA-1A	DC_n3A_1A DC_3(n)AA (switchedUlOnly) DC_n257A_1A DC_n257A_3A		
DC_n257M-3(n)AA-8A	DC_3(n)AA (switchedUlOnly) DC_n3A_8A DC_n257A_3A DC_n257A_8A		
DC_1A-3A-5A_n257A (interBandEnDcSimRxTx)	DC_1A_n257A DC_3A_n257A DC_5A_n257A		
DC_1A-3A-5A_n257D	DC_1A_n257A DC_1A_n257D DC_3A_n257A DC_3A_n257D DC_5A_n257A DC_5A_n257D		
DC_1A-3A-5A_n257E	DC_1A_n257A DC_1A_n257D DC_3A_n257A DC_3A_n257D DC_5A_n257A DC_5A_n257D		
DC_1A-3A-5A_n257F	DC_1A_n257A DC_1A_n257D DC_3A_n257A DC_3A_n257D DC_5A_n257A DC_5A_n257D		
	DC_1A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_1A-3A-5A_n257G	DC_1A_n257G DC_3A_n257A DC_3A_n257G DC_5A_n257A DC_5A_n257G		
DC_1A-3A-5A_n257H	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_5A_n257A DC_5A_n257G DC_5A_n257H		
DC_1A-3A-5A_n257I	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_5A_n257A DC_5A_n257G DC_5A_n257H DC_5A_n257I		
DC_1A-3A-5A_n257J	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_5A_n257A DC_5A_n257G DC_5A_n257H DC_5A_n257I		
DC_1A-3A-5A_n257K	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_5A_n257A DC_5A_n257G DC_5A_n257H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_5A_n257I		
DC_1A-3A-5A_n257L	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_5A_n257A DC_5A_n257G DC_5A_n257H DC_5A_n257I		
DC_1A-3A-5A_n257M	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_5A_n257A DC_5A_n257G DC_5A_n257H DC_5A_n257I		
DC_1A-3A-7A_n257A (interBandEnDcSimRxTx)	DC_1A_n257A DC_3A_n257A DC_7A_n257A		
DC_1A-3A-7A_n257D	DC_1A_n257A DC_1A_n257D DC_3A_n257A DC_3A_n257D DC_7A_n257A DC_7A_n257D		
DC_1A-3A-7A_n257E	DC_1A_n257A DC_1A_n257D DC_3A_n257A DC_3A_n257D DC_7A_n257A DC_7A_n257D		
DC_1A-3A-7A_n257F	DC_1A_n257A DC_1A_n257D DC_3A_n257A DC_3A_n257D DC_7A_n257A DC_7A_n257D		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_1A-3A-7A_n257G	DC_1A_n257A DC_1A_n257G DC_3A_n257A DC_3A_n257G DC_7A_n257A DC_7A_n257G		
DC_1A-3A-7A_n257H	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_7A_n257A DC_7A_n257G DC_7A_n257H		
DC_1A-3A-7A_n257I	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I		
DC_1A-3A-7A_n257J	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I		
DC_1A-3A-7A_n257K	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_7A_n257A DC_7A_n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_7A_n257H DC_7A_n257I		
DC_1A-3A-7A_n257L	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I		
DC_1A-3A-7A_n257M	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I		
DC_1A-3A-7A_n258A	DC_1A_n258A DC_3A_n258A DC_7A_n258A		
DC_1A-3A-7A_n258B	DC_1A_n258A DC_3A_n258A DC_7A_n258A		
DC_1A-3A-7A_n258C	DC_1A_n258A DC_3A_n258A DC_7A_n258A		
DC_1A-3A-7A_n258D	DC_1A_n258A DC_1A_n258D DC_3A_n258A DC_3A_n258D DC_7A_n258A DC_7A_n258D		
DC_1A-3A-7A_n258E	DC_1A_n258A DC_1A_n258D DC_3A_n258A DC_3A_n258D DC_7A_n258A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_7A_n258D		
DC_1A-3A-7A_n258F	DC_1A_n258A DC_1A_n258D DC_3A_n258A DC_3A_n258D DC_7A_n258A DC_7A_n258D		
DC_1A-3A-7A_n258G	DC_1A_n258A DC_1A_n258G DC_3A_n258A DC_3A_n258G DC_7A_n258A DC_7A_n258G		
DC_1A-3A-7A_n258H	DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_7A_n258A DC_7A_n258G DC_7A_n258H		
DC_1A-3A-7A_n258I	DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_1A_n258I DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I		
DC_1A-3A-7A_n258J	DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_1A_n258I DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I		
DC_1A-3A-7A_n258K	DC_1A_n258A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_1A_n258G DC_1A_n258H DC_1A_n258I DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I		
DC_1A-3A-7A_n258L	DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_1A_n258I DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I		
DC_1A-3A-7A_n258M	DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_1A_n258I DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I		
DC_1A-3A-7C_n258A	DC_1A_n258A DC_3A_n258A DC_7A_n258A DC_7C_n258A		
DC_1A-3A-7C_n258B	DC_1A_n258A DC_3A_n258A DC_7A_n258A DC_7C_n258A		
DC_1A-3A-7C_n258C	DC_1A_n258A DC_3A_n258A DC_7A_n258A DC_7C_n258A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_1A-3A-7C_n258D	DC_1A_n258A DC_1A_n258D DC_3A_n258A DC_3A_n258D DC_7A_n258A DC_7A_n258D DC_7C_n258A DC_7C_n258D		
DC_1A-3A-7C_n258E	DC_1A_n258A DC_1A_n258D DC_3A_n258A DC_3A_n258D DC_7A_n258A DC_7A_n258D DC_7C_n258A DC_7C_n258D		
DC_1A-3A-7C_n258F	DC_1A_n258A DC_1A_n258D DC_3A_n258A DC_3A_n258D DC_7A_n258A DC_7A_n258D DC_7C_n258A DC_7C_n258D		
DC_1A-3A-7C_n258G	DC_1A_n258A DC_1A_n258G DC_3A_n258A DC_3A_n258G DC_7A_n258A DC_7A_n258G DC_7C_n258A DC_7C_n258G		
DC_1A-3A-7C_n258H	DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7C_n258A DC_7C_n258G DC_7C_n258H		
DC_1A-3A-7C_n258I	DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_1A_n258I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I DC_7C_n258A DC_7C_n258G DC_7C_n258H DC_7C_n258I		
DC_1A-3A-7C_n258J	DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_1A_n258I DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I DC_7C_n258A DC_7C_n258G DC_7C_n258H DC_7C_n258I		
DC_1A-3A-7C_n258K	DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_1A_n258I DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I DC_7C_n258A DC_7C_n258G DC_7C_n258H DC_7C_n258I		
DC_1A-3A-7C_n258L	DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_1A_n258I DC_3A_n258A DC_3A_n258G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_3A_n258H DC_3A_n258I DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I DC_7C_n258A DC_7C_n258G DC_7C_n258H DC_7C_n258I		
DC_1A-3A-7C_n258M	DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_1A_n258I DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I DC_7C_n258A DC_7C_n258G DC_7C_n258H DC_7C_n258I		
DC_1A-3A-8A_n257A	DC_1A_n257A DC_3A_n257A DC_8A_n257A		
DC_1A-3A-8A_n257D	DC_1A_n257A DC_1A_n257D DC_3A_n257A DC_3A_n257D DC_8A_n257A DC_8A_n257D		
DC_1A-3A-8A_n257E	DC_1A_n257A DC_1A_n257D DC_3A_n257A DC_3A_n257D DC_8A_n257A DC_8A_n257D		
DC_1A-3A-8A_n257F	DC_1A_n257A DC_1A_n257D DC_3A_n257A DC_3A_n257D DC_8A_n257A DC_8A_n257D		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_1A-3A-8A_n257G	DC_1A_n257A DC_1A_n257G DC_3A_n257A DC_3A_n257G DC_8A_n257A DC_8A_n257G		
DC_1A-3A-8A_n257H	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_8A_n257A DC_8A_n257G DC_8A_n257H		
DC_1A-3A-8A_n257I	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I		
DC_1A-3A-8A_n257J	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I		
DC_1A-3A-8A_n257K	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_8A_n257A DC_8A_n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_8A_n257H DC_8A_n257I		
DC_1A-3A-8A_n257L	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I		
DC_1A-3A-8A_n257M	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I		
DC_1A-3A-11A_n257A	DC_1A_n257A DC_3A_n257A DC_11A_n257A		
DC_1A-3A-11A_n257G	DC_1A_n257A DC_1A_n257G DC_3A_n257A DC_3A_n257G DC_11A_n257A DC_11A_n257G		
DC_1A-3A-11A_n257H	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_11A_n257A DC_11A_n257G DC_11A_n257H		
DC_1A-3A-11A_n257I	DC_1A_n257A DC_1A_n257G DC_1A_n257H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_11A_n257A DC_11A_n257G DC_11A_n257H DC_11A_n257I		
DC_1A-3A-18A_n257A	DC_1A_n257A DC_3A_n257A DC_18A_n257A		
DC_1A-3A-18A_n257D	DC_1A_n257A DC_3A_n257A DC_18A_n257A		
DC_1A-3A-18A_n257E	DC_1A_n257A DC_3A_n257A DC_18A_n257A		
DC_1A-3A-18A_n257F	DC_1A_n257A DC_3A_n257A DC_18A_n257A		
DC_1A-3A-18A_n257G	DC_1A_n257A DC_1A_n257G DC_3A_n257A DC_3A_n257G DC_18A_n257A DC_18A_n257G		
DC_1A-3A-18A_n257H	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_18A_n257A DC_18A_n257G DC_18A_n257H		
DC_1A-3A-18A_n257I	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_18A_n257A DC_18A_n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_18A_n257H DC_18A_n257I		
DC_1A-3A-18A_n257J	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_18A_n257A DC_18A_n257G DC_18A_n257H DC_18A_n257I		
DC_1A-3A-18A_n257K	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_18A_n257A DC_18A_n257G DC_18A_n257H DC_18A_n257I		
DC_1A-3A-18A_n257L	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_18A_n257A DC_18A_n257G DC_18A_n257H DC_18A_n257I		
DC_1A-3A-18A_n257M	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_18A_n257A DC_18A_n257G DC_18A_n257H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_18A_n257I		
DC_1A-3A-19A_n257A (interBandEnDcSimRxTx)	DC_1A_n257A DC_3A_n257A DC_19A_n257A		
DC_1A-3A-19A_n257D	DC_1A_n257A DC_3A_n257A DC_19A_n257A		
DC_1A-3A-19A_n257E	DC_1A_n257A DC_3A_n257A DC_19A_n257A		
DC_1A-3A-19A_n257F	DC_1A_n257A DC_3A_n257A DC_19A_n257A		
DC_1A-3A-19A_n257G	DC_1A_n257A DC_1A_n257G DC_3A_n257A DC_3A_n257G DC_19A_n257A DC_19A_n257G		
DC_1A-3A-19A_n257H	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_19A_n257A DC_19A_n257G DC_19A_n257H		
DC_1A-3A-19A_n257I	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_19A_n257I		
DC_1A-3A-19A_n257J	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_19A_n257I		
DC_1A-3A-19A_n257K	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_19A_n257I		
DC_1A-3A-19A_n257L	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_3A_n257L DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_19A_n257I		
DC_1A-3A-19A_n257M	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_3A_n257L DC_3A_n257M DC_19A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_19A_n257G DC_19A_n257H DC_19A_n257I		
DC_1A-3A-21A_n257A (interBandEnDcSimRxTx)	DC_1A_n257A DC_3A_n257A DC_21A_n257A		
DC_1A-3A-21A_n257D	DC_1A_n257A DC_3A_n257A DC_21A_n257A		
DC_1A-3A-21A_n257E	DC_1A_n257A DC_3A_n257A DC_21A_n257A		
DC_1A-3A-21A_n257F	DC_1A_n257A DC_3A_n257A DC_21A_n257A		
DC_1A-3A-21A_n257G	DC_1A_n257A DC_1A_n257G DC_3A_n257A DC_3A_n257G DC_21A_n257A DC_21A_n257G		
DC_1A-3A-21A_n257H	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_21A_n257A DC_21A_n257G DC_21A_n257H		
DC_1A-3A-21A_n257I	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I		
DC_1A-3A-21A_n257J	DC_1A_n257A DC_1A_n257G DC_1A_n257H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I		
DC_1A-3A-21A_n257K	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I		
DC_1A-3A-21A_n257L	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_3A_n257L DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I		
DC_1A-3A-21A_n257M	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_3A_n257L		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_3A_n257M DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I		
DC_1A-3A-28A_n257A (interBandEnDcSimRxTx)	DC_1A_n257A DC_3A_n257A DC_28A_n257A		
DC_1A-3A-28A_n257G	DC_1A_n257A DC_1A_n257G DC_3A_n257A DC_3A_n257G DC_28A_n257A DC_28A_n257G		
DC_1A-3A-28A_n257H	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_28A_n257A DC_28A_n257G DC_28A_n257H		
DC_1A-3A-28A_n257I	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_28A_n257I		
DC_1A-3A-28A_n257J	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_28A_n257I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_1A-3A-28A_n257K	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_28A_n257I		
DC_1A-3A-28A_n257L	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_3A_n257L DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_28A_n257I		
DC_1A-3A-28A_n257M	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_3A_n257L DC_3A_n257M DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_28A_n257I		
DC_1A-3A-28A_n258A	DC_1A_n258A DC_3A_n258A DC_28A_n258A		
	DC_1A_n258A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_1A-3A-28A_n258B	DC_3A_n258A DC_28A_n258A		
DC_1A-3A-28A_n258C	DC_1A_n258A DC_3A_n258A DC_28A_n258A		
DC_1A-3A-28A_n258D	DC_1A_n258A DC_3A_n258A DC_28A_n258A		
DC_1A-3A-28A_n258E	DC_1A_n258A DC_3A_n258A DC_28A_n258A		
DC_1A-3A-28A_n258F	DC_1A_n258A DC_3A_n258A DC_28A_n258A		
DC_1A-3A-28A_n258G	DC_1A_n258A DC_1A_n258G DC_3A_n258A DC_3A_n258G DC_28A_n258A DC_28A_n258G		
DC_1A-3A-28A_n258H	DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_28A_n258A DC_28A_n258G DC_28A_n258H		
DC_1A-3A-28A_n258I	DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_1A_n258I DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I DC_28A_n258A DC_28A_n258G DC_28A_n258H DC_28A_n258I		
DC_1A-3A-28A_n258J	DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_1A_n258I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I DC_28A_n258A DC_28A_n258G DC_28A_n258H DC_28A_n258I		
DC_1A-3A-28A_n258K	DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_1A_n258I DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I DC_28A_n258A DC_28A_n258G DC_28A_n258H DC_28A_n258I		
DC_1A-3A-28A_n258L	DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_1A_n258I DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I DC_28A_n258A DC_28A_n258G DC_28A_n258H DC_28A_n258I		
DC_1A-3A-28A_n258M	DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_1A_n258I DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I DC_28A_n258A DC_28A_n258G DC_28A_n258H DC_28A_n258I		
DC_1A-3A-41A_n257A	DC_1A_n257A DC_3A_n257A DC_41A_n257A		
DC_1A-3A-41A_n257D	DC_1A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_3A_n257A DC_41A_n257A		
DC_1A-3A-41A_n257E	DC_1A_n257A DC_3A_n257A DC_41A_n257A		
DC_1A-3A-41A_n257F	DC_1A_n257A DC_3A_n257A DC_41A_n257A		
DC_1A-3A-41A_n257G	DC_1A_n257A DC_1A_n257G DC_3A_n257A DC_3A_n257G DC_41A_n257A DC_41A_n257G		
DC_1A-3A-41A_n257H	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_41A_n257A DC_41A_n257G DC_41A_n257H		
DC_1A-3A-41A_n257I	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I		
DC_1A-3A-41A_n257J	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_1A-3A-41A_n257K	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I		
DC_1A-3A-41A_n257L	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I		
DC_1A-3A-41A_n257M	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I		
DC_1A-3A-41C_n257A	DC_1A_n257A DC_3A_n257A DC_41A_n257A DC_41C_n257A		
DC_1A-3A-41C_n257D	DC_1A_n257A DC_3A_n257A DC_41A_n257A DC_41C_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_1A-3A-41C_n257E	DC_1A_n257A DC_3A_n257A DC_41A_n257A DC_41C_n257A		
DC_1A-3A-41C_n257F	DC_1A_n257A DC_3A_n257A DC_41A_n257A DC_41C_n257A		
DC_1A-3A-41C_n257G	DC_1A_n257A DC_1A_n257G DC_3A_n257A DC_3A_n257G DC_41A_n257A DC_41A_n257G DC_41C_n257A DC_41C_n257G		
DC_1A-3A-41C_n257H	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41C_n257A DC_41C_n257G DC_41C_n257H		
DC_1A-3A-41C_n257I	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_41C_n257I		
DC_1A-3A-41C_n257J	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_41C_n257I		
DC_1A-3A-41C_n257K	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_41C_n257I		
DC_1A-3A-41C_n257L	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_41C_n257I		
DC_1A-3A-41C_n257M	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_3A_n257H DC_3A_n257I DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_41C_n257I		
DC_1A-3A-42A_n257A	DC_1A_n257A DC_3A_n257A DC_42A_n257A		
DC_1A-3A-42A_n257D	DC_1A_n257A DC_3A_n257A DC_42A_n257A		
DC_1A-3A-42A_n257E	DC_1A_n257A DC_3A_n257A DC_42A_n257A		
DC_1A-3A-42A_n257F	DC_1A_n257A DC_3A_n257A DC_42A_n257A		
DC_1A-3A-42A_n257G	DC_1A_n257A DC_1A_n257G DC_3A_n257A DC_3A_n257G DC_42A_n257A DC_42A_n257G		
DC_1A-3A-42A_n257H	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H		
DC_1A-3A-42A_n257I	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_42A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_1A-3A-42A_n257J	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_1A_n257J DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_1A-3A-42A_n257K	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_1A_n257J DC_1A_n257K DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_1A-3A-42A_n257L	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_1A_n257J DC_1A_n257K DC_1A_n257L DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_3A_n257L DC_42A_n257A DC_42A_n257G DC_42A_n257H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_42A_n257I		
DC_1A-3A-42A_n257M	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_1A_n257J DC_1A_n257K DC_1A_n257L DC_1A_n257M DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_3A_n257L DC_3A_n257M DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_1A-3A-42C_n257A	DC_1A_n257A DC_3A_n257A DC_42A_n257A DC_42C_n257A		
DC_1A-3A-42C_n257D	DC_1A_n257A DC_3A_n257A DC_42A_n257A DC_42C_n257A		
DC_1A-3A-42C_n257E	DC_1A_n257A DC_3A_n257A DC_42A_n257A DC_42C_n257A		
DC_1A-3A-42C_n257F	DC_1A_n257A DC_3A_n257A DC_42A_n257A DC_42C_n257A		
DC_1A-3A-42C_n257G	DC_1A_n257A DC_1A_n257G DC_3A_n257A DC_3A_n257G DC_42A_n257A DC_42A_n257G DC_42C_n257A DC_42C_n257G		
DC_1A-3A-42C_n257H	DC_1A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_1A_n257G DC_1A_n257H DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42C_n257A DC_42C_n257G DC_42C_n257H		
DC_1A-3A-42C_n257I	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_1A-3A-42C_n257J	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_1A_n257J DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_1A-3A-42C_n257K	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_1A_n257J		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_1A_n257K DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_1A-3A-42C_n257L	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_1A_n257J DC_1A_n257K DC_1A_n257L DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_3A_n257L DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_1A-3A-42C_n257M	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_1A_n257J DC_1A_n257K DC_1A_n257L DC_1A_n257M DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_3A_n257L DC_3A_n257M DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_1A-3A-42D_n257A	DC_1A_n257A DC_3A_n257A DC_42A_n257A DC_42C_n257A		
DC_1A-3A-42D_n257G	DC_1A_n257A DC_1A_n257G DC_3A_n257A DC_3A_n257G DC_42A_n257A DC_42A_n257G DC_42C_n257A DC_42C_n257G		
DC_1A-3A-42D_n257H	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42C_n257A DC_42C_n257G DC_42C_n257H		
DC_1A-3A-42D_n257I	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_42C_n257I		
DC_1A-3A-42D_n257J	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_1A_n257J DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_1A-3A-42D_n257K	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_1A_n257J DC_1A_n257K DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_1A-3A-42D_n257L	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_1A_n257J DC_1A_n257K DC_1A_n257L DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_3A_n257J DC_3A_n257K DC_3A_n257L DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_1A-3A-42D_n257M	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_1A_n257J DC_1A_n257K DC_1A_n257L DC_1A_n257M DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_3A_n257L DC_3A_n257M DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_1A-3A_n8A-n257A	DC_1A_n8A DC_1A_n257A DC_3A_n8A DC_3A_n257A		
DC_1A-3A_n8A-n257G	DC_1A_n8A DC_1A_n257A DC_3A_n8A DC_3A_n257A		
DC_1A-3A_n8A-n257H	DC_1A_n8A DC_1A_n257A DC_3A_n8A DC_3A_n257A		
DC_1A-3A_n8A-n257I	DC_1A_n8A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_1A_n257A DC_3A_n8A DC_3A_n257A		
DC_1A-3A_n8A-n257J	DC_1A_n8A DC_1A_n257A DC_3A_n8A DC_3A_n257A		
DC_1A-3A_n8A-n257K	DC_1A_n8A DC_1A_n257A DC_3A_n8A DC_3A_n257A		
DC_1A-3A_n8A-n257L	DC_1A_n8A DC_1A_n257A DC_3A_n8A DC_3A_n257A		
DC_1A-3A_n8A-n257M	DC_1A_n8A DC_1A_n257A DC_3A_n8A DC_3A_n257A		
DC_1A-3A_n28A-n257A (interBandEnDcSimRxTx)	DC_1A_n28A DC_1A_n257A DC_3A_n28A DC_3A_n257A		
DC_1A-3A_n28A-n257G (interBandEnDcSimRxTx)	DC_1A_n28A DC_1A_n257A DC_1A_n257G DC_3A_n28A DC_3A_n257A DC_3A_n257G		
DC_1A-3A_n28A-n257H (interBandEnDcSimRxTx)	DC_1A_n28A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_3A_n28A DC_3A_n257A DC_3A_n257G DC_3A_n257H		
DC_1A-3A_n28A-n257I (interBandEnDcSimRxTx)	DC_1A_n28A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n28A DC_3A_n257A DC_3A_n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_3A_n257H DC_3A_n257I		
DC_1A-3A_n38A-n257A	DC_1A_n38A DC_1A_n257A DC_3A_n38A DC_3A_n257A		
DC_1A-3A_n38A-n257G	DC_1A_n38A DC_1A_n257A DC_1A_n257G DC_3A_n38A DC_3A_n257A DC_3A_n257G		
DC_1A-3A_n38A-n257H	DC_1A_n38A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_3A_n38A DC_3A_n257A DC_3A_n257G DC_3A_n257H		
DC_1A-3A_n38A-n257I	DC_1A_n38A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n38A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I		
DC_1A-3A_n77A-n257A (interBandEnDcSimRxTx)	DC_1A_n77A DC_3A_n77A DC_1A_n257A DC_3A_n257A		
DC_1A-3A_n77A-n257D (interBandEnDcSimRxTx)	DC_1A_n77A DC_3A_n77A DC_1A_n257A DC_1A_n257D DC_3A_n257A DC_3A_n257D		
DC_1A-3A_n77A-n257G (interBandEnDcSimRxTx)	DC_1A_n77A DC_3A_n77A DC_1A_n257A DC_1A_n257G DC_3A_n257A DC_3A_n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_1A_n77A-n257A DC_1A_n77A-n257G DC_3A_n77A-n257A DC_3A_n77A-n257G		
DC_1A-3A_n77A-n257H (interBandEnDcSimRxTx)	DC_1A_n77A DC_3A_n77A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_1A_n77A-n257A DC_1A_n77A-n257G DC_1A_n77A-n257H DC_3A_n77A-n257A DC_3A_n77A-n257G DC_3A_n77A-n257H		
DC_1A-3A_n77A-n257I (interBandEnDcSimRxTx)	DC_1A_n77A DC_3A_n77A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_1A_n77A-n257A DC_1A_n77A-n257G DC_1A_n77A-n257H DC_1A_n77A-n257I DC_3A_n77A-n257A DC_3A_n77A-n257G DC_3A_n77A-n257H DC_3A_n77A-n257I		
DC_1A-3A_n77A-n257J (interBandEnDcSimRxTx)	DC_1A_n77A DC_1A_n257A DC_3A_n77A DC_3A_n257A		
DC_1A-3A_n77A-n257K (interBandEnDcSimRxTx)	DC_1A_n77A DC_1A_n257A DC_3A_n77A DC_3A_n257A		
DC_1A-3A_n77A-n257L (interBandEnDcSimRxTx)	DC_1A_n77A DC_1A_n257A DC_3A_n77A DC_3A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_1A-3A_n77A-n257M (interBandEnDcSimRxTx)	DC_1A_n77A DC_1A_n257A DC_3A_n77A DC_3A_n257A		
DC_1A-3A_n77(2A)-n257A (interBandEnDcSimRxTx)	DC_1A_n77A DC_1A_n257A DC_3A_n77A DC_3A_n257A		
DC_1A-3A_n77(2A)-n257G (interBandEnDcSimRxTx)	DC_1A_n77A DC_1A_n257A DC_3A_n77A DC_3A_n257A		
DC_1A-3A_n77(2A)-n257H (interBandEnDcSimRxTx)	DC_1A_n77A DC_1A_n257A DC_3A_n77A DC_3A_n257A		
DC_1A-3A_n77(2A)-n257I (interBandEnDcSimRxTx)	DC_1A_n77A DC_1A_n257A DC_3A_n77A DC_3A_n257A		
DC_1A-3A_n77(2A)-n257J (interBandEnDcSimRxTx)	DC_1A_n77A DC_1A_n257A DC_3A_n77A DC_3A_n257A		
DC_1A-3A_n77(2A)-n257K (interBandEnDcSimRxTx)	DC_1A_n77A DC_1A_n257A DC_3A_n77A DC_3A_n257A		
DC_1A-3A_n77(2A)-n257L (interBandEnDcSimRxTx)	DC_1A_n77A DC_1A_n257A DC_3A_n77A DC_3A_n257A		
DC_1A-3A_n77(2A)-n257M (interBandEnDcSimRxTx)	DC_1A_n77A DC_1A_n257A DC_3A_n77A DC_3A_n257A		
DC_1A-3A_n78A-n257A (interBandEnDcSimRxTx)	DC_1A_n78A DC_1A_n257A DC_3A_n78A DC_3A_n257A DC_1A_n78A-n257A DC_3A_n78A-n257A		
	DC_1A_n78A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_1A-3A_n78A-n257D (interBandEnDcSimRxTx)	DC_1A_n257A DC_1A_n257D DC_3A_n78A DC_3A_n257A DC_3A_n257D DC_1A_n78A-n257A DC_3A_n78A-n257A		
DC_1A-3A_n78A-n257E (interBandEnDcSimRxTx)	DC_1A_n78A DC_1A_n257A DC_1A_n257D DC_3A_n78A DC_3A_n257A DC_3A_n257D DC_1A_n78A-n257A DC_3A_n78A-n257A		
DC_1A-3A_n78A-n257F (interBandEnDcSimRxTx)	DC_1A_n78A DC_1A_n257A DC_1A_n257D DC_3A_n78A DC_3A_n257A DC_3A_n257D DC_1A_n78A-n257A DC_3A_n78A-n257A		
DC_1A-3A_n78A-n257G (interBandEnDcSimRxTx)	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_1A_n78A-n257A DC_1A_n78A-n257G DC_3A_n78A-n257A DC_3A_n78A-n257G		
DC_1A-3A_n78A-n257H (interBandEnDcSimRxTx)	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H		
	DC_1A_n78A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_1A-3A_n78A-n257I (interBandEnDcSimRxTx)	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I		
DC_1A-3A_n78A-n257J (interBandEnDcSimRxTx)	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I		
DC_1A-3A_n78A-n257K (interBandEnDcSimRxTx)	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I DC_3A_n78A-n257A DC_3A_n78A-n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_3A_n78A-n257H DC_3A_n78A-n257I		
DC_1A-3A_n78A-n257L (interBandEnDcSimRxTx)	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I		
DC_1A-3A_n78A-n257M (interBandEnDcSimRxTx)	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I		
DC_1A-3A_n78A-n258A	DC_1A_n78A DC_1A_n258A DC_3A_n78A DC_3A_n258A		
DC_1A-3A_n78A-n258D	DC_1A_n78A DC_1A_n258A DC_1A_n258D DC_3A_n78A DC_3A_n258A DC_3A_n258D		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_1A-3A_n78A-n258E	DC_1A_n78A DC_1A_n258A DC_1A_n258D DC_1A_n258E DC_3A_n78A DC_3A_n258A DC_3A_n258D DC_3A_n258E		
DC_1A-3A_n78A-n258F	DC_1A_n78A DC_1A_n258A DC_1A_n258D DC_1A_n258E DC_1A_n258F DC_3A_n78A DC_3A_n258A DC_3A_n258D DC_3A_n258E DC_3A_n258F		
DC_1A-3A_n78A-n258G	DC_1A_n78A DC_1A_n258A DC_1A_n258G DC_3A_n78A DC_3A_n258A DC_3A_n258G		
DC_1A-3A_n78A-n258H	DC_1A_n78A DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_3A_n78A DC_3A_n258A DC_3A_n258G DC_3A_n258H		
DC_1A-3A_n78A-n258I	DC_1A_n78A DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_1A_n258I DC_3A_n78A DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I		
DC_1A-3A_n78A-n258J	DC_1A_n78A DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_1A_n258I DC_3A_n78A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I		
DC_1A-3A_n78A-n258K	DC_1A_n78A DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_1A_n258I DC_3A_n78A DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I		
DC_1A-3A_n78A-n258L	DC_1A_n78A DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_1A_n258I DC_3A_n78A DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I		
DC_1A-3A_n78A-n258M	DC_1A_n78A DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_1A_n258I DC_3A_n78A DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I		
DC_1A-3A_n78C-n257A	DC_1A_n78A-n257A DC_3A_n78A-n257A		
DC_1A-3A_n78C-n257D	DC_1A_n78A-n257A DC_3A_n78A-n257A		
DC_1A-3A_n78C-n257E	DC_1A_n78A-n257A DC_3A_n78A-n257A		
DC_1A-3A_n78C-n257F	DC_1A_n78A-n257A DC_3A_n78A-n257A		
DC_1A-3A_n78C-n257G	DC_1A_n78A-n257A DC_1A_n78A-n257G DC_3A_n78A-n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_3A_n78A-n257G		
DC_1A-3A_n78C-n257H	DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H		
DC_1A-3A_n78C-n257I	DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I		
DC_1A-3A_n78C-n257J	DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I		
DC_1A-3A_n78C-n257K	DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I		
DC_1A-3A_n78C-n257L	DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I		
DC_1A-3A_n78C-n257M	DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_1A-3A_n79A-n257A (interBandEnDcSimRxTx)	DC_1A_n79A DC_1A_n257A DC_3A_n79A DC_3A_n257A DC_1A_n79A-n257A DC_3A_n79A-n257A		
DC_1A-3A_n79A-n257G (interBandEnDcSimRxTx)	DC_1A_n79A DC_1A_n257A DC_1A_n257G DC_3A_n79A DC_3A_n257A DC_3A_n257G DC_1A_n79A-n257A DC_1A_n79A-n257G DC_3A_n79A-n257A DC_3A_n79A-n257G		
DC_1A-3A_n79A-n257H (interBandEnDcSimRxTx)	DC_1A_n79A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_3A_n79A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_1A_n79A-n257A DC_1A_n79A-n257G DC_1A_n79A-n257H DC_3A_n79A-n257A DC_3A_n79A-n257G DC_3A_n79A-n257H		
DC_1A-3A_n79A-n257I (interBandEnDcSimRxTx)	DC_1A_n79A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n79A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_1A_n79A-n257A DC_1A_n79A-n257G DC_1A_n79A-n257H DC_1A_n79A-n257I DC_3A_n79A-n257A DC_3A_n79A-n257G DC_3A_n79A-n257H DC_3A_n79A-n257I		
	DC_1A_n105A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_1A-3A_n105A-n257A	DC_1A_n257A DC_3A_n105A DC_3A_n257A		
DC_1A-3A_n105A-n258A	DC_1A_n105A DC_1A_n258A DC_3A_n105A DC_3A_n258A		
DC_1A-3C-7A_n258A	DC_1A_n258A DC_3C_n258A DC_3A_n258A DC_7A_n258A		
DC_1A-3C-7A_n258B	DC_1A_n258A DC_3C_n258A DC_3A_n258A DC_7A_n258A		
DC_1A-3C-7A_n258C	DC_1A_n258A DC_3C_n258A DC_3A_n258A DC_7A_n258A		
DC_1A-3C-7A_n258D	DC_1A_n258A DC_1A_n258D DC_3C_n258A DC_3C_n258D DC_3A_n258A DC_3A_n258D DC_7A_n258A DC_7A_n258D		
DC_1A-3C-7A_n258E	DC_1A_n258A DC_1A_n258D DC_3C_n258A DC_3C_n258D DC_3A_n258A DC_3A_n258D DC_7A_n258A DC_7A_n258D		
DC_1A-3C-7A_n258F	DC_1A_n258A DC_1A_n258D DC_3C_n258A DC_3C_n258D DC_3A_n258A DC_3A_n258D DC_7A_n258A DC_7A_n258D		
DC_1A-3C-7A_n258G	DC_1A_n258A DC_1A_n258G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_3C_n258A DC_3C_n258G DC_3A_n258A DC_3A_n258G DC_7A_n258A DC_7A_n258G		
DC_1A-3C-7A_n258H	DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_3C_n258A DC_3C_n258G DC_3C_n258H DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_7A_n258A DC_7A_n258G DC_7A_n258H		
DC_1A-3C-7A_n258I	DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_1A_n258I DC_3C_n258A DC_3C_n258G DC_3C_n258H DC_3C_n258I DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I		
DC_1A-3C-7A_n258J	DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_1A_n258I DC_3C_n258A DC_3C_n258G DC_3C_n258H DC_3C_n258I DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_1A-3C-7A_n258K	DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_1A_n258I DC_3C_n258A DC_3C_n258G DC_3C_n258H DC_3C_n258I DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I		
DC_1A-3C-7A_n258L	DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_1A_n258I DC_3C_n258A DC_3C_n258G DC_3C_n258H DC_3C_n258I DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I		
DC_1A-3C-7A_n258M	DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_1A_n258I DC_3C_n258A DC_3C_n258G DC_3C_n258H DC_3C_n258I DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I		
DC_1A-3C-7C_n258A	DC_1A_n258A DC_3C_n258A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_3A_n258A DC_7A_n258A DC_7C_n258A		
DC_1A-3C-7C_n258B	DC_1A_n258A DC_3C_n258A DC_3A_n258A DC_7A_n258A DC_7C_n258A		
DC_1A-3C-7C_n258C	DC_1A_n258A DC_3C_n258A DC_3A_n258A DC_7A_n258A DC_7C_n258A		
DC_1A-3C-7C_n258D	DC_1A_n258A DC_1A_n258D DC_3C_n258A DC_3C_n258D DC_3A_n258A DC_3A_n258D DC_7A_n258A DC_7A_n258D DC_7C_n258A DC_7C_n258D		
DC_1A-3C-7C_n258E	DC_1A_n258A DC_1A_n258D DC_3C_n258A DC_3C_n258D DC_3A_n258A DC_3A_n258D DC_7A_n258A DC_7A_n258D DC_7C_n258A DC_7C_n258D		
DC_1A-3C-7C_n258F	DC_1A_n258A DC_1A_n258D DC_3C_n258A DC_3C_n258D DC_3A_n258A DC_3A_n258D DC_7A_n258A DC_7A_n258D DC_7C_n258A DC_7C_n258D		
DC_1A-3C-7C_n258G	DC_1A_n258A DC_1A_n258G DC_3C_n258A DC_3C_n258G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_3A_n258A DC_3A_n258G DC_7A_n258A DC_7A_n258G DC_7C_n258A DC_7C_n258G		
DC_1A-3C-7C_n258H	DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_3C_n258A DC_3C_n258G DC_3C_n258H DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7C_n258A DC_7C_n258G DC_7C_n258H		
DC_1A-3C-7C_n258I	DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_1A_n258I DC_3C_n258A DC_3C_n258G DC_3C_n258H DC_3C_n258I DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I DC_7C_n258A DC_7C_n258G DC_7C_n258H DC_7C_n258I		
DC_1A-3C-7C_n258J	DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_1A_n258I DC_3C_n258A DC_3C_n258G DC_3C_n258H DC_3C_n258I DC_3A_n258A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_3A_n258G DC_3A_n258H DC_3A_n258I DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I DC_7C_n258A DC_7C_n258G DC_7C_n258H DC_7C_n258I		
DC_1A-3C-7C_n258K	DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_1A_n258I DC_3C_n258A DC_3C_n258G DC_3C_n258H DC_3C_n258I DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I DC_7C_n258A DC_7C_n258G DC_7C_n258H DC_7C_n258I		
DC_1A-3C-7C_n258L	DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_1A_n258I DC_3C_n258A DC_3C_n258G DC_3C_n258H DC_3C_n258I DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I DC_7C_n258A DC_7C_n258G DC_7C_n258H DC_7C_n258I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_1A-3C-7C_n258M	DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_1A_n258I DC_3C_n258A DC_3C_n258G DC_3C_n258H DC_3C_n258I DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I DC_7C_n258A DC_7C_n258G DC_7C_n258H DC_7C_n258I		
DC_1A-3C-8A_n257A	DC_1A_n257A DC_3A_n257A DC_8A_n257A		
DC_1A-3C-8A_n257D	DC_1A_n257A DC_1A_n257D DC_3A_n257A DC_3A_n257D DC_8A_n257A DC_8A_n257D		
DC_1A-3C-8A_n257E	DC_1A_n257A DC_1A_n257D DC_3A_n257A DC_3A_n257D DC_8A_n257A DC_8A_n257D		
DC_1A-3C-8A_n257F	DC_1A_n257A DC_1A_n257D DC_3A_n257A DC_3A_n257D DC_8A_n257A DC_8A_n257D		
DC_1A-3C-8A_n257G	DC_1A_n257A DC_1A_n257G DC_3A_n257A DC_3A_n257G DC_8A_n257A DC_8A_n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_1A-3C-8A_n257H	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_8A_n257A DC_8A_n257G DC_8A_n257H		
DC_1A-3C-8A_n257I	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I		
DC_1A-3C-8A_n257J	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I		
DC_1A-3C-8A_n257K	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I		
DC_1A-3C-8A_n257L	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I		
DC_1A-3C-8A_n257M	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I		
DC_1A-3C-28A_n258A	DC_1A_n258A DC_3A_n258A DC_3C_n258A DC_28A_n258A		
DC_1A-3C-28A_n258B	DC_1A_n258A DC_3A_n258A DC_3C_n258A DC_28A_n258A		
DC_1A-3C-28A_n258C	DC_1A_n258A DC_3A_n258A DC_3C_n258A DC_28A_n258A		
DC_1A-3C-28A_n258D	DC_1A_n258A DC_3A_n258A DC_3C_n258A DC_28A_n258A		
DC_1A-3C-28A_n258E	DC_1A_n258A DC_3A_n258A DC_3C_n258A DC_28A_n258A		
DC_1A-3C-28A_n258F	DC_1A_n258A DC_3A_n258A DC_3C_n258A DC_28A_n258A		
DC_1A-3C-28A_n258G	DC_1A_n258A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_1A_n258G DC_3A_n258A DC_3A_n258G DC_3C_n258A DC_3C_n258G DC_28A_n258A DC_28A_n258G		
DC_1A-3C-28A_n258H	DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3C_n258A DC_3C_n258G DC_3C_n258H DC_28A_n258A DC_28A_n258G DC_28A_n258H		
DC_1A-3C-28A_n258I	DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_1A_n258I DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I DC_3C_n258A DC_3C_n258G DC_3C_n258H DC_3C_n258I DC_28A_n258A DC_28A_n258G DC_28A_n258H DC_28A_n258I		
DC_1A-3C-28A_n258J	DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_1A_n258I DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I DC_3C_n258A DC_3C_n258G DC_3C_n258H DC_3C_n258I DC_28A_n258A DC_28A_n258G DC_28A_n258H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_28A_n258I		
DC_1A-3C-28A_n258K	DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_1A_n258I DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I DC_3C_n258A DC_3C_n258G DC_3C_n258H DC_3C_n258I DC_28A_n258A DC_28A_n258G DC_28A_n258H DC_28A_n258I		
DC_1A-3C-28A_n258L	DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_1A_n258I DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I DC_3C_n258A DC_3C_n258G DC_3C_n258H DC_3C_n258I DC_28A_n258A DC_28A_n258G DC_28A_n258H DC_28A_n258I		
DC_1A-3C-28A_n258M	DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_1A_n258I DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I DC_3C_n258A DC_3C_n258G DC_3C_n258H DC_3C_n258I DC_28A_n258A DC_28A_n258G DC_28A_n258H DC_28A_n258I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_1A-3C_n78A-n257A	DC_1A_n78A DC_1A_n257A DC_3A_n78A DC_3A_n257A DC_1A_n78A-n257A DC_3A_n78A-n257A		
DC_1A-3C_n78A-n257D	DC_1A_n78A DC_1A_n257A DC_1A_n257D DC_3A_n78A DC_3A_n257A DC_3A_n257D DC_1A_n78A-n257A DC_3A_n78A-n257A		
DC_1A-3C_n78A-n257E	DC_1A_n78A DC_1A_n257A DC_1A_n257D DC_3A_n78A DC_3A_n257A DC_3A_n257D DC_1A_n78A-n257A DC_3A_n78A-n257A		
DC_1A-3C_n78A-n257F	DC_1A_n78A DC_1A_n257A DC_1A_n257D DC_3A_n78A DC_3A_n257A DC_3A_n257D DC_1A_n78A-n257A DC_3A_n78A-n257A		
DC_1A-3C_n78A-n257G	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_1A_n78A-n257A DC_1A_n78A-n257G DC_3A_n78A-n257A DC_3A_n78A-n257G		
DC_1A-3C_n78A-n257H	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H		
DC_1A-3C_n78A-n257I	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I		
DC_1A-3C_n78A-n257J	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I		
DC_1A-3C_n78A-n257K	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n78A DC_3A_n257A DC_3A_n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_3A_n257H DC_3A_n257I DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I		
DC_1A-3C_n78A-n257L	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I		
DC_1A-3C_n78A-n257M	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I		
DC_1A-5A-7A_n257A (interBandEnDcSimRxTx)	DC_1A_n257A DC_5A_n257A DC_7A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_1A-5A-7A_n257D	DC_1A_n257A DC_1A_n257D DC_5A_n257A DC_5A_n257D DC_7A_n257A DC_7A_n257D		
DC_1A-5A-7A_n257E	DC_1A_n257A DC_1A_n257D DC_5A_n257A DC_5A_n257D DC_7A_n257A DC_7A_n257D		
DC_1A-5A-7A_n257F	DC_1A_n257A DC_1A_n257D DC_5A_n257A DC_5A_n257D DC_7A_n257A DC_7A_n257D		
DC_1A-5A-7A_n257G	DC_1A_n257A DC_1A_n257G DC_5A_n257A DC_5A_n257G DC_7A_n257A DC_7A_n257G		
DC_1A-5A-7A_n257H	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_5A_n257A DC_5A_n257G DC_5A_n257H DC_7A_n257A DC_7A_n257G DC_7A_n257H		
DC_1A-5A-7A_n257I	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_5A_n257A DC_5A_n257G DC_5A_n257H DC_5A_n257I DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I		
DC_1A-5A-7A_n257J	DC_1A_n257A DC_1A_n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_1A_n257H DC_1A_n257I DC_5A_n257A DC_5A_n257G DC_5A_n257H DC_5A_n257I DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I		
DC_1A-5A-7A_n257K	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_5A_n257A DC_5A_n257G DC_5A_n257H DC_5A_n257I DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I		
DC_1A-5A-7A_n257L	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_5A_n257A DC_5A_n257G DC_5A_n257H DC_5A_n257I DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I		
DC_1A-5A-7A_n257M	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_5A_n257A DC_5A_n257G DC_5A_n257H DC_5A_n257I DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I		
DC_1A-5A_n78A-n257A	DC_1A_n78A DC_1A_n257A DC_5A_n78A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_5A_n257A DC_1A_n78A-n257A DC_5A_n78A-n257A		
DC_1A-5A_n78A-n257D	DC_1A_n78A DC_1A_n257A DC_5A_n78A DC_5A_n257A DC_1A_n78A-n257A DC_5A_n78A-n257A		
DC_1A-5A_n78A-n257E	DC_1A_n78A DC_1A_n257A DC_5A_n78A DC_5A_n257A DC_1A_n78A-n257A DC_5A_n78A-n257A		
DC_1A-5A_n78A-n257F	DC_1A_n78A DC_1A_n257A DC_5A_n78A DC_5A_n257A DC_1A_n78A-n257A DC_5A_n78A-n257A		
DC_1A-5A_n78A-n257G	DC_1A_n78A DC_1A_n257A DC_5A_n78A DC_5A_n257A DC_1A_n78A-n257A DC_1A_n78A-n257G DC_5A_n78A-n257A DC_5A_n78A-n257G		
DC_1A-5A_n78A-n257H	DC_1A_n78A DC_1A_n257A DC_5A_n78A DC_5A_n257A DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H		
DC_1A-5A_n78A-n257I	DC_1A_n78A DC_1A_n257A DC_5A_n78A DC_5A_n257A DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H DC_5A_n78A-n257I		
DC_1A-5A_n78A-n257J	DC_1A_n78A DC_1A_n257A DC_5A_n78A DC_5A_n257A DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H DC_5A_n78A-n257I		
DC_1A-5A_n78A-n257K	DC_1A_n78A DC_1A_n257A DC_5A_n78A DC_5A_n257A DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H DC_5A_n78A-n257I		
DC_1A-5A_n78A-n257L	DC_1A_n78A DC_1A_n257A DC_5A_n78A DC_5A_n257A DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H DC_5A_n78A-n257I		
DC_1A-5A_n78A-n257M	DC_1A_n78A DC_1A_n257A DC_5A_n78A DC_5A_n257A DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I DC_5A_n78A-n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_5A_n78A-n257G DC_5A_n78A-n257H DC_5A_n78A-n257I		
DC_1A-5A_n78C-n257A	DC_1A_n78A-n257A DC_5A_n78A-n257A		
DC_1A-5A_n78C-n257D	DC_1A_n78A-n257A DC_5A_n78A-n257A		
DC_1A-5A_n78C-n257E	DC_1A_n78A-n257A DC_5A_n78A-n257A		
DC_1A-5A_n78C-n257F	DC_1A_n78A-n257A DC_5A_n78A-n257A		
DC_1A-5A_n78C-n257G	DC_1A_n78A-n257A DC_1A_n78A-n257G DC_5A_n78A-n257A DC_5A_n78A-n257G		
DC_1A-5A_n78C-n257H	DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H		
DC_1A-5A_n78C-n257I	DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H DC_5A_n78A-n257I		
DC_1A-5A_n78C-n257J	DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H DC_5A_n78A-n257I		
DC_1A-5A_n78C-n257K	DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_5A_n78A-n257I		
DC_1A-5A_n78C-n257L	DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H DC_5A_n78A-n257I		
DC_1A-5A_n78C-n257M	DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H DC_5A_n78A-n257I		
DC_1A-7A-7A_n257A (interBandEnDcSimRxTx)	DC_1A_n257A DC_7A_n257A		
DC_1A-7A-7A_n257D	DC_1A_n257A DC_1A_n257D DC_7A_n257A DC_7A_n257D		
DC_1A-7A-7A_n257E	DC_1A_n257A DC_1A_n257D DC_7A_n257A DC_7A_n257D		
DC_1A-7A-7A_n257F	DC_1A_n257A DC_1A_n257D DC_7A_n257A DC_7A_n257D		
DC_1A-7A-7A_n257G	DC_1A_n257A DC_1A_n257G DC_7A_n257A DC_7A_n257G		
DC_1A-7A-7A_n257H	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_7A_n257A DC_7A_n257G DC_7A_n257H		
DC_1A-7A-7A_n257I	DC_1A_n257A DC_1A_n257G DC_1A_n257H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_1A_n257I DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I		
DC_1A-7A-7A_n257J	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I		
DC_1A-7A-7A_n257K	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I		
DC_1A-7A-7A_n257L	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I		
DC_1A-7A-7A_n257M	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I		
DC_1A-7A-28A_n257A	DC_1A_n257A DC_7A_n257A DC_28A_n257A		
DC_1A-7A-28A_n257G	DC_1A_n257A DC_1A_n257G DC_7A_n257A DC_7A_n257G DC_28A_n257A DC_28A_n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_1A-7A-28A_n257H	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_28A_n257A DC_28A_n257G DC_28A_n257H		
DC_1A-7A-28A_n257I	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_28A_n257I		
DC_1A-7A-28A_n258A	DC_1A_n258A DC_7A_n258A DC_28A_n258A		
DC_1A-7A-28A_n258B	DC_1A_n258A DC_7A_n258A DC_28A_n258A		
DC_1A-7A-28A_n258C	DC_1A_n258A DC_7A_n258A DC_28A_n258A		
DC_1A-7A-28A_n258D	DC_1A_n258A DC_7A_n258A DC_28A_n258A		
DC_1A-7A-28A_n258E	DC_1A_n258A DC_7A_n258A DC_28A_n258A		
DC_1A-7A-28A_n258F	DC_1A_n258A DC_7A_n258A DC_28A_n258A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_1A-7A-28A_n258G	DC_1A_n258A DC_1A_n258G DC_7A_n258A DC_7A_n258G DC_28A_n258A DC_28A_n258G		
DC_1A-7A-28A_n258H	DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_28A_n258A DC_28A_n258G DC_28A_n258H		
DC_1A-7A-28A_n258I	DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_1A_n258I DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I DC_28A_n258A DC_28A_n258G DC_28A_n258H DC_28A_n258I		
DC_1A-7A-28A_n258J	DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_1A_n258I DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I DC_28A_n258A DC_28A_n258G DC_28A_n258H DC_28A_n258I		
DC_1A-7A-28A_n258K	DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_1A_n258I DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I DC_28A_n258A DC_28A_n258G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_28A_n258H DC_28A_n258I		
DC_1A-7A-28A_n258L	DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_1A_n258I DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I DC_28A_n258A DC_28A_n258G DC_28A_n258H DC_28A_n258I		
DC_1A-7A-28A_n258M	DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_1A_n258I DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I DC_28A_n258A DC_28A_n258G DC_28A_n258H DC_28A_n258I		
DC_1A-7A_n38A-n257A	DC_1A_n38A DC_1A_n257A DC_7A_n38A DC_7A_n257A		
DC_1A-7A_n38A-n257G	DC_1A_n38A DC_1A_n257A DC_1A_n257G DC_7A_n38A DC_7A_n257A DC_7A_n257G		
DC_1A-7A_n38A-n257H	DC_1A_n38A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_7A_n38A DC_7A_n257A DC_7A_n257G DC_7A_n257H		
DC_1A-7A_n38A-n257I	DC_1A_n38A DC_1A_n257A DC_1A_n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_1A_n257H DC_1A_n257I DC_7A_n38A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I		
DC_1A-7A_n78A-n257A	DC_1A_n78A DC_1A_n257A DC_7A_n78A DC_7A_n257A DC_1A_n78A-n257A DC_7A_n78A-n257A		
DC_1A-7A_n78A-n257D	DC_1A_n78A DC_1A_n257A DC_7A_n78A DC_7A_n257A DC_1A_n78A-n257A DC_7A_n78A-n257A		
DC_1A-7A_n78A-n257E	DC_1A_n78A DC_1A_n257A DC_7A_n78A DC_7A_n257A DC_1A_n78A-n257A DC_7A_n78A-n257A		
DC_1A-7A_n78A-n257F	DC_1A_n78A DC_1A_n257A DC_7A_n78A DC_7A_n257A DC_1A_n78A-n257A DC_7A_n78A-n257A		
DC_1A-7A_n78A-n257G	DC_1A_n78A DC_1A_n257A DC_7A_n78A DC_7A_n257A DC_1A_n78A-n257A DC_1A_n78A-n257G DC_7A_n78A-n257A DC_7A_n78A-n257G		
DC_1A-7A_n78A-n257H	DC_1A_n78A DC_1A_n257A DC_7A_n78A DC_7A_n257A DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_7A_n78A-n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_7A_n78A-n257G DC_7A_n78A-n257H		
DC_1A-7A_n78A-n257I	DC_1A_n78A DC_1A_n257A DC_7A_n78A DC_7A_n257A DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_1A-7A_n78A-n257J	DC_1A_n78A DC_1A_n257A DC_7A_n78A DC_7A_n257A DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_1A-7A_n78A-n257K	DC_1A_n78A DC_1A_n257A DC_7A_n78A DC_7A_n257A DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_1A-7A_n78A-n257L	DC_1A_n78A DC_1A_n257A DC_7A_n78A DC_7A_n257A DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_7A_n78A-n257I		
DC_1A-7A_n78A-n257M	DC_1A_n78A DC_1A_n257A DC_7A_n78A DC_7A_n257A DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_1A-7A_n78A-n258A	DC_1A_n78A DC_1A_n258A DC_7A_n78A DC_7A_n258A		
DC_1A-7A_n78A-n258D	DC_1A_n78A DC_1A_n258A DC_1A_n258D DC_7A_n78A DC_7A_n258A DC_7A_n258D		
DC_1A-7A_n78A-n258E	DC_1A_n78A DC_1A_n258A DC_1A_n258D DC_1A_n258E DC_7A_n78A DC_7A_n258A DC_7A_n258D DC_7A_n258E		
DC_1A-7A_n78A-n258F	DC_1A_n78A DC_1A_n258A DC_1A_n258D DC_1A_n258E DC_1A_n258F DC_7A_n78A DC_7A_n258A DC_7A_n258D DC_7A_n258E DC_7A_n258F		
DC_1A-7A_n78A-n258G	DC_1A_n78A DC_1A_n258A DC_1A_n258G DC_7A_n78A DC_7A_n258A DC_7A_n258G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_1A-7A_n78A-n258H	DC_1A_n78A DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_7A_n78A DC_7A_n258A DC_7A_n258G DC_7A_n258H		
DC_1A-7A_n78A-n258I	DC_1A_n78A DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_1A_n258I DC_7A_n78A DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I		
DC_1A-7A_n78A-n258J	DC_1A_n78A DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_1A_n258I DC_7A_n78A DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I		
DC_1A-7A_n78A-n258K	DC_1A_n78A DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_1A_n258I DC_7A_n78A DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I		
DC_1A-7A_n78A-n258L	DC_1A_n78A DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_1A_n258I DC_7A_n78A DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_1A-7A_n78A-n258M	DC_1A_n78A DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_1A_n258I DC_7A_n78A DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I		
DC_1A-7A_n78C-n257A	DC_1A_n78A-n257A DC_7A_n78A-n257A		
DC_1A-7A_n78C-n257D	DC_1A_n78A-n257A DC_7A_n78A-n257A		
DC_1A-7A_n78C-n257E	DC_1A_n78A-n257A DC_7A_n78A-n257A		
DC_1A-7A_n78C-n257F	DC_1A_n78A-n257A DC_7A_n78A-n257A		
DC_1A-7A_n78C-n257G	DC_1A_n78A-n257A DC_1A_n78A-n257G DC_7A_n78A-n257A DC_7A_n78A-n257G		
DC_1A-7A_n78C-n257H	DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H		
DC_1A-7A_n78C-n257I	DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_1A-7A_n78C-n257J	DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_1A-7A_n78C-n257K	DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_1A-7A_n78C-n257L	DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_1A-7A_n78C-n257M	DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_1A-7A_n105A-n257A	DC_1A_n105A DC_1A_n257A DC_7A_n105A DC_7A_n257A		
DC_1A-7A_n105A-n258A	DC_1A_n105A DC_1A_n258A DC_7A_n105A DC_7A_n258A		
DC_1A-7C-28A_n258A	DC_1A_n258A DC_7A_n258A DC_7C_n258A DC_28A_n258A		
DC_1A-7C-28A_n258B	DC_1A_n258A DC_7A_n258A DC_7C_n258A DC_28A_n258A		
DC_1A-7C-28A_n258C	DC_1A_n258A DC_7A_n258A DC_7C_n258A DC_28A_n258A		
	DC_1A_n258A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_1A-7C-28A_n258D	DC_7A_n258A DC_7C_n258A DC_28A_n258A		
DC_1A-7C-28A_n258E	DC_1A_n258A DC_7A_n258A DC_7C_n258A DC_28A_n258A		
DC_1A-7C-28A_n258F	DC_1A_n258A DC_7A_n258A DC_7C_n258A DC_28A_n258A		
DC_1A-7C-28A_n258G	DC_1A_n258A DC_1A_n258G DC_7A_n258A DC_7A_n258G DC_7C_n258A DC_7C_n258G DC_28A_n258A DC_28A_n258G		
DC_1A-7C-28A_n258H	DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7C_n258A DC_7C_n258G DC_7C_n258H DC_28A_n258A DC_28A_n258G DC_28A_n258H		
DC_1A-7C-28A_n258I	DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_1A_n258I DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I DC_7C_n258A DC_7C_n258G DC_7C_n258H DC_7C_n258I DC_28A_n258A DC_28A_n258G DC_28A_n258H DC_28A_n258I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_1A-7C-28A_n258J	DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_1A_n258I DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I DC_7C_n258A DC_7C_n258G DC_7C_n258H DC_7C_n258I DC_28A_n258A DC_28A_n258G DC_28A_n258H DC_28A_n258I		
DC_1A-7C-28A_n258K	DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_1A_n258I DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I DC_7C_n258A DC_7C_n258G DC_7C_n258H DC_7C_n258I DC_28A_n258A DC_28A_n258G DC_28A_n258H DC_28A_n258I		
DC_1A-7C-28A_n258L	DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_1A_n258I DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I DC_7C_n258A DC_7C_n258G DC_7C_n258H DC_7C_n258I DC_28A_n258A DC_28A_n258G DC_28A_n258H DC_28A_n258I		
DC_1A-7C-28A_n258M	DC_1A_n258A DC_1A_n258G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_1A_n258H DC_1A_n258I DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I DC_7C_n258A DC_7C_n258G DC_7C_n258H DC_7C_n258I DC_28A_n258A DC_28A_n258G DC_28A_n258H DC_28A_n258I		
DC_1A-8A-11A_n257A	DC_1A_n257A DC_8A_n257A DC_11A_n257A		
DC_1A-8A-11A_n257D	DC_1A_n257A DC_1A_n257D DC_8A_n257A DC_8A_n257D DC_11A_n257A DC_11A_n257D		
DC_1A-8A-11A_n257G	DC_1A_n257A DC_1A_n257G DC_8A_n257A DC_8A_n257G DC_11A_n257A DC_11A_n257G		
DC_1A-8A-11A_n257H	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_11A_n257A DC_11A_n257G DC_11A_n257H		
DC_1A-8A-11A_n257I	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I DC_11A_n257A DC_11A_n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_11A_n257H DC_11A_n257I		
DC_1A-8A_n3A-n257A (interBandEnDcSimRxTx)	DC_1A_n3A DC_1A_n257A DC_8A_n3A DC_8A_n257A		
DC_1A-8A_n3A-n257G (interBandEnDcSimRxTx)	DC_1A_n3A DC_1A_n257A DC_8A_n3A DC_8A_n257A		
DC_1A-8A_n3A-n257H (interBandEnDcSimRxTx)	DC_1A_n3A DC_1A_n257A DC_8A_n3A DC_8A_n257A		
DC_1A-8A_n3A-n257I (interBandEnDcSimRxTx)	DC_1A_n3A DC_1A_n257A DC_8A_n3A DC_8A_n257A		
DC_1A-8A_n3A-n257J (interBandEnDcSimRxTx)	DC_1A_n3A DC_1A_n257A DC_8A_n3A DC_8A_n257A		
DC_1A-8A_n3A-n257K (interBandEnDcSimRxTx)	DC_1A_n3A DC_1A_n257A DC_8A_n3A DC_8A_n257A		
DC_1A-8A_n3A-n257L (interBandEnDcSimRxTx)	DC_1A_n3A DC_1A_n257A DC_8A_n3A DC_8A_n257A		
DC_1A-8A_n3A-n257M (interBandEnDcSimRxTx)	DC_1A_n3A DC_1A_n257A DC_8A_n3A DC_8A_n257A		
DC_1A-8A-(n)3AA-n257A	DC_1A_n3A DC_1A_n257A DC_(n)3AA (switchedUlOnly) DC_3A_n257A DC_8A_n3A DC_8A_n257A		
DC_1A-8A-(n)3AA-n257G	DC_1A_n3A DC_1A_n257A DC_(n)3AA (switchedUlOnly)		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_3A_n257A DC_8A_n3A DC_8A_n257A		
DC_1A-8A-(n)3AA-n257H	DC_1A_n3A DC_1A_n257A DC_(n)3AA (switchedUlOnly) DC_3A_n257A DC_8A_n3A DC_8A_n257A		
DC_1A-8A-(n)3AA-n257I	DC_1A_n3A DC_1A_n257A DC_(n)3AA (switchedUlOnly) DC_3A_n257A DC_8A_n3A DC_8A_n257A		
DC_1A-8A-(n)3AA-n257J	DC_1A_n3A DC_1A_n257A DC_(n)3AA (switchedUlOnly) DC_3A_n257A DC_8A_n3A DC_8A_n257A		
DC_1A-8A-(n)3AA-n257K	DC_1A_n3A DC_1A_n257A DC_(n)3AA (switchedUlOnly) DC_3A_n257A DC_8A_n3A DC_8A_n257A		
DC_1A-8A-(n)3AA-n257L	DC_1A_n3A DC_1A_n257A DC_(n)3AA (switchedUlOnly) DC_3A_n257A DC_8A_n3A DC_8A_n257A		
DC_1A-8A-(n)3AA-n257M	DC_1A_n3A DC_1A_n257A DC_(n)3AA (switchedUlOnly) DC_3A_n257A DC_8A_n3A DC_8A_n257A		
DC_1A-8A_n40A-n258A	DC_1A_n40A DC_1A_n258A DC_8A_n40A DC_8A_n258A		
DC_1A-8A_n40A-n258D	DC_1A_n40A DC_1A_n258A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_8A_n40A DC_8A_n258A		
DC_1A-8A_n40A-n258E	DC_1A_n40A DC_1A_n258A DC_8A_n40A DC_8A_n258A		
DC_1A-8A_n40A-n258F	DC_1A_n40A DC_1A_n258A DC_8A_n40A DC_8A_n258A		
DC_1A-8A_n40A-n258G	DC_1A_n40A DC_1A_n258A DC_8A_n40A DC_8A_n258A		
DC_1A-8A_n40A-n258H	DC_1A_n40A DC_1A_n258A DC_8A_n40A DC_8A_n258A		
DC_1A-8A_n40A-n258I	DC_1A_n40A DC_1A_n258A DC_8A_n40A DC_8A_n258A		
DC_1A-8A_n40A-n258J	DC_1A_n40A DC_1A_n258A DC_8A_n40A DC_8A_n258A		
DC_1A-8A_n40A-n258K	DC_1A_n40A DC_1A_n258A DC_8A_n40A DC_8A_n258A		
DC_1A-8A_n40A-n258L	DC_1A_n40A DC_1A_n258A DC_8A_n40A DC_8A_n258A		
DC_1A-8A_n40A-n258M	DC_1A_n40A DC_1A_n258A DC_8A_n40A DC_8A_n258A		
DC_1A-8A_n77A-n257A (interBandEnDcSimRxTx)	DC_1A_n77A DC_1A_n257A DC_8A_n77A DC_8A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_1A-8A_n77A-n257D (interBandEnDcSimRxTx)	DC_1A_n77A DC_1A_n257A DC_1A_n257D DC_8A_n77A DC_8A_n257A DC_8A_n257D		
DC_1A-8A_n77A-n257G (interBandEnDcSimRxTx)	DC_1A_n77A DC_1A_n257A DC_1A_n257G DC_8A_n77A DC_8A_n257A DC_8A_n257G		
DC_1A-8A_n77A-n257H (interBandEnDcSimRxTx)	DC_1A_n77A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_8A_n77A DC_8A_n257A DC_8A_n257G DC_8A_n257H		
DC_1A-8A_n77A-n257I (interBandEnDcSimRxTx)	DC_1A_n77A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_8A_n77A DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I		
DC_1A-8A_n77A-n257J (interBandEnDcSimRxTx)	DC_1A_n77A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_8A_n77A DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I		
DC_1A-8A_n77A-n257K (interBandEnDcSimRxTx)	DC_1A_n77A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_8A_n77A DC_8A_n257A DC_8A_n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_8A_n257H DC_8A_n257I		
DC_1A-8A_n77A-n257L (interBandEnDcSimRxTx)	DC_1A_n77A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_8A_n77A DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I		
DC_1A-8A_n77A-n257M (interBandEnDcSimRxTx)	DC_1A_n77A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_8A_n77A DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I		
DC_1A-8A_n77(2A)-n257A (interBandEnDcSimRxTx)	DC_1A_n77A DC_1A_n257A DC_8A_n77A DC_8A_n257A		
DC_1A-8A_n77(2A)-n257D (interBandEnDcSimRxTx)	DC_1A_n77A DC_1A_n257A DC_1A_n257D DC_8A_n77A DC_8A_n257A DC_8A_n257D		
DC_1A-8A_n77(2A)-n257G (interBandEnDcSimRxTx)	DC_1A_n77A DC_1A_n257A DC_1A_n257G DC_8A_n77A DC_8A_n257A DC_8A_n257G		
DC_1A-8A_n77(2A)-n257H (interBandEnDcSimRxTx)	DC_1A_n77A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_8A_n77A DC_8A_n257A DC_8A_n257G DC_8A_n257H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_1A-8A_n77(2A)-n257I (interBandEnDcSimRxTx)	DC_1A_n77A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_8A_n77A DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I		
DC_1A-8A_n77(2A)-n257J (interBandEnDcSimRxTx)	DC_1A_n77A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_8A_n77A DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I		
DC_1A-8A_n77(2A)-n257K (interBandEnDcSimRxTx)	DC_1A_n77A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_8A_n77A DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I		
DC_1A-8A_n77(2A)-n257L (interBandEnDcSimRxTx)	DC_1A_n77A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_8A_n77A DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I		
DC_1A-8A_n77(2A)-n257M (interBandEnDcSimRxTx)	DC_1A_n77A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_8A_n77A DC_8A_n257A DC_8A_n257G DC_8A_n257H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_8A_n257I		
DC_1A-8A_n78A-n257A (interBandEnDcSimRxTx)	DC_1A_n78A DC_8A_n78A DC_1A_n257A DC_8A_n257A		
DC_1A-8A_n78A-n257D (interBandEnDcSimRxTx)	DC_1A_n78A DC_8A_n78A DC_1A_n257A DC_8A_n257A		
DC_1A-8A_n78A-n257E (interBandEnDcSimRxTx)	DC_1A_n78A DC_8A_n78A DC_1A_n257A DC_8A_n257A		
DC_1A-8A_n78A-n257F (interBandEnDcSimRxTx)	DC_1A_n78A DC_8A_n78A DC_1A_n257A DC_8A_n257A		
DC_1A-8A_n78A-n257G (interBandEnDcSimRxTx)	DC_1A_n78A DC_8A_n78A DC_1A_n257A DC_8A_n257A		
DC_1A-8A_n78A-n257H (interBandEnDcSimRxTx)	DC_1A_n78A DC_8A_n78A DC_1A_n257A DC_8A_n257A		
DC_1A-8A_n78A-n257I (interBandEnDcSimRxTx)	DC_1A_n78A DC_8A_n78A DC_1A_n257A DC_8A_n257A		
DC_1A-8A_n78A-n257J (interBandEnDcSimRxTx)	DC_1A_n78A DC_8A_n78A DC_1A_n257A DC_8A_n257A		
DC_1A-8A_n78A-n257K (interBandEnDcSimRxTx)	DC_1A_n78A DC_8A_n78A DC_1A_n257A DC_8A_n257A		
DC_1A-8A_n78A-n257L (interBandEnDcSimRxTx)	DC_1A_n78A DC_8A_n78A DC_1A_n257A DC_8A_n257A		
	DC_1A_n78A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_1A-8A_n78A-n257M (interBandEnDcSimRxTx)	DC_8A_n78A DC_1A_n257A DC_8A_n257A		
DC_1A-8A_n78A-n258A	DC_1A_n78A DC_1A_n258A DC_8A_n78A DC_8A_n258A		
DC_1A-8A_n78A-n258D	DC_1A_n78A DC_1A_n258A DC_8A_n78A DC_8A_n258A		
DC_1A-8A_n78A-n258E	DC_1A_n78A DC_1A_n258A DC_8A_n78A DC_8A_n258A		
DC_1A-8A_n78A-n258F	DC_1A_n78A DC_1A_n258A DC_8A_n78A DC_8A_n258A		
DC_1A-8A_n78A-n258G	DC_1A_n78A DC_1A_n258A DC_8A_n78A DC_8A_n258A		
DC_1A-8A_n78A-n258H	DC_1A_n78A DC_1A_n258A DC_8A_n78A DC_8A_n258A		
DC_1A-8A_n78A-n258I	DC_1A_n78A DC_1A_n258A DC_8A_n78A DC_8A_n258A		
DC_1A-8A_n78A-n258J	DC_1A_n78A DC_1A_n258A DC_8A_n78A DC_8A_n258A		
DC_1A-8A_n78A-n258K	DC_1A_n78A DC_1A_n258A DC_8A_n78A DC_8A_n258A		
DC_1A-8A_n78A-n258L	DC_1A_n78A DC_1A_n258A DC_8A_n78A DC_8A_n258A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_1A-8A_n78A-n258M	DC_1A_n78A DC_1A_n258A DC_8A_n78A DC_8A_n258A		
DC_1A-11A-18A_n257A	DC_1A_n257A DC_11A_n257A DC_18A_n257A		
DC_1A-11A-18A_n257G	DC_1A_n257A DC_1A_n257G DC_11A_n257A DC_11A_n257G DC_18A_n257A DC_18A_n257G		
DC_1A-11A-18A_n257H	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_11A_n257A DC_11A_n257G DC_11A_n257H DC_18A_n257A DC_18A_n257G DC_18A_n257H		
DC_1A-11A-18A_n257I	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_11A_n257A DC_11A_n257G DC_11A_n257H DC_11A_n257I DC_18A_n257A DC_18A_n257G DC_18A_n257H DC_18A_n257I		
DC_1A-11A_n77A-n257A (interBandEnDcSimRxTx)	DC_1A_n77A DC_1A_n257A DC_11A_n77A DC_11A_n257A		
DC_1A-11A_n77A-n257D (interBandEnDcSimRxTx)	DC_1A_n77A DC_1A_n257A DC_1A_n257D DC_11A_n77A DC_11A_n257A DC_11A_n257D		
	DC_1A_n77A DC_1A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_1A-11A_n77A-n257G (interBandEnDcSimRxTx)	DC_1A_n257G DC_11A_n77A DC_11A_n257A DC_11A_n257G		
DC_1A-11A_n77A-n257H (interBandEnDcSimRxTx)	DC_1A_n77A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_11A_n77A DC_11A_n257A DC_11A_n257G DC_11A_n257H		
DC_1A-11A_n77A-n257I (interBandEnDcSimRxTx)	DC_1A_n77A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_11A_n77A DC_11A_n257A DC_11A_n257G DC_11A_n257H DC_11A_n257I		
DC_1A-11A_n77(2A)-n257A (interBandEnDcSimRxTx)	DC_1A_n77A DC_1A_n257A DC_11A_n77A DC_11A_n257A		
DC_1A-11A_n77(2A)-n257D (interBandEnDcSimRxTx)	DC_1A_n77A DC_1A_n257A DC_1A_n257D DC_11A_n77A DC_11A_n257A DC_11A_n257D		
DC_1A-11A_n77(2A)-n257G (interBandEnDcSimRxTx)	DC_1A_n77A DC_1A_n257A DC_1A_n257G DC_11A_n77A DC_11A_n257A DC_11A_n257G		
DC_1A-11A_n77(2A)-n257H (interBandEnDcSimRxTx)	DC_1A_n77A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_11A_n77A DC_11A_n257A DC_11A_n257G DC_11A_n257H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_1A-11A_n77(2A)-n257I (interBandEnDcSimRxTx)	DC_1A_n77A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_11A_n77A DC_11A_n257A DC_11A_n257G DC_11A_n257H DC_11A_n257I		
DC_1A-18A-28A_n257A (interBandEnDcSimRxTx)	DC_1A_n257A DC_18A_n257A DC_28A_n257A		
DC_1A-18A-41A_n257A	DC_1A_n257A DC_18A_n257A DC_41A_n257A		
DC_1A-18A-41A_n257G	DC_1A_n257A DC_1A_n257G DC_18A_n257A DC_18A_n257G DC_41A_n257A DC_41A_n257G		
DC_1A-18A-41A_n257H	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_18A_n257A DC_18A_n257G DC_18A_n257H DC_41A_n257A DC_41A_n257G DC_41A_n257H		
DC_1A-18A-41A_n257I	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_18A_n257A DC_18A_n257G DC_18A_n257H DC_18A_n257I DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_1A-18A-41C_n257A	DC_1A_n257A DC_18A_n257A DC_41A_n257A DC_41C_n257A		
DC_1A-18A-41C_n257G	DC_1A_n257A DC_1A_n257G DC_18A_n257A DC_18A_n257G DC_41A_n257A DC_41A_n257G DC_41C_n257A DC_41C_n257G		
DC_1A-18A-41C_n257H	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_18A_n257A DC_18A_n257G DC_18A_n257H DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41C_n257A DC_41C_n257G DC_41C_n257H		
DC_1A-18A-41C_n257I	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_18A_n257A DC_18A_n257G DC_18A_n257H DC_18A_n257I DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_41C_n257I		
DC_1A-18A-42A_n257A	DC_1A_n257A DC_18A_n257A DC_42A_n257A		
DC_1A-18A-42A_n257D	DC_1A_n257A DC_18A_n257A DC_42A_n257A		
	DC_1A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_1A-18A-42A_n257E	DC_18A_n257A DC_42A_n257A		
DC_1A-18A-42A_n257F	DC_1A_n257A DC_18A_n257A DC_42A_n257A		
DC_1A-18A-42A_n257G	DC_1A_n257A DC_1A_n257G DC_18A_n257A DC_18A_n257G DC_42A_n257A DC_42A_n257G		
DC_1A-18A-42A_n257H	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_18A_n257A DC_18A_n257G DC_18A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H		
DC_1A-18A-42A_n257I	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_18A_n257A DC_18A_n257G DC_18A_n257H DC_18A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_1A-18A-42A_n257J	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_18A_n257A DC_18A_n257G DC_18A_n257H DC_18A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_1A-18A-42A_n257K	DC_1A_n257A DC_1A_n257G DC_1A_n257H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_1A_n257I DC_18A_n257A DC_18A_n257G DC_18A_n257H DC_18A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_1A-18A-42A_n257L	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_18A_n257A DC_18A_n257G DC_18A_n257H DC_18A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_1A-18A-42A_n257M	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_18A_n257A DC_18A_n257G DC_18A_n257H DC_18A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_1A-18A-42C_n257A	DC_1A_n257A DC_18A_n257A DC_42A_n257A DC_42C_n257A		
DC_1A-18A-42C_n257D	DC_1A_n257A DC_18A_n257A DC_42A_n257A DC_42C_n257A		
DC_1A-18A-42C_n257E	DC_1A_n257A DC_18A_n257A DC_42A_n257A DC_42C_n257A		
DC_1A-18A-42C_n257F	DC_1A_n257A DC_18A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_42A_n257A DC_42C_n257A		
DC_1A-18A-42C_n257G	DC_1A_n257A DC_1A_n257G DC_18A_n257A DC_18A_n257G DC_42A_n257A DC_42A_n257G DC_42C_n257A DC_42C_n257G		
DC_1A-18A-42C_n257H	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_18A_n257A DC_18A_n257G DC_18A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42C_n257A DC_42C_n257G DC_42C_n257H		
DC_1A-18A-42C_n257I	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_18A_n257A DC_18A_n257G DC_18A_n257H DC_18A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_1A-18A-42C_n257J	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_18A_n257A DC_18A_n257G DC_18A_n257H DC_18A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_1A-18A-42C_n257K	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_18A_n257A DC_18A_n257G DC_18A_n257H DC_18A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_1A-18A-42C_n257L	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_18A_n257A DC_18A_n257G DC_18A_n257H DC_18A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_1A-18A-42C_n257M	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_18A_n257A DC_18A_n257G DC_18A_n257H DC_18A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_1A-18A_n3A-n257A	DC_1A_n3A DC_1A_n257A DC_18A_n3A DC_18A_n257A		
DC_1A-18A_n3A-n257G	DC_1A_n3A DC_1A_n257A DC_1A_n257G DC_18A_n3A DC_18A_n257A DC_18A_n257G		
DC_1A-18A_n3A-n257H	DC_1A_n3A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_18A_n3A DC_18A_n257A DC_18A_n257G DC_18A_n257H		
DC_1A-18A_n3A-n257I	DC_1A_n3A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_18A_n3A DC_18A_n257A DC_18A_n257G DC_18A_n257H DC_18A_n257I		
DC_1A-18A_n78A-n257A	DC_1A_n78A DC_1A_n257A DC_18A_n78A DC_18A_n257A		
DC_1A-18A_n78A-n257G	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_18A_n78A DC_18A_n257A DC_18A_n257G		
DC_1A-18A_n78A-n257H	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_18A_n78A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_18A_n257A DC_18A_n257G DC_18A_n257H		
DC_1A-18A_n78A-n257I	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_18A_n78A DC_18A_n257A DC_18A_n257G DC_18A_n257H DC_18A_n257I		
DC_1A-19A-21A_n257A	DC_1A_n257A DC_19A_n257A DC_21A_n257A		
DC_1A-19A-21A_n257D	DC_1A_n257A DC_19A_n257A DC_21A_n257A		
DC_1A-19A-21A_n257E	DC_1A_n257A DC_19A_n257A DC_21A_n257A		
DC_1A-19A-21A_n257F	DC_1A_n257A DC_19A_n257A DC_21A_n257A		
DC_1A-19A-21A_n257G	DC_1A_n257A DC_1A_n257G DC_19A_n257A DC_19A_n257G DC_21A_n257A DC_21A_n257G		
DC_1A-19A-21A_n257H	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_21A_n257A DC_21A_n257G DC_21A_n257H		
DC_1A-19A-21A_n257I	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_19A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_19A_n257G DC_19A_n257H DC_19A_n257I DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I		
DC_1A-19A-21A_n257J	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_1A_n257J DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_19A_n257I DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I DC_21A_n257J		
DC_1A-19A-21A_n257K	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_1A_n257J DC_1A_n257K DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_19A_n257I DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I DC_21A_n257J DC_21A_n257K		
DC_1A-19A-21A_n257L	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_1A_n257J DC_1A_n257K DC_1A_n257L DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_19A_n257I DC_21A_n257A DC_21A_n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_21A_n257H DC_21A_n257I DC_21A_n257J DC_21A_n257K DC_21A_n257L		
DC_1A-19A-21A_n257M	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_1A_n257J DC_1A_n257K DC_1A_n257L DC_1A_n257M DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_19A_n257I DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I DC_21A_n257J DC_21A_n257K DC_21A_n257L DC_21A_n257M		
DC_1A-19A-28A_n257A	DC_1A_n257A DC_19A_n257A DC_28A_n257A		
DC_1A-19A-42A_n257A	DC_1A_n257A DC_19A_n257A DC_42A_n257A		
DC_1A-19A-42A_n257D	DC_1A_n257A DC_19A_n257A DC_42A_n257A		
DC_1A-19A-42A_n257E	DC_1A_n257A DC_19A_n257A DC_42A_n257A		
DC_1A-19A-42A_n257F	DC_1A_n257A DC_19A_n257A DC_42A_n257A		
DC_1A-19A-42A_n257G	DC_1A_n257A DC_1A_n257G DC_19A_n257A DC_42A_n257A DC_42A_n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_1A-19A-42A_n257H	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_19A_n257A DC_42A_n257A DC_42A_n257G DC_42A_n257H		
DC_1A-19A-42A_n257I	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_19A_n257A DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_1A-19A-42A_n257J	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_1A_n257J DC_19A_n257A DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_1A-19A-42A_n257K	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_1A_n257J DC_1A_n257K DC_19A_n257A DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_1A-19A-42A_n257L	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_1A_n257J DC_1A_n257K DC_1A_n257L DC_19A_n257A DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_1A-19A-42A_n257M	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_1A_n257J DC_1A_n257K DC_1A_n257L DC_1A_n257M DC_19A_n257A DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_1A-19A-42C_n257A	DC_1A_n257A DC_19A_n257A DC_42A_n257A		
DC_1A-19A-42C_n257D	DC_1A_n257A DC_19A_n257A DC_42A_n257A		
DC_1A-19A-42C_n257E	DC_1A_n257A DC_19A_n257A DC_42A_n257A		
DC_1A-19A-42C_n257F	DC_1A_n257A DC_19A_n257A DC_42A_n257A		
DC_1A-19A-42C_n257G	DC_1A_n257A DC_1A_n257G DC_19A_n257A DC_42A_n257A DC_42A_n257G		
DC_1A-19A-42C_n257H	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_19A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_42A_n257A DC_42A_n257G DC_42A_n257H		
DC_1A-19A-42C_n257I	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_19A_n257A DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_1A-19A-42C_n257J	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_1A_n257J DC_19A_n257A DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_1A-19A-42C_n257K	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_1A_n257J DC_1A_n257K DC_19A_n257A DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_1A-19A-42C_n257L	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_1A_n257J DC_1A_n257K DC_1A_n257L DC_19A_n257A DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_1A-19A-42C_n257M	DC_1A_n257A DC_1A_n257G DC_1A_n257H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_1A_n257I DC_1A_n257J DC_1A_n257K DC_1A_n257L DC_1A_n257M DC_19A_n257A DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_1A-19A_n77A-n257A (interBandEnDcSimRxTx)	DC_1A_n77A DC_1A_n257A DC_19A_n77A DC_19A_n257A		
DC_1A-19A_n77A-n257G (interBandEnDcSimRxTx)	DC_1A_n77A DC_1A_n257A DC_1A_n257G DC_19A_n77A DC_19A_n257A DC_19A_n257G		
DC_1A-19A_n77A-n257H (interBandEnDcSimRxTx)	DC_1A_n77A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_19A_n77A DC_19A_n257A DC_19A_n257G DC_19A_n257H		
DC_1A-19A_n77A-n257I (interBandEnDcSimRxTx)	DC_1A_n77A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_19A_n77A DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_19A_n257I		
DC_1A-19A_n78A-n257A (interBandEnDcSimRxTx)	DC_1A_n78A DC_1A_n257A DC_19A_n78A DC_19A_n257A		
DC_1A-19A_n78A-n257G (interBandEnDcSimRxTx)	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_19A_n78A DC_19A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_19A_n257G		
DC_1A-19A_n78A-n257H (interBandEnDcSimRxTx)	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_19A_n78A DC_19A_n257A DC_19A_n257G DC_19A_n257H		
DC_1A-19A_n78A-n257I (interBandEnDcSimRxTx)	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_19A_n78A DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_19A_n257I		
DC_1A-19A_n79A-n257A (interBandEnDcSimRxTx)	DC_1A_n79A DC_1A_n257A DC_19A_n79A DC_19A_n257A DC_1A_n79A-n257A DC_19A_n79A-n257A		
DC_1A-19A_n79A-n257G (interBandEnDcSimRxTx)	DC_1A_n79A DC_1A_n257A DC_1A_n257G DC_19A_n79A DC_19A_n257A DC_19A_n257G DC_1A_n79A-n257A DC_1A_n79A-n257G DC_19A_n79A-n257A DC_19A_n79A-n257G		
DC_1A-19A_n79A-n257H (interBandEnDcSimRxTx)	DC_1A_n79A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_19A_n79A DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_1A_n79A-n257A DC_1A_n79A-n257G DC_1A_n79A-n257H DC_19A_n79A-n257A DC_19A_n79A-n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_19A_n79A-n257H		
DC_1A-19A_n79A-n257I (interBandEnDcSimRxTx)	DC_1A_n79A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_19A_n79A DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_19A_n257I DC_1A_n79A-n257A DC_1A_n79A-n257G DC_1A_n79A-n257H DC_1A_n79A-n257I DC_19A_n79A-n257A DC_19A_n79A-n257G DC_19A_n79A-n257H DC_19A_n79A-n257I		
DC_1A-21A-28A_n257A (interBandEnDcSimRxTx)	DC_1A_n257A DC_21A_n257A DC_28A_n257A		
DC_1A-21A-42A_n257A	DC_1A_n257A DC_21A_n257A DC_42A_n257A		
DC_1A-21A-42A_n257D	DC_1A_n257A DC_21A_n257A DC_42A_n257A DC_42A_n257D		
DC_1A-21A-42A_n257E	DC_1A_n257A DC_21A_n257A DC_42A_n257A DC_42A_n257D		
DC_1A-21A-42A_n257F	DC_1A_n257A DC_21A_n257A DC_42A_n257A DC_42A_n257D		
DC_1A-21A-42A_n257G	DC_1A_n257A DC_1A_n257G DC_21A_n257A DC_21A_n257G DC_42A_n257A DC_42A_n257G		
DC_1A-21A-42A_n257H	DC_1A_n257A DC_1A_n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_1A_n257H DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H		
DC_1A-21A-42A_n257I	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_1A-21A-42A_n257J	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_1A_n257J DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I DC_21A_n257J DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_1A-21A-42A_n257K	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_1A_n257J DC_1A_n257K DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I DC_21A_n257J DC_21A_n257K DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_1A-21A-42A_n257L	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_1A_n257J DC_1A_n257K DC_1A_n257L DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I DC_21A_n257J DC_21A_n257K DC_21A_n257L DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_1A-21A-42A_n257M	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_1A_n257J DC_1A_n257K DC_1A_n257L DC_1A_n257M DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I DC_21A_n257J DC_21A_n257K DC_21A_n257L DC_21A_n257M DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_1A-21A-42C_n257A	DC_1A_n257A DC_21A_n257A DC_42A_n257A		
DC_1A-21A-42C_n257D	DC_1A_n257A DC_21A_n257A DC_42A_n257A DC_42A_n257D		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_1A-21A-42C_n257E	DC_1A_n257A DC_21A_n257A DC_42A_n257A DC_42A_n257D		
DC_1A-21A-42C_n257F	DC_1A_n257A DC_21A_n257A DC_42A_n257A DC_42A_n257D		
DC_1A-21A-42C_n257G	DC_1A_n257A DC_1A_n257G DC_21A_n257A DC_21A_n257G DC_42A_n257A DC_42A_n257G		
DC_1A-21A-42C_n257H	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H		
DC_1A-21A-42C_n257I	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_1A-21A-42C_n257J	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_1A_n257J DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I DC_21A_n257J DC_42A_n257A DC_42A_n257G DC_42A_n257H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_42A_n257I		
DC_1A-21A-42C_n257K	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_1A_n257J DC_1A_n257K DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I DC_21A_n257J DC_21A_n257K DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_1A-21A-42C_n257L	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_1A_n257J DC_1A_n257K DC_1A_n257L DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I DC_21A_n257J DC_21A_n257K DC_21A_n257L DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_1A-21A-42C_n257M	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_1A_n257J DC_1A_n257K DC_1A_n257L DC_1A_n257M DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I DC_21A_n257J DC_21A_n257K DC_21A_n257L		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_21A_n257M DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_1A-21A-42D_n257A	DC_1A_n257A DC_21A_n257A DC_42A_n257A		
DC_1A-21A-42D_n257D	DC_1A_n257A DC_21A_n257A DC_42A_n257A DC_42A_n257D		
DC_1A-21A-42D_n257E	DC_1A_n257A DC_21A_n257A DC_42A_n257A DC_42A_n257D		
DC_1A-21A-42D_n257F	DC_1A_n257A DC_21A_n257A DC_42A_n257A DC_42A_n257D		
DC_1A-21A_n77A-n257A (interBandEnDcSimRxTx)	DC_1A_n77A DC_1A_n257A DC_21A_n77A DC_21A_n257A DC_1A_n77A-n257A DC_21A_n77A-n257A		
DC_1A-21A_n77A-n257G (interBandEnDcSimRxTx)	DC_1A_n77A DC_1A_n257A DC_1A_n257G DC_21A_n77A DC_21A_n257A DC_21A_n257G DC_1A_n77A-n257A DC_1A_n77A-n257G DC_21A_n77A-n257A DC_21A_n77A-n257G		
DC_1A-21A_n77A-n257H (interBandEnDcSimRxTx)	DC_1A_n77A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_21A_n77A DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_1A_n77A-n257A DC_1A_n77A-n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_1A_n77A-n257H DC_21A_n77A-n257A DC_21A_n77A-n257G DC_21A_n77A-n257H		
DC_1A-21A_n77A-n257I (interBandEnDcSimRxTx)	DC_1A_n77A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_21A_n77A DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I DC_1A_n77A-n257A DC_1A_n77A-n257G DC_1A_n77A-n257H DC_1A_n77A-n257I DC_21A_n77A-n257A DC_21A_n77A-n257G DC_21A_n77A-n257H DC_21A_n77A-n257I		
DC_1A-21A_n78A-n257A (interBandEnDcSimRxTx)	DC_1A_n78A DC_1A_n257A DC_21A_n78A DC_21A_n257A DC_1A_n78A-n257A DC_21A_n78A-n257A		
DC_1A-21A_n78A-n257G (interBandEnDcSimRxTx)	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_21A_n78A DC_21A_n257A DC_21A_n257G DC_1A_n78A-n257A DC_1A_n78A-n257G DC_21A_n78A-n257A DC_21A_n78A-n257G		
DC_1A-21A_n78A-n257H (interBandEnDcSimRxTx)	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_21A_n78A DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_21A_n78A-n257A DC_21A_n78A-n257G DC_21A_n78A-n257H		
DC_1A-21A_n78A-n257I (interBandEnDcSimRxTx)	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_21A_n78A DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I DC_21A_n78A-n257A DC_21A_n78A-n257G DC_21A_n78A-n257H DC_21A_n78A-n257I		
DC_1A-21A_n79A-n257A (interBandEnDcSimRxTx)	DC_1A_n79A DC_1A_n257A DC_21A_n79A DC_21A_n257A DC_1A_n79A-n257A DC_21A_n79A-n257A		
DC_1A-21A_n79A-n257G (interBandEnDcSimRxTx)	DC_1A_n79A DC_1A_n257A DC_1A_n257G DC_21A_n79A DC_21A_n257A DC_21A_n257G DC_1A_n79A-n257A DC_1A_n79A-n257G DC_21A_n79A-n257A DC_21A_n79A-n257G		
DC_1A-21A_n79A-n257H (interBandEnDcSimRxTx)	DC_1A_n79A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_21A_n79A DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_1A_n79A-n257A DC_1A_n79A-n257G DC_1A_n79A-n257H DC_21A_n79A-n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_21A_n79A-n257G DC_21A_n79A-n257H		
DC_1A-21A_n79A-n257I (interBandEnDcSimRxTx)	DC_1A_n79A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_21A_n79A DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I DC_1A_n79A-n257A DC_1A_n79A-n257G DC_1A_n79A-n257H DC_1A_n79A-n257I DC_21A_n79A-n257A DC_21A_n79A-n257G DC_21A_n79A-n257H DC_21A_n79A-n257I		
DC_1A-28A-42A_n257A	DC_1A_n257A DC_28A_n257A DC_42A_n257A		
DC_1A-28A-42A_n257D	DC_1A_n257A DC_28A_n257A DC_42A_n257A		
DC_1A-28A-42A_n257G	DC_1A_n257A DC_1A_n257G DC_28A_n257A DC_28A_n257G DC_42A_n257A DC_42A_n257G		
DC_1A-28A-42A_n257H	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H		
DC_1A-28A-42A_n257I	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_28A_n257A DC_28A_n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_28A_n257H DC_28A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_1A-28A-42A_n257J	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_28A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_1A-28A-42A_n257K	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_28A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_1A-28A-42A_n257L	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_28A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_1A-28A-42A_n257M	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_28A_n257A DC_28A_n257G DC_28A_n257H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_28A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_1A-28A-42C_n257A	DC_1A_n257A DC_28A_n257A DC_42A_n257A DC_42C_n257A		
DC_1A-28A-42C_n257D	DC_1A_n257A DC_28A_n257A DC_42A_n257A DC_42C_n257A		
DC_1A-28A-42C_n257G	DC_1A_n257A DC_1A_n257G DC_28A_n257A DC_28A_n257G DC_42A_n257A DC_42A_n257G DC_42C_n257A DC_42C_n257G		
DC_1A-28A-42C_n257H	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42C_n257A DC_42C_n257G DC_42C_n257H		
DC_1A-28A-42C_n257I	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_28A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_42C_n257I		
DC_1A-28A-42C_n257J	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_28A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_1A-28A-42C_n257K	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_28A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_1A-28A-42C_n257L	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_28A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_1A-28A-42C_n257M	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_28A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_1A-28A_n3A-n257A (interBandEnDcSimRxTx)	DC_1A_n3A DC_1A_n257A DC_28A_n3A DC_28A_n257A		
DC_1A-28A_n3A-n257G (interBandEnDcSimRxTx)	DC_1A_n3A DC_1A_n257A DC_1A_n257G DC_28A_n3A DC_28A_n257A DC_28A_n257G		
DC_1A-28A_n3A-n257H (interBandEnDcSimRxTx)	DC_1A_n3A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_28A_n3A DC_28A_n257A DC_28A_n257G DC_28A_n257H		
DC_1A-28A_n3A-n257I (interBandEnDcSimRxTx)	DC_1A_n3A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_28A_n3A DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_28A_n257I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_1A-28A_n38A-n257A	DC_1A_n38A DC_1A_n257A DC_28A_n38A DC_28A_n257A		
DC_1A-28A_n38A-n257G	DC_1A_n38A DC_1A_n257A DC_1A_n257G DC_28A_n38A DC_28A_n257A DC_28A_n257G		
DC_1A-28A_n38A-n257H	DC_1A_n38A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_28A_n38A DC_28A_n257A DC_28A_n257G DC_28A_n257H		
DC_1A-28A_n38A-n257I	DC_1A_n38A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_28A_n38A DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_28A_n257I		
DC_1A-28A_n78A-n257A (interBandEnDcSimRxTx)	DC_1A_n78A DC_1A_n257A DC_28A_n78A DC_28A_n257A		
DC_1A-28A_n78A-n257G (interBandEnDcSimRxTx)	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_28A_n78A DC_28A_n257A DC_28A_n257G		
DC_1A-28A_n78A-n257H (interBandEnDcSimRxTx)	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_28A_n78A DC_28A_n257A DC_28A_n257G DC_28A_n257H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_1A-28A_n78A-n257I (interBandEnDcSimRxTx)	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_28A_n78A DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_28A_n257I		
DC_1A-41A-42A_n257A	DC_1A_n257A DC_41A_n257A DC_42A_n257A		
DC_1A-41A-42A_n257D	DC_1A_n257A DC_41A_n257A DC_42A_n257A		
DC_1A-41A-42A_n257E	DC_1A_n257A DC_41A_n257A DC_42A_n257A		
DC_1A-41A-42A_n257F	DC_1A_n257A DC_41A_n257A DC_42A_n257A		
DC_1A-41A-42A_n257G	DC_1A_n257A DC_1A_n257G DC_41A_n257A DC_41A_n257G DC_42A_n257A DC_42A_n257G		
DC_1A-41A-42A_n257H	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H		
DC_1A-41A-42A_n257I	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_42A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_1A-41A-42A_n257J	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_1A-41A-42A_n257K	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_1A-41A-42A_n257L	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_1A-41A-42A_n257M	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_42A_n257A DC_42A_n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_42A_n257H DC_42A_n257I		
DC_1A-41A-42C_n257A	DC_1A_n257A DC_41A_n257A DC_42A_n257A DC_42C_n257A		
DC_1A-41A-42C_n257D	DC_1A_n257A DC_41A_n257A DC_42A_n257A DC_42C_n257A		
DC_1A-41A-42C_n257E	DC_1A_n257A DC_41A_n257A DC_42A_n257A DC_42C_n257A		
DC_1A-41A-42C_n257F	DC_1A_n257A DC_41A_n257A DC_42A_n257A DC_42C_n257A		
DC_1A-41A-42C_n257G	DC_1A_n257A DC_1A_n257G DC_41A_n257A DC_41A_n257G DC_42A_n257A DC_42A_n257G DC_42C_n257A DC_42C_n257G		
DC_1A-41A-42C_n257H	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42C_n257A DC_42C_n257G DC_42C_n257H		
DC_1A-41A-42C_n257I	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_1A-41A-42C_n257J	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_1A-41A-42C_n257K	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_1A-41A-42C_n257L	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_42A_n257A DC_42A_n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_1A-41A-42C_n257M	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_1A-41A_n3A-n257A (interBandEnDcSimRxTx)	DC_41A_n3A DC_41A_n257A		
DC_1A-41A_n3A-n257G	DC_41A_n3A DC_41A_n257A		
DC_1A-41A_n3A-n257H	DC_41A_n3A DC_41A_n257A		
DC_1A-41A_n3A-n257I	DC_41A_n3A DC_41A_n257A DC_41A_n257I		
DC_1A-41A_n28A-n257A (interBandEnDcSimRxTx)	DC_1A_n28A DC_1A_n257A DC_41A_n28A DC_41A_n257A		
DC_1A-41A_n28A-n257G (interBandEnDcSimRxTx)	DC_1A_n28A DC_1A_n257A DC_1A_n257G DC_41A_n28A DC_41A_n257A DC_41A_n257G		
DC_1A-41A_n28A-n257H (interBandEnDcSimRxTx)	DC_1A_n28A DC_1A_n257A DC_1A_n257G DC_1A_n257H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_41A_n28A DC_41A_n257A DC_41A_n257G DC_41A_n257H		
DC_1A-41A_n28A-n257I (interBandEnDcSimRxTx)	DC_1A_n28A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_41A_n28A DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I		
DC_1A-41A_n77A-n257A	DC_1A_n77A DC_1A_n257A DC_41A_n77A DC_41A_n257A		
DC_1A-41A_n77A-n257G	DC_1A_n77A DC_1A_n257A DC_1A_n257G DC_41A_n77A DC_41A_n257A DC_41A_n257G		
DC_1A-41A_n77A-n257H	DC_1A_n77A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_41A_n77A DC_41A_n257A DC_41A_n257G DC_41A_n257H		
DC_1A-41A_n77A-n257I	DC_1A_n77A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_41A_n77A DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I		
DC_1A-41A_n78A-n257A	DC_1A_n78A DC_1A_n257A DC_41A_n78A DC_41A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_1A-41A_n78A-n257G	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_41A_n78A DC_41A_n257A DC_41A_n257G		
DC_1A-41A_n78A-n257H	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_41A_n78A DC_41A_n257A DC_41A_n257G DC_41A_n257H		
DC_1A-41A_n78A-n257I	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_41A_n78A DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I		
DC_1A-41C-42A_n257A	DC_1A_n257A DC_41A_n257A DC_41C_n257A DC_42A_n257A		
DC_1A-41C-42A_n257D	DC_1A_n257A DC_41A_n257A DC_41C_n257A DC_42A_n257A		
DC_1A-41C-42A_n257E	DC_1A_n257A DC_41A_n257A DC_41C_n257A DC_42A_n257A		
DC_1A-41C-42A_n257F	DC_1A_n257A DC_41A_n257A DC_41C_n257A DC_42A_n257A		
DC_1A-41C-42A_n257G	DC_1A_n257A DC_1A_n257G DC_41A_n257A DC_41A_n257G DC_41C_n257A DC_41C_n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_42A_n257A DC_42A_n257G		
DC_1A-41C-42A_n257H	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H		
DC_1A-41C-42A_n257I	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_41C_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_1A-41C-42A_n257J	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_41C_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_1A-41C-42A_n257K	DC_1A_n257A DC_1A_n257G DC_1A_n257H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_1A_n257I DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_41C_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_1A-41C-42A_n257L	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_41C_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_1A-41C-42A_n257M	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_41C_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_1A-41C-42C_n257A	DC_1A_n257A DC_41A_n257A DC_41C_n257A DC_42A_n257A DC_42C_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_1A-41C-42C_n257D	DC_1A_n257A DC_41A_n257A DC_41C_n257A DC_42A_n257A DC_42C_n257A		
DC_1A-41C-42C_n257E	DC_1A_n257A DC_41A_n257A DC_41C_n257A DC_42A_n257A DC_42C_n257A		
DC_1A-41C-42C_n257F	DC_1A_n257A DC_41A_n257A DC_41C_n257A DC_42A_n257A DC_42C_n257A		
DC_1A-41C-42C_n257G	DC_1A_n257A DC_1A_n257G DC_41A_n257A DC_41A_n257G DC_41C_n257A DC_41C_n257G DC_42A_n257A DC_42A_n257G DC_42C_n257A DC_42C_n257G		
DC_1A-41C-42C_n257H	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42C_n257A DC_42C_n257G DC_42C_n257H		
DC_1A-41C-42C_n257I	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_41C_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_1A-41C-42C_n257J	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_41C_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_1A-41C-42C_n257K	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_41C_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_42C_n257I		
DC_1A-41C-42C_n257L	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_41C_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_1A-41C-42C_n257M	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_41C_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_1A-41C_n3A-n257A (interBandEnDcSimRxTx)	DC_41A_n3A DC_41A_n257A DC_41C_n3A DC_41C_n257A		
DC_1A-41C_n3A-n257G	DC_41A_n3A DC_41A_n257A DC_41C_n3A DC_41C_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_1A-41C_n3A-n257H	DC_41A_n3A DC_41A_n257A DC_41C_n3A DC_41C_n257A		
DC_1A-41C_n3A-n257I	DC_41A_n3A DC_41A_n257A DC_41A_n257I DC_41C_n3A DC_41C_n257A DC_41C_n257I		
DC_1A-41C_n28A-n257A (interBandEnDcSimRxTx)	DC_1A_n28A DC_1A_n257A DC_41A_n28A DC_41A_n257A DC_41C_n28A DC_41C_n257A		
DC_1A-41C_n28A-n257G (interBandEnDcSimRxTx)	DC_1A_n28A DC_1A_n257A DC_1A_n257G DC_41A_n28A DC_41A_n257A DC_41A_n257G DC_41C_n28A DC_41C_n257A DC_41C_n257G		
DC_1A-41C_n28A-n257H (interBandEnDcSimRxTx)	DC_1A_n28A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_41A_n28A DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41C_n28A DC_41C_n257A DC_41C_n257G DC_41C_n257H		
DC_1A-41C_n28A-n257I (interBandEnDcSimRxTx)	DC_1A_n28A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_41A_n28A DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_41C_n28A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_41C_n257I		
DC_1A-41C_n77A-n257A	DC_1A_n77A DC_1A_n257A DC_41A_n77A DC_41A_n257A DC_41C_n77A DC_41C_n257A		
DC_1A-41C_n77A-n257G	DC_1A_n77A DC_1A_n257A DC_1A_n257G DC_41A_n77A DC_41A_n257A DC_41A_n257G DC_41C_n77A DC_41C_n257A DC_41C_n257G		
DC_1A-41C_n77A-n257H	DC_1A_n77A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_41A_n77A DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41C_n77A DC_41C_n257A DC_41C_n257G DC_41C_n257H		
DC_1A-41C_n77A-n257I	DC_1A_n77A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_41A_n77A DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_41C_n77A DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_41C_n257I		
DC_1A-41C_n78A-n257A	DC_1A_n78A DC_1A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_41A_n78A DC_41A_n257A DC_41C_n78A DC_41C_n257A		
DC_1A-41C_n78A-n257G	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_41A_n78A DC_41A_n257A DC_41A_n257G DC_41C_n78A DC_41C_n257A DC_41C_n257G		
DC_1A-41C_n78A-n257H	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_41A_n78A DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41C_n78A DC_41C_n257A DC_41C_n257G DC_41C_n257H		
DC_1A-41C_n78A-n257I	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_41A_n78A DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_41C_n78A DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_41C_n257I		
DC_1A-42A_n77A-n257A	DC_1A_n77A DC_1A_n257A DC_42A_n257A DC_1A_n77A-n257A		
DC_1A-42A_n77A-n257G	DC_1A_n77A DC_1A_n257A DC_1A_n257G DC_42A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_42A_n257G DC_1A_n77A-n257A DC_1A_n77A-n257G		
DC_1A-42A_n77A-n257H	DC_1A_n77A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_1A_n77A-n257A DC_1A_n77A-n257G DC_1A_n77A-n257H		
DC_1A-42A_n77A-n257I	DC_1A_n77A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_1A_n77A-n257A DC_1A_n77A-n257G DC_1A_n77A-n257H DC_1A_n77A-n257I		
DC_1A-42A_n78A-n257A	DC_1A_n78A DC_1A_n257A DC_42A_n257A DC_1A_n78A-n257A		
DC_1A-42A_n78A-n257G	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_42A_n257A DC_42A_n257G DC_1A_n78A-n257A DC_1A_n78A-n257G		
DC_1A-42A_n78A-n257H	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_1A-42A_n78A-n257I	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I		
DC_1A-42A_n79A-n257A	DC_1A_n79A DC_1A_n257A DC_42A_n257A DC_1A_n79A-n257A		
DC_1A-42A_n79A-n257G	DC_1A_n79A DC_1A_n257A DC_1A_n257G DC_42A_n257A DC_42A_n257G DC_1A_n79A-n257A DC_1A_n79A-n257G		
DC_1A-42A_n79A-n257H	DC_1A_n79A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_1A_n79A-n257A DC_1A_n79A-n257G DC_1A_n79A-n257H		
DC_1A-42A_n79A-n257I	DC_1A_n79A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_1A_n79A-n257A DC_1A_n79A-n257G DC_1A_n79A-n257H DC_1A_n79A-n257I		
	DC_1A_n77A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_1A-42C_n77A-n257A	DC_1A_n257A DC_42A_n257A DC_1A_n77A-n257A		
DC_1A-42C_n77A-n257G	DC_1A_n77A DC_1A_n257A DC_1A_n257G DC_42A_n257A DC_42A_n257G DC_1A_n77A-n257A DC_1A_n77A-n257G		
DC_1A-42C_n77A-n257H	DC_1A_n77A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_1A_n77A-n257A DC_1A_n77A-n257G DC_1A_n77A-n257H		
DC_1A-42C_n77A-n257I	DC_1A_n77A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_1A_n77A-n257A DC_1A_n77A-n257G DC_1A_n77A-n257H DC_1A_n77A-n257I		
DC_1A-42C_n78A-n257A	DC_1A_n78A DC_1A_n257A DC_42A_n257A DC_42C_n257A DC_1A_n78A-n257A		
DC_1A-42C_n78A-n257G	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_42A_n257A DC_42A_n257G DC_42C_n257A DC_42C_n257G DC_1A_n78A-n257A DC_1A_n78A-n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_1A-42C_n78A-n257H	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H		
DC_1A-42C_n78A-n257I	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I		
DC_1A-42C_n79A-n257A	DC_1A_n79A DC_1A_n257A DC_42A_n257A DC_1A_n79A-n257A		
DC_1A-42C_n79A-n257G	DC_1A_n79A DC_1A_n257A DC_1A_n257G DC_42A_n257A DC_42A_n257G DC_1A_n79A-n257A DC_1A_n79A-n257G		
DC_1A-42C_n79A-n257H	DC_1A_n79A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_1A_n79A-n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_1A_n79A-n257G DC_1A_n79A-n257H		
DC_1A-42C_n79A-n257I	DC_1A_n79A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_1A_n79A-n257A DC_1A_n79A-n257G DC_1A_n79A-n257H DC_1A_n79A-n257I		
DC_1A_n3A-n8A-n257A	DC_1A_n3A DC_1A_n8A DC_1A_n257A		
DC_1A_n3A-n8A-n257G	DC_1A_n3A DC_1A_n8A DC_1A_n257A		
DC_1A_n3A-n8A-n257H	DC_1A_n3A DC_1A_n8A DC_1A_n257A		
DC_1A_n3A-n8A-n257I	DC_1A_n3A DC_1A_n8A DC_1A_n257A		
DC_1A_n3A-n8A-n257J	DC_1A_n3A DC_1A_n8A DC_1A_n257A		
DC_1A_n3A-n8A-n257K	DC_1A_n3A DC_1A_n8A DC_1A_n257A		
DC_1A_n3A-n8A-n257L	DC_1A_n3A DC_1A_n8A DC_1A_n257A		
DC_1A_n3A-n8A-n257M	DC_1A_n3A DC_1A_n8A DC_1A_n257A		
DC_1A_n3A-n77A-n257A	DC_1A_n3A DC_1A_n77A DC_1A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_1A_n3A-n77A-n257G	DC_1A_n3A DC_1A_n77A DC_1A_n257A		
DC_1A_n3A-n77A-n257H	DC_1A_n3A DC_1A_n77A DC_1A_n257A		
DC_1A_n3A-n77A-n257I	DC_1A_n3A DC_1A_n77A DC_1A_n257A		
DC_1A_n3A-n77A-n257J	DC_1A_n3A DC_1A_n77A DC_1A_n257A		
DC_1A_n3A-n77A-n257K	DC_1A_n3A DC_1A_n77A DC_1A_n257A		
DC_1A_n3A-n77A-n257L	DC_1A_n3A DC_1A_n77A DC_1A_n257A		
DC_1A_n3A-n77A-n257M	DC_1A_n3A DC_1A_n77A DC_1A_n257A		
DC_1A_n3A-n77(2A)-n257A	DC_1A_n3A DC_1A_n77A DC_1A_n257A		
DC_1A_n3A-n77(2A)-n257G	DC_1A_n3A DC_1A_n77A DC_1A_n257A		
DC_1A_n3A-n77(2A)-n257H	DC_1A_n3A DC_1A_n77A DC_1A_n257A		
DC_1A_n3A-n77(2A)-n257I	DC_1A_n3A DC_1A_n77A DC_1A_n257A		
DC_1A_n3A-n77(2A)-n257J	DC_1A_n3A DC_1A_n77A DC_1A_n257A		
DC_1A_n3A-n77(2A)-n257K	DC_1A_n3A DC_1A_n77A DC_1A_n257A		
	DC_1A_n3A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_1A_n3A-n77(2A)-n257L	DC_1A_n77A DC_1A_n257A		
DC_1A_n3A-n77(2A)-n257M	DC_1A_n3A DC_1A_n77A DC_1A_n257A		
DC_1A-(n)3AA-n8A-n257A	DC_1A_n3A DC_1A_n8A DC_1A_n257A DC_(n)3AA (switchedUlOnly) DC_3A_n8A DC_3A_n257A		
DC_1A-(n)3AA-n8A-n257G	DC_1A_n3A DC_1A_n8A DC_1A_n257A DC_(n)3AA (switchedUlOnly) DC_3A_n8A DC_3A_n257A		
DC_1A-(n)3AA-n8A-n257H	DC_1A_n3A DC_1A_n8A DC_1A_n257A DC_(n)3AA (switchedUlOnly) DC_3A_n8A DC_3A_n257A		
DC_1A-(n)3AA-n8A-n257I	DC_1A_n3A DC_1A_n8A DC_1A_n257A DC_(n)3AA (switchedUlOnly) DC_3A_n8A DC_3A_n257A		
DC_1A-(n)3AA-n8A-n257J	DC_1A_n3A DC_1A_n8A DC_1A_n257A DC_(n)3AA (switchedUlOnly) DC_3A_n8A DC_3A_n257A		
DC_1A-(n)3AA-n8A-n257K	DC_1A_n3A DC_1A_n8A DC_1A_n257A DC_(n)3AA (switchedUlOnly) DC_3A_n8A DC_3A_n257A		
DC_1A-(n)3AA-n8A-n257L	DC_1A_n3A DC_1A_n8A DC_1A_n257A DC_(n)3AA (switchedUlOnly)		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_3A_n8A DC_3A_n257A		
DC_1A-(n)3AA-n8A-n257M	DC_1A_n3A DC_1A_n8A DC_1A_n257A DC_(n)3AA (switchedUlOnly) DC_3A_n8A DC_3A_n257A		
DC_1A-(n)3AA-n77A-n257A	DC_1A_n3A DC_1A_n77A DC_1A_n257A DC_(n)3AA (switchedUlOnly) DC_3A_n77A DC_3A_n257A		
DC_1A-(n)3AA-n77A-n257G	DC_1A_n3A DC_1A_n77A DC_1A_n257A DC_(n)3AA (switchedUlOnly) DC_3A_n77A DC_3A_n257A		
DC_1A-(n)3AA-n77A-n257H	DC_1A_n3A DC_1A_n77A DC_1A_n257A DC_(n)3AA (switchedUlOnly) DC_3A_n77A DC_3A_n257A		
DC_1A-(n)3AA-n77A-n257I	DC_1A_n3A DC_1A_n77A DC_1A_n257A DC_(n)3AA (switchedUlOnly) DC_3A_n77A DC_3A_n257A		
DC_1A-(n)3AA-n77A-n257J	DC_1A_n3A DC_1A_n77A DC_1A_n257A DC_(n)3AA (switchedUlOnly) DC_3A_n77A DC_3A_n257A		
DC_1A-(n)3AA-n77A-n257K	DC_1A_n3A DC_1A_n77A DC_1A_n257A DC_(n)3AA (switchedUlOnly) DC_3A_n77A DC_3A_n257A		
DC_1A-(n)3AA-n77A-n257L	DC_1A_n3A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_1A_n77A DC_1A_n257A DC_(n)3AA (switchedUlOnly) DC_3A_n77A DC_3A_n257A		
DC_1A-(n)3AA-n77A-n257M	DC_1A_n3A DC_1A_n77A DC_1A_n257A DC_(n)3AA (switchedUlOnly) DC_3A_n77A DC_3A_n257A		
DC_1A-(n)3AA-n77(2A)-n257A	DC_1A_n3A DC_1A_n77A DC_1A_n257A DC_(n)3AA (switchedUlOnly) DC_3A_n77A DC_3A_n257A		
DC_1A-(n)3AA-n77(2A)-n257G	DC_1A_n3A DC_1A_n77A DC_1A_n257A DC_(n)3AA (switchedUlOnly) DC_3A_n77A DC_3A_n257A		
DC_1A-(n)3AA-n77(2A)-n257H	DC_1A_n3A DC_1A_n77A DC_1A_n257A DC_(n)3AA (switchedUlOnly) DC_3A_n77A DC_3A_n257A		
DC_1A-(n)3AA-n77(2A)-n257I	DC_1A_n3A DC_1A_n77A DC_1A_n257A DC_(n)3AA (switchedUlOnly) DC_3A_n77A DC_3A_n257A		
DC_1A-(n)3AA-n77(2A)-n257J	DC_1A_n3A DC_1A_n77A DC_1A_n257A DC_(n)3AA (switchedUlOnly) DC_3A_n77A DC_3A_n257A		
DC_1A-(n)3AA-n77(2A)-n257K	DC_1A_n3A DC_1A_n77A DC_1A_n257A DC_(n)3AA (switchedUlOnly) DC_3A_n77A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_3A_n257A		
DC_1A-(n)3AA-n77(2A)-n257L	DC_1A_n3A DC_1A_n77A DC_1A_n257A DC_(n)3AA (switchedUlOnly) DC_3A_n77A DC_3A_n257A		
DC_1A-(n)3AA-n77(2A)-n257M	DC_1A_n3A DC_1A_n77A DC_1A_n257A DC_(n)3AA (switchedUlOnly) DC_3A_n77A DC_3A_n257A		
DC_1A_n8A-n77A-n257A	DC_1A_n8A DC_1A_n77A DC_1A_n257A		
DC_1A_n8A-n77A-n257G	DC_1A_n8A DC_1A_n77A DC_1A_n257A		
DC_1A_n8A-n77A-n257H	DC_1A_n8A DC_1A_n77A DC_1A_n257A		
DC_1A_n8A-n77A-n257I	DC_1A_n8A DC_1A_n77A DC_1A_n257A		
DC_1A_n8A-n77A-n257J	DC_1A_n8A DC_1A_n77A DC_1A_n257A		
DC_1A_n8A-n77A-n257K	DC_1A_n8A DC_1A_n77A DC_1A_n257A		
DC_1A_n8A-n77A-n257L	DC_1A_n8A DC_1A_n77A DC_1A_n257A		
DC_1A_n8A-n77A-n257M	DC_1A_n8A DC_1A_n77A DC_1A_n257A		
DC_1A_n8A-n77(2A)-n257A	DC_1A_n8A DC_1A_n77A DC_1A_n257A		
DC_1A_n8A-n77(2A)-n257G	DC_1A_n8A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_1A_n77A DC_1A_n257A		
DC_1A_n8A-n77(2A)-n257H	DC_1A_n8A DC_1A_n77A DC_1A_n257A		
DC_1A_n8A-n77(2A)-n257I	DC_1A_n8A DC_1A_n77A DC_1A_n257A		
DC_1A_n8A-n77(2A)-n257J	DC_1A_n8A DC_1A_n77A DC_1A_n257A		
DC_1A_n8A-n77(2A)-n257K	DC_1A_n8A DC_1A_n77A DC_1A_n257A		
DC_1A_n8A-n77(2A)-n257L	DC_1A_n8A DC_1A_n77A DC_1A_n257A		
DC_1A_n8A-n77(2A)-n257M	DC_1A_n8A DC_1A_n77A DC_1A_n257A		
DC_2A-2A-5A_n260A	DC_2A_n260A DC_5A_n260A		
DC_2A-2A-5A_n260G	DC_2A_n260A DC_5A_n260A DC_2A_n260G DC_5A_n260G		
DC_2A-2A-5A_n260H	DC_2A_n260A DC_5A_n260A DC_2A_n260G DC_5A_n260G DC_2A_n260H DC_5A_n260H		
DC_2A-2A-5A_n260I	DC_2A_n260A DC_5A_n260A DC_2A_n260G DC_5A_n260G DC_2A_n260H DC_5A_n260H DC_2A_n260I DC_5A_n260I		
DC_2A-2A-5A_n260J	DC_2A_n260A DC_5A_n260A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_2A_n260G DC_5A_n260G DC_2A_n260H DC_5A_n260H DC_2A_n260I DC_5A_n260I DC_2A_n260J DC_5A_n260J		
DC_2A-2A-5A_n260K	DC_2A_n260A DC_5A_n260A DC_2A_n260G DC_5A_n260G DC_2A_n260H DC_5A_n260H DC_2A_n260I DC_5A_n260I DC_2A_n260J DC_5A_n260J DC_2A_n260K DC_5A_n260K		
DC_2A-2A-5A_n260L	DC_2A_n260A DC_5A_n260A DC_2A_n260G DC_5A_n260G DC_2A_n260H DC_5A_n260H DC_2A_n260I DC_5A_n260I DC_2A_n260J DC_5A_n260J DC_2A_n260K DC_5A_n260K DC_2A_n260L DC_5A_n260L		
DC_2A-2A-5A_n260M	DC_2A_n260A DC_5A_n260A DC_2A_n260G DC_5A_n260G DC_2A_n260H DC_5A_n260H DC_2A_n260I DC_5A_n260I DC_2A_n260J DC_5A_n260J DC_2A_n260K DC_5A_n260K DC_2A_n260L DC_5A_n260L DC_2A_n260M DC_5A_n260M		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_2A-2A-12A_n260A	DC_2A_n260A DC_12A_n260A		
DC_2A-2A-12A_n260G	DC_2A_n260A DC_2A_n260G DC_12A_n260A DC_12A_n260G		
DC_2A-2A-12A_n260H	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_12A_n260A DC_12A_n260G DC_12A_n260H		
DC_2A-2A-12A_n260I	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_12A_n260A DC_12A_n260G DC_12A_n260H DC_12A_n260I		
DC_2A-2A-12A_n260J	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_2A_n260J DC_12A_n260A DC_12A_n260G DC_12A_n260H DC_12A_n260I DC_12A_n260J		
DC_2A-2A-12A_n260K	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_2A_n260J DC_2A_n260K DC_12A_n260A DC_12A_n260G DC_12A_n260H DC_12A_n260I DC_12A_n260J DC_12A_n260K		
DC_2A-2A-12A_n260L	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_2A_n260J		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_2A_n260K DC_2A_n260L DC_12A_n260A DC_12A_n260G DC_12A_n260H DC_12A_n260I DC_12A_n260J DC_12A_n260K DC_12A_n260L		
DC_2A-2A-12A_n260M	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_2A_n260J DC_2A_n260K DC_2A_n260L DC_2A_n260M DC_12A_n260A DC_12A_n260G DC_12A_n260H DC_12A_n260I DC_12A_n260J DC_12A_n260K DC_12A_n260L DC_12A_n260M		
DC_2A-2A-13A_n261A	DC_2A_n261A DC_13A_n261A		
DC_2A-2A-13A_n261G	DC_2A_n261A DC_13A_n261A DC_2A_n261G DC_13A_n261G		
DC_2A-2A-13A_n261H	DC_2A_n261A DC_13A_n261A DC_2A_n261G DC_13A_n261G DC_2A_n261H DC_13A_n261H		
DC_2A-2A-13A_n261I	DC_2A_n261A DC_13A_n261A DC_2A_n261G DC_13A_n261G DC_2A_n261H DC_13A_n261H DC_2A_n261I DC_13A_n261I		
DC_2A-2A-13A_n261J	DC_2A_n261A DC_13A_n261A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_2A_n261G DC_13A_n261G DC_2A_n261H DC_13A_n261H DC_2A_n261I DC_13A_n261I DC_2A_n261J DC_13A_n261J		
DC_2A-2A-13A_n261K	DC_2A_n261A DC_13A_n261A DC_2A_n261G DC_13A_n261G DC_2A_n261H DC_13A_n261H DC_2A_n261I DC_13A_n261I DC_2A_n261J DC_13A_n261J DC_2A_n261K DC_13A_n261K		
DC_2A-2A-13A_n261L	DC_2A_n261A DC_13A_n261A DC_2A_n261G DC_13A_n261G DC_2A_n261H DC_13A_n261H DC_2A_n261I DC_13A_n261I DC_2A_n261J DC_13A_n261J DC_2A_n261K DC_13A_n261K DC_2A_n261L DC_13A_n261L		
DC_2A-2A-13A_n261M	DC_2A_n261A DC_13A_n261A DC_2A_n261G DC_13A_n261G DC_2A_n261H DC_13A_n261H DC_2A_n261I DC_13A_n261I DC_2A_n261J DC_13A_n261J DC_2A_n261K DC_13A_n261K DC_2A_n261L DC_13A_n261L DC_2A_n261M DC_13A_n261M		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_2A-2A-14A_n260A	DC_2A_n260A DC_14A_n260A		
DC_2A-2A-14A_n260G	DC_2A_n260A DC_2A_n260G DC_14A_n260A DC_14A_n260G		
DC_2A-2A-14A_n260H	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_14A_n260A DC_14A_n260G DC_14A_n260H		
DC_2A-2A-14A_n260I	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_14A_n260A DC_14A_n260G DC_14A_n260H DC_14A_n260I		
DC_2A-2A-14A_n260J	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_2A_n260J DC_14A_n260A DC_14A_n260G DC_14A_n260H DC_14A_n260I DC_14A_n260J		
DC_2A-2A-14A_n260K	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_2A_n260J DC_2A_n260K DC_14A_n260A DC_14A_n260G DC_14A_n260H DC_14A_n260I DC_14A_n260J DC_14A_n260K		
DC_2A-2A-14A_n260L	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_2A_n260J		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_2A_n260K DC_2A_n260L DC_14A_n260A DC_14A_n260G DC_14A_n260H DC_14A_n260I DC_14A_n260J DC_14A_n260K DC_14A_n260L		
DC_2A-2A-14A_n260M	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_2A_n260J DC_2A_n260K DC_2A_n260L DC_2A_n260M DC_14A_n260A DC_14A_n260G DC_14A_n260H DC_14A_n260I DC_14A_n260J DC_14A_n260K DC_14A_n260L DC_14A_n260M		
DC_2A-2A-29A_n260A	DC_2A_n260A		
DC_2A-2A-29A_n260G	DC_2A_n260A DC_2A_n260G		
DC_2A-2A-29A_n260H	DC_2A_n260A DC_2A_n260G DC_2A_n260H		
DC_2A-2A-29A_n260I	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I		
DC_2A-2A-29A_n260J	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_2A_n260J		
DC_2A-2A-29A_n260K	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_2A_n260J DC_2A_n260K		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_2A-2A-29A_n260L	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_2A_n260J DC_2A_n260K DC_2A_n260L		
DC_2A-2A-29A_n260M	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_2A_n260J DC_2A_n260K DC_2A_n260L DC_2A_n260M		
DC_2A-2A-30A_n260A	DC_2A_n260A DC_30A_n260A		
DC_2A-2A-30A_n260G	DC_2A_n260A DC_2A_n260G DC_30A_n260A DC_30A_n260G		
DC_2A-2A-30A_n260H	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_30A_n260A DC_30A_n260G DC_30A_n260H		
DC_2A-2A-30A_n260I	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_30A_n260A DC_30A_n260G DC_30A_n260H DC_30A_n260I		
DC_2A-2A-30A_n260J	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_2A_n260J DC_30A_n260A DC_30A_n260G DC_30A_n260H DC_30A_n260I DC_30A_n260J		
	DC_2A_n260A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_2A-2A-30A_n260K	DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_2A_n260J DC_2A_n260K DC_30A_n260A DC_30A_n260G DC_30A_n260H DC_30A_n260I DC_30A_n260J DC_30A_n260K		
DC_2A-2A-30A_n260L	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_2A_n260J DC_2A_n260K DC_2A_n260L DC_30A_n260A DC_30A_n260G DC_30A_n260H DC_30A_n260I DC_30A_n260J DC_30A_n260K DC_30A_n260L		
DC_2A-2A-30A_n260M	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_2A_n260J DC_2A_n260K DC_2A_n260L DC_2A_n260M DC_30A_n260A DC_30A_n260G DC_30A_n260H DC_30A_n260I DC_30A_n260J DC_30A_n260K DC_30A_n260L DC_30A_n260M		
DC_2A-2A-46A_n260A	DC_2A_n260A		
DC_2A-2A-46A_n260G	DC_2A_n260A DC_2A_n260G		
DC_2A-2A-46A_n260H	DC_2A_n260A DC_2A_n260G DC_2A_n260H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_2A-2A-46A_n260I	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I		
DC_2A-2A-46A_n260J	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_2A_n260J		
DC_2A-2A-46A_n260K	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_2A_n260J DC_2A_n260K		
DC_2A-2A-46A_n260L	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_2A_n260J DC_2A_n260K DC_2A_n260L		
DC_2A-2A-46A_n260M	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_2A_n260J DC_2A_n260K DC_2A_n260L DC_2A_n260M		
DC_2A-2A-46C_n260A	DC_2A_n260A		
DC_2A-2A-46C_n260G	DC_2A_n260A DC_2A_n260G		
DC_2A-2A-46C_n260H	DC_2A_n260A DC_2A_n260G DC_2A_n260H		
DC_2A-2A-46C_n260I	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I		
DC_2A-2A-46C_n260J	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_2A_n260J		
DC_2A-2A-46C_n260K	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_2A_n260J DC_2A_n260K		
DC_2A-2A-46C_n260L	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_2A_n260J DC_2A_n260K DC_2A_n260L		
DC_2A-2A-46C_n260M	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_2A_n260J DC_2A_n260K DC_2A_n260L DC_2A_n260M		
DC_2A-2A-46D_n260A	DC_2A_n260A		
DC_2A-2A-46D_n260G	DC_2A_n260A DC_2A_n260G		
DC_2A-2A-46D_n260H	DC_2A_n260A DC_2A_n260G DC_2A_n260H		
DC_2A-2A-46D_n260I	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I		
DC_2A-2A-46D_n260J	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_2A_n260J		
DC_2A-2A-46D_n260K	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_2A_n260J DC_2A_n260K		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_2A-2A-46D_n260L	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_2A_n260J DC_2A_n260K DC_2A_n260L		
DC_2A-2A-46D_n260M	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_2A_n260J DC_2A_n260K DC_2A_n260L DC_2A_n260M		
DC_2A-2A-46E_n260A	DC_2A_n260A		
DC_2A-2A-46E_n260G	DC_2A_n260A DC_2A_n260G		
DC_2A-2A-46E_n260H	DC_2A_n260A DC_2A_n260G DC_2A_n260H		
DC_2A-2A-46E_n260I	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I		
DC_2A-2A-46E_n260J	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_2A_n260J		
DC_2A-2A-46E_n260K	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_2A_n260J DC_2A_n260K		
DC_2A-2A-46E_n260L	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_2A_n260J DC_2A_n260K DC_2A_n260L		
	DC_2A_n260A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_2A-2A-46E_n260M	DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_2A_n260J DC_2A_n260K DC_2A_n260L DC_2A_n260M		
DC_2A-2A-66A_n260A	DC_2A_n260A DC_66A_n260A		
DC_2A-2A-66A_n260G	DC_2A_n260A DC_66A_n260A DC_2A_n260G DC_66A_n260G		
DC_2A-2A-66A_n260H	DC_2A_n260A DC_66A_n260A DC_2A_n260G DC_66A_n260G DC_2A_n260H DC_66A_n260H		
DC_2A-2A-66A_n260I	DC_2A_n260A DC_66A_n260A DC_2A_n260G DC_66A_n260G DC_2A_n260H DC_66A_n260H DC_2A_n260I DC_66A_n260I		
DC_2A-2A-66A_n260J	DC_2A_n260A DC_66A_n260A DC_2A_n260G DC_66A_n260G DC_2A_n260H DC_66A_n260H DC_2A_n260I DC_66A_n260I DC_2A_n260J DC_66A_n260J		
DC_2A-2A-66A_n260K	DC_2A_n260A DC_66A_n260A DC_2A_n260G DC_66A_n260G DC_2A_n260H DC_66A_n260H DC_2A_n260I DC_66A_n260I DC_2A_n260J DC_66A_n260J		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_2A_n260K DC_66A_n260K		
DC_2A-2A-66A_n260L	DC_2A_n260A DC_66A_n260A DC_2A_n260G DC_66A_n260G DC_2A_n260H DC_66A_n260H DC_2A_n260I DC_66A_n260I DC_2A_n260J DC_66A_n260J DC_2A_n260K DC_66A_n260K DC_2A_n260L DC_66A_n260L		
DC_2A-2A-66A_n260M	DC_2A_n260A DC_66A_n260A DC_2A_n260G DC_66A_n260G DC_2A_n260H DC_66A_n260H DC_2A_n260I DC_66A_n260I DC_2A_n260J DC_66A_n260J DC_2A_n260K DC_66A_n260K DC_2A_n260L DC_66A_n260L DC_2A_n260M DC_66A_n260M		
DC_2A-2A-66A_n261A	DC_2A_n261A DC_66A_n261A		
DC_2A-2A-66A_n261G	DC_2A_n261A DC_66A_n261A DC_2A_n261G DC_66A_n261G		
DC_2A-2A-66A_n261H	DC_2A_n261A DC_66A_n261A DC_2A_n261G DC_66A_n261G DC_2A_n261H DC_66A_n261H		
DC_2A-2A-66A_n261I	DC_2A_n261A DC_66A_n261A DC_2A_n261G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_66A_n261G DC_2A_n261H DC_66A_n261H DC_2A_n261I DC_66A_n261I		
DC_2A-2A-66A_n261J	DC_2A_n261A DC_66A_n261A DC_2A_n261G DC_66A_n261G DC_2A_n261H DC_66A_n261H DC_2A_n261I DC_66A_n261I DC_2A_n261J DC_66A_n261J		
DC_2A-2A-66A_n261K	DC_2A_n261A DC_66A_n261A DC_2A_n261G DC_66A_n261G DC_2A_n261H DC_66A_n261H DC_2A_n261I DC_66A_n261I DC_2A_n261J DC_66A_n261J DC_2A_n261K DC_66A_n261K		
DC_2A-2A-66A_n261L	DC_2A_n261A DC_66A_n261A DC_2A_n261G DC_66A_n261G DC_2A_n261H DC_66A_n261H DC_2A_n261I DC_66A_n261I DC_2A_n261J DC_66A_n261J DC_2A_n261K DC_66A_n261K DC_2A_n261L DC_66A_n261L		
DC_2A-2A-66A_n261M	DC_2A_n261A DC_66A_n261A DC_2A_n261G DC_66A_n261G DC_2A_n261H DC_66A_n261H DC_2A_n261I DC_66A_n261I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_2A_n261J DC_66A_n261J DC_2A_n261K DC_66A_n261K DC_2A_n261L DC_66A_n261L DC_2A_n261M DC_66A_n261M		
DC_2A-5A-30A_n260A	DC_2A_n260A DC_5A_n260A DC_30A_n260A		
DC_2A-5A-30A_n260G	DC_2A_n260A DC_5A_n260A DC_30A_n260A DC_2A_n260G DC_5A_n260G DC_30A_n260G		
DC_2A-5A-30A_n260H	DC_2A_n260A DC_5A_n260A DC_30A_n260A DC_2A_n260G DC_5A_n260G DC_30A_n260G DC_2A_n260H DC_5A_n260H DC_30A_n260H		
DC_2A-5A-30A_n260I	DC_2A_n260A DC_5A_n260A DC_30A_n260A DC_2A_n260G DC_5A_n260G DC_30A_n260G DC_2A_n260H DC_5A_n260H DC_30A_n260H DC_2A_n260I DC_5A_n260I DC_30A_n260I		
DC_2A-5A-30A_n260J	DC_2A_n260A DC_5A_n260A DC_30A_n260A DC_2A_n260G DC_5A_n260G DC_30A_n260G DC_2A_n260H DC_5A_n260H DC_30A_n260H DC_2A_n260I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_5A_n260I DC_30A_n260I DC_2A_n260J DC_5A_n260J DC_30A_n260J		
DC_2A-5A-30A_n260K	DC_2A_n260A DC_5A_n260A DC_30A_n260A DC_2A_n260G DC_5A_n260G DC_30A_n260G DC_2A_n260H DC_5A_n260H DC_30A_n260H DC_2A_n260I DC_5A_n260I DC_30A_n260I DC_2A_n260J DC_5A_n260J DC_30A_n260J DC_2A_n260K DC_5A_n260K DC_30A_n260K		
DC_2A-5A-30A_n260L	DC_2A_n260A DC_5A_n260A DC_30A_n260A DC_2A_n260G DC_5A_n260G DC_30A_n260G DC_2A_n260H DC_5A_n260H DC_30A_n260H DC_2A_n260I DC_5A_n260I DC_30A_n260I DC_2A_n260J DC_5A_n260J DC_30A_n260J DC_2A_n260K DC_5A_n260K DC_30A_n260K DC_2A_n260L DC_5A_n260L DC_30A_n260L		
DC_2A-5A-30A_n260M	DC_2A_n260A DC_5A_n260A DC_30A_n260A DC_2A_n260G DC_5A_n260G DC_30A_n260G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_2A_n260H DC_5A_n260H DC_30A_n260H DC_2A_n260I DC_5A_n260I DC_30A_n260I DC_2A_n260J DC_5A_n260J DC_30A_n260J DC_2A_n260K DC_5A_n260K DC_30A_n260K DC_2A_n260L DC_5A_n260L DC_30A_n260L DC_2A_n260M DC_5A_n260M DC_30A_n260M		
DC_2A-5A-66A_n260A	DC_2A_n260A DC_5A_n260A DC_66A_n260A		
DC_2A-5A-66A_n260G	DC_2A_n260A DC_5A_n260A DC_66A_n260A DC_2A_n260G DC_5A_n260G DC_66A_n260G		
DC_2A-5A-66A_n260H	DC_2A_n260A DC_5A_n260A DC_66A_n260A DC_2A_n260G DC_5A_n260G DC_66A_n260G DC_2A_n260H DC_5A_n260H DC_66A_n260H		
DC_2A-5A-66A_n260I	DC_2A_n260A DC_5A_n260A DC_66A_n260A DC_2A_n260G DC_5A_n260G DC_66A_n260G DC_2A_n260H DC_5A_n260H DC_66A_n260H DC_2A_n260I DC_5A_n260I DC_66A_n260I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_2A-5A-66A_n260J	DC_2A_n260A DC_5A_n260A DC_66A_n260A DC_2A_n260G DC_5A_n260G DC_66A_n260G DC_2A_n260H DC_5A_n260H DC_66A_n260H DC_2A_n260I DC_5A_n260I DC_66A_n260I DC_2A_n260J DC_5A_n260J DC_66A_n260J		
DC_2A-5A-66A_n260K	DC_2A_n260A DC_5A_n260A DC_66A_n260A DC_2A_n260G DC_5A_n260G DC_66A_n260G DC_2A_n260H DC_5A_n260H DC_66A_n260H DC_2A_n260I DC_5A_n260I DC_66A_n260I DC_2A_n260J DC_5A_n260J DC_66A_n260J DC_2A_n260K DC_5A_n260K DC_66A_n260K		
DC_2A-5A-66A_n260L	DC_2A_n260A DC_5A_n260A DC_66A_n260A DC_2A_n260G DC_5A_n260G DC_66A_n260G DC_2A_n260H DC_5A_n260H DC_66A_n260H DC_2A_n260I DC_5A_n260I DC_66A_n260I DC_2A_n260J DC_5A_n260J DC_66A_n260J DC_2A_n260K DC_5A_n260K DC_66A_n260K		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_2A_n260L DC_5A_n260L DC_66A_n260L		
DC_2A-5A-66A_n260M	DC_2A_n260A DC_5A_n260A DC_66A_n260A DC_2A_n260G DC_5A_n260G DC_66A_n260G DC_2A_n260H DC_5A_n260H DC_66A_n260H DC_2A_n260I DC_5A_n260I DC_66A_n260I DC_2A_n260J DC_5A_n260J DC_66A_n260J DC_2A_n260K DC_5A_n260K DC_66A_n260K DC_2A_n260L DC_5A_n260L DC_66A_n260L DC_2A_n260M DC_5A_n260M DC_66A_n260M		
DC_2A-7A-28A_n258A	DC_2A_n258A DC_7A_n258A DC_28A_n258A		
DC_2A-7A-28A_n258G	DC_2A_n258A DC_2A_n258G DC_7A_n258A DC_7A_n258G DC_28A_n258A DC_28A_n258G		
DC_2A-7A-28A_n258H	DC_2A_n258A DC_2A_n258G DC_2A_n258H DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_28A_n258A DC_28A_n258G DC_28A_n258H		
DC_2A-7A-28A_n258I	DC_2A_n258A DC_2A_n258G DC_2A_n258H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_2A_n258I DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I DC_28A_n258A DC_28A_n258G DC_28A_n258H DC_28A_n258I		
DC_2A-12A-30A_n260A	DC_2A_n260A DC_12A_n260A DC_30A_n260A		
DC_2A-12A-30A_n260G	DC_2A_n260A DC_12A_n260A DC_30A_n260A DC_2A_n260G DC_12A_n260G DC_30A_n260G		
DC_2A-12A-30A_n260H	DC_2A_n260A DC_12A_n260A DC_30A_n260A DC_2A_n260G DC_12A_n260G DC_30A_n260G DC_2A_n260H DC_12A_n260H DC_30A_n260H		
DC_2A-12A-30A_n260I	DC_2A_n260A DC_12A_n260A DC_30A_n260A DC_2A_n260G DC_12A_n260G DC_30A_n260G DC_2A_n260H DC_12A_n260H DC_30A_n260H DC_2A_n260I DC_12A_n260I DC_30A_n260I		
DC_2A-12A-30A_n260J	DC_2A_n260A DC_12A_n260A DC_30A_n260A DC_2A_n260G DC_12A_n260G DC_30A_n260G DC_2A_n260H DC_12A_n260H DC_30A_n260H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_2A_n260I DC_12A_n260I DC_30A_n260I DC_2A_n260J DC_12A_n260J DC_30A_n260J		
DC_2A-12A-30A_n260K	DC_2A_n260A DC_12A_n260A DC_30A_n260A DC_2A_n260G DC_12A_n260G DC_30A_n260G DC_2A_n260H DC_12A_n260H DC_30A_n260H DC_2A_n260I DC_12A_n260I DC_30A_n260I DC_2A_n260J DC_12A_n260J DC_30A_n260J DC_2A_n260K DC_12A_n260K DC_30A_n260K		
DC_2A-12A-30A_n260L	DC_2A_n260A DC_12A_n260A DC_30A_n260A DC_2A_n260G DC_12A_n260G DC_30A_n260G DC_2A_n260H DC_12A_n260H DC_30A_n260H DC_2A_n260I DC_12A_n260I DC_30A_n260I DC_2A_n260J DC_12A_n260J DC_30A_n260J DC_2A_n260K DC_12A_n260K DC_30A_n260K DC_2A_n260L DC_12A_n260L DC_30A_n260L		
DC_2A-12A-30A_n260M	DC_2A_n260A DC_12A_n260A DC_30A_n260A DC_2A_n260G DC_12A_n260G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_30A_n260G DC_2A_n260H DC_12A_n260H DC_30A_n260H DC_2A_n260I DC_12A_n260I DC_30A_n260I DC_2A_n260J DC_12A_n260J DC_30A_n260J DC_2A_n260K DC_12A_n260K DC_30A_n260K DC_2A_n260L DC_12A_n260L DC_30A_n260L DC_2A_n260M DC_12A_n260M DC_30A_n260M		
DC_2A-12A-66A_n260A	DC_2A_n260A DC_12A_n260A DC_66A_n260A		
DC_2A-12A-66A_n260G	DC_2A_n260A DC_12A_n260A DC_66A_n260A DC_2A_n260G DC_12A_n260G DC_66A_n260G		
DC_2A-12A-66A_n260H	DC_2A_n260A DC_12A_n260A DC_66A_n260A DC_2A_n260G DC_12A_n260G DC_66A_n260G DC_2A_n260H DC_12A_n260H DC_66A_n260H		
DC_2A-12A-66A_n260I	DC_2A_n260A DC_12A_n260A DC_66A_n260A DC_2A_n260G DC_12A_n260G DC_66A_n260G DC_2A_n260H DC_12A_n260H DC_66A_n260H DC_2A_n260I DC_12A_n260I DC_66A_n260I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_2A-12A-66A_n260J	DC_2A_n260A DC_12A_n260A DC_66A_n260A DC_2A_n260G DC_12A_n260G DC_66A_n260G DC_2A_n260H DC_12A_n260H DC_66A_n260H DC_2A_n260I DC_12A_n260I DC_66A_n260I DC_2A_n260J DC_12A_n260J DC_66A_n260J		
DC_2A-12A-66A_n260K	DC_2A_n260A DC_12A_n260A DC_66A_n260A DC_2A_n260G DC_12A_n260G DC_66A_n260G DC_2A_n260H DC_12A_n260H DC_66A_n260H DC_2A_n260I DC_12A_n260I DC_66A_n260I DC_2A_n260J DC_12A_n260J DC_66A_n260J DC_2A_n260K DC_12A_n260K DC_66A_n260K		
DC_2A-12A-66A_n260L	DC_2A_n260A DC_12A_n260A DC_66A_n260A DC_2A_n260G DC_12A_n260G DC_66A_n260G DC_2A_n260H DC_12A_n260H DC_66A_n260H DC_2A_n260I DC_12A_n260I DC_66A_n260I DC_2A_n260J DC_12A_n260J DC_66A_n260J DC_2A_n260K DC_12A_n260K DC_66A_n260K		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_2A_n260L DC_12A_n260L DC_66A_n260L		
DC_2A-12A-66A_n260M	DC_2A_n260A DC_12A_n260A DC_66A_n260A DC_2A_n260G DC_12A_n260G DC_66A_n260G DC_2A_n260H DC_12A_n260H DC_66A_n260H DC_2A_n260I DC_12A_n260I DC_66A_n260I DC_2A_n260J DC_12A_n260J DC_66A_n260J DC_2A_n260K DC_12A_n260K DC_66A_n260K DC_2A_n260L DC_12A_n260L DC_66A_n260L DC_2A_n260M DC_12A_n260M DC_66A_n260M		
DC_2A-13A-66A_n260A	DC_2A_n260A DC_13A_n260A DC_66A_n260A		
DC_2A-13A-66A_n260G	DC_2A_n260A DC_2A_n260G DC_13A_n260A DC_13A_n260G DC_66A_n260A DC_66A_n260G		
DC_2A-13A-66A_n260H	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_13A_n260A DC_13A_n260G DC_13A_n260H DC_66A_n260A DC_66A_n260G DC_66A_n260H		
DC_2A-13A-66A_n260I	DC_2A_n260A DC_2A_n260G DC_2A_n260H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_2A_n260I DC_13A_n260A DC_13A_n260G DC_13A_n260H DC_13A_n260I DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I		
DC_2A-13A-66A_n260J	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_2A_n260J DC_13A_n260A DC_13A_n260G DC_13A_n260H DC_13A_n260I DC_13A_n260J DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I DC_66A_n260J		
DC_2A-13A-66A_n260K	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_2A_n260J DC_2A_n260K DC_13A_n260A DC_13A_n260G DC_13A_n260H DC_13A_n260I DC_13A_n260J DC_13A_n260K DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I DC_66A_n260J DC_66A_n260K		
DC_2A-13A-66A_n260L	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_2A_n260J DC_2A_n260K DC_2A_n260L DC_13A_n260A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_13A_n260G DC_13A_n260H DC_13A_n260I DC_13A_n260J DC_13A_n260K DC_13A_n260L DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I DC_66A_n260J DC_66A_n260K DC_66A_n260L		
DC_2A-13A-66A_n260M	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_2A_n260J DC_2A_n260K DC_2A_n260L DC_2A_n260M DC_13A_n260A DC_13A_n260G DC_13A_n260H DC_13A_n260I DC_13A_n260J DC_13A_n260K DC_13A_n260L DC_13A_n260M DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I DC_66A_n260J DC_66A_n260K DC_66A_n260L DC_66A_n260M		
DC_2A-13A-66A_n260(2A)	DC_2A_n260A DC_13A_n260A DC_66A_n260A		
DC_2A-13A-66A_n260(2A-2G)	DC_2A_n260A DC_2A_n260G DC_13A_n260A DC_13A_n260G DC_66A_n260A DC_66A_n260G		
DC_2A-13A-66A_n260(2A-G)	DC_2A_n260A DC_2A_n260G DC_13A_n260A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_13A_n260G DC_66A_n260A DC_66A_n260G		
DC_2A-13A-66A_n260(2G)	DC_2A_n260A DC_2A_n260G DC_13A_n260A DC_13A_n260G DC_66A_n260A DC_66A_n260G		
DC_2A-13A-66A_n260(2H)	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_13A_n260A DC_13A_n260G DC_13A_n260H DC_66A_n260A DC_66A_n260G DC_66A_n260H		
DC_2A-13A-66A_n260(3A)	DC_2A_n260A DC_13A_n260A DC_66A_n260A		
DC_2A-13A-66A_n260(3A-G)	DC_2A_n260A DC_2A_n260G DC_13A_n260A DC_13A_n260G DC_66A_n260A DC_66A_n260G		
DC_2A-13A-66A_n260(4A)	DC_2A_n260A DC_13A_n260A DC_66A_n260A		
DC_2A-13A-66A_n260(5A)	DC_2A_n260A DC_13A_n260A DC_66A_n260A		
DC_2A-13A-66A_n260(6A)	DC_2A_n260A DC_13A_n260A DC_66A_n260A		
DC_2A-13A-66A_n260(A-2G)	DC_2A_n260A DC_2A_n260G DC_13A_n260A DC_13A_n260G DC_66A_n260A DC_66A_n260G		
DC_2A-13A-66A_n260(A-G)	DC_2A_n260A DC_2A_n260G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_13A_n260A DC_13A_n260G DC_66A_n260A DC_66A_n260G		
DC_2A-13A-66A_n260(A-H)	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_13A_n260A DC_13A_n260G DC_13A_n260H DC_66A_n260A DC_66A_n260G DC_66A_n260H		
DC_2A-13A-66A_n260(G-H)	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_13A_n260A DC_13A_n260G DC_13A_n260H DC_66A_n260A DC_66A_n260G DC_66A_n260H		
DC_2A-13A-66A_n261A	DC_2A_n261A DC_13A_n261A DC_66A_n261A		
DC_2A-13A-66A_n261G	DC_2A_n261A DC_2A_n261G DC_13A_n261A DC_13A_n261G DC_66A_n261A DC_66A_n261G		
DC_2A-13A-66A_n261H	DC_2A_n261A DC_2A_n261G DC_2A_n261H DC_13A_n261A DC_13A_n261G DC_13A_n261H DC_66A_n261A DC_66A_n261G DC_66A_n261H		
DC_2A-13A-66A_n261I	DC_2A_n261A DC_2A_n261G DC_2A_n261H DC_2A_n261I DC_13A_n261A DC_13A_n261G DC_13A_n261H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_13A_n261I DC_66A_n261A DC_66A_n261G DC_66A_n261H DC_66A_n261I		
DC_2A-13A-66A_n261J	DC_2A_n261A DC_2A_n261G DC_2A_n261H DC_2A_n261I DC_2A_n261J DC_13A_n261A DC_13A_n261G DC_13A_n261H DC_13A_n261I DC_13A_n261J DC_66A_n261A DC_66A_n261G DC_66A_n261H DC_66A_n261I DC_66A_n261J		
DC_2A-13A-66A_n261K	DC_2A_n261A DC_2A_n261G DC_2A_n261H DC_2A_n261I DC_2A_n261J DC_2A_n261K DC_13A_n261A DC_13A_n261G DC_13A_n261H DC_13A_n261I DC_13A_n261J DC_13A_n261K DC_66A_n261A DC_66A_n261G DC_66A_n261H DC_66A_n261I DC_66A_n261J DC_66A_n261K		
DC_2A-13A-66A_n261L	DC_2A_n261A DC_2A_n261G DC_2A_n261H DC_2A_n261I DC_2A_n261J DC_2A_n261K DC_2A_n261L DC_13A_n261A DC_13A_n261G DC_13A_n261H DC_13A_n261I DC_13A_n261J		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_13A_n261K DC_13A_n261L DC_66A_n261A DC_66A_n261G DC_66A_n261H DC_66A_n261I DC_66A_n261J DC_66A_n261K DC_66A_n261L		
DC_2A-13A-66A_n261M	DC_2A_n261A DC_2A_n261G DC_2A_n261H DC_2A_n261I DC_2A_n261J DC_2A_n261K DC_2A_n261L DC_2A_n261M DC_13A_n261A DC_13A_n261G DC_13A_n261H DC_13A_n261I DC_13A_n261J DC_13A_n261K DC_13A_n261L DC_13A_n261M DC_66A_n261A DC_66A_n261G DC_66A_n261H DC_66A_n261I DC_66A_n261J DC_66A_n261K DC_66A_n261L DC_66A_n261M		
DC_2A-13A-66A_n261(2A)	DC_2A_n261A DC_13A_n261A DC_66A_n261A		
DC_2A-13A-66A_n261(2A-G)	DC_2A_n261A DC_2A_n261G DC_13A_n261A DC_13A_n261G DC_66A_n261A DC_66A_n261G		
DC_2A-13A-66A_n261(2A-H)	DC_2A_n261A DC_2A_n261G DC_2A_n261H DC_13A_n261A DC_13A_n261G DC_13A_n261H DC_66A_n261A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_66A_n261G DC_66A_n261H		
DC_2A-13A-66A_n261(2A-I)	DC_2A_n261A DC_2A_n261G DC_2A_n261H DC_2A_n261I DC_13A_n261A DC_13A_n261G DC_13A_n261H DC_13A_n261I DC_66A_n261A DC_66A_n261G DC_66A_n261H DC_66A_n261I		
DC_2A-13A-66A_n261(2G)	DC_2A_n261A DC_2A_n261G DC_13A_n261A DC_13A_n261G DC_66A_n261A DC_66A_n261G		
DC_2A-13A-66A_n261(2H)	DC_2A_n261A DC_2A_n261G DC_2A_n261H DC_13A_n261A DC_13A_n261G DC_13A_n261H DC_66A_n261A DC_66A_n261G DC_66A_n261H		
DC_2A-13A-66A_n261(3A)	DC_2A_n261A DC_13A_n261A DC_66A_n261A		
DC_2A-13A-66A_n261(3A-G)	DC_2A_n261A DC_2A_n261G DC_13A_n261A DC_13A_n261G DC_66A_n261A DC_66A_n261G		
DC_2A-13A-66A_n261(4A)	DC_2A_n261A DC_13A_n261A DC_66A_n261A		
DC_2A-13A-66A_n261(A-2G)	DC_2A_n261A DC_2A_n261G DC_13A_n261A DC_13A_n261G DC_66A_n261A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_66A_n261G		
DC_2A-13A-66A_n261(A-G)	DC_2A_n261A DC_2A_n261G DC_13A_n261A DC_13A_n261G DC_66A_n261A DC_66A_n261G		
DC_2A-13A-66A_n261(A-G-H)	DC_2A_n261A DC_2A_n261G DC_2A_n261H DC_13A_n261A DC_13A_n261G DC_13A_n261H DC_66A_n261A DC_66A_n261G DC_66A_n261H		
DC_2A-13A-66A_n261(A-G-I)	DC_2A_n261A DC_2A_n261G DC_2A_n261H DC_2A_n261I DC_13A_n261A DC_13A_n261G DC_13A_n261H DC_13A_n261I DC_66A_n261A DC_66A_n261G DC_66A_n261H DC_66A_n261I		
DC_2A-13A-66A_n261(A-H)	DC_2A_n261A DC_2A_n261G DC_2A_n261H DC_13A_n261A DC_13A_n261G DC_13A_n261H DC_66A_n261A DC_66A_n261G DC_66A_n261H		
DC_2A-13A-66A_n261(A-I)	DC_2A_n261A DC_2A_n261G DC_2A_n261H DC_2A_n261I DC_13A_n261A DC_13A_n261G DC_13A_n261H DC_13A_n261I DC_66A_n261A DC_66A_n261G DC_66A_n261H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_66A_n261I		
DC_2A-13A-66A_n261(A-J)	DC_2A_n261A DC_2A_n261G DC_2A_n261H DC_2A_n261I DC_2A_n261J DC_13A_n261A DC_13A_n261G DC_13A_n261H DC_13A_n261I DC_13A_n261J DC_66A_n261A DC_66A_n261G DC_66A_n261H DC_66A_n261I DC_66A_n261J		
DC_2A-13A-66A_n261(A-K)	DC_2A_n261A DC_2A_n261G DC_2A_n261H DC_2A_n261I DC_2A_n261J DC_2A_n261K DC_13A_n261A DC_13A_n261G DC_13A_n261H DC_13A_n261I DC_13A_n261J DC_13A_n261K DC_66A_n261A DC_66A_n261G DC_66A_n261H DC_66A_n261I DC_66A_n261J DC_66A_n261K		
DC_2A-13A-66A_n261(G-H)	DC_2A_n261A DC_2A_n261G DC_2A_n261H DC_13A_n261A DC_13A_n261G DC_13A_n261H DC_66A_n261A DC_66A_n261G DC_66A_n261H		
DC_2A-13A-66A_n261(G-I)	DC_2A_n261A DC_2A_n261G DC_2A_n261H DC_2A_n261I DC_13A_n261A DC_13A_n261G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_13A_n261H DC_13A_n261I DC_66A_n261A DC_66A_n261G DC_66A_n261H DC_66A_n261I		
DC_2A-13A-66A_n261(G-J)	DC_2A_n261A DC_2A_n261G DC_2A_n261H DC_2A_n261I DC_2A_n261J DC_13A_n261A DC_13A_n261G DC_13A_n261H DC_13A_n261I DC_13A_n261J DC_66A_n261A DC_66A_n261G DC_66A_n261H DC_66A_n261I DC_66A_n261J		
DC_2A-13A-66A_n261(H-I)	DC_2A_n261A DC_2A_n261G DC_2A_n261H DC_2A_n261I DC_13A_n261A DC_13A_n261G DC_13A_n261H DC_13A_n261I DC_66A_n261A DC_66A_n261G DC_66A_n261H DC_66A_n261I		
DC_2A-14A-30A_n260A	DC_2A_n260A DC_14A_n260A DC_30A_n260A		
DC_2A-14A-30A_n260G	DC_2A_n260A DC_2A_n260G DC_14A_n260A DC_14A_n260G DC_30A_n260A DC_30A_n260G		
DC_2A-14A-30A_n260H	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_14A_n260A DC_14A_n260G DC_14A_n260H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_30A_n260A DC_30A_n260G DC_30A_n260H		
DC_2A-14A-30A_n260I	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_14A_n260A DC_14A_n260G DC_14A_n260H DC_14A_n260I DC_30A_n260A DC_30A_n260G DC_30A_n260H DC_30A_n260I		
DC_2A-14A-30A_n260J	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_2A_n260J DC_14A_n260A DC_14A_n260G DC_14A_n260H DC_14A_n260I DC_14A_n260J DC_30A_n260A DC_30A_n260G DC_30A_n260H DC_30A_n260I DC_30A_n260J		
DC_2A-14A-30A_n260K	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_2A_n260J DC_2A_n260K DC_14A_n260A DC_14A_n260G DC_14A_n260H DC_14A_n260I DC_14A_n260J DC_14A_n260K DC_30A_n260A DC_30A_n260G DC_30A_n260H DC_30A_n260I DC_30A_n260J DC_30A_n260K		
DC_2A-14A-30A_n260L	DC_2A_n260A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_2A_n260J DC_2A_n260K DC_2A_n260L DC_14A_n260A DC_14A_n260G DC_14A_n260H DC_14A_n260I DC_14A_n260J DC_14A_n260K DC_14A_n260L DC_30A_n260A DC_30A_n260G DC_30A_n260H DC_30A_n260I DC_30A_n260J DC_30A_n260K DC_30A_n260L		
DC_2A-14A-30A_n260M	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_2A_n260J DC_2A_n260K DC_2A_n260L DC_2A_n260M DC_14A_n260A DC_14A_n260G DC_14A_n260H DC_14A_n260I DC_14A_n260J DC_14A_n260K DC_14A_n260L DC_14A_n260M DC_30A_n260A DC_30A_n260G DC_30A_n260H DC_30A_n260I DC_30A_n260J DC_30A_n260K DC_30A_n260L DC_30A_n260M		
DC_2A-14A-66A_n260A	DC_2A_n260A DC_14A_n260A DC_66A_n260A		
DC_2A-14A-66A_n260G	DC_2A_n260A DC_2A_n260G DC_14A_n260A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_14A_n260G DC_66A_n260A DC_66A_n260G		
DC_2A-14A-66A_n260H	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_14A_n260A DC_14A_n260G DC_14A_n260H DC_66A_n260A DC_66A_n260G DC_66A_n260H		
DC_2A-14A-66A_n260I	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_14A_n260A DC_14A_n260G DC_14A_n260H DC_14A_n260I DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I		
DC_2A-14A-66A_n260J	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_2A_n260J DC_14A_n260A DC_14A_n260G DC_14A_n260H DC_14A_n260I DC_14A_n260J DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I DC_66A_n260J		
DC_2A-14A-66A_n260K	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_2A_n260J DC_2A_n260K DC_14A_n260A DC_14A_n260G DC_14A_n260H DC_14A_n260I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_14A_n260J DC_14A_n260K DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I DC_66A_n260J DC_66A_n260K		
DC_2A-14A-66A_n260L	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_2A_n260J DC_2A_n260K DC_2A_n260L DC_14A_n260A DC_14A_n260G DC_14A_n260H DC_14A_n260I DC_14A_n260J DC_14A_n260K DC_14A_n260L DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I DC_66A_n260J DC_66A_n260K DC_66A_n260L		
DC_2A-14A-66A_n260M	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_2A_n260J DC_2A_n260K DC_2A_n260L DC_2A_n260M DC_14A_n260A DC_14A_n260G DC_14A_n260H DC_14A_n260I DC_14A_n260J DC_14A_n260K DC_14A_n260L DC_14A_n260M DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I DC_66A_n260J DC_66A_n260K		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_66A_n260L DC_66A_n260M		
DC_2A-28A_n7A-n258A	DC_2A_n7A DC_2A_n258A DC_28A_n7A DC_28A_n258A		
DC_2A-28A_n7A-n258G	DC_2A_n7A DC_2A_n258A DC_2A_n258G DC_28A_n7A DC_28A_n258A DC_28A_n258G		
DC_2A-28A_n7A-n258H	DC_2A_n7A DC_2A_n258A DC_2A_n258G DC_2A_n258H DC_28A_n7A DC_28A_n258A DC_28A_n258G DC_28A_n258H		
DC_2A-28A_n7A-n258I	DC_2A_n7A DC_2A_n258A DC_2A_n258G DC_2A_n258H DC_2A_n258I DC_28A_n7A DC_28A_n258A DC_28A_n258G DC_28A_n258H DC_28A_n258I		
DC_2A-29A-30A_n260A	DC_2A_n260A DC_30A_n260A		
DC_2A-29A-30A_n260G	DC_2A_n260A DC_30A_n260A DC_2A_n260G DC_30A_n260G		
DC_2A-29A-30A_n260H	DC_2A_n260A DC_30A_n260A DC_2A_n260G DC_30A_n260G DC_2A_n260H DC_30A_n260H		
DC_2A-29A-30A_n260I	DC_2A_n260A DC_30A_n260A DC_2A_n260G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_30A_n260G DC_2A_n260H DC_30A_n260H DC_2A_n260I DC_30A_n260I		
DC_2A-29A-30A_n260J	DC_2A_n260A DC_30A_n260A DC_2A_n260G DC_30A_n260G DC_2A_n260H DC_30A_n260H DC_2A_n260I DC_30A_n260I DC_2A_n260J DC_30A_n260J		
DC_2A-29A-30A_n260K	DC_2A_n260A DC_30A_n260A DC_2A_n260G DC_30A_n260G DC_2A_n260H DC_30A_n260H DC_2A_n260I DC_30A_n260I DC_2A_n260J DC_30A_n260J DC_2A_n260K DC_30A_n260K		
DC_2A-29A-30A_n260L	DC_2A_n260A DC_30A_n260A DC_2A_n260G DC_30A_n260G DC_2A_n260H DC_30A_n260H DC_2A_n260I DC_30A_n260I DC_2A_n260J DC_30A_n260J DC_2A_n260K DC_30A_n260K DC_2A_n260L DC_30A_n260L		
DC_2A-29A-30A_n260M	DC_2A_n260A DC_30A_n260A DC_2A_n260G DC_30A_n260G DC_2A_n260H DC_30A_n260H DC_2A_n260I DC_30A_n260I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_2A_n260J DC_30A_n260J DC_2A_n260K DC_30A_n260K DC_2A_n260L DC_30A_n260L DC_2A_n260M DC_30A_n260M		
DC_2A-29A-66A_n260A	DC_2A_n260A DC_66A_n260A		
DC_2A-29A-66A_n260G	DC_2A_n260A DC_66A_n260A DC_2A_n260G DC_66A_n260G		
DC_2A-29A-66A_n260H	DC_2A_n260A DC_66A_n260A DC_2A_n260G DC_66A_n260G DC_2A_n260H DC_66A_n260H		
DC_2A-29A-66A_n260I	DC_2A_n260A DC_66A_n260A DC_2A_n260G DC_66A_n260G DC_2A_n260H DC_66A_n260H DC_2A_n260I DC_66A_n260I		
DC_2A-29A-66A_n260J	DC_2A_n260A DC_66A_n260A DC_2A_n260G DC_66A_n260G DC_2A_n260H DC_66A_n260H DC_2A_n260I DC_66A_n260I DC_2A_n260J DC_66A_n260J		
DC_2A-29A-66A_n260K	DC_2A_n260A DC_66A_n260A DC_2A_n260G DC_66A_n260G DC_2A_n260H DC_66A_n260H DC_2A_n260I DC_66A_n260I DC_2A_n260J		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_66A_n260J DC_2A_n260K DC_66A_n260K		
DC_2A-29A-66A_n260L	DC_2A_n260A DC_66A_n260A DC_2A_n260G DC_66A_n260G DC_2A_n260H DC_66A_n260H DC_2A_n260I DC_66A_n260I DC_2A_n260J DC_66A_n260J DC_2A_n260K DC_66A_n260K DC_2A_n260L DC_66A_n260L		
DC_2A-29A-66A_n260M	DC_2A_n260A DC_66A_n260A DC_2A_n260G DC_66A_n260G DC_2A_n260H DC_66A_n260H DC_2A_n260I DC_66A_n260I DC_2A_n260J DC_66A_n260J DC_2A_n260K DC_66A_n260K DC_2A_n260L DC_66A_n260L DC_2A_n260M DC_66A_n260M		
DC_2A-30A-66A_n260A	DC_2A_n260A DC_30A_n260A DC_66A_n260A		
DC_2A-30A-66A_n260G	DC_2A_n260A DC_30A_n260A DC_66A_n260A DC_2A_n260G DC_30A_n260G DC_66A_n260G		
DC_2A-30A-66A_n260H	DC_2A_n260A DC_30A_n260A DC_66A_n260A DC_2A_n260G DC_30A_n260G DC_66A_n260G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_2A_n260H DC_30A_n260H DC_66A_n260H		
DC_2A-30A-66A_n260I	DC_2A_n260A DC_30A_n260A DC_66A_n260A DC_2A_n260G DC_30A_n260G DC_66A_n260G DC_2A_n260H DC_30A_n260H DC_66A_n260H DC_2A_n260I DC_30A_n260I DC_66A_n260I		
DC_2A-30A-66A_n260J	DC_2A_n260A DC_30A_n260A DC_66A_n260A DC_2A_n260G DC_30A_n260G DC_66A_n260G DC_2A_n260H DC_30A_n260H DC_66A_n260H DC_2A_n260I DC_30A_n260I DC_66A_n260I DC_2A_n260J DC_30A_n260J DC_66A_n260J		
DC_2A-30A-66A_n260K	DC_2A_n260A DC_30A_n260A DC_66A_n260A DC_2A_n260G DC_30A_n260G DC_66A_n260G DC_2A_n260H DC_30A_n260H DC_66A_n260H DC_2A_n260I DC_30A_n260I DC_66A_n260I DC_2A_n260J DC_30A_n260J DC_66A_n260J DC_2A_n260K DC_30A_n260K DC_66A_n260K		
DC_2A-30A-66A_n260L	DC_2A_n260A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_30A_n260A DC_66A_n260A DC_2A_n260G DC_30A_n260G DC_66A_n260G DC_2A_n260H DC_30A_n260H DC_66A_n260H DC_2A_n260I DC_30A_n260I DC_66A_n260I DC_2A_n260J DC_30A_n260J DC_66A_n260J DC_2A_n260K DC_30A_n260K DC_66A_n260K DC_2A_n260L DC_30A_n260L DC_66A_n260L		
DC_2A-30A-66A_n260M	DC_2A_n260A DC_30A_n260A DC_66A_n260A DC_2A_n260G DC_30A_n260G DC_66A_n260G DC_2A_n260H DC_30A_n260H DC_66A_n260H DC_2A_n260I DC_30A_n260I DC_66A_n260I DC_2A_n260J DC_30A_n260J DC_66A_n260J DC_2A_n260K DC_30A_n260K DC_66A_n260K DC_2A_n260L DC_30A_n260L DC_66A_n260L DC_2A_n260M DC_30A_n260M DC_66A_n260M		
DC_2A-46A-46A_n261A	DC_2A_n261A		
DC_2A-46A-46A_n261G	DC_2A_n261A DC_2A_n261G		
DC_2A-46A-46A_n261H	DC_2A_n261A DC_2A_n261G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_2A_n261H		
DC_2A-46A-46A_n261I	DC_2A_n261A DC_2A_n261G DC_2A_n261H DC_2A_n261I		
DC_2A-46A-46A_n261J	DC_2A_n261A DC_2A_n261G DC_2A_n261H DC_2A_n261I DC_2A_n261J		
DC_2A-46A-46A_n261K	DC_2A_n261A DC_2A_n261G DC_2A_n261H DC_2A_n261I DC_2A_n261J DC_2A_n261K		
DC_2A-46A-46A_n261L	DC_2A_n261A DC_2A_n261G DC_2A_n261H DC_2A_n261I DC_2A_n261J DC_2A_n261K DC_2A_n261L		
DC_2A-46A-46A_n261M	DC_2A_n261A DC_2A_n261G DC_2A_n261H DC_2A_n261I DC_2A_n261J DC_2A_n261K DC_2A_n261L DC_2A_n261M		
DC_2A-46A-46A_n261(2A)	DC_2A_n261A		
DC_2A-46A-46A_n261(2G)	DC_2A_n261A DC_2A_n261G		
DC_2A-46A-46A_n261(2H)	DC_2A_n261A DC_2A_n261G DC_2A_n261H		
DC_2A-46A-46A_n261(A-G)	DC_2A_n261A DC_2A_n261G		
DC_2A-46A-46A_n261(A-H)	DC_2A_n261A DC_2A_n261G DC_2A_n261H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_2A-46A-46A_n261(A-I)	DC_2A_n261A DC_2A_n261G DC_2A_n261H DC_2A_n261I		
DC_2A-46A-46A_n261(A-J)	DC_2A_n261A DC_2A_n261G DC_2A_n261H DC_2A_n261I		
DC_2A-46A-46A_n261(A-K)	DC_2A_n261A DC_2A_n261G DC_2A_n261H DC_2A_n261I		
DC_2A-46A-46A_n261(A-L)	DC_2A_n261A DC_2A_n261G DC_2A_n261H DC_2A_n261I		
DC_2A-46A-46A_n261(G-H)	DC_2A_n261A DC_2A_n261G DC_2A_n261H		
DC_2A-46A-66A_n260A	DC_2A_n260A DC_66A_n260A		
DC_2A-46A-66A_n260G	DC_2A_n260A DC_66A_n260A DC_2A_n260G DC_66A_n260G		
DC_2A-46A-66A_n260H	DC_2A_n260A DC_66A_n260A DC_2A_n260G DC_66A_n260G DC_2A_n260H DC_66A_n260H		
DC_2A-46A-66A_n260I	DC_2A_n260A DC_66A_n260A DC_2A_n260G DC_66A_n260G DC_2A_n260H DC_66A_n260H DC_2A_n260I DC_66A_n260I		
DC_2A-46A-66A_n260J	DC_2A_n260A DC_66A_n260A DC_2A_n260G DC_66A_n260G DC_2A_n260H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_66A_n260H DC_2A_n260I DC_66A_n260I DC_2A_n260J DC_66A_n260J		
DC_2A-46A-66A_n260K	DC_2A_n260A DC_66A_n260A DC_2A_n260G DC_66A_n260G DC_2A_n260H DC_66A_n260H DC_2A_n260I DC_66A_n260I DC_2A_n260J DC_66A_n260J DC_2A_n260K DC_66A_n260K		
DC_2A-46A-66A_n260L	DC_2A_n260A DC_66A_n260A DC_2A_n260G DC_66A_n260G DC_2A_n260H DC_66A_n260H DC_2A_n260I DC_66A_n260I DC_2A_n260J DC_66A_n260J DC_2A_n260K DC_66A_n260K DC_2A_n260L DC_66A_n260L		
DC_2A-46A-66A_n260M	DC_2A_n260A DC_66A_n260A DC_2A_n260G DC_66A_n260G DC_2A_n260H DC_66A_n260H DC_2A_n260I DC_66A_n260I DC_2A_n260J DC_66A_n260J DC_2A_n260K DC_66A_n260K DC_2A_n260L DC_66A_n260L DC_2A_n260M DC_66A_n260M		
DC_2A-46A-66A_n261A	DC_2A_n261A DC_66A_n261A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_2A-46A-66A_n261(2A)	DC_2A_n261A DC_66A_n261A		
DC_2A-46C-66A_n260A	DC_2A_n260A DC_66A_n260A		
DC_2A-46C-66A_n260G	DC_2A_n260A DC_66A_n260A DC_2A_n260G DC_66A_n260G		
DC_2A-46C-66A_n260H	DC_2A_n260A DC_66A_n260A DC_2A_n260G DC_66A_n260G DC_2A_n260H DC_66A_n260H		
DC_2A-46C-66A_n260I	DC_2A_n260A DC_66A_n260A DC_2A_n260G DC_66A_n260G DC_2A_n260H DC_66A_n260H DC_2A_n260I DC_66A_n260I		
DC_2A-46C-66A_n260J	DC_2A_n260A DC_66A_n260A DC_2A_n260G DC_66A_n260G DC_2A_n260H DC_66A_n260H DC_2A_n260I DC_66A_n260I DC_2A_n260J DC_66A_n260J		
DC_2A-46C-66A_n260K	DC_2A_n260A DC_66A_n260A DC_2A_n260G DC_66A_n260G DC_2A_n260H DC_66A_n260H DC_2A_n260I DC_66A_n260I DC_2A_n260J DC_66A_n260J DC_2A_n260K DC_66A_n260K		
DC_2A-46C-66A_n260L	DC_2A_n260A DC_66A_n260A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_2A_n260G DC_66A_n260G DC_2A_n260H DC_66A_n260H DC_2A_n260I DC_66A_n260I DC_2A_n260J DC_66A_n260J DC_2A_n260K DC_66A_n260K DC_2A_n260L DC_66A_n260L		
DC_2A-46C-66A_n260M	DC_2A_n260A DC_66A_n260A DC_2A_n260G DC_66A_n260G DC_2A_n260H DC_66A_n260H DC_2A_n260I DC_66A_n260I DC_2A_n260J DC_66A_n260J DC_2A_n260K DC_66A_n260K DC_2A_n260L DC_66A_n260L DC_2A_n260M DC_66A_n260M		
DC_2A-46C-66A_n261A	DC_2A_n261A DC_66A_n261A		
DC_2A-46C-66A_n261(2A)	DC_2A_n261A DC_66A_n261A		
DC_2A-46D-66A_n260A	DC_2A_n260A DC_66A_n260A		
DC_2A-46D-66A_n260G	DC_2A_n260A DC_66A_n260A DC_2A_n260G DC_66A_n260G		
DC_2A-46D-66A_n260H	DC_2A_n260A DC_66A_n260A DC_2A_n260G DC_66A_n260G DC_2A_n260H DC_66A_n260H		
DC_2A-46D-66A_n260I	DC_2A_n260A DC_66A_n260A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_2A_n260G DC_66A_n260G DC_2A_n260H DC_66A_n260H DC_2A_n260I DC_66A_n260I		
DC_2A-46D-66A_n260J	DC_2A_n260A DC_66A_n260A DC_2A_n260G DC_66A_n260G DC_2A_n260H DC_66A_n260H DC_2A_n260I DC_66A_n260I DC_2A_n260J DC_66A_n260J		
DC_2A-46D-66A_n260K	DC_2A_n260A DC_66A_n260A DC_2A_n260G DC_66A_n260G DC_2A_n260H DC_66A_n260H DC_2A_n260I DC_66A_n260I DC_2A_n260J DC_66A_n260J DC_2A_n260K DC_66A_n260K		
DC_2A-46D-66A_n260L	DC_2A_n260A DC_66A_n260A DC_2A_n260G DC_66A_n260G DC_2A_n260H DC_66A_n260H DC_2A_n260I DC_66A_n260I DC_2A_n260J DC_66A_n260J DC_2A_n260K DC_66A_n260K DC_2A_n260L DC_66A_n260L		
DC_2A-46D-66A_n260M	DC_2A_n260A DC_66A_n260A DC_2A_n260G DC_66A_n260G DC_2A_n260H DC_66A_n260H DC_2A_n260I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_66A_n260I DC_2A_n260J DC_66A_n260J DC_2A_n260K DC_66A_n260K DC_2A_n260L DC_66A_n260L DC_2A_n260M DC_66A_n260M		
DC_2A-46D-66A_n261A	DC_2A_n261A DC_66A_n261A		
DC_2A-46D-66A_n261(2A)	DC_2A_n261A DC_66A_n261A		
DC_2A-46E-66A_n260A	DC_2A_n260A DC_66A_n260A		
DC_2A-46E-66A_n260G	DC_2A_n260A DC_66A_n260A DC_2A_n260G DC_66A_n260G		
DC_2A-46E-66A_n260H	DC_2A_n260A DC_66A_n260A DC_2A_n260G DC_66A_n260G DC_2A_n260H DC_66A_n260H		
DC_2A-46E-66A_n260I	DC_2A_n260A DC_66A_n260A DC_2A_n260G DC_66A_n260G DC_2A_n260H DC_66A_n260H DC_2A_n260I DC_66A_n260I		
DC_2A-46E-66A_n260J	DC_2A_n260A DC_66A_n260A DC_2A_n260G DC_66A_n260G DC_2A_n260H DC_66A_n260H DC_2A_n260I DC_66A_n260I DC_2A_n260J DC_66A_n260J		
DC_2A-46E-66A_n260K	DC_2A_n260A DC_66A_n260A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_2A_n260G DC_66A_n260G DC_2A_n260H DC_66A_n260H DC_2A_n260I DC_66A_n260I DC_2A_n260J DC_66A_n260J DC_2A_n260K DC_66A_n260K		
DC_2A-46E-66A_n260L	DC_2A_n260A DC_66A_n260A DC_2A_n260G DC_66A_n260G DC_2A_n260H DC_66A_n260H DC_2A_n260I DC_66A_n260I DC_2A_n260J DC_66A_n260J DC_2A_n260K DC_66A_n260K DC_2A_n260L DC_66A_n260L		
DC_2A-46E-66A_n260M	DC_2A_n260A DC_66A_n260A DC_2A_n260G DC_66A_n260G DC_2A_n260H DC_66A_n260H DC_2A_n260I DC_66A_n260I DC_2A_n260J DC_66A_n260J DC_2A_n260K DC_66A_n260K DC_2A_n260L DC_66A_n260L DC_2A_n260M DC_66A_n260M		
DC_2A-66A-66A_n260A	DC_2A_n260A DC_66A_n260A		
DC_2A-66A-66A_n260G	DC_2A_n260A DC_66A_n260A DC_2A_n260G DC_66A_n260G		
DC_2A-66A-66A_n260H	DC_2A_n260A DC_66A_n260A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_2A_n260G DC_66A_n260G DC_2A_n260H DC_66A_n260H		
DC_2A-66A-66A_n260I	DC_2A_n260A DC_66A_n260A DC_2A_n260G DC_66A_n260G DC_2A_n260H DC_66A_n260H DC_2A_n260I DC_66A_n260I		
DC_2A-66A-66A_n260J	DC_2A_n260A DC_66A_n260A DC_2A_n260G DC_66A_n260G DC_2A_n260H DC_66A_n260H DC_2A_n260I DC_66A_n260I DC_2A_n260J DC_66A_n260J		
DC_2A-66A-66A_n260K	DC_2A_n260A DC_66A_n260A DC_2A_n260G DC_66A_n260G DC_2A_n260H DC_66A_n260H DC_2A_n260I DC_66A_n260I DC_2A_n260J DC_66A_n260J DC_2A_n260K DC_66A_n260K		
DC_2A-66A-66A_n260L	DC_2A_n260A DC_66A_n260A DC_2A_n260G DC_66A_n260G DC_2A_n260H DC_66A_n260H DC_2A_n260I DC_66A_n260I DC_2A_n260J DC_66A_n260J DC_2A_n260K DC_66A_n260K DC_2A_n260L DC_66A_n260L		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_2A-66A-66A_n260M	DC_2A_n260A DC_66A_n260A DC_2A_n260G DC_66A_n260G DC_2A_n260H DC_66A_n260H DC_2A_n260I DC_66A_n260I DC_2A_n260J DC_66A_n260J DC_2A_n260K DC_66A_n260K DC_2A_n260L DC_66A_n260L DC_2A_n260M DC_66A_n260M		
DC_2A-66A-66A_n261A	DC_2A_n261A DC_66A_n261A		
DC_2A-66A-66A_n261G	DC_2A_n261A DC_66A_n261A DC_2A_n261G DC_66A_n261G		
DC_2A-66A-66A_n261H	DC_2A_n261A DC_66A_n261A DC_2A_n261G DC_66A_n261G DC_2A_n261H DC_66A_n261H		
DC_2A-66A-66A_n261I	DC_2A_n261A DC_66A_n261A DC_2A_n261G DC_66A_n261G DC_2A_n261H DC_66A_n261H DC_2A_n261I DC_66A_n261I		
DC_2A-66A-66A_n261J	DC_2A_n261A DC_66A_n261A DC_2A_n261G DC_66A_n261G DC_2A_n261H DC_66A_n261H DC_2A_n261I DC_66A_n261I DC_2A_n261J DC_66A_n261J		
	DC_2A_n261A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_2A-66A-66A_n261K	DC_66A_n261A DC_2A_n261G DC_66A_n261G DC_2A_n261H DC_66A_n261H DC_2A_n261I DC_66A_n261I DC_2A_n261J DC_66A_n261J DC_2A_n261K DC_66A_n261K		
DC_2A-66A-66A_n261L	DC_2A_n261A DC_66A_n261A DC_2A_n261G DC_66A_n261G DC_2A_n261H DC_66A_n261H DC_2A_n261I DC_66A_n261I DC_2A_n261J DC_66A_n261J DC_2A_n261K DC_66A_n261K DC_2A_n261L DC_66A_n261L		
DC_2A-66A-66A_n261M	DC_2A_n261A DC_66A_n261A DC_2A_n261G DC_66A_n261G DC_2A_n261H DC_66A_n261H DC_2A_n261I DC_66A_n261I DC_2A_n261J DC_66A_n261J DC_2A_n261K DC_66A_n261K DC_2A_n261L DC_66A_n261L DC_2A_n261M DC_66A_n261M		
DC_2A-66A-66A_n261(2A)	DC_2A_n261A DC_66A_n261A		
DC_2A-66A-66A_n261(2A-G)	DC_2A_n261A DC_66A_n261A DC_2A_n261G DC_66A_n261G		
DC_2A-66A-66A_n261(2A-H)	DC_2A_n261A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_66A_n261A DC_2A_n261G DC_66A_n261G DC_2A_n261H DC_66A_n261H		
DC_2A-66A-66A_n261(2A-I)	DC_2A_n261A DC_66A_n261A DC_2A_n261G DC_66A_n261G DC_2A_n261H DC_66A_n261H DC_2A_n261I DC_66A_n261I		
DC_2A-66A-66A_n261(2G)	DC_2A_n261A DC_66A_n261A DC_2A_n261G DC_66A_n261G		
DC_2A-66A-66A_n261(2H)	DC_2A_n261A DC_66A_n261A DC_2A_n261G DC_66A_n261G DC_2A_n261H DC_66A_n261H		
DC_2A-66A-66A_n261(3A)	DC_2A_n261A DC_66A_n261A		
DC_2A-66A-66A_n261(3A-G)	DC_2A_n261A DC_66A_n261A DC_2A_n261G DC_66A_n261G		
DC_2A-66A-66A_n261(4A)	DC_2A_n261A DC_66A_n261A		
DC_2A-66A-66A_n261(A-2G)	DC_2A_n261A DC_66A_n261A DC_2A_n261G DC_66A_n261G		
DC_2A-66A-66A_n261(A-G)	DC_2A_n261A DC_66A_n261A DC_2A_n261G DC_66A_n261G		
DC_2A-66A-66A_n261(A-G-H)	DC_2A_n261A DC_66A_n261A DC_2A_n261G DC_66A_n261G DC_2A_n261H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_66A_n261H		
DC_2A-66A-66A_n261(A-G-I)	DC_2A_n261A DC_66A_n261A DC_2A_n261G DC_66A_n261G DC_2A_n261H DC_66A_n261H DC_2A_n261I DC_66A_n261I		
DC_2A-66A-66A_n261(A-H)	DC_2A_n261A DC_66A_n261A DC_2A_n261G DC_66A_n261G DC_2A_n261H DC_66A_n261H		
DC_2A-66A-66A_n261(A-I)	DC_2A_n261A DC_66A_n261A DC_2A_n261G DC_66A_n261G DC_2A_n261H DC_66A_n261H DC_2A_n261I DC_66A_n261I		
DC_2A-66A-66A_n261(A-J)	DC_2A_n261A DC_66A_n261A DC_2A_n261G DC_66A_n261G DC_2A_n261H DC_66A_n261H DC_2A_n261I DC_66A_n261I		
DC_2A-66A-66A_n261(A-K)	DC_2A_n261A DC_66A_n261A DC_2A_n261G DC_66A_n261G DC_2A_n261H DC_66A_n261H DC_2A_n261I DC_66A_n261I		
DC_2A-66A-66A_n261(A-L)	DC_2A_n261A DC_66A_n261A DC_2A_n261G DC_66A_n261G DC_2A_n261H DC_66A_n261H DC_2A_n261I DC_66A_n261I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_2A-66A-66A_n261(G-H)	DC_2A_n261A DC_66A_n261A DC_2A_n261G DC_66A_n261G DC_2A_n261H DC_66A_n261H		
DC_2A-66A-66A_n261(G-I)	DC_2A_n261A DC_66A_n261A DC_2A_n261G DC_66A_n261G DC_2A_n261H DC_66A_n261H DC_2A_n261I DC_66A_n261I		
DC_2A-66A-66A_n261(G-J)	DC_2A_n261A DC_66A_n261A DC_2A_n261G DC_66A_n261G DC_2A_n261H DC_66A_n261H DC_2A_n261I DC_66A_n261I		
DC_2A-66A-66A_n261(H-I)	DC_2A_n261A DC_66A_n261A DC_2A_n261G DC_66A_n261G DC_2A_n261H DC_66A_n261H DC_2A_n261I DC_66A_n261I		
DC_2A-66A_n41A-n260A	DC_2A_n41A DC_66A_n41A		
DC_2A-66A_n41A-n260(2A)	DC_2A_n41A DC_66A_n41A		
DC_2A-66A_n41A-n260(3A)	DC_2A_n41A DC_66A_n41A		
DC_2A-66A_n41A-n260(4A)	DC_2A_n41A DC_66A_n41A		
DC_2A-66A_n41A-n261A	DC_2A_n41A DC_66A_n41A		
DC_2A-66A_n41A-n261(2A)	DC_2A_n41A DC_66A_n41A		
	DC_2A_n71A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_2A-66A_n71A-n261A	DC_66A_n71A		
DC_2A-66A_n71A-n261(2A)	DC_2A_n71A DC_66A_n71A		
DC_3A-3A-7A_n257A	DC_3A_n257A DC_7A_n257A		
DC_3A-3A-7A_n257D	DC_3A_n257A DC_7A_n257A		
DC_3A-3A-7A_n257E	DC_3A_n257A DC_7A_n257A		
DC_3A-3A-7A_n257F	DC_3A_n257A DC_7A_n257A		
DC_3A-3A-7A_n257G	DC_3A_n257A DC_3A_n257G DC_7A_n257A DC_7A_n257G		
DC_3A-3A-7A_n257H	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_7A_n257A DC_7A_n257G DC_7A_n257H		
DC_3A-3A-7A_n257I	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I		
DC_3A-3A-7A_n257J	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J		
DC_3A-3A-7A_n257K	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_3A_n257J DC_3A_n257K DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_7A_n257K		
DC_3A-3A-7A_n257L	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_7A_n257K		
DC_3A-3A-7A_n257M	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_7A_n257K		
DC_3A-3A-8A_n257A	DC_3A_n257A DC_8A_n257A		
DC_3A-3A-8A_n257D	DC_3A_n257A DC_8A_n257A		
DC_3A-3A-8A_n257E	DC_3A_n257A DC_8A_n257A		
DC_3A-3A-8A_n257F	DC_3A_n257A DC_8A_n257A		
DC_3A-3A-8A_n257G	DC_3A_n257A DC_8A_n257A		
DC_3A-3A-8A_n257H	DC_3A_n257A DC_8A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_3A-3A-8A_n257I	DC_3A_n257A DC_8A_n257A		
DC_3A-3A-8A_n257J	DC_3A_n257A DC_8A_n257A		
DC_3A-3A-8A_n257K	DC_3A_n257A DC_8A_n257A		
DC_3A-3A-8A_n257L	DC_3A_n257A DC_8A_n257A		
DC_3A-3A-8A_n257M	DC_3A_n257A DC_8A_n257A		
DC_3A-3A_n1A-n257A (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A		
DC_3A-3A_n1A-n257D (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A		
DC_3A-3A_n1A-n257E (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A		
DC_3A-3A_n1A-n257F (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A		
DC_3A-3A_n1A-n257G (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A DC_3A_n257G		
DC_3A-3A_n1A-n257H (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A DC_3A_n257G DC_3A_n257H		
DC_3A-3A_n1A-n257I (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I		
DC_3A-3A_n1A-n257J (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J		
DC_3A-3A_n1A-n257K (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A DC_3A_n257G DC_3A_n257H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_3A_n257I DC_3A_n257J DC_3A_n257K		
DC_3A-3A_n1A-n257L (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K		
DC_3A-3A_n1A-n257M (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K		
DC_3A-3A_n8A-n257A (interBandEnDcSimRxTx)	DC_3A_n8A DC_3A_n257A		
DC_3A-3A_n8A-n257G (interBandEnDcSimRxTx)	DC_3A_n8A DC_3A_n257A DC_3A_n257G		
DC_3A-3A_n8A-n257H (interBandEnDcSimRxTx)	DC_3A_n8A DC_3A_n257A DC_3A_n257G DC_3A_n257H		
DC_3A-3A_n8A-n257I (interBandEnDcSimRxTx)	DC_3A_n8A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I		
DC_3A-3A_n8A-n257J (interBandEnDcSimRxTx)	DC_3A_n8A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J		
DC_3A-3A_n8A-n257K (interBandEnDcSimRxTx)	DC_3A_n8A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_3A-3A_n78A-n257A (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A		
DC_3A-3A_n78A-n257D (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A		
DC_3A-3A_n78A-n257E (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A		
DC_3A-3A_n78A-n257F (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A		
DC_3A-3A_n78A-n257G (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A DC_3A_n257G		
DC_3A-3A_n78A-n257H (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H		
DC_3A-3A_n78A-n257I (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I		
DC_3A-3A_n78A-n257J (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J		
DC_3A-3A_n78A-n257K (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K		
DC_3A-3A_n78A-n257L (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K		
DC_3A-3A_n78A-n257M (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A DC_3A_n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K		
DC_3A-5A-7A_n257A (interBandEnDcSimRxTx)	DC_3A_n257A DC_5A_n257A DC_7A_n257A		
DC_3A-5A-7A_n257D	DC_3A_n257A DC_3A_n257D DC_5A_n257A DC_5A_n257D DC_7A_n257A DC_7A_n257D		
DC_3A-5A-7A_n257E	DC_3A_n257A DC_3A_n257D DC_5A_n257A DC_5A_n257D DC_7A_n257A DC_7A_n257D		
DC_3A-5A-7A_n257F	DC_3A_n257A DC_3A_n257D DC_5A_n257A DC_5A_n257D DC_7A_n257A DC_7A_n257D		
DC_3A-5A-7A_n257G	DC_3A_n257A DC_3A_n257G DC_5A_n257A DC_5A_n257G DC_7A_n257A DC_7A_n257G		
DC_3A-5A-7A_n257H	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_5A_n257A DC_5A_n257G DC_5A_n257H DC_7A_n257A DC_7A_n257G DC_7A_n257H		
DC_3A-5A-7A_n257I	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_5A_n257A DC_5A_n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_5A_n257H DC_5A_n257I DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I		
DC_3A-5A-7A_n257J	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_5A_n257A DC_5A_n257G DC_5A_n257H DC_5A_n257I DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I		
DC_3A-5A-7A_n257K	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_5A_n257A DC_5A_n257G DC_5A_n257H DC_5A_n257I DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I		
DC_3A-5A-7A_n257L	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_5A_n257A DC_5A_n257G DC_5A_n257H DC_5A_n257I DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I		
DC_3A-5A-7A_n257M	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_5A_n257A DC_5A_n257G DC_5A_n257H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_5A_n257I DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I		
DC_3A-5A_n78A-n257A	DC_3A_n78A DC_3A_n257A DC_5A_n78A DC_5A_n257A DC_3A_n78A-n257A DC_5A_n78A-n257A		
DC_3A-5A_n78A-n257D	DC_3A_n78A DC_3A_n257A DC_5A_n78A DC_5A_n257A DC_3A_n78A-n257A DC_5A_n78A-n257A		
DC_3A-5A_n78A-n257E	DC_3A_n78A DC_3A_n257A DC_5A_n78A DC_5A_n257A DC_3A_n78A-n257A DC_5A_n78A-n257A		
DC_3A-5A_n78A-n257F	DC_3A_n78A DC_3A_n257A DC_5A_n78A DC_5A_n257A DC_3A_n78A-n257A DC_5A_n78A-n257A		
DC_3A-5A_n78A-n257G	DC_3A_n78A DC_3A_n257A DC_5A_n78A DC_5A_n257A DC_3A_n78A-n257A DC_3A_n78A-n257G DC_5A_n78A-n257A DC_5A_n78A-n257G		
DC_3A-5A_n78A-n257H	DC_3A_n78A DC_3A_n257A DC_5A_n78A DC_5A_n257A DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_3A-5A_n78A-n257I	DC_3A_n78A DC_3A_n257A DC_5A_n78A DC_5A_n257A DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H DC_5A_n78A-n257I		
DC_3A-5A_n78A-n257J	DC_3A_n78A DC_3A_n257A DC_5A_n78A DC_5A_n257A DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H DC_5A_n78A-n257I		
DC_3A-5A_n78A-n257K	DC_3A_n78A DC_3A_n257A DC_5A_n78A DC_5A_n257A DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H DC_5A_n78A-n257I		
DC_3A-5A_n78A-n257L	DC_3A_n78A DC_3A_n257A DC_5A_n78A DC_5A_n257A DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H DC_5A_n78A-n257I		
	DC_3A_n78A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_3A-5A_n78A-n257M	DC_3A_n257A DC_5A_n78A DC_5A_n257A DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H DC_5A_n78A-n257I		
DC_3A-5A_n78C-n257A	DC_3A_n78A-n257A DC_5A_n78A-n257A		
DC_3A-5A_n78C-n257D	DC_3A_n78A-n257A DC_5A_n78A-n257A		
DC_3A-5A_n78C-n257E	DC_3A_n78A-n257A DC_5A_n78A-n257A		
DC_3A-5A_n78C-n257F	DC_3A_n78A-n257A DC_5A_n78A-n257A		
DC_3A-5A_n78C-n257G	DC_3A_n78A-n257A DC_3A_n78A-n257G DC_5A_n78A-n257A DC_5A_n78A-n257G		
DC_3A-5A_n78C-n257H	DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H		
DC_3A-5A_n78C-n257I	DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H DC_5A_n78A-n257I		
DC_3A-5A_n78C-n257J	DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H DC_5A_n78A-n257I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_3A-5A_n78C-n257K	DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H DC_5A_n78A-n257I		
DC_3A-5A_n78C-n257L	DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H DC_5A_n78A-n257I		
DC_3A-5A_n78C-n257M	DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H DC_5A_n78A-n257I		
DC_3A-7A-7A_n257A (interBandEnDcSimRxTx)	DC_3A_n257A DC_7A_n257A		
DC_3A-7A-7A_n257D	DC_3A_n257A DC_3A_n257D DC_7A_n257A DC_7A_n257D		
DC_3A-7A-7A_n257E	DC_3A_n257A DC_3A_n257D DC_7A_n257A DC_7A_n257D		
DC_3A-7A-7A_n257F	DC_3A_n257A DC_3A_n257D DC_7A_n257A DC_7A_n257D		
DC_3A-7A-7A_n257G	DC_3A_n257A DC_3A_n257G DC_7A_n257A DC_7A_n257G		
DC_3A-7A-7A_n257H	DC_3A_n257A DC_3A_n257G DC_3A_n257H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_7A_n257A DC_7A_n257G DC_7A_n257H		
DC_3A-7A-7A_n257I	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I		
DC_3A-7A-7A_n257J	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J		
DC_3A-7A-7A_n257K	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_7A_n257K		
DC_3A-7A-7A_n257L	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_7A_n257K		
DC_3A-7A-7A_n257M	DC_3A_n257A DC_3A_n257G DC_3A_n257H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_7A_n257K		
DC_3A-7A-8A_n257A	DC_3A_n257A DC_7A_n257A DC_8A_n257A		
DC_3A-7A-8A_n257D	DC_3A_n257A DC_7A_n257A DC_8A_n257A		
DC_3A-7A-8A_n257E	DC_3A_n257A DC_7A_n257A DC_8A_n257A		
DC_3A-7A-8A_n257F	DC_3A_n257A DC_7A_n257A DC_8A_n257A		
DC_3A-7A-8A_n257G	DC_3A_n257A DC_7A_n257A DC_8A_n257A		
DC_3A-7A-8A_n257H	DC_3A_n257A DC_7A_n257A DC_8A_n257A		
DC_3A-7A-8A_n257I	DC_3A_n257A DC_7A_n257A DC_8A_n257A		
DC_3A-7A-8A_n257J	DC_3A_n257A DC_7A_n257A DC_8A_n257A		
DC_3A-7A-8A_n257K	DC_3A_n257A DC_7A_n257A DC_8A_n257A		
DC_3A-7A-8A_n257L	DC_3A_n257A DC_7A_n257A DC_8A_n257A		
DC_3A-7A-8A_n257M	DC_3A_n257A DC_7A_n257A DC_8A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_3A-7A-8A_n258A	DC_3A_n258A DC_7A_n258A DC_8A_n258A		
DC_3A-7A-8A_n258D	DC_3A_n258A DC_7A_n258A DC_8A_n258A		
DC_3A-7A-8A_n258E	DC_3A_n258A DC_7A_n258A DC_8A_n258A		
DC_3A-7A-8A_n258F	DC_3A_n258A DC_7A_n258A DC_8A_n258A		
DC_3A-7A-8A_n258G	DC_3A_n258A DC_7A_n258A DC_8A_n258A		
DC_3A-7A-8A_n258H	DC_3A_n258A DC_7A_n258A DC_8A_n258A		
DC_3A-7A-8A_n258I	DC_3A_n258A DC_7A_n258A DC_8A_n258A		
DC_3A-7A-8A_n258J	DC_3A_n258A DC_7A_n258A DC_8A_n258A		
DC_3A-7A-8A_n258K	DC_3A_n258A DC_7A_n258A DC_8A_n258A		
DC_3A-7A-8A_n258L	DC_3A_n258A DC_7A_n258A DC_8A_n258A		
DC_3A-7A-8A_n258M	DC_3A_n258A DC_7A_n258A DC_8A_n258A		
DC_3A-7A-28A_n257A	DC_3A_n257A DC_7A_n257A DC_28A_n257A		
DC_3A-7A-28A_n257G	DC_3A_n257A DC_7A_n257A DC_28A_n257A		
	DC_3A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_3A-7A-28A_n257H	DC_7A_n257A DC_28A_n257A		
DC_3A-7A-28A_n257I	DC_3A_n257A DC_7A_n257A DC_28A_n257A		
DC_3A-7A-28A_n258A	DC_3A_n258A DC_7A_n258A DC_28A_n258A		
DC_3A-7A-28A_n258B	DC_3A_n258A DC_7A_n258A DC_28A_n258A		
DC_3A-7A-28A_n258C	DC_3A_n258A DC_7A_n258A DC_28A_n258A		
DC_3A-7A-28A_n258D	DC_3A_n258A DC_7A_n258A DC_28A_n258A		
DC_3A-7A-28A_n258E	DC_3A_n258A DC_7A_n258A DC_28A_n258A		
DC_3A-7A-28A_n258F	DC_3A_n258A DC_7A_n258A DC_28A_n258A		
DC_3A-7A-28A_n258G	DC_3A_n258A DC_3A_n258G DC_7A_n258A DC_7A_n258G DC_28A_n258A DC_28A_n258G		
DC_3A-7A-28A_n258H	DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_28A_n258A DC_28A_n258G DC_28A_n258H		
DC_3A-7A-28A_n258I	DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I DC_7A_n258A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_7A_n258G DC_7A_n258H DC_7A_n258I DC_28A_n258A DC_28A_n258G DC_28A_n258H DC_28A_n258I		
DC_3A-7A-28A_n258J	DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I DC_28A_n258A DC_28A_n258G DC_28A_n258H DC_28A_n258I		
DC_3A-7A-28A_n258K	DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I DC_28A_n258A DC_28A_n258G DC_28A_n258H DC_28A_n258I		
DC_3A-7A-28A_n258L	DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I DC_28A_n258A DC_28A_n258G DC_28A_n258H DC_28A_n258I		
DC_3A-7A-28A_n258M	DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I DC_7A_n258A DC_7A_n258G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_7A_n258H DC_7A_n258I DC_28A_n258A DC_28A_n258G DC_28A_n258H DC_28A_n258I		
DC_3A-7A_n1A-n257A (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A DC_7A_n1A DC_7A_n257A		
DC_3A-7A_n1A-n257D (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A DC_7A_n1A DC_7A_n257A		
DC_3A-7A_n1A-n257E (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A DC_7A_n1A DC_7A_n257A		
DC_3A-7A_n1A-n257F (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A DC_7A_n1A DC_7A_n257A		
DC_3A-7A_n1A-n257G (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A DC_3A_n257G DC_7A_n1A DC_7A_n257A DC_7A_n257G		
DC_3A-7A_n1A-n257H (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_7A_n1A DC_7A_n257A DC_7A_n257G DC_7A_n257H		
DC_3A-7A_n1A-n257I (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_7A_n1A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_3A-7A_n1A-n257J (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_7A_n1A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J		
DC_3A-7A_n1A-n257K (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_7A_n1A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_7A_n257K		
DC_3A-7A_n1A-n257L (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_7A_n1A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_7A_n257K		
DC_3A-7A_n1A-n257M (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_7A_n1A DC_7A_n257A DC_7A_n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_7A_n257K		
DC_3A-7A_n8A-n257A (interBandEnDcSimRxTx)	DC_3A_n8A DC_3A_n257A DC_7A_n8A DC_7A_n257A		
DC_3A-7A_n8A-n257G (interBandEnDcSimRxTx)	DC_3A_n8A DC_3A_n257A DC_3A_n257G DC_7A_n8A DC_7A_n257A DC_7A_n257G		
DC_3A-7A_n8A-n257H (interBandEnDcSimRxTx)	DC_3A_n8A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_7A_n8A DC_7A_n257A DC_7A_n257G DC_7A_n257H		
DC_3A-7A_n8A-n257I (interBandEnDcSimRxTx)	DC_3A_n8A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_7A_n8A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I		
DC_3A-7A_n8A-n257J (interBandEnDcSimRxTx)	DC_3A_n8A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_7A_n8A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J		
DC_3A-7A_n8A-n257K (interBandEnDcSimRxTx)	DC_3A_n8A DC_3A_n257A DC_3A_n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_7A_n8A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_7A_n257K		
DC_3A-7A_n38A-n257A	DC_3A_n38A DC_3A_n257A DC_7A_n38A DC_7A_n257A		
DC_3A-7A_n38A-n257G	DC_3A_n38A DC_3A_n257A DC_3A_n257G DC_7A_n38A DC_7A_n257A DC_7A_n257G		
DC_3A-7A_n38A-n257H	DC_3A_n38A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_7A_n38A DC_7A_n257A DC_7A_n257G DC_7A_n257H		
DC_3A-7A_n38A-n257I	DC_3A_n38A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_7A_n38A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I		
DC_3A-7A_n40A-n258A	DC_3A_n40A DC_7A_n40A DC_3A_n258A DC_7A_n258A		
DC_3A-7A_n40A-n258D	DC_3A_n40A DC_7A_n40A DC_3A_n258A DC_7A_n258A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_3A-7A_n40A-n258E	DC_3A_n40A DC_7A_n40A DC_3A_n258A DC_7A_n258A		
DC_3A-7A_n40A-n258F	DC_3A_n40A DC_7A_n40A DC_3A_n258A DC_7A_n258A		
DC_3A-7A_n40A-n258G	DC_3A_n40A DC_7A_n40A DC_3A_n258A DC_7A_n258A		
DC_3A-7A_n40A-n258H	DC_3A_n40A DC_7A_n40A DC_3A_n258A DC_7A_n258A		
DC_3A-7A_n40A-n258I	DC_3A_n40A DC_7A_n40A DC_3A_n258A DC_7A_n258A		
DC_3A-7A_n40A-n258J	DC_3A_n40A DC_7A_n40A DC_3A_n258A DC_7A_n258A		
DC_3A-7A_n40A-n258K	DC_3A_n40A DC_7A_n40A DC_3A_n258A DC_7A_n258A		
DC_3A-7A_n40A-n258L	DC_3A_n40A DC_7A_n40A DC_3A_n258A DC_7A_n258A		
DC_3A-7A_n40A-n258M	DC_3A_n40A DC_7A_n40A DC_3A_n258A DC_7A_n258A		
DC_3A-7A_n78A-n257A (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A DC_7A_n78A DC_7A_n257A DC_3A_n78A-n257A DC_7A_n78A-n257A		
	DC_3A_n78A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_3A-7A_n78A-n257D (interBandEnDcSimRxTx)	DC_3A_n257A DC_7A_n78A DC_7A_n257A DC_3A_n78A-n257A DC_7A_n78A-n257A		
DC_3A-7A_n78A-n257E (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A DC_7A_n78A DC_7A_n257A DC_3A_n78A-n257A DC_7A_n78A-n257A		
DC_3A-7A_n78A-n257F (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A DC_7A_n78A DC_7A_n257A DC_3A_n78A-n257A DC_7A_n78A-n257A		
DC_3A-7A_n78A-n257G (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_7A_n78A DC_7A_n257A DC_7A_n257G DC_3A_n78A-n257A DC_3A_n78A-n257G DC_7A_n78A-n257A DC_7A_n78A-n257G		
DC_3A-7A_n78A-n257H (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_7A_n78A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H		
DC_3A-7A_n78A-n257I (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_7A_n78A DC_7A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_3A-7A_n78A-n257J (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_7A_n78A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_3A-7A_n78A-n257K (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_7A_n78A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_7A_n257K DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_3A-7A_n78A-n257L (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_7A_n78A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_7A_n257K DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_3A-7A_n78A-n257M (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_7A_n78A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_7A_n257K DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_3A-7A_n78A-n258A	DC_3A_n78A DC_3A_n258A DC_7A_n78A DC_7A_n258A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_3A-7A_n78A-n258D	DC_3A_n78A DC_3A_n258A DC_3A_n258D DC_7A_n78A DC_7A_n258A DC_7A_n258D		
DC_3A-7A_n78A-n258E	DC_3A_n78A DC_3A_n258A DC_3A_n258D DC_3A_n258E DC_7A_n78A DC_7A_n258A DC_7A_n258D DC_7A_n258E		
DC_3A-7A_n78A-n258F	DC_3A_n78A DC_3A_n258A DC_3A_n258D DC_3A_n258E DC_3A_n258F DC_7A_n78A DC_7A_n258A DC_7A_n258D DC_7A_n258E DC_7A_n258F		
DC_3A-7A_n78A-n258G	DC_3A_n78A DC_3A_n258A DC_3A_n258G DC_7A_n78A DC_7A_n258A DC_7A_n258G		
DC_3A-7A_n78A-n258H	DC_3A_n78A DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_7A_n78A DC_7A_n258A DC_7A_n258G DC_7A_n258H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_3A-7A_n78A-n258I	DC_3A_n78A DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I DC_7A_n78A DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I		
DC_3A-7A_n78A-n258J	DC_3A_n78A DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I DC_7A_n78A DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I		
DC_3A-7A_n78A-n258K	DC_3A_n78A DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I DC_7A_n78A DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I		
DC_3A-7A_n78A-n258L	DC_3A_n78A DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I DC_7A_n78A DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I		
DC_3A-7A_n78A-n258M	DC_3A_n78A DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I DC_7A_n78A DC_7A_n258A DC_7A_n258G DC_7A_n258H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_7A_n258I		
DC_3A-7A_n78C-n257A	DC_3A_n78A DC_3A_n257A DC_7A_n78A DC_7A_n257A DC_3A_n78A-n257A DC_7A_n78A-n257A		
DC_3A-7A_n78C-n257D	DC_3A_n78A DC_3A_n257A DC_7A_n78A DC_7A_n257A DC_3A_n78A-n257A DC_7A_n78A-n257A		
DC_3A-7A_n78C-n257E	DC_3A_n78A DC_3A_n257A DC_7A_n78A DC_7A_n257A DC_3A_n78A-n257A DC_7A_n78A-n257A		
DC_3A-7A_n78C-n257F	DC_3A_n78A DC_3A_n257A DC_7A_n78A DC_7A_n257A DC_3A_n78A-n257A DC_7A_n78A-n257A		
DC_3A-7A_n78C-n257G	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_7A_n78A DC_7A_n257A DC_7A_n257G DC_3A_n78A-n257A DC_3A_n78A-n257G DC_7A_n78A-n257A DC_7A_n78A-n257G		
DC_3A-7A_n78C-n257H	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_7A_n78A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_7A_n78A-n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_7A_n78A-n257G DC_7A_n78A-n257H		
DC_3A-7A_n78C-n257I	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_7A_n78A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_3A-7A_n78C-n257J	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_7A_n78A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_3A-7A_n78C-n257K	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_7A_n78A DC_7A_n257A DC_7A_n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_7A_n257K DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_3A-7A_n78C-n257L	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_7A_n78A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_7A_n257K DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_3A-7A_n78C-n257M	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_7A_n78A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_7A_n257K DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_3A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_3A-7A_n105A-n257A	DC_3A_n105A DC_3A_n257A DC_7A_n105A DC_7A_n257A		
DC_3A-7A_n105A-n258A	DC_3A_n105A DC_3A_n258A DC_7A_n105A DC_7A_n258A		
DC_3A-7C-28A_n258A	DC_3A_n258A DC_7A_n258A DC_7C_n258A DC_28A_n258A		
DC_3A-7C-28A_n258B	DC_3A_n258A DC_7A_n258A DC_7C_n258A DC_28A_n258A		
DC_3A-7C-28A_n258C	DC_3A_n258A DC_7A_n258A DC_7C_n258A DC_28A_n258A		
DC_3A-7C-28A_n258D	DC_3A_n258A DC_7A_n258A DC_7C_n258A DC_28A_n258A		
DC_3A-7C-28A_n258E	DC_3A_n258A DC_7A_n258A DC_7C_n258A DC_28A_n258A		
DC_3A-7C-28A_n258F	DC_3A_n258A DC_7A_n258A DC_7C_n258A DC_28A_n258A		
DC_3A-7C-28A_n258G	DC_3A_n258A DC_3A_n258G DC_7A_n258A DC_7A_n258G DC_7C_n258A DC_7C_n258G DC_28A_n258A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_28A_n258G		
DC_3A-7C-28A_n258H	DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7C_n258A DC_7C_n258G DC_7C_n258H DC_28A_n258A DC_28A_n258G DC_28A_n258H		
DC_3A-7C-28A_n258I	DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I DC_7C_n258A DC_7C_n258G DC_7C_n258H DC_7C_n258I DC_28A_n258A DC_28A_n258G DC_28A_n258H DC_28A_n258I		
DC_3A-7C-28A_n258J	DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I DC_7C_n258A DC_7C_n258G DC_7C_n258H DC_7C_n258I DC_28A_n258A DC_28A_n258G DC_28A_n258H DC_28A_n258I		
DC_3A-7C-28A_n258K	DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I DC_7C_n258A DC_7C_n258G DC_7C_n258H DC_7C_n258I DC_28A_n258A DC_28A_n258G DC_28A_n258H DC_28A_n258I		
DC_3A-7C-28A_n258L	DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I DC_7C_n258A DC_7C_n258G DC_7C_n258H DC_7C_n258I DC_28A_n258A DC_28A_n258G DC_28A_n258H DC_28A_n258I		
DC_3A-7C-28A_n258M	DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I DC_7C_n258A DC_7C_n258G DC_7C_n258H DC_7C_n258I DC_28A_n258A DC_28A_n258G DC_28A_n258H DC_28A_n258I		
DC_3A-8A-11A_n257A	DC_3A_n257A DC_8A_n257A DC_11A_n257A		
DC_3A-8A-11A_n257G	DC_3A_n257A DC_3A_n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_8A_n257A DC_8A_n257G DC_11A_n257A DC_11A_n257G		
DC_3A-8A-11A_n257H	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_11A_n257A DC_11A_n257G DC_11A_n257H		
DC_3A-8A-11A_n257I	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I DC_11A_n257A DC_11A_n257G DC_11A_n257H DC_11A_n257I		
DC_3A-8A_n1A-n257A (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A DC_8A_n1A DC_8A_n257A		
DC_3A-8A_n1A-n257D (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A DC_8A_n1A DC_8A_n257A		
DC_3A-8A_n1A-n257E (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A DC_8A_n1A DC_8A_n257A		
DC_3A-8A_n1A-n257F (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A DC_8A_n1A DC_8A_n257A		
DC_3A-8A_n1A-n257G (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A DC_3A_n257G DC_8A_n1A DC_8A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_8A_n257G		
DC_3A-8A_n1A-n257H (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_8A_n1A DC_8A_n257A DC_8A_n257G DC_8A_n257H		
DC_3A-8A_n1A-n257I (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_8A_n1A DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I		
DC_3A-8A_n1A-n257J (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_8A_n1A DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I DC_8A_n257J		
DC_3A-8A_n1A-n257K (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_8A_n1A DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I DC_8A_n257J DC_8A_n257K		
DC_3A-8A_n1A-n257L (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A DC_3A_n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_8A_n1A DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I DC_8A_n257J DC_8A_n257K		
DC_3A-8A_n1A-n257M (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_8A_n1A DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I DC_8A_n257J DC_8A_n257K		
DC_3A-8A_n40A-n258A	DC_3A_n40A DC_3A_n258A DC_8A_n40A DC_8A_n258A		
DC_3A-8A_n40A-n258D	DC_3A_n40A DC_3A_n258A DC_8A_n40A DC_8A_n258A		
DC_3A-8A_n40A-n258E	DC_3A_n40A DC_3A_n258A DC_8A_n40A DC_8A_n258A		
DC_3A-8A_n40A-n258F	DC_3A_n40A DC_3A_n258A DC_8A_n40A DC_8A_n258A		
DC_3A-8A_n40A-n258G	DC_3A_n40A DC_3A_n258A DC_8A_n40A DC_8A_n258A		
DC_3A-8A_n40A-n258H	DC_3A_n40A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_3A_n258A DC_8A_n40A DC_8A_n258A		
DC_3A-8A_n40A-n258I	DC_3A_n40A DC_3A_n258A DC_8A_n40A DC_8A_n258A		
DC_3A-8A_n40A-n258J	DC_3A_n40A DC_3A_n258A DC_8A_n40A DC_8A_n258A		
DC_3A-8A_n40A-n258K	DC_3A_n40A DC_3A_n258A DC_8A_n40A DC_8A_n258A		
DC_3A-8A_n40A-n258L	DC_3A_n40A DC_3A_n258A DC_8A_n40A DC_8A_n258A		
DC_3A-8A_n40A-n258M	DC_3A_n40A DC_3A_n258A DC_8A_n40A DC_8A_n258A		
DC_3A-8A_n77A-n257A	DC_3A_n77A DC_3A_n257A DC_8A_n77A DC_8A_n257A		
DC_3A-8A_n77A-n257G	DC_3A_n77A DC_3A_n257A DC_8A_n77A DC_8A_n257A		
DC_3A-8A_n77A-n257H	DC_3A_n77A DC_3A_n257A DC_8A_n77A DC_8A_n257A		
DC_3A-8A_n77A-n257I	DC_3A_n77A DC_3A_n257A DC_8A_n77A DC_8A_n257A		
DC_3A-8A_n77A-n257J	DC_3A_n77A DC_3A_n257A DC_8A_n77A DC_8A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_3A-8A_n77A-n257K	DC_3A_n77A DC_3A_n257A DC_8A_n77A DC_8A_n257A		
DC_3A-8A_n77A-n257L	DC_3A_n77A DC_3A_n257A DC_8A_n77A DC_8A_n257A		
DC_3A-8A_n77A-n257M	DC_3A_n77A DC_3A_n257A DC_8A_n77A DC_8A_n257A		
DC_3A-8A_n77(2A)-n257A	DC_3A_n77A DC_3A_n257A DC_8A_n77A DC_8A_n257A		
DC_3A-8A_n77(2A)-n257G	DC_3A_n77A DC_3A_n257A DC_8A_n77A DC_8A_n257A		
DC_3A-8A_n77(2A)-n257H	DC_3A_n77A DC_3A_n257A DC_8A_n77A DC_8A_n257A		
DC_3A-8A_n77(2A)-n257I	DC_3A_n77A DC_3A_n257A DC_8A_n77A DC_8A_n257A		
DC_3A-8A_n77(2A)-n257J	DC_3A_n77A DC_3A_n257A DC_8A_n77A DC_8A_n257A		
DC_3A-8A_n77(2A)-n257K	DC_3A_n77A DC_3A_n257A DC_8A_n77A DC_8A_n257A		
DC_3A-8A_n77(2A)-n257L	DC_3A_n77A DC_3A_n257A DC_8A_n77A DC_8A_n257A		
DC_3A-8A_n77(2A)-n257M	DC_3A_n77A DC_3A_n257A DC_8A_n77A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_8A_n257A		
DC_3A-8A_n78A-n257A (interBandEnDcSimRxTx)	DC_3A_n78A DC_8A_n78A DC_3A_n257A DC_8A_n257A		
DC_3A-8A_n78A-n257D (interBandEnDcSimRxTx)	DC_3A_n78A DC_8A_n78A DC_3A_n257A DC_8A_n257A		
DC_3A-8A_n78A-n257E (interBandEnDcSimRxTx)	DC_3A_n78A DC_8A_n78A DC_3A_n257A DC_8A_n257A		
DC_3A-8A_n78A-n257F (interBandEnDcSimRxTx)	DC_3A_n78A DC_8A_n78A DC_3A_n257A DC_8A_n257A		
DC_3A-8A_n78A-n257G (interBandEnDcSimRxTx)	DC_3A_n78A DC_8A_n78A DC_3A_n257A DC_8A_n257A DC_3A_n257G DC_8A_n257G		
DC_3A-8A_n78A-n257H (interBandEnDcSimRxTx)	DC_3A_n78A DC_8A_n78A DC_3A_n257A DC_8A_n257A DC_3A_n257G DC_3A_n257H DC_8A_n257G DC_8A_n257H		
DC_3A-8A_n78A-n257I (interBandEnDcSimRxTx)	DC_3A_n78A DC_8A_n78A DC_3A_n257A DC_8A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_8A_n257G DC_8A_n257H DC_8A_n257I		
DC_3A-8A_n78A-n257J (interBandEnDcSimRxTx)	DC_3A_n78A DC_8A_n78A DC_3A_n257A DC_8A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_8A_n257G DC_8A_n257H DC_8A_n257I DC_8A_n257J		
DC_3A-8A_n78A-n257K (interBandEnDcSimRxTx)	DC_3A_n78A DC_8A_n78A DC_3A_n257A DC_8A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_8A_n257G DC_8A_n257H DC_8A_n257I DC_8A_n257J DC_8A_n257K		
DC_3A-8A_n78A-n257L (interBandEnDcSimRxTx)	DC_3A_n78A DC_8A_n78A DC_3A_n257A DC_8A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_8A_n257G DC_8A_n257H DC_8A_n257I DC_8A_n257J DC_8A_n257K		
DC_3A-8A_n78A-n257M (interBandEnDcSimRxTx)	DC_3A_n78A DC_8A_n78A DC_3A_n257A DC_8A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_8A_n257G DC_8A_n257H DC_8A_n257I DC_8A_n257J DC_8A_n257K		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_3A-8A_n78A-n258A	DC_3A_n78A DC_3A_n258A DC_8A_n78A DC_8A_n258A		
DC_3A-8A_n78A-n258D	DC_3A_n78A DC_3A_n258A DC_8A_n78A DC_8A_n258A		
DC_3A-8A_n78A-n258E	DC_3A_n78A DC_3A_n258A DC_8A_n78A DC_8A_n258A		
DC_3A-8A_n78A-n258F	DC_3A_n78A DC_3A_n258A DC_8A_n78A DC_8A_n258A		
DC_3A-8A_n78A-n258G	DC_3A_n78A DC_3A_n258A DC_8A_n78A DC_8A_n258A		
DC_3A-8A_n78A-n258H	DC_3A_n78A DC_3A_n258A DC_8A_n78A DC_8A_n258A		
DC_3A-8A_n78A-n258I	DC_3A_n78A DC_3A_n258A DC_8A_n78A DC_8A_n258A		
DC_3A-8A_n78A-n258J	DC_3A_n78A DC_3A_n258A DC_8A_n78A DC_8A_n258A		
DC_3A-8A_n78A-n258K	DC_3A_n78A DC_3A_n258A DC_8A_n78A DC_8A_n258A		
DC_3A-8A_n78A-n258L	DC_3A_n78A DC_3A_n258A DC_8A_n78A DC_8A_n258A		
DC_3A-8A_n78A-n258M	DC_3A_n78A DC_3A_n258A DC_8A_n78A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_8A_n258A		
DC_3A-18A-42A_n257A	DC_3A_n257A DC_18A_n257A DC_42A_n257A		
DC_3A-18A-42A_n257D	DC_3A_n257A DC_18A_n257A DC_42A_n257A		
DC_3A-18A-42A_n257E	DC_3A_n257A DC_18A_n257A DC_42A_n257A		
DC_3A-18A-42A_n257F	DC_3A_n257A DC_18A_n257A DC_42A_n257A		
DC_3A-18A-42A_n257G	DC_3A_n257A DC_3A_n257G DC_18A_n257A DC_18A_n257G DC_42A_n257A DC_42A_n257G		
DC_3A-18A-42A_n257H	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_18A_n257A DC_18A_n257G DC_18A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H		
DC_3A-18A-42A_n257I	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_18A_n257A DC_18A_n257G DC_18A_n257H DC_18A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_3A-18A-42A_n257J	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_18A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_18A_n257G DC_18A_n257H DC_18A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_3A-18A-42A_n257K	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_18A_n257A DC_18A_n257G DC_18A_n257H DC_18A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_3A-18A-42A_n257L	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_18A_n257A DC_18A_n257G DC_18A_n257H DC_18A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_3A-18A-42A_n257M	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_18A_n257A DC_18A_n257G DC_18A_n257H DC_18A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_3A-18A-42C_n257A	DC_3A_n257A DC_18A_n257A DC_42A_n257A DC_42C_n257A		
DC_3A-18A-42C_n257D	DC_3A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_18A_n257A DC_42A_n257A DC_42C_n257A		
DC_3A-18A-42C_n257E	DC_3A_n257A DC_18A_n257A DC_42A_n257A DC_42C_n257A		
DC_3A-18A-42C_n257F	DC_3A_n257A DC_18A_n257A DC_42A_n257A DC_42C_n257A		
DC_3A-18A-42C_n257G	DC_3A_n257A DC_3A_n257G DC_18A_n257A DC_18A_n257G DC_42A_n257A DC_42A_n257G DC_42C_n257A DC_42C_n257G		
DC_3A-18A-42C_n257H	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_18A_n257A DC_18A_n257G DC_18A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42C_n257A DC_42C_n257G DC_42C_n257H		
DC_3A-18A-42C_n257I	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_18A_n257A DC_18A_n257G DC_18A_n257H DC_18A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_3A-18A-42C_n257J	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_18A_n257A DC_18A_n257G DC_18A_n257H DC_18A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_3A-18A-42C_n257K	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_18A_n257A DC_18A_n257G DC_18A_n257H DC_18A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_3A-18A-42C_n257L	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_18A_n257A DC_18A_n257G DC_18A_n257H DC_18A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_3A-18A-42C_n257M	DC_3A_n257A DC_3A_n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_3A_n257H DC_3A_n257I DC_18A_n257A DC_18A_n257G DC_18A_n257H DC_18A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_3A-18A_n78A-n257A	DC_3A_n78A DC_3A_n257A DC_18A_n78A DC_18A_n257A		
DC_3A-18A_n78A-n257G	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_18A_n78A DC_18A_n257A DC_18A_n257G		
DC_3A-18A_n78A-n257H	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_18A_n78A DC_18A_n257A DC_18A_n257G DC_18A_n257H		
DC_3A-18A_n78A-n257I	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_18A_n78A DC_18A_n257A DC_18A_n257G DC_18A_n257H DC_18A_n257I		
DC_3A-19A-21A_n257A (interBandEnDcSimRxTx)	DC_3A_n257A DC_19A_n257A DC_21A_n257A		
DC_3A-19A-21A_n257D	DC_3A_n257A DC_19A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_21A_n257A		
DC_3A-19A-21A_n257E	DC_3A_n257A DC_19A_n257A DC_21A_n257A		
DC_3A-19A-21A_n257F	DC_3A_n257A DC_19A_n257A DC_21A_n257A		
DC_3A-19A-42A_n257A	DC_3A_n257A DC_19A_n257A DC_42A_n257A		
DC_3A-19A-42A_n257D	DC_3A_n257A DC_3A_n257D DC_19A_n257A DC_19A_n257D DC_42A_n257A DC_42A_n257D		
DC_3A-19A-42A_n257E	DC_3A_n257A DC_3A_n257D DC_19A_n257A DC_19A_n257D DC_42A_n257A DC_42A_n257D		
DC_3A-19A-42A_n257F	DC_3A_n257A DC_3A_n257D DC_19A_n257A DC_19A_n257D DC_42A_n257A DC_42A_n257D		
DC_3A-19A-42A_n257G	DC_3A_n257A DC_3A_n257G DC_19A_n257A DC_19A_n257G DC_42A_n257A DC_42A_n257G		
DC_3A-19A-42A_n257H	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H		
DC_3A-19A-42A_n257I	DC_3A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_19A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_3A-19A-42A_n257J	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_19A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_3A-19A-42A_n257K	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_19A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_3A-19A-42A_n257L	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_19A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_3A-19A-42A_n257M	DC_3A_n257A DC_3A_n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_3A_n257H DC_3A_n257I DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_19A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_3A-19A-42C_n257A	DC_3A_n257A DC_19A_n257A DC_42A_n257A		
DC_3A-19A-42C_n257D	DC_3A_n257A DC_3A_n257D DC_19A_n257A DC_19A_n257D DC_42A_n257A DC_42A_n257D		
DC_3A-19A-42C_n257E	DC_3A_n257A DC_3A_n257D DC_19A_n257A DC_19A_n257D DC_42A_n257A DC_42A_n257D		
DC_3A-19A-42C_n257F	DC_3A_n257A DC_3A_n257D DC_19A_n257A DC_19A_n257D DC_42A_n257A DC_42A_n257D		
DC_3A-19A-42C_n257G	DC_3A_n257A DC_3A_n257G DC_19A_n257A DC_19A_n257G DC_42A_n257A DC_42A_n257G		
DC_3A-19A-42C_n257H	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_3A-19A-42C_n257I	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_19A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_3A-19A-42C_n257J	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_19A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_3A-19A-42C_n257K	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_19A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_3A-19A-42C_n257L	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_19A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
	DC_3A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_3A-19A-42C_n257M	DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_19A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_3A-19A-42D_n257A	DC_3A_n257A DC_19A_n257A DC_42A_n257A		
DC_3A-19A-42D_n257D	DC_3A_n257A DC_3A_n257D DC_19A_n257A DC_19A_n257D DC_42A_n257A DC_42A_n257D		
DC_3A-19A-42D_n257E	DC_3A_n257A DC_3A_n257D DC_19A_n257A DC_19A_n257D DC_42A_n257A DC_42A_n257D		
DC_3A-19A-42D_n257F	DC_3A_n257A DC_3A_n257D DC_19A_n257A DC_19A_n257D DC_42A_n257A DC_42A_n257D		
DC_3A-19A_n77A-n257A (interBandEnDcSimRxTx)	DC_3A_n77A DC_3A_n257A DC_19A_n77A DC_19A_n257A DC_3A_n77A-n257A DC_19A_n77A-n257A		
DC_3A-19A_n77A-n257G (interBandEnDcSimRxTx)	DC_3A_n77A DC_3A_n257A DC_3A_n257G DC_19A_n77A DC_19A_n257A DC_19A_n257G DC_3A_n77A-n257A DC_3A_n77A-n257G DC_19A_n77A-n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_19A_n77A-n257G		
DC_3A-19A_n77A-n257H (interBandEnDcSimRxTx)	DC_3A_n77A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_19A_n77A DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_3A_n77A-n257A DC_3A_n77A-n257G DC_3A_n77A-n257H DC_19A_n77A-n257A DC_19A_n77A-n257G DC_19A_n77A-n257H		
DC_3A-19A_n77A-n257I (interBandEnDcSimRxTx)	DC_3A_n77A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_19A_n77A DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_19A_n257I DC_3A_n77A-n257A DC_3A_n77A-n257G DC_3A_n77A-n257H DC_3A_n77A-n257I DC_19A_n77A-n257A DC_19A_n77A-n257G DC_19A_n77A-n257H DC_19A_n77A-n257I		
DC_3A-19A_n78A-n257A (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A DC_19A_n78A DC_19A_n257A DC_3A_n78A-n257A DC_19A_n78A-n257A		
DC_3A-19A_n78A-n257G (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_19A_n78A DC_19A_n257A DC_19A_n257G DC_3A_n78A-n257A DC_3A_n78A-n257G DC_19A_n78A-n257A DC_19A_n78A-n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_3A-19A_n78A-n257H (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_19A_n78A DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_19A_n78A-n257A DC_19A_n78A-n257G DC_19A_n78A-n257H		
DC_3A-19A_n78A-n257I (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_19A_n78A DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_19A_n257I DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I DC_19A_n78A-n257A DC_19A_n78A-n257G DC_19A_n78A-n257H DC_19A_n78A-n257I		
DC_3A-19A_n79A-n257A (interBandEnDcSimRxTx)	DC_3A_n79A DC_3A_n257A DC_19A_n79A DC_19A_n257A DC_3A_n79A-n257A DC_19A_n79A-n257A		
DC_3A-19A_n79A-n257G (interBandEnDcSimRxTx)	DC_3A_n79A DC_3A_n257A DC_3A_n257G DC_19A_n79A DC_19A_n257A DC_19A_n257G DC_3A_n79A-n257A DC_3A_n79A-n257G DC_19A_n79A-n257A DC_19A_n79A-n257G		
	DC_3A_n79A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_3A-19A_n79A-n257H (interBandEnDcSimRxTx)	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_19A_n79A DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_3A_n79A-n257A DC_3A_n79A-n257G DC_3A_n79A-n257H DC_19A_n79A-n257A DC_19A_n79A-n257G DC_19A_n79A-n257H		
DC_3A-19A_n79A-n257I (interBandEnDcSimRxTx)	DC_3A_n79A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_19A_n79A DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_19A_n257I DC_3A_n79A-n257A DC_3A_n79A-n257G DC_3A_n79A-n257H DC_3A_n79A-n257I DC_19A_n79A-n257A DC_19A_n79A-n257G DC_19A_n79A-n257H DC_19A_n79A-n257I		
DC_3A-21A-42A_n257A	DC_3A_n257A DC_21A_n257A DC_42A_n257A		
DC_3A-21A-42A_n257D	DC_3A_n257A DC_3A_n257D DC_21A_n257A DC_21A_n257D DC_42A_n257A DC_42A_n257D		
DC_3A-21A-42A_n257E	DC_3A_n257A DC_3A_n257D DC_21A_n257A DC_21A_n257D DC_42A_n257A DC_42A_n257D		
DC_3A-21A-42A_n257F	DC_3A_n257A DC_3A_n257D		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_21A_n257A DC_21A_n257D DC_42A_n257A DC_42A_n257D		
DC_3A-21A-42A_n257G	DC_3A_n257A DC_3A_n257G DC_21A_n257A DC_21A_n257G DC_42A_n257A DC_42A_n257G		
DC_3A-21A-42A_n257H	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H		
DC_3A-21A-42A_n257I	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_3A-21A-42A_n257J	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_3A-21A-42A_n257K	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_21A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_21A_n257G DC_21A_n257H DC_21A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_3A-21A-42A_n257L	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_3A-21A-42A_n257M	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_3A-21A-42C_n257A	DC_3A_n257A DC_21A_n257A DC_42A_n257A		
DC_3A-21A-42C_n257D	DC_3A_n257A DC_3A_n257D DC_21A_n257A DC_21A_n257D DC_42A_n257A DC_42A_n257D		
DC_3A-21A-42C_n257E	DC_3A_n257A DC_3A_n257D DC_21A_n257A DC_21A_n257D DC_42A_n257A DC_42A_n257D		
DC_3A-21A-42C_n257F	DC_3A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_3A_n257D DC_21A_n257A DC_21A_n257D DC_42A_n257A DC_42A_n257D		
DC_3A-21A-42C_n257G	DC_3A_n257A DC_3A_n257G DC_21A_n257A DC_21A_n257G DC_42A_n257A DC_42A_n257G		
DC_3A-21A-42C_n257H	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H		
DC_3A-21A-42C_n257I	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_3A-21A-42C_n257J	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_3A-21A-42C_n257K	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_3A-21A-42C_n257L	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_3A-21A-42C_n257M	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_3A-21A-42D_n257A	DC_3A_n257A DC_21A_n257A DC_42A_n257A		
DC_3A-21A-42D_n257D	DC_3A_n257A DC_3A_n257D DC_21A_n257A DC_21A_n257D DC_42A_n257A DC_42A_n257D		
DC_3A-21A-42D_n257E	DC_3A_n257A DC_3A_n257D DC_21A_n257A DC_21A_n257D DC_42A_n257A DC_42A_n257D		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_3A-21A-42D_n257F	DC_3A_n257A DC_3A_n257D DC_21A_n257A DC_21A_n257D DC_42A_n257A DC_42A_n257D		
DC_3A-21A_n77A-n257A (interBandEnDcSimRxTx)	DC_3A_n77A DC_3A_n257A DC_21A_n77A DC_21A_n257A DC_3A_n77A-n257A DC_21A_n77A-n257A		
DC_3A-21A_n77A-n257G (interBandEnDcSimRxTx)	DC_3A_n77A DC_3A_n257A DC_3A_n257G DC_21A_n77A DC_21A_n257A DC_21A_n257G DC_3A_n77A-n257A DC_3A_n77A-n257G DC_21A_n77A-n257A DC_21A_n77A-n257G		
DC_3A-21A_n77A-n257H (interBandEnDcSimRxTx)	DC_3A_n77A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_21A_n77A DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_3A_n77A-n257A DC_3A_n77A-n257G DC_3A_n77A-n257H DC_21A_n77A-n257A DC_21A_n77A-n257G DC_21A_n77A-n257H		
DC_3A-21A_n77A-n257I (interBandEnDcSimRxTx)	DC_3A_n77A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_21A_n77A DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I DC_3A_n77A-n257A DC_3A_n77A-n257G DC_3A_n77A-n257H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_3A_n77A-n257I DC_21A_n77A-n257A DC_21A_n77A-n257G DC_21A_n77A-n257H DC_21A_n77A-n257I		
DC_3A-21A_n78A-n257A (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A DC_21A_n78A DC_21A_n257A DC_3A_n78A-n257A DC_21A_n78A-n257A		
DC_3A-21A_n78A-n257G (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_21A_n78A DC_21A_n257A DC_21A_n257G DC_3A_n78A-n257A DC_3A_n78A-n257G DC_21A_n78A-n257A DC_21A_n78A-n257G		
DC_3A-21A_n78A-n257H (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_21A_n78A DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_21A_n78A-n257A DC_21A_n78A-n257G DC_21A_n78A-n257H		
DC_3A-21A_n78A-n257I (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_21A_n78A DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_21A_n78A-n257A DC_21A_n78A-n257G DC_21A_n78A-n257H DC_21A_n78A-n257I		
DC_3A-21A_n79A-n257A (interBandEnDcSimRxTx)	DC_3A_n79A DC_3A_n257A DC_21A_n79A DC_21A_n257A DC_3A_n79A-n257A DC_21A_n79A-n257A		
DC_3A-21A_n79A-n257G (interBandEnDcSimRxTx)	DC_3A_n79A DC_3A_n257A DC_3A_n257G DC_21A_n79A DC_21A_n257A DC_21A_n257G DC_3A_n79A-n257A DC_3A_n79A-n257G DC_21A_n79A-n257A DC_21A_n79A-n257G		
DC_3A-21A_n79A-n257H (interBandEnDcSimRxTx)	DC_3A_n79A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_21A_n79A DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_3A_n79A-n257A DC_3A_n79A-n257G DC_3A_n79A-n257H DC_21A_n79A-n257A DC_21A_n79A-n257G DC_21A_n79A-n257H		
DC_3A-21A_n79A-n257I (interBandEnDcSimRxTx)	DC_3A_n79A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_21A_n79A DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I DC_3A_n79A-n257A DC_3A_n79A-n257G DC_3A_n79A-n257H DC_3A_n79A-n257I DC_21A_n79A-n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_21A_n79A-n257G DC_21A_n79A-n257H DC_21A_n79A-n257I		
DC_3A-28A-41A_n257A	DC_3A_n257A DC_28A_n257A DC_41A_n257A		
DC_3A-28A-41A_n257G	DC_3A_n257A DC_3A_n257G DC_28A_n257A DC_28A_n257G DC_41A_n257A DC_41A_n257G		
DC_3A-28A-41A_n257H	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_41A_n257A DC_41A_n257G DC_41A_n257H		
DC_3A-28A-41A_n257I	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_28A_n257I DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I		
DC_3A-28A-41C_n257A	DC_3A_n257A DC_28A_n257A DC_41A_n257A DC_41C_n257A		
DC_3A-28A-41C_n257G	DC_3A_n257A DC_3A_n257G DC_28A_n257A DC_28A_n257G DC_41A_n257A DC_41A_n257G DC_41C_n257A DC_41C_n257G		
DC_3A-28A-41C_n257H	DC_3A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_3A_n257G DC_3A_n257H DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41C_n257A DC_41C_n257G DC_41C_n257H		
DC_3A-28A-41C_n257I	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_28A_n257I DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_41C_n257I		
DC_3A-28A-42A_n257A	DC_3A_n257A DC_28A_n257A DC_42A_n257A		
DC_3A-28A-42A_n257D	DC_3A_n257A DC_28A_n257A DC_42A_n257A		
DC_3A-28A-42A_n257G	DC_3A_n257A DC_3A_n257G DC_28A_n257A DC_28A_n257G DC_42A_n257A DC_42A_n257G		
DC_3A-28A-42A_n257H	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_3A-28A-42A_n257I	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_28A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_3A-28A-42A_n257J	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_28A_n257I DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_41C_n257I		
DC_3A-28A-42A_n257K	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_28A_n257I DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_41C_n257I		
DC_3A-28A-42A_n257L	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_28A_n257A DC_28A_n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_28A_n257H DC_28A_n257I DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_41C_n257I		
DC_3A-28A-42A_n257M	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_28A_n257I DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_41C_n257I		
DC_3A-28A-42C_n257A	DC_3A_n257A DC_28A_n257A DC_42A_n257A DC_42C_n257A		
DC_3A-28A-42C_n257D	DC_3A_n257A DC_28A_n257A DC_42A_n257A DC_42C_n257A		
DC_3A-28A-42C_n257G	DC_3A_n257A DC_3A_n257G DC_28A_n257A DC_28A_n257G DC_42A_n257A DC_42A_n257G DC_42C_n257A DC_42C_n257G		
DC_3A-28A-42C_n257H	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_28A_n257A DC_28A_n257G DC_28A_n257H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42C_n257A DC_42C_n257G DC_42C_n257H		
DC_3A-28A-42C_n257I	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_28A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_3A-28A-42C_n257J	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_28A_n257I DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_41C_n257I		
DC_3A-28A-42C_n257K	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_28A_n257I DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_41C_n257I		
DC_3A-28A-42C_n257L	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_28A_n257I DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_41C_n257I		
DC_3A-28A-42C_n257M	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_28A_n257I DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_41C_n257I		
DC_3A-28A_n38A-n257A	DC_3A_n38A DC_3A_n257A DC_28A_n38A DC_28A_n257A		
DC_3A-28A_n38A-n257G	DC_3A_n38A DC_3A_n257A DC_3A_n257G DC_28A_n38A DC_28A_n257A DC_28A_n257G		
DC_3A-28A_n38A-n257H	DC_3A_n38A DC_3A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_3A_n257G DC_3A_n257H DC_28A_n38A DC_28A_n257A DC_28A_n257G DC_28A_n257H		
DC_3A-28A_n38A-n257I	DC_3A_n38A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_28A_n38A DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_28A_n257I		
DC_3A-28A_n77A-n257A (interBandEnDcSimRxTx)	DC_3A_n77A DC_3A_n257A DC_28A_n77A DC_28A_n257A		
DC_3A-28A_n77A-n257D (interBandEnDcSimRxTx)	DC_3A_n77A DC_3A_n257A DC_3A_n257D DC_28A_n77A DC_28A_n257A DC_28A_n257D		
DC_3A-28A_n77A-n257G (interBandEnDcSimRxTx)	DC_3A_n77A DC_3A_n257A DC_3A_n257G DC_28A_n77A DC_28A_n257A DC_28A_n257G		
DC_3A-28A_n77A-n257H (interBandEnDcSimRxTx)	DC_3A_n77A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_28A_n77A DC_28A_n257A DC_28A_n257G DC_28A_n257H		
DC_3A-28A_n77A-n257I (interBandEnDcSimRxTx)	DC_3A_n77A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_28A_n77A DC_28A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_28A_n257G DC_28A_n257H DC_28A_n257I		
DC_3A-28A_n77(2A)-n257A (interBandEnDcSimRxTx)	DC_3A_n77A DC_3A_n257A DC_28A_n77A DC_28A_n257A		
DC_3A-28A_n77(2A)-n257D (interBandEnDcSimRxTx)	DC_3A_n77A DC_3A_n257A DC_3A_n257D DC_28A_n77A DC_28A_n257A DC_28A_n257D		
DC_3A-28A_n77(2A)-n257G (interBandEnDcSimRxTx)	DC_3A_n77A DC_3A_n257A DC_3A_n257G DC_28A_n77A DC_28A_n257A DC_28A_n257G		
DC_3A-28A_n77(2A)-n257H (interBandEnDcSimRxTx)	DC_3A_n77A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_28A_n77A DC_28A_n257A DC_28A_n257G DC_28A_n257H		
DC_3A-28A_n77(2A)-n257I (interBandEnDcSimRxTx)	DC_3A_n77A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_28A_n77A DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_28A_n257I		
DC_3A-28A_n78A-n257A (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A DC_28A_n78A DC_28A_n257A		
DC_3A-28A_n78A-n257G (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_28A_n78A DC_28A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_28A_n257G		
DC_3A-28A_n78A-n257H (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_28A_n78A DC_28A_n257A DC_28A_n257G DC_28A_n257H		
DC_3A-28A_n78A-n257I (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_28A_n78A DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_28A_n257I		
DC_3A-41A-42A_n257A	DC_3A_n257A DC_41A_n257A DC_42A_n257A		
DC_3A-41A-42A_n257D	DC_3A_n257A DC_41A_n257A DC_42A_n257A		
DC_3A-41A-42A_n257E	DC_3A_n257A DC_41A_n257A DC_42A_n257A		
DC_3A-41A-42A_n257F	DC_3A_n257A DC_41A_n257A DC_42A_n257A		
DC_3A-41A-42A_n257G	DC_3A_n257A DC_3A_n257G DC_41A_n257A DC_41A_n257G DC_42A_n257A DC_42A_n257G		
DC_3A-41A-42A_n257H	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_42A_n257A DC_42A_n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_42A_n257H		
DC_3A-41A-42A_n257I	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_3A-41A-42A_n257J	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_3A-41A-42A_n257K	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_3A-41A-42A_n257L	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_3A-41A-42A_n257M	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_3A-41A-42C_n257A	DC_3A_n257A DC_41A_n257A DC_42A_n257A DC_42C_n257A		
DC_3A-41A-42C_n257D	DC_3A_n257A DC_41A_n257A DC_42A_n257A DC_42C_n257A		
DC_3A-41A-42C_n257E	DC_3A_n257A DC_41A_n257A DC_42A_n257A DC_42C_n257A		
DC_3A-41A-42C_n257F	DC_3A_n257A DC_41A_n257A DC_42A_n257A DC_42C_n257A		
DC_3A-41A-42C_n257G	DC_3A_n257A DC_3A_n257G DC_41A_n257A DC_41A_n257G DC_42A_n257A DC_42A_n257G DC_42C_n257A DC_42C_n257G		
DC_3A-41A-42C_n257H	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42C_n257A DC_42C_n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_42C_n257H		
DC_3A-41A-42C_n257I	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_3A-41A-42C_n257J	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_3A-41A-42C_n257K	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_3A-41A-42C_n257L	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_3A-41A-42C_n257M	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_3A-41A_n28A-n257A (interBandEnDcSimRxTx)	DC_3A_n28A DC_3A_n257A DC_41A_n28A DC_41A_n257A		
DC_3A-41A_n28A-n257G (interBandEnDcSimRxTx)	DC_3A_n28A DC_3A_n257A DC_3A_n257G DC_41A_n28A DC_41A_n257A DC_41A_n257G		
DC_3A-41A_n28A-n257H (interBandEnDcSimRxTx)	DC_3A_n28A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_41A_n28A DC_41A_n257A DC_41A_n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_41A_n257H		
DC_3A-41A_n28A-n257I (interBandEnDcSimRxTx)	DC_3A_n28A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_41A_n28A DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I		
DC_3A-41A_n77A-n257A	DC_3A_n77A DC_3A_n257A DC_41A_n77A DC_41A_n257A		
DC_3A-41A_n77A-n257G	DC_3A_n77A DC_3A_n257A DC_3A_n257G DC_41A_n77A DC_41A_n257A DC_41A_n257G		
DC_3A-41A_n77A-n257H	DC_3A_n77A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_41A_n77A DC_41A_n257A DC_41A_n257G DC_41A_n257H		
DC_3A-41A_n77A-n257I	DC_3A_n77A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_41A_n77A DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I		
DC_3A-41A_n78A-n257A	DC_3A_n78A DC_3A_n257A DC_41A_n78A DC_41A_n257A		
DC_3A-41A_n78A-n257G	DC_3A_n78A DC_3A_n257A DC_3A_n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_41A_n78A DC_41A_n257A DC_41A_n257G		
DC_3A-41A_n78A-n257H	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_41A_n78A DC_41A_n257A DC_41A_n257G DC_41A_n257H		
DC_3A-41A_n78A-n257I	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_41A_n78A DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I		
DC_3A-41C-42A_n257A	DC_3A_n257A DC_41A_n257A DC_41C_n257A DC_42A_n257A		
DC_3A-41C-42A_n257D	DC_3A_n257A DC_41A_n257A DC_41C_n257A DC_42A_n257A		
DC_3A-41C-42A_n257E	DC_3A_n257A DC_41A_n257A DC_41C_n257A DC_42A_n257A		
DC_3A-41C-42A_n257F	DC_3A_n257A DC_41A_n257A DC_41C_n257A DC_42A_n257A		
DC_3A-41C-42A_n257G	DC_3A_n257A DC_3A_n257G DC_41A_n257A DC_41A_n257G DC_41C_n257A DC_41C_n257G DC_42A_n257A DC_42A_n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_3A-41C-42A_n257H	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H		
DC_3A-41C-42A_n257I	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_41C_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_3A-41C-42A_n257J	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_41C_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_3A-41C-42A_n257K	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_41A_n257A DC_41A_n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_41A_n257H DC_41A_n257I DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_41C_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_3A-41C-42A_n257L	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_41C_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_3A-41C-42A_n257M	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_41C_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_3A-41C-42C_n257A	DC_3A_n257A DC_41A_n257A DC_41C_n257A DC_42A_n257A DC_42C_n257A		
DC_3A-41C-42C_n257D	DC_3A_n257A DC_41A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_41C_n257A DC_42A_n257A DC_42C_n257A		
DC_3A-41C-42C_n257E	DC_3A_n257A DC_41A_n257A DC_41C_n257A DC_42A_n257A DC_42C_n257A		
DC_3A-41C-42C_n257F	DC_3A_n257A DC_41A_n257A DC_41C_n257A DC_42A_n257A DC_42C_n257A		
DC_3A-41C-42C_n257G	DC_3A_n257A DC_3A_n257G DC_41A_n257A DC_41A_n257G DC_41C_n257A DC_41C_n257G DC_42A_n257A DC_42A_n257G DC_42C_n257A DC_42C_n257G		
DC_3A-41C-42C_n257H	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42C_n257A DC_42C_n257G DC_42C_n257H		
DC_3A-41C-42C_n257I	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_41C_n257A DC_41C_n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_41C_n257H DC_41C_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_3A-41C-42C_n257J	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_41C_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_3A-41C-42C_n257K	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_41C_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_3A-41C-42C_n257L	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_41C_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_3A-41C-42C_n257M	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_41C_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_3A-41C_n28A-n257A (interBandEnDcSimRxTx)	DC_3A_n28A DC_3A_n257A DC_41A_n28A DC_41A_n257A DC_41C_n28A DC_41C_n257A		
DC_3A-41C_n28A-n257G (interBandEnDcSimRxTx)	DC_3A_n28A DC_3A_n257A DC_3A_n257G DC_41A_n28A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_41A_n257A DC_41A_n257G DC_41C_n28A DC_41C_n257A DC_41C_n257G		
DC_3A-41C_n28A-n257H (interBandEnDcSimRxTx)	DC_3A_n28A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_41A_n28A DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41C_n28A DC_41C_n257A DC_41C_n257G DC_41C_n257H		
DC_3A-41C_n28A-n257I (interBandEnDcSimRxTx)	DC_3A_n28A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_41A_n28A DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_41C_n28A DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_41C_n257I		
DC_3A-41C_n77A-n257A	DC_3A_n77A DC_3A_n257A DC_41A_n77A DC_41A_n257A DC_41C_n77A DC_41C_n257A		
DC_3A-41C_n77A-n257G	DC_3A_n77A DC_3A_n257A DC_3A_n257G DC_41A_n77A DC_41A_n257A DC_41A_n257G DC_41C_n77A DC_41C_n257A DC_41C_n257G		
DC_3A-41C_n77A-n257H	DC_3A_n77A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_41A_n77A DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41C_n77A DC_41C_n257A DC_41C_n257G DC_41C_n257H		
DC_3A-41C_n77A-n257I	DC_3A_n77A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_41A_n77A DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_41C_n77A DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_41C_n257I		
DC_3A-41C_n78A-n257A	DC_3A_n78A DC_3A_n257A DC_41A_n78A DC_41A_n257A DC_41C_n78A DC_41C_n257A		
DC_3A-41C_n78A-n257G	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_41A_n78A DC_41A_n257A DC_41A_n257G DC_41C_n78A DC_41C_n257A DC_41C_n257G		
DC_3A-41C_n78A-n257H	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_41A_n78A DC_41A_n257A DC_41A_n257G DC_41A_n257H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_41C_n78A DC_41C_n257A DC_41C_n257G DC_41C_n257H		
DC_3A-41C_n78A-n257I	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_41A_n78A DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_41C_n78A DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_41C_n257I		
DC_3A-42A_n77A-n257A	DC_3A_n77A DC_3A_n257A DC_42A_n257A DC_3A_n77A-n257A		
DC_3A-42A_n77A-n257G	DC_3A_n77A DC_3A_n257A DC_3A_n257G DC_42A_n257A DC_42A_n257G DC_3A_n77A-n257A DC_3A_n77A-n257G		
DC_3A-42A_n77A-n257H	DC_3A_n77A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_3A_n77A-n257A DC_3A_n77A-n257G DC_3A_n77A-n257H		
DC_3A-42A_n77A-n257I	DC_3A_n77A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_42A_n257I DC_3A_n77A-n257A DC_3A_n77A-n257G DC_3A_n77A-n257H DC_3A_n77A-n257I		
DC_3A-42A_n78A-n257A	DC_3A_n78A DC_3A_n257A DC_42A_n257A DC_3A_n78A-n257A		
DC_3A-42A_n78A-n257G	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_42A_n257A DC_42A_n257G DC_3A_n78A-n257A DC_3A_n78A-n257G		
DC_3A-42A_n78A-n257H	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H		
DC_3A-42A_n78A-n257I	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I		
DC_3A-42A_n79A-n257A	DC_3A_n79A DC_3A_n257A DC_42A_n257A DC_3A_n79A-n257A		
DC_3A-42A_n79A-n257G	DC_3A_n79A DC_3A_n257A DC_3A_n257G DC_42A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_42A_n257G DC_3A_n79A-n257A DC_3A_n79A-n257G		
DC_3A-42A_n79A-n257H	DC_3A_n79A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_3A_n79A-n257A DC_3A_n79A-n257G DC_3A_n79A-n257H		
DC_3A-42A_n79A-n257I	DC_3A_n79A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_3A_n79A-n257A DC_3A_n79A-n257G DC_3A_n79A-n257H DC_3A_n79A-n257I		
DC_3A-42C_n77A-n257A	DC_3A_n77A DC_3A_n257A DC_42A_n257A DC_3A_n77A-n257A		
DC_3A-42C_n77A-n257G	DC_3A_n77A DC_3A_n257A DC_3A_n257G DC_42A_n257A DC_42A_n257G DC_3A_n77A-n257A DC_3A_n77A-n257G		
DC_3A-42C_n77A-n257H	DC_3A_n77A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_3A_n77A-n257A DC_3A_n77A-n257G DC_3A_n77A-n257H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_3A-42C_n77A-n257I	DC_3A_n77A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_3A_n77A-n257A DC_3A_n77A-n257G DC_3A_n77A-n257H DC_3A_n77A-n257I		
DC_3A-42C_n78A-n257A	DC_3A_n78A DC_3A_n257A DC_42A_n257A DC_42C_n257A DC_3A_n78A-n257A		
DC_3A-42C_n78A-n257G	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_42A_n257A DC_42A_n257G DC_42C_n257A DC_42C_n257G DC_3A_n78A-n257A DC_3A_n78A-n257G		
DC_3A-42C_n78A-n257H	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H		
DC_3A-42C_n78A-n257I	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I		
DC_3A-42C_n79A-n257A	DC_3A_n79A DC_3A_n257A DC_42A_n257A DC_3A_n79A-n257A		
DC_3A-42C_n79A-n257G	DC_3A_n79A DC_3A_n257A DC_3A_n257G DC_42A_n257A DC_42A_n257G DC_3A_n79A-n257A DC_3A_n79A-n257G		
DC_3A-42C_n79A-n257H	DC_3A_n79A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_3A_n79A-n257A DC_3A_n79A-n257G DC_3A_n79A-n257H		
DC_3A-42C_n79A-n257I	DC_3A_n79A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_3A_n79A-n257A DC_3A_n79A-n257G DC_3A_n79A-n257H DC_3A_n79A-n257I		
DC_3A_n1A-n8A-n257A (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n8A DC_3A_n257A		
DC_3A_n1A-n78A-n257A (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n78A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_3A_n257A		
DC_3A_n1A-n78A-n257D (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n78A DC_3A_n257A		
DC_3A_n1A-n78A-n257E (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n78A DC_3A_n257A		
DC_3A_n1A-n78A-n257F (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n78A DC_3A_n257A		
DC_3A_n1A-n78A-n257G (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n78A DC_3A_n257A		
DC_3A_n1A-n78A-n257H (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n78A DC_3A_n257A		
DC_3A_n1A-n78A-n257I (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n78A DC_3A_n257A		
DC_3A_n1A-n78A-n257J (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n78A DC_3A_n257A		
DC_3A_n1A-n78A-n257K (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n78A DC_3A_n257A		
DC_3A_n1A-n78A-n257L (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n78A DC_3A_n257A		
DC_3A_n1A-n78A-n257M (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n78A DC_3A_n257A		
DC_3A_n1A-n78A-n258A	DC_3A_n1A DC_3A_n78A DC_3A_n258A		
DC_3A_n8A-n77A-n257A	DC_3A_n8A DC_3A_n77A DC_3A_n257A		
DC_3A_n8A-n77A-n257G	DC_3A_n8A DC_3A_n77A DC_3A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_3A_n8A-n77A-n257H	DC_3A_n8A DC_3A_n77A DC_3A_n257A		
DC_3A_n8A-n77A-n257I	DC_3A_n8A DC_3A_n77A DC_3A_n257A		
DC_3A_n8A-n77A-n257J	DC_3A_n8A DC_3A_n77A DC_3A_n257A		
DC_3A_n8A-n77A-n257K	DC_3A_n8A DC_3A_n77A DC_3A_n257A		
DC_3A_n8A-n77A-n257L	DC_3A_n8A DC_3A_n77A DC_3A_n257A		
DC_3A_n8A-n77A-n257M	DC_3A_n8A DC_3A_n77A DC_3A_n257A		
DC_3A_n8A-n77(2A)-n257A	DC_3A_n8A DC_3A_n77A DC_3A_n257A		
DC_3A_n8A-n77(2A)-n257G	DC_3A_n8A DC_3A_n77A DC_3A_n257A		
DC_3A_n8A-n77(2A)-n257H	DC_3A_n8A DC_3A_n77A DC_3A_n257A		
DC_3A_n8A-n77(2A)-n257I	DC_3A_n8A DC_3A_n77A DC_3A_n257A		
DC_3A_n8A-n77(2A)-n257J	DC_3A_n8A DC_3A_n77A DC_3A_n257A		
DC_3A_n8A-n77(2A)-n257K	DC_3A_n8A DC_3A_n77A DC_3A_n257A		
DC_3A_n8A-n77(2A)-n257L	DC_3A_n8A DC_3A_n77A DC_3A_n257A		
	DC_3A_n8A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_3A_n8A-n77(2A)-n257M	DC_3A_n77A DC_3A_n257A		
DC_3A_n8A-n78A-n257A (interBandEnDcSimRxTx)	DC_3A_n8A DC_3A_n78A DC_3A_n257A		
DC_3A_n8A-n78A-n257G (interBandEnDcSimRxTx)	DC_3A_n8A DC_3A_n78A DC_3A_n257A DC_3A_n257G		
DC_3A_n8A-n78A-n257H (interBandEnDcSimRxTx)	DC_3A_n8A DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H		
DC_3A_n8A-n78A-n257I (interBandEnDcSimRxTx)	DC_3A_n8A DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I		
DC_3A_n8A-n78A-n257J (interBandEnDcSimRxTx)	DC_3A_n8A DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J		
DC_3A_n8A-n78A-n257K (interBandEnDcSimRxTx)	DC_3A_n8A DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K		
DC_3A_n40A-n41A-n258A	DC_3A_n40A DC_3A_n41A DC_3A_n258A		
DC_3A_n40A-n79A-n258A	DC_3A_n40A DC_3A_n79A DC_3A_n258A		
DC_3A_n41A-n79A-n258A	DC_3A_n41A DC_3A_n79A DC_3A_n258A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_3C-7A-28A_n258A	DC_3A_n258A DC_3C_n258A DC_7A_n258A DC_28A_n258A		
DC_3C-7A-28A_n258B	DC_3A_n258A DC_3C_n258A DC_7A_n258A DC_28A_n258A		
DC_3C-7A-28A_n258C	DC_3A_n258A DC_3C_n258A DC_7A_n258A DC_28A_n258A		
DC_3C-7A-28A_n258D	DC_3A_n258A DC_3C_n258A DC_7A_n258A DC_28A_n258A		
DC_3C-7A-28A_n258E	DC_3A_n258A DC_3C_n258A DC_7A_n258A DC_28A_n258A		
DC_3C-7A-28A_n258F	DC_3A_n258A DC_3C_n258A DC_7A_n258A DC_28A_n258A		
DC_3C-7A-28A_n258G	DC_3A_n258A DC_3A_n258G DC_3C_n258A DC_3C_n258G DC_7A_n258A DC_7A_n258G DC_28A_n258A DC_28A_n258G		
DC_3C-7A-28A_n258H	DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3C_n258A DC_3C_n258G DC_3C_n258H DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_28A_n258A DC_28A_n258G DC_28A_n258H		
	DC_3A_n258A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_3C-7A-28A_n258I	DC_3A_n258G DC_3A_n258H DC_3A_n258I DC_3C_n258A DC_3C_n258G DC_3C_n258H DC_3C_n258I DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I DC_28A_n258A DC_28A_n258G DC_28A_n258H DC_28A_n258I		
DC_3C-7A-28A_n258J	DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I DC_3C_n258A DC_3C_n258G DC_3C_n258H DC_3C_n258I DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I DC_28A_n258A DC_28A_n258G DC_28A_n258H DC_28A_n258I		
DC_3C-7A-28A_n258K	DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I DC_3C_n258A DC_3C_n258G DC_3C_n258H DC_3C_n258I DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I DC_28A_n258A DC_28A_n258G DC_28A_n258H DC_28A_n258I		
DC_3C-7A-28A_n258L	DC_3A_n258A DC_3A_n258G DC_3A_n258H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_3A_n258I DC_3C_n258A DC_3C_n258G DC_3C_n258H DC_3C_n258I DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I DC_28A_n258A DC_28A_n258G DC_28A_n258H DC_28A_n258I		
DC_3C-7A-28A_n258M	DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I DC_3C_n258A DC_3C_n258G DC_3C_n258H DC_3C_n258I DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I DC_28A_n258A DC_28A_n258G DC_28A_n258H DC_28A_n258I		
DC_3C-7C-28A_n258A	DC_3A_n258A DC_3C_n258A DC_7A_n258A DC_7C_n258A DC_28A_n258A		
DC_3C-7C-28A_n258B	DC_3A_n258A DC_3C_n258A DC_7A_n258A DC_7C_n258A DC_28A_n258A		
DC_3C-7C-28A_n258C	DC_3A_n258A DC_3C_n258A DC_7A_n258A DC_7C_n258A DC_28A_n258A		
DC_3C-7C-28A_n258D	DC_3A_n258A DC_3C_n258A DC_7A_n258A DC_7C_n258A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_28A_n258A		
DC_3C-7C-28A_n258E	DC_3A_n258A DC_3C_n258A DC_7A_n258A DC_7C_n258A DC_28A_n258A		
DC_3C-7C-28A_n258F	DC_3A_n258A DC_3C_n258A DC_7A_n258A DC_7C_n258A DC_28A_n258A		
DC_3C-7C-28A_n258G	DC_3A_n258A DC_3A_n258G DC_3C_n258A DC_3C_n258G DC_7A_n258A DC_7A_n258G DC_7C_n258A DC_7C_n258G DC_28A_n258A DC_28A_n258G		
DC_3C-7C-28A_n258H	DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3C_n258A DC_3C_n258G DC_3C_n258H DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7C_n258A DC_7C_n258G DC_7C_n258H DC_28A_n258A DC_28A_n258G DC_28A_n258H		
DC_3C-7C-28A_n258I	DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I DC_3C_n258A DC_3C_n258G DC_3C_n258H DC_3C_n258I DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_7C_n258A DC_7C_n258G DC_7C_n258H DC_7C_n258I DC_28A_n258A DC_28A_n258G DC_28A_n258H DC_28A_n258I		
DC_3C-7C-28A_n258J	DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I DC_3C_n258A DC_3C_n258G DC_3C_n258H DC_3C_n258I DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I DC_7C_n258A DC_7C_n258G DC_7C_n258H DC_7C_n258I DC_28A_n258A DC_28A_n258G DC_28A_n258H DC_28A_n258I		
DC_3C-7C-28A_n258K	DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I DC_3C_n258A DC_3C_n258G DC_3C_n258H DC_3C_n258I DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I DC_7C_n258A DC_7C_n258G DC_7C_n258H DC_7C_n258I DC_28A_n258A DC_28A_n258G DC_28A_n258H DC_28A_n258I		
DC_3C-7C-28A_n258L	DC_3A_n258A DC_3A_n258G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_3A_n258H DC_3A_n258I DC_3C_n258A DC_3C_n258G DC_3C_n258H DC_3C_n258I DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I DC_7C_n258A DC_7C_n258G DC_7C_n258H DC_7C_n258I DC_28A_n258A DC_28A_n258G DC_28A_n258H DC_28A_n258I		
DC_3C-7C-28A_n258M	DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I DC_3C_n258A DC_3C_n258G DC_3C_n258H DC_3C_n258I DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I DC_7C_n258A DC_7C_n258G DC_7C_n258H DC_7C_n258I DC_28A_n258A DC_28A_n258G DC_28A_n258H DC_28A_n258I		
DC_3C-8A_n78A-n257A	DC_3A_n78A DC_8A_n78A DC_3A_n257A DC_8A_n257A		
DC_3C-8A_n78A-n257D	DC_3A_n78A DC_8A_n78A DC_3A_n257A DC_8A_n257A		
DC_3C-8A_n78A-n257E	DC_3A_n78A DC_8A_n78A DC_3A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_8A_n257A		
DC_3C-8A_n78A-n257F	DC_3A_n78A DC_8A_n78A DC_3A_n257A DC_8A_n257A		
DC_3C-8A_n78A-n257G	DC_3A_n78A DC_8A_n78A DC_3A_n257A DC_8A_n257A DC_3A_n257G DC_8A_n257G		
DC_3C-8A_n78A-n257H	DC_3A_n78A DC_8A_n78A DC_3A_n257A DC_8A_n257A DC_3A_n257G DC_3A_n257H DC_8A_n257G DC_8A_n257H		
DC_3C-8A_n78A-n257I	DC_3A_n78A DC_8A_n78A DC_3A_n257A DC_8A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_8A_n257G DC_8A_n257H DC_8A_n257I		
DC_3C-8A_n78A-n257J	DC_3A_n78A DC_8A_n78A DC_3A_n257A DC_8A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_8A_n257G DC_8A_n257H DC_8A_n257I DC_8A_n257J		
DC_3C-8A_n78A-n257K	DC_3A_n78A DC_8A_n78A DC_3A_n257A DC_8A_n257A DC_3A_n257G DC_3A_n257H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_8A_n257G DC_8A_n257H DC_8A_n257I DC_8A_n257J DC_8A_n257K		
DC_3C-8A_n78A-n257L	DC_3A_n78A DC_8A_n78A DC_3A_n257A DC_8A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_8A_n257G DC_8A_n257H DC_8A_n257I DC_8A_n257J DC_8A_n257K		
DC_3C-8A_n78A-n257M	DC_3A_n78A DC_8A_n78A DC_3A_n257A DC_8A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_8A_n257G DC_8A_n257H DC_8A_n257I DC_8A_n257J DC_8A_n257K		
DC_5A-7A-7A_n257A	DC_5A_n257A DC_7A_n257A		
DC_5A-7A-7A_n257D	DC_5A_n257A DC_5A_n257D DC_7A_n257A DC_7A_n257D		
DC_5A-7A-7A_n257E	DC_5A_n257A DC_5A_n257D DC_7A_n257A DC_7A_n257D		
DC_5A-7A-7A_n257F	DC_5A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_5A_n257D DC_7A_n257A DC_7A_n257D		
DC_5A-7A-7A_n257G	DC_5A_n257A DC_5A_n257G DC_7A_n257A DC_7A_n257G		
DC_5A-7A-7A_n257H	DC_5A_n257A DC_5A_n257G DC_5A_n257H DC_7A_n257A DC_7A_n257G DC_7A_n257H		
DC_5A-7A-7A_n257I	DC_5A_n257A DC_5A_n257G DC_5A_n257H DC_5A_n257I DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I		
DC_5A-7A-7A_n257J	DC_5A_n257A DC_5A_n257G DC_5A_n257H DC_5A_n257I DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I		
DC_5A-7A-7A_n257K	DC_5A_n257A DC_5A_n257G DC_5A_n257H DC_5A_n257I DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I		
DC_5A-7A-7A_n257L	DC_5A_n257A DC_5A_n257G DC_5A_n257H DC_5A_n257I DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I		
DC_5A-7A-7A_n257M	DC_5A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_5A_n257G DC_5A_n257H DC_5A_n257I DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I		
DC_5A-7A_n78A-n257A	DC_5A_n78A DC_5A_n257A DC_7A_n78A DC_7A_n257A DC_5A_n78A-n257A DC_7A_n78A-n257A		
DC_5A-7A_n78A-n257D	DC_5A_n78A DC_5A_n257A DC_7A_n78A DC_7A_n257A DC_5A_n78A-n257A DC_7A_n78A-n257A		
DC_5A-7A_n78A-n257E	DC_5A_n78A DC_5A_n257A DC_7A_n78A DC_7A_n257A DC_5A_n78A-n257A DC_7A_n78A-n257A		
DC_5A-7A_n78A-n257F	DC_5A_n78A DC_5A_n257A DC_7A_n78A DC_7A_n257A DC_5A_n78A-n257A DC_7A_n78A-n257A		
DC_5A-7A_n78A-n257G	DC_5A_n78A DC_5A_n257A DC_7A_n78A DC_7A_n257A DC_5A_n78A-n257A DC_5A_n78A-n257G DC_7A_n78A-n257A DC_7A_n78A-n257G		
DC_5A-7A_n78A-n257H	DC_5A_n78A DC_5A_n257A DC_7A_n78A DC_7A_n257A DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H DC_7A_n78A-n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_7A_n78A-n257G DC_7A_n78A-n257H		
DC_5A-7A_n78A-n257I	DC_5A_n78A DC_5A_n257A DC_7A_n78A DC_7A_n257A DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H DC_5A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_5A-7A_n78A-n257J	DC_5A_n78A DC_5A_n257A DC_7A_n78A DC_7A_n257A DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H DC_5A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_5A-7A_n78A-n257K	DC_5A_n78A DC_5A_n257A DC_7A_n78A DC_7A_n257A DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H DC_5A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_5A-7A_n78A-n257L	DC_5A_n78A DC_5A_n257A DC_7A_n78A DC_7A_n257A DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H DC_5A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_7A_n78A-n257I		
DC_5A-7A_n78A-n257M	DC_5A_n78A DC_5A_n257A DC_7A_n78A DC_7A_n257A DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H DC_5A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_5A-7A_n78C-n257A	DC_5A_n78A-n257A DC_7A_n78A-n257A		
DC_5A-7A_n78C-n257D	DC_5A_n78A-n257A DC_7A_n78A-n257A		
DC_5A-7A_n78C-n257E	DC_5A_n78A-n257A DC_7A_n78A-n257A		
DC_5A-7A_n78C-n257F	DC_5A_n78A-n257A DC_7A_n78A-n257A		
DC_5A-7A_n78C-n257G	DC_5A_n78A-n257A DC_5A_n78A-n257G DC_7A_n78A-n257A DC_7A_n78A-n257G		
DC_5A-7A_n78C-n257H	DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H		
DC_5A-7A_n78C-n257I	DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H DC_5A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_5A-7A_n78C-n257J	DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H DC_5A_n78A-n257I DC_7A_n78A-n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_5A-7A_n78C-n257K	DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H DC_5A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_5A-7A_n78C-n257L	DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H DC_5A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_5A-7A_n78C-n257M	DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H DC_5A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_5A-30A-66A_n260A	DC_5A_n260A DC_30A_n260A DC_66A_n260A		
DC_5A-30A-66A_n260G	DC_5A_n260A DC_30A_n260A DC_66A_n260A DC_5A_n260G DC_30A_n260G DC_66A_n260G		
DC_5A-30A-66A_n260H	DC_5A_n260A DC_30A_n260A DC_66A_n260A DC_5A_n260G DC_30A_n260G DC_66A_n260G DC_5A_n260H DC_30A_n260H DC_66A_n260H		
DC_5A-30A-66A_n260I	DC_5A_n260A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_30A_n260A DC_66A_n260A DC_5A_n260G DC_30A_n260G DC_66A_n260G DC_5A_n260H DC_30A_n260H DC_66A_n260H DC_5A_n260I DC_30A_n260I DC_66A_n260I		
DC_5A-30A-66A_n260J	DC_5A_n260A DC_30A_n260A DC_66A_n260A DC_5A_n260G DC_30A_n260G DC_66A_n260G DC_5A_n260H DC_30A_n260H DC_66A_n260H DC_5A_n260I DC_30A_n260I DC_66A_n260I DC_5A_n260J DC_30A_n260J DC_66A_n260J		
DC_5A-30A-66A_n260K	DC_5A_n260A DC_30A_n260A DC_66A_n260A DC_5A_n260G DC_30A_n260G DC_66A_n260G DC_5A_n260H DC_30A_n260H DC_66A_n260H DC_5A_n260I DC_30A_n260I DC_66A_n260I DC_5A_n260J DC_30A_n260J DC_66A_n260J DC_5A_n260K DC_30A_n260K DC_66A_n260K		
DC_5A-30A-66A_n260L	DC_5A_n260A DC_30A_n260A DC_66A_n260A DC_5A_n260G DC_30A_n260G DC_66A_n260G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_5A_n260H DC_30A_n260H DC_66A_n260H DC_5A_n260I DC_30A_n260I DC_66A_n260I DC_5A_n260J DC_30A_n260J DC_66A_n260J DC_5A_n260K DC_30A_n260K DC_66A_n260K DC_5A_n260L DC_30A_n260L DC_66A_n260L		
DC_5A-30A-66A_n260M	DC_5A_n260A DC_30A_n260A DC_66A_n260A DC_5A_n260G DC_30A_n260G DC_66A_n260G DC_5A_n260H DC_30A_n260H DC_66A_n260H DC_5A_n260I DC_30A_n260I DC_66A_n260I DC_5A_n260J DC_30A_n260J DC_66A_n260J DC_5A_n260K DC_30A_n260K DC_66A_n260K DC_5A_n260L DC_30A_n260L DC_66A_n260L DC_5A_n260M DC_30A_n260M DC_66A_n260M		
DC_5A-66A-66A_n260A	DC_5A_n260A DC_66A_n260A		
DC_5A-66A-66A_n260G	DC_5A_n260A DC_66A_n260A DC_5A_n260G DC_66A_n260G		
DC_5A-66A-66A_n260H	DC_5A_n260A DC_66A_n260A DC_5A_n260G DC_66A_n260G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_5A_n260H DC_66A_n260H		
DC_5A-66A-66A_n260I	DC_5A_n260A DC_66A_n260A DC_5A_n260G DC_66A_n260G DC_5A_n260H DC_66A_n260H DC_5A_n260I DC_66A_n260I		
DC_5A-66A-66A_n260J	DC_5A_n260A DC_66A_n260A DC_5A_n260G DC_66A_n260G DC_5A_n260H DC_66A_n260H DC_5A_n260I DC_66A_n260I DC_5A_n260J DC_66A_n260J		
DC_5A-66A-66A_n260K	DC_5A_n260A DC_66A_n260A DC_5A_n260G DC_66A_n260G DC_5A_n260H DC_66A_n260H DC_5A_n260I DC_66A_n260I DC_5A_n260J DC_66A_n260J DC_5A_n260K DC_66A_n260K		
DC_5A-66A-66A_n260L	DC_5A_n260A DC_66A_n260A DC_5A_n260G DC_66A_n260G DC_5A_n260H DC_66A_n260H DC_5A_n260I DC_66A_n260I DC_5A_n260J DC_66A_n260J DC_5A_n260K DC_66A_n260K DC_5A_n260L DC_66A_n260L		
DC_5A-66A-66A_n260M	DC_5A_n260A DC_66A_n260A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_5A_n260G DC_66A_n260G DC_5A_n260H DC_66A_n260H DC_5A_n260I DC_66A_n260I DC_5A_n260J DC_66A_n260J DC_5A_n260K DC_66A_n260K DC_5A_n260L DC_66A_n260L DC_5A_n260M DC_66A_n260M		
DC_5A-66A-66A_n261A	DC_5A_n261A DC_66A_n261A DC_5A_n261G DC_66A_n261G DC_5A_n261H DC_66A_n261H DC_5A_n261I DC_66A_n261I DC_5A_n261J DC_66A_n26J DC_5A_n261K DC_66A_n261K DC_5A_n261L DC_66A_n261L DC_5A_n261M DC_66A_n261M		
DC_5A-66A-66A_n261G	DC_5A_n261A DC_66A_n261A DC_5A_n261G DC_66A_n261G DC_5A_n261H DC_66A_n261H DC_5A_n261I DC_66A_n261I DC_5A_n261J DC_66A_n26J DC_5A_n261K DC_66A_n261K DC_5A_n261L DC_66A_n261L DC_5A_n261M DC_66A_n261M		
DC_5A-66A-66A_n261H	DC_5A_n261A DC_66A_n261A DC_5A_n261G DC_66A_n261G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_5A_n261H DC_66A_n261H DC_5A_n261I DC_66A_n261I DC_5A_n261J DC_66A_n26J DC_5A_n261K DC_66A_n261K DC_5A_n261L DC_66A_n261L DC_5A_n261M DC_66A_n261M		
DC_5A-66A-66A_n261I	DC_5A_n261A DC_66A_n261A DC_5A_n261G DC_66A_n261G DC_5A_n261H DC_66A_n261H DC_5A_n261I DC_66A_n261I DC_5A_n261J DC_66A_n26J DC_5A_n261K DC_66A_n261K DC_5A_n261L DC_66A_n261L DC_5A_n261M DC_66A_n261M		
DC_5A-66A-66A_n261J	DC_5A_n261A DC_66A_n261A DC_5A_n261G DC_66A_n261G DC_5A_n261H DC_66A_n261H DC_5A_n261I DC_66A_n261I DC_5A_n261J DC_66A_n26J DC_5A_n261K DC_66A_n261K DC_5A_n261L DC_66A_n261L DC_5A_n261M DC_66A_n261M		
DC_5A-66A-66A_n261K	DC_5A_n261A DC_66A_n261A DC_5A_n261G DC_66A_n261G DC_5A_n261H DC_66A_n261H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_5A_n261I DC_66A_n261I DC_5A_n261J DC_66A_n26J DC_5A_n261K DC_66A_n261K DC_5A_n261L DC_66A_n261L DC_5A_n261M DC_66A_n261M		
DC_5A-66A-66A_n261L	DC_5A_n261A DC_66A_n261A DC_5A_n261G DC_66A_n261G DC_5A_n261H DC_66A_n261H DC_5A_n261I DC_66A_n261I DC_5A_n261J DC_66A_n26J DC_5A_n261K DC_66A_n261K DC_5A_n261L DC_66A_n261L DC_5A_n261M DC_66A_n261M		
DC_5A-66A-66A_n261M	DC_5A_n261A DC_66A_n261A DC_5A_n261G DC_66A_n261G DC_5A_n261H DC_66A_n261H DC_5A_n261I DC_66A_n261I DC_5A_n261J DC_66A_n26J DC_5A_n261K DC_66A_n261K DC_5A_n261L DC_66A_n261L DC_5A_n261M DC_66A_n261M		
DC_5A-66A-66A_n261(2A)	DC_5A_n261A DC_66A_n261A		
DC_5A-66A-66A_n261(2A-G)	DC_5A_n261A DC_66A_n261A DC_5A_n261G DC_66A_n261G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_5A-66A-66A_n261(2A-H)	DC_5A_n261A DC_66A_n261A DC_5A_n261G DC_66A_n261G DC_5A_n261H DC_66A_n261H		
DC_5A-66A-66A_n261(2A-I)	DC_5A_n261A DC_66A_n261A DC_5A_n261G DC_66A_n261G DC_5A_n261H DC_66A_n261H DC_5A_n261I DC_66A_n261I		
DC_5A-66A-66A_n261(2G)	DC_5A_n261A DC_66A_n261A DC_5A_n261G DC_66A_n261G		
DC_5A-66A-66A_n261(2H)	DC_5A_n261A DC_66A_n261A DC_5A_n261G DC_66A_n261G DC_5A_n261H DC_66A_n261H		
DC_5A-66A-66A_n261(3A)	DC_5A_n261A DC_66A_n261A		
DC_5A-66A-66A_n261(3A-G)	DC_5A_n261A DC_66A_n261A DC_5A_n261G DC_66A_n261G		
DC_5A-66A-66A_n261(4A)	DC_5A_n261A DC_66A_n261A		
DC_5A-66A-66A_n261(A-2G)	DC_5A_n261A DC_66A_n261A DC_5A_n261G DC_66A_n261G		
DC_5A-66A-66A_n261(A-G)	DC_5A_n261A DC_66A_n261A DC_5A_n261G DC_66A_n261G		
DC_5A-66A-66A_n261(A-G-H)	DC_5A_n261A DC_66A_n261A DC_5A_n261G DC_66A_n261G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_5A_n261H DC_66A_n261H		
DC_5A-66A-66A_n261(A-G-I)	DC_5A_n261A DC_66A_n261A DC_5A_n261G DC_66A_n261G DC_5A_n261H DC_66A_n261H DC_5A_n261I DC_66A_n261I		
DC_5A-66A-66A_n261(A-H)	DC_5A_n261A DC_66A_n261A DC_5A_n261G DC_66A_n261G DC_5A_n261H DC_66A_n261H		
DC_5A-66A-66A_n261(A-I)	DC_5A_n261A DC_66A_n261A DC_5A_n261G DC_66A_n261G DC_5A_n261H DC_66A_n261H DC_5A_n261I DC_66A_n261I		
DC_5A-66A-66A_n261(A-J)	DC_5A_n261A DC_66A_n261A DC_5A_n261G DC_66A_n261G DC_5A_n261H DC_66A_n261H DC_5A_n261I DC_66A_n261I		
DC_5A-66A-66A_n261(A-K)	DC_5A_n261A DC_66A_n261A DC_5A_n261G DC_66A_n261G DC_5A_n261H DC_66A_n261H DC_5A_n261I DC_66A_n261I		
DC_5A-66A-66A_n261(A-L)	DC_5A_n261A DC_66A_n261A DC_5A_n261G DC_66A_n261G DC_5A_n261H DC_66A_n261H DC_5A_n261I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_66A_n261I		
DC_5A-66A-66A_n261(G-H)	DC_5A_n261A DC_66A_n261A DC_5A_n261G DC_66A_n261G DC_5A_n261H DC_66A_n261H		
DC_5A-66A-66A_n261(G-I)	DC_5A_n261A DC_66A_n261A DC_5A_n261G DC_66A_n261G DC_5A_n261H DC_66A_n261H DC_5A_n261I DC_66A_n261I		
DC_5A-66A-66A_n261(G-J)	DC_5A_n261A DC_66A_n261A DC_5A_n261G DC_66A_n261G DC_5A_n261H DC_66A_n261H DC_5A_n261I DC_66A_n261I		
DC_5A-66A-66A_n261(H-I)	DC_5A_n261A DC_66A_n261A DC_5A_n261G DC_66A_n261G DC_5A_n261H DC_66A_n261H DC_5A_n261I DC_66A_n261I		
DC_7A-7A-8A_n257A	DC_7A_n257A DC_8A_n257A		
DC_7A-7A-8A_n257D	DC_7A_n257A DC_8A_n257A		
DC_7A-7A-8A_n257E	DC_7A_n257A DC_8A_n257A		
DC_7A-7A-8A_n257F	DC_7A_n257A DC_8A_n257A		
DC_7A-7A-8A_n257G	DC_7A_n257A DC_8A_n257A		
DC_7A-7A-8A_n257H	DC_7A_n257A DC_8A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_7A-7A-8A_n257I	DC_7A_n257A DC_8A_n257A		
DC_7A-7A-8A_n257J	DC_7A_n257A DC_8A_n257A		
DC_7A-7A-8A_n257K	DC_7A_n257A DC_8A_n257A		
DC_7A-7A-8A_n257L	DC_7A_n257A DC_8A_n257A		
DC_7A-7A-8A_n257M	DC_7A_n257A DC_8A_n257A		
DC_7A-7A_n1A-n257A (interBandEnDcSimRxTx)	DC_7A_n1A DC_7A_n257A		
DC_7A-7A_n1A-n257D (interBandEnDcSimRxTx)	DC_7A_n1A DC_7A_n257A		
DC_7A-7A_n1A-n257E (interBandEnDcSimRxTx)	DC_7A_n1A DC_7A_n257A		
DC_7A-7A_n1A-n257F (interBandEnDcSimRxTx)	DC_7A_n1A DC_7A_n257A		
DC_7A-7A_n1A-n257G (interBandEnDcSimRxTx)	DC_7A_n1A DC_7A_n257A DC_7A_n257G		
DC_7A-7A_n1A-n257H (interBandEnDcSimRxTx)	DC_7A_n1A DC_7A_n257A DC_7A_n257G DC_7A_n257H		
DC_7A-7A_n1A-n257I (interBandEnDcSimRxTx)	DC_7A_n1A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I		
DC_7A-7A_n1A-n257J (interBandEnDcSimRxTx)	DC_7A_n1A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J		
DC_7A-7A_n1A-n257K (interBandEnDcSimRxTx)	DC_7A_n1A DC_7A_n257A DC_7A_n257G DC_7A_n257H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_7A_n257I DC_7A_n257J DC_7A_n257K		
DC_7A-7A_n1A-n257L (interBandEnDcSimRxTx)	DC_7A_n1A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_7A_n257K		
DC_7A-7A_n1A-n257M (interBandEnDcSimRxTx)	DC_7A_n1A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_7A_n257K		
DC_7A-7A_n8A-n257A (interBandEnDcSimRxTx)	DC_7A_n8A DC_7A_n257A		
DC_7A-7A_n8A-n257G (interBandEnDcSimRxTx)	DC_7A_n8A DC_7A_n257A DC_7A_n257G		
DC_7A-7A_n8A-n257H (interBandEnDcSimRxTx)	DC_7A_n8A DC_7A_n257A DC_7A_n257G DC_7A_n257H		
DC_7A-7A_n8A-n257I (interBandEnDcSimRxTx)	DC_7A_n8A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I		
DC_7A-7A_n8A-n257J (interBandEnDcSimRxTx)	DC_7A_n8A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J		
DC_7A-7A_n8A-n257K (interBandEnDcSimRxTx)	DC_7A_n8A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_7A_n257K		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_7A-7A_n78A-n257A (interBandEnDcSimRxTx)	DC_7A_n78A DC_7A_n257A DC_7A_n78A-n257A		
DC_7A-7A_n78A-n257D (interBandEnDcSimRxTx)	DC_7A_n78A DC_7A_n257A DC_7A_n78A-n257A		
DC_7A-7A_n78A-n257E (interBandEnDcSimRxTx)	DC_7A_n78A DC_7A_n257A DC_7A_n78A-n257A		
DC_7A-7A_n78A-n257F (interBandEnDcSimRxTx)	DC_7A_n78A DC_7A_n257A DC_7A_n78A-n257A		
DC_7A-7A_n78A-n257G (interBandEnDcSimRxTx)	DC_7A_n78A DC_7A_n257A DC_7A_n257G DC_7A_n78A-n257A		
DC_7A-7A_n78A-n257H (interBandEnDcSimRxTx)	DC_7A_n78A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n78A-n257A		
DC_7A-7A_n78A-n257I (interBandEnDcSimRxTx)	DC_7A_n78A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n78A-n257A		
DC_7A-7A_n78A-n257J (interBandEnDcSimRxTx)	DC_7A_n78A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_7A_n78A-n257A		
DC_7A-7A_n78A-n257K (interBandEnDcSimRxTx)	DC_7A_n78A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_7A_n257K DC_7A_n78A-n257A		
	DC_7A_n78A DC_7A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_7A-7A_n78A-n257L (interBandEnDcSimRxTx)	DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_7A_n257K DC_7A_n78A-n257A		
DC_7A-7A_n78A-n257M (interBandEnDcSimRxTx)	DC_7A_n78A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_7A_n257K DC_7A_n78A-n257A		
DC_7A-7A_n78C-n257A	DC_7A_n78A DC_7A_n257A DC_7A_n78A-n257A		
DC_7A-7A_n78C-n257D	DC_7A_n78A DC_7A_n257A DC_7A_n78A-n257A		
DC_7A-7A_n78C-n257E	DC_7A_n78A DC_7A_n257A DC_7A_n78A-n257A		
DC_7A-7A_n78C-n257F	DC_7A_n78A DC_7A_n257A DC_7A_n78A-n257A		
DC_7A-7A_n78C-n257G	DC_7A_n78A DC_7A_n257A DC_7A_n257G DC_7A_n78A-n257A		
DC_7A-7A_n78C-n257H	DC_7A_n78A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n78A-n257A		
DC_7A-7A_n78C-n257I	DC_7A_n78A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n78A-n257A		
DC_7A-7A_n78C-n257J	DC_7A_n78A DC_7A_n257A DC_7A_n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_7A_n78A-n257A		
DC_7A-7A_n78C-n257K	DC_7A_n78A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_7A_n257K DC_7A_n78A-n257A		
DC_7A-7A_n78C-n257L	DC_7A_n78A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_7A_n257K DC_7A_n78A-n257A		
DC_7A-7A_n78C-n257M	DC_7A_n78A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_7A_n257K DC_7A_n78A-n257A		
DC_7A-8A_n1A-n257A (interBandEnDcSimRxTx)	DC_7A_n1A DC_7A_n257A DC_8A_n1A DC_8A_n257A		
DC_7A-8A_n1A-n257D (interBandEnDcSimRxTx)	DC_7A_n1A DC_7A_n257A DC_8A_n1A DC_8A_n257A		
DC_7A-8A_n1A-n257E (interBandEnDcSimRxTx)	DC_7A_n1A DC_7A_n257A DC_8A_n1A DC_8A_n257A		
DC_7A-8A_n1A-n257F (interBandEnDcSimRxTx)	DC_7A_n1A DC_7A_n257A DC_8A_n1A DC_8A_n257A		
	DC_7A_n1A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_7A-8A_n1A-n257G (interBandEnDcSimRxTx)	DC_7A_n257A DC_7A_n257G DC_8A_n1A DC_8A_n257A DC_8A_n257G		
DC_7A-8A_n1A-n257H (interBandEnDcSimRxTx)	DC_7A_n1A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_8A_n1A DC_8A_n257A DC_8A_n257G DC_8A_n257H		
DC_7A-8A_n1A-n257I (interBandEnDcSimRxTx)	DC_7A_n1A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_8A_n1A DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I		
DC_7A-8A_n1A-n257J (interBandEnDcSimRxTx)	DC_7A_n1A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_8A_n1A DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I DC_8A_n257J		
DC_7A-8A_n1A-n257K (interBandEnDcSimRxTx)	DC_7A_n1A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_7A_n257K DC_8A_n1A DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I DC_8A_n257J DC_8A_n257K		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_7A-8A_n1A-n257L (interBandEnDcSimRxTx)	DC_7A_n1A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_7A_n257K DC_8A_n1A DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I DC_8A_n257J DC_8A_n257K		
DC_7A-8A_n1A-n257M (interBandEnDcSimRxTx)	DC_7A_n1A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_7A_n257K DC_8A_n1A DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I DC_8A_n257J DC_8A_n257K		
DC_7A-8A_n40A-n258A	DC_7A_n40A DC_7A_n258A DC_8A_n40A DC_8A_n258A		
DC_7A-8A_n40A-n258D	DC_7A_n40A DC_7A_n258A DC_8A_n40A DC_8A_n258A		
DC_7A-8A_n40A-n258E	DC_7A_n40A DC_7A_n258A DC_8A_n40A DC_8A_n258A		
DC_7A-8A_n40A-n258F	DC_7A_n40A DC_7A_n258A DC_8A_n40A DC_8A_n258A		
DC_7A-8A_n40A-n258G	DC_7A_n40A DC_7A_n258A DC_8A_n40A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_8A_n258A		
DC_7A-8A_n40A-n258H	DC_7A_n40A DC_7A_n258A DC_8A_n40A DC_8A_n258A		
DC_7A-8A_n40A-n258I	DC_7A_n40A DC_7A_n258A DC_8A_n40A DC_8A_n258A		
DC_7A-8A_n40A-n258J	DC_7A_n40A DC_7A_n258A DC_8A_n40A DC_8A_n258A		
DC_7A-8A_n40A-n258K	DC_7A_n40A DC_7A_n258A DC_8A_n40A DC_8A_n258A		
DC_7A-8A_n40A-n258L	DC_7A_n40A DC_7A_n258A DC_8A_n40A DC_8A_n258A		
DC_7A-8A_n40A-n258M	DC_7A_n40A DC_7A_n258A DC_8A_n40A DC_8A_n258A		
DC_7A-8A_n78A-n257A (interBandEnDcSimRxTx)	DC_7A_n78A DC_7A_n257A DC_8A_n78A DC_8A_n257A		
DC_7A-8A_n78A-n257D (interBandEnDcSimRxTx)	DC_7A_n78A DC_7A_n257A DC_8A_n78A DC_8A_n257A		
DC_7A-8A_n78A-n257E (interBandEnDcSimRxTx)	DC_7A_n78A DC_7A_n257A DC_8A_n78A DC_8A_n257A		
DC_7A-8A_n78A-n257F (interBandEnDcSimRxTx)	DC_7A_n78A DC_7A_n257A DC_8A_n78A DC_8A_n257A		
	DC_7A_n78A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_7A-8A_n78A-n257G (interBandEnDcSimRxTx)	DC_7A_n257A DC_7A_n257G DC_8A_n78A DC_8A_n257A DC_8A_n257G		
DC_7A-8A_n78A-n257H (interBandEnDcSimRxTx)	DC_7A_n78A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_8A_n78A DC_8A_n257A DC_8A_n257G DC_8A_n257H		
DC_7A-8A_n78A-n257I (interBandEnDcSimRxTx)	DC_7A_n78A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_8A_n78A DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I		
DC_7A-8A_n78A-n257J (interBandEnDcSimRxTx)	DC_7A_n78A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_8A_n78A DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I DC_8A_n257J		
DC_7A-8A_n78A-n257K (interBandEnDcSimRxTx)	DC_7A_n78A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_7A_n257K DC_8A_n78A DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I DC_8A_n257J DC_8A_n257K		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_7A-8A_n78A-n257L (interBandEnDcSimRxTx)	DC_7A_n78A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_7A_n257K DC_8A_n78A DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I DC_8A_n257J DC_8A_n257K		
DC_7A-8A_n78A-n257M (interBandEnDcSimRxTx)	DC_7A_n78A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_7A_n257K DC_8A_n78A DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I DC_8A_n257J DC_8A_n257K		
DC_7A-8A_n78A-n258A	DC_7A_n78A DC_7A_n258A DC_8A_n78A DC_8A_n258A		
DC_7A-8A_n78A-n258D	DC_7A_n78A DC_7A_n258A DC_8A_n78A DC_8A_n258A		
DC_7A-8A_n78A-n258E	DC_7A_n78A DC_7A_n258A DC_8A_n78A DC_8A_n258A		
DC_7A-8A_n78A-n258F	DC_7A_n78A DC_7A_n258A DC_8A_n78A DC_8A_n258A		
DC_7A-8A_n78A-n258G	DC_7A_n78A DC_7A_n258A DC_8A_n78A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_8A_n258A		
DC_7A-8A_n78A-n258H	DC_7A_n78A DC_7A_n258A DC_8A_n78A DC_8A_n258A		
DC_7A-8A_n78A-n258I	DC_7A_n78A DC_7A_n258A DC_8A_n78A DC_8A_n258A		
DC_7A-8A_n78A-n258J	DC_7A_n78A DC_7A_n258A DC_8A_n78A DC_8A_n258A		
DC_7A-8A_n78A-n258K	DC_7A_n78A DC_7A_n258A DC_8A_n78A DC_8A_n258A		
DC_7A-8A_n78A-n258L	DC_7A_n78A DC_7A_n258A DC_8A_n78A DC_8A_n258A		
DC_7A-8A_n78A-n258M	DC_7A_n78A DC_7A_n258A DC_8A_n78A DC_8A_n258A		
DC_7A-28A_n38A-n257A	DC_7A_n38A DC_7A_n257A DC_28A_n38A DC_28A_n257A		
DC_7A-28A_n38A-n257G	DC_7A_n38A DC_7A_n257A DC_7A_n257G DC_28A_n38A DC_28A_n257A DC_28A_n257G		
DC_7A-28A_n38A-n257H	DC_7A_n38A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_28A_n38A DC_28A_n257A DC_28A_n257G DC_28A_n257H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_7A-28A_n38A-n257I	DC_7A_n38A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_28A_n38A DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_28A_n257I		
DC_7A-28A_n78A-n257A	DC_7A_n78A DC_28A_n78A DC_7A_n257A DC_28A_n257A		
DC_7A-28A_n78A-n257G	DC_7A_n78A DC_28A_n78A DC_7A_n257A DC_28A_n257A		
DC_7A-28A_n78A-n257H	DC_7A_n78A DC_28A_n78A DC_7A_n257A DC_28A_n257A		
DC_7A-28A_n78A-n257I	DC_7A_n78A DC_28A_n78A DC_7A_n257A DC_28A_n257A		
DC_7A_n1A-n78A-n257A (interBandEnDcSimRxTx)	DC_7A_n1A DC_7A_n78A DC_7A_n257A		
DC_7A_n1A-n78A-n257D (interBandEnDcSimRxTx)	DC_7A_n1A DC_7A_n78A DC_7A_n257A		
DC_7A_n1A-n78A-n257E (interBandEnDcSimRxTx)	DC_7A_n1A DC_7A_n78A DC_7A_n257A		
DC_7A_n1A-n78A-n257F (interBandEnDcSimRxTx)	DC_7A_n1A DC_7A_n78A DC_7A_n257A		
DC_7A_n1A-n78A-n257G (interBandEnDcSimRxTx)	DC_7A_n1A DC_7A_n78A DC_7A_n257A		
	DC_7A_n1A DC_7A_n78A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_7A_n1A-n78A-n257H (interBandEnDcSimRxTx)	DC_7A_n257A		
DC_7A_n1A-n78A-n257I (interBandEnDcSimRxTx)	DC_7A_n1A DC_7A_n78A DC_7A_n257A		
DC_7A_n1A-n78A-n257J (interBandEnDcSimRxTx)	DC_7A_n1A DC_7A_n78A DC_7A_n257A		
DC_7A_n1A-n78A-n257K (interBandEnDcSimRxTx)	DC_7A_n1A DC_7A_n78A DC_7A_n257A		
DC_7A_n1A-n78A-n257L (interBandEnDcSimRxTx)	DC_7A_n1A DC_7A_n78A DC_7A_n257A		
DC_7A_n1A-n78A-n257M (interBandEnDcSimRxTx)	DC_7A_n1A DC_7A_n78A DC_7A_n257A		
DC_7A_n8A-n78A-n257A (interBandEnDcSimRxTx)	DC_7A_n8A DC_7A_n78A DC_7A_n257A		
DC_7A_n8A-n78A-n257G (interBandEnDcSimRxTx)	DC_7A_n8A DC_7A_n78A DC_7A_n257A DC_7A_n257G		
DC_7A_n8A-n78A-n257H (interBandEnDcSimRxTx)	DC_7A_n8A DC_7A_n78A DC_7A_n257A DC_7A_n257G DC_7A_n257H		
DC_7A_n8A-n78A-n257I (interBandEnDcSimRxTx)	DC_7A_n8A DC_7A_n78A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I		
DC_7A_n8A-n78A-n257J (interBandEnDcSimRxTx)	DC_7A_n8A DC_7A_n78A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_7A_n8A-n78A-n257K (interBandEnDcSimRxTx)	DC_7A_n8A DC_7A_n78A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_7A_n257K		
DC_8A-11A_n77A-n257A (interBandEnDcSimRxTx)	DC_8A_n77A DC_8A_n257A DC_11A_n77A DC_11A_n257A		
DC_8A-11A_n77A-n257D (interBandEnDcSimRxTx)	DC_8A_n77A DC_8A_n257A DC_8A_n257D DC_11A_n77A DC_11A_n257A DC_11A_n257D		
DC_8A-11A_n77A-n257G (interBandEnDcSimRxTx)	DC_8A_n77A DC_8A_n257A DC_8A_n257G DC_11A_n77A DC_11A_n257A DC_11A_n257G		
DC_8A-11A_n77A-n257H (interBandEnDcSimRxTx)	DC_8A_n77A DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_11A_n77A DC_11A_n257A DC_11A_n257G DC_11A_n257H		
DC_8A-11A_n77A-n257I (interBandEnDcSimRxTx)	DC_8A_n77A DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I DC_11A_n77A DC_11A_n257A DC_11A_n257G DC_11A_n257H DC_11A_n257I		
DC_8A-11A_n77(2A)-n257A (interBandEnDcSimRxTx)	DC_8A_n77A DC_8A_n257A DC_11A_n77A DC_11A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_8A-11A_n77(2A)-n257D (interBandEnDcSimRxTx)	DC_8A_n77A DC_8A_n257A DC_8A_n257D DC_11A_n77A DC_11A_n257A DC_11A_n257D		
DC_8A-11A_n77(2A)-n257G (interBandEnDcSimRxTx)	DC_8A_n77A DC_8A_n257A DC_8A_n257G DC_11A_n77A DC_11A_n257A DC_11A_n257G		
DC_8A-11A_n77(2A)-n257H (interBandEnDcSimRxTx)	DC_8A_n77A DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_11A_n77A DC_11A_n257A DC_11A_n257G DC_11A_n257H		
DC_8A-11A_n77(2A)-n257I (interBandEnDcSimRxTx)	DC_8A_n77A DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I DC_11A_n77A DC_11A_n257A DC_11A_n257G DC_11A_n257H DC_11A_n257I		
DC_8A_n1A-n78A-n257A (interBandEnDcSimRxTx)	DC_8A_n1A DC_8A_n78A DC_8A_n257A		
DC_8A_n3A-n77A-n257A	DC_3A_n77A DC_8A_n77A DC_8A_n257A		
DC_8A_n3A-n77A-n257G	DC_3A_n77A DC_8A_n77A DC_8A_n257A		
DC_8A_n3A-n77A-n257H	DC_3A_n77A DC_8A_n77A DC_8A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_8A_n3A-n77A-n257I	DC_3A_n77A DC_8A_n77A DC_8A_n257A		
DC_8A_n3A-n77A-n257J	DC_3A_n77A DC_8A_n77A DC_8A_n257A		
DC_8A_n3A-n77A-n257K	DC_3A_n77A DC_8A_n77A DC_8A_n257A		
DC_8A_n3A-n77A-n257L	DC_3A_n77A DC_8A_n77A DC_8A_n257A		
DC_8A_n3A-n77A-n257M	DC_3A_n77A DC_8A_n77A DC_8A_n257A		
DC_8A_n3A-n77(2A)-n257A	DC_3A_n77A DC_8A_n77A DC_8A_n257A		
DC_8A_n3A-n77(2A)-n257G	DC_3A_n77A DC_8A_n77A DC_8A_n257A		
DC_8A_n3A-n77(2A)-n257H	DC_3A_n77A DC_8A_n77A DC_8A_n257A		
DC_8A_n3A-n77(2A)-n257I	DC_3A_n77A DC_8A_n77A DC_8A_n257A		
DC_8A_n3A-n77(2A)-n257J	DC_3A_n77A DC_8A_n77A DC_8A_n257A		
DC_8A_n3A-n77(2A)-n257K	DC_3A_n77A DC_8A_n77A DC_8A_n257A		
DC_8A_n3A-n77(2A)-n257L	DC_3A_n77A DC_8A_n77A DC_8A_n257A		
DC_8A_n3A-n77(2A)-n257M	DC_3A_n77A DC_8A_n77A DC_8A_n257A		
	DC_3A_n77A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_8A-(n)3AA-n77A-n257A	DC_3A_n257A DC_8A_n3A DC_8A_n77A DC_8A_n257A		
DC_8A-(n)3AA-n77A-n257G	DC_3A_n77A DC_3A_n257A DC_8A_n3A DC_8A_n77A DC_8A_n257A		
DC_8A-(n)3AA-n77A-n257H	DC_3A_n77A DC_3A_n257A DC_8A_n3A DC_8A_n77A DC_8A_n257A		
DC_8A-(n)3AA-n77A-n257I	DC_3A_n77A DC_3A_n257A DC_8A_n3A DC_8A_n77A DC_8A_n257A		
DC_8A-(n)3AA-n77A-n257J	DC_3A_n77A DC_3A_n257A DC_8A_n3A DC_8A_n77A DC_8A_n257A		
DC_8A-(n)3AA-n77A-n257K	DC_3A_n77A DC_3A_n257A DC_8A_n3A DC_8A_n77A DC_8A_n257A		
DC_8A-(n)3AA-n77A-n257L	DC_3A_n77A DC_3A_n257A DC_8A_n3A DC_8A_n77A DC_8A_n257A		
DC_8A-(n)3AA-n77A-n257M	DC_3A_n77A DC_3A_n257A DC_8A_n3A DC_8A_n77A DC_8A_n257A		
DC_8A-(n)3AA-n77(2A)-n257A	DC_3A_n77A DC_3A_n257A DC_8A_n3A DC_8A_n77A DC_8A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_8A-(n)3AA-n77(2A)-n257G	DC_3A_n77A DC_3A_n257A DC_8A_n3A DC_8A_n77A DC_8A_n257A		
DC_8A-(n)3AA-n77(2A)-n257H	DC_3A_n77A DC_3A_n257A DC_8A_n3A DC_8A_n77A DC_8A_n257A		
DC_8A-(n)3AA-n77(2A)-n257I	DC_3A_n77A DC_3A_n257A DC_8A_n3A DC_8A_n77A DC_8A_n257A		
DC_8A-(n)3AA-n77(2A)-n257J	DC_3A_n77A DC_3A_n257A DC_8A_n3A DC_8A_n77A DC_8A_n257A		
DC_8A-(n)3AA-n77(2A)-n257K	DC_3A_n77A DC_3A_n257A DC_8A_n3A DC_8A_n77A DC_8A_n257A		
DC_8A-(n)3AA-n77(2A)-n257L	DC_3A_n77A DC_3A_n257A DC_8A_n3A DC_8A_n77A DC_8A_n257A		
DC_8A-(n)3AA-n77(2A)-n257M	DC_3A_n77A DC_3A_n257A DC_8A_n3A DC_8A_n77A DC_8A_n257A		
DC_8A_n39A-n40A-n258A	DC_8A_n39A DC_8A_n40A DC_8A_n258A		
DC_8A_n39A-n41A-n258A	DC_8A_n39A DC_8A_n41A DC_8A_n258A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_8A_n40A-n41A-n258A	DC_8A_n40A DC_8A_n41A DC_8A_n258A		
DC_8A_n40A-n79A-n258A	DC_8A_n40A DC_8A_n79A DC_8A_n258A		
DC_8A_n41A-n79A-n258A	DC_8A_n41A DC_8A_n79A DC_8A_n258A		
DC_12A-30A-66A_n260A	DC_12A_n260A DC_30A_n260A DC_66A_n260A		
DC_12A-30A-66A_n260G	DC_12A_n260A DC_30A_n260A DC_66A_n260A DC_12A_n260G DC_30A_n260G DC_66A_n260G		
DC_12A-30A-66A_n260H	DC_12A_n260A DC_30A_n260A DC_66A_n260A DC_12A_n260G DC_30A_n260G DC_66A_n260G DC_12A_n260H DC_30A_n260H DC_66A_n260H		
DC_12A-30A-66A_n260I	DC_12A_n260A DC_30A_n260A DC_66A_n260A DC_12A_n260G DC_30A_n260G DC_66A_n260G DC_12A_n260H DC_30A_n260H DC_66A_n260H DC_12A_n260I DC_30A_n260I DC_66A_n260I		
DC_12A-30A-66A_n260J	DC_12A_n260A DC_30A_n260A DC_66A_n260A DC_12A_n260G DC_30A_n260G DC_66A_n260G DC_12A_n260H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_30A_n260H DC_66A_n260H DC_12A_n260I DC_30A_n260I DC_66A_n260I DC_12A_n260J DC_30A_n260J DC_66A_n260J		
DC_12A-30A-66A_n260K	DC_12A_n260A DC_30A_n260A DC_66A_n260A DC_12A_n260G DC_30A_n260G DC_66A_n260G DC_12A_n260H DC_30A_n260H DC_66A_n260H DC_12A_n260I DC_30A_n260I DC_66A_n260I DC_12A_n260J DC_30A_n260J DC_66A_n260J DC_12A_n260K DC_30A_n260K DC_66A_n260K		
DC_12A-30A-66A_n260L	DC_12A_n260A DC_30A_n260A DC_66A_n260A DC_12A_n260G DC_30A_n260G DC_66A_n260G DC_12A_n260H DC_30A_n260H DC_66A_n260H DC_12A_n260I DC_30A_n260I DC_66A_n260I DC_12A_n260J DC_30A_n260J DC_66A_n260J DC_12A_n260K DC_30A_n260K DC_66A_n260K DC_12A_n260L DC_30A_n260L DC_66A_n260L		
DC_12A-30A-66A_n260M	DC_12A_n260A DC_30A_n260A DC_66A_n260A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_12A_n260G DC_30A_n260G DC_66A_n260G DC_12A_n260H DC_30A_n260H DC_66A_n260H DC_12A_n260I DC_30A_n260I DC_66A_n260I DC_12A_n260J DC_30A_n260J DC_66A_n260J DC_12A_n260K DC_30A_n260K DC_66A_n260K DC_12A_n260L DC_30A_n260L DC_66A_n260L DC_12A_n260M DC_30A_n260M DC_66A_n260M		
DC_12A-66A-66A_n260A	DC_12A_n260A DC_66A_n260A		
DC_12A-66A-66A_n260G	DC_12A_n260A DC_12A_n260G DC_66A_n260A DC_66A_n260G		
DC_12A-66A-66A_n260H	DC_12A_n260A DC_12A_n260G DC_12A_n260H DC_66A_n260A DC_66A_n260G DC_66A_n260H		
DC_12A-66A-66A_n260I	DC_12A_n260A DC_12A_n260G DC_12A_n260H DC_12A_n260I DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I		
DC_12A-66A-66A_n260J	DC_12A_n260A DC_12A_n260G DC_12A_n260H DC_12A_n260I DC_12A_n260J DC_66A_n260A DC_66A_n260G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_66A_n260H DC_66A_n260I DC_66A_n260J		
DC_12A-66A-66A_n260K	DC_12A_n260A DC_12A_n260G DC_12A_n260H DC_12A_n260I DC_12A_n260J DC_12A_n260K DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I DC_66A_n260J DC_66A_n260K		
DC_12A-66A-66A_n260L	DC_12A_n260A DC_12A_n260G DC_12A_n260H DC_12A_n260I DC_12A_n260J DC_12A_n260K DC_12A_n260L DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I DC_66A_n260J DC_66A_n260K DC_66A_n260L		
DC_12A-66A-66A_n260M	DC_12A_n260A DC_12A_n260G DC_12A_n260H DC_12A_n260I DC_12A_n260J DC_12A_n260K DC_12A_n260L DC_12A_n260M DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I DC_66A_n260J DC_66A_n260K DC_66A_n260L DC_66A_n260M		
DC_13A-46A-46A_n261A	DC_13A_n261A		
DC_13A-46A-46A_n261G	DC_13A_n261A DC_13A_n261G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_13A-46A-46A_n261H	DC_13A_n261A DC_13A_n261G DC_13A_n261H		
DC_13A-46A-46A_n261I	DC_13A_n261A DC_13A_n261G DC_13A_n261H DC_13A_n261I		
DC_13A-46A-46A_n261J	DC_13A_n261A DC_13A_n261G DC_13A_n261H DC_13A_n261I DC_13A_n261J		
DC_13A-46A-46A_n261K	DC_13A_n261A DC_13A_n261G DC_13A_n261H DC_13A_n261I DC_13A_n261J DC_13A_n261K		
DC_13A-46A-46A_n261L	DC_13A_n261A DC_13A_n261G DC_13A_n261H DC_13A_n261I DC_13A_n261J DC_13A_n261K DC_13A_n261L		
DC_13A-46A-46A_n261M	DC_13A_n261A DC_13A_n261G DC_13A_n261H DC_13A_n261I DC_13A_n261J DC_13A_n261K DC_13A_n261L DC_13A_n261M		
DC_13A-46A-46A_n261(2A)	DC_13A_n261A		
DC_13A-46A-46A_n261(2G)	DC_13A_n261A DC_13A_n261G		
DC_13A-46A-46A_n261(2H)	DC_13A_n261A DC_13A_n261G DC_13A_n261H		
DC_13A-46A-46A_n261(A-G)	DC_13A_n261A DC_13A_n261G		
DC_13A-46A-46A_n261(A-H)	DC_13A_n261A DC_13A_n261G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_13A_n261H		
DC_13A-46A-46A_n261(G-H)	DC_13A_n261A DC_13A_n261G DC_13A_n261H		
DC_13A-66A-66A_n260A	DC_13A_n260A DC_66A_n260A		
DC_13A-66A-66A_n260G	DC_13A_n260A DC_66A_n260A DC_13A_n260G DC_66A_n260G		
DC_13A-66A-66A_n260H	DC_13A_n260A DC_66A_n260A DC_13A_n260G DC_66A_n260G DC_13A_n260H DC_66A_n260H		
DC_13A-66A-66A_n260I	DC_13A_n260A DC_66A_n260A DC_13A_n260G DC_66A_n260G DC_13A_n260H DC_66A_n260H DC_13A_n260I DC_66A_n260I		
DC_13A-66A-66A_n260J	DC_13A_n260A DC_66A_n260A DC_13A_n260G DC_66A_n260G DC_13A_n260H DC_66A_n260H DC_13A_n260I DC_66A_n260I DC_13A_n260J DC_66A_n260J		
DC_13A-66A-66A_n260K	DC_13A_n260A DC_66A_n260A DC_13A_n260G DC_66A_n260G DC_13A_n260H DC_66A_n260H DC_13A_n260I DC_66A_n260I DC_13A_n260J DC_66A_n260J DC_13A_n260K DC_66A_n260K		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_13A-66A-66A_n260L	DC_13A_n260A DC_66A_n260A DC_13A_n260G DC_66A_n260G DC_13A_n260H DC_66A_n260H DC_13A_n260I DC_66A_n260I DC_13A_n260J DC_66A_n260J DC_13A_n260K DC_66A_n260K DC_13A_n260L DC_66A_n260L		
DC_13A-66A-66A_n260M	DC_13A_n260A DC_66A_n260A DC_13A_n260G DC_66A_n260G DC_13A_n260H DC_66A_n260H DC_13A_n260I DC_66A_n260I DC_13A_n260J DC_66A_n260J DC_13A_n260K DC_66A_n260K DC_13A_n260L DC_66A_n260L DC_13A_n260M DC_66A_n260M		
DC_13A-66A-66A_n260(2A)	DC_13A_n260A DC_66A_n260A		
DC_13A-66A-66A_n260(2A-2G)	DC_13A_n260A DC_66A_n260A DC_13A_n260G DC_66A_n260G		
DC_13A-66A-66A_n260(2A-G)	DC_13A_n260A DC_66A_n260A DC_13A_n260G DC_66A_n260G		
DC_13A-66A-66A_n260(2G)	DC_13A_n260A DC_66A_n260A DC_13A_n260G DC_66A_n260G		
DC_13A-66A-66A_n260(2H)	DC_13A_n260A DC_66A_n260A DC_13A_n260G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_66A_n260G DC_13A_n260H DC_66A_n260H		
DC_13A-66A-66A_n260(3A)	DC_13A_n260A DC_66A_n260A		
DC_13A-66A-66A_n260(3A-G)	DC_13A_n260A DC_66A_n260A DC_13A_n260G DC_66A_n260G		
DC_13A-66A-66A_n260(4A)	DC_13A_n260A DC_66A_n260A		
DC_13A-66A-66A_n260(5A)	DC_13A_n260A DC_66A_n260A		
DC_13A-66A-66A_n260(6A)	DC_13A_n260A DC_66A_n260A		
DC_13A-66A-66A_n260(A-2G)	DC_13A_n260A DC_66A_n260A DC_13A_n260G DC_66A_n260G		
DC_13A-66A-66A_n260(A-G)	DC_13A_n260A DC_66A_n260A DC_13A_n260G DC_66A_n260G		
DC_13A-66A-66A_n260(A-H)	DC_13A_n260A DC_66A_n260A DC_13A_n260G DC_66A_n260G DC_13A_n260H DC_66A_n260H		
DC_13A-66A-66A_n260(G-H)	DC_13A_n260A DC_66A_n260A DC_13A_n260G DC_66A_n260G DC_13A_n260H DC_66A_n260H		
DC_13A-66A-66A_n261A	DC_13A_n261A DC_66A_n261A		
DC_13A-66A-66A_n261G	DC_13A_n261A DC_66A_n261A DC_13A_n261G DC_66A_n261G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_13A-66A-66A_n261H	DC_13A_n261A DC_66A_n261A DC_13A_n261G DC_66A_n261G DC_13A_n261H DC_66A_n261H		
DC_13A-66A-66A_n261I	DC_13A_n261A DC_66A_n261A DC_13A_n261G DC_66A_n261G DC_13A_n261H DC_66A_n261H DC_13A_n261I DC_66A_n261I		
DC_13A-66A-66A_n261J	DC_13A_n261A DC_66A_n261A DC_13A_n261G DC_66A_n261G DC_13A_n261H DC_66A_n261H DC_13A_n261I DC_66A_n261I DC_13A_n261J DC_66A_n261J		
DC_13A-66A-66A_n261K	DC_13A_n261A DC_66A_n261A DC_13A_n261G DC_66A_n261G DC_13A_n261H DC_66A_n261H DC_13A_n261I DC_66A_n261I DC_13A_n261J DC_66A_n261J DC_13A_n261K DC_66A_n261K		
DC_13A-66A-66A_n261L	DC_13A_n261A DC_66A_n261A DC_13A_n261G DC_66A_n261G DC_13A_n261H DC_66A_n261H DC_13A_n261I DC_66A_n261I DC_13A_n261J DC_66A_n261J DC_13A_n261K DC_66A_n261K DC_13A_n261L		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_66A_n261L		
DC_13A-66A-66A_n261M	DC_13A_n261A DC_66A_n261A DC_13A_n261G DC_66A_n261G DC_13A_n261H DC_66A_n261H DC_13A_n261I DC_66A_n261I DC_13A_n261J DC_66A_n261J DC_13A_n261K DC_66A_n261K DC_13A_n261L DC_66A_n261L DC_13A_n261M DC_66A_n261M		
DC_13A-66A-66A_n261(2A)	DC_13A_n261A DC_66A_n261A		
DC_13A-66A-66A_n261(2A-G)	DC_13A_n261A DC_66A_n261A DC_13A_n261G DC_66A_n261G		
DC_13A-66A-66A_n261(2A-H)	DC_13A_n261A DC_66A_n261A DC_13A_n261G DC_66A_n261G DC_13A_n261H DC_66A_n261H		
DC_13A-66A-66A_n261(2A-I)	DC_13A_n261A DC_66A_n261A DC_13A_n261G DC_66A_n261G DC_13A_n261H DC_66A_n261H DC_13A_n261I DC_66A_n261I		
DC_13A-66A-66A_n261(2G)	DC_13A_n261A DC_66A_n261A DC_13A_n261G DC_66A_n261G		
DC_13A-66A-66A_n261(2H)	DC_13A_n261A DC_66A_n261A DC_13A_n261G DC_66A_n261G DC_13A_n261H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_66A_n261H		
DC_13A-66A-66A_n261(3A)	DC_13A_n261A DC_66A_n261A		
DC_13A-66A-66A_n261(3A-G)	DC_13A_n261A DC_66A_n261A DC_13A_n261G DC_66A_n261G		
DC_13A-66A-66A_n261(4A)	DC_13A_n261A DC_66A_n261A		
DC_13A-66A-66A_n261(A-2G)	DC_13A_n261A DC_66A_n261A DC_13A_n261G DC_66A_n261G		
DC_13A-66A-66A_n261(A-G)	DC_13A_n261A DC_66A_n261A DC_13A_n261G DC_66A_n261G		
DC_13A-66A-66A_n261(A-G-H)	DC_13A_n261A DC_66A_n261A DC_13A_n261G DC_66A_n261G DC_13A_n261H DC_66A_n261H		
DC_13A-66A-66A_n261(A-G-I)	DC_13A_n261A DC_66A_n261A DC_13A_n261G DC_66A_n261G DC_13A_n261H DC_66A_n261H DC_13A_n261I DC_66A_n261I		
DC_13A-66A-66A_n261(A-H)	DC_13A_n261A DC_66A_n261A DC_13A_n261G DC_66A_n261G DC_13A_n261H DC_66A_n261H		
DC_13A-66A-66A_n261(A-I)	DC_13A_n261A DC_66A_n261A DC_13A_n261G DC_66A_n261G DC_13A_n261H DC_66A_n261H DC_13A_n261I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_66A_n261I		
DC_13A-66A-66A_n261(A-J)	DC_13A_n261A DC_66A_n261A DC_13A_n261G DC_66A_n261G DC_13A_n261H DC_66A_n261H DC_13A_n261I DC_66A_n261I		
DC_13A-66A-66A_n261(A-K)	DC_13A_n261A DC_66A_n261A DC_13A_n261G DC_66A_n261G DC_13A_n261H DC_66A_n261H DC_13A_n261I DC_66A_n261I		
DC_13A-66A-66A_n261(A-L)	DC_13A_n261A DC_66A_n261A DC_13A_n261G DC_66A_n261G DC_13A_n261H DC_66A_n261H DC_13A_n261I DC_66A_n261I		
DC_13A-66A-66A_n261(G-H)	DC_13A_n261A DC_66A_n261A DC_13A_n261G DC_66A_n261G DC_13A_n261H DC_66A_n261H		
DC_13A-66A-66A_n261(G-I)	DC_13A_n261A DC_66A_n261A DC_13A_n261G DC_66A_n261G DC_13A_n261H DC_66A_n261H DC_13A_n261I DC_66A_n261I		
DC_13A-66A-66A_n261(G-J)	DC_13A_n261A DC_66A_n261A DC_13A_n261G DC_66A_n261G DC_13A_n261H DC_66A_n261H DC_13A_n261I DC_66A_n261I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_13A-66A-66A_n261(H-I)	DC_13A_n261A DC_66A_n261A DC_13A_n261G DC_66A_n261G DC_13A_n261H DC_66A_n261H DC_13A_n261I DC_66A_n261I		
DC_14A-30A-66A_n260A	DC_14A_n260A DC_30A_n260A DC_66A_n260A		
DC_14A-30A-66A_n260G	DC_14A_n260A DC_14A_n260G DC_30A_n260A DC_30A_n260G DC_66A_n260A DC_66A_n260G		
DC_14A-30A-66A_n260H	DC_14A_n260A DC_14A_n260G DC_14A_n260H DC_30A_n260A DC_30A_n260G DC_30A_n260H DC_66A_n260A DC_66A_n260G DC_66A_n260H		
DC_14A-30A-66A_n260I	DC_14A_n260A DC_14A_n260G DC_14A_n260H DC_14A_n260I DC_30A_n260A DC_30A_n260G DC_30A_n260H DC_30A_n260I DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I		
DC_14A-30A-66A_n260J	DC_14A_n260A DC_14A_n260G DC_14A_n260H DC_14A_n260I DC_14A_n260J DC_30A_n260A DC_30A_n260G DC_30A_n260H DC_30A_n260I DC_30A_n260J		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I DC_66A_n260J		
DC_14A-30A-66A_n260K	DC_14A_n260A DC_14A_n260G DC_14A_n260H DC_14A_n260I DC_14A_n260J DC_14A_n260K DC_30A_n260A DC_30A_n260G DC_30A_n260H DC_30A_n260I DC_30A_n260J DC_30A_n260K DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I DC_66A_n260J DC_66A_n260K		
DC_14A-30A-66A_n260L	DC_14A_n260A DC_14A_n260G DC_14A_n260H DC_14A_n260I DC_14A_n260J DC_14A_n260K DC_14A_n260L DC_30A_n260A DC_30A_n260G DC_30A_n260H DC_30A_n260I DC_30A_n260J DC_30A_n260K DC_30A_n260L DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I DC_66A_n260J DC_66A_n260K DC_66A_n260L		
DC_14A-30A-66A_n260M	DC_14A_n260A DC_14A_n260G DC_14A_n260H DC_14A_n260I DC_14A_n260J DC_14A_n260K		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_14A_n260L DC_14A_n260M DC_30A_n260A DC_30A_n260G DC_30A_n260H DC_30A_n260I DC_30A_n260J DC_30A_n260K DC_30A_n260L DC_30A_n260M DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I DC_66A_n260J DC_66A_n260K DC_66A_n260L DC_66A_n260M		
DC_14A-66A-66A_n260A	DC_14A_n260A DC_66A_n260A		
DC_14A-66A-66A_n260G	DC_14A_n260A DC_14A_n260G DC_66A_n260A DC_66A_n260G		
DC_14A-66A-66A_n260H	DC_14A_n260A DC_14A_n260G DC_14A_n260H DC_66A_n260A DC_66A_n260G DC_66A_n260H		
DC_14A-66A-66A_n260I	DC_14A_n260A DC_14A_n260G DC_14A_n260H DC_14A_n260I DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I		
DC_14A-66A-66A_n260J	DC_14A_n260A DC_14A_n260G DC_14A_n260H DC_14A_n260I DC_14A_n260J DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I DC_66A_n260J		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_14A-66A-66A_n260K	DC_14A_n260A DC_14A_n260G DC_14A_n260H DC_14A_n260I DC_14A_n260J DC_14A_n260K DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I DC_66A_n260J DC_66A_n260K		
DC_14A-66A-66A_n260L	DC_14A_n260A DC_14A_n260G DC_14A_n260H DC_14A_n260I DC_14A_n260J DC_14A_n260K DC_14A_n260L DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I DC_66A_n260J DC_66A_n260K DC_66A_n260L		
DC_14A-66A-66A_n260M	DC_14A_n260A DC_14A_n260G DC_14A_n260H DC_14A_n260I DC_14A_n260J DC_14A_n260K DC_14A_n260L DC_14A_n260M DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I DC_66A_n260J DC_66A_n260K DC_66A_n260L DC_66A_n260M		
DC_18A-41A_n3A-n257A	DC_18A_n3A DC_18A_n257A DC_41A_n3A DC_41A_n257A		
DC_18A-41A_n3A-n257G	DC_18A_n3A DC_18A_n257A DC_18A_n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_41A_n3A DC_41A_n257A DC_41A_n257G		
DC_18A-41A_n3A-n257H	DC_18A_n3A DC_18A_n257A DC_18A_n257G DC_18A_n257H DC_41A_n3A DC_41A_n257A DC_41A_n257G DC_41A_n257H		
DC_18A-41A_n3A-n257I	DC_18A_n3A DC_18A_n257A DC_18A_n257G DC_18A_n257H DC_18A_n257I DC_41A_n3A DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I		
DC_18A-41C_n3A-n257A	DC_18A_n3A DC_18A_n257A DC_41A_n3A DC_41A_n257A DC_41C_n3A DC_41C_n257A		
DC_18A-41C_n3A-n257G	DC_18A_n3A DC_18A_n257A DC_18A_n257G DC_41A_n3A DC_41A_n257A DC_41A_n257G DC_41C_n3A DC_41C_n257A DC_41C_n257G		
DC_18A-41C_n3A-n257H	DC_18A_n3A DC_18A_n257A DC_18A_n257G DC_18A_n257H DC_41A_n3A DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41C_n3A DC_41C_n257A DC_41C_n257G DC_41C_n257H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_18A-41C_n3A-n257I	DC_18A_n3A DC_18A_n257A DC_18A_n257G DC_18A_n257H DC_18A_n257I DC_41A_n3A DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_41C_n3A DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_41C_n257I		
DC_18A-42A_n78A-n257A	DC_18A_n78A DC_18A_n257A DC_42A_n257A		
DC_18A-42A_n78A-n257G	DC_18A_n78A DC_18A_n257A DC_18A_n257G DC_42A_n257A DC_42A_n257G		
DC_18A-42A_n78A-n257H	DC_18A_n78A DC_18A_n257A DC_18A_n257G DC_18A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H		
DC_18A-42A_n78A-n257I	DC_18A_n78A DC_18A_n257A DC_18A_n257G DC_18A_n257H DC_18A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_18A-42C_n78A-n257A	DC_18A_n78A DC_18A_n257A DC_42A_n257A DC_42C_n257A		
DC_18A-42C_n78A-n257G	DC_18A_n78A DC_18A_n257A DC_18A_n257G DC_42A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_42A_n257G DC_42C_n257A DC_42C_n257G		
DC_18A-42C_n78A-n257H	DC_18A_n78A DC_18A_n257A DC_18A_n257G DC_18A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42C_n257A DC_42C_n257G DC_42C_n257H		
DC_18A-42C_n78A-n257I	DC_18A_n78A DC_18A_n257A DC_18A_n257G DC_18A_n257H DC_18A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_19A-21A-42A_n257A (interBandEnDcSimRxTx)	DC_19A_n257A DC_21A_n257A DC_42A_n257A		
DC_19A-21A-42A_n257D (interBandEnDcSimRxTx)	DC_19A_n257A DC_19A_n257D DC_21A_n257A DC_21A_n257D DC_42A_n257A DC_42A_n257D		
DC_19A-21A-42A_n257E (interBandEnDcSimRxTx)	DC_19A_n257A DC_19A_n257D DC_21A_n257A DC_21A_n257D DC_42A_n257A DC_42A_n257D		
DC_19A-21A-42A_n257F (interBandEnDcSimRxTx)	DC_19A_n257A DC_19A_n257D DC_21A_n257A DC_21A_n257D DC_42A_n257A DC_42A_n257D		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_19A-21A-42A_n257G (interBandEnDcSimRxTx)	DC_19A_n257A DC_19A_n257G DC_21A_n257A DC_21A_n257G DC_42A_n257A DC_42A_n257G		
DC_19A-21A-42A_n257H (interBandEnDcSimRxTx)	DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H		
DC_19A-21A-42A_n257I (interBandEnDcSimRxTx)	DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_19A_n257I DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_19A-21A-42A_n257J	DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_19A_n257I DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_19A-21A-42A_n257K	DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_19A_n257I DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I DC_42A_n257A DC_42A_n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_42A_n257H DC_42A_n257I		
DC_19A-21A-42A_n257L	DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_19A_n257I DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_19A-21A-42A_n257M	DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_19A_n257I DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_19A-21A-42C_n257A (interBandEnDcSimRxTx)	DC_19A_n257A DC_21A_n257A DC_42A_n257A		
DC_19A-21A-42C_n257D (interBandEnDcSimRxTx)	DC_19A_n257A DC_19A_n257D DC_21A_n257A DC_21A_n257D DC_42A_n257A DC_42A_n257D		
DC_19A-21A-42C_n257E (interBandEnDcSimRxTx)	DC_19A_n257A DC_19A_n257D DC_21A_n257A DC_21A_n257D DC_42A_n257A DC_42A_n257D		
DC_19A-21A-42C_n257F (interBandEnDcSimRxTx)	DC_19A_n257A DC_19A_n257D DC_21A_n257A DC_21A_n257D DC_42A_n257A DC_42A_n257D		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_19A-21A-42C_n257G (interBandEnDcSimRxTx)	DC_19A_n257A DC_19A_n257G DC_21A_n257A DC_21A_n257G DC_42A_n257A DC_42A_n257G		
DC_19A-21A-42C_n257H (interBandEnDcSimRxTx)	DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H		
DC_19A-21A-42C_n257I (interBandEnDcSimRxTx)	DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_19A_n257I DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_19A-21A-42C_n257J	DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_19A_n257I DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_19A-21A-42C_n257K	DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_19A_n257I DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I DC_42A_n257A DC_42A_n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_42A_n257H DC_42A_n257I		
DC_19A-21A-42C_n257L	DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_19A_n257I DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_19A-21A-42C_n257M	DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_19A_n257I DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_19A-21A_n77A-n257A (interBandEnDcSimRxTx)	DC_19A_n77A DC_19A_n257A DC_21A_n77A DC_21A_n257A		
DC_19A-21A_n77A-n257G (interBandEnDcSimRxTx)	DC_19A_n77A DC_19A_n257A DC_19A_n257G DC_21A_n77A DC_21A_n257A DC_21A_n257G		
DC_19A-21A_n77A-n257H (interBandEnDcSimRxTx)	DC_19A_n77A DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_21A_n77A DC_21A_n257A DC_21A_n257G DC_21A_n257H		
DC_19A-21A_n77A-n257I (interBandEnDcSimRxTx)	DC_19A_n77A DC_19A_n257A DC_19A_n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_19A_n257H DC_19A_n257I DC_21A_n77A DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I		
DC_19A-21A_n78A-n257A (interBandEnDcSimRxTx)	DC_19A_n78A DC_19A_n257A DC_21A_n78A DC_21A_n257A		
DC_19A-21A_n78A-n257G (interBandEnDcSimRxTx)	DC_19A_n78A DC_19A_n257A DC_19A_n257G DC_21A_n78A DC_21A_n257A DC_21A_n257G		
DC_19A-21A_n78A-n257H (interBandEnDcSimRxTx)	DC_19A_n78A DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_21A_n78A DC_21A_n257A DC_21A_n257G DC_21A_n257H		
DC_19A-21A_n78A-n257I (interBandEnDcSimRxTx)	DC_19A_n78A DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_19A_n257I DC_21A_n78A DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I		
DC_19A-21A_n79A-n257A (interBandEnDcSimRxTx)	DC_19A_n79A DC_19A_n257A DC_21A_n79A DC_21A_n257A		
DC_19A-21A_n79A-n257G (interBandEnDcSimRxTx)	DC_19A_n79A DC_19A_n257A DC_19A_n257G DC_21A_n79A DC_21A_n257A DC_21A_n257G		
	DC_19A_n79A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_19A-21A_n79A-n257H (interBandEnDcSimRxTx)	DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_21A_n79A DC_21A_n257A DC_21A_n257G DC_21A_n257H		
DC_19A-21A_n79A-n257I (interBandEnDcSimRxTx)	DC_19A_n79A DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_19A_n257I DC_21A_n79A DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I		
DC_19A-28A-42A_n257A	DC_19A_n257A DC_28A_n257A DC_42A_n257A		
DC_19A-28A-42C_n257A	DC_19A_n257A DC_28A_n257A DC_42A_n257A		
DC_19A-42A_n77A-n257A	DC_19A_n77A DC_19A_n257A DC_42A_n257A		
DC_19A-42A_n77A-n257G	DC_19A_n77A DC_19A_n257A DC_19A_n257G DC_42A_n257A DC_42A_n257G		
DC_19A-42A_n77A-n257H	DC_19A_n77A DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H		
DC_19A-42A_n77A-n257I	DC_19A_n77A DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_19A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_42A_n257I		
DC_19A-42A_n78A-n257A	DC_19A_n78A DC_19A_n257A DC_42A_n257A		
DC_19A-42A_n78A-n257G	DC_19A_n78A DC_19A_n257A DC_19A_n257G DC_42A_n257A DC_42A_n257G		
DC_19A-42A_n78A-n257H	DC_19A_n78A DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H		
DC_19A-42A_n78A-n257I	DC_19A_n78A DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_19A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_19A-42A_n79A-n257A	DC_19A_n79A DC_19A_n257A DC_42A_n257A		
DC_19A-42A_n79A-n257G	DC_19A_n79A DC_19A_n257A DC_19A_n257G DC_42A_n257A DC_42A_n257G		
DC_19A-42A_n79A-n257H	DC_19A_n79A DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H		
DC_19A-42A_n79A-n257I	DC_19A_n79A DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_19A_n257I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_19A-42C_n77A-n257A	DC_19A_n77A DC_19A_n257A DC_42A_n257A		
DC_19A-42C_n77A-n257G	DC_19A_n77A DC_19A_n257A DC_19A_n257G DC_42A_n257A DC_42A_n257G		
DC_19A-42C_n77A-n257H	DC_19A_n77A DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H		
DC_19A-42C_n77A-n257I	DC_19A_n77A DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_19A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_19A-42C_n78A-n257A	DC_19A_n78A DC_19A_n257A DC_42A_n257A		
DC_19A-42C_n78A-n257G	DC_19A_n78A DC_19A_n257A DC_19A_n257G DC_42A_n257A DC_42A_n257G		
DC_19A-42C_n78A-n257H	DC_19A_n78A DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H		
DC_19A-42C_n78A-n257I	DC_19A_n78A DC_19A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_19A_n257G DC_19A_n257H DC_19A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_19A-42C_n79A-n257A	DC_19A_n79A DC_19A_n257A DC_42A_n257A		
DC_19A-42C_n79A-n257G	DC_19A_n79A DC_19A_n257A DC_19A_n257G DC_42A_n257A DC_42A_n257G		
DC_19A-42C_n79A-n257H	DC_19A_n79A DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H		
DC_19A-42C_n79A-n257I	DC_19A_n79A DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_19A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_21A-28A-42A_n257A (interBandEnDcSimRxTx)	DC_21A_n257A DC_28A_n257A DC_42A_n257A		
DC_21A-28A-42C_n257A (interBandEnDcSimRxTx)	DC_21A_n257A DC_28A_n257A DC_42A_n257A		
DC_21A-42A_n77A-n257A	DC_21A_n77A DC_21A_n257A DC_42A_n257A DC_21A_n77A-n257A		
DC_21A-42A_n77A-n257G	DC_21A_n77A DC_21A_n257A DC_21A_n257G DC_42A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_42A_n257G DC_21A_n77A-n257A DC_21A_n77A-n257G		
DC_21A-42A_n77A-n257H	DC_21A_n77A DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_21A_n77A-n257A DC_21A_n77A-n257G DC_21A_n77A-n257H		
DC_21A-42A_n77A-n257I	DC_21A_n77A DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_21A_n77A-n257A DC_21A_n77A-n257G DC_21A_n77A-n257H DC_21A_n77A-n257I		
DC_21A-42A_n78A-n257A	DC_21A_n78A DC_21A_n257A DC_42A_n257A DC_21A_n78A-n257A		
DC_21A-42A_n78A-n257G	DC_21A_n78A DC_21A_n257A DC_21A_n257G DC_42A_n257A DC_42A_n257G DC_21A_n78A-n257A DC_21A_n78A-n257G		
DC_21A-42A_n78A-n257H	DC_21A_n78A DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_21A_n78A-n257A DC_21A_n78A-n257G DC_21A_n78A-n257H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_21A-42A_n78A-n257I	DC_21A_n78A DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_21A_n78A-n257A DC_21A_n78A-n257G DC_21A_n78A-n257H DC_21A_n78A-n257I		
DC_21A-42A_n79A-n257A	DC_21A_n79A DC_21A_n257A DC_42A_n257A DC_21A_n79A-n257A		
DC_21A-42A_n79A-n257G	DC_21A_n79A DC_21A_n257A DC_21A_n257G DC_42A_n257A DC_42A_n257G DC_21A_n79A-n257A DC_21A_n79A-n257G		
DC_21A-42A_n79A-n257H	DC_21A_n79A DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_21A_n79A-n257A DC_21A_n79A-n257G DC_21A_n79A-n257H		
DC_21A-42A_n79A-n257I	DC_21A_n79A DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_21A_n79A-n257A DC_21A_n79A-n257G DC_21A_n79A-n257H DC_21A_n79A-n257I		
	DC_21A_n77A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_21A-42C_n77A-n257A	DC_21A_n257A DC_42A_n257A DC_21A_n77A-n257A		
DC_21A-42C_n77A-n257G	DC_21A_n77A DC_21A_n257A DC_21A_n257G DC_42A_n257A DC_42A_n257G DC_21A_n77A-n257A DC_21A_n77A-n257G		
DC_21A-42C_n77A-n257H	DC_21A_n77A DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_21A_n77A-n257A DC_21A_n77A-n257G DC_21A_n77A-n257H		
DC_21A-42C_n77A-n257I	DC_21A_n77A DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_21A_n77A-n257A DC_21A_n77A-n257G DC_21A_n77A-n257H DC_21A_n77A-n257I		
DC_21A-42C_n78A-n257A	DC_21A_n78A DC_21A_n257A DC_42A_n257A DC_21A_n78A-n257A		
DC_21A-42C_n78A-n257G	DC_21A_n78A DC_21A_n257A DC_21A_n257G DC_42A_n257A DC_42A_n257G DC_21A_n78A-n257A DC_21A_n78A-n257G		
DC_21A-42C_n78A-n257H	DC_21A_n78A DC_21A_n257A DC_21A_n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_21A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_21A_n78A-n257A DC_21A_n78A-n257G DC_21A_n78A-n257H		
DC_21A-42C_n78A-n257I	DC_21A_n78A DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_21A_n78A-n257A DC_21A_n78A-n257G DC_21A_n78A-n257H DC_21A_n78A-n257I		
DC_21A-42C_n79A-n257A	DC_21A_n79A DC_21A_n257A DC_42A_n257A DC_21A_n79A-n257A		
DC_21A-42C_n79A-n257G	DC_21A_n79A DC_21A_n257A DC_21A_n257G DC_42A_n257A DC_42A_n257G DC_21A_n79A-n257A DC_21A_n79A-n257G		
DC_21A-42C_n79A-n257H	DC_21A_n79A DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_21A_n79A-n257A DC_21A_n79A-n257G DC_21A_n79A-n257H		
DC_21A-42C_n79A-n257I	DC_21A_n79A DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I DC_42A_n257A DC_42A_n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_42A_n257H DC_42A_n257I DC_21A_n79A-n257A DC_21A_n79A-n257G DC_21A_n79A-n257H DC_21A_n79A-n257I		
DC_28A-41A-42A_n257A	DC_28A_n257A DC_41A_n257A DC_42A_n257A		
DC_28A-41A-42A_n257G	DC_28A_n257A DC_28A_n257G DC_41A_n257A DC_41A_n257G DC_42A_n257A DC_42A_n257G		
DC_28A-41A-42A_n257H	DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H		
DC_28A-41A-42A_n257I	DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_28A_n257I DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_28A-41A-42C_n257A	DC_28A_n257A DC_41A_n257A DC_42A_n257A DC_42C_n257A		
DC_28A-41A-42C_n257G	DC_28A_n257A DC_28A_n257G DC_41A_n257A DC_41A_n257G DC_42A_n257A DC_42A_n257G DC_42C_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_42C_n257G		
DC_28A-41A-42C_n257H	DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42C_n257A DC_42C_n257G DC_42C_n257H		
DC_28A-41A-42C_n257I	DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_28A_n257I DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_28A-41A_n78A-n257A	DC_28A_n78A DC_28A_n257A DC_41A_n78A DC_41A_n257A		
DC_28A-41A_n78A-n257G	DC_28A_n78A DC_28A_n257A DC_28A_n257G DC_41A_n78A DC_41A_n257A DC_41A_n257G		
DC_28A-41A_n78A-n257H	DC_28A_n78A DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_41A_n78A DC_41A_n257A DC_41A_n257G DC_41A_n257H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_28A-41A_n78A-n257I	DC_28A_n78A DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_28A_n257I DC_41A_n78A DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I		
DC_28A-41C-42A_n257A	DC_28A_n257A DC_41A_n257A DC_41C_n257A DC_42A_n257A		
DC_28A-41C-42A_n257G	DC_28A_n257A DC_28A_n257G DC_41A_n257A DC_41A_n257G DC_41C_n257A DC_41C_n257G DC_42A_n257A DC_42A_n257G		
DC_28A-41C-42A_n257H	DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H		
DC_28A-41C-42A_n257I	DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_28A_n257I DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_41C_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_42A_n257I		
DC_28A-41C-42C_n257A	DC_28A_n257A DC_41A_n257A DC_41C_n257A DC_42A_n257A DC_42C_n257A		
DC_28A-41C-42C_n257G	DC_28A_n257A DC_28A_n257G DC_41A_n257A DC_41A_n257G DC_41C_n257A DC_41C_n257G DC_42A_n257A DC_42A_n257G DC_42C_n257A DC_42C_n257G		
DC_28A-41C-42C_n257H	DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42C_n257A DC_42C_n257G DC_42C_n257H		
DC_28A-41C-42C_n257I	DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_28A_n257I DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_41C_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_42C_n257H DC_42C_n257I		
DC_28A-41C_n78A-n257A	DC_28A_n78A DC_28A_n257A DC_41A_n78A DC_41A_n257A DC_41C_n78A DC_41C_n257A		
DC_28A-41C_n78A-n257G	DC_28A_n78A DC_28A_n257A DC_28A_n257G DC_41A_n78A DC_41A_n257A DC_41A_n257G DC_41C_n78A DC_41C_n257A DC_41C_n257G		
DC_28A-41C_n78A-n257H	DC_28A_n78A DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_41A_n78A DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41C_n78A DC_41C_n257A DC_41C_n257G DC_41C_n257H		
DC_28A-41C_n78A-n257I	DC_28A_n78A DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_28A_n257I DC_41A_n78A DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_41C_n78A DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_41C_n257I		
DC_28A-42A_n78A-n257A	DC_28A_n78A DC_28A_n257A DC_42A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_28A-42A_n78A-n257G	DC_28A_n78A DC_28A_n257A DC_28A_n257G DC_42A_n257A DC_42A_n257G		
DC_28A-42A_n78A-n257H	DC_28A_n78A DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H		
DC_28A-42A_n78A-n257I	DC_28A_n78A DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_28A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_28A-42C_n78A-n257A	DC_28A_n78A DC_28A_n257A DC_42A_n257A DC_42C_n257A		
DC_28A-42C_n78A-n257G	DC_28A_n78A DC_28A_n257A DC_28A_n257G DC_42A_n257A DC_42A_n257G DC_42C_n257A DC_42C_n257G		
DC_28A-42C_n78A-n257H	DC_28A_n78A DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42C_n257A DC_42C_n257G DC_42C_n257H		
DC_28A-42C_n78A-n257I	DC_28A_n78A DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_28A_n257I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_29A-30A-66A_n260A	DC_30A_n260A DC_66A_n260A		
DC_29A-30A-66A_n260G	DC_30A_n260A DC_66A_n260A DC_30A_n260G DC_66A_n260G		
DC_29A-30A-66A_n260H	DC_30A_n260A DC_66A_n260A DC_30A_n260G DC_66A_n260G DC_30A_n260H DC_66A_n260H		
DC_29A-30A-66A_n260I	DC_30A_n260A DC_66A_n260A DC_30A_n260G DC_66A_n260G DC_30A_n260H DC_66A_n260H DC_30A_n260I DC_66A_n260I		
DC_29A-30A-66A_n260J	DC_30A_n260A DC_66A_n260A DC_30A_n260G DC_66A_n260G DC_30A_n260H DC_66A_n260H DC_30A_n260I DC_66A_n260I DC_30A_n260J DC_66A_n260J		
DC_29A-30A-66A_n260K	DC_30A_n260A DC_66A_n260A DC_30A_n260G DC_66A_n260G DC_30A_n260H DC_66A_n260H DC_30A_n260I DC_66A_n260I DC_30A_n260J		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_66A_n260J DC_30A_n260K DC_66A_n260K		
DC_29A-30A-66A_n260L	DC_30A_n260A DC_66A_n260A DC_30A_n260G DC_66A_n260G DC_30A_n260H DC_66A_n260H DC_30A_n260I DC_66A_n260I DC_30A_n260J DC_66A_n260J DC_30A_n260K DC_66A_n260K DC_30A_n260L DC_66A_n260L		
DC_29A-30A-66A_n260M	DC_30A_n260A DC_66A_n260A DC_30A_n260G DC_66A_n260G DC_30A_n260H DC_66A_n260H DC_30A_n260I DC_66A_n260I DC_30A_n260J DC_66A_n260J DC_30A_n260K DC_66A_n260K DC_30A_n260L DC_66A_n260L DC_30A_n260M DC_66A_n260M		
DC_30A-66A-66A_n260A	DC_30A_n260A DC_66A_n260A		
DC_30A-66A-66A_n260G	DC_30A_n260A DC_30A_n260G DC_66A_n260A DC_66A_n260G		
DC_30A-66A-66A_n260H	DC_30A_n260A DC_30A_n260G DC_30A_n260H DC_66A_n260A DC_66A_n260G DC_66A_n260H		
DC_30A-66A-66A_n260I	DC_30A_n260A DC_30A_n260G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_30A_n260H DC_30A_n260I DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I		
DC_30A-66A-66A_n260J	DC_30A_n260A DC_30A_n260G DC_30A_n260H DC_30A_n260I DC_30A_n260J DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I DC_66A_n260J		
DC_30A-66A-66A_n260K	DC_30A_n260A DC_30A_n260G DC_30A_n260H DC_30A_n260I DC_30A_n260J DC_30A_n260K DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I DC_66A_n260J DC_66A_n260K		
DC_30A-66A-66A_n260L	DC_30A_n260A DC_30A_n260G DC_30A_n260H DC_30A_n260I DC_30A_n260J DC_30A_n260K DC_30A_n260L DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I DC_66A_n260J DC_66A_n260K DC_66A_n260L		
DC_30A-66A-66A_n260M	DC_30A_n260A DC_30A_n260G DC_30A_n260H DC_30A_n260I DC_30A_n260J DC_30A_n260K DC_30A_n260L		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_30A_n260M DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I DC_66A_n260J DC_66A_n260K DC_66A_n260L DC_66A_n260M		
DC_40A-40A-42A_n257A	DC_40A_n257A DC_42A_n257A		
DC_40A-40A-42A_n257D	DC_40A_n257A DC_42A_n257A		
DC_40A-40A-42A_n257E	DC_40A_n257A DC_42A_n257A		
DC_40A-40A-42A_n257F	DC_40A_n257A DC_42A_n257A		
DC_40A-40A-42A_n257G	DC_40A_n257A DC_42A_n257A		
DC_40A-40A-42A_n257H	DC_40A_n257A DC_42A_n257A		
DC_40A-40A-42A_n257I	DC_40A_n257A DC_42A_n257A		
DC_40A-40A-42A_n257J	DC_40A_n257A DC_42A_n257A		
DC_40A-40A-42A_n257K	DC_40A_n257A DC_42A_n257A		
DC_40A-40A-42A_n257L	DC_40A_n257A DC_42A_n257A		
DC_40A-40A-42A_n257M	DC_40A_n257A DC_42A_n257A		
DC_40A-40A-42C_n257A	DC_40A_n257A DC_42A_n257A		
DC_40A-40A-42C_n257D	DC_40A_n257A DC_42A_n257A		
DC_40A-40A-42C_n257E	DC_40A_n257A DC_42A_n257A		
DC_40A-40A-42C_n257F	DC_40A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_42A_n257A		
DC_40A-40A-42C_n257G	DC_40A_n257A DC_42A_n257A		
DC_40A-40A-42C_n257H	DC_40A_n257A DC_42A_n257A		
DC_40A-40A-42C_n257I	DC_40A_n257A DC_42A_n257A		
DC_40A-40A-42C_n257J	DC_40A_n257A DC_42A_n257A		
DC_40A-40A-42C_n257K	DC_40A_n257A DC_42A_n257A		
DC_40A-40A-42C_n257L	DC_40A_n257A DC_42A_n257A		
DC_40A-40A-42C_n257M	DC_40A_n257A DC_42A_n257A		
DC_40A-42A-42A_n257A	DC_40A_n257A DC_42A_n257A		
DC_40A-42A-42A_n257D	DC_40A_n257A DC_42A_n257A		
DC_40A-42A-42A_n257E	DC_40A_n257A DC_42A_n257A		
DC_40A-42A-42A_n257F	DC_40A_n257A DC_42A_n257A		
DC_40A-42A-42A_n257G	DC_40A_n257A DC_42A_n257A		
DC_40A-42A-42A_n257H	DC_40A_n257A DC_42A_n257A		
DC_40A-42A-42A_n257I	DC_40A_n257A DC_42A_n257A		
DC_40A-42A-42A_n257J	DC_40A_n257A DC_42A_n257A		
DC_40A-42A-42A_n257K	DC_40A_n257A DC_42A_n257A		
DC_40A-42A-42A_n257L	DC_40A_n257A DC_42A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_40A-42A-42A_n257M	DC_40A_n257A DC_42A_n257A		
DC_40A-42A_n77A-n257A	DC_40A_n257A DC_42A_n257A DC_40A_n77A		
DC_40A-42A_n77A-n257D	DC_40A_n257A DC_40A_n257D DC_42A_n257A DC_42A_n257D DC_40A_n77A		
DC_40A-42A_n77A-n257E	DC_40A_n257A DC_40A_n257D DC_40A_n257E DC_42A_n257A DC_42A_n257D DC_42A_n257E DC_40A_n77A		
DC_40A-42A_n77A-n257F	DC_40A_n257A DC_40A_n257D DC_40A_n257E DC_40A_n257F DC_42A_n257A DC_42A_n257D DC_42A_n257E DC_42A_n257F DC_40A_n77A		
DC_40A-42A_n77A-n257G	DC_40A_n257A DC_40A_n257G DC_42A_n257A DC_42A_n257G DC_40A_n77A		
DC_40A-42A_n77A-n257H	DC_40A_n257A DC_40A_n257G DC_40A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_40A_n77A		
DC_40A-42A_n77A-n257I	DC_40A_n257A DC_40A_n257G DC_40A_n257H DC_40A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_40A_n77A		
DC_40A-42A_n77A-n257J	DC_40A_n257A DC_40A_n257G DC_40A_n257H DC_40A_n257I DC_40A_n257J DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42A_n257J DC_40A_n77A		
DC_40A-42A_n77A-n257K	DC_40A_n257A DC_40A_n257G DC_40A_n257H DC_40A_n257I DC_40A_n257J DC_40A_n257K DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42A_n257J DC_42A_n257K DC_40A_n77A		
DC_40A-42A_n77A-n257L	DC_40A_n257A DC_40A_n257G DC_40A_n257H DC_40A_n257I DC_40A_n257J DC_40A_n257K DC_40A_n257L DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42A_n257J DC_42A_n257K DC_42A_n257L DC_40A_n77A		
DC_40A-42A_n77A-n257M	DC_40A_n257A DC_40A_n257G DC_40A_n257H DC_40A_n257I DC_40A_n257J DC_40A_n257K DC_40A_n257L DC_40A_n257M DC_42A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42A_n257J DC_42A_n257K DC_42A_n257L DC_42A_n257M DC_40A_n77A		
DC_40A-42A_n77C-n257A	DC_40A_n257A DC_42A_n257A DC_40A_n77A		
DC_40A-42A_n77C-n257D	DC_40A_n257A DC_40A_n257D DC_42A_n257A DC_42A_n257D DC_40A_n77A		
DC_40A-42A_n77C-n257E	DC_40A_n257A DC_40A_n257D DC_40A_n257E DC_42A_n257A DC_42A_n257D DC_42A_n257E DC_40A_n77A		
DC_40A-42A_n77C-n257F	DC_40A_n257A DC_40A_n257D DC_40A_n257E DC_40A_n257F DC_42A_n257A DC_42A_n257D DC_42A_n257E DC_42A_n257F DC_40A_n77A		
DC_40A-42A_n77C-n257G	DC_40A_n257A DC_40A_n257G DC_42A_n257A DC_42A_n257G DC_40A_n77A		
DC_40A-42A_n77C-n257H	DC_40A_n257A DC_40A_n257G DC_40A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_40A_n77A		
DC_40A-42A_n77C-n257I	DC_40A_n257A DC_40A_n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_40A_n257H DC_40A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_40A_n77A		
DC_40A-42A_n77C-n257J	DC_40A_n257A DC_40A_n257G DC_40A_n257H DC_40A_n257I DC_40A_n257J DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42A_n257J DC_40A_n77A		
DC_40A-42A_n77C-n257K	DC_40A_n257A DC_40A_n257G DC_40A_n257H DC_40A_n257I DC_40A_n257J DC_40A_n257K DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42A_n257J DC_42A_n257K DC_40A_n77A		
DC_40A-42A_n77C-n257L	DC_40A_n257A DC_40A_n257G DC_40A_n257H DC_40A_n257I DC_40A_n257J DC_40A_n257K DC_40A_n257L DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42A_n257J DC_42A_n257K DC_42A_n257L DC_40A_n77A		
DC_40A-42A_n77C-n257M	DC_40A_n257A DC_40A_n257G DC_40A_n257H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_40A_n257I DC_40A_n257J DC_40A_n257K DC_40A_n257L DC_40A_n257M DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42A_n257J DC_42A_n257K DC_42A_n257L DC_42A_n257M DC_40A_n77A		
DC_40A-42A_n78A-n257A	DC_40A_n257A DC_42A_n257A DC_40A_n78A		
DC_40A-42A_n78A-n257D	DC_40A_n257A DC_40A_n257D DC_42A_n257A DC_42A_n257D DC_40A_n78A		
DC_40A-42A_n78A-n257E	DC_40A_n257A DC_40A_n257D DC_40A_n257E DC_42A_n257A DC_42A_n257D DC_42A_n257E DC_40A_n78A		
DC_40A-42A_n78A-n257F	DC_40A_n257A DC_40A_n257D DC_40A_n257E DC_40A_n257F DC_42A_n257A DC_42A_n257D DC_42A_n257E DC_42A_n257F DC_40A_n78A		
DC_40A-42A_n78A-n257G	DC_40A_n257A DC_40A_n257G DC_42A_n257A DC_42A_n257G DC_40A_n78A		
DC_40A-42A_n78A-n257H	DC_40A_n257A DC_40A_n257G DC_40A_n257H DC_42A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_42A_n257G DC_42A_n257H DC_40A_n78A		
DC_40A-42A_n78A-n257I	DC_40A_n257A DC_40A_n257G DC_40A_n257H DC_40A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_40A_n78A		
DC_40A-42A_n78A-n257J	DC_40A_n257A DC_40A_n257G DC_40A_n257H DC_40A_n257I DC_40A_n257J DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42A_n257J DC_40A_n78A		
DC_40A-42A_n78A-n257K	DC_40A_n257A DC_40A_n257G DC_40A_n257H DC_40A_n257I DC_40A_n257J DC_40A_n257K DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42A_n257J DC_42A_n257K DC_40A_n78A		
DC_40A-42A_n78A-n257L	DC_40A_n257A DC_40A_n257G DC_40A_n257H DC_40A_n257I DC_40A_n257J DC_40A_n257K DC_40A_n257L DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42A_n257J DC_42A_n257K		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_42A_n257L DC_40A_n78A		
DC_40A-42A_n78A-n257M	DC_40A_n257A DC_40A_n257G DC_40A_n257H DC_40A_n257I DC_40A_n257J DC_40A_n257K DC_40A_n257L DC_40A_n257M DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42A_n257J DC_42A_n257K DC_42A_n257L DC_42A_n257M DC_40A_n78A		
DC_40C-42A-42A_n257A	DC_40A_n257A DC_42A_n257A		
DC_40C-42A-42A_n257D	DC_40A_n257A DC_42A_n257A		
DC_40C-42A-42A_n257E	DC_40A_n257A DC_42A_n257A		
DC_40C-42A-42A_n257F	DC_40A_n257A DC_42A_n257A		
DC_40C-42A-42A_n257G	DC_40A_n257A DC_42A_n257A		
DC_40C-42A-42A_n257H	DC_40A_n257A DC_42A_n257A		
DC_40C-42A-42A_n257I	DC_40A_n257A DC_42A_n257A		
DC_40C-42A-42A_n257J	DC_40A_n257A DC_42A_n257A		
DC_40C-42A-42A_n257K	DC_40A_n257A DC_42A_n257A		
DC_40C-42A-42A_n257L	DC_40A_n257A DC_42A_n257A		
DC_40C-42A-42A_n257M	DC_40A_n257A DC_42A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_41A-42A_n77A-n257A	DC_41A_n77A DC_41A_n257A DC_42A_n257A		
DC_41A-42A_n77A-n257G	DC_41A_n77A DC_41A_n257A DC_41A_n257G DC_42A_n257A DC_42A_n257G		
DC_41A-42A_n77A-n257H	DC_41A_n77A DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H		
DC_41A-42A_n77A-n257I	DC_41A_n77A DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_41A-42A_n78A-n257A	DC_41A_n78A DC_41A_n257A DC_42A_n257A		
DC_41A-42A_n78A-n257G	DC_41A_n78A DC_41A_n257A DC_41A_n257G DC_42A_n257A DC_42A_n257G		
DC_41A-42A_n78A-n257H	DC_41A_n78A DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H		
DC_41A-42A_n78A-n257I	DC_41A_n78A DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_42A_n257A DC_42A_n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_42A_n257H DC_42A_n257I		
DC_41A-42C_n77A-n257A	DC_41A_n77A DC_41A_n257A DC_42A_n257A DC_42C_n257A		
DC_41A-42C_n77A-n257G	DC_41A_n77A DC_41A_n257A DC_41A_n257G DC_42A_n257A DC_42A_n257G DC_42C_n257A DC_42C_n257G		
DC_41A-42C_n77A-n257H	DC_41A_n77A DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42C_n257A DC_42C_n257G DC_42C_n257H		
DC_41A-42C_n77A-n257I	DC_41A_n77A DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_41A-42C_n78A-n257A	DC_41A_n78A DC_41A_n257A DC_42A_n257A DC_42C_n257A		
DC_41A-42C_n78A-n257G	DC_41A_n78A DC_41A_n257A DC_41A_n257G DC_42A_n257A DC_42A_n257G DC_42C_n257A DC_42C_n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_41A-42C_n78A-n257H	DC_41A_n78A DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42C_n257A DC_42C_n257G DC_42C_n257H		
DC_41A-42C_n78A-n257I	DC_41A_n78A DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_41C-42A_n77A-n257A	DC_41A_n77A DC_41A_n257A DC_41C_n77A DC_41C_n257A DC_42A_n257A		
DC_41C-42A_n77A-n257G	DC_41A_n77A DC_41A_n257A DC_41A_n257G DC_41C_n77A DC_41C_n257A DC_41C_n257G DC_42A_n257A DC_42A_n257G		
DC_41C-42A_n77A-n257H	DC_41A_n77A DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41C_n77A DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H		
	DC_41A_n77A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_41C-42A_n77A-n257I	DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_41C_n77A DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_41C_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_41C-42A_n78A-n257A	DC_41A_n78A DC_41A_n257A DC_41C_n78A DC_41C_n257A DC_42A_n257A		
DC_41C-42A_n78A-n257G	DC_41A_n78A DC_41A_n257A DC_41A_n257G DC_41C_n78A DC_41C_n257A DC_41C_n257G DC_42A_n257A DC_42A_n257G		
DC_41C-42A_n78A-n257H	DC_41A_n78A DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41C_n78A DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H		
DC_41C-42A_n78A-n257I	DC_41A_n78A DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_41C_n78A DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_41C_n257I DC_42A_n257A DC_42A_n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_42A_n257H DC_42A_n257I		
DC_41C-42C_n77A-n257A	DC_41A_n77A DC_41A_n257A DC_41C_n77A DC_41C_n257A DC_42A_n257A DC_42C_n257A		
DC_41C-42C_n77A-n257G	DC_41A_n77A DC_41A_n257A DC_41A_n257G DC_41C_n77A DC_41C_n257A DC_41C_n257G DC_42A_n257A DC_42A_n257G DC_42C_n257A DC_42C_n257G		
DC_41C-42C_n77A-n257H	DC_41A_n77A DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41C_n77A DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42C_n257A DC_42C_n257G DC_42C_n257H		
DC_41C-42C_n77A-n257I	DC_41A_n77A DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_41C_n77A DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_41C_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_42C_n257I		
DC_41C-42C_n78A-n257A	DC_41A_n78A DC_41A_n257A DC_41C_n78A DC_41C_n257A DC_42A_n257A DC_42C_n257A		
DC_41C-42C_n78A-n257G	DC_41A_n78A DC_41A_n257A DC_41A_n257G DC_41C_n78A DC_41C_n257A DC_41C_n257G DC_42A_n257A DC_42A_n257G DC_42C_n257A DC_42C_n257G		
DC_41C-42C_n78A-n257H	DC_41A_n78A DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41C_n78A DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42C_n257A DC_42C_n257G DC_42C_n257H		
DC_41C-42C_n78A-n257I	DC_41A_n78A DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_41C_n78A DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_41C_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_46A-46A-66A_n261A	DC_66A_n261A		
DC_46A-46A-66A_n261G	DC_66A_n261A DC_66A_n261G		
DC_46A-46A-66A_n261H	DC_66A_n261A DC_66A_n261G DC_66A_n261H		
DC_46A-46A-66A_n261I	DC_66A_n261A DC_66A_n261G DC_66A_n261H DC_66A_n261I		
DC_46A-46A-66A_n261J	DC_66A_n261A DC_66A_n261G DC_66A_n261H DC_66A_n261I DC_66A_n261J		
DC_46A-46A-66A_n261K	DC_66A_n261A DC_66A_n261G DC_66A_n261H DC_66A_n261I DC_66A_n261J DC_66A_n261K		
DC_46A-46A-66A_n261L	DC_66A_n261A DC_66A_n261G DC_66A_n261H DC_66A_n261I DC_66A_n261J DC_66A_n261K DC_66A_n261L		
DC_46A-46A-66A_n261M	DC_66A_n261A DC_66A_n261G DC_66A_n261H DC_66A_n261I DC_66A_n261J DC_66A_n261K DC_66A_n261L DC_66A_n261M		
DC_46A-46A-66A_n261(2A)	DC_66A_n261A		
DC_46A-46A-66A_n261(2A-G)	DC_66A_n261A DC_66A_n261G		
DC_46A-46A-66A_n261(2A-H)	DC_66A_n261A DC_66A_n261G DC_66A_n261H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_46A-46A-66A_n261(2G)	DC_66A_n261A DC_66A_n261G		
DC_46A-46A-66A_n261(2H)	DC_66A_n261A DC_66A_n261G DC_66A_n261H		
DC_46A-46A-66A_n261(3A)	DC_66A_n261A		
DC_46A-46A-66A_n261(A-G)	DC_66A_n261A DC_66A_n261G		
DC_46A-46A-66A_n261(A-H)	DC_66A_n261A DC_66A_n261G DC_66A_n261H		
DC_46A-46A-66A_n261(A-I)	DC_66A_n261A DC_66A_n261G DC_66A_n261H DC_66A_n261I		
DC_46A-46A-66A_n261(A-J)	DC_66A_n261A DC_66A_n261G DC_66A_n261H DC_66A_n261I		
DC_46A-46A-66A_n261(A-K)	DC_66A_n261A DC_66A_n261G DC_66A_n261H DC_66A_n261I		
DC_46A-46A-66A_n261(A-L)	DC_66A_n261A DC_66A_n261G DC_66A_n261H DC_66A_n261I		
DC_46A-46A-66A_n261(G-H)	DC_66A_n261A DC_66A_n261G DC_66A_n261H		
DC_46A-66A-66A_n260A	DC_66A_n260A		
DC_46A-66A-66A_n260G	DC_66A_n260A DC_66A_n260G		
DC_46A-66A-66A_n260H	DC_66A_n260A DC_66A_n260G DC_66A_n260H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_46A-66A-66A_n260I	DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I		
DC_46A-66A-66A_n260J	DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I DC_66A_n260J		
DC_46A-66A-66A_n260K	DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I DC_66A_n260J DC_66A_n260K		
DC_46A-66A-66A_n260L	DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I DC_66A_n260J DC_66A_n260K DC_66A_n260L		
DC_46A-66A-66A_n260M	DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I DC_66A_n260J DC_66A_n260K DC_66A_n260L DC_66A_n260M		
DC_46C-66A-66A_n260A	DC_66A_n260A		
DC_46C-66A-66A_n260G	DC_66A_n260A DC_66A_n260G		
DC_46C-66A-66A_n260H	DC_66A_n260A DC_66A_n260G DC_66A_n260H		
DC_46C-66A-66A_n260I	DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I		
DC_46C-66A-66A_n260J	DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_66A_n260J		
DC_46C-66A-66A_n260K	DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I DC_66A_n260J DC_66A_n260K		
DC_46C-66A-66A_n260L	DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I DC_66A_n260J DC_66A_n260K DC_66A_n260L		
DC_46C-66A-66A_n260M	DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I DC_66A_n260J DC_66A_n260K DC_66A_n260L DC_66A_n260M		
DC_46D-66A-66A_n260A	DC_66A_n260A		
DC_46D-66A-66A_n260G	DC_66A_n260A DC_66A_n260G		
DC_46D-66A-66A_n260H	DC_66A_n260A DC_66A_n260G DC_66A_n260H		
DC_46D-66A-66A_n260I	DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I		
DC_46D-66A-66A_n260J	DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I DC_66A_n260J		
DC_46D-66A-66A_n260K	DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I DC_66A_n260J DC_66A_n260K		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_46D-66A-66A_n260L	DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I DC_66A_n260J DC_66A_n260K DC_66A_n260L		
DC_46D-66A-66A_n260M	DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I DC_66A_n260J DC_66A_n260K DC_66A_n260L DC_66A_n260M		
DC_46E-66A-66A_n260A	DC_66A_n260A		
DC_46E-66A-66A_n260G	DC_66A_n260A DC_66A_n260G		
DC_46E-66A-66A_n260H	DC_66A_n260A DC_66A_n260G DC_66A_n260H		
DC_46E-66A-66A_n260I	DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I		
DC_46E-66A-66A_n260J	DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I DC_66A_n260J		
DC_46E-66A-66A_n260K	DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I DC_66A_n260J DC_66A_n260K		
DC_46E-66A-66A_n260L	DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I DC_66A_n260J DC_66A_n260K DC_66A_n260L		
	DC_66A_n260A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_46E-66A-66A_n260M	DC_66A_n260G DC_66A_n260H DC_66A_n260I DC_66A_n260J DC_66A_n260K DC_66A_n260L DC_66A_n260M		
DC_n3A-n8A-n257A_1A	DC_n3A_1A DC_n8A_1A DC_n257A_1A		
DC_n3A-n8A-n257G_1A	DC_n3A_1A DC_n8A_1A DC_n257A_1A		
DC_n3A-n8A-n257H_1A	DC_n3A_1A DC_n8A_1A DC_n257A_1A		
DC_n3A-n8A-n257I_1A	DC_n3A_1A DC_n8A_1A DC_n257A_1A		
DC_n3A-n8A-n257J_1A	DC_n3A_1A DC_n8A_1A DC_n257A_1A		
DC_n3A-n8A-n257K_1A	DC_n3A_1A DC_n8A_1A DC_n257A_1A		
DC_n3A-n8A-n257L_1A	DC_n3A_1A DC_n8A_1A DC_n257A_1A		
DC_n3A-n8A-n257M_1A	DC_n3A_1A DC_n8A_1A DC_n257A_1A		
DC_n3A-n257A_1A-8A	DC_n3A_1A DC_n3A_8A DC_n257A_1A DC_n257A_8A		
DC_n3A-n257G_1A-8A	DC_n3A_1A DC_n3A_8A DC_n257A_1A DC_n257A_8A		
DC_n3A-n257H_1A-8A	DC_n3A_1A DC_n3A_8A DC_n257A_1A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_n257A_8A		
DC_n3A-n257I_1A-8A	DC_n3A_1A DC_n3A_8A DC_n257A_1A DC_n257A_8A		
DC_n3A-n257J_1A-8A	DC_n3A_1A DC_n3A_8A DC_n257A_1A DC_n257A_8A		
DC_n3A-n257K_1A-8A	DC_n3A_1A DC_n3A_8A DC_n257A_1A DC_n257A_8A		
DC_n3A-n257L_1A-8A	DC_n3A_1A DC_n3A_8A DC_n257A_1A DC_n257A_8A		
DC_n3A-n257M_1A-8A	DC_n3A_1A DC_n3A_8A DC_n257A_1A DC_n257A_8A		
DC_(n)3AA-n8A-n77A-n257A	DC_(n)3AA (switchedUlOnly) DC_3A_n8A DC_3A_n77A DC_3A_n257A		
DC_(n)3AA-n8A-n77A-n257G	DC_(n)3AA (switchedUlOnly) DC_3A_n8A DC_3A_n77A DC_3A_n257A		
DC_(n)3AA-n8A-n77A-n257H	DC_(n)3AA (switchedUlOnly) DC_3A_n8A DC_3A_n77A DC_3A_n257A		
DC_(n)3AA-n8A-n77A-n257I	DC_(n)3AA (switchedUlOnly) DC_3A_n8A DC_3A_n77A DC_3A_n257A		
DC_(n)3AA-n8A-n77A-n257J	DC_(n)3AA (switchedUlOnly) DC_3A_n8A DC_3A_n77A DC_3A_n257A		
DC_(n)3AA-n8A-n77A-n257K	DC_(n)3AA (switchedUlOnly)		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_3A_n8A DC_3A_n77A DC_3A_n257A		
DC_(n)3AA-n8A-n77A-n257L	DC_(n)3AA (switchedUlOnly) DC_3A_n8A DC_3A_n77A DC_3A_n257A		
DC_(n)3AA-n8A-n77A-n257M	DC_(n)3AA (switchedUlOnly) DC_3A_n8A DC_3A_n77A DC_3A_n257A		
DC_(n)3AA-n8A-n77(2A)-n257A	DC_(n)3AA (switchedUlOnly) DC_3A_n8A DC_3A_n77A DC_3A_n257A		
DC_(n)3AA-n8A-n77(2A)-n257G	DC_(n)3AA (switchedUlOnly) DC_3A_n8A DC_3A_n77A DC_3A_n257A		
DC_(n)3AA-n8A-n77(2A)-n257H	DC_(n)3AA (switchedUlOnly) DC_3A_n8A DC_3A_n77A DC_3A_n257A		
DC_(n)3AA-n8A-n77(2A)-n257I	DC_(n)3AA (switchedUlOnly) DC_3A_n8A DC_3A_n77A DC_3A_n257A		
DC_(n)3AA-n8A-n77(2A)-n257J	DC_(n)3AA (switchedUlOnly) DC_3A_n8A DC_3A_n77A DC_3A_n257A		
DC_(n)3AA-n8A-n77(2A)-n257K	DC_(n)3AA (switchedUlOnly) DC_3A_n8A DC_3A_n77A DC_3A_n257A		
DC_(n)3AA-n8A-n77(2A)-n257L	DC_(n)3AA (switchedUlOnly) DC_3A_n8A DC_3A_n77A DC_3A_n257A		
DC_(n)3AA-n8A-n77(2A)-n257M	DC_(n)3AA (switchedUlOnly) DC_3A_n8A DC_3A_n77A DC_3A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_n8A-n77A-n257A_1A	DC_n8A_1A DC_n77A_1A DC_n257A_1A		
DC_n8A-n77A-n257A_3A	DC_n8A_3A DC_n77A_3A DC_n257A_3A		
DC_n8A-n77A-n257A-3(n)AA	DC_3(n)AA (switchedUlOnly) DC_n8A_3A DC_n77A_3A DC_n257A_3A		
DC_n8A-n77A-n257G_1A	DC_n8A_1A DC_n77A_1A DC_n257A_1A		
DC_n8A-n77A-n257G_3A	DC_n8A_3A DC_n77A_3A DC_n257A_3A		
DC_n8A-n77A-n257G-3(n)AA	DC_3(n)AA (switchedUlOnly) DC_n8A_3A DC_n77A_3A DC_n257A_3A		
DC_n8A-n77A-n257H_1A	DC_n8A_1A DC_n77A_1A DC_n257A_1A		
DC_n8A-n77A-n257H_3A	DC_n8A_3A DC_n77A_3A DC_n257A_3A		
DC_n8A-n77A-n257H-3(n)AA	DC_3(n)AA (switchedUlOnly) DC_n8A_3A DC_n77A_3A DC_n257A_3A		
DC_n8A-n77A-n257I_1A	DC_n8A_1A DC_n77A_1A DC_n257A_1A		
DC_n8A-n77A-n257I_3A	DC_n8A_3A DC_n77A_3A DC_n257A_3A		
DC_n8A-n77A-n257I-3(n)AA	DC_3(n)AA (switchedUlOnly) DC_n8A_3A DC_n77A_3A DC_n257A_3A		
	DC_n8A_1A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_n8A-n77A-n257J_1A	DC_n77A_1A DC_n257A_1A		
DC_n8A-n77A-n257J_3A	DC_n8A_3A DC_n77A_3A DC_n257A_3A		
DC_n8A-n77A-n257J-3(n)AA	DC_3(n)AA (switchedUlOnly) DC_n8A_3A DC_n77A_3A DC_n257A_3A		
DC_n8A-n77A-n257K_1A	DC_n8A_1A DC_n77A_1A DC_n257A_1A		
DC_n8A-n77A-n257K_3A	DC_n8A_3A DC_n77A_3A DC_n257A_3A		
DC_n8A-n77A-n257K-3(n)AA	DC_3(n)AA (switchedUlOnly) DC_n8A_3A DC_n77A_3A DC_n257A_3A		
DC_n8A-n77A-n257L_1A	DC_n8A_1A DC_n77A_1A DC_n257A_1A		
DC_n8A-n77A-n257L_3A	DC_n8A_3A DC_n77A_3A DC_n257A_3A		
DC_n8A-n77A-n257L-3(n)AA	DC_3(n)AA (switchedUlOnly) DC_n8A_3A DC_n77A_3A DC_n257A_3A		
DC_n8A-n77A-n257M_1A	DC_n8A_1A DC_n77A_1A DC_n257A_1A		
DC_n8A-n77A-n257M_3A	DC_n8A_3A DC_n77A_3A DC_n257A_3A		
DC_n8A-n77A-n257M-3(n)AA	DC_3(n)AA (switchedUlOnly) DC_n8A_3A DC_n77A_3A DC_n257A_3A		
DC_n8A-n77(2A)-n257A_1A	DC_n8A_1A DC_n77A_1A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_n257A_1A		
DC_n8A-n77(2A)-n257A_3A	DC_n8A_3A DC_n77A_3A DC_n257A_3A		
DC_n8A-n77(2A)-n257A-3(n)AA	DC_3(n)AA (switchedUlOnly) DC_n8A_3A DC_n77A_3A DC_n257A_3A		
DC_n8A-n77(2A)-n257G_1A	DC_n8A_1A DC_n77A_1A DC_n257A_1A		
DC_n8A-n77(2A)-n257G_3A	DC_n8A_3A DC_n77A_3A DC_n257A_3A		
DC_n8A-n77(2A)-n257G-3(n)AA	DC_3(n)AA (switchedUlOnly) DC_n8A_3A DC_n77A_3A DC_n257A_3A		
DC_n8A-n77(2A)-n257H_1A	DC_n8A_1A DC_n77A_1A DC_n257A_1A		
DC_n8A-n77(2A)-n257H_3A	DC_n8A_3A DC_n77A_3A DC_n257A_3A		
DC_n8A-n77(2A)-n257H-3(n)AA	DC_3(n)AA (switchedUlOnly) DC_n8A_3A DC_n77A_3A DC_n257A_3A		
DC_n8A-n77(2A)-n257I_1A	DC_n8A_1A DC_n77A_1A DC_n257A_1A		
DC_n8A-n77(2A)-n257I_3A	DC_n8A_3A DC_n77A_3A DC_n257A_3A		
DC_n8A-n77(2A)-n257I-3(n)AA	DC_3(n)AA (switchedUlOnly) DC_n8A_3A DC_n77A_3A DC_n257A_3A		
DC_n8A-n77(2A)-n257J_1A	DC_n8A_1A DC_n77A_1A DC_n257A_1A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_n8A-n77(2A)-n257J_3A	DC_n8A_3A DC_n77A_3A DC_n257A_3A		
DC_n8A-n77(2A)-n257J-3(n)AA	DC_3(n)AA (switchedUlOnly) DC_n8A_3A DC_n77A_3A DC_n257A_3A		
DC_n8A-n77(2A)-n257K_1A	DC_n8A_1A DC_n77A_1A DC_n257A_1A		
DC_n8A-n77(2A)-n257K_3A	DC_n8A_3A DC_n77A_3A DC_n257A_3A		
DC_n8A-n77(2A)-n257K-3(n)AA	DC_3(n)AA (switchedUlOnly) DC_n8A_3A DC_n77A_3A DC_n257A_3A		
DC_n8A-n77(2A)-n257L_1A	DC_n8A_1A DC_n77A_1A DC_n257A_1A		
DC_n8A-n77(2A)-n257L_3A	DC_n8A_3A DC_n77A_3A DC_n257A_3A		
DC_n8A-n77(2A)-n257L-3(n)AA	DC_3(n)AA (switchedUlOnly) DC_n8A_3A DC_n77A_3A DC_n257A_3A		
DC_n8A-n77(2A)-n257M_1A	DC_n8A_1A DC_n77A_1A DC_n257A_1A		
DC_n8A-n77(2A)-n257M_3A	DC_n8A_3A DC_n77A_3A DC_n257A_3A		
DC_n8A-n77(2A)-n257M-3(n)AA	DC_3(n)AA (switchedUlOnly) DC_n8A_3A DC_n77A_3A DC_n257A_3A		
DC_n8A-n257A_1A-3A	DC_n8A_1A DC_n8A_3A DC_n257A_1A DC_n257A_3A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_n8A-n257G_1A-3A	DC_n8A_1A DC_n8A_3A DC_n257A_1A DC_n257A_3A		
DC_n8A-n257H_1A-3A	DC_n8A_1A DC_n8A_3A DC_n257A_1A DC_n257A_3A		
DC_n8A-n257I_1A-3A	DC_n8A_1A DC_n8A_3A DC_n257A_1A DC_n257A_3A		
DC_n8A-n257J_1A-3A	DC_n8A_1A DC_n8A_3A DC_n257A_1A DC_n257A_3A		
DC_n8A-n257K_1A-3A	DC_n8A_1A DC_n8A_3A DC_n257A_1A DC_n257A_3A		
DC_n8A-n257L_1A-3A	DC_n8A_1A DC_n8A_3A DC_n257A_1A DC_n257A_3A		
DC_n8A-n257M_1A-3A	DC_n8A_1A DC_n8A_3A DC_n257A_1A DC_n257A_3A		
DC_n77A-n257A_1A-3A	DC_n77A_1A DC_n77A_3A DC_n257A_1A		
DC_n77A-n257A_1A-8A	DC_n77A_1A DC_n77A_8A DC_n257A_1A DC_n257A_8A		
DC_n77A-n257A_3A-8A	DC_n77A_3A DC_n77A_8A DC_n257A_3A DC_n257A_8A		
DC_n77A-n257G_1A-3A	DC_n77A_1A DC_n77A_3A DC_n257A_1A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_n77A-n257G_1A-8A	DC_n77A_1A DC_n77A_8A DC_n257A_1A DC_n257A_8A		
DC_n77A-n257G_3A-8A	DC_n77A_3A DC_n77A_8A DC_n257A_3A DC_n257A_8A		
DC_n77A-n257H_1A-3A	DC_n77A_1A DC_n77A_3A DC_n257A_1A		
DC_n77A-n257H_1A-8A	DC_n77A_1A DC_n77A_8A DC_n257A_1A DC_n257A_8A		
DC_n77A-n257H_3A-8A	DC_n77A_3A DC_n77A_8A DC_n257A_3A DC_n257A_8A		
DC_n77A-n257I_1A-3A	DC_n77A_1A DC_n77A_3A DC_n257A_1A		
DC_n77A-n257I_1A-8A	DC_n77A_1A DC_n77A_8A DC_n257A_1A DC_n257A_8A		
DC_n77A-n257I_3A-8A	DC_n77A_3A DC_n77A_8A DC_n257A_3A DC_n257A_8A		
DC_n77A-n257J_1A-3A	DC_n77A_1A DC_n77A_3A DC_n257A_1A		
DC_n77A-n257J_1A-8A	DC_n77A_1A DC_n77A_8A DC_n257A_1A DC_n257A_8A		
DC_n77A-n257J_3A-8A	DC_n77A_3A DC_n77A_8A DC_n257A_3A DC_n257A_8A		
	DC_n77A_1A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_n77A-n257K_1A-3A	DC_n77A_3A DC_n257A_1A		
DC_n77A-n257K_1A-8A	DC_n77A_1A DC_n77A_8A DC_n257A_1A DC_n257A_8A		
DC_n77A-n257K_3A-8A	DC_n77A_3A DC_n77A_8A DC_n257A_3A DC_n257A_8A		
DC_n77A-n257L_1A-3A	DC_n77A_1A DC_n77A_3A DC_n257A_1A		
DC_n77A-n257L_1A-8A	DC_n77A_1A DC_n77A_8A DC_n257A_1A DC_n257A_8A		
DC_n77A-n257L_3A-8A	DC_n77A_3A DC_n77A_8A DC_n257A_3A DC_n257A_8A		
DC_n77A-n257M_1A-3A	DC_n77A_1A DC_n77A_3A DC_n257A_1A		
DC_n77A-n257M_1A-8A	DC_n77A_1A DC_n77A_8A DC_n257A_1A DC_n257A_8A		
DC_n77A-n257M_3A-8A	DC_n77A_3A DC_n77A_8A DC_n257A_3A DC_n257A_8A		
DC_n77(2A)-n257A_1A-3A	DC_n77A_1A DC_n77A_3A DC_n257A_1A DC_n257A_3A		
DC_n77(2A)-n257A_1A-8A	DC_n77A_1A DC_n77A_8A DC_n257A_1A DC_n257A_8A		
DC_n77(2A)-n257A_3A-8A	DC_n77A_3A DC_n77A_8A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_n257A_3A DC_n257A_8A		
DC_n77(2A)-n257A-3(n)AA-1A	DC_3(n)AA (switchedUlOnly) DC_n3A_1A DC_n77A_1A DC_n77A_3A DC_n257A_1A DC_n257A_3A		
DC_n77(2A)-n257G_1A-3A	DC_n77A_1A DC_n77A_3A DC_n257A_1A DC_n257A_3A		
DC_n77(2A)-n257G_1A-8A	DC_n77A_1A DC_n77A_8A DC_n257A_1A DC_n257A_8A		
DC_n77(2A)-n257G_3A-8A	DC_n77A_3A DC_n77A_8A DC_n257A_3A DC_n257A_8A		
DC_n77(2A)-n257G-3(n)AA-1A	DC_3(n)AA (switchedUlOnly) DC_n3A_1A DC_n77A_1A DC_n77A_3A DC_n257A_1A DC_n257A_3A		
DC_n77(2A)-n257H_1A-3A	DC_n77A_1A DC_n77A_3A DC_n257A_1A DC_n257A_3A		
DC_n77(2A)-n257H_1A-8A	DC_n77A_1A DC_n77A_8A DC_n257A_1A DC_n257A_8A		
DC_n77(2A)-n257H_3A-8A	DC_n77A_3A DC_n77A_8A DC_n257A_3A DC_n257A_8A		
DC_n77(2A)-n257H-3(n)AA-1A	DC_3(n)AA (switchedUlOnly) DC_n3A_1A DC_n77A_1A DC_n77A_3A DC_n257A_1A DC_n257A_3A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_n77(2A)-n257I_1A-3A	DC_n77A_1A DC_n77A_3A DC_n257A_1A DC_n257A_3A		
DC_n77(2A)-n257I_1A-8A	DC_n77A_1A DC_n77A_8A DC_n257A_1A DC_n257A_8A		
DC_n77(2A)-n257I_3A-8A	DC_n77A_3A DC_n77A_8A DC_n257A_3A DC_n257A_8A		
DC_n77(2A)-n257I-3(n)AA-1A	DC_3(n)AA (switchedUlOnly) DC_n3A_1A DC_n77A_1A DC_n77A_3A DC_n257A_1A DC_n257A_3A		
DC_n77(2A)-n257J_1A-3A	DC_n77A_1A DC_n77A_3A DC_n257A_1A DC_n257A_3A		
DC_n77(2A)-n257J_1A-8A	DC_n77A_1A DC_n77A_8A DC_n257A_1A DC_n257A_8A		
DC_n77(2A)-n257J_3A-8A	DC_n77A_3A DC_n77A_8A DC_n257A_3A DC_n257A_8A		
DC_n77(2A)-n257J-3(n)AA-1A	DC_3(n)AA (switchedUlOnly) DC_n3A_1A DC_n77A_1A DC_n77A_3A DC_n257A_1A DC_n257A_3A		
DC_n77(2A)-n257K_1A-3A	DC_n77A_1A DC_n77A_3A DC_n257A_1A DC_n257A_3A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_n77(2A)-n257K_1A-8A	DC_n77A_1A DC_n77A_8A DC_n257A_1A DC_n257A_8A		
DC_n77(2A)-n257K_3A-8A	DC_n77A_3A DC_n77A_8A DC_n257A_3A DC_n257A_8A		
DC_n77(2A)-n257K-3(n)AA-1A	DC_3(n)AA (switchedUlOnly) DC_n3A_1A DC_n77A_1A DC_n77A_3A DC_n257A_1A DC_n257A_3A		
DC_n77(2A)-n257L_1A-3A	DC_n77A_1A DC_n77A_3A DC_n257A_1A DC_n257A_3A		
DC_n77(2A)-n257L_1A-8A	DC_n77A_1A DC_n77A_8A DC_n257A_1A DC_n257A_8A		
DC_n77(2A)-n257L_3A-8A	DC_n77A_3A DC_n77A_8A DC_n257A_3A DC_n257A_8A		
DC_n77(2A)-n257L-3(n)AA-1A	DC_3(n)AA (switchedUlOnly) DC_n3A_1A DC_n77A_1A DC_n77A_3A DC_n257A_1A DC_n257A_3A		
DC_n77(2A)-n257M_1A-3A	DC_n77A_1A DC_n77A_3A DC_n257A_1A DC_n257A_3A		
DC_n77(2A)-n257M_1A-8A	DC_n77A_1A DC_n77A_8A DC_n257A_1A DC_n257A_8A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_n77(2A)-n257M_3A-8A	DC_n77A_3A DC_n77A_8A DC_n257A_3A DC_n257A_8A		
DC_n77(2A)-n257M-3(n)AA-1A	DC_3(n)AA (switchedUlOnly) DC_n3A_1A DC_n77A_1A DC_n77A_3A DC_n257A_1A DC_n257A_3A		
DC_n257A_1A-3A-5A	DC_n257A_1A DC_n257A_3A DC_n257A_5A		
DC_n257A_1A-3A-7A	DC_n257A_1A DC_n257A_3A DC_n257A_7A		
DC_n257A_1A-3A-8A	DC_n257A_1A DC_n257A_3A DC_n257A_8A		
DC_n257A_1A-3C-8A	DC_n257A_1A DC_n257A_3A DC_n257A_8A		
DC_n257A_1A-5A-7A	DC_n257A_1A DC_n257A_5A DC_n257A_7A		
DC_n257A_1A-7A-7A	DC_n257A_1A DC_n257A_7A		
DC_n257A_3A-5A-7A	DC_n257A_3A DC_n257A_5A DC_n257A_7A		
DC_n257A_3A-7A-7A	DC_n257A_3A DC_n257A_7A		
DC_n257A_5A-7A-7A	DC_n257A_5A DC_n257A_7A		
DC_n257A-3(n)AA-1A-8A	DC_n3A_1A DC_3(n)AA (switchedUlOnly) DC_n257A_1A DC_n257A_3A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_n257G_1A-3A-5A	DC_n257A_1A DC_n257A_3A DC_n257A_5A		
DC_n257G_1A-3A-7A	DC_n257A_1A DC_n257A_3A DC_n257A_7A		
DC_n257G_1A-3A-8A	DC_n257A_1A DC_n257A_3A DC_n257A_8A		
DC_n257G_1A-3C-8A	DC_n257A_1A DC_n257A_3A DC_n257A_8A		
DC_n257G_1A-5A-7A	DC_n257A_1A DC_n257A_5A DC_n257A_7A		
DC_n257G_1A-7A-7A	DC_n257A_1A DC_n257A_7A		
DC_n257G_3A-5A-7A	DC_n257A_3A DC_n257A_5A DC_n257A_7A		
DC_n257G_3A-7A-7A	DC_n257A_3A DC_n257A_7A		
DC_n257G_5A-7A-7A	DC_n257A_5A DC_n257A_7A		
DC_n257G-3(n)AA-1A-8A	DC_n3A_1A DC_3(n)AA (switchedUlOnly) DC_n257A_1A DC_n257A_3A		
DC_n257H_1A-3A-5A	DC_n257A_1A DC_n257A_3A DC_n257A_5A		
DC_n257H_1A-3A-7A	DC_n257A_1A DC_n257A_3A DC_n257A_7A		
DC_n257H_1A-3A-8A	DC_n257A_1A DC_n257A_3A DC_n257A_8A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_n257H_1A-3C-8A	DC_n257A_1A DC_n257A_3A DC_n257A_8A		
DC_n257H_1A-5A-7A	DC_n257A_1A DC_n257A_5A DC_n257A_7A		
DC_n257H_1A-7A-7A	DC_n257A_1A DC_n257A_7A		
DC_n257H_3A-5A-7A	DC_n257A_3A DC_n257A_5A DC_n257A_7A		
DC_n257H_3A-7A-7A	DC_n257A_3A DC_n257A_7A		
DC_n257H_5A-7A-7A	DC_n257A_5A DC_n257A_7A		
DC_n257H-3(n)AA-1A-8A	DC_n3A_1A DC_3(n)AA (switchedUlOnly) DC_n257A_1A DC_n257A_3A		
DC_n257I_1A-3A-5A	DC_n257A_1A DC_n257A_3A DC_n257A_5A		
DC_n257I_1A-3A-7A	DC_n257A_1A DC_n257A_3A DC_n257A_7A		
DC_n257I_1A-3A-8A	DC_n257A_1A DC_n257A_3A DC_n257A_8A		
DC_n257I_1A-3C-8A	DC_n257A_1A DC_n257A_3A DC_n257A_8A		
DC_n257I_1A-5A-7A	DC_n257A_1A DC_n257A_5A DC_n257A_7A		
DC_n257I_1A-7A-7A	DC_n257A_1A DC_n257A_7A		
DC_n257I_3A-5A-7A	DC_n257A_3A DC_n257A_5A DC_n257A_7A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_n257I_3A-7A-7A	DC_n257A_3A DC_n257A_7A		
DC_n257I_5A-7A-7A	DC_n257A_5A DC_n257A_7A		
DC_n257I-3(n)AA-1A-8A	DC_n3A_1A DC_3(n)AA (switchedUlOnly) DC_n257A_1A DC_n257A_3A		
DC_n257J_1A-3A-5A	DC_n257A_1A DC_n257A_3A DC_n257A_5A		
DC_n257J_1A-3A-7A	DC_n257A_1A DC_n257A_3A DC_n257A_7A		
DC_n257J_1A-3A-8A	DC_n257A_1A DC_n257A_3A DC_n257A_8A		
DC_n257J_1A-3C-8A	DC_n257A_1A DC_n257A_3A DC_n257A_8A		
DC_n257J_1A-5A-7A	DC_n257A_1A DC_n257A_5A DC_n257A_7A		
DC_n257J_1A-7A-7A	DC_n257A_1A DC_n257A_7A		
DC_n257J_3A-5A-7A	DC_n257A_3A DC_n257A_5A DC_n257A_7A		
DC_n257J_3A-7A-7A	DC_n257A_3A DC_n257A_7A		
DC_n257J_5A-7A-7A	DC_n257A_5A DC_n257A_7A		
DC_n257J-3(n)AA-1A-8A	DC_n3A_1A DC_3(n)AA (switchedUlOnly) DC_n257A_1A DC_n257A_3A		
DC_n257K_1A-3A-5A	DC_n257A_1A DC_n257A_3A DC_n257A_5A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_n257K_1A-3A-7A	DC_n257A_1A DC_n257A_3A DC_n257A_7A		
DC_n257K_1A-3A-8A	DC_n257A_1A DC_n257A_3A DC_n257A_8A		
DC_n257K_1A-3C-8A	DC_n257A_1A DC_n257A_3A DC_n257A_8A		
DC_n257K_1A-5A-7A	DC_n257A_1A DC_n257A_5A DC_n257A_7A		
DC_n257K_1A-7A-7A	DC_n257A_1A DC_n257A_7A		
DC_n257K_3A-5A-7A	DC_n257A_3A DC_n257A_5A DC_n257A_7A		
DC_n257K_3A-7A-7A	DC_n257A_3A DC_n257A_7A		
DC_n257K_5A-7A-7A	DC_n257A_5A DC_n257A_7A		
DC_n257K-3(n)AA-1A-8A	DC_n3A_1A DC_3(n)AA (switchedUlOnly) DC_n257A_1A DC_n257A_3A		
DC_n257L_1A-3A-5A	DC_n257A_1A DC_n257A_3A DC_n257A_5A		
DC_n257L_1A-3A-7A	DC_n257A_1A DC_n257A_3A DC_n257A_7A		
DC_n257L_1A-3A-8A	DC_n257A_1A DC_n257A_3A DC_n257A_8A		
DC_n257L_1A-3C-8A	DC_n257A_1A DC_n257A_3A DC_n257A_8A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_n257L_1A-5A-7A	DC_n257A_1A DC_n257A_5A DC_n257A_7A		
DC_n257L_1A-7A-7A	DC_n257A_1A DC_n257A_7A		
DC_n257L_3A-5A-7A	DC_n257A_3A DC_n257A_5A DC_n257A_7A		
DC_n257L_3A-7A-7A	DC_n257A_3A DC_n257A_7A		
DC_n257L_5A-7A-7A	DC_n257A_5A DC_n257A_7A		
DC_n257L-3(n)AA-1A-8A	DC_n3A_1A DC_3(n)AA (switchedUlOnly) DC_n257A_1A DC_n257A_3A		
DC_n257M_1A-3A-5A	DC_n257A_1A DC_n257A_3A DC_n257A_5A		
DC_n257M_1A-3A-7A	DC_n257A_1A DC_n257A_3A DC_n257A_7A		
DC_n257M_1A-3A-8A	DC_n257A_1A DC_n257A_3A DC_n257A_8A		
DC_n257M_1A-3C-8A	DC_n257A_1A DC_n257A_3A DC_n257A_8A		
DC_n257M_1A-5A-7A	DC_n257A_1A DC_n257A_5A DC_n257A_7A		
DC_n257M_1A-7A-7A	DC_n257A_1A DC_n257A_7A		
DC_n257M_3A-5A-7A	DC_n257A_3A DC_n257A_5A DC_n257A_7A		
DC_n257M_3A-7A-7A	DC_n257A_3A DC_n257A_7A		
	DC_n257A_5A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_n257M_5A-7A-7A	DC_n257A_7A		
DC_n257M-3(n)AA-1A-8A	DC_n3A_1A DC_3(n)AA (switchedUlOnly) DC_n257A_1A DC_n257A_3A		
DC_1A-3A-5A-7A_n257A	DC_1A_n257A DC_3A_n257A DC_5A_n257A DC_7A_n257A		
DC_1A-3A-5A-7A_n257D	DC_1A_n257A DC_1A_n257D DC_3A_n257A DC_3A_n257D DC_5A_n257A DC_5A_n257D DC_7A_n257A DC_7A_n257D		
DC_1A-3A-5A-7A_n257E	DC_1A_n257A DC_1A_n257D DC_3A_n257A DC_3A_n257D DC_5A_n257A DC_5A_n257D DC_7A_n257A DC_7A_n257D		
DC_1A-3A-5A-7A_n257F	DC_1A_n257A DC_1A_n257D DC_3A_n257A DC_3A_n257D DC_5A_n257A DC_5A_n257D DC_7A_n257A DC_7A_n257D		
DC_1A-3A-5A-7A_n257G	DC_1A_n257A DC_1A_n257G DC_3A_n257A DC_3A_n257G DC_5A_n257A DC_5A_n257G DC_7A_n257A DC_7A_n257G		
DC_1A-3A-5A-7A_n257H	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_3A_n257A DC_3A_n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_3A_n257H DC_5A_n257A DC_5A_n257G DC_5A_n257H DC_7A_n257A DC_7A_n257G DC_7A_n257H		
DC_1A-3A-5A-7A_n257I	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_5A_n257A DC_5A_n257G DC_5A_n257H DC_5A_n257I DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I		
DC_1A-3A-5A-7A_n257J	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_5A_n257A DC_5A_n257G DC_5A_n257H DC_5A_n257I DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I		
DC_1A-3A-5A-7A_n257K	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_5A_n257A DC_5A_n257G DC_5A_n257H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_5A_n257I DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I		
DC_1A-3A-5A-7A_n257L	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_5A_n257A DC_5A_n257G DC_5A_n257H DC_5A_n257I DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I		
DC_1A-3A-5A-7A_n257M	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_5A_n257A DC_5A_n257G DC_5A_n257H DC_5A_n257I DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I		
DC_1A-3A-5A_n78A-n257A	DC_1A_n78A DC_1A_n257A DC_3A_n78A DC_3A_n257A DC_5A_n78A DC_5A_n257A DC_1A_n78A-n257A DC_3A_n78A-n257A DC_5A_n78A-n257A		
DC_1A-3A-5A_n78A-n257D	DC_1A_n78A DC_1A_n257A DC_3A_n78A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_3A_n257A DC_5A_n78A DC_5A_n257A DC_1A_n78A-n257A DC_3A_n78A-n257A DC_5A_n78A-n257A		
DC_1A-3A-5A_n78A-n257E	DC_1A_n78A DC_1A_n257A DC_3A_n78A DC_3A_n257A DC_5A_n78A DC_5A_n257A DC_1A_n78A-n257A DC_3A_n78A-n257A DC_5A_n78A-n257A		
DC_1A-3A-5A_n78A-n257F	DC_1A_n78A DC_1A_n257A DC_3A_n78A DC_3A_n257A DC_5A_n78A DC_5A_n257A DC_1A_n78A-n257A DC_3A_n78A-n257A DC_5A_n78A-n257A		
DC_1A-3A-5A_n78A-n257G	DC_1A_n78A DC_1A_n257A DC_3A_n78A DC_3A_n257A DC_5A_n78A DC_5A_n257A DC_1A_n78A-n257A DC_1A_n78A-n257G DC_3A_n78A-n257A DC_3A_n78A-n257G DC_5A_n78A-n257A DC_5A_n78A-n257G		
DC_1A-3A-5A_n78A-n257H	DC_1A_n78A DC_1A_n257A DC_3A_n78A DC_3A_n257A DC_5A_n78A DC_5A_n257A DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_5A_n78A-n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_5A_n78A-n257G DC_5A_n78A-n257H		
DC_1A-3A-5A_n78A-n257I	DC_1A_n78A DC_1A_n257A DC_3A_n78A DC_3A_n257A DC_5A_n78A DC_5A_n257A DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H DC_5A_n78A-n257I		
DC_1A-3A-5A_n78A-n257J	DC_1A_n78A DC_1A_n257A DC_3A_n78A DC_3A_n257A DC_5A_n78A DC_5A_n257A DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H DC_5A_n78A-n257I		
DC_1A-3A-5A_n78A-n257K	DC_1A_n78A DC_1A_n257A DC_3A_n78A DC_3A_n257A DC_5A_n78A DC_5A_n257A DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I DC_3A_n78A-n257A DC_3A_n78A-n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_3A_n78A-n257H DC_3A_n78A-n257I DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H DC_5A_n78A-n257I		
DC_1A-3A-5A_n78A-n257L	DC_1A_n78A DC_1A_n257A DC_3A_n78A DC_3A_n257A DC_5A_n78A DC_5A_n257A DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H DC_5A_n78A-n257I		
DC_1A-3A-5A_n78A-n257M	DC_1A_n78A DC_1A_n257A DC_3A_n78A DC_3A_n257A DC_5A_n78A DC_5A_n257A DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H DC_5A_n78A-n257I		
DC_1A-3A-5A_n78C-n257A	DC_1A_n78A-n257A DC_3A_n78A-n257A DC_5A_n78A-n257A		
DC_1A-3A-5A_n78C-n257D	DC_1A_n78A-n257A DC_3A_n78A-n257A DC_5A_n78A-n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_1A-3A-5A_n78C-n257E	DC_1A_n78A-n257A DC_3A_n78A-n257A DC_5A_n78A-n257A		
DC_1A-3A-5A_n78C-n257F	DC_1A_n78A-n257A DC_3A_n78A-n257A DC_5A_n78A-n257A		
DC_1A-3A-5A_n78C-n257G	DC_1A_n78A-n257A DC_1A_n78A-n257G DC_3A_n78A-n257A DC_3A_n78A-n257G DC_5A_n78A-n257A DC_5A_n78A-n257G		
DC_1A-3A-5A_n78C-n257H	DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H		
DC_1A-3A-5A_n78C-n257I	DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H DC_5A_n78A-n257I		
DC_1A-3A-5A_n78C-n257J	DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H DC_5A_n78A-n257I		
DC_1A-3A-5A_n78C-n257K	DC_1A_n78A-n257A DC_1A_n78A-n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_1A_n78A-n257H DC_1A_n78A-n257I DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H DC_5A_n78A-n257I		
DC_1A-3A-5A_n78C-n257L	DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H DC_5A_n78A-n257I		
DC_1A-3A-5A_n78C-n257M	DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H DC_5A_n78A-n257I		
DC_1A-3A-7A-7A_n257A	DC_1A_n257A DC_3A_n257A DC_7A_n257A		
DC_1A-3A-7A-7A_n257D	DC_1A_n257A DC_1A_n257D DC_3A_n257A DC_3A_n257D DC_7A_n257A DC_7A_n257D		
DC_1A-3A-7A-7A_n257E	DC_1A_n257A DC_1A_n257D DC_3A_n257A DC_3A_n257D DC_7A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_7A_n257D		
DC_1A-3A-7A-7A_n257F	DC_1A_n257A DC_1A_n257D DC_3A_n257A DC_3A_n257D DC_7A_n257A DC_7A_n257D		
DC_1A-3A-7A-7A_n257G	DC_1A_n257A DC_1A_n257G DC_3A_n257A DC_3A_n257G DC_7A_n257A DC_7A_n257G		
DC_1A-3A-7A-7A_n257H	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_7A_n257A DC_7A_n257G DC_7A_n257H		
DC_1A-3A-7A-7A_n257I	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I		
DC_1A-3A-7A-7A_n257J	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I		
DC_1A-3A-7A-7A_n257K	DC_1A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I		
DC_1A-3A-7A-7A_n257L	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I		
DC_1A-3A-7A-7A_n257M	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I		
DC_1A-3A-7A-28A_n257A	DC_1A_n257A DC_3A_n257A DC_7A_n257A DC_28A_n257A		
DC_1A-3A-7A-28A_n257G	DC_1A_n257A DC_3A_n257A DC_7A_n257A DC_28A_n257A		
DC_1A-3A-7A-28A_n257H	DC_1A_n257A DC_3A_n257A DC_7A_n257A DC_28A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_1A-3A-7A-28A_n257I	DC_1A_n257A DC_3A_n257A DC_7A_n257A DC_28A_n257A		
DC_1A-3A-7A-28A_n258A	DC_1A_n258A DC_3A_n258A DC_7A_n258A DC_28A_n258A		
DC_1A-3A-7A-28A_n258B	DC_1A_n258A DC_3A_n258A DC_7A_n258A DC_28A_n258A		
DC_1A-3A-7A-28A_n258C	DC_1A_n258A DC_3A_n258A DC_7A_n258A DC_28A_n258A		
DC_1A-3A-7A-28A_n258D	DC_1A_n258A DC_3A_n258A DC_7A_n258A DC_28A_n258A		
DC_1A-3A-7A-28A_n258E	DC_1A_n258A DC_3A_n258A DC_7A_n258A DC_28A_n258A		
DC_1A-3A-7A-28A_n258F	DC_1A_n258A DC_3A_n258A DC_7A_n258A DC_28A_n258A		
DC_1A-3A-7A-28A_n258G	DC_1A_n258A DC_1A_n258G DC_3A_n258A DC_3A_n258G DC_7A_n258A DC_7A_n258G DC_28A_n258A DC_28A_n258G		
DC_1A-3A-7A-28A_n258H	DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_7A_n258A DC_7A_n258G DC_7A_n258H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_28A_n258A DC_28A_n258G DC_28A_n258H		
DC_1A-3A-7A-28A_n258I	DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_1A_n258I DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I DC_28A_n258A DC_28A_n258G DC_28A_n258H DC_28A_n258I		
DC_1A-3A-7A-28A_n258J	DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_1A_n258I DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I DC_28A_n258A DC_28A_n258G DC_28A_n258H DC_28A_n258I		
DC_1A-3A-7A-28A_n258K	DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_1A_n258I DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I DC_28A_n258A DC_28A_n258G DC_28A_n258H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_28A_n258I		
DC_1A-3A-7A-28A_n258L	DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_1A_n258I DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I DC_28A_n258A DC_28A_n258G DC_28A_n258H DC_28A_n258I		
DC_1A-3A-7A-28A_n258M	DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_1A_n258I DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I DC_28A_n258A DC_28A_n258G DC_28A_n258H DC_28A_n258I		
DC_1A-3A-7A_n38A-n257A	DC_1A_n257A DC_3A_n257A		
DC_1A-3A-7A_n38A-n257G	DC_1A_n257A DC_1A_n257G DC_3A_n257A DC_3A_n257G		
DC_1A-3A-7A_n38A-n257H	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_3A_n257A DC_3A_n257G DC_3A_n257H		
DC_1A-3A-7A_n38A-n257I	DC_1A_n257A DC_1A_n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I		
DC_1A-3A-7A_n78A-n257A	DC_1A_n78A DC_1A_n257A DC_3A_n78A DC_3A_n257A DC_7A_n78A DC_7A_n257A DC_1A_n78A-n257A DC_3A_n78A-n257A DC_7A_n78A-n257A		
DC_1A-3A-7A_n78A-n257D	DC_1A_n78A DC_1A_n257A DC_3A_n78A DC_3A_n257A DC_7A_n78A DC_7A_n257A DC_1A_n78A-n257A DC_3A_n78A-n257A DC_7A_n78A-n257A		
DC_1A-3A-7A_n78A-n257E	DC_1A_n78A DC_1A_n257A DC_3A_n78A DC_3A_n257A DC_7A_n78A DC_7A_n257A DC_1A_n78A-n257A DC_3A_n78A-n257A DC_7A_n78A-n257A		
DC_1A-3A-7A_n78A-n257F	DC_1A_n78A DC_1A_n257A DC_3A_n78A DC_3A_n257A DC_7A_n78A DC_7A_n257A DC_1A_n78A-n257A DC_3A_n78A-n257A DC_7A_n78A-n257A		
DC_1A-3A-7A_n78A-n257G	DC_1A_n78A DC_1A_n257A DC_3A_n78A DC_3A_n257A DC_7A_n78A DC_7A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_1A_n78A-n257A DC_1A_n78A-n257G DC_3A_n78A-n257A DC_3A_n78A-n257G DC_7A_n78A-n257A DC_7A_n78A-n257G		
DC_1A-3A-7A_n78A-n257H	DC_1A_n78A DC_1A_n257A DC_3A_n78A DC_3A_n257A DC_7A_n78A DC_7A_n257A DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H		
DC_1A-3A-7A_n78A-n257I	DC_1A_n78A DC_1A_n257A DC_3A_n78A DC_3A_n257A DC_7A_n78A DC_7A_n257A DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_1A-3A-7A_n78A-n257J	DC_1A_n78A DC_1A_n257A DC_3A_n78A DC_3A_n257A DC_7A_n78A DC_7A_n257A DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I DC_3A_n78A-n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_1A-3A-7A_n78A-n257K	DC_1A_n78A DC_1A_n257A DC_3A_n78A DC_3A_n257A DC_7A_n78A DC_7A_n257A DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_1A-3A-7A_n78A-n257L	DC_1A_n78A DC_1A_n257A DC_3A_n78A DC_3A_n257A DC_7A_n78A DC_7A_n257A DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_1A-3A-7A_n78A-n257M	DC_1A_n78A DC_1A_n257A DC_3A_n78A DC_3A_n257A DC_7A_n78A DC_7A_n257A DC_1A_n78A-n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_1A-3A-7A_n78A-n258A	DC_1A_n78A DC_1A_n258A DC_3A_n78A DC_3A_n258A DC_7A_n78A DC_7A_n258A		
DC_1A-3A-7A_n78A-n258D	DC_1A_n78A DC_1A_n258A DC_1A_n258D DC_3A_n78A DC_3A_n258A DC_3A_n258D DC_7A_n78A DC_7A_n258A DC_7A_n258D		
DC_1A-3A-7A_n78A-n258E	DC_1A_n78A DC_1A_n258A DC_1A_n258D DC_1A_n258E DC_3A_n78A DC_3A_n258A DC_3A_n258D DC_3A_n258E DC_7A_n78A DC_7A_n258A DC_7A_n258D DC_7A_n258E		
DC_1A-3A-7A_n78A-n258F	DC_1A_n78A DC_1A_n258A DC_1A_n258D DC_1A_n258E DC_1A_n258F DC_3A_n78A DC_3A_n258A DC_3A_n258D DC_3A_n258E DC_3A_n258F DC_7A_n78A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_7A_n258A DC_7A_n258D DC_7A_n258E DC_7A_n258F		
DC_1A-3A-7A_n78A-n258G	DC_1A_n78A DC_1A_n258A DC_1A_n258G DC_3A_n78A DC_3A_n258A DC_3A_n258G DC_7A_n78A DC_7A_n258A DC_7A_n258G		
DC_1A-3A-7A_n78A-n258H	DC_1A_n78A DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_3A_n78A DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_7A_n78A DC_7A_n258A DC_7A_n258G DC_7A_n258H		
DC_1A-3A-7A_n78A-n258I	DC_1A_n78A DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_1A_n258I DC_3A_n78A DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I DC_7A_n78A DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I		
DC_1A-3A-7A_n78A-n258J	DC_1A_n78A DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_1A_n258I DC_3A_n78A DC_3A_n258A DC_3A_n258G DC_3A_n258H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_3A_n258I DC_7A_n78A DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I		
DC_1A-3A-7A_n78A-n258K	DC_1A_n78A DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_1A_n258I DC_3A_n78A DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I DC_7A_n78A DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I		
DC_1A-3A-7A_n78A-n258L	DC_1A_n78A DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_1A_n258I DC_3A_n78A DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I DC_7A_n78A DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I		
DC_1A-3A-7A_n78A-n258M	DC_1A_n78A DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_1A_n258I DC_3A_n78A DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I DC_7A_n78A DC_7A_n258A DC_7A_n258G DC_7A_n258H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_7A_n258I		
DC_1A-3A-7A_n78C-n257A	DC_1A_n78A-n257A DC_3A_n78A-n257A DC_7A_n78A-n257A		
DC_1A-3A-7A_n78C-n257D	DC_1A_n78A-n257A DC_3A_n78A-n257A DC_7A_n78A-n257A		
DC_1A-3A-7A_n78C-n257E	DC_1A_n78A-n257A DC_3A_n78A-n257A DC_7A_n78A-n257A		
DC_1A-3A-7A_n78C-n257F	DC_1A_n78A-n257A DC_3A_n78A-n257A DC_7A_n78A-n257A		
DC_1A-3A-7A_n78C-n257G	DC_1A_n78A-n257A DC_1A_n78A-n257G DC_3A_n78A-n257A DC_3A_n78A-n257G DC_7A_n78A-n257A DC_7A_n78A-n257G		
DC_1A-3A-7A_n78C-n257H	DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H		
DC_1A-3A-7A_n78C-n257I	DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_1A-3A-7A_n78C-n257J	DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I DC_3A_n78A-n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_1A-3A-7A_n78C-n257K	DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_1A-3A-7A_n78C-n257L	DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_1A-3A-7A_n78C-n257M	DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_1A-3A-7A_n105A-n257A	DC_1A_n105A DC_1A_n257A DC_3A_n105A DC_3A_n257A DC_7A_n105A DC_7A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_1A-3A-7A_n105A-n258A	DC_1A_n105A DC_1A_n258A DC_3A_n105A DC_3A_n258A DC_7A_n105A DC_7A_n258A		
DC_1A-3A-7C-28A_n258A	DC_1A_n258A DC_3A_n258A DC_7A_n258A DC_7C_n258A DC_28A_n258A		
DC_1A-3A-7C-28A_n258B	DC_1A_n258A DC_3A_n258A DC_7A_n258A DC_7C_n258A DC_28A_n258A		
DC_1A-3A-7C-28A_n258C	DC_1A_n258A DC_3A_n258A DC_7A_n258A DC_7C_n258A DC_28A_n258A		
DC_1A-3A-7C-28A_n258D	DC_1A_n258A DC_3A_n258A DC_7A_n258A DC_7C_n258A DC_28A_n258A		
DC_1A-3A-7C-28A_n258E	DC_1A_n258A DC_3A_n258A DC_7A_n258A DC_7C_n258A DC_28A_n258A		
DC_1A-3A-7C-28A_n258F	DC_1A_n258A DC_3A_n258A DC_7A_n258A DC_7C_n258A DC_28A_n258A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_1A-3A-7C-28A_n258G	DC_1A_n258A DC_1A_n258G DC_3A_n258A DC_3A_n258G DC_7A_n258A DC_7A_n258G DC_7C_n258A DC_7C_n258G DC_28A_n258A DC_28A_n258G		
DC_1A-3A-7C-28A_n258H	DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7C_n258A DC_7C_n258G DC_7C_n258H DC_28A_n258A DC_28A_n258G DC_28A_n258H		
DC_1A-3A-7C-28A_n258I	DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_1A_n258I DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I DC_7C_n258A DC_7C_n258G DC_7C_n258H DC_7C_n258I DC_28A_n258A DC_28A_n258G DC_28A_n258H DC_28A_n258I		
DC_1A-3A-7C-28A_n258J	DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_1A_n258I DC_3A_n258A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_3A_n258G DC_3A_n258H DC_3A_n258I DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I DC_7C_n258A DC_7C_n258G DC_7C_n258H DC_7C_n258I DC_28A_n258A DC_28A_n258G DC_28A_n258H DC_28A_n258I		
DC_1A-3A-7C-28A_n258K	DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_1A_n258I DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I DC_7C_n258A DC_7C_n258G DC_7C_n258H DC_7C_n258I DC_28A_n258A DC_28A_n258G DC_28A_n258H DC_28A_n258I		
DC_1A-3A-7C-28A_n258L	DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_1A_n258I DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I DC_7C_n258A DC_7C_n258G DC_7C_n258H DC_7C_n258I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_28A_n258A DC_28A_n258G DC_28A_n258H DC_28A_n258I		
DC_1A-3A-7C-28A_n258M	DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_1A_n258I DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I DC_7C_n258A DC_7C_n258G DC_7C_n258H DC_7C_n258I DC_28A_n258A DC_28A_n258G DC_28A_n258H DC_28A_n258I		
DC_1A-3A-8A-11A_n257A	DC_1A_n257A DC_3A_n257A DC_8A_n257A DC_11A_n257A		
DC_1A-3A-8A-11A_n257G	DC_1A_n257A DC_1A_n257G DC_3A_n257A DC_3A_n257G DC_8A_n257A DC_8A_n257G DC_11A_n257A DC_11A_n257G		
DC_1A-3A-8A-11A_n257H	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_11A_n257A DC_11A_n257G DC_11A_n257H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_1A-3A-8A-11A_n257I	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I DC_11A_n257A DC_11A_n257G DC_11A_n257H DC_11A_n257I		
DC_1A-3A-8A_n77A-n257A	DC_1A_n77A DC_1A_n257A DC_3A_n77A DC_3A_n257A DC_8A_n77A DC_8A_n257A		
DC_1A-3A-8A_n77A-n257G	DC_1A_n77A DC_1A_n257A DC_3A_n77A DC_3A_n257A DC_8A_n77A DC_8A_n257A		
DC_1A-3A-8A_n77A-n257H	DC_1A_n77A DC_1A_n257A DC_3A_n77A DC_3A_n257A DC_8A_n77A DC_8A_n257A		
DC_1A-3A-8A_n77A-n257I	DC_1A_n77A DC_1A_n257A DC_3A_n77A DC_3A_n257A DC_8A_n77A DC_8A_n257A		
DC_1A-3A-8A_n77A-n257J	DC_1A_n77A DC_1A_n257A DC_3A_n77A DC_3A_n257A DC_8A_n77A DC_8A_n257A		
	DC_1A_n77A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_1A-3A-8A_n77A-n257K	DC_1A_n257A DC_3A_n77A DC_3A_n257A DC_8A_n77A DC_8A_n257A		
DC_1A-3A-8A_n77A-n257L	DC_1A_n77A DC_1A_n257A DC_3A_n77A DC_3A_n257A DC_8A_n77A DC_8A_n257A		
DC_1A-3A-8A_n77A-n257M	DC_1A_n77A DC_1A_n257A DC_3A_n77A DC_3A_n257A DC_8A_n77A DC_8A_n257A		
DC_1A-3A-8A_n77(2A)-n257A	DC_1A_n77A DC_1A_n257A DC_3A_n77A DC_3A_n257A DC_8A_n77A DC_8A_n257A		
DC_1A-3A-8A_n77(2A)-n257G	DC_1A_n77A DC_1A_n257A DC_3A_n77A DC_3A_n257A DC_8A_n77A DC_8A_n257A		
DC_1A-3A-8A_n77(2A)-n257H	DC_1A_n77A DC_1A_n257A DC_3A_n77A DC_3A_n257A DC_8A_n77A DC_8A_n257A		
DC_1A-3A-8A_n77(2A)-n257I	DC_1A_n77A DC_1A_n257A DC_3A_n77A DC_3A_n257A DC_8A_n77A DC_8A_n257A		
DC_1A-3A-8A_n77(2A)-n257J	DC_1A_n77A DC_1A_n257A DC_3A_n77A DC_3A_n257A DC_8A_n77A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_8A_n257A		
DC_1A-3A-8A_n77(2A)-n257K	DC_1A_n77A DC_1A_n257A DC_3A_n77A DC_3A_n257A DC_8A_n77A DC_8A_n257A		
DC_1A-3A-8A_n77(2A)-n257L	DC_1A_n77A DC_1A_n257A DC_3A_n77A DC_3A_n257A DC_8A_n77A DC_8A_n257A		
DC_1A-3A-8A_n77(2A)-n257M	DC_1A_n77A DC_1A_n257A DC_3A_n77A DC_3A_n257A DC_8A_n77A DC_8A_n257A		
DC_1A-3A-8A_n78A-n257A (interBandEnDcSimRxTx)	DC_1A_n78A DC_1A_n257A DC_3A_n78A DC_3A_n257A DC_8A_n78A DC_8A_n257A		
DC_1A-3A-8A_n78A-n257D (interBandEnDcSimRxTx)	DC_1A_n78A DC_1A_n257A DC_3A_n78A DC_3A_n257A DC_8A_n78A DC_8A_n257A		
DC_1A-3A-8A_n78A-n257E (interBandEnDcSimRxTx)	DC_1A_n78A DC_1A_n257A DC_3A_n78A DC_3A_n257A DC_8A_n78A DC_8A_n257A		
DC_1A-3A-8A_n78A-n257F (interBandEnDcSimRxTx)	DC_1A_n78A DC_1A_n257A DC_3A_n78A DC_3A_n257A DC_8A_n78A DC_8A_n257A		
DC_1A-3A-8A_n78A-n257G (interBandEnDcSimRxTx)	DC_1A_n78A DC_1A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_3A_n78A DC_3A_n257A DC_8A_n78A DC_8A_n257A		
DC_1A-3A-8A_n78A-n257H (interBandEnDcSimRxTx)	DC_1A_n78A DC_1A_n257A DC_3A_n78A DC_3A_n257A DC_8A_n78A DC_8A_n257A		
DC_1A-3A-8A_n78A-n257I (interBandEnDcSimRxTx)	DC_1A_n78A DC_1A_n257A DC_3A_n78A DC_3A_n257A DC_8A_n78A DC_8A_n257A		
DC_1A-3A-8A_n78A-n257J (interBandEnDcSimRxTx)	DC_1A_n78A DC_1A_n257A DC_3A_n78A DC_3A_n257A DC_8A_n78A DC_8A_n257A		
DC_1A-3A-8A_n78A-n257K (interBandEnDcSimRxTx)	DC_1A_n78A DC_1A_n257A DC_3A_n78A DC_3A_n257A DC_8A_n78A DC_8A_n257A		
DC_1A-3A-8A_n78A-n257L (interBandEnDcSimRxTx)	DC_1A_n78A DC_1A_n257A DC_3A_n78A DC_3A_n257A DC_8A_n78A DC_8A_n257A		
DC_1A-3A-8A_n78A-n257M (interBandEnDcSimRxTx)	DC_1A_n78A DC_1A_n257A DC_3A_n78A DC_3A_n257A DC_8A_n78A DC_8A_n257A		
DC_1A-3A-18A-42A_n257A	DC_1A_n257A DC_3A_n257A DC_18A_n257A DC_42A_n257A		
DC_1A-3A-18A-42A_n257D	DC_1A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_3A_n257A DC_18A_n257A DC_42A_n257A		
DC_1A-3A-18A-42A_n257E	DC_1A_n257A DC_3A_n257A DC_18A_n257A DC_42A_n257A		
DC_1A-3A-18A-42A_n257F	DC_1A_n257A DC_3A_n257A DC_18A_n257A DC_42A_n257A		
DC_1A-3A-18A-42A_n257G	DC_1A_n257A DC_1A_n257G DC_3A_n257A DC_3A_n257G DC_18A_n257A DC_18A_n257G DC_42A_n257A DC_42A_n257G		
DC_1A-3A-18A-42A_n257H	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_18A_n257A DC_18A_n257G DC_18A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H		
DC_1A-3A-18A-42A_n257I	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_18A_n257A DC_18A_n257G DC_18A_n257H DC_18A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_1A-3A-18A-42A_n257J	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_18A_n257A DC_18A_n257G DC_18A_n257H DC_18A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_1A-3A-18A-42A_n257K	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_18A_n257A DC_18A_n257G DC_18A_n257H DC_18A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_1A-3A-18A-42A_n257L	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_18A_n257A DC_18A_n257G DC_18A_n257H DC_18A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_1A-3A-18A-42A_n257M	DC_1A_n257A DC_1A_n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_18A_n257A DC_18A_n257G DC_18A_n257H DC_18A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_1A-3A-18A-42C_n257A	DC_1A_n257A DC_3A_n257A DC_18A_n257A DC_42A_n257A DC_42C_n257A		
DC_1A-3A-18A-42C_n257D	DC_1A_n257A DC_3A_n257A DC_18A_n257A DC_42A_n257A DC_42C_n257A		
DC_1A-3A-18A-42C_n257E	DC_1A_n257A DC_3A_n257A DC_18A_n257A DC_42A_n257A DC_42C_n257A		
DC_1A-3A-18A-42C_n257F	DC_1A_n257A DC_3A_n257A DC_18A_n257A DC_42A_n257A DC_42C_n257A		
DC_1A-3A-18A-42C_n257G	DC_1A_n257A DC_1A_n257G DC_3A_n257A DC_3A_n257G DC_18A_n257A DC_18A_n257G DC_42A_n257A DC_42A_n257G DC_42C_n257A DC_42C_n257G		
DC_1A-3A-18A-42C_n257H	DC_1A_n257A DC_1A_n257G DC_1A_n257H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_18A_n257A DC_18A_n257G DC_18A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42C_n257A DC_42C_n257G DC_42C_n257H		
DC_1A-3A-18A-42C_n257I	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_18A_n257A DC_18A_n257G DC_18A_n257H DC_18A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_1A-3A-18A-42C_n257J	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_18A_n257A DC_18A_n257G DC_18A_n257H DC_18A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_42C_n257I		
DC_1A-3A-18A-42C_n257K	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_18A_n257A DC_18A_n257G DC_18A_n257H DC_18A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_1A-3A-18A-42C_n257L	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_18A_n257A DC_18A_n257G DC_18A_n257H DC_18A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_1A-3A-18A-42C_n257M	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_18A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_18A_n257G DC_18A_n257H DC_18A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_1A-3A-18A_n78A-n257A	DC_1A_n78A DC_1A_n257A DC_3A_n78A DC_3A_n257A DC_18A_n78A DC_18A_n257A		
DC_1A-3A-18A_n78A-n257G	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_18A_n78A DC_18A_n257A DC_18A_n257G		
DC_1A-3A-18A_n78A-n257H	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_18A_n78A DC_18A_n257A DC_18A_n257G DC_18A_n257H		
DC_1A-3A-18A_n78A-n257I	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_18A_n78A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_18A_n257A DC_18A_n257G DC_18A_n257H DC_18A_n257I		
DC_1A-3A-19A-21A_n257A (interBandEnDcSimRxTx)	DC_1A_n257A DC_3A_n257A DC_19A_n257A DC_21A_n257A		
DC_1A-3A-19A-21A_n257D (interBandEnDcSimRxTx)	DC_1A_n257A DC_3A_n257A DC_19A_n257A DC_21A_n257A		
DC_1A-3A-19A-21A_n257E (interBandEnDcSimRxTx)	DC_1A_n257A DC_3A_n257A DC_19A_n257A DC_21A_n257A		
DC_1A-3A-19A-21A_n257F (interBandEnDcSimRxTx)	DC_1A_n257A DC_3A_n257A DC_19A_n257A DC_21A_n257A		
DC_1A-3A-19A-42A_n257A	DC_1A_n257A DC_3A_n257A DC_19A_n257A DC_42A_n257A		
DC_1A-3A-19A-42A_n257D	DC_1A_n257A DC_3A_n257A DC_19A_n257A DC_42A_n257A		
DC_1A-3A-19A-42A_n257E	DC_1A_n257A DC_3A_n257A DC_19A_n257A DC_42A_n257A		
DC_1A-3A-19A-42A_n257F	DC_1A_n257A DC_3A_n257A DC_19A_n257A DC_42A_n257A		
DC_1A-3A-19A-42A_n257G	DC_1A_n257A DC_1A_n257G DC_3A_n257A DC_3A_n257G DC_19A_n257A DC_19A_n257G DC_42A_n257A DC_42A_n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_1A-3A-19A-42A_n257H	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H		
DC_1A-3A-19A-42A_n257I	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_19A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_1A-3A-19A-42A_n257J	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_19A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_1A-3A-19A-42A_n257K	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_19A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_1A-3A-19A-42A_n257L	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_3A_n257L DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_19A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_1A-3A-19A-42A_n257M	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_3A_n257L DC_3A_n257M DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_19A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_42A_n257I		
DC_1A-3A-19A-42C_n257A	DC_1A_n257A DC_3A_n257A DC_19A_n257A DC_42A_n257A		
DC_1A-3A-19A-42C_n257D	DC_1A_n257A DC_3A_n257A DC_19A_n257A DC_42A_n257A		
DC_1A-3A-19A-42C_n257E	DC_1A_n257A DC_3A_n257A DC_19A_n257A DC_42A_n257A		
DC_1A-3A-19A-42C_n257F	DC_1A_n257A DC_3A_n257A DC_19A_n257A DC_42A_n257A		
DC_1A-3A-19A-42C_n257G	DC_1A_n257A DC_1A_n257G DC_3A_n257A DC_3A_n257G DC_19A_n257A DC_19A_n257G DC_42A_n257A DC_42A_n257G		
DC_1A-3A-19A-42C_n257H	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H		
DC_1A-3A-19A-42C_n257I	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_19A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_19A_n257G DC_19A_n257H DC_19A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_1A-3A-19A-42C_n257J	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_19A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_1A-3A-19A-42C_n257K	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_19A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_1A-3A-19A-42C_n257L	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_3A_n257J DC_3A_n257K DC_3A_n257L DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_19A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_1A-3A-19A-42C_n257M	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_3A_n257L DC_3A_n257M DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_19A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_1A-3A-21A-42A_n257A	DC_1A_n257A DC_3A_n257A DC_21A_n257A DC_42A_n257A		
DC_1A-3A-21A-42A_n257D	DC_1A_n257A DC_3A_n257A DC_21A_n257A DC_42A_n257A		
DC_1A-3A-21A-42A_n257E	DC_1A_n257A DC_3A_n257A DC_21A_n257A DC_42A_n257A		
DC_1A-3A-21A-42A_n257F	DC_1A_n257A DC_3A_n257A DC_21A_n257A DC_42A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_1A-3A-21A-42A_n257G	DC_1A_n257A DC_1A_n257G DC_3A_n257A DC_3A_n257G DC_21A_n257A DC_21A_n257G DC_42A_n257A DC_42A_n257G		
DC_1A-3A-21A-42A_n257H	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H		
DC_1A-3A-21A-42A_n257I	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_1A-3A-21A-42A_n257J	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I DC_42A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_1A-3A-21A-42A_n257K	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_1A-3A-21A-42A_n257L	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_3A_n257L DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_1A-3A-21A-42A_n257M	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_3A_n257L DC_3A_n257M DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_1A-3A-21A-42C_n257A	DC_1A_n257A DC_3A_n257A DC_21A_n257A DC_42A_n257A		
DC_1A-3A-21A-42C_n257D	DC_1A_n257A DC_3A_n257A DC_21A_n257A DC_42A_n257A		
DC_1A-3A-21A-42C_n257E	DC_1A_n257A DC_3A_n257A DC_21A_n257A DC_42A_n257A		
DC_1A-3A-21A-42C_n257F	DC_1A_n257A DC_3A_n257A DC_21A_n257A DC_42A_n257A		
DC_1A-3A-21A-42C_n257G	DC_1A_n257A DC_1A_n257G DC_3A_n257A DC_3A_n257G DC_21A_n257A DC_21A_n257G DC_42A_n257A DC_42A_n257G		
DC_1A-3A-21A-42C_n257H	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_1A-3A-21A-42C_n257I	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_1A-3A-21A-42C_n257J	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_1A-3A-21A-42C_n257K	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_1A-3A-21A-42C_n257L	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_3A_n257L DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_1A-3A-21A-42C_n257M	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_3A_n257L DC_3A_n257M DC_21A_n257A DC_21A_n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_21A_n257H DC_21A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_1A-3A-21A_n77A-n257A (interBandEnDcSimRxTx)	DC_1A_n77A DC_1A_n257A DC_3A_n77A DC_3A_n257A DC_21A_n77A DC_21A_n257A DC_1A_n77A-n257A DC_3A_n77A-n257A DC_21A_n77A-n257A		
DC_1A-3A-21A_n77A-n257G (interBandEnDcSimRxTx)	DC_1A_n77A DC_1A_n257A DC_1A_n257G DC_3A_n77A DC_3A_n257A DC_3A_n257G DC_21A_n77A DC_21A_n257A DC_21A_n257G DC_1A_n77A-n257A DC_1A_n77A-n257G DC_3A_n77A-n257A DC_3A_n77A-n257G DC_21A_n77A-n257A DC_21A_n77A-n257G		
DC_1A-3A-21A_n77A-n257H (interBandEnDcSimRxTx)	DC_1A_n77A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_3A_n77A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_21A_n77A DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_1A_n77A-n257A DC_1A_n77A-n257G DC_1A_n77A-n257H DC_3A_n77A-n257A DC_3A_n77A-n257G DC_3A_n77A-n257H DC_21A_n77A-n257A DC_21A_n77A-n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_21A_n77A-n257H		
DC_1A-3A-21A_n77A-n257I (interBandEnDcSimRxTx)	DC_1A_n77A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n77A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_21A_n77A DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I DC_1A_n77A-n257A DC_1A_n77A-n257G DC_1A_n77A-n257H DC_1A_n77A-n257I DC_3A_n77A-n257A DC_3A_n77A-n257G DC_3A_n77A-n257H DC_3A_n77A-n257I DC_21A_n77A-n257A DC_21A_n77A-n257G DC_21A_n77A-n257H DC_21A_n77A-n257I		
DC_1A-3A-21A_n78A-n257A (interBandEnDcSimRxTx)	DC_1A_n78A DC_1A_n257A DC_3A_n78A DC_3A_n257A DC_21A_n78A DC_21A_n257A DC_1A_n78A-n257A DC_3A_n78A-n257A DC_21A_n78A-n257A		
DC_1A-3A-21A_n78A-n257G (interBandEnDcSimRxTx)	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_21A_n78A DC_21A_n257A DC_21A_n257G DC_1A_n78A-n257A DC_1A_n78A-n257G DC_3A_n78A-n257A DC_3A_n78A-n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_21A_n78A-n257A DC_21A_n78A-n257G		
DC_1A-3A-21A_n78A-n257H (interBandEnDcSimRxTx)	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_21A_n78A DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_21A_n78A-n257A DC_21A_n78A-n257G DC_21A_n78A-n257H		
DC_1A-3A-21A_n78A-n257I (interBandEnDcSimRxTx)	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_21A_n78A DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I DC_21A_n78A-n257A DC_21A_n78A-n257G DC_21A_n78A-n257H DC_21A_n78A-n257I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_1A-3A-21A_n79A-n257A (interBandEnDcSimRxTx)	DC_1A_n79A DC_1A_n257A DC_3A_n79A DC_3A_n257A DC_21A_n79A DC_21A_n257A DC_1A_n79A-n257A DC_3A_n79A-n257A DC_21A_n79A-n257A		
DC_1A-3A-21A_n79A-n257G (interBandEnDcSimRxTx)	DC_1A_n79A DC_1A_n257A DC_1A_n257G DC_3A_n79A DC_3A_n257A DC_3A_n257G DC_21A_n79A DC_21A_n257A DC_21A_n257G DC_1A_n79A-n257A DC_1A_n79A-n257G DC_3A_n79A-n257A DC_3A_n79A-n257G DC_21A_n79A-n257A DC_21A_n79A-n257G		
DC_1A-3A-21A_n79A-n257H (interBandEnDcSimRxTx)	DC_1A_n79A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_3A_n79A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_21A_n79A DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_1A_n79A-n257A DC_1A_n79A-n257G DC_1A_n79A-n257H DC_3A_n79A-n257A DC_3A_n79A-n257G DC_3A_n79A-n257H DC_21A_n79A-n257A DC_21A_n79A-n257G DC_21A_n79A-n257H		
DC_1A-3A-21A_n79A-n257I (interBandEnDcSimRxTx)	DC_1A_n79A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_3A_n79A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_21A_n79A DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I DC_1A_n79A-n257A DC_1A_n79A-n257G DC_1A_n79A-n257H DC_1A_n79A-n257I DC_3A_n79A-n257A DC_3A_n79A-n257G DC_3A_n79A-n257H DC_3A_n79A-n257I DC_21A_n79A-n257A DC_21A_n79A-n257G DC_21A_n79A-n257H DC_21A_n79A-n257I		
DC_1A-3A-28A-42A_n257A	DC_1A_n257A DC_3A_n257A DC_28A_n257A DC_42A_n257A		
DC_1A-3A-28A-42A_n257G	DC_1A_n257A DC_1A_n257G DC_3A_n257A DC_3A_n257G DC_28A_n257A DC_28A_n257G DC_42A_n257A DC_42A_n257G		
DC_1A-3A-28A-42A_n257H	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H		
DC_1A-3A-28A-42A_n257I	DC_1A_n257A DC_1A_n257G DC_1A_n257H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_28A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_1A-3A-28A-42A_n257J	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_28A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_1A-3A-28A-42A_n257K	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_28A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_1A-3A-28A-42A_n257L	DC_1A_n257A DC_1A_n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_3A_n257L DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_28A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_1A-3A-28A-42A_n257M	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_3A_n257L DC_3A_n257M DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_28A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_1A-3A-28A-42C_n257A	DC_1A_n257A DC_3A_n257A DC_28A_n257A DC_42A_n257A DC_42C_n257A		
DC_1A-3A-28A-42C_n257G	DC_1A_n257A DC_1A_n257G DC_3A_n257A DC_3A_n257G DC_28A_n257A DC_28A_n257G DC_42A_n257A DC_42A_n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_42C_n257A DC_42C_n257G		
DC_1A-3A-28A-42C_n257H	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42C_n257A DC_42C_n257G DC_42C_n257H		
DC_1A-3A-28A-42C_n257I	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_28A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_1A-3A-28A-42C_n257J	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_28A_n257I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_1A-3A-28A-42C_n257K	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_28A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_1A-3A-28A-42C_n257L	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_3A_n257L DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_28A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_42C_n257H DC_42C_n257I		
DC_1A-3A-28A-42C_n257M	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_3A_n257L DC_3A_n257M DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_28A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_1A-3A-28A_n38A-n257A	DC_1A_n257A DC_3A_n257A DC_28A_n257A		
DC_1A-3A-28A_n38A-n257G	DC_1A_n257A DC_1A_n257G DC_3A_n257A DC_3A_n257G DC_28A_n257A DC_28A_n257G		
DC_1A-3A-28A_n38A-n257H	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_28A_n257A DC_28A_n257G DC_28A_n257H		
DC_1A-3A-28A_n38A-n257I	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_28A_n257I		
DC_1A-3A-28A_n78A-n257A (interBandEnDcSimRxTx)	DC_1A_n78A DC_1A_n257A DC_3A_n78A DC_3A_n257A DC_28A_n78A DC_28A_n257A		
DC_1A-3A-28A_n78A-n257G (interBandEnDcSimRxTx)	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_28A_n78A DC_28A_n257A DC_28A_n257G		
DC_1A-3A-28A_n78A-n257H (interBandEnDcSimRxTx)	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_28A_n78A DC_28A_n257A DC_28A_n257G DC_28A_n257H		
DC_1A-3A-28A_n78A-n257I (interBandEnDcSimRxTx)	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_28A_n78A DC_28A_n257A DC_28A_n257G DC_28A_n257H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_28A_n257I		
DC_1A-3A-41A-42A_n257A	DC_1A_n257A DC_3A_n257A DC_41A_n257A DC_42A_n257A		
DC_1A-3A-41A-42A_n257D	DC_1A_n257A DC_3A_n257A DC_41A_n257A DC_42A_n257A		
DC_1A-3A-41A-42A_n257E	DC_1A_n257A DC_3A_n257A DC_41A_n257A DC_42A_n257A		
DC_1A-3A-41A-42A_n257F	DC_1A_n257A DC_3A_n257A DC_41A_n257A DC_42A_n257A		
DC_1A-3A-41A-42A_n257G	DC_1A_n257A DC_1A_n257G DC_3A_n257A DC_3A_n257G DC_41A_n257A DC_41A_n257G DC_42A_n257A DC_42A_n257G		
DC_1A-3A-41A-42A_n257H	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H		
DC_1A-3A-41A-42A_n257I	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_41A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_1A-3A-41A-42A_n257J	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_1A-3A-41A-42A_n257K	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_1A-3A-41A-42A_n257L	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_41A_n257A DC_41A_n257G DC_41A_n257H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_41A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_1A-3A-41A-42A_n257M	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_1A-3A-41A-42C_n257A	DC_1A_n257A DC_3A_n257A DC_41A_n257A DC_42A_n257A DC_42C_n257A		
DC_1A-3A-41A-42C_n257D	DC_1A_n257A DC_3A_n257A DC_41A_n257A DC_42A_n257A DC_42C_n257A		
DC_1A-3A-41A-42C_n257E	DC_1A_n257A DC_3A_n257A DC_41A_n257A DC_42A_n257A DC_42C_n257A		
DC_1A-3A-41A-42C_n257F	DC_1A_n257A DC_3A_n257A DC_41A_n257A DC_42A_n257A DC_42C_n257A		
DC_1A-3A-41A-42C_n257G	DC_1A_n257A DC_1A_n257G DC_3A_n257A DC_3A_n257G DC_41A_n257A DC_41A_n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_42A_n257A DC_42A_n257G DC_42C_n257A DC_42C_n257G		
DC_1A-3A-41A-42C_n257H	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42C_n257A DC_42C_n257G DC_42C_n257H		
DC_1A-3A-41A-42C_n257I	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_1A-3A-41A-42C_n257J	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_41A_n257A DC_41A_n257G DC_41A_n257H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_41A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_1A-3A-41A-42C_n257K	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_1A-3A-41A-42C_n257L	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_1A-3A-41A-42C_n257M	DC_1A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_1A-3A-41A_n28A-n257A (interBandEnDcSimRxTx)	DC_1A_n28A DC_1A_n257A DC_3A_n28A DC_3A_n257A DC_41A_n28A DC_41A_n257A		
DC_1A-3A-41A_n28A-n257G	DC_1A_n28A DC_1A_n257A DC_3A_n28A DC_3A_n257A DC_41A_n28A DC_41A_n257A		
DC_1A-3A-41A_n28A-n257H	DC_1A_n28A DC_1A_n257A DC_3A_n28A DC_3A_n257A DC_41A_n28A DC_41A_n257A		
DC_1A-3A-41A_n28A-n257I	DC_1A_n28A DC_1A_n257A DC_3A_n28A DC_3A_n257A DC_41A_n28A DC_41A_n257A DC_41A_n257I		
DC_1A-3A-41A_n77A-n257A	DC_1A_n77A DC_1A_n257A DC_3A_n77A DC_3A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_41A_n77A DC_41A_n257A		
DC_1A-3A-41A_n77A-n257G	DC_1A_n77A DC_1A_n257A DC_1A_n257G DC_3A_n77A DC_3A_n257A DC_3A_n257G DC_41A_n77A DC_41A_n257A DC_41A_n257G		
DC_1A-3A-41A_n77A-n257H	DC_1A_n77A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_3A_n77A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_41A_n77A DC_41A_n257A DC_41A_n257G DC_41A_n257H		
DC_1A-3A-41A_n77A-n257I	DC_1A_n77A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n77A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_41A_n77A DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I		
DC_1A-3A-41A_n78A-n257A	DC_1A_n78A DC_1A_n257A DC_3A_n78A DC_3A_n257A DC_41A_n78A DC_41A_n257A		
DC_1A-3A-41A_n78A-n257G	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_3A_n78A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_3A_n257A DC_3A_n257G DC_41A_n78A DC_41A_n257A DC_41A_n257G		
DC_1A-3A-41A_n78A-n257H	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_41A_n78A DC_41A_n257A DC_41A_n257G DC_41A_n257H		
DC_1A-3A-41A_n78A-n257I	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_41A_n78A DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I		
DC_1A-3A-41C-42A_n257A	DC_1A_n257A DC_3A_n257A DC_41A_n257A DC_41C_n257A DC_42A_n257A		
DC_1A-3A-41C-42A_n257D	DC_1A_n257A DC_3A_n257A DC_41A_n257A DC_41C_n257A DC_42A_n257A		
DC_1A-3A-41C-42A_n257E	DC_1A_n257A DC_3A_n257A DC_41A_n257A DC_41C_n257A DC_42A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_1A-3A-41C-42A_n257F	DC_1A_n257A DC_3A_n257A DC_41A_n257A DC_41C_n257A DC_42A_n257A		
DC_1A-3A-41C-42A_n257G	DC_1A_n257A DC_1A_n257G DC_3A_n257A DC_3A_n257G DC_41A_n257A DC_41A_n257G DC_41C_n257A DC_41C_n257G DC_42A_n257A DC_42A_n257G		
DC_1A-3A-41C-42A_n257H	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_1A-3A-41C-42A_n257I	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_41C_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_1A-3A-41C-42A_n257J	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_41C_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_1A-3A-41C-42A_n257K	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_41A_n257A DC_41A_n257G DC_41A_n257H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_41A_n257I DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_41C_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_1A-3A-41C-42A_n257L	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_41C_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_1A-3A-41C-42A_n257M	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_41C_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_1A-3A-41C-42C_n257A	DC_1A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_3A_n257A DC_41A_n257A DC_41C_n257A DC_42A_n257A DC_42C_n257A		
DC_1A-3A-41C-42C_n257D	DC_1A_n257A DC_3A_n257A DC_41A_n257A DC_41C_n257A DC_42A_n257A DC_42C_n257A		
DC_1A-3A-41C-42C_n257E	DC_1A_n257A DC_3A_n257A DC_41A_n257A DC_41C_n257A DC_42A_n257A DC_42C_n257A		
DC_1A-3A-41C-42C_n257F	DC_1A_n257A DC_3A_n257A DC_41A_n257A DC_41C_n257A DC_42A_n257A DC_42C_n257A		
DC_1A-3A-41C-42C_n257G	DC_1A_n257A DC_1A_n257G DC_3A_n257A DC_3A_n257G DC_41A_n257A DC_41A_n257G DC_41C_n257A DC_41C_n257G DC_42A_n257A DC_42A_n257G DC_42C_n257A DC_42C_n257G		
DC_1A-3A-41C-42C_n257H	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_42A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_42A_n257G DC_42A_n257H DC_42C_n257A DC_42C_n257G DC_42C_n257H		
DC_1A-3A-41C-42C_n257I	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_41C_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_1A-3A-41C-42C_n257J	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_41C_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_42C_n257H DC_42C_n257I		
DC_1A-3A-41C-42C_n257K	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_41C_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_1A-3A-41C-42C_n257L	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_41C_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_1A-3A-41C-42C_n257M	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_41C_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_1A-3A-41C_n28A-n257A (interBandEnDcSimRxTx)	DC_1A_n28A DC_1A_n257A DC_3A_n28A DC_3A_n257A DC_41A_n28A DC_41A_n257A DC_41C_n28A DC_41C_n257A		
DC_1A-3A-41C_n28A-n257G	DC_1A_n28A DC_1A_n257A DC_3A_n28A DC_3A_n257A DC_41A_n28A DC_41A_n257A DC_41C_n28A DC_41C_n257A		
DC_1A-3A-41C_n28A-n257H	DC_1A_n28A DC_1A_n257A DC_3A_n28A DC_3A_n257A DC_41A_n28A DC_41A_n257A DC_41C_n28A DC_41C_n257A		
	DC_1A_n28A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_1A-3A-41C_n28A-n257I	DC_1A_n257A DC_3A_n28A DC_3A_n257A DC_41A_n28A DC_41A_n257A DC_41A_n257I DC_41C_n28A DC_41C_n257A DC_41C_n257I		
DC_1A-3A-41C_n77A-n257A	DC_1A_n77A DC_1A_n257A DC_3A_n77A DC_3A_n257A DC_41A_n77A DC_41A_n257A DC_41C_n77A DC_41C_n257A		
DC_1A-3A-41C_n77A-n257G	DC_1A_n77A DC_1A_n257A DC_1A_n257G DC_3A_n77A DC_3A_n257A DC_3A_n257G DC_41A_n77A DC_41A_n257A DC_41A_n257G DC_41C_n77A DC_41C_n257A DC_41C_n257G		
DC_1A-3A-41C_n77A-n257H	DC_1A_n77A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_3A_n77A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_41A_n77A DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41C_n77A DC_41C_n257A DC_41C_n257G DC_41C_n257H		
DC_1A-3A-41C_n77A-n257I	DC_1A_n77A DC_1A_n257A DC_1A_n257G DC_1A_n257H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_1A_n257I DC_3A_n77A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_41A_n77A DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_41C_n77A DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_41C_n257I		
DC_1A-3A-41C_n78A-n257A	DC_1A_n78A DC_1A_n257A DC_3A_n78A DC_3A_n257A DC_41A_n78A DC_41A_n257A DC_41C_n78A DC_41C_n257A		
DC_1A-3A-41C_n78A-n257G	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_41A_n78A DC_41A_n257A DC_41A_n257G DC_41C_n78A DC_41C_n257A DC_41C_n257G		
DC_1A-3A-41C_n78A-n257H	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_41A_n78A DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41C_n78A DC_41C_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_41C_n257G DC_41C_n257H		
DC_1A-3A-41C_n78A-n257I	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_41A_n78A DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_41C_n78A DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_41C_n257I		
DC_1A-3A-42A_n77A-n257A	DC_1A_n77A DC_1A_n257A DC_3A_n77A DC_3A_n257A DC_42A_n257A		
DC_1A-3A-42A_n77A-n257G	DC_1A_n77A DC_1A_n257A DC_1A_n257G DC_3A_n77A DC_3A_n257A DC_3A_n257G DC_42A_n257A DC_42A_n257G		
DC_1A-3A-42A_n77A-n257H	DC_1A_n77A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_3A_n77A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H		
DC_1A-3A-42A_n77A-n257I	DC_1A_n77A DC_1A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n77A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_1A-3A-42A_n78A-n257A	DC_1A_n78A DC_1A_n257A DC_3A_n78A DC_3A_n257A DC_42A_n257A		
DC_1A-3A-42A_n78A-n257G	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_42A_n257A DC_42A_n257G		
DC_1A-3A-42A_n78A-n257H	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H		
DC_1A-3A-42A_n78A-n257I	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_42A_n257I		
DC_1A-3A-42C_n77A-n257A	DC_1A_n77A DC_1A_n257A DC_3A_n77A DC_3A_n257A DC_42A_n257A DC_42C_n257A		
DC_1A-3A-42C_n77A-n257G	DC_1A_n77A DC_1A_n257A DC_1A_n257G DC_3A_n77A DC_3A_n257A DC_3A_n257G DC_42A_n257A DC_42A_n257G DC_42C_n257A DC_42C_n257G		
DC_1A-3A-42C_n77A-n257H	DC_1A_n77A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_3A_n77A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42C_n257A DC_42C_n257G DC_42C_n257H		
DC_1A-3A-42C_n77A-n257I	DC_1A_n77A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n77A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_1A-3A-42C_n78A-n257A	DC_1A_n78A DC_1A_n257A DC_3A_n78A DC_3A_n257A DC_42A_n257A DC_42C_n257A		
DC_1A-3A-42C_n78A-n257G	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_42A_n257A DC_42A_n257G DC_42C_n257A DC_42C_n257G		
DC_1A-3A-42C_n78A-n257H	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42C_n257A DC_42C_n257G DC_42C_n257H		
DC_1A-3A-42C_n78A-n257I	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
	DC_1A_n8A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_1A-3A_n8A-n77A-n257A	DC_1A_n77A DC_1A_n257A DC_3A_n8A DC_3A_n77A DC_3A_n257A		
DC_1A-3A_n8A-n77A-n257G	DC_1A_n8A DC_1A_n77A DC_1A_n257A DC_3A_n8A DC_3A_n77A DC_3A_n257A		
DC_1A-3A_n8A-n77A-n257H	DC_1A_n8A DC_1A_n77A DC_1A_n257A DC_3A_n8A DC_3A_n77A DC_3A_n257A		
DC_1A-3A_n8A-n77A-n257I	DC_1A_n8A DC_1A_n77A DC_1A_n257A DC_3A_n8A DC_3A_n77A DC_3A_n257A		
DC_1A-3A_n8A-n77A-n257J	DC_1A_n8A DC_1A_n77A DC_1A_n257A DC_3A_n8A DC_3A_n77A DC_3A_n257A		
DC_1A-3A_n8A-n77A-n257K	DC_1A_n8A DC_1A_n77A DC_1A_n257A DC_3A_n8A DC_3A_n77A DC_3A_n257A		
DC_1A-3A_n8A-n77A-n257L	DC_1A_n8A DC_1A_n77A DC_1A_n257A DC_3A_n8A DC_3A_n77A DC_3A_n257A		
DC_1A-3A_n8A-n77A-n257M	DC_1A_n8A DC_1A_n77A DC_1A_n257A DC_3A_n8A DC_3A_n77A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_3A_n257A		
DC_1A-3A_n8A-n77(2A)-n257A	DC_1A_n8A DC_1A_n77A DC_1A_n257A DC_3A_n8A DC_3A_n77A DC_3A_n257A		
DC_1A-3A_n8A-n77(2A)-n257G	DC_1A_n8A DC_1A_n77A DC_1A_n257A DC_3A_n8A DC_3A_n77A DC_3A_n257A		
DC_1A-3A_n8A-n77(2A)-n257H	DC_1A_n8A DC_1A_n77A DC_1A_n257A DC_3A_n8A DC_3A_n77A DC_3A_n257A		
DC_1A-3A_n8A-n77(2A)-n257I	DC_1A_n8A DC_1A_n77A DC_1A_n257A DC_3A_n8A DC_3A_n77A DC_3A_n257A		
DC_1A-3A_n8A-n77(2A)-n257J	DC_1A_n8A DC_1A_n77A DC_1A_n257A DC_3A_n8A DC_3A_n77A DC_3A_n257A		
DC_1A-3A_n8A-n77(2A)-n257K	DC_1A_n8A DC_1A_n77A DC_1A_n257A DC_3A_n8A DC_3A_n77A DC_3A_n257A		
DC_1A-3A_n8A-n77(2A)-n257L	DC_1A_n8A DC_1A_n77A DC_1A_n257A DC_3A_n8A DC_3A_n77A DC_3A_n257A		
DC_1A-3A_n8A-n77(2A)-n257M	DC_1A_n8A DC_1A_n77A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_1A_n257A DC_3A_n8A DC_3A_n77A DC_3A_n257A		
DC_1A-3C-7A-28A_n258A	DC_1A_n258A DC_3A_n258A DC_3C_n258A DC_7A_n258A DC_28A_n258A		
DC_1A-3C-7A-28A_n258B	DC_1A_n258A DC_3A_n258A DC_3C_n258A DC_7A_n258A DC_28A_n258A		
DC_1A-3C-7A-28A_n258C	DC_1A_n258A DC_3A_n258A DC_3C_n258A DC_7A_n258A DC_28A_n258A		
DC_1A-3C-7A-28A_n258D	DC_1A_n258A DC_3A_n258A DC_3C_n258A DC_7A_n258A DC_28A_n258A		
DC_1A-3C-7A-28A_n258E	DC_1A_n258A DC_3A_n258A DC_3C_n258A DC_7A_n258A DC_28A_n258A		
DC_1A-3C-7A-28A_n258F	DC_1A_n258A DC_3A_n258A DC_3C_n258A DC_7A_n258A DC_28A_n258A		
DC_1A-3C-7A-28A_n258G	DC_1A_n258A DC_1A_n258G DC_3A_n258A DC_3A_n258G DC_3C_n258A DC_3C_n258G DC_7A_n258A DC_7A_n258G DC_28A_n258A DC_28A_n258G		
DC_1A-3C-7A-28A_n258H	DC_1A_n258A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_1A_n258G DC_1A_n258H DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3C_n258A DC_3C_n258G DC_3C_n258H DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_28A_n258A DC_28A_n258G DC_28A_n258H		
DC_1A-3C-7A-28A_n258I	DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_1A_n258I DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I DC_3C_n258A DC_3C_n258G DC_3C_n258H DC_3C_n258I DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I DC_28A_n258A DC_28A_n258G DC_28A_n258H DC_28A_n258I		
DC_1A-3C-7A-28A_n258J	DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_1A_n258I DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I DC_3C_n258A DC_3C_n258G DC_3C_n258H DC_3C_n258I DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I DC_28A_n258A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_28A_n258G DC_28A_n258H DC_28A_n258I		
DC_1A-3C-7A-28A_n258K	DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_1A_n258I DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I DC_3C_n258A DC_3C_n258G DC_3C_n258H DC_3C_n258I DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I DC_28A_n258A DC_28A_n258G DC_28A_n258H DC_28A_n258I		
DC_1A-3C-7A-28A_n258L	DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_1A_n258I DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I DC_3C_n258A DC_3C_n258G DC_3C_n258H DC_3C_n258I DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I DC_28A_n258A DC_28A_n258G DC_28A_n258H DC_28A_n258I		
DC_1A-3C-7A-28A_n258M	DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_1A_n258I DC_3A_n258A DC_3A_n258G DC_3A_n258H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_3A_n258I DC_3C_n258A DC_3C_n258G DC_3C_n258H DC_3C_n258I DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I DC_28A_n258A DC_28A_n258G DC_28A_n258H DC_28A_n258I		
DC_1A-3C-7C-28A_n258A	DC_1A_n258A DC_3A_n258A DC_3C_n258A DC_7A_n258A DC_7C_n258A DC_28A_n258A		
DC_1A-3C-7C-28A_n258B	DC_1A_n258A DC_3A_n258A DC_3C_n258A DC_7A_n258A DC_7C_n258A DC_28A_n258A		
DC_1A-3C-7C-28A_n258C	DC_1A_n258A DC_3A_n258A DC_3C_n258A DC_7A_n258A DC_7C_n258A DC_28A_n258A		
DC_1A-3C-7C-28A_n258D	DC_1A_n258A DC_3A_n258A DC_3C_n258A DC_7A_n258A DC_7C_n258A DC_28A_n258A		
DC_1A-3C-7C-28A_n258E	DC_1A_n258A DC_3A_n258A DC_3C_n258A DC_7A_n258A DC_7C_n258A DC_28A_n258A		
DC_1A-3C-7C-28A_n258F	DC_1A_n258A DC_3A_n258A DC_3C_n258A DC_7A_n258A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_7C_n258A DC_28A_n258A		
DC_1A-3C-7C-28A_n258G	DC_1A_n258A DC_1A_n258G DC_3A_n258A DC_3A_n258G DC_3C_n258A DC_3C_n258G DC_7A_n258A DC_7A_n258G DC_7C_n258A DC_7C_n258G DC_28A_n258A DC_28A_n258G		
DC_1A-3C-7C-28A_n258H	DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3C_n258A DC_3C_n258G DC_3C_n258H DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7C_n258A DC_7C_n258G DC_7C_n258H DC_28A_n258A DC_28A_n258G DC_28A_n258H		
DC_1A-3C-7C-28A_n258I	DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_1A_n258I DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I DC_3C_n258A DC_3C_n258G DC_3C_n258H DC_3C_n258I DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I DC_7C_n258A DC_7C_n258G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_7C_n258H DC_7C_n258I DC_28A_n258A DC_28A_n258G DC_28A_n258H DC_28A_n258I		
DC_1A-3C-7C-28A_n258J	DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_1A_n258I DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I DC_3C_n258A DC_3C_n258G DC_3C_n258H DC_3C_n258I DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I DC_7C_n258A DC_7C_n258G DC_7C_n258H DC_7C_n258I DC_28A_n258A DC_28A_n258G DC_28A_n258H DC_28A_n258I		
DC_1A-3C-7C-28A_n258K	DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_1A_n258I DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I DC_3C_n258A DC_3C_n258G DC_3C_n258H DC_3C_n258I DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I DC_7C_n258A DC_7C_n258G DC_7C_n258H DC_7C_n258I DC_28A_n258A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_28A_n258G DC_28A_n258H DC_28A_n258I		
DC_1A-3C-7C-28A_n258L	DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_1A_n258I DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I DC_3C_n258A DC_3C_n258G DC_3C_n258H DC_3C_n258I DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I DC_7C_n258A DC_7C_n258G DC_7C_n258H DC_7C_n258I DC_28A_n258A DC_28A_n258G DC_28A_n258H DC_28A_n258I		
DC_1A-3C-7C-28A_n258M	DC_1A_n258A DC_1A_n258G DC_1A_n258H DC_1A_n258I DC_3A_n258A DC_3A_n258G DC_3A_n258H DC_3A_n258I DC_3C_n258A DC_3C_n258G DC_3C_n258H DC_3C_n258I DC_7A_n258A DC_7A_n258G DC_7A_n258H DC_7A_n258I DC_7C_n258A DC_7C_n258G DC_7C_n258H DC_7C_n258I DC_28A_n258A DC_28A_n258G DC_28A_n258H DC_28A_n258I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_1A-3C-8A_n78A-n257A	DC_1A_n78A DC_1A_n257A DC_3A_n78A DC_3A_n257A DC_8A_n78A DC_8A_n257A		
DC_1A-3C-8A_n78A-n257D	DC_1A_n78A DC_1A_n257A DC_3A_n78A DC_3A_n257A DC_8A_n78A DC_8A_n257A		
DC_1A-3C-8A_n78A-n257E	DC_1A_n78A DC_1A_n257A DC_3A_n78A DC_3A_n257A DC_8A_n78A DC_8A_n257A		
DC_1A-3C-8A_n78A-n257F	DC_1A_n78A DC_1A_n257A DC_3A_n78A DC_3A_n257A DC_8A_n78A DC_8A_n257A		
DC_1A-3C-8A_n78A-n257G	DC_1A_n78A DC_1A_n257A DC_3A_n78A DC_3A_n257A DC_8A_n78A DC_8A_n257A		
DC_1A-3C-8A_n78A-n257H	DC_1A_n78A DC_1A_n257A DC_3A_n78A DC_3A_n257A DC_8A_n78A DC_8A_n257A		
DC_1A-3C-8A_n78A-n257I	DC_1A_n78A DC_1A_n257A DC_3A_n78A DC_3A_n257A DC_8A_n78A DC_8A_n257A		
DC_1A-3C-8A_n78A-n257J	DC_1A_n78A DC_1A_n257A DC_3A_n78A DC_3A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_8A_n78A DC_8A_n257A		
DC_1A-3C-8A_n78A-n257K	DC_1A_n78A DC_1A_n257A DC_3A_n78A DC_3A_n257A DC_8A_n78A DC_8A_n257A		
DC_1A-3C-8A_n78A-n257L	DC_1A_n78A DC_1A_n257A DC_3A_n78A DC_3A_n257A DC_8A_n78A DC_8A_n257A		
DC_1A-3C-8A_n78A-n257M	DC_1A_n78A DC_1A_n257A DC_3A_n78A DC_3A_n257A DC_8A_n78A DC_8A_n257A		
DC_1A-5A-7A-7A_n257A	DC_1A_n257A DC_5A_n257A DC_7A_n257A		
DC_1A-5A-7A-7A_n257D	DC_1A_n257A DC_1A_n257D DC_5A_n257A DC_5A_n257D DC_7A_n257A DC_7A_n257D		
DC_1A-5A-7A-7A_n257E	DC_1A_n257A DC_1A_n257D DC_5A_n257A DC_5A_n257D DC_7A_n257A DC_7A_n257D		
DC_1A-5A-7A-7A_n257F	DC_1A_n257A DC_1A_n257D DC_5A_n257A DC_5A_n257D DC_7A_n257A DC_7A_n257D		
DC_1A-5A-7A-7A_n257G	DC_1A_n257A DC_1A_n257G DC_5A_n257A DC_5A_n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_7A_n257A DC_7A_n257G		
DC_1A-5A-7A-7A_n257H	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_5A_n257A DC_5A_n257G DC_5A_n257H DC_7A_n257A DC_7A_n257G DC_7A_n257H		
DC_1A-5A-7A-7A_n257I	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_5A_n257A DC_5A_n257G DC_5A_n257H DC_5A_n257I DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I		
DC_1A-5A-7A-7A_n257J	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_5A_n257A DC_5A_n257G DC_5A_n257H DC_5A_n257I DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I		
DC_1A-5A-7A-7A_n257K	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_5A_n257A DC_5A_n257G DC_5A_n257H DC_5A_n257I DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I		
DC_1A-5A-7A-7A_n257L	DC_1A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_5A_n257A DC_5A_n257G DC_5A_n257H DC_5A_n257I DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I		
DC_1A-5A-7A-7A_n257M	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_5A_n257A DC_5A_n257G DC_5A_n257H DC_5A_n257I DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I		
DC_1A-5A-7A_n78A-n257A	DC_1A_n78A DC_1A_n257A DC_5A_n78A DC_5A_n257A DC_7A_n78A DC_7A_n257A DC_1A_n78A-n257A DC_5A_n78A-n257A DC_7A_n78A-n257A		
DC_1A-5A-7A_n78A-n257D	DC_1A_n78A DC_1A_n257A DC_5A_n78A DC_5A_n257A DC_7A_n78A DC_7A_n257A DC_1A_n78A-n257A DC_5A_n78A-n257A DC_7A_n78A-n257A		
DC_1A-5A-7A_n78A-n257E	DC_1A_n78A DC_1A_n257A DC_5A_n78A DC_5A_n257A DC_7A_n78A DC_7A_n257A DC_1A_n78A-n257A DC_5A_n78A-n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_7A_n78A-n257A		
DC_1A-5A-7A_n78A-n257F	DC_1A_n78A DC_1A_n257A DC_5A_n78A DC_5A_n257A DC_7A_n78A DC_7A_n257A DC_1A_n78A-n257A DC_5A_n78A-n257A DC_7A_n78A-n257A		
DC_1A-5A-7A_n78A-n257G	DC_1A_n78A DC_1A_n257A DC_5A_n78A DC_5A_n257A DC_7A_n78A DC_7A_n257A DC_1A_n78A-n257A DC_1A_n78A-n257G DC_5A_n78A-n257A DC_5A_n78A-n257G DC_7A_n78A-n257A DC_7A_n78A-n257G		
DC_1A-5A-7A_n78A-n257H	DC_1A_n78A DC_1A_n257A DC_5A_n78A DC_5A_n257A DC_7A_n78A DC_7A_n257A DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H		
DC_1A-5A-7A_n78A-n257I	DC_1A_n78A DC_1A_n257A DC_5A_n78A DC_5A_n257A DC_7A_n78A DC_7A_n257A DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I DC_5A_n78A-n257A DC_5A_n78A-n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_5A_n78A-n257H DC_5A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_1A-5A-7A_n78A-n257J	DC_1A_n78A DC_1A_n257A DC_5A_n78A DC_5A_n257A DC_7A_n78A DC_7A_n257A DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H DC_5A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_1A-5A-7A_n78A-n257K	DC_1A_n78A DC_1A_n257A DC_5A_n78A DC_5A_n257A DC_7A_n78A DC_7A_n257A DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H DC_5A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_1A-5A-7A_n78A-n257L	DC_1A_n78A DC_1A_n257A DC_5A_n78A DC_5A_n257A DC_7A_n78A DC_7A_n257A DC_1A_n78A-n257A DC_1A_n78A-n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_1A_n78A-n257H DC_1A_n78A-n257I DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H DC_5A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_1A-5A-7A_n78A-n257M	DC_1A_n78A DC_1A_n257A DC_5A_n78A DC_5A_n257A DC_7A_n78A DC_7A_n257A DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H DC_5A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_1A-5A-7A_n78C-n257A	DC_1A_n78A-n257A DC_5A_n78A-n257A DC_7A_n78A-n257A		
DC_1A-5A-7A_n78C-n257D	DC_1A_n78A-n257A DC_5A_n78A-n257A DC_7A_n78A-n257A		
DC_1A-5A-7A_n78C-n257E	DC_1A_n78A-n257A DC_5A_n78A-n257A DC_7A_n78A-n257A		
DC_1A-5A-7A_n78C-n257F	DC_1A_n78A-n257A DC_5A_n78A-n257A DC_7A_n78A-n257A		
DC_1A-5A-7A_n78C-n257G	DC_1A_n78A-n257A DC_1A_n78A-n257G DC_5A_n78A-n257A DC_5A_n78A-n257G DC_7A_n78A-n257A DC_7A_n78A-n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_1A-5A-7A_n78C-n257H	DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H		
DC_1A-5A-7A_n78C-n257I	DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H DC_5A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_1A-5A-7A_n78C-n257J	DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H DC_5A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_1A-5A-7A_n78C-n257K	DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H DC_5A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_1A-5A-7A_n78C-n257L	DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H DC_5A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_1A-5A-7A_n78C-n257M	DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H DC_5A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_1A-7A-7A_n78A-n257A	DC_1A_n78A DC_1A_n257A DC_7A_n78A DC_7A_n257A DC_1A_n78A-n257A DC_7A_n78A-n257A		
DC_1A-7A-7A_n78A-n257D	DC_1A_n78A DC_1A_n257A DC_7A_n78A DC_7A_n257A DC_1A_n78A-n257A DC_7A_n78A-n257A		
DC_1A-7A-7A_n78A-n257E	DC_1A_n78A DC_1A_n257A DC_7A_n78A DC_7A_n257A DC_1A_n78A-n257A DC_7A_n78A-n257A		
DC_1A-7A-7A_n78A-n257F	DC_1A_n78A DC_1A_n257A DC_7A_n78A DC_7A_n257A DC_1A_n78A-n257A DC_7A_n78A-n257A		
DC_1A-7A-7A_n78A-n257G	DC_1A_n78A DC_1A_n257A DC_7A_n78A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_7A_n257A DC_1A_n78A-n257A DC_1A_n78A-n257G DC_7A_n78A-n257A DC_7A_n78A-n257G		
DC_1A-7A-7A_n78A-n257H	DC_1A_n78A DC_1A_n257A DC_7A_n78A DC_7A_n257A DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H		
DC_1A-7A-7A_n78A-n257I	DC_1A_n78A DC_1A_n257A DC_7A_n78A DC_7A_n257A DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_1A-7A-7A_n78A-n257J	DC_1A_n78A DC_1A_n257A DC_7A_n78A DC_7A_n257A DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_1A-7A-7A_n78A-n257K	DC_1A_n78A DC_1A_n257A DC_7A_n78A DC_7A_n257A DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_1A-7A-7A_n78A-n257L	DC_1A_n78A DC_1A_n257A DC_7A_n78A DC_7A_n257A DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_1A-7A-7A_n78A-n257M	DC_1A_n78A DC_1A_n257A DC_7A_n78A DC_7A_n257A DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_1A-7A-7A_n78C-n257A	DC_1A_n78A-n257A DC_7A_n78A-n257A		
DC_1A-7A-7A_n78C-n257D	DC_1A_n78A-n257A DC_7A_n78A-n257A		
DC_1A-7A-7A_n78C-n257E	DC_1A_n78A-n257A DC_7A_n78A-n257A		
DC_1A-7A-7A_n78C-n257F	DC_1A_n78A-n257A DC_7A_n78A-n257A		
DC_1A-7A-7A_n78C-n257G	DC_1A_n78A-n257A DC_1A_n78A-n257G DC_7A_n78A-n257A DC_7A_n78A-n257G		
DC_1A-7A-7A_n78C-n257H	DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_1A-7A-7A_n78C-n257I	DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_1A-7A-7A_n78C-n257J	DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_1A-7A-7A_n78C-n257K	DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_1A-7A-7A_n78C-n257L	DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_1A-7A-7A_n78C-n257M	DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_1A-7A-28A_n38A-n257A	DC_1A_n257A DC_28A_n257A		
DC_1A-7A-28A_n38A-n257G	DC_1A_n257A DC_1A_n257G DC_28A_n257A DC_28A_n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_1A-7A-28A_n38A-n257H	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_28A_n257A DC_28A_n257G DC_28A_n257H		
DC_1A-7A-28A_n38A-n257I	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_28A_n257I		
DC_1A-7A-28A_n78A-n257A	DC_1A_n78A DC_7A_n78A DC_28A_n78A DC_1A_n257A DC_7A_n257A DC_28A_n257A		
DC_1A-7A-28A_n78A-n257G	DC_1A_n78A DC_7A_n78A DC_28A_n78A DC_1A_n257A DC_7A_n257A DC_28A_n257A		
DC_1A-7A-28A_n78A-n257H	DC_1A_n78A DC_7A_n78A DC_28A_n78A DC_1A_n257A DC_7A_n257A DC_28A_n257A		
DC_1A-7A-28A_n78A-n257I	DC_1A_n78A DC_7A_n78A DC_28A_n78A DC_1A_n257A DC_7A_n257A DC_28A_n257A		
DC_1A-8A-11A_n77A-n257A (interBandEnDcSimRxTx)	DC_1A_n77A DC_1A_n257A DC_8A_n77A DC_8A_n257A DC_11A_n77A DC_11A_n257A		
	DC_1A_n77A DC_1A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_1A-8A-11A_n77A-n257D (interBandEnDcSimRxTx)	DC_1A_n257D DC_8A_n77A DC_8A_n257A DC_8A_n257D DC_11A_n77A DC_11A_n257A DC_11A_n257D		
DC_1A-8A-11A_n77A-n257G (interBandEnDcSimRxTx)	DC_1A_n77A DC_1A_n257A DC_1A_n257G DC_8A_n77A DC_8A_n257A DC_8A_n257G DC_11A_n77A DC_11A_n257A DC_11A_n257G		
DC_1A-8A-11A_n77A-n257H (interBandEnDcSimRxTx)	DC_1A_n77A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_8A_n77A DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_11A_n77A DC_11A_n257A DC_11A_n257G DC_11A_n257H		
DC_1A-8A-11A_n77A-n257I (interBandEnDcSimRxTx)	DC_1A_n77A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_8A_n77A DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I DC_11A_n77A DC_11A_n257A DC_11A_n257G DC_11A_n257H DC_11A_n257I		
DC_1A-8A-11A_n77(2A)-n257A (interBandEnDcSimRxTx)	DC_1A_n77A DC_1A_n257A DC_8A_n77A DC_8A_n257A DC_11A_n77A DC_11A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_1A-8A-11A_n77(2A)-n257D (interBandEnDcSimRxTx)	DC_1A_n77A DC_1A_n257A DC_1A_n257D DC_8A_n77A DC_8A_n257A DC_8A_n257D DC_11A_n77A DC_11A_n257A DC_11A_n257D		
DC_1A-8A-11A_n77(2A)-n257G (interBandEnDcSimRxTx)	DC_1A_n77A DC_1A_n257A DC_1A_n257G DC_8A_n77A DC_8A_n257A DC_8A_n257G DC_11A_n77A DC_11A_n257A DC_11A_n257G		
DC_1A-8A-11A_n77(2A)-n257H (interBandEnDcSimRxTx)	DC_1A_n77A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_8A_n77A DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_11A_n77A DC_11A_n257A DC_11A_n257G DC_11A_n257H		
DC_1A-8A-11A_n77(2A)-n257I (interBandEnDcSimRxTx)	DC_1A_n77A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_8A_n77A DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I DC_11A_n77A DC_11A_n257A DC_11A_n257G DC_11A_n257H DC_11A_n257I		
DC_1A-8A_n3A-n77A-n257A	DC_1A_n3A DC_1A_n77A DC_1A_n257A DC_(n)3AA (switchedUlOnly)		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_3A_n77A DC_3A_n257A DC_8A_n3A DC_8A_n77A DC_8A_n257A		
DC_1A-8A_n3A-n77A-n257G	DC_1A_n3A DC_1A_n77A DC_1A_n257A DC_(n)3AA (switchedUlOnly) DC_3A_n77A DC_3A_n257A DC_8A_n3A DC_8A_n77A DC_8A_n257A		
DC_1A-8A_n3A-n77A-n257H	DC_1A_n3A DC_1A_n77A DC_1A_n257A DC_(n)3AA (switchedUlOnly) DC_3A_n77A DC_3A_n257A DC_8A_n3A DC_8A_n77A DC_8A_n257A		
DC_1A-8A_n3A-n77A-n257I	DC_1A_n3A DC_1A_n77A DC_1A_n257A DC_(n)3AA (switchedUlOnly) DC_3A_n77A DC_3A_n257A DC_8A_n3A DC_8A_n77A DC_8A_n257A		
DC_1A-8A_n3A-n77A-n257J	DC_1A_n3A DC_1A_n77A DC_1A_n257A DC_(n)3AA (switchedUlOnly) DC_3A_n77A DC_3A_n257A DC_8A_n3A DC_8A_n77A DC_8A_n257A		
DC_1A-8A_n3A-n77A-n257K	DC_1A_n3A DC_1A_n77A DC_1A_n257A DC_(n)3AA (switchedUlOnly) DC_3A_n77A DC_3A_n257A DC_8A_n3A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_8A_n77A DC_8A_n257A		
DC_1A-8A_n3A-n77A-n257L	DC_1A_n3A DC_1A_n77A DC_1A_n257A DC_(n)3AA (switchedUlOnly) DC_3A_n77A DC_3A_n257A DC_8A_n3A DC_8A_n77A DC_8A_n257A		
DC_1A-8A_n3A-n77A-n257M	DC_1A_n3A DC_1A_n77A DC_1A_n257A DC_(n)3AA (switchedUlOnly) DC_3A_n77A DC_3A_n257A DC_8A_n3A DC_8A_n77A DC_8A_n257A		
DC_1A-8A_n3A-n77(2A)-n257A	DC_1A_n3A DC_1A_n77A DC_1A_n257A DC_8A_n3A DC_8A_n77A DC_8A_n257A		
DC_1A-8A_n3A-n77(2A)-n257G	DC_1A_n3A DC_1A_n77A DC_1A_n257A DC_8A_n3A DC_8A_n77A DC_8A_n257A		
DC_1A-8A_n3A-n77(2A)-n257H	DC_1A_n3A DC_1A_n77A DC_1A_n257A DC_8A_n3A DC_8A_n77A DC_8A_n257A		
DC_1A-8A_n3A-n77(2A)-n257I	DC_1A_n3A DC_1A_n77A DC_1A_n257A DC_8A_n3A DC_8A_n77A DC_8A_n257A		
DC_1A-8A_n3A-n77(2A)-n257J	DC_1A_n3A DC_1A_n77A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_1A_n257A DC_8A_n3A DC_8A_n77A DC_8A_n257A		
DC_1A-8A_n3A-n77(2A)-n257K	DC_1A_n3A DC_1A_n77A DC_1A_n257A DC_8A_n3A DC_8A_n77A DC_8A_n257A		
DC_1A-8A_n3A-n77(2A)-n257L	DC_1A_n3A DC_1A_n77A DC_1A_n257A DC_8A_n3A DC_8A_n77A DC_8A_n257A		
DC_1A-8A_n3A-n77(2A)-n257M	DC_1A_n3A DC_1A_n77A DC_1A_n257A DC_8A_n3A DC_8A_n77A DC_8A_n257A		
DC_1A-8A-(n)3AA-n77A-n257A	DC_1A_n3A DC_1A_n77A DC_1A_n257A DC_(n)3AA (switchedUlOnly) DC_3A_n77A DC_3A_n257A DC_8A_n3A DC_8A_n77A DC_8A_n257A		
DC_1A-8A-(n)3AA-n77A-n257G	DC_1A_n3A DC_1A_n77A DC_1A_n257A DC_(n)3AA (switchedUlOnly) DC_3A_n77A DC_3A_n257A DC_8A_n3A DC_8A_n77A DC_8A_n257A		
DC_1A-8A-(n)3AA-n77A-n257H	DC_1A_n3A DC_1A_n77A DC_1A_n257A DC_(n)3AA (switchedUlOnly) DC_3A_n77A DC_3A_n257A DC_8A_n3A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_8A_n77A DC_8A_n257A		
DC_1A-8A-(n)3AA-n77A-n257I	DC_1A_n3A DC_1A_n77A DC_1A_n257A DC_(n)3AA (switchedUlOnly) DC_3A_n77A DC_3A_n257A DC_8A_n3A DC_8A_n77A DC_8A_n257A		
DC_1A-8A-(n)3AA-n77A-n257J	DC_1A_n3A DC_1A_n77A DC_1A_n257A DC_(n)3AA (switchedUlOnly) DC_3A_n77A DC_3A_n257A DC_8A_n3A DC_8A_n77A DC_8A_n257A		
DC_1A-8A-(n)3AA-n77A-n257K	DC_1A_n3A DC_1A_n77A DC_1A_n257A DC_(n)3AA (switchedUlOnly) DC_3A_n77A DC_3A_n257A DC_8A_n3A DC_8A_n77A DC_8A_n257A		
DC_1A-8A-(n)3AA-n77A-n257L	DC_1A_n3A DC_1A_n77A DC_1A_n257A DC_(n)3AA (switchedUlOnly) DC_3A_n77A DC_3A_n257A DC_8A_n3A DC_8A_n77A DC_8A_n257A		
DC_1A-8A-(n)3AA-n77A-n257M	DC_1A_n3A DC_1A_n77A DC_1A_n257A DC_(n)3AA (switchedUlOnly) DC_3A_n77A DC_3A_n257A DC_8A_n3A DC_8A_n77A DC_8A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_1A-8A-(n)3AA-n77(2A)-n257A	DC_1A_n3A DC_1A_n77A DC_1A_n257A DC_(n)3AA (switchedUlOnly) DC_3A_n77A DC_3A_n257A DC_8A_n3A DC_8A_n77A DC_8A_n257A		
DC_1A-8A-(n)3AA-n77(2A)-n257G	DC_1A_n3A DC_1A_n77A DC_1A_n257A DC_(n)3AA (switchedUlOnly) DC_3A_n77A DC_3A_n257A DC_8A_n3A DC_8A_n77A DC_8A_n257A		
DC_1A-8A-(n)3AA-n77(2A)-n257H	DC_1A_n3A DC_1A_n77A DC_1A_n257A DC_(n)3AA (switchedUlOnly) DC_3A_n77A DC_3A_n257A DC_8A_n3A DC_8A_n77A DC_8A_n257A		
DC_1A-8A-(n)3AA-n77(2A)-n257I	DC_1A_n3A DC_1A_n77A DC_1A_n257A DC_(n)3AA (switchedUlOnly) DC_3A_n77A DC_3A_n257A DC_8A_n3A DC_8A_n77A DC_8A_n257A		
DC_1A-8A-(n)3AA-n77(2A)-n257J	DC_1A_n3A DC_1A_n77A DC_1A_n257A DC_(n)3AA (switchedUlOnly) DC_3A_n77A DC_3A_n257A DC_8A_n3A DC_8A_n77A DC_8A_n257A		
DC_1A-8A-(n)3AA-n77(2A)-n257K	DC_1A_n3A DC_1A_n77A DC_1A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_(n)3AA (switchedUlOnly) DC_3A_n77A DC_3A_n257A DC_8A_n3A DC_8A_n77A DC_8A_n257A		
DC_1A-8A-(n)3AA-n77(2A)-n257L	DC_1A_n3A DC_1A_n77A DC_1A_n257A DC_(n)3AA (switchedUlOnly) DC_3A_n77A DC_3A_n257A DC_8A_n3A DC_8A_n77A DC_8A_n257A		
DC_1A-8A-(n)3AA-n77(2A)-n257M	DC_1A_n3A DC_1A_n77A DC_1A_n257A DC_(n)3AA (switchedUlOnly) DC_3A_n77A DC_3A_n257A DC_8A_n3A DC_8A_n77A DC_8A_n257A		
DC_1A-18A-41A_n3A-n257A	DC_18A_n3A DC_18A_n257A DC_41A_n3A DC_41A_n257A		
DC_1A-18A-41A_n3A-n257G	DC_18A_n3A DC_18A_n257A DC_41A_n3A DC_41A_n257A		
DC_1A-18A-41A_n3A-n257H	DC_18A_n3A DC_18A_n257A DC_41A_n3A DC_41A_n257A		
DC_1A-18A-41A_n3A-n257I	DC_18A_n3A DC_18A_n257A DC_41A_n3A DC_41A_n257A DC_18A_n257I DC_41A_n257I		
DC_1A-18A-41C_n3A-n257A	DC_18A_n3A DC_18A_n257A DC_41A_n3A DC_41C_n3A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_41A_n257A DC_41C_n257A		
DC_1A-18A-41C_n3A-n257G	DC_18A_n3A DC_18A_n257A DC_41A_n3A DC_41C_n3A DC_41A_n257A DC_41C_n257A		
DC_1A-18A-41C_n3A-n257H	DC_18A_n3A DC_18A_n257A DC_41A_n3A DC_41C_n3A DC_41A_n257A DC_41C_n257A		
DC_1A-18A-41C_n3A-n257I	DC_18A_n3A DC_18A_n257A DC_41A_n3A DC_41C_n3A DC_41A_n257A DC_41C_n257A DC_18A_n257I DC_41A_n257I DC_41C_n257I		
DC_1A-18A-42A_n78A-n257A	DC_1A_n78A DC_1A_n257A DC_18A_n78A DC_18A_n257A DC_42A_n257A		
DC_1A-18A-42A_n78A-n257G	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_18A_n78A DC_18A_n257A DC_18A_n257G DC_42A_n257A DC_42A_n257G		
DC_1A-18A-42A_n78A-n257H	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_18A_n78A DC_18A_n257A DC_18A_n257G DC_18A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_1A-18A-42A_n78A-n257I	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_18A_n78A DC_18A_n257A DC_18A_n257G DC_18A_n257H DC_18A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_1A-18A-42C_n78A-n257A	DC_1A_n78A DC_1A_n257A DC_18A_n78A DC_18A_n257A DC_42A_n257A DC_42C_n257A		
DC_1A-18A-42C_n78A-n257G	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_18A_n78A DC_18A_n257A DC_18A_n257G DC_42A_n257A DC_42A_n257G DC_42C_n257A DC_42C_n257G		
DC_1A-18A-42C_n78A-n257H	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_18A_n78A DC_18A_n257A DC_18A_n257G DC_18A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42C_n257A DC_42C_n257G DC_42C_n257H		
DC_1A-18A-42C_n78A-n257I	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_18A_n78A DC_18A_n257A DC_18A_n257G DC_18A_n257H DC_18A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_1A-19A-21A-42A_n257A	DC_1A_n257A DC_19A_n257A DC_21A_n257A DC_42A_n257A		
DC_1A-19A-21A-42A_n257D	DC_1A_n257A DC_19A_n257A DC_21A_n257A DC_42A_n257A		
DC_1A-19A-21A-42A_n257E	DC_1A_n257A DC_19A_n257A DC_21A_n257A DC_42A_n257A		
DC_1A-19A-21A-42A_n257F	DC_1A_n257A DC_19A_n257A DC_21A_n257A DC_42A_n257A		
DC_1A-19A-21A-42A_n257G	DC_1A_n257A DC_1A_n257G DC_19A_n257A DC_19A_n257G DC_21A_n257A DC_21A_n257G DC_42A_n257A DC_42A_n257G		
DC_1A-19A-21A-42A_n257H	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_42A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_42A_n257G DC_42A_n257H		
DC_1A-19A-21A-42A_n257I	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_19A_n257I DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_1A-19A-21A-42A_n257J	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_1A_n257J DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_19A_n257I DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I DC_21A_n257J DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_1A-19A-21A-42A_n257K	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_1A_n257J DC_1A_n257K DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_19A_n257I DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_21A_n257J DC_21A_n257K DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_1A-19A-21A-42A_n257L	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_1A_n257J DC_1A_n257K DC_1A_n257L DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_19A_n257I DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I DC_21A_n257J DC_21A_n257K DC_21A_n257L DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_1A-19A-21A-42A_n257M	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_1A_n257J DC_1A_n257K DC_1A_n257L DC_1A_n257M DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_19A_n257I DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I DC_21A_n257J DC_21A_n257K DC_21A_n257L DC_21A_n257M DC_42A_n257A DC_42A_n257G DC_42A_n257H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_42A_n257I		
DC_1A-19A-21A-42C_n257A	DC_1A_n257A DC_19A_n257A DC_21A_n257A DC_42A_n257A		
DC_1A-19A-21A-42C_n257D	DC_1A_n257A DC_19A_n257A DC_21A_n257A DC_42A_n257A		
DC_1A-19A-21A-42C_n257E	DC_1A_n257A DC_19A_n257A DC_21A_n257A DC_42A_n257A		
DC_1A-19A-21A-42C_n257F	DC_1A_n257A DC_19A_n257A DC_21A_n257A DC_42A_n257A		
DC_1A-19A-21A-42C_n257G	DC_1A_n257A DC_1A_n257G DC_19A_n257A DC_19A_n257G DC_21A_n257A DC_21A_n257G DC_42A_n257A DC_42A_n257G		
DC_1A-19A-21A-42C_n257H	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H		
DC_1A-19A-21A-42C_n257I	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_19A_n257I DC_21A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_21A_n257G DC_21A_n257H DC_21A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_1A-19A-21A-42C_n257J	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_1A_n257J DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_19A_n257I DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I DC_21A_n257J DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_1A-19A-21A-42C_n257K	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_1A_n257J DC_1A_n257K DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_19A_n257I DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I DC_21A_n257J DC_21A_n257K DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_1A-19A-21A-42C_n257L	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_1A_n257J		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_1A_n257K DC_1A_n257L DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_19A_n257I DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I DC_21A_n257J DC_21A_n257K DC_21A_n257L DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_1A-19A-21A-42C_n257M	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_1A_n257J DC_1A_n257K DC_1A_n257L DC_1A_n257M DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_19A_n257I DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I DC_21A_n257J DC_21A_n257K DC_21A_n257L DC_21A_n257M DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_1A-19A-28A-42A_n257A	DC_1A_n257A DC_19A_n257A DC_28A_n257A DC_42A_n257A		
DC_1A-19A-28A-42C_n257A	DC_1A_n257A DC_19A_n257A DC_28A_n257A DC_42A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_1A-19A-42A_n77A-n257A	DC_1A_n77A DC_1A_n257A DC_19A_n77A DC_19A_n257A DC_42A_n257A		
DC_1A-19A-42A_n77A-n257G	DC_1A_n77A DC_1A_n257A DC_1A_n257G DC_19A_n77A DC_19A_n257A DC_19A_n257G DC_42A_n257A DC_42A_n257G		
DC_1A-19A-42A_n77A-n257H	DC_1A_n77A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_19A_n77A DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H		
DC_1A-19A-42A_n77A-n257I	DC_1A_n77A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_19A_n77A DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_19A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_1A-19A-42A_n78A-n257A	DC_1A_n78A DC_1A_n257A DC_19A_n78A DC_19A_n257A DC_42A_n257A		
DC_1A-19A-42A_n78A-n257G	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_19A_n78A DC_19A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_19A_n257G DC_42A_n257A DC_42A_n257G		
DC_1A-19A-42A_n78A-n257H	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_19A_n78A DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H		
DC_1A-19A-42A_n78A-n257I	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_19A_n78A DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_19A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_1A-19A-42A_n79A-n257A	DC_1A_n79A DC_1A_n257A DC_19A_n79A DC_19A_n257A DC_42A_n257A DC_1A_n79A-n257A DC_19A_n79A-n257A		
DC_1A-19A-42A_n79A-n257G	DC_1A_n79A DC_1A_n257A DC_1A_n257G DC_19A_n79A DC_19A_n257A DC_19A_n257G DC_42A_n257A DC_42A_n257G DC_1A_n79A-n257A DC_1A_n79A-n257G DC_19A_n79A-n257A DC_19A_n79A-n257G		
DC_1A-19A-42A_n79A-n257H	DC_1A_n79A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_19A_n79A DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_1A_n79A-n257A DC_1A_n79A-n257G DC_1A_n79A-n257H DC_19A_n79A-n257A DC_19A_n79A-n257G DC_19A_n79A-n257H		
DC_1A-19A-42A_n79A-n257I	DC_1A_n79A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_19A_n79A DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_19A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_1A_n79A-n257A DC_1A_n79A-n257G DC_1A_n79A-n257H DC_1A_n79A-n257I DC_19A_n79A-n257A DC_19A_n79A-n257G DC_19A_n79A-n257H DC_19A_n79A-n257I		
DC_1A-19A-42C_n77A-n257A	DC_1A_n77A DC_1A_n257A DC_19A_n77A DC_19A_n257A DC_42A_n257A		
DC_1A-19A-42C_n77A-n257G	DC_1A_n77A DC_1A_n257A DC_1A_n257G DC_19A_n77A DC_19A_n257A DC_19A_n257G DC_42A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_42A_n257G		
DC_1A-19A-42C_n77A-n257H	DC_1A_n77A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_19A_n77A DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H		
DC_1A-19A-42C_n77A-n257I	DC_1A_n77A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_19A_n77A DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_19A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_1A-19A-42C_n78A-n257A	DC_1A_n78A DC_1A_n257A DC_19A_n78A DC_19A_n257A DC_42A_n257A		
DC_1A-19A-42C_n78A-n257G	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_19A_n78A DC_19A_n257A DC_19A_n257G DC_42A_n257A DC_42A_n257G		
DC_1A-19A-42C_n78A-n257H	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_19A_n78A DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_42A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_42A_n257G DC_42A_n257H		
DC_1A-19A-42C_n78A-n257I	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_19A_n78A DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_19A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_1A-19A-42C_n79A-n257A	DC_1A_n79A DC_1A_n257A DC_19A_n79A DC_19A_n257A DC_42A_n257A DC_1A_n79A-n257A DC_19A_n79A-n257A		
DC_1A-19A-42C_n79A-n257G	DC_1A_n79A DC_1A_n257A DC_1A_n257G DC_19A_n79A DC_19A_n257A DC_19A_n257G DC_42A_n257A DC_42A_n257G DC_1A_n79A-n257A DC_1A_n79A-n257G DC_19A_n79A-n257A DC_19A_n79A-n257G		
DC_1A-19A-42C_n79A-n257H	DC_1A_n79A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_19A_n79A DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_1A_n79A-n257A DC_1A_n79A-n257G DC_1A_n79A-n257H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_19A_n79A-n257A DC_19A_n79A-n257G DC_19A_n79A-n257H		
DC_1A-19A-42C_n79A-n257I	DC_1A_n79A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_19A_n79A DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_19A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_1A_n79A-n257A DC_1A_n79A-n257G DC_1A_n79A-n257H DC_1A_n79A-n257I DC_19A_n79A-n257A DC_19A_n79A-n257G DC_19A_n79A-n257H DC_19A_n79A-n257I		
DC_1A-21A-28A-42A_n257A	DC_1A_n257A DC_21A_n257A DC_28A_n257A DC_42A_n257A		
DC_1A-21A-42A_n77A-n257A	DC_1A_n77A DC_1A_n257A DC_21A_n77A DC_21A_n257A DC_42A_n257A DC_1A_n77A-n257A DC_21A_n77A-n257A		
DC_1A-21A-42A_n77A-n257G	DC_1A_n77A DC_1A_n257A DC_1A_n257G DC_21A_n77A DC_21A_n257A DC_21A_n257G DC_42A_n257A DC_42A_n257G DC_1A_n77A-n257A DC_1A_n77A-n257G DC_21A_n77A-n257A DC_21A_n77A-n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_1A-21A-42A_n77A-n257H	DC_1A_n77A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_21A_n77A DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_1A_n77A-n257A DC_1A_n77A-n257G DC_1A_n77A-n257H DC_21A_n77A-n257A DC_21A_n77A-n257G DC_21A_n77A-n257H		
DC_1A-21A-42A_n77A-n257I	DC_1A_n77A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_21A_n77A DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_1A_n77A-n257A DC_1A_n77A-n257G DC_1A_n77A-n257H DC_1A_n77A-n257I DC_21A_n77A-n257A DC_21A_n77A-n257G DC_21A_n77A-n257H DC_21A_n77A-n257I		
DC_1A-21A-42A_n78A-n257A	DC_1A_n78A DC_1A_n257A DC_21A_n78A DC_21A_n257A DC_42A_n257A DC_1A_n78A-n257A DC_21A_n78A-n257A		
DC_1A-21A-42A_n78A-n257G	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_21A_n78A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_21A_n257A DC_21A_n257G DC_42A_n257A DC_42A_n257G DC_1A_n78A-n257A DC_1A_n78A-n257G DC_21A_n78A-n257A DC_21A_n78A-n257G		
DC_1A-21A-42A_n78A-n257H	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_21A_n78A DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_21A_n78A-n257A DC_21A_n78A-n257G DC_21A_n78A-n257H		
DC_1A-21A-42A_n78A-n257I	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_21A_n78A DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I DC_21A_n78A-n257A DC_21A_n78A-n257G DC_21A_n78A-n257H DC_21A_n78A-n257I		
DC_1A-21A-42A_n79A-n257A	DC_1A_n79A DC_1A_n257A DC_21A_n79A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_21A_n257A DC_42A_n257A DC_1A_n79A-n257A DC_21A_n79A-n257A		
DC_1A-21A-42A_n79A-n257G	DC_1A_n79A DC_1A_n257A DC_1A_n257G DC_21A_n79A DC_21A_n257A DC_21A_n257G DC_42A_n257A DC_42A_n257G DC_1A_n79A-n257A DC_1A_n79A-n257G DC_21A_n79A-n257A DC_21A_n79A-n257G		
DC_1A-21A-42A_n79A-n257H	DC_1A_n79A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_21A_n79A DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_1A_n79A-n257A DC_1A_n79A-n257G DC_1A_n79A-n257H DC_21A_n79A-n257A DC_21A_n79A-n257G DC_21A_n79A-n257H		
DC_1A-21A-42A_n79A-n257I	DC_1A_n79A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_21A_n79A DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_1A_n79A-n257A DC_1A_n79A-n257G DC_1A_n79A-n257H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_1A_n79A-n257I DC_21A_n79A-n257A DC_21A_n79A-n257G DC_21A_n79A-n257H DC_21A_n79A-n257I		
DC_1A-21A-42C_n77A-n257A	DC_1A_n77A DC_1A_n257A DC_21A_n77A DC_21A_n257A DC_42A_n257A DC_1A_n77A-n257A DC_21A_n77A-n257A		
DC_1A-21A-42C_n77A-n257G	DC_1A_n77A DC_1A_n257A DC_1A_n257G DC_21A_n77A DC_21A_n257A DC_21A_n257G DC_42A_n257A DC_42A_n257G DC_1A_n77A-n257A DC_1A_n77A-n257G DC_21A_n77A-n257A DC_21A_n77A-n257G		
DC_1A-21A-42C_n77A-n257H	DC_1A_n77A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_21A_n77A DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_1A_n77A-n257A DC_1A_n77A-n257G DC_1A_n77A-n257H DC_21A_n77A-n257A DC_21A_n77A-n257G DC_21A_n77A-n257H		
DC_1A-21A-42C_n77A-n257I	DC_1A_n77A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_21A_n77A DC_21A_n257A DC_21A_n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_21A_n257H DC_21A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_1A_n77A-n257A DC_1A_n77A-n257G DC_1A_n77A-n257H DC_1A_n77A-n257I DC_21A_n77A-n257A DC_21A_n77A-n257G DC_21A_n77A-n257H DC_21A_n77A-n257I		
DC_1A-21A-42C_n78A-n257A	DC_1A_n78A DC_1A_n257A DC_21A_n78A DC_21A_n257A DC_42A_n257A DC_1A_n78A-n257A DC_21A_n78A-n257A		
DC_1A-21A-42C_n78A-n257G	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_21A_n78A DC_21A_n257A DC_21A_n257G DC_42A_n257A DC_42A_n257G DC_1A_n78A-n257A DC_1A_n78A-n257G DC_21A_n78A-n257A DC_21A_n78A-n257G		
DC_1A-21A-42C_n78A-n257H	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_21A_n78A DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_21A_n78A-n257A DC_21A_n78A-n257G DC_21A_n78A-n257H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_1A-21A-42C_n78A-n257I	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_21A_n78A DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I DC_21A_n78A-n257A DC_21A_n78A-n257G DC_21A_n78A-n257H DC_21A_n78A-n257I		
DC_1A-21A-42C_n79A-n257A	DC_1A_n79A DC_1A_n257A DC_21A_n79A DC_21A_n257A DC_42A_n257A DC_1A_n79A-n257A DC_21A_n79A-n257A		
DC_1A-21A-42C_n79A-n257G	DC_1A_n79A DC_1A_n257A DC_1A_n257G DC_21A_n79A DC_21A_n257A DC_21A_n257G DC_42A_n257A DC_42A_n257G DC_1A_n79A-n257A DC_1A_n79A-n257G DC_21A_n79A-n257A DC_21A_n79A-n257G		
DC_1A-21A-42C_n79A-n257H	DC_1A_n79A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_21A_n79A DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_42A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_42A_n257G DC_42A_n257H DC_1A_n79A-n257A DC_1A_n79A-n257G DC_1A_n79A-n257H DC_21A_n79A-n257A DC_21A_n79A-n257G DC_21A_n79A-n257H		
DC_1A-21A-42C_n79A-n257I	DC_1A_n79A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_21A_n79A DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_1A_n79A-n257A DC_1A_n79A-n257G DC_1A_n79A-n257H DC_1A_n79A-n257I DC_21A_n79A-n257A DC_21A_n79A-n257G DC_21A_n79A-n257H DC_21A_n79A-n257I		
DC_1A-28A-42A_n78A-n257A	DC_1A_n78A DC_1A_n257A DC_28A_n78A DC_28A_n257A DC_42A_n257A		
DC_1A-28A-42A_n78A-n257G	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_28A_n78A DC_28A_n257A DC_28A_n257G DC_42A_n257A DC_42A_n257G		
DC_1A-28A-42A_n78A-n257H	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_28A_n78A DC_28A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_28A_n257G DC_28A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H		
DC_1A-28A-42A_n78A-n257I	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_28A_n78A DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_28A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_1A-28A-42C_n78A-n257A	DC_1A_n78A DC_1A_n257A DC_28A_n78A DC_28A_n257A DC_42A_n257A DC_42C_n257A		
DC_1A-28A-42C_n78A-n257G	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_28A_n78A DC_28A_n257A DC_28A_n257G DC_42A_n257A DC_42A_n257G DC_42C_n257A DC_42C_n257G		
DC_1A-28A-42C_n78A-n257H	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_28A_n78A DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42C_n257A DC_42C_n257G DC_42C_n257H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_1A-28A-42C_n78A-n257I	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_28A_n78A DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_28A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_1A-41A-42A_n77A-n257A	DC_1A_n77A DC_1A_n257A DC_41A_n77A DC_41A_n257A DC_42A_n257A		
DC_1A-41A-42A_n77A-n257G	DC_1A_n77A DC_1A_n257A DC_1A_n257G DC_41A_n77A DC_41A_n257A DC_41A_n257G DC_42A_n257A DC_42A_n257G		
DC_1A-41A-42A_n77A-n257H	DC_1A_n77A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_41A_n77A DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H		
DC_1A-41A-42A_n77A-n257I	DC_1A_n77A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_41A_n77A DC_41A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_1A-41A-42A_n78A-n257A	DC_1A_n78A DC_1A_n257A DC_41A_n78A DC_41A_n257A DC_42A_n257A		
DC_1A-41A-42A_n78A-n257G	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_41A_n78A DC_41A_n257A DC_41A_n257G DC_42A_n257A DC_42A_n257G		
DC_1A-41A-42A_n78A-n257H	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_41A_n78A DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H		
DC_1A-41A-42A_n78A-n257I	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_41A_n78A DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_1A-41A-42C_n77A-n257A	DC_1A_n77A DC_1A_n257A DC_41A_n77A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_41A_n257A DC_42A_n257A DC_42C_n257A		
DC_1A-41A-42C_n77A-n257G	DC_1A_n77A DC_1A_n257A DC_1A_n257G DC_41A_n77A DC_41A_n257A DC_41A_n257G DC_42A_n257A DC_42A_n257G DC_42C_n257A DC_42C_n257G		
DC_1A-41A-42C_n77A-n257H	DC_1A_n77A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_41A_n77A DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42C_n257A DC_42C_n257G DC_42C_n257H		
DC_1A-41A-42C_n77A-n257I	DC_1A_n77A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_41A_n77A DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_1A-41A-42C_n78A-n257A	DC_1A_n78A DC_1A_n257A DC_41A_n78A DC_41A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_42A_n257A DC_42C_n257A		
DC_1A-41A-42C_n78A-n257G	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_41A_n78A DC_41A_n257A DC_41A_n257G DC_42A_n257A DC_42A_n257G DC_42C_n257A DC_42C_n257G		
DC_1A-41A-42C_n78A-n257H	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_41A_n78A DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42C_n257A DC_42C_n257G DC_42C_n257H		
DC_1A-41A-42C_n78A-n257I	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_41A_n78A DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_1A-41C-42A_n77A-n257A	DC_1A_n77A DC_1A_n257A DC_41A_n77A DC_41A_n257A DC_41C_n77A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_41C_n257A DC_42A_n257A		
DC_1A-41C-42A_n77A-n257G	DC_1A_n77A DC_1A_n257A DC_1A_n257G DC_41A_n77A DC_41A_n257A DC_41A_n257G DC_41C_n77A DC_41C_n257A DC_41C_n257G DC_42A_n257A DC_42A_n257G		
DC_1A-41C-42A_n77A-n257H	DC_1A_n77A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_41A_n77A DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41C_n77A DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H		
DC_1A-41C-42A_n77A-n257I	DC_1A_n77A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_41A_n77A DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_41C_n77A DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_41C_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_1A-41C-42A_n78A-n257A	DC_1A_n78A DC_1A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_41A_n78A DC_41A_n257A DC_41C_n78A DC_41C_n257A DC_42A_n257A		
DC_1A-41C-42A_n78A-n257G	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_41A_n78A DC_41A_n257A DC_41A_n257G DC_41C_n78A DC_41C_n257A DC_41C_n257G DC_42A_n257A DC_42A_n257G		
DC_1A-41C-42A_n78A-n257H	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_41A_n78A DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41C_n78A DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H		
DC_1A-41C-42A_n78A-n257I	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_41A_n78A DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_41C_n78A DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_41C_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_1A-41C-42C_n77A-n257A	DC_1A_n77A DC_1A_n257A DC_41A_n77A DC_41A_n257A DC_41C_n77A DC_41C_n257A DC_42A_n257A DC_42C_n257A		
DC_1A-41C-42C_n77A-n257G	DC_1A_n77A DC_1A_n257A DC_1A_n257G DC_41A_n77A DC_41A_n257A DC_41A_n257G DC_41C_n77A DC_41C_n257A DC_41C_n257G DC_42A_n257A DC_42A_n257G DC_42C_n257A DC_42C_n257G		
DC_1A-41C-42C_n77A-n257H	DC_1A_n77A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_41A_n77A DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41C_n77A DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42C_n257A DC_42C_n257G DC_42C_n257H		
DC_1A-41C-42C_n77A-n257I	DC_1A_n77A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_41A_n77A DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_41C_n77A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_41C_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_1A-41C-42C_n78A-n257A	DC_1A_n78A DC_1A_n257A DC_41A_n78A DC_41A_n257A DC_41C_n78A DC_41C_n257A DC_42A_n257A DC_42C_n257A		
DC_1A-41C-42C_n78A-n257G	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_41A_n78A DC_41A_n257A DC_41A_n257G DC_41C_n78A DC_41C_n257A DC_41C_n257G DC_42A_n257A DC_42A_n257G DC_42C_n257A DC_42C_n257G		
DC_1A-41C-42C_n78A-n257H	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_41A_n78A DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41C_n78A DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42C_n257A DC_42C_n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_42C_n257H		
DC_1A-41C-42C_n78A-n257I	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_41A_n78A DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_41C_n78A DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_41C_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_1A_n3A-n8A-n77A-n257A	DC_1A_n3A DC_1A_n8A DC_1A_n77A DC_1A_n257A		
DC_1A_n3A-n8A-n77A-n257G	DC_1A_n3A DC_1A_n8A DC_1A_n77A DC_1A_n257A		
DC_1A_n3A-n8A-n77A-n257H	DC_1A_n3A DC_1A_n8A DC_1A_n77A DC_1A_n257A		
DC_1A_n3A-n8A-n77A-n257I	DC_1A_n3A DC_1A_n8A DC_1A_n77A DC_1A_n257A		
DC_1A_n3A-n8A-n77A-n257J	DC_1A_n3A DC_1A_n8A DC_1A_n77A DC_1A_n257A		
DC_1A_n3A-n8A-n77A-n257K	DC_1A_n3A DC_1A_n8A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_1A_n77A DC_1A_n257A		
DC_1A_n3A-n8A-n77A-n257L	DC_1A_n3A DC_1A_n8A DC_1A_n77A DC_1A_n257A		
DC_1A_n3A-n8A-n77A-n257M	DC_1A_n3A DC_1A_n8A DC_1A_n77A DC_1A_n257A		
DC_1A_n3A-n8A-n77(2A)-n257A	DC_1A_n3A DC_1A_n8A DC_1A_n77A DC_1A_n257A		
DC_1A_n3A-n8A-n77(2A)-n257G	DC_1A_n3A DC_1A_n8A DC_1A_n77A DC_1A_n257A		
DC_1A_n3A-n8A-n77(2A)-n257H	DC_1A_n3A DC_1A_n8A DC_1A_n77A DC_1A_n257A		
DC_1A_n3A-n8A-n77(2A)-n257I	DC_1A_n3A DC_1A_n8A DC_1A_n77A DC_1A_n257A		
DC_1A_n3A-n8A-n77(2A)-n257J	DC_1A_n3A DC_1A_n8A DC_1A_n77A DC_1A_n257A		
DC_1A_n3A-n8A-n77(2A)-n257K	DC_1A_n3A DC_1A_n8A DC_1A_n77A DC_1A_n257A		
DC_1A_n3A-n8A-n77(2A)-n257L	DC_1A_n3A DC_1A_n8A DC_1A_n77A DC_1A_n257A		
DC_1A_n3A-n8A-n77(2A)-n257M	DC_1A_n3A DC_1A_n8A DC_1A_n77A DC_1A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_1A-(n)3AA-n8A-n77A-n257A	DC_1A_n3A DC_1A_n8A DC_1A_n77A DC_1A_n257A DC_(n)3AA (switchedUlOnly) DC_3A_n8A DC_3A_n77A DC_3A_n257A		
DC_1A-(n)3AA-n8A-n77A-n257G	DC_1A_n3A DC_1A_n8A DC_1A_n77A DC_1A_n257A DC_(n)3AA (switchedUlOnly) DC_3A_n8A DC_3A_n77A DC_3A_n257A		
DC_1A-(n)3AA-n8A-n77A-n257H	DC_1A_n3A DC_1A_n8A DC_1A_n77A DC_1A_n257A DC_(n)3AA (switchedUlOnly) DC_3A_n8A DC_3A_n77A DC_3A_n257A		
DC_1A-(n)3AA-n8A-n77A-n257I	DC_1A_n3A DC_1A_n8A DC_1A_n77A DC_1A_n257A DC_(n)3AA (switchedUlOnly) DC_3A_n8A DC_3A_n77A DC_3A_n257A		
DC_1A-(n)3AA-n8A-n77A-n257J	DC_1A_n3A DC_1A_n8A DC_1A_n77A DC_1A_n257A DC_(n)3AA (switchedUlOnly) DC_3A_n8A DC_3A_n77A DC_3A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_1A-(n)3AA-n8A-n77A-n257K	DC_1A_n3A DC_1A_n8A DC_1A_n77A DC_1A_n257A DC_(n)3AA (switchedUlOnly) DC_3A_n8A DC_3A_n77A DC_3A_n257A		
DC_1A-(n)3AA-n8A-n77A-n257L	DC_1A_n3A DC_1A_n8A DC_1A_n77A DC_1A_n257A DC_(n)3AA (switchedUlOnly) DC_3A_n8A DC_3A_n77A DC_3A_n257A		
DC_1A-(n)3AA-n8A-n77A-n257M	DC_1A_n3A DC_1A_n8A DC_1A_n77A DC_1A_n257A DC_(n)3AA (switchedUlOnly) DC_3A_n8A DC_3A_n77A DC_3A_n257A		
DC_1A-(n)3AA-n8A-n77(2A)-n257A	DC_1A_n3A DC_1A_n8A DC_1A_n77A DC_1A_n257A DC_(n)3AA (switchedUlOnly) DC_3A_n8A DC_3A_n77A DC_3A_n257A		
DC_1A-(n)3AA-n8A-n77(2A)-n257G	DC_1A_n3A DC_1A_n8A DC_1A_n77A DC_1A_n257A DC_(n)3AA (switchedUlOnly) DC_3A_n8A DC_3A_n77A DC_3A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_1A-(n)3AA-n8A-n77(2A)-n257H	DC_1A_n3A DC_1A_n8A DC_1A_n77A DC_1A_n257A DC_(n)3AA (switchedUlOnly) DC_3A_n8A DC_3A_n77A DC_3A_n257A		
DC_1A-(n)3AA-n8A-n77(2A)-n257I	DC_1A_n3A DC_1A_n8A DC_1A_n77A DC_1A_n257A DC_(n)3AA (switchedUlOnly) DC_3A_n8A DC_3A_n77A DC_3A_n257A		
DC_1A-(n)3AA-n8A-n77(2A)-n257J	DC_1A_n3A DC_1A_n8A DC_1A_n77A DC_1A_n257A DC_(n)3AA (switchedUlOnly) DC_3A_n8A DC_3A_n77A DC_3A_n257A		
DC_1A-(n)3AA-n8A-n77(2A)-n257K	DC_1A_n3A DC_1A_n8A DC_1A_n77A DC_1A_n257A DC_(n)3AA (switchedUlOnly) DC_3A_n8A DC_3A_n77A DC_3A_n257A		
DC_1A-(n)3AA-n8A-n77(2A)-n257L	DC_1A_n3A DC_1A_n8A DC_1A_n77A DC_1A_n257A DC_(n)3AA (switchedUlOnly) DC_3A_n8A DC_3A_n77A DC_3A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_1A-(n)3AA-n8A-n77(2A)-n257M	DC_1A_n3A DC_1A_n8A DC_1A_n77A DC_1A_n257A DC_(n)3AA (switchedUlOnly) DC_3A_n8A DC_3A_n77A DC_3A_n257A		
DC_2A-2A-5A-30A_n260A	DC_2A_n260A DC_5A_n260A DC_30A_n260A		
DC_2A-2A-5A-30A_n260G	DC_2A_n260A DC_5A_n260A DC_30A_n260A DC_2A_n260G DC_5A_n260G DC_30A_n260G		
DC_2A-2A-5A-30A_n260H	DC_2A_n260A DC_5A_n260A DC_30A_n260A DC_2A_n260G DC_5A_n260G DC_30A_n260G DC_2A_n260H DC_5A_n260H DC_30A_n260H		
DC_2A-2A-5A-30A_n260I	DC_2A_n260A DC_5A_n260A DC_30A_n260A DC_2A_n260G DC_5A_n260G DC_30A_n260G DC_2A_n260H DC_5A_n260H DC_30A_n260H DC_2A_n260I DC_5A_n260I DC_30A_n260I		
DC_2A-2A-5A-30A_n260J	DC_2A_n260A DC_5A_n260A DC_30A_n260A DC_2A_n260G DC_5A_n260G DC_30A_n260G DC_2A_n260H DC_5A_n260H DC_30A_n260H DC_2A_n260I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_5A_n260I DC_30A_n260I DC_2A_n260J DC_5A_n260J DC_30A_n260J		
DC_2A-2A-5A-30A_n260K	DC_2A_n260A DC_5A_n260A DC_30A_n260A DC_2A_n260G DC_5A_n260G DC_30A_n260G DC_2A_n260H DC_5A_n260H DC_30A_n260H DC_2A_n260I DC_5A_n260I DC_30A_n260I DC_2A_n260J DC_5A_n260J DC_30A_n260J DC_2A_n260K DC_5A_n260K DC_30A_n260K		
DC_2A-2A-5A-30A_n260L	DC_2A_n260A DC_5A_n260A DC_30A_n260A DC_2A_n260G DC_5A_n260G DC_30A_n260G DC_2A_n260H DC_5A_n260H DC_30A_n260H DC_2A_n260I DC_5A_n260I DC_30A_n260I DC_2A_n260J DC_5A_n260J DC_30A_n260J DC_2A_n260K DC_5A_n260K DC_30A_n260K DC_2A_n260L DC_5A_n260L DC_30A_n260L		
DC_2A-2A-5A-30A_n260M	DC_2A_n260A DC_5A_n260A DC_30A_n260A DC_2A_n260G DC_5A_n260G DC_30A_n260G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_2A_n260H DC_5A_n260H DC_30A_n260H DC_2A_n260I DC_5A_n260I DC_30A_n260I DC_2A_n260J DC_5A_n260J DC_30A_n260J DC_2A_n260K DC_5A_n260K DC_30A_n260K DC_2A_n260L DC_5A_n260L DC_30A_n260L DC_2A_n260M DC_5A_n260M DC_30A_n260M		
DC_2A-2A-5A-66A_n260A	DC_2A_n260A DC_5A_n260A DC_66A_n260A		
DC_2A-2A-5A-66A_n260G	DC_2A_n260A DC_5A_n260A DC_66A_n260A DC_2A_n260G DC_5A_n260G DC_66A_n260G		
DC_2A-2A-5A-66A_n260H	DC_2A_n260A DC_5A_n260A DC_66A_n260A DC_2A_n260G DC_5A_n260G DC_66A_n260G DC_2A_n260H DC_5A_n260H DC_66A_n260H		
DC_2A-2A-5A-66A_n260I	DC_2A_n260A DC_5A_n260A DC_66A_n260A DC_2A_n260G DC_5A_n260G DC_66A_n260G DC_2A_n260H DC_5A_n260H DC_66A_n260H DC_2A_n260I DC_5A_n260I DC_66A_n260I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_2A-2A-5A-66A_n260J	DC_2A_n260A DC_5A_n260A DC_66A_n260A DC_2A_n260G DC_5A_n260G DC_66A_n260G DC_2A_n260H DC_5A_n260H DC_66A_n260H DC_2A_n260I DC_5A_n260I DC_66A_n260I DC_2A_n260J DC_5A_n260J DC_66A_n260J		
DC_2A-2A-5A-66A_n260K	DC_2A_n260A DC_5A_n260A DC_66A_n260A DC_2A_n260G DC_5A_n260G DC_66A_n260G DC_2A_n260H DC_5A_n260H DC_66A_n260H DC_2A_n260I DC_5A_n260I DC_66A_n260I DC_2A_n260J DC_5A_n260J DC_66A_n260J DC_2A_n260K DC_5A_n260K DC_66A_n260K		
DC_2A-2A-5A-66A_n260L	DC_2A_n260A DC_5A_n260A DC_66A_n260A DC_2A_n260G DC_5A_n260G DC_66A_n260G DC_2A_n260H DC_5A_n260H DC_66A_n260H DC_2A_n260I DC_5A_n260I DC_66A_n260I DC_2A_n260J DC_5A_n260J DC_66A_n260J DC_2A_n260K DC_5A_n260K DC_66A_n260K		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_2A_n260L DC_5A_n260L DC_66A_n260L		
DC_2A-2A-5A-66A_n260M	DC_2A_n260A DC_5A_n260A DC_66A_n260A DC_2A_n260G DC_5A_n260G DC_66A_n260G DC_2A_n260H DC_5A_n260H DC_66A_n260H DC_2A_n260I DC_5A_n260I DC_66A_n260I DC_2A_n260J DC_5A_n260J DC_66A_n260J DC_2A_n260K DC_5A_n260K DC_66A_n260K DC_2A_n260L DC_5A_n260L DC_66A_n260L DC_2A_n260M DC_5A_n260M DC_66A_n260M		
DC_2A-2A-12A-30A_n260A	DC_2A_n260A DC_12A_n260A DC_30A_n260A		
DC_2A-2A-12A-30A_n260G	DC_2A_n260A DC_12A_n260A DC_30A_n260A DC_2A_n260G DC_12A_n260G DC_30A_n260G		
DC_2A-2A-12A-30A_n260H	DC_2A_n260A DC_12A_n260A DC_30A_n260A DC_2A_n260G DC_12A_n260G DC_30A_n260G DC_2A_n260H DC_12A_n260H DC_30A_n260H		
DC_2A-2A-12A-30A_n260I	DC_2A_n260A DC_12A_n260A DC_30A_n260A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_2A_n260G DC_12A_n260G DC_30A_n260G DC_2A_n260H DC_12A_n260H DC_30A_n260H DC_2A_n260I DC_12A_n260I DC_30A_n260I		
DC_2A-2A-12A-30A_n260J	DC_2A_n260A DC_12A_n260A DC_30A_n260A DC_2A_n260G DC_12A_n260G DC_30A_n260G DC_2A_n260H DC_12A_n260H DC_30A_n260H DC_2A_n260I DC_12A_n260I DC_30A_n260I DC_2A_n260J DC_12A_n260J DC_30A_n260J		
DC_2A-2A-12A-30A_n260K	DC_2A_n260A DC_12A_n260A DC_30A_n260A DC_2A_n260G DC_12A_n260G DC_30A_n260G DC_2A_n260H DC_12A_n260H DC_30A_n260H DC_2A_n260I DC_12A_n260I DC_30A_n260I DC_2A_n260J DC_12A_n260J DC_30A_n260J DC_2A_n260K DC_12A_n260K DC_30A_n260K		
DC_2A-2A-12A-30A_n260L	DC_2A_n260A DC_12A_n260A DC_30A_n260A DC_2A_n260G DC_12A_n260G DC_30A_n260G DC_2A_n260H DC_12A_n260H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_30A_n260H DC_2A_n260I DC_12A_n260I DC_30A_n260I DC_2A_n260J DC_12A_n260J DC_30A_n260J DC_2A_n260K DC_12A_n260K DC_30A_n260K DC_2A_n260L DC_12A_n260L DC_30A_n260L		
DC_2A-2A-12A-30A_n260M	DC_2A_n260A DC_12A_n260A DC_30A_n260A DC_2A_n260G DC_12A_n260G DC_30A_n260G DC_2A_n260H DC_12A_n260H DC_30A_n260H DC_2A_n260I DC_12A_n260I DC_30A_n260I DC_2A_n260J DC_12A_n260J DC_30A_n260J DC_2A_n260K DC_12A_n260K DC_30A_n260K DC_2A_n260L DC_12A_n260L DC_30A_n260L DC_2A_n260M DC_12A_n260M DC_30A_n260M		
DC_2A-2A-12A-66A_n260A	DC_2A_n260A DC_12A_n260A DC_66A_n260A		
DC_2A-2A-12A-66A_n260G	DC_2A_n260A DC_12A_n260A DC_66A_n260A DC_2A_n260G DC_12A_n260G DC_66A_n260G		
DC_2A-2A-12A-66A_n260H	DC_2A_n260A DC_12A_n260A DC_66A_n260A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_2A_n260G DC_12A_n260G DC_66A_n260G DC_2A_n260H DC_12A_n260H DC_66A_n260H		
DC_2A-2A-12A-66A_n260I	DC_2A_n260A DC_12A_n260A DC_66A_n260A DC_2A_n260G DC_12A_n260G DC_66A_n260G DC_2A_n260H DC_12A_n260H DC_66A_n260H DC_2A_n260I DC_12A_n260I DC_66A_n260I		
DC_2A-2A-12A-66A_n260J	DC_2A_n260A DC_12A_n260A DC_66A_n260A DC_2A_n260G DC_12A_n260G DC_66A_n260G DC_2A_n260H DC_12A_n260H DC_66A_n260H DC_2A_n260I DC_12A_n260I DC_66A_n260I DC_2A_n260J DC_12A_n260J DC_66A_n260J		
DC_2A-2A-12A-66A_n260K	DC_2A_n260A DC_12A_n260A DC_66A_n260A DC_2A_n260G DC_12A_n260G DC_66A_n260G DC_2A_n260H DC_12A_n260H DC_66A_n260H DC_2A_n260I DC_12A_n260I DC_66A_n260I DC_2A_n260J DC_12A_n260J DC_66A_n260J DC_2A_n260K DC_12A_n260K		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_66A_n260K		
DC_2A-2A-12A-66A_n260L	DC_2A_n260A DC_12A_n260A DC_66A_n260A DC_2A_n260G DC_12A_n260G DC_66A_n260G DC_2A_n260H DC_12A_n260H DC_66A_n260H DC_2A_n260I DC_12A_n260I DC_66A_n260I DC_2A_n260J DC_12A_n260J DC_66A_n260J DC_2A_n260K DC_12A_n260K DC_66A_n260K DC_2A_n260L DC_12A_n260L DC_66A_n260L		
DC_2A-2A-12A-66A_n260M	DC_2A_n260A DC_12A_n260A DC_66A_n260A DC_2A_n260G DC_12A_n260G DC_66A_n260G DC_2A_n260H DC_12A_n260H DC_66A_n260H DC_2A_n260I DC_12A_n260I DC_66A_n260I DC_2A_n260J DC_12A_n260J DC_66A_n260J DC_2A_n260K DC_12A_n260K DC_66A_n260K DC_2A_n260L DC_12A_n260L DC_66A_n260L DC_2A_n260M DC_12A_n260M DC_66A_n260M		
DC_2A-2A-14A-30A_n260A	DC_2A_n260A DC_14A_n260A DC_30A_n260A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_2A-2A-14A-30A_n260G	DC_2A_n260A DC_2A_n260G DC_14A_n260A DC_14A_n260G DC_30A_n260A DC_30A_n260G		
DC_2A-2A-14A-30A_n260H	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_14A_n260A DC_14A_n260G DC_14A_n260H DC_30A_n260A DC_30A_n260G DC_30A_n260H		
DC_2A-2A-14A-30A_n260I	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_14A_n260A DC_14A_n260G DC_14A_n260H DC_14A_n260I DC_30A_n260A DC_30A_n260G DC_30A_n260H DC_30A_n260I		
DC_2A-2A-14A-30A_n260J	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_2A_n260J DC_14A_n260A DC_14A_n260G DC_14A_n260H DC_14A_n260I DC_14A_n260J DC_30A_n260A DC_30A_n260G DC_30A_n260H DC_30A_n260I DC_30A_n260J		
DC_2A-2A-14A-30A_n260K	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_2A_n260J DC_2A_n260K DC_14A_n260A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_14A_n260G DC_14A_n260H DC_14A_n260I DC_14A_n260J DC_14A_n260K DC_30A_n260A DC_30A_n260G DC_30A_n260H DC_30A_n260I DC_30A_n260J DC_30A_n260K		
DC_2A-2A-14A-30A_n260L	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_2A_n260J DC_2A_n260K DC_2A_n260L DC_14A_n260A DC_14A_n260G DC_14A_n260H DC_14A_n260I DC_14A_n260J DC_14A_n260K DC_14A_n260L DC_30A_n260A DC_30A_n260G DC_30A_n260H DC_30A_n260I DC_30A_n260J DC_30A_n260K DC_30A_n260L		
DC_2A-2A-14A-30A_n260M	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_2A_n260J DC_2A_n260K DC_2A_n260L DC_2A_n260M DC_14A_n260A DC_14A_n260G DC_14A_n260H DC_14A_n260I DC_14A_n260J DC_14A_n260K DC_14A_n260L DC_14A_n260M DC_30A_n260A DC_30A_n260G DC_30A_n260H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_30A_n260I DC_30A_n260J DC_30A_n260K DC_30A_n260L DC_30A_n260M		
DC_2A-2A-14A-66A_n260A	DC_2A_n260A DC_14A_n260A DC_66A_n260A		
DC_2A-2A-14A-66A_n260G	DC_2A_n260A DC_2A_n260G DC_14A_n260A DC_14A_n260G DC_66A_n260A DC_66A_n260G		
DC_2A-2A-14A-66A_n260H	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_14A_n260A DC_14A_n260G DC_14A_n260H DC_66A_n260A DC_66A_n260G DC_66A_n260H		
DC_2A-2A-14A-66A_n260I	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_14A_n260A DC_14A_n260G DC_14A_n260H DC_14A_n260I DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I		
DC_2A-2A-14A-66A_n260J	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_2A_n260J DC_14A_n260A DC_14A_n260G DC_14A_n260H DC_14A_n260I DC_14A_n260J DC_66A_n260A DC_66A_n260G DC_66A_n260H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_66A_n260I DC_66A_n260J		
DC_2A-2A-14A-66A_n260K	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_2A_n260J DC_2A_n260K DC_14A_n260A DC_14A_n260G DC_14A_n260H DC_14A_n260I DC_14A_n260J DC_14A_n260K DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I DC_66A_n260J DC_66A_n260K		
DC_2A-2A-14A-66A_n260L	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_2A_n260J DC_2A_n260K DC_2A_n260L DC_14A_n260A DC_14A_n260G DC_14A_n260H DC_14A_n260I DC_14A_n260J DC_14A_n260K DC_14A_n260L DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I DC_66A_n260J DC_66A_n260K DC_66A_n260L		
DC_2A-2A-14A-66A_n260M	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_2A_n260J DC_2A_n260K DC_2A_n260L DC_2A_n260M DC_14A_n260A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_14A_n260G DC_14A_n260H DC_14A_n260I DC_14A_n260J DC_14A_n260K DC_14A_n260L DC_14A_n260M DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I DC_66A_n260J DC_66A_n260K DC_66A_n260L DC_66A_n260M		
DC_2A-2A-29A-30A_n260A	DC_2A_n260A DC_30A_n260A		
DC_2A-2A-29A-30A_n260G	DC_2A_n260A DC_30A_n260A DC_2A_n260G DC_30A_n260G		
DC_2A-2A-29A-30A_n260H	DC_2A_n260A DC_30A_n260A DC_2A_n260G DC_30A_n260G DC_2A_n260H DC_30A_n260H		
DC_2A-2A-29A-30A_n260I	DC_2A_n260A DC_30A_n260A DC_2A_n260G DC_30A_n260G DC_2A_n260H DC_30A_n260H DC_2A_n260I DC_30A_n260I		
DC_2A-2A-29A-30A_n260J	DC_2A_n260A DC_30A_n260A DC_2A_n260G DC_30A_n260G DC_2A_n260H DC_30A_n260H DC_2A_n260I DC_30A_n260I DC_2A_n260J DC_30A_n260J		
DC_2A-2A-29A-30A_n260K	DC_2A_n260A DC_30A_n260A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_2A_n260G DC_30A_n260G DC_2A_n260H DC_30A_n260H DC_2A_n260I DC_30A_n260I DC_2A_n260J DC_30A_n260J DC_2A_n260K DC_30A_n260K		
DC_2A-2A-29A-30A_n260L	DC_2A_n260A DC_30A_n260A DC_2A_n260G DC_30A_n260G DC_2A_n260H DC_30A_n260H DC_2A_n260I DC_30A_n260I DC_2A_n260J DC_30A_n260J DC_2A_n260K DC_30A_n260K DC_2A_n260L DC_30A_n260L		
DC_2A-2A-29A-30A_n260M	DC_2A_n260A DC_30A_n260A DC_2A_n260G DC_30A_n260G DC_2A_n260H DC_30A_n260H DC_2A_n260I DC_30A_n260I DC_2A_n260J DC_30A_n260J DC_2A_n260K DC_30A_n260K DC_2A_n260L DC_30A_n260L DC_2A_n260M DC_30A_n260M		
DC_2A-2A-30A-66A_n260A	DC_2A_n260A DC_30A_n260A DC_66A_n260A		
DC_2A-2A-30A-66A_n260G	DC_2A_n260A DC_30A_n260A DC_66A_n260A DC_2A_n260G DC_30A_n260G DC_66A_n260G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_2A-2A-30A-66A_n260H	DC_2A_n260A DC_30A_n260A DC_66A_n260A DC_2A_n260G DC_30A_n260G DC_66A_n260G DC_2A_n260H DC_30A_n260H DC_66A_n260H		
DC_2A-2A-30A-66A_n260I	DC_2A_n260A DC_30A_n260A DC_66A_n260A DC_2A_n260G DC_30A_n260G DC_66A_n260G DC_2A_n260H DC_30A_n260H DC_66A_n260H DC_2A_n260I DC_30A_n260I DC_66A_n260I		
DC_2A-2A-30A-66A_n260J	DC_2A_n260A DC_30A_n260A DC_66A_n260A DC_2A_n260G DC_30A_n260G DC_66A_n260G DC_2A_n260H DC_30A_n260H DC_66A_n260H DC_2A_n260I DC_30A_n260I DC_66A_n260I DC_2A_n260J DC_30A_n260J DC_66A_n260J		
DC_2A-2A-30A-66A_n260K	DC_2A_n260A DC_30A_n260A DC_66A_n260A DC_2A_n260G DC_30A_n260G DC_66A_n260G DC_2A_n260H DC_30A_n260H DC_66A_n260H DC_2A_n260I DC_30A_n260I DC_66A_n260I DC_2A_n260J DC_30A_n260J		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_66A_n260J DC_2A_n260K DC_30A_n260K DC_66A_n260K		
DC_2A-2A-30A-66A_n260L	DC_2A_n260A DC_30A_n260A DC_66A_n260A DC_2A_n260G DC_30A_n260G DC_66A_n260G DC_2A_n260H DC_30A_n260H DC_66A_n260H DC_2A_n260I DC_30A_n260I DC_66A_n260I DC_2A_n260J DC_30A_n260J DC_66A_n260J DC_2A_n260K DC_30A_n260K DC_66A_n260K DC_2A_n260L DC_30A_n260L DC_66A_n260L		
DC_2A-2A-30A-66A_n260M	DC_2A_n260A DC_30A_n260A DC_66A_n260A DC_2A_n260G DC_30A_n260G DC_66A_n260G DC_2A_n260H DC_30A_n260H DC_66A_n260H DC_2A_n260I DC_30A_n260I DC_66A_n260I DC_2A_n260J DC_30A_n260J DC_66A_n260J DC_2A_n260K DC_30A_n260K DC_66A_n260K DC_2A_n260L DC_30A_n260L DC_66A_n260L DC_2A_n260M DC_30A_n260M DC_66A_n260M		
DC_2A-2A-66A-66A_n260A	DC_2A_n260A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_66A_n260A		
DC_2A-2A-66A-66A_n260G	DC_2A_n260A DC_66A_n260A DC_2A_n260G DC_66A_n260G		
DC_2A-2A-66A-66A_n260H	DC_2A_n260A DC_66A_n260A DC_2A_n260G DC_66A_n260G DC_2A_n260H DC_66A_n260H		
DC_2A-2A-66A-66A_n260I	DC_2A_n260A DC_66A_n260A DC_2A_n260G DC_66A_n260G DC_2A_n260H DC_66A_n260H DC_2A_n260I DC_66A_n260I		
DC_2A-2A-66A-66A_n260J	DC_2A_n260A DC_66A_n260A DC_2A_n260G DC_66A_n260G DC_2A_n260H DC_66A_n260H DC_2A_n260I DC_66A_n260I DC_2A_n260J DC_66A_n260J		
DC_2A-2A-66A-66A_n260K	DC_2A_n260A DC_66A_n260A DC_2A_n260G DC_66A_n260G DC_2A_n260H DC_66A_n260H DC_2A_n260I DC_66A_n260I DC_2A_n260J DC_66A_n260J DC_2A_n260K DC_66A_n260K		
DC_2A-2A-66A-66A_n260L	DC_2A_n260A DC_66A_n260A DC_2A_n260G DC_66A_n260G DC_2A_n260H DC_66A_n260H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_2A_n260I DC_66A_n260I DC_2A_n260J DC_66A_n260J DC_2A_n260K DC_66A_n260K DC_2A_n260L DC_66A_n260L		
DC_2A-2A-66A-66A_n260M	DC_2A_n260A DC_66A_n260A DC_2A_n260G DC_66A_n260G DC_2A_n260H DC_66A_n260H DC_2A_n260I DC_66A_n260I DC_2A_n260J DC_66A_n260J DC_2A_n260K DC_66A_n260K DC_2A_n260L DC_66A_n260L DC_2A_n260M DC_66A_n260M		
DC_2A-5A-30A-66A_n260A	DC_2A_n260A DC_5A_n260A DC_30A_n260A DC_66A_n260A		
DC_2A-5A-30A-66A_n260G	DC_2A_n260A DC_5A_n260A DC_30A_n260A DC_66A_n260A DC_2A_n260G DC_5A_n260G DC_30A_n260G DC_66A_n260G		
DC_2A-5A-30A-66A_n260H	DC_2A_n260A DC_5A_n260A DC_30A_n260A DC_66A_n260A DC_2A_n260G DC_5A_n260G DC_30A_n260G DC_66A_n260G DC_2A_n260H DC_5A_n260H DC_30A_n260H DC_66A_n260H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_2A-5A-30A-66A_n260I	DC_2A_n260A DC_5A_n260A DC_30A_n260A DC_66A_n260A DC_2A_n260G DC_5A_n260G DC_30A_n260G DC_66A_n260G DC_2A_n260H DC_5A_n260H DC_30A_n260H DC_66A_n260H DC_2A_n260I DC_5A_n260I DC_30A_n260I DC_66A_n260I		
DC_2A-5A-30A-66A_n260J	DC_2A_n260A DC_5A_n260A DC_30A_n260A DC_66A_n260A DC_2A_n260G DC_5A_n260G DC_30A_n260G DC_66A_n260G DC_2A_n260H DC_5A_n260H DC_30A_n260H DC_66A_n260H DC_2A_n260I DC_5A_n260I DC_30A_n260I DC_66A_n260I DC_2A_n260J DC_5A_n260J DC_30A_n260J DC_66A_n260J		
DC_2A-5A-30A-66A_n260K	DC_2A_n260A DC_5A_n260A DC_30A_n260A DC_66A_n260A DC_2A_n260G DC_5A_n260G DC_30A_n260G DC_66A_n260G DC_2A_n260H DC_5A_n260H DC_30A_n260H DC_66A_n260H DC_2A_n260I DC_5A_n260I DC_30A_n260I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_66A_n260I DC_2A_n260J DC_5A_n260J DC_30A_n260J DC_66A_n260J DC_2A_n260K DC_5A_n260K DC_30A_n260K DC_66A_n260K		
DC_2A-5A-30A-66A_n260L	DC_2A_n260A DC_5A_n260A DC_30A_n260A DC_66A_n260A DC_2A_n260G DC_5A_n260G DC_30A_n260G DC_66A_n260G DC_2A_n260H DC_5A_n260H DC_30A_n260H DC_66A_n260H DC_2A_n260I DC_5A_n260I DC_30A_n260I DC_66A_n260I DC_2A_n260J DC_5A_n260J DC_30A_n260J DC_66A_n260J DC_2A_n260K DC_5A_n260K DC_30A_n260K DC_66A_n260K DC_2A_n260L DC_5A_n260L DC_30A_n260L DC_66A_n260L		
DC_2A-5A-30A-66A_n260M	DC_2A_n260A DC_5A_n260A DC_30A_n260A DC_66A_n260A DC_2A_n260G DC_5A_n260G DC_30A_n260G DC_66A_n260G DC_2A_n260H DC_5A_n260H DC_30A_n260H DC_66A_n260H DC_2A_n260I DC_5A_n260I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_30A_n260I DC_66A_n260I DC_2A_n260J DC_5A_n260J DC_30A_n260J DC_66A_n260J DC_2A_n260K DC_5A_n260K DC_30A_n260K DC_66A_n260K DC_2A_n260L DC_5A_n260L DC_30A_n260L DC_66A_n260L DC_2A_n260M DC_5A_n260M DC_30A_n260M DC_66A_n260M		
DC_2A-5A-66A-66A_n260A	DC_2A_n260A DC_5A_n260A DC_66A_n260A		
DC_2A-5A-66A-66A_n260G	DC_2A_n260A DC_5A_n260A DC_66A_n260A DC_2A_n260G DC_5A_n260G DC_66A_n260G		
DC_2A-5A-66A-66A_n260H	DC_2A_n260A DC_5A_n260A DC_66A_n260A DC_2A_n260G DC_5A_n260G DC_66A_n260G DC_2A_n260H DC_5A_n260H DC_66A_n260H		
DC_2A-5A-66A-66A_n260I	DC_2A_n260A DC_5A_n260A DC_66A_n260A DC_2A_n260G DC_5A_n260G DC_66A_n260G DC_2A_n260H DC_5A_n260H DC_66A_n260H DC_2A_n260I DC_5A_n260I DC_66A_n260I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_2A-5A-66A-66A_n260J	DC_2A_n260A DC_5A_n260A DC_66A_n260A DC_2A_n260G DC_5A_n260G DC_66A_n260G DC_2A_n260H DC_5A_n260H DC_66A_n260H DC_2A_n260I DC_5A_n260I DC_66A_n260I DC_2A_n260J DC_5A_n260J DC_66A_n260J		
DC_2A-5A-66A-66A_n260K	DC_2A_n260A DC_5A_n260A DC_66A_n260A DC_2A_n260G DC_5A_n260G DC_66A_n260G DC_2A_n260H DC_5A_n260H DC_66A_n260H DC_2A_n260I DC_5A_n260I DC_66A_n260I DC_2A_n260J DC_5A_n260J DC_66A_n260J DC_2A_n260K DC_5A_n260K DC_66A_n260K		
DC_2A-5A-66A-66A_n260L	DC_2A_n260A DC_5A_n260A DC_66A_n260A DC_2A_n260G DC_5A_n260G DC_66A_n260G DC_2A_n260H DC_5A_n260H DC_66A_n260H DC_2A_n260I DC_5A_n260I DC_66A_n260I DC_2A_n260J DC_5A_n260J DC_66A_n260J DC_2A_n260K DC_5A_n260K DC_66A_n260K		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_2A_n260L DC_5A_n260L DC_66A_n260L		
DC_2A-5A-66A-66A_n260M	DC_2A_n260A DC_5A_n260A DC_66A_n260A DC_2A_n260G DC_5A_n260G DC_66A_n260G DC_2A_n260H DC_5A_n260H DC_66A_n260H DC_2A_n260I DC_5A_n260I DC_66A_n260I DC_2A_n260J DC_5A_n260J DC_66A_n260J DC_2A_n260K DC_5A_n260K DC_66A_n260K DC_2A_n260L DC_5A_n260L DC_66A_n260L DC_2A_n260M DC_5A_n260M DC_66A_n260M		
DC_2A-12A-30A-66A_n260A	DC_2A_n260A DC_12A_n260A DC_30A_n260A DC_66A_n260A		
DC_2A-12A-30A-66A_n260G	DC_2A_n260A DC_12A_n260A DC_30A_n260A DC_66A_n260A DC_2A_n260G DC_12A_n260G DC_30A_n260G DC_66A_n260G		
DC_2A-12A-30A-66A_n260H	DC_2A_n260A DC_12A_n260A DC_30A_n260A DC_66A_n260A DC_2A_n260G DC_12A_n260G DC_30A_n260G DC_66A_n260G DC_2A_n260H DC_12A_n260H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_30A_n260H DC_66A_n260H		
DC_2A-12A-30A-66A_n260I	DC_2A_n260A DC_12A_n260A DC_30A_n260A DC_66A_n260A DC_2A_n260G DC_12A_n260G DC_30A_n260G DC_66A_n260G DC_2A_n260H DC_12A_n260H DC_30A_n260H DC_66A_n260H DC_2A_n260I DC_12A_n260I DC_30A_n260I DC_66A_n260I		
DC_2A-12A-30A-66A_n260J	DC_2A_n260A DC_12A_n260A DC_30A_n260A DC_66A_n260A DC_2A_n260G DC_12A_n260G DC_30A_n260G DC_66A_n260G DC_2A_n260H DC_12A_n260H DC_30A_n260H DC_66A_n260H DC_2A_n260I DC_12A_n260I DC_30A_n260I DC_66A_n260I DC_2A_n260J DC_12A_n260J DC_30A_n260J DC_66A_n260J		
DC_2A-12A-30A-66A_n260K	DC_2A_n260A DC_12A_n260A DC_30A_n260A DC_66A_n260A DC_2A_n260G DC_12A_n260G DC_30A_n260G DC_66A_n260G DC_2A_n260H DC_12A_n260H DC_30A_n260H DC_66A_n260H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_2A_n260I DC_12A_n260I DC_30A_n260I DC_66A_n260I DC_2A_n260J DC_12A_n260J DC_30A_n260J DC_66A_n260J DC_2A_n260K DC_12A_n260K DC_30A_n260K DC_66A_n260K		
DC_2A-12A-30A-66A_n260L	DC_2A_n260A DC_12A_n260A DC_30A_n260A DC_66A_n260A DC_2A_n260G DC_12A_n260G DC_30A_n260G DC_66A_n260G DC_2A_n260H DC_12A_n260H DC_30A_n260H DC_66A_n260H DC_2A_n260I DC_12A_n260I DC_30A_n260I DC_66A_n260I DC_2A_n260J DC_12A_n260J DC_30A_n260J DC_66A_n260J DC_2A_n260K DC_12A_n260K DC_30A_n260K DC_66A_n260K DC_2A_n260L DC_12A_n260L DC_30A_n260L DC_66A_n260L		
DC_2A-12A-30A-66A_n260M	DC_2A_n260A DC_12A_n260A DC_30A_n260A DC_66A_n260A DC_2A_n260G DC_12A_n260G DC_30A_n260G DC_66A_n260G DC_2A_n260H DC_12A_n260H DC_30A_n260H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_66A_n260H DC_2A_n260I DC_12A_n260I DC_30A_n260I DC_66A_n260I DC_2A_n260J DC_12A_n260J DC_30A_n260J DC_66A_n260J DC_2A_n260K DC_12A_n260K DC_30A_n260K DC_66A_n260K DC_2A_n260L DC_12A_n260L DC_30A_n260L DC_66A_n260L DC_2A_n260M DC_12A_n260M DC_30A_n260M DC_66A_n260M		
DC_2A-12A-66A-66A_n260A	DC_2A_n260A DC_12A_n260A DC_66A_n260A		
DC_2A-12A-66A-66A_n260G	DC_2A_n260A DC_12A_n260A DC_66A_n260A DC_2A_n260G DC_12A_n260G DC_66A_n260G		
DC_2A-12A-66A-66A_n260H	DC_2A_n260A DC_12A_n260A DC_66A_n260A DC_2A_n260G DC_12A_n260G DC_66A_n260G DC_2A_n260H DC_12A_n260H DC_66A_n260H		
DC_2A-12A-66A-66A_n260I	DC_2A_n260A DC_12A_n260A DC_66A_n260A DC_2A_n260G DC_12A_n260G DC_66A_n260G DC_2A_n260H DC_12A_n260H DC_66A_n260H DC_2A_n260I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_12A_n260I DC_66A_n260I		
DC_2A-12A-66A-66A_n260J	DC_2A_n260A DC_12A_n260A DC_66A_n260A DC_2A_n260G DC_12A_n260G DC_66A_n260G DC_2A_n260H DC_12A_n260H DC_66A_n260H DC_2A_n260I DC_12A_n260I DC_66A_n260I DC_2A_n260J DC_12A_n260J DC_66A_n260J		
DC_2A-12A-66A-66A_n260K	DC_2A_n260A DC_12A_n260A DC_66A_n260A DC_2A_n260G DC_12A_n260G DC_66A_n260G DC_2A_n260H DC_12A_n260H DC_66A_n260H DC_2A_n260I DC_12A_n260I DC_66A_n260I DC_2A_n260J DC_12A_n260J DC_66A_n260J DC_2A_n260K DC_12A_n260K DC_66A_n260K		
DC_2A-12A-66A-66A_n260L	DC_2A_n260A DC_12A_n260A DC_66A_n260A DC_2A_n260G DC_12A_n260G DC_66A_n260G DC_2A_n260H DC_12A_n260H DC_66A_n260H DC_2A_n260I DC_12A_n260I DC_66A_n260I DC_2A_n260J DC_12A_n260J DC_66A_n260J		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_2A_n260K DC_12A_n260K DC_66A_n260K DC_2A_n260L DC_12A_n260L DC_66A_n260L		
DC_2A-12A-66A-66A_n260M	DC_2A_n260A DC_12A_n260A DC_66A_n260A DC_2A_n260G DC_12A_n260G DC_66A_n260G DC_2A_n260H DC_12A_n260H DC_66A_n260H DC_2A_n260I DC_12A_n260I DC_66A_n260I DC_2A_n260J DC_12A_n260J DC_66A_n260J DC_2A_n260K DC_12A_n260K DC_66A_n260K DC_2A_n260L DC_12A_n260L DC_66A_n260L DC_2A_n260M DC_12A_n260M DC_66A_n260M		
DC_2A-14A-30A-66A_n260A	DC_2A_n260A DC_14A_n260A DC_30A_n260A DC_66A_n260A		
DC_2A-14A-30A-66A_n260G	DC_2A_n260A DC_2A_n260G DC_14A_n260A DC_14A_n260G DC_30A_n260A DC_30A_n260G DC_66A_n260A DC_66A_n260G		
DC_2A-14A-30A-66A_n260H	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_14A_n260A DC_14A_n260G DC_14A_n260H DC_30A_n260A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_30A_n260G DC_30A_n260H DC_66A_n260A DC_66A_n260G DC_66A_n260H		
DC_2A-14A-30A-66A_n260I	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_14A_n260A DC_14A_n260G DC_14A_n260H DC_14A_n260I DC_30A_n260A DC_30A_n260G DC_30A_n260H DC_30A_n260I DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I		
DC_2A-14A-30A-66A_n260J	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_2A_n260J DC_14A_n260A DC_14A_n260G DC_14A_n260H DC_14A_n260I DC_14A_n260J DC_30A_n260A DC_30A_n260G DC_30A_n260H DC_30A_n260I DC_30A_n260J DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I DC_66A_n260J		
DC_2A-14A-30A-66A_n260K	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_2A_n260J DC_2A_n260K DC_14A_n260A DC_14A_n260G DC_14A_n260H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_14A_n260I DC_14A_n260J DC_14A_n260K DC_30A_n260A DC_30A_n260G DC_30A_n260H DC_30A_n260I DC_30A_n260J DC_30A_n260K DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I DC_66A_n260J DC_66A_n260K		
DC_2A-14A-30A-66A_n260L	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_2A_n260J DC_2A_n260K DC_2A_n260L DC_14A_n260A DC_14A_n260G DC_14A_n260H DC_14A_n260I DC_14A_n260J DC_14A_n260K DC_14A_n260L DC_30A_n260A DC_30A_n260G DC_30A_n260H DC_30A_n260I DC_30A_n260J DC_30A_n260K DC_30A_n260L DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I DC_66A_n260J DC_66A_n260K DC_66A_n260L		
DC_2A-14A-30A-66A_n260M	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_2A_n260J DC_2A_n260K DC_2A_n260L DC_2A_n260M		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_14A_n260A DC_14A_n260G DC_14A_n260H DC_14A_n260I DC_14A_n260J DC_14A_n260K DC_14A_n260L DC_14A_n260M DC_30A_n260A DC_30A_n260G DC_30A_n260H DC_30A_n260I DC_30A_n260J DC_30A_n260K DC_30A_n260L DC_30A_n260M DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I DC_66A_n260J DC_66A_n260K DC_66A_n260L DC_66A_n260M		
DC_2A-14A-66A-66A_n260A	DC_2A_n260A DC_14A_n260A DC_66A_n260A		
DC_2A-14A-66A-66A_n260G	DC_2A_n260A DC_2A_n260G DC_14A_n260A DC_14A_n260G DC_66A_n260A DC_66A_n260G		
DC_2A-14A-66A-66A_n260H	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_14A_n260A DC_14A_n260G DC_14A_n260H DC_66A_n260A DC_66A_n260G DC_66A_n260H		
DC_2A-14A-66A-66A_n260I	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_14A_n260A DC_14A_n260G DC_14A_n260H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_14A_n260I DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I		
DC_2A-14A-66A-66A_n260J	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_2A_n260J DC_14A_n260A DC_14A_n260G DC_14A_n260H DC_14A_n260I DC_14A_n260J DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I DC_66A_n260J		
DC_2A-14A-66A-66A_n260K	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_2A_n260J DC_2A_n260K DC_14A_n260A DC_14A_n260G DC_14A_n260H DC_14A_n260I DC_14A_n260J DC_14A_n260K DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I DC_66A_n260J DC_66A_n260K		
DC_2A-14A-66A-66A_n260L	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_2A_n260J DC_2A_n260K DC_2A_n260L DC_14A_n260A DC_14A_n260G DC_14A_n260H DC_14A_n260I DC_14A_n260J		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_14A_n260K DC_14A_n260L DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I DC_66A_n260J DC_66A_n260K DC_66A_n260L		
DC_2A-14A-66A-66A_n260M	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_2A_n260J DC_2A_n260K DC_2A_n260L DC_2A_n260M DC_14A_n260A DC_14A_n260G DC_14A_n260H DC_14A_n260I DC_14A_n260J DC_14A_n260K DC_14A_n260L DC_14A_n260M DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I DC_66A_n260J DC_66A_n260K DC_66A_n260L DC_66A_n260M		
DC_2A-29A-30A-66A_n260A	DC_2A_n260A DC_30A_n260A DC_66A_n260A		
DC_2A-29A-30A-66A_n260G	DC_2A_n260A DC_30A_n260A DC_66A_n260A DC_2A_n260G DC_30A_n260G DC_66A_n260G		
DC_2A-29A-30A-66A_n260H	DC_2A_n260A DC_30A_n260A DC_66A_n260A DC_2A_n260G DC_30A_n260G DC_66A_n260G DC_2A_n260H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_30A_n260H DC_66A_n260H		
DC_2A-29A-30A-66A_n260I	DC_2A_n260A DC_30A_n260A DC_66A_n260A DC_2A_n260G DC_30A_n260G DC_66A_n260G DC_2A_n260H DC_30A_n260H DC_66A_n260H DC_2A_n260I DC_30A_n260I DC_66A_n260I		
DC_2A-29A-30A-66A_n260J	DC_2A_n260A DC_30A_n260A DC_66A_n260A DC_2A_n260G DC_30A_n260G DC_66A_n260G DC_2A_n260H DC_30A_n260H DC_66A_n260H DC_2A_n260I DC_30A_n260I DC_66A_n260I DC_2A_n260J DC_30A_n260J DC_66A_n260J		
DC_2A-29A-30A-66A_n260K	DC_2A_n260A DC_30A_n260A DC_66A_n260A DC_2A_n260G DC_30A_n260G DC_66A_n260G DC_2A_n260H DC_30A_n260H DC_66A_n260H DC_2A_n260I DC_30A_n260I DC_66A_n260I DC_2A_n260J DC_30A_n260J DC_66A_n260J DC_2A_n260K DC_30A_n260K DC_66A_n260K		
DC_2A-29A-30A-66A_n260L	DC_2A_n260A DC_30A_n260A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_66A_n260A DC_2A_n260G DC_30A_n260G DC_66A_n260G DC_2A_n260H DC_30A_n260H DC_66A_n260H DC_2A_n260I DC_30A_n260I DC_66A_n260I DC_2A_n260J DC_30A_n260J DC_66A_n260J DC_2A_n260K DC_30A_n260K DC_66A_n260K DC_2A_n260L DC_30A_n260L DC_66A_n260L		
DC_2A-29A-30A-66A_n260M	DC_2A_n260A DC_30A_n260A DC_66A_n260A DC_2A_n260G DC_30A_n260G DC_66A_n260G DC_2A_n260H DC_30A_n260H DC_66A_n260H DC_2A_n260I DC_30A_n260I DC_66A_n260I DC_2A_n260J DC_30A_n260J DC_66A_n260J DC_2A_n260K DC_30A_n260K DC_66A_n260K DC_2A_n260L DC_30A_n260L DC_66A_n260L DC_2A_n260M DC_30A_n260M DC_66A_n260M		
DC_2A-30A-66A-66A_n260A	DC_2A_n260A DC_30A_n260A DC_66A_n260A		
DC_2A-30A-66A-66A_n260G	DC_2A_n260A DC_30A_n260A DC_66A_n260A DC_2A_n260G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_30A_n260G DC_66A_n260G		
DC_2A-30A-66A-66A_n260H	DC_2A_n260A DC_30A_n260A DC_66A_n260A DC_2A_n260G DC_30A_n260G DC_66A_n260G DC_2A_n260H DC_30A_n260H DC_66A_n260H		
DC_2A-30A-66A-66A_n260I	DC_2A_n260A DC_30A_n260A DC_66A_n260A DC_2A_n260G DC_30A_n260G DC_66A_n260G DC_2A_n260H DC_30A_n260H DC_66A_n260H DC_2A_n260I DC_30A_n260I DC_66A_n260I		
DC_2A-30A-66A-66A_n260J	DC_2A_n260A DC_30A_n260A DC_66A_n260A DC_2A_n260G DC_30A_n260G DC_66A_n260G DC_2A_n260H DC_30A_n260H DC_66A_n260H DC_2A_n260I DC_30A_n260I DC_66A_n260I DC_2A_n260J DC_30A_n260J DC_66A_n260J		
DC_2A-30A-66A-66A_n260K	DC_2A_n260A DC_30A_n260A DC_66A_n260A DC_2A_n260G DC_30A_n260G DC_66A_n260G DC_2A_n260H DC_30A_n260H DC_66A_n260H DC_2A_n260I DC_30A_n260I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_66A_n260I DC_2A_n260J DC_30A_n260J DC_66A_n260J DC_2A_n260K DC_30A_n260K DC_66A_n260K		
DC_2A-30A-66A-66A_n260L	DC_2A_n260A DC_30A_n260A DC_66A_n260A DC_2A_n260G DC_30A_n260G DC_66A_n260G DC_2A_n260H DC_30A_n260H DC_66A_n260H DC_2A_n260I DC_30A_n260I DC_66A_n260I DC_2A_n260J DC_30A_n260J DC_66A_n260J DC_2A_n260K DC_30A_n260K DC_66A_n260K DC_2A_n260L DC_30A_n260L DC_66A_n260L		
DC_2A-30A-66A-66A_n260M	DC_2A_n260A DC_30A_n260A DC_66A_n260A DC_2A_n260G DC_30A_n260G DC_66A_n260G DC_2A_n260H DC_30A_n260H DC_66A_n260H DC_2A_n260I DC_30A_n260I DC_66A_n260I DC_2A_n260J DC_30A_n260J DC_66A_n260J DC_2A_n260K DC_30A_n260K DC_66A_n260K DC_2A_n260L DC_30A_n260L DC_66A_n260L DC_2A_n260M DC_30A_n260M		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_66A_n260M		
DC_2A-46A-46A-46A_n261A	DC_2A_n261A		
DC_2A-46A-46A-46A_n261G	DC_2A_n261A DC_2A_n261G		
DC_2A-46A-46A-46A_n261H	DC_2A_n261A DC_2A_n261G DC_2A_n261H		
DC_2A-46A-46A-46A_n261I	DC_2A_n261A DC_2A_n261G DC_2A_n261H DC_2A_n261I		
DC_2A-46A-46A-46A_n261J	DC_2A_n261A DC_2A_n261G DC_2A_n261H DC_2A_n261I DC_2A_n261J		
DC_2A-46A-46A-46A_n261K	DC_2A_n261A DC_2A_n261G DC_2A_n261H DC_2A_n261I DC_2A_n261J DC_2A_n261K		
DC_2A-46A-46A-46A_n261L	DC_2A_n261A DC_2A_n261G DC_2A_n261H DC_2A_n261I DC_2A_n261J DC_2A_n261K DC_2A_n261L		
DC_2A-46A-46A-46A_n261M	DC_2A_n261A DC_2A_n261G DC_2A_n261H DC_2A_n261I DC_2A_n261J DC_2A_n261K DC_2A_n261L DC_2A_n261M		
DC_2A-46A-46A-46A_n261(2A)	DC_2A_n261A		
DC_2A-46A-46A-46A_n261(2G)	DC_2A_n261A DC_2A_n261G		
DC_2A-46A-46A-46A_n261(2H)	DC_2A_n261A DC_2A_n261G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_2A_n261H		
DC_2A-46A-46A-46A_n261(A-G)	DC_2A_n261A DC_2A_n261G		
DC_2A-46A-46A-46A_n261(A-H)	DC_2A_n261A DC_2A_n261G DC_2A_n261H		
DC_2A-46A-46A-46A_n261(A-I)	DC_2A_n261A DC_2A_n261G DC_2A_n261H DC_2A_n261I		
DC_2A-46A-46A-46A_n261(A-J)	DC_2A_n261A DC_2A_n261G DC_2A_n261H DC_2A_n261I		
DC_2A-46A-46A-46A_n261(A-K)	DC_2A_n261A DC_2A_n261G DC_2A_n261H DC_2A_n261I		
DC_2A-46A-46A-46A_n261(A-L)	DC_2A_n261A DC_2A_n261G DC_2A_n261H DC_2A_n261I		
DC_2A-46A-46A-46A_n261(G-H)	DC_2A_n261A DC_2A_n261G DC_2A_n261H		
DC_3A-3A-7A-7A_n257A	DC_3A_n257A DC_7A_n257A		
DC_3A-3A-7A-7A_n257D	DC_3A_n257A DC_7A_n257A		
DC_3A-3A-7A-7A_n257E	DC_3A_n257A DC_7A_n257A		
DC_3A-3A-7A-7A_n257F	DC_3A_n257A DC_7A_n257A		
DC_3A-3A-7A-7A_n257G	DC_3A_n257A DC_3A_n257G DC_7A_n257A DC_7A_n257G		
DC_3A-3A-7A-7A_n257H	DC_3A_n257A DC_3A_n257G DC_3A_n257H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_7A_n257A DC_7A_n257G DC_7A_n257H		
DC_3A-3A-7A-7A_n257I	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I		
DC_3A-3A-7A-7A_n257J	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J		
DC_3A-3A-7A-7A_n257K	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_7A_n257K		
DC_3A-3A-7A-7A_n257L	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_7A_n257K		
DC_3A-3A-7A-7A_n257M	DC_3A_n257A DC_3A_n257G DC_3A_n257H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_7A_n257K		
DC_3A-3A-7A-8A_n257A	DC_3A_n257A DC_7A_n257A DC_8A_n257A		
DC_3A-3A-7A-8A_n257D	DC_3A_n257A DC_7A_n257A DC_8A_n257A		
DC_3A-3A-7A-8A_n257E	DC_3A_n257A DC_7A_n257A DC_8A_n257A		
DC_3A-3A-7A-8A_n257F	DC_3A_n257A DC_7A_n257A DC_8A_n257A		
DC_3A-3A-7A-8A_n257G	DC_3A_n257A DC_7A_n257A DC_8A_n257A		
DC_3A-3A-7A-8A_n257H	DC_3A_n257A DC_7A_n257A DC_8A_n257A		
DC_3A-3A-7A-8A_n257I	DC_3A_n257A DC_7A_n257A DC_8A_n257A		
DC_3A-3A-7A-8A_n257J	DC_3A_n257A DC_7A_n257A DC_8A_n257A		
DC_3A-3A-7A-8A_n257K	DC_3A_n257A DC_7A_n257A DC_8A_n257A		
DC_3A-3A-7A-8A_n257L	DC_3A_n257A DC_7A_n257A DC_8A_n257A		
DC_3A-3A-7A-8A_n257M	DC_3A_n257A DC_7A_n257A DC_8A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_3A-3A-7A_n1A-n257A (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A DC_7A_n1A DC_7A_n257A		
DC_3A-3A-7A_n1A-n257D (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A DC_7A_n1A DC_7A_n257A		
DC_3A-3A-7A_n1A-n257E (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A DC_7A_n1A DC_7A_n257A		
DC_3A-3A-7A_n1A-n257F (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A DC_7A_n1A DC_7A_n257A		
DC_3A-3A-7A_n1A-n257G (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A DC_3A_n257G DC_7A_n1A DC_7A_n257A DC_7A_n257G		
DC_3A-3A-7A_n1A-n257H (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_7A_n1A DC_7A_n257A DC_7A_n257G DC_7A_n257H		
DC_3A-3A-7A_n1A-n257I (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_7A_n1A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I		
DC_3A-3A-7A_n1A-n257J (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_7A_n1A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J		
DC_3A-3A-7A_n1A-n257K (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_7A_n1A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_7A_n257K		
DC_3A-3A-7A_n1A-n257L (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_7A_n1A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_7A_n257K		
DC_3A-3A-7A_n1A-n257M (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_7A_n1A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_7A_n257K		
	DC_3A_n8A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_3A-3A-7A_n8A-n257A (interBandEnDcSimRxTx)	DC_3A_n257A DC_7A_n8A DC_7A_n257A		
DC_3A-3A-7A_n8A-n257G (interBandEnDcSimRxTx)	DC_3A_n8A DC_3A_n257A DC_3A_n257G DC_7A_n8A DC_7A_n257A DC_7A_n257G		
DC_3A-3A-7A_n8A-n257H (interBandEnDcSimRxTx)	DC_3A_n8A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_7A_n8A DC_7A_n257A DC_7A_n257G DC_7A_n257H		
DC_3A-3A-7A_n8A-n257I (interBandEnDcSimRxTx)	DC_3A_n8A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_7A_n8A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I		
DC_3A-3A-7A_n8A-n257J (interBandEnDcSimRxTx)	DC_3A_n8A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_7A_n8A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J		
DC_3A-3A-7A_n8A-n257K (interBandEnDcSimRxTx)	DC_3A_n8A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_7A_n8A DC_7A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_7A_n257K		
DC_3A-3A-7A_n78A-n257A (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A DC_7A_n78A DC_7A_n257A		
DC_3A-3A-7A_n78A-n257D (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A DC_7A_n78A DC_7A_n257A		
DC_3A-3A-7A_n78A-n257E (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A DC_7A_n78A DC_7A_n257A		
DC_3A-3A-7A_n78A-n257F (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A DC_7A_n78A DC_7A_n257A		
DC_3A-3A-7A_n78A-n257G (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_7A_n78A DC_7A_n257A DC_7A_n257G		
DC_3A-3A-7A_n78A-n257H (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_7A_n78A DC_7A_n257A DC_7A_n257G DC_7A_n257H		
DC_3A-3A-7A_n78A-n257I (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_7A_n78A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_3A-3A-7A_n78A-n257J (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_7A_n78A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J		
DC_3A-3A-7A_n78A-n257K (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_7A_n78A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_7A_n257K		
DC_3A-3A-7A_n78A-n257L (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_7A_n78A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_7A_n257K		
DC_3A-3A-7A_n78A-n257M (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_7A_n78A DC_7A_n257A DC_7A_n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_7A_n257K		
DC_3A-3A-8A_n1A-n257A (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A DC_8A_n1A DC_8A_n257A		
DC_3A-3A-8A_n1A-n257D (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A DC_8A_n1A DC_8A_n257A		
DC_3A-3A-8A_n1A-n257E (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A DC_8A_n1A DC_8A_n257A		
DC_3A-3A-8A_n1A-n257F (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A DC_8A_n1A DC_8A_n257A		
DC_3A-3A-8A_n1A-n257G (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A DC_3A_n257G DC_8A_n1A DC_8A_n257A DC_8A_n257G		
DC_3A-3A-8A_n1A-n257H (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_8A_n1A DC_8A_n257A DC_8A_n257G DC_8A_n257H		
DC_3A-3A-8A_n1A-n257I (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_8A_n1A DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I		
	DC_3A_n1A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_3A-3A-8A_n1A-n257J (interBandEnDcSimRxTx)	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_8A_n1A DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I DC_8A_n257J		
DC_3A-3A-8A_n1A-n257K (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_8A_n1A DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I DC_8A_n257J DC_8A_n257K		
DC_3A-3A-8A_n1A-n257L (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_8A_n1A DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I DC_8A_n257J DC_8A_n257K		
DC_3A-3A-8A_n1A-n257M (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_8A_n1A DC_8A_n257A DC_8A_n257G DC_8A_n257H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_8A_n257I DC_8A_n257J DC_8A_n257K		
DC_3A-3A-8A_n78A-n257A (interBandEnDcSimRxTx)	DC_3A_n78A DC_8A_n78A DC_3A_n257A DC_8A_n257A		
DC_3A-3A-8A_n78A-n257D (interBandEnDcSimRxTx)	DC_3A_n78A DC_8A_n78A DC_3A_n257A DC_8A_n257A		
DC_3A-3A-8A_n78A-n257E (interBandEnDcSimRxTx)	DC_3A_n78A DC_8A_n78A DC_3A_n257A DC_8A_n257A		
DC_3A-3A-8A_n78A-n257F (interBandEnDcSimRxTx)	DC_3A_n78A DC_8A_n78A DC_3A_n257A DC_8A_n257A		
DC_3A-3A-8A_n78A-n257G (interBandEnDcSimRxTx)	DC_3A_n78A DC_8A_n78A DC_3A_n257A DC_3A_n257G DC_8A_n257A DC_8A_n257G		
DC_3A-3A-8A_n78A-n257H (interBandEnDcSimRxTx)	DC_3A_n78A DC_8A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_8A_n257A DC_8A_n257G DC_8A_n257H		
DC_3A-3A-8A_n78A-n257I (interBandEnDcSimRxTx)	DC_3A_n78A DC_8A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I		
DC_3A-3A-8A_n78A-n257J (interBandEnDcSimRxTx)	DC_3A_n78A DC_8A_n78A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I DC_8A_n257J		
DC_3A-3A-8A_n78A-n257K (interBandEnDcSimRxTx)	DC_3A_n78A DC_8A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I DC_8A_n257J DC_8A_n257K		
DC_3A-3A-8A_n78A-n257L (interBandEnDcSimRxTx)	DC_3A_n78A DC_8A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I DC_8A_n257J DC_8A_n257K		
DC_3A-3A-8A_n78A-n257M (interBandEnDcSimRxTx)	DC_3A_n78A DC_8A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_8A_n257J DC_8A_n257K		
DC_3A-3A_n1A-n78A-n257A (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n78A DC_3A_n257A		
DC_3A-3A_n1A-n78A-n257D (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n78A DC_3A_n257A		
DC_3A-3A_n1A-n78A-n257E (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n78A DC_3A_n257A		
DC_3A-3A_n1A-n78A-n257F (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n78A DC_3A_n257A		
DC_3A-3A_n1A-n78A-n257G (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n78A DC_3A_n257A		
DC_3A-3A_n1A-n78A-n257H (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n78A DC_3A_n257A		
DC_3A-3A_n1A-n78A-n257I (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n78A DC_3A_n257A		
DC_3A-3A_n1A-n78A-n257J (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n78A DC_3A_n257A		
DC_3A-3A_n1A-n78A-n257K (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n78A DC_3A_n257A		
DC_3A-3A_n1A-n78A-n257L (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n78A DC_3A_n257A		
DC_3A-3A_n1A-n78A-n257M (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n78A DC_3A_n257A		
DC_3A-3A_n8A-n78A-n257A (interBandEnDcSimRxTx)	DC_3A_n8A DC_3A_n78A DC_3A_n257A		
DC_3A-3A_n8A-n78A-n257G (interBandEnDcSimRxTx)	DC_3A_n8A DC_3A_n78A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_3A_n257A DC_3A_n257G		
DC_3A-3A_n8A-n78A-n257H (interBandEnDcSimRxTx)	DC_3A_n8A DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H		
DC_3A-3A_n8A-n78A-n257I (interBandEnDcSimRxTx)	DC_3A_n8A DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I		
DC_3A-3A_n8A-n78A-n257J (interBandEnDcSimRxTx)	DC_3A_n8A DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J		
DC_3A-3A_n8A-n78A-n257K (interBandEnDcSimRxTx)	DC_3A_n8A DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K		
DC_3A-5A-7A-7A_n257A (interBandEnDcSimRxTx)	DC_3A_n257A DC_5A_n257A DC_7A_n257A		
DC_3A-5A-7A-7A_n257D	DC_3A_n257A DC_3A_n257D DC_5A_n257A DC_5A_n257D DC_7A_n257A DC_7A_n257D		
DC_3A-5A-7A-7A_n257E	DC_3A_n257A DC_3A_n257D DC_5A_n257A DC_5A_n257D DC_7A_n257A DC_7A_n257D		
DC_3A-5A-7A-7A_n257F	DC_3A_n257A DC_3A_n257D		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_5A_n257A DC_5A_n257D DC_7A_n257A DC_7A_n257D		
DC_3A-5A-7A-7A_n257G	DC_3A_n257A DC_3A_n257G DC_5A_n257A DC_5A_n257G DC_7A_n257A DC_7A_n257G		
DC_3A-5A-7A-7A_n257H	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_5A_n257A DC_5A_n257G DC_5A_n257H DC_7A_n257A DC_7A_n257G DC_7A_n257H		
DC_3A-5A-7A-7A_n257I	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_5A_n257A DC_5A_n257G DC_5A_n257H DC_5A_n257I DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I		
DC_3A-5A-7A-7A_n257J	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_5A_n257A DC_5A_n257G DC_5A_n257H DC_5A_n257I DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I		
DC_3A-5A-7A-7A_n257K	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_5A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_5A_n257G DC_5A_n257H DC_5A_n257I DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I		
DC_3A-5A-7A-7A_n257L	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_5A_n257A DC_5A_n257G DC_5A_n257H DC_5A_n257I DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I		
DC_3A-5A-7A-7A_n257M	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_5A_n257A DC_5A_n257G DC_5A_n257H DC_5A_n257I DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I		
DC_3A-5A-7A_n78A-n257A	DC_3A_n78A DC_3A_n257A DC_5A_n78A DC_5A_n257A DC_7A_n78A DC_7A_n257A DC_3A_n78A-n257A DC_5A_n78A-n257A DC_7A_n78A-n257A		
DC_3A-5A-7A_n78A-n257D	DC_3A_n78A DC_3A_n257A DC_5A_n78A DC_5A_n257A DC_7A_n78A DC_7A_n257A DC_3A_n78A-n257A DC_5A_n78A-n257A DC_7A_n78A-n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_3A-5A-7A_n78A-n257E	DC_3A_n78A DC_3A_n257A DC_5A_n78A DC_5A_n257A DC_7A_n78A DC_7A_n257A DC_3A_n78A-n257A DC_5A_n78A-n257A DC_7A_n78A-n257A		
DC_3A-5A-7A_n78A-n257F	DC_3A_n78A DC_3A_n257A DC_5A_n78A DC_5A_n257A DC_7A_n78A DC_7A_n257A DC_3A_n78A-n257A DC_5A_n78A-n257A DC_7A_n78A-n257A		
DC_3A-5A-7A_n78A-n257G	DC_3A_n78A DC_3A_n257A DC_5A_n78A DC_5A_n257A DC_7A_n78A DC_7A_n257A DC_3A_n78A-n257A DC_3A_n78A-n257G DC_5A_n78A-n257A DC_5A_n78A-n257G DC_7A_n78A-n257A DC_7A_n78A-n257G		
DC_3A-5A-7A_n78A-n257H	DC_3A_n78A DC_3A_n257A DC_5A_n78A DC_5A_n257A DC_7A_n78A DC_7A_n257A DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H		
DC_3A-5A-7A_n78A-n257I	DC_3A_n78A DC_3A_n257A DC_5A_n78A DC_5A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_7A_n78A DC_7A_n257A DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H DC_5A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_3A-5A-7A_n78A-n257J	DC_3A_n78A DC_3A_n257A DC_5A_n78A DC_5A_n257A DC_7A_n78A DC_7A_n257A DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H DC_5A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_3A-5A-7A_n78A-n257K	DC_3A_n78A DC_3A_n257A DC_5A_n78A DC_5A_n257A DC_7A_n78A DC_7A_n257A DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H DC_5A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_3A-5A-7A_n78A-n257L	DC_3A_n78A DC_3A_n257A DC_5A_n78A DC_5A_n257A DC_7A_n78A DC_7A_n257A DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H DC_5A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_3A-5A-7A_n78A-n257M	DC_3A_n78A DC_3A_n257A DC_5A_n78A DC_5A_n257A DC_7A_n78A DC_7A_n257A DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H DC_5A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_3A-5A-7A_n78C-n257A	DC_3A_n78A DC_3A_n257A DC_5A_n78A DC_5A_n257A DC_7A_n78A DC_7A_n257A DC_3A_n78A-n257A DC_5A_n78A-n257A DC_7A_n78A-n257A		
DC_3A-5A-7A_n78C-n257D	DC_3A_n78A DC_3A_n257A DC_5A_n78A DC_5A_n257A DC_7A_n78A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_7A_n257A DC_3A_n78A-n257A DC_5A_n78A-n257A DC_7A_n78A-n257A		
DC_3A-5A-7A_n78C-n257E	DC_3A_n78A DC_3A_n257A DC_5A_n78A DC_5A_n257A DC_7A_n78A DC_7A_n257A DC_3A_n78A-n257A DC_5A_n78A-n257A DC_7A_n78A-n257A		
DC_3A-5A-7A_n78C-n257F	DC_3A_n78A DC_3A_n257A DC_5A_n78A DC_5A_n257A DC_7A_n78A DC_7A_n257A DC_3A_n78A-n257A DC_5A_n78A-n257A DC_7A_n78A-n257A		
DC_3A-5A-7A_n78C-n257G	DC_3A_n78A DC_3A_n257A DC_5A_n78A DC_5A_n257A DC_7A_n78A DC_7A_n257A DC_3A_n78A-n257A DC_3A_n78A-n257G DC_5A_n78A-n257A DC_5A_n78A-n257G DC_7A_n78A-n257A DC_7A_n78A-n257G		
DC_3A-5A-7A_n78C-n257H	DC_3A_n78A DC_3A_n257A DC_5A_n78A DC_5A_n257A DC_7A_n78A DC_7A_n257A DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_3A-5A-7A_n78C-n257I	DC_3A_n78A DC_3A_n257A DC_5A_n78A DC_5A_n257A DC_7A_n78A DC_7A_n257A DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H DC_5A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_3A-5A-7A_n78C-n257J	DC_3A_n78A DC_3A_n257A DC_5A_n78A DC_5A_n257A DC_7A_n78A DC_7A_n257A DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H DC_5A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_3A-5A-7A_n78C-n257K	DC_3A_n78A DC_3A_n257A DC_5A_n78A DC_5A_n257A DC_7A_n78A DC_7A_n257A DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H DC_5A_n78A-n257I DC_7A_n78A-n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_3A-5A-7A_n78C-n257L	DC_3A_n78A DC_3A_n257A DC_5A_n78A DC_5A_n257A DC_7A_n78A DC_7A_n257A DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H DC_5A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_3A-5A-7A_n78C-n257M	DC_3A_n78A DC_3A_n257A DC_5A_n78A DC_5A_n257A DC_7A_n78A DC_7A_n257A DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H DC_5A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_3A-7A-7A-8A_n257A	DC_3A_n257A DC_7A_n257A DC_8A_n257A		
DC_3A-7A-7A-8A_n257D	DC_3A_n257A DC_7A_n257A DC_8A_n257A		
DC_3A-7A-7A-8A_n257E	DC_3A_n257A DC_7A_n257A DC_8A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_3A-7A-7A-8A_n257F	DC_3A_n257A DC_7A_n257A DC_8A_n257A		
DC_3A-7A-7A-8A_n257G	DC_3A_n257A DC_7A_n257A DC_8A_n257A		
DC_3A-7A-7A-8A_n257H	DC_3A_n257A DC_7A_n257A DC_8A_n257A		
DC_3A-7A-7A-8A_n257I	DC_3A_n257A DC_7A_n257A DC_8A_n257A		
DC_3A-7A-7A-8A_n257J	DC_3A_n257A DC_7A_n257A DC_8A_n257A		
DC_3A-7A-7A-8A_n257K	DC_3A_n257A DC_7A_n257A DC_8A_n257A		
DC_3A-7A-7A-8A_n257L	DC_3A_n257A DC_7A_n257A DC_8A_n257A		
DC_3A-7A-7A-8A_n257M	DC_3A_n257A DC_7A_n257A DC_8A_n257A		
DC_3A-7A-7A_n1A-n257A (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A DC_7A_n1A DC_7A_n257A		
DC_3A-7A-7A_n1A-n257D (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A DC_7A_n1A DC_7A_n257A		
DC_3A-7A-7A_n1A-n257E (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A DC_7A_n1A DC_7A_n257A		
DC_3A-7A-7A_n1A-n257F (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A DC_7A_n1A DC_7A_n257A		
	DC_3A_n1A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_3A-7A-7A_n1A-n257G (interBandEnDcSimRxTx)	DC_3A_n257A DC_3A_n257G DC_7A_n1A DC_7A_n257A DC_7A_n257G		
DC_3A-7A-7A_n1A-n257H (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_7A_n1A DC_7A_n257A DC_7A_n257G DC_7A_n257H		
DC_3A-7A-7A_n1A-n257I (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_7A_n1A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I		
DC_3A-7A-7A_n1A-n257J (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_7A_n1A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J		
DC_3A-7A-7A_n1A-n257K (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_7A_n1A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_7A_n257K		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_3A-7A-7A_n1A-n257L (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_7A_n1A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_7A_n257K		
DC_3A-7A-7A_n1A-n257M (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_7A_n1A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_7A_n257K		
DC_3A-7A-7A_n8A-n257A (interBandEnDcSimRxTx)	DC_3A_n8A DC_3A_n257A DC_7A_n8A DC_7A_n257A		
DC_3A-7A-7A_n8A-n257G (interBandEnDcSimRxTx)	DC_3A_n8A DC_3A_n257A DC_3A_n257G DC_7A_n8A DC_7A_n257A DC_7A_n257G		
DC_3A-7A-7A_n8A-n257H (interBandEnDcSimRxTx)	DC_3A_n8A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_7A_n8A DC_7A_n257A DC_7A_n257G DC_7A_n257H		
	DC_3A_n8A DC_3A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_3A-7A-7A_n8A-n257I (interBandEnDcSimRxTx)	DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_7A_n8A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I		
DC_3A-7A-7A_n8A-n257J (interBandEnDcSimRxTx)	DC_3A_n8A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_7A_n8A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J		
DC_3A-7A-7A_n8A-n257K (interBandEnDcSimRxTx)	DC_3A_n8A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_7A_n8A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_7A_n257K		
DC_3A-7A-7A_n78A-n257A (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A DC_7A_n78A DC_7A_n257A DC_3A_n78A-n257A DC_7A_n78A-n257A		
DC_3A-7A-7A_n78A-n257D (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A DC_7A_n78A DC_7A_n257A DC_3A_n78A-n257A DC_7A_n78A-n257A		
DC_3A-7A-7A_n78A-n257E (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_7A_n78A DC_7A_n257A DC_3A_n78A-n257A DC_7A_n78A-n257A		
DC_3A-7A-7A_n78A-n257F (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A DC_7A_n78A DC_7A_n257A DC_3A_n78A-n257A DC_7A_n78A-n257A		
DC_3A-7A-7A_n78A-n257G (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_7A_n78A DC_7A_n257A DC_7A_n257G DC_3A_n78A-n257A DC_3A_n78A-n257G DC_7A_n78A-n257A DC_7A_n78A-n257G		
DC_3A-7A-7A_n78A-n257H (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_7A_n78A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H		
DC_3A-7A-7A_n78A-n257I (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_7A_n78A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I DC_7A_n78A-n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_3A-7A-7A_n78A-n257J (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_7A_n78A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_3A-7A-7A_n78A-n257K (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_7A_n78A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_7A_n257K DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_3A-7A-7A_n78A-n257L (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_3A_n257J DC_3A_n257K DC_7A_n78A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_7A_n257K DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_3A-7A-7A_n78A-n257M (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_7A_n78A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_7A_n257K DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_3A-7A-7A_n78C-n257A	DC_3A_n78A DC_3A_n257A DC_7A_n78A DC_7A_n257A DC_3A_n78A-n257A DC_7A_n78A-n257A		
DC_3A-7A-7A_n78C-n257D	DC_3A_n78A DC_3A_n257A DC_7A_n78A DC_7A_n257A DC_3A_n78A-n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_7A_n78A-n257A		
DC_3A-7A-7A_n78C-n257E	DC_3A_n78A DC_3A_n257A DC_7A_n78A DC_7A_n257A DC_3A_n78A-n257A DC_7A_n78A-n257A		
DC_3A-7A-7A_n78C-n257F	DC_3A_n78A DC_3A_n257A DC_7A_n78A DC_7A_n257A DC_3A_n78A-n257A DC_7A_n78A-n257A		
DC_3A-7A-7A_n78C-n257G	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_7A_n78A DC_7A_n257A DC_7A_n257G DC_3A_n78A-n257A DC_3A_n78A-n257G DC_7A_n78A-n257A DC_7A_n78A-n257G		
DC_3A-7A-7A_n78C-n257H	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_7A_n78A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H		
DC_3A-7A-7A_n78C-n257I	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_7A_n78A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_3A_n78A-n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_3A-7A-7A_n78C-n257J	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_7A_n78A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_3A-7A-7A_n78C-n257K	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_7A_n78A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_7A_n257K DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_3A-7A-7A_n78C-n257L	DC_3A_n78A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_7A_n78A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_7A_n257K DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_3A-7A-7A_n78C-n257M	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_7A_n78A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_7A_n257K DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_3A-7A-8A_n1A-n257A (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A DC_7A_n1A DC_7A_n257A DC_8A_n1A DC_8A_n257A		
	DC_3A_n1A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_3A-7A-8A_n1A-n257D (interBandEnDcSimRxTx)	DC_3A_n257A DC_7A_n1A DC_7A_n257A DC_8A_n1A DC_8A_n257A		
DC_3A-7A-8A_n1A-n257E (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A DC_7A_n1A DC_7A_n257A DC_8A_n1A DC_8A_n257A		
DC_3A-7A-8A_n1A-n257F (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A DC_7A_n1A DC_7A_n257A DC_8A_n1A DC_8A_n257A		
DC_3A-7A-8A_n1A-n257G (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A DC_3A_n257G DC_7A_n1A DC_7A_n257A DC_7A_n257G DC_8A_n1A DC_8A_n257A DC_8A_n257G		
DC_3A-7A-8A_n1A-n257H (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_7A_n1A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_8A_n1A DC_8A_n257A DC_8A_n257G DC_8A_n257H		
DC_3A-7A-8A_n1A-n257I (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_7A_n1A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_8A_n1A DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I		
DC_3A-7A-8A_n1A-n257J (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_7A_n1A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_8A_n1A DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I DC_8A_n257J		
DC_3A-7A-8A_n1A-n257K (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_7A_n1A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_7A_n257K DC_8A_n1A DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I DC_8A_n257J DC_8A_n257K		
DC_3A-7A-8A_n1A-n257L (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_3A_n257K DC_7A_n1A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_7A_n257K DC_8A_n1A DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I DC_8A_n257J DC_8A_n257K		
DC_3A-7A-8A_n1A-n257M (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_7A_n1A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_7A_n257K DC_8A_n1A DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I DC_8A_n257J DC_8A_n257K		
DC_3A-7A-8A_n40A-n258A	DC_3A_n40A DC_3A_n258A DC_7A_n40A DC_7A_n258A DC_8A_n40A DC_8A_n258A		
DC_3A-7A-8A_n40A-n258D	DC_3A_n40A DC_3A_n258A DC_7A_n40A DC_7A_n258A DC_8A_n40A DC_8A_n258A		
DC_3A-7A-8A_n40A-n258E	DC_3A_n40A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_3A_n258A DC_7A_n40A DC_7A_n258A DC_8A_n40A DC_8A_n258A		
DC_3A-7A-8A_n40A-n258F	DC_3A_n40A DC_3A_n258A DC_7A_n40A DC_7A_n258A DC_8A_n40A DC_8A_n258A		
DC_3A-7A-8A_n40A-n258G	DC_3A_n40A DC_3A_n258A DC_7A_n40A DC_7A_n258A DC_8A_n40A DC_8A_n258A		
DC_3A-7A-8A_n40A-n258H	DC_3A_n40A DC_3A_n258A DC_7A_n40A DC_7A_n258A DC_8A_n40A DC_8A_n258A		
DC_3A-7A-8A_n40A-n258I	DC_3A_n40A DC_3A_n258A DC_7A_n40A DC_7A_n258A DC_8A_n40A DC_8A_n258A		
DC_3A-7A-8A_n40A-n258J	DC_3A_n40A DC_3A_n258A DC_7A_n40A DC_7A_n258A DC_8A_n40A DC_8A_n258A		
DC_3A-7A-8A_n40A-n258K	DC_3A_n40A DC_3A_n258A DC_7A_n40A DC_7A_n258A DC_8A_n40A DC_8A_n258A		
DC_3A-7A-8A_n40A-n258L	DC_3A_n40A DC_3A_n258A DC_7A_n40A DC_7A_n258A DC_8A_n40A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_8A_n258A		
DC_3A-7A-8A_n40A-n258M	DC_3A_n40A DC_3A_n258A DC_7A_n40A DC_7A_n258A DC_8A_n40A DC_8A_n258A		
DC_3A-7A-8A_n78A-n257A (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A DC_7A_n78A DC_7A_n257A DC_8A_n78A DC_8A_n257A		
DC_3A-7A-8A_n78A-n257D (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A DC_7A_n78A DC_7A_n257A DC_8A_n78A DC_8A_n257A		
DC_3A-7A-8A_n78A-n257E (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A DC_7A_n78A DC_7A_n257A DC_8A_n78A DC_8A_n257A		
DC_3A-7A-8A_n78A-n257F (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A DC_7A_n78A DC_7A_n257A DC_8A_n78A DC_8A_n257A		
DC_3A-7A-8A_n78A-n257G (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_7A_n78A DC_7A_n257A DC_7A_n257G DC_8A_n78A DC_8A_n257A DC_8A_n257G		
DC_3A-7A-8A_n78A-n257H (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_7A_n78A DC_7A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_7A_n257G DC_7A_n257H DC_8A_n78A DC_8A_n257A DC_8A_n257G DC_8A_n257H		
DC_3A-7A-8A_n78A-n257I (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_7A_n78A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_8A_n78A DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I		
DC_3A-7A-8A_n78A-n257J (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_7A_n78A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_8A_n78A DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I DC_8A_n257J		
DC_3A-7A-8A_n78A-n257K (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_7A_n78A DC_7A_n257A DC_7A_n257G DC_7A_n257H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_7A_n257I DC_7A_n257J DC_7A_n257K DC_8A_n78A DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I DC_8A_n257J DC_8A_n257K		
DC_3A-7A-8A_n78A-n257L (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_7A_n78A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_7A_n257K DC_8A_n78A DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I DC_8A_n257J DC_8A_n257K		
DC_3A-7A-8A_n78A-n257M (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_7A_n78A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_7A_n257K DC_8A_n78A DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I DC_8A_n257J		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_8A_n257K		
DC_3A-7A-8A_n78A-n258A	DC_3A_n78A DC_3A_n258A DC_7A_n78A DC_7A_n258A DC_8A_n78A DC_8A_n258A		
DC_3A-7A-8A_n78A-n258D	DC_3A_n78A DC_3A_n258A DC_7A_n78A DC_7A_n258A DC_8A_n78A DC_8A_n258A		
DC_3A-7A-8A_n78A-n258E	DC_3A_n78A DC_3A_n258A DC_7A_n78A DC_7A_n258A DC_8A_n78A DC_8A_n258A		
DC_3A-7A-8A_n78A-n258F	DC_3A_n78A DC_3A_n258A DC_7A_n78A DC_7A_n258A DC_8A_n78A DC_8A_n258A		
DC_3A-7A-8A_n78A-n258G	DC_3A_n78A DC_3A_n258A DC_7A_n78A DC_7A_n258A DC_8A_n78A DC_8A_n258A		
DC_3A-7A-8A_n78A-n258H	DC_3A_n78A DC_3A_n258A DC_7A_n78A DC_7A_n258A DC_8A_n78A DC_8A_n258A		
DC_3A-7A-8A_n78A-n258I	DC_3A_n78A DC_3A_n258A DC_7A_n78A DC_7A_n258A DC_8A_n78A DC_8A_n258A		
DC_3A-7A-8A_n78A-n258J	DC_3A_n78A DC_3A_n258A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_7A_n78A DC_7A_n258A DC_8A_n78A DC_8A_n258A		
DC_3A-7A-8A_n78A-n258K	DC_3A_n78A DC_3A_n258A DC_7A_n78A DC_7A_n258A DC_8A_n78A DC_8A_n258A		
DC_3A-7A-8A_n78A-n258L	DC_3A_n78A DC_3A_n258A DC_7A_n78A DC_7A_n258A DC_8A_n78A DC_8A_n258A		
DC_3A-7A-8A_n78A-n258M	DC_3A_n78A DC_3A_n258A DC_7A_n78A DC_7A_n258A DC_8A_n78A DC_8A_n258A		
DC_3A-7A-28A_n38A-n257A	DC_3A_n257A DC_28A_n257A		
DC_3A-7A-28A_n38A-n257G	DC_3A_n257A DC_3A_n257G DC_28A_n257A DC_28A_n257G		
DC_3A-7A-28A_n38A-n257H	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_28A_n257A DC_28A_n257G DC_28A_n257H		
DC_3A-7A-28A_n38A-n257I	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_28A_n257I		
DC_3A-7A-28A_n78A-n257A	DC_3A_n78A DC_7A_n78A DC_28A_n78A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_3A_n257A DC_7A_n257A DC_28A_n257A		
DC_3A-7A-28A_n78A-n257G	DC_3A_n78A DC_7A_n78A DC_28A_n78A DC_3A_n257A DC_7A_n257A DC_28A_n257A		
DC_3A-7A-28A_n78A-n257H	DC_3A_n78A DC_7A_n78A DC_28A_n78A DC_3A_n257A DC_7A_n257A DC_28A_n257A		
DC_3A-7A-28A_n78A-n257I	DC_3A_n78A DC_7A_n78A DC_28A_n78A DC_3A_n257A DC_7A_n257A DC_28A_n257A		
DC_3A-7A_n1A-n78A-n257A (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n78A DC_3A_n257A DC_7A_n1A DC_7A_n78A DC_7A_n257A		
DC_3A-7A_n1A-n78A-n257D (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n78A DC_3A_n257A DC_7A_n1A DC_7A_n78A DC_7A_n257A		
DC_3A-7A_n1A-n78A-n257E (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n78A DC_3A_n257A DC_7A_n1A DC_7A_n78A DC_7A_n257A		
DC_3A-7A_n1A-n78A-n257F (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n78A DC_3A_n257A DC_7A_n1A DC_7A_n78A DC_7A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_3A-7A_n1A-n78A-n257G (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n78A DC_3A_n257A DC_7A_n1A DC_7A_n78A DC_7A_n257A		
DC_3A-7A_n1A-n78A-n257H (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n78A DC_3A_n257A DC_7A_n1A DC_7A_n78A DC_7A_n257A		
DC_3A-7A_n1A-n78A-n257I (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n78A DC_3A_n257A DC_7A_n1A DC_7A_n78A DC_7A_n257A		
DC_3A-7A_n1A-n78A-n257J (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n78A DC_3A_n257A DC_7A_n1A DC_7A_n78A DC_7A_n257A		
DC_3A-7A_n1A-n78A-n257K (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n78A DC_3A_n257A DC_7A_n1A DC_7A_n78A DC_7A_n257A		
DC_3A-7A_n1A-n78A-n257L (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n78A DC_3A_n257A DC_7A_n1A DC_7A_n78A DC_7A_n257A		
DC_3A-7A_n1A-n78A-n257M (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n78A DC_3A_n257A DC_7A_n1A DC_7A_n78A DC_7A_n257A		
DC_3A-7A_n8A-n78A-n257A (interBandEnDcSimRxTx)	DC_3A_n8A DC_3A_n78A DC_3A_n257A DC_7A_n8A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_7A_n78A DC_7A_n257A		
DC_3A-7A_n8A-n78A-n257G (interBandEnDcSimRxTx)	DC_3A_n8A DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_7A_n8A DC_7A_n78A DC_7A_n257A DC_7A_n257G		
DC_3A-7A_n8A-n78A-n257H (interBandEnDcSimRxTx)	DC_3A_n8A DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_7A_n8A DC_7A_n78A DC_7A_n257A DC_7A_n257G DC_7A_n257H		
DC_3A-7A_n8A-n78A-n257I (interBandEnDcSimRxTx)	DC_3A_n8A DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_7A_n8A DC_7A_n78A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I		
DC_3A-7A_n8A-n78A-n257J (interBandEnDcSimRxTx)	DC_3A_n8A DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_7A_n8A DC_7A_n78A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J		
DC_3A-7A_n8A-n78A-n257K (interBandEnDcSimRxTx)	DC_3A_n8A DC_3A_n78A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_7A_n8A DC_7A_n78A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_7A_n257K		
DC_3A-8A_n1A-n78A-n257A (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n78A DC_3A_n257A DC_8A_n1A DC_8A_n78A DC_8A_n257A		
DC_3A-18A-42A_n78A-n257A	DC_3A_n78A DC_3A_n257A DC_18A_n78A DC_18A_n257A DC_42A_n257A		
DC_3A-18A-42A_n78A-n257G	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_18A_n78A DC_18A_n257A DC_18A_n257G DC_42A_n257A DC_42A_n257G		
DC_3A-18A-42A_n78A-n257H	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_18A_n78A DC_18A_n257A DC_18A_n257G DC_18A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H		
DC_3A-18A-42A_n78A-n257I	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_3A_n257I DC_18A_n78A DC_18A_n257A DC_18A_n257G DC_18A_n257H DC_18A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_3A-18A-42C_n78A-n257A	DC_3A_n78A DC_3A_n257A DC_18A_n78A DC_18A_n257A DC_42A_n257A DC_42C_n257A		
DC_3A-18A-42C_n78A-n257G	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_18A_n78A DC_18A_n257A DC_18A_n257G DC_42A_n257A DC_42A_n257G DC_42C_n257A DC_42C_n257G		
DC_3A-18A-42C_n78A-n257H	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_18A_n78A DC_18A_n257A DC_18A_n257G DC_18A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42C_n257A DC_42C_n257G DC_42C_n257H		
DC_3A-18A-42C_n78A-n257I	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_18A_n78A DC_18A_n257A DC_18A_n257G DC_18A_n257H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_18A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_3A-19A-21A-42A_n257A	DC_3A_n257A DC_19A_n257A DC_21A_n257A		
DC_3A-19A-21A-42A_n257D	DC_3A_n257A DC_19A_n257A DC_21A_n257A DC_3A_n257D DC_19A_n257D DC_21A_n257D		
DC_3A-19A-21A-42A_n257E	DC_3A_n257A DC_19A_n257A DC_21A_n257A DC_3A_n257D DC_19A_n257D DC_21A_n257D		
DC_3A-19A-21A-42A_n257F	DC_3A_n257A DC_19A_n257A DC_21A_n257A DC_3A_n257D DC_19A_n257D DC_21A_n257D		
DC_3A-19A-21A-42C_n257A	DC_3A_n257A DC_19A_n257A DC_21A_n257A		
DC_3A-19A-21A-42C_n257D	DC_3A_n257A DC_19A_n257A DC_21A_n257A DC_3A_n257D DC_19A_n257D DC_21A_n257D		
DC_3A-19A-21A-42C_n257E	DC_3A_n257A DC_19A_n257A DC_21A_n257A DC_3A_n257D DC_19A_n257D DC_21A_n257D		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_3A-19A-21A-42C_n257F	DC_3A_n257A DC_19A_n257A DC_21A_n257A DC_3A_n257D DC_19A_n257D DC_21A_n257D		
DC_3A-28A-41A-42A_n257A	DC_28A_n257A DC_3A_n257A DC_41A_n257A DC_42A_n257A		
DC_3A-28A-41A-42A_n257G	DC_28A_n257A DC_28A_n257G DC_3A_n257A DC_3A_n257G DC_41A_n257A DC_41A_n257G DC_42A_n257A DC_42A_n257G		
DC_3A-28A-41A-42A_n257H	DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H		
DC_3A-28A-41A-42A_n257I	DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_28A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_3A-28A-41A-42C_n257A	DC_28A_n257A DC_3A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_41A_n257A DC_42A_n257A DC_42C_n257A		
DC_3A-28A-41A-42C_n257G	DC_28A_n257A DC_28A_n257G DC_3A_n257A DC_3A_n257G DC_41A_n257A DC_41A_n257G DC_42A_n257A DC_42A_n257G DC_42C_n257A DC_42C_n257G		
DC_3A-28A-41A-42C_n257H	DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42C_n257A DC_42C_n257G DC_42C_n257H		
DC_3A-28A-41A-42C_n257I	DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_28A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_3A-28A-41A_n78A-n257A	DC_3A_n78A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_3A_n257A DC_28A_n78A DC_28A_n257A DC_41A_n78A DC_41A_n257A		
DC_3A-28A-41A_n78A-n257G	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_28A_n78A DC_28A_n257A DC_28A_n257G DC_41A_n78A DC_41A_n257A DC_41A_n257G		
DC_3A-28A-41A_n78A-n257H	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_28A_n78A DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_41A_n78A DC_41A_n257A DC_41A_n257G DC_41A_n257H		
DC_3A-28A-41A_n78A-n257I	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_28A_n78A DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_28A_n257I DC_41A_n78A DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I		
DC_3A-28A-41C-42A_n257A	DC_28A_n257A DC_3A_n257A DC_41A_n257A DC_41C_n257A DC_42A_n257A		
DC_3A-28A-41C-42A_n257G	DC_28A_n257A DC_28A_n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_3A_n257A DC_3A_n257G DC_41A_n257A DC_41A_n257G DC_41C_n257A DC_41C_n257G DC_42A_n257A DC_42A_n257G		
DC_3A-28A-41C-42A_n257H	DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H		
DC_3A-28A-41C-42A_n257I	DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_28A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_41C_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_3A-28A-41C-42C_n257A	DC_28A_n257A DC_3A_n257A DC_41A_n257A DC_41C_n257A DC_42A_n257A DC_42C_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_3A-28A-41C-42C_n257G	DC_28A_n257A DC_28A_n257G DC_3A_n257A DC_3A_n257G DC_41A_n257A DC_41A_n257G DC_41C_n257A DC_41C_n257G DC_42A_n257A DC_42A_n257G DC_42C_n257A DC_42C_n257G		
DC_3A-28A-41C-42C_n257H	DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42C_n257A DC_42C_n257G DC_42C_n257H		
DC_3A-28A-41C-42C_n257I	DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_28A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_41C_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_3A-28A-41C_n78A-n257A	DC_3A_n78A DC_3A_n257A DC_28A_n78A DC_28A_n257A DC_41A_n78A DC_41A_n257A DC_41C_n78A DC_41C_n257A		
DC_3A-28A-41C_n78A-n257G	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_28A_n78A DC_28A_n257A DC_28A_n257G DC_41A_n78A DC_41A_n257A DC_41A_n257G DC_41C_n78A DC_41C_n257A DC_41C_n257G		
DC_3A-28A-41C_n78A-n257H	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_28A_n78A DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_41A_n78A DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41C_n78A DC_41C_n257A DC_41C_n257G DC_41C_n257H		
DC_3A-28A-41C_n78A-n257I	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_28A_n78A DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_28A_n257I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_41A_n78A DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_41C_n78A DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_41C_n257I		
DC_3A-28A-42A_n78A-n257A	DC_3A_n78A DC_3A_n257A DC_28A_n78A DC_28A_n257A DC_42A_n257A		
DC_3A-28A-42A_n78A-n257G	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_28A_n78A DC_28A_n257A DC_28A_n257G DC_42A_n257A DC_42A_n257G		
DC_3A-28A-42A_n78A-n257H	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_28A_n78A DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H		
DC_3A-28A-42A_n78A-n257I	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_28A_n78A DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_28A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_3A-28A-42C_n78A-n257A	DC_3A_n78A DC_3A_n257A DC_28A_n78A DC_28A_n257A DC_42A_n257A DC_42C_n257A		
DC_3A-28A-42C_n78A-n257G	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_28A_n78A DC_28A_n257A DC_28A_n257G DC_42A_n257A DC_42A_n257G DC_42C_n257A DC_42C_n257G		
DC_3A-28A-42C_n78A-n257H	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_28A_n78A DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42C_n257A DC_42C_n257G DC_42C_n257H		
DC_3A-28A-42C_n78A-n257I	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_28A_n78A DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_28A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
	DC_3A_n77A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_3A-41A-42A_n77A-n257A	DC_3A_n257A DC_41A_n77A DC_41A_n257A DC_42A_n257A		
DC_3A-41A-42A_n77A-n257G	DC_3A_n77A DC_3A_n257A DC_3A_n257G DC_41A_n77A DC_41A_n257A DC_41A_n257G DC_42A_n257A DC_42A_n257G		
DC_3A-41A-42A_n77A-n257H	DC_3A_n77A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_41A_n77A DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H		
DC_3A-41A-42A_n77A-n257I	DC_3A_n77A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_41A_n77A DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_3A-41A-42A_n78A-n257A	DC_3A_n78A DC_3A_n257A DC_41A_n78A DC_41A_n257A DC_42A_n257A		
DC_3A-41A-42A_n78A-n257G	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_41A_n78A DC_41A_n257A DC_41A_n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_42A_n257A DC_42A_n257G		
DC_3A-41A-42A_n78A-n257H	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_41A_n78A DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H		
DC_3A-41A-42A_n78A-n257I	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_41A_n78A DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_3A-41A-42C_n77A-n257A	DC_3A_n77A DC_3A_n257A DC_41A_n77A DC_41A_n257A DC_42A_n257A DC_42C_n257A		
DC_3A-41A-42C_n77A-n257G	DC_3A_n77A DC_3A_n257A DC_3A_n257G DC_41A_n77A DC_41A_n257A DC_41A_n257G DC_42A_n257A DC_42A_n257G DC_42C_n257A DC_42C_n257G		
DC_3A-41A-42C_n77A-n257H	DC_3A_n77A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_41A_n77A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42C_n257A DC_42C_n257G DC_42C_n257H		
DC_3A-41A-42C_n77A-n257I	DC_3A_n77A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_41A_n77A DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_3A-41A-42C_n78A-n257A	DC_3A_n78A DC_3A_n257A DC_41A_n78A DC_41A_n257A DC_42A_n257A DC_42C_n257A		
DC_3A-41A-42C_n78A-n257G	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_41A_n78A DC_41A_n257A DC_41A_n257G DC_42A_n257A DC_42A_n257G DC_42C_n257A DC_42C_n257G		
DC_3A-41A-42C_n78A-n257H	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_41A_n78A DC_41A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_41A_n257G DC_41A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42C_n257A DC_42C_n257G DC_42C_n257H		
DC_3A-41A-42C_n78A-n257I	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_41A_n78A DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_3A-41C-42A_n77A-n257A	DC_3A_n77A DC_3A_n257A DC_41A_n77A DC_41A_n257A DC_41C_n77A DC_41C_n257A DC_42A_n257A		
DC_3A-41C-42A_n77A-n257G	DC_3A_n77A DC_3A_n257A DC_3A_n257G DC_41A_n77A DC_41A_n257A DC_41A_n257G DC_41C_n77A DC_41C_n257A DC_41C_n257G DC_42A_n257A DC_42A_n257G		
DC_3A-41C-42A_n77A-n257H	DC_3A_n77A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_41A_n77A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41C_n77A DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H		
DC_3A-41C-42A_n77A-n257I	DC_3A_n77A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_41A_n77A DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_41C_n77A DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_41C_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_3A-41C-42A_n78A-n257A	DC_3A_n78A DC_3A_n257A DC_41A_n78A DC_41A_n257A DC_41C_n78A DC_41C_n257A DC_42A_n257A		
DC_3A-41C-42A_n78A-n257G	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_41A_n78A DC_41A_n257A DC_41A_n257G DC_41C_n78A DC_41C_n257A DC_41C_n257G DC_42A_n257A DC_42A_n257G		
DC_3A-41C-42A_n78A-n257H	DC_3A_n78A DC_3A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_3A_n257G DC_3A_n257H DC_41A_n78A DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41C_n78A DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H		
DC_3A-41C-42A_n78A-n257I	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_41A_n78A DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_41C_n78A DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_41C_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_3A-41C-42C_n77A-n257A	DC_3A_n77A DC_3A_n257A DC_41A_n77A DC_41A_n257A DC_41C_n77A DC_41C_n257A DC_42A_n257A DC_42C_n257A		
DC_3A-41C-42C_n77A-n257G	DC_3A_n77A DC_3A_n257A DC_3A_n257G DC_41A_n77A DC_41A_n257A DC_41A_n257G DC_41C_n77A DC_41C_n257A DC_41C_n257G DC_42A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_42A_n257G DC_42C_n257A DC_42C_n257G		
DC_3A-41C-42C_n77A-n257H	DC_3A_n77A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_41A_n77A DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41C_n77A DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42C_n257A DC_42C_n257G DC_42C_n257H		
DC_3A-41C-42C_n77A-n257I	DC_3A_n77A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_41A_n77A DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_41C_n77A DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_41C_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_3A-41C-42C_n78A-n257A	DC_3A_n78A DC_3A_n257A DC_41A_n78A DC_41A_n257A DC_41C_n78A DC_41C_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_42A_n257A DC_42C_n257A		
DC_3A-41C-42C_n78A-n257G	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_41A_n78A DC_41A_n257A DC_41A_n257G DC_41C_n78A DC_41C_n257A DC_41C_n257G DC_42A_n257A DC_42A_n257G DC_42C_n257A DC_42C_n257G		
DC_3A-41C-42C_n78A-n257H	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_41A_n78A DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41C_n78A DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42C_n257A DC_42C_n257G DC_42C_n257H		
DC_3A-41C-42C_n78A-n257I	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_41A_n78A DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_41C_n78A DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_41C_n257I DC_42A_n257A DC_42A_n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_5A-7A-7A_n78A-n257A	DC_5A_n78A DC_5A_n257A DC_7A_n78A DC_7A_n257A DC_5A_n78A-n257A DC_7A_n78A-n257A		
DC_5A-7A-7A_n78A-n257D	DC_5A_n78A DC_5A_n257A DC_7A_n78A DC_7A_n257A DC_5A_n78A-n257A DC_7A_n78A-n257A		
DC_5A-7A-7A_n78A-n257E	DC_5A_n78A DC_5A_n257A DC_7A_n78A DC_7A_n257A DC_5A_n78A-n257A DC_7A_n78A-n257A		
DC_5A-7A-7A_n78A-n257F	DC_5A_n78A DC_5A_n257A DC_7A_n78A DC_7A_n257A DC_5A_n78A-n257A DC_7A_n78A-n257A		
DC_5A-7A-7A_n78A-n257G	DC_5A_n78A DC_5A_n257A DC_7A_n78A DC_7A_n257A DC_5A_n78A-n257A DC_5A_n78A-n257G DC_7A_n78A-n257A DC_7A_n78A-n257G		
DC_5A-7A-7A_n78A-n257H	DC_5A_n78A DC_5A_n257A DC_7A_n78A DC_7A_n257A DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H DC_7A_n78A-n257A DC_7A_n78A-n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_7A_n78A-n257H		
DC_5A-7A-7A_n78A-n257I	DC_5A_n78A DC_5A_n257A DC_7A_n78A DC_7A_n257A DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H DC_5A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_5A-7A-7A_n78A-n257J	DC_5A_n78A DC_5A_n257A DC_7A_n78A DC_7A_n257A DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H DC_5A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_5A-7A-7A_n78A-n257K	DC_5A_n78A DC_5A_n257A DC_7A_n78A DC_7A_n257A DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H DC_5A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_5A-7A-7A_n78A-n257L	DC_5A_n78A DC_5A_n257A DC_7A_n78A DC_7A_n257A DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H DC_5A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_5A-7A-7A_n78A-n257M	DC_5A_n78A DC_5A_n257A DC_7A_n78A DC_7A_n257A DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H DC_5A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_5A-7A-7A_n78C-n257A	DC_5A_n78A-n257A DC_7A_n78A-n257A		
DC_5A-7A-7A_n78C-n257D	DC_5A_n78A-n257A DC_7A_n78A-n257A		
DC_5A-7A-7A_n78C-n257E	DC_5A_n78A-n257A DC_7A_n78A-n257A		
DC_5A-7A-7A_n78C-n257F	DC_5A_n78A-n257A DC_7A_n78A-n257A		
DC_5A-7A-7A_n78C-n257G	DC_5A_n78A-n257A DC_5A_n78A-n257G DC_7A_n78A-n257A DC_7A_n78A-n257G		
DC_5A-7A-7A_n78C-n257H	DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H		
DC_5A-7A-7A_n78C-n257I	DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H DC_5A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_5A-7A-7A_n78C-n257J	DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H DC_5A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_7A_n78A-n257I		
DC_5A-7A-7A_n78C-n257K	DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H DC_5A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_5A-7A-7A_n78C-n257L	DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H DC_5A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_5A-7A-7A_n78C-n257M	DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H DC_5A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_5A-30A-66A-66A_n260A	DC_5A_n260A DC_30A_n260A DC_66A_n260A		
DC_5A-30A-66A-66A_n260G	DC_5A_n260A DC_30A_n260A DC_66A_n260A DC_5A_n260G DC_30A_n260G DC_66A_n260G		
DC_5A-30A-66A-66A_n260H	DC_5A_n260A DC_30A_n260A DC_66A_n260A DC_5A_n260G DC_30A_n260G DC_66A_n260G DC_5A_n260H DC_30A_n260H DC_66A_n260H		
DC_5A-30A-66A-66A_n260I	DC_5A_n260A DC_30A_n260A DC_66A_n260A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_5A_n260G DC_30A_n260G DC_66A_n260G DC_5A_n260H DC_30A_n260H DC_66A_n260H DC_5A_n260I DC_30A_n260I DC_66A_n260I		
DC_5A-30A-66A-66A_n260J	DC_5A_n260A DC_30A_n260A DC_66A_n260A DC_5A_n260G DC_30A_n260G DC_66A_n260G DC_5A_n260H DC_30A_n260H DC_66A_n260H DC_5A_n260I DC_30A_n260I DC_66A_n260I DC_5A_n260J DC_30A_n260J DC_66A_n260J		
DC_5A-30A-66A-66A_n260K	DC_5A_n260A DC_30A_n260A DC_66A_n260A DC_5A_n260G DC_30A_n260G DC_66A_n260G DC_5A_n260H DC_30A_n260H DC_66A_n260H DC_5A_n260I DC_30A_n260I DC_66A_n260I DC_5A_n260J DC_30A_n260J DC_66A_n260J DC_5A_n260K DC_30A_n260K DC_66A_n260K		
DC_5A-30A-66A-66A_n260L	DC_5A_n260A DC_30A_n260A DC_66A_n260A DC_5A_n260G DC_30A_n260G DC_66A_n260G DC_5A_n260H DC_30A_n260H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_66A_n260H DC_5A_n260I DC_30A_n260I DC_66A_n260I DC_5A_n260J DC_30A_n260J DC_66A_n260J DC_5A_n260K DC_30A_n260K DC_66A_n260K DC_5A_n260L DC_30A_n260L DC_66A_n260L		
DC_5A-30A-66A-66A_n260M	DC_5A_n260A DC_30A_n260A DC_66A_n260A DC_5A_n260G DC_30A_n260G DC_66A_n260G DC_5A_n260H DC_30A_n260H DC_66A_n260H DC_5A_n260I DC_30A_n260I DC_66A_n260I DC_5A_n260J DC_30A_n260J DC_66A_n260J DC_5A_n260K DC_30A_n260K DC_66A_n260K DC_5A_n260L DC_30A_n260L DC_66A_n260L DC_5A_n260M DC_30A_n260M DC_66A_n260M		
DC_7A-7A-8A_n1A-n257A (interBandEnDcSimRxTx)	DC_7A_n1A DC_7A_n257A DC_8A_n1A DC_8A_n257A		
DC_7A-7A-8A_n1A-n257D (interBandEnDcSimRxTx)	DC_7A_n1A DC_7A_n257A DC_8A_n1A DC_8A_n257A		
DC_7A-7A-8A_n1A-n257E (interBandEnDcSimRxTx)	DC_7A_n1A DC_7A_n257A DC_8A_n1A DC_8A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_7A-7A-8A_n1A-n257F (interBandEnDcSimRxTx)	DC_7A_n1A DC_7A_n257A DC_8A_n1A DC_8A_n257A		
DC_7A-7A-8A_n1A-n257G (interBandEnDcSimRxTx)	DC_7A_n1A DC_7A_n257A DC_7A_n257G DC_8A_n1A DC_8A_n257A DC_8A_n257G		
DC_7A-7A-8A_n1A-n257H (interBandEnDcSimRxTx)	DC_7A_n1A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_8A_n1A DC_8A_n257A DC_8A_n257G DC_8A_n257H		
DC_7A-7A-8A_n1A-n257I (interBandEnDcSimRxTx)	DC_7A_n1A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_8A_n1A DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I		
DC_7A-7A-8A_n1A-n257J (interBandEnDcSimRxTx)	DC_7A_n1A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_8A_n1A DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I DC_8A_n257J		
DC_7A-7A-8A_n1A-n257K (interBandEnDcSimRxTx)	DC_7A_n1A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_7A_n257K DC_8A_n1A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I DC_8A_n257J DC_8A_n257K		
DC_7A-7A-8A_n1A-n257L (interBandEnDcSimRxTx)	DC_7A_n1A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_7A_n257K DC_8A_n1A DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I DC_8A_n257J DC_8A_n257K		
DC_7A-7A-8A_n1A-n257M (interBandEnDcSimRxTx)	DC_7A_n1A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_7A_n257K DC_8A_n1A DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I DC_8A_n257J DC_8A_n257K		
DC_7A-7A-8A_n78A-n257A (interBandEnDcSimRxTx)	DC_7A_n78A DC_7A_n257A DC_8A_n78A DC_8A_n257A		
DC_7A-7A-8A_n78A-n257D (interBandEnDcSimRxTx)	DC_7A_n78A DC_7A_n257A DC_8A_n78A DC_8A_n257A		
DC_7A-7A-8A_n78A-n257E (interBandEnDcSimRxTx)	DC_7A_n78A DC_7A_n257A DC_8A_n78A DC_8A_n257A		
	DC_7A_n78A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_7A-7A-8A_n78A-n257F (interBandEnDcSimRxTx)	DC_7A_n257A DC_8A_n78A DC_8A_n257A		
DC_7A-7A-8A_n78A-n257G (interBandEnDcSimRxTx)	DC_7A_n78A DC_7A_n257A DC_7A_n257G DC_8A_n78A DC_8A_n257A DC_8A_n257G		
DC_7A-7A-8A_n78A-n257H (interBandEnDcSimRxTx)	DC_7A_n78A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_8A_n78A DC_8A_n257A DC_8A_n257G DC_8A_n257H		
DC_7A-7A-8A_n78A-n257I (interBandEnDcSimRxTx)	DC_7A_n78A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_8A_n78A DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I		
DC_7A-7A-8A_n78A-n257J (interBandEnDcSimRxTx)	DC_7A_n78A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_8A_n78A DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I DC_8A_n257J		
DC_7A-7A-8A_n78A-n257K (interBandEnDcSimRxTx)	DC_7A_n78A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_7A_n257K DC_8A_n78A DC_8A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_8A_n257G DC_8A_n257H DC_8A_n257I DC_8A_n257J DC_8A_n257K		
DC_7A-7A-8A_n78A-n257L (interBandEnDcSimRxTx)	DC_7A_n78A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_7A_n257K DC_8A_n78A DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I DC_8A_n257J DC_8A_n257K		
DC_7A-7A-8A_n78A-n257M (interBandEnDcSimRxTx)	DC_7A_n78A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_7A_n257K DC_8A_n78A DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I DC_8A_n257J DC_8A_n257K		
DC_7A-7A_n1A-n78A-n257A (interBandEnDcSimRxTx)	DC_7A_n1A DC_7A_n78A DC_7A_n257A		
DC_7A-7A_n1A-n78A-n257D (interBandEnDcSimRxTx)	DC_7A_n1A DC_7A_n78A DC_7A_n257A		
DC_7A-7A_n1A-n78A-n257E (interBandEnDcSimRxTx)	DC_7A_n1A DC_7A_n78A DC_7A_n257A		
DC_7A-7A_n1A-n78A-n257F (interBandEnDcSimRxTx)	DC_7A_n1A DC_7A_n78A DC_7A_n257A		
	DC_7A_n1A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_7A-7A_n1A-n78A-n257G (interBandEnDcSimRxTx)	DC_7A_n78A DC_7A_n257A		
DC_7A-7A_n1A-n78A-n257H (interBandEnDcSimRxTx)	DC_7A_n1A DC_7A_n78A DC_7A_n257A		
DC_7A-7A_n1A-n78A-n257I (interBandEnDcSimRxTx)	DC_7A_n1A DC_7A_n78A DC_7A_n257A		
DC_7A-7A_n1A-n78A-n257J (interBandEnDcSimRxTx)	DC_7A_n1A DC_7A_n78A DC_7A_n257A		
DC_7A-7A_n1A-n78A-n257K (interBandEnDcSimRxTx)	DC_7A_n1A DC_7A_n78A DC_7A_n257A		
DC_7A-7A_n1A-n78A-n257L (interBandEnDcSimRxTx)	DC_7A_n1A DC_7A_n78A DC_7A_n257A		
DC_7A-7A_n1A-n78A-n257M (interBandEnDcSimRxTx)	DC_7A_n1A DC_7A_n78A DC_7A_n257A		
DC_7A-7A_n8A-n78A-n257A (interBandEnDcSimRxTx)	DC_7A_n8A DC_7A_n78A DC_7A_n257A		
DC_7A-7A_n8A-n78A-n257G (interBandEnDcSimRxTx)	DC_7A_n8A DC_7A_n78A DC_7A_n257A DC_7A_n257G		
DC_7A-7A_n8A-n78A-n257H (interBandEnDcSimRxTx)	DC_7A_n8A DC_7A_n78A DC_7A_n257A DC_7A_n257G DC_7A_n257H		
DC_7A-7A_n8A-n78A-n257I (interBandEnDcSimRxTx)	DC_7A_n8A DC_7A_n78A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I		
DC_7A-7A_n8A-n78A-n257J (interBandEnDcSimRxTx)	DC_7A_n8A DC_7A_n78A DC_7A_n257A DC_7A_n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_7A_n257H DC_7A_n257I DC_7A_n257J		
DC_7A-7A_n8A-n78A-n257K (interBandEnDcSimRxTx)	DC_7A_n8A DC_7A_n78A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_7A_n257K		
DC_7A-8A_n1A-n78A-n257A (interBandEnDcSimRxTx)	DC_7A_n1A DC_7A_n78A DC_7A_n257A DC_8A_n1A DC_8A_n78A DC_8A_n257A		
DC_12A-30A-66A-66A_n260A	DC_12A_n260A DC_30A_n260A DC_66A_n260A		
DC_12A-30A-66A-66A_n260G	DC_12A_n260A DC_30A_n260A DC_66A_n260A DC_12A_n260G DC_30A_n260G DC_66A_n260G		
DC_12A-30A-66A-66A_n260H	DC_12A_n260A DC_30A_n260A DC_66A_n260A DC_12A_n260G DC_30A_n260G DC_66A_n260G DC_12A_n260H DC_30A_n260H DC_66A_n260H		
DC_12A-30A-66A-66A_n260I	DC_12A_n260A DC_30A_n260A DC_66A_n260A DC_12A_n260G DC_30A_n260G DC_66A_n260G DC_12A_n260H DC_30A_n260H DC_66A_n260H DC_12A_n260I DC_30A_n260I DC_66A_n260I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_12A-30A-66A-66A_n260J	DC_12A_n260A DC_30A_n260A DC_66A_n260A DC_12A_n260G DC_30A_n260G DC_66A_n260G DC_12A_n260H DC_30A_n260H DC_66A_n260H DC_12A_n260I DC_30A_n260I DC_66A_n260I DC_12A_n260J DC_30A_n260J DC_66A_n260J		
DC_12A-30A-66A-66A_n260K	DC_12A_n260A DC_30A_n260A DC_66A_n260A DC_12A_n260G DC_30A_n260G DC_66A_n260G DC_12A_n260H DC_30A_n260H DC_66A_n260H DC_12A_n260I DC_30A_n260I DC_66A_n260I DC_12A_n260J DC_30A_n260J DC_66A_n260J DC_12A_n260K DC_30A_n260K DC_66A_n260K		
DC_12A-30A-66A-66A_n260L	DC_12A_n260A DC_30A_n260A DC_66A_n260A DC_12A_n260G DC_30A_n260G DC_66A_n260G DC_12A_n260H DC_30A_n260H DC_66A_n260H DC_12A_n260I DC_30A_n260I DC_66A_n260I DC_12A_n260J DC_30A_n260J DC_66A_n260J DC_12A_n260K DC_30A_n260K DC_66A_n260K		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_12A_n260L DC_30A_n260L DC_66A_n260L		
DC_12A-30A-66A-66A_n260M	DC_12A_n260A DC_30A_n260A DC_66A_n260A DC_12A_n260G DC_30A_n260G DC_66A_n260G DC_12A_n260H DC_30A_n260H DC_66A_n260H DC_12A_n260I DC_30A_n260I DC_66A_n260I DC_12A_n260J DC_30A_n260J DC_66A_n260J DC_12A_n260K DC_30A_n260K DC_66A_n260K DC_12A_n260L DC_30A_n260L DC_66A_n260L DC_12A_n260M DC_30A_n260M DC_66A_n260M		
DC_14A-30A-66A-66A_n260A	DC_14A_n260A DC_30A_n260A DC_66A_n260A		
DC_14A-30A-66A-66A_n260G	DC_14A_n260A DC_14A_n260G DC_30A_n260A DC_30A_n260G DC_66A_n260A DC_66A_n260G		
DC_14A-30A-66A-66A_n260H	DC_14A_n260A DC_14A_n260G DC_14A_n260H DC_30A_n260A DC_30A_n260G DC_30A_n260H DC_66A_n260A DC_66A_n260G DC_66A_n260H		
DC_14A-30A-66A-66A_n260I	DC_14A_n260A DC_14A_n260G DC_14A_n260H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_14A_n260I DC_30A_n260A DC_30A_n260G DC_30A_n260H DC_30A_n260I DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I		
DC_14A-30A-66A-66A_n260J	DC_14A_n260A DC_14A_n260G DC_14A_n260H DC_14A_n260I DC_14A_n260J DC_30A_n260A DC_30A_n260G DC_30A_n260H DC_30A_n260I DC_30A_n260J DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I DC_66A_n260J		
DC_14A-30A-66A-66A_n260K	DC_14A_n260A DC_14A_n260G DC_14A_n260H DC_14A_n260I DC_14A_n260J DC_14A_n260K DC_30A_n260A DC_30A_n260G DC_30A_n260H DC_30A_n260I DC_30A_n260J DC_30A_n260K DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I DC_66A_n260J DC_66A_n260K		
DC_14A-30A-66A-66A_n260L	DC_14A_n260A DC_14A_n260G DC_14A_n260H DC_14A_n260I DC_14A_n260J DC_14A_n260K DC_14A_n260L DC_30A_n260A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_30A_n260G DC_30A_n260H DC_30A_n260I DC_30A_n260J DC_30A_n260K DC_30A_n260L DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I DC_66A_n260J DC_66A_n260K DC_66A_n260L		
DC_14A-30A-66A-66A_n260M	DC_14A_n260A DC_14A_n260G DC_14A_n260H DC_14A_n260I DC_14A_n260J DC_14A_n260K DC_14A_n260L DC_14A_n260M DC_30A_n260A DC_30A_n260G DC_30A_n260H DC_30A_n260I DC_30A_n260J DC_30A_n260K DC_30A_n260L DC_30A_n260M DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I DC_66A_n260J DC_66A_n260K DC_66A_n260L DC_66A_n260M		
DC_19A-21A-42A_n77A-n257A	DC_19A_n77A DC_19A_n257A DC_21A_n77A DC_21A_n257A DC_42A_n257A		
DC_19A-21A-42A_n77A-n257G	DC_19A_n77A DC_19A_n257A DC_19A_n257G DC_21A_n77A DC_21A_n257A DC_21A_n257G DC_42A_n257A DC_42A_n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_19A-21A-42A_n77A-n257H	DC_19A_n77A DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_21A_n77A DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H		
DC_19A-21A-42A_n77A-n257I	DC_19A_n77A DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_19A_n257I DC_21A_n77A DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_19A-21A-42A_n78A-n257A	DC_19A_n78A DC_19A_n257A DC_21A_n78A DC_21A_n257A DC_42A_n257A		
DC_19A-21A-42A_n78A-n257G	DC_19A_n78A DC_19A_n257A DC_19A_n257G DC_21A_n78A DC_21A_n257A DC_21A_n257G DC_42A_n257A DC_42A_n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_19A-21A-42A_n78A-n257H	DC_19A_n78A DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_21A_n78A DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H		
DC_19A-21A-42A_n78A-n257I	DC_19A_n78A DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_19A_n257I DC_21A_n78A DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_19A-21A-42A_n79A-n257A	DC_19A_n79A DC_19A_n257A DC_21A_n79A DC_21A_n257A DC_42A_n257A		
DC_19A-21A-42A_n79A-n257G	DC_19A_n79A DC_19A_n257A DC_19A_n257G DC_21A_n79A DC_21A_n257A DC_21A_n257G DC_42A_n257A DC_42A_n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_19A-21A-42A_n79A-n257H	DC_19A_n79A DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_21A_n79A DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H		
DC_19A-21A-42A_n79A-n257I	DC_19A_n79A DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_19A_n257I DC_21A_n79A DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_19A-21A-42C_n77A-n257A	DC_19A_n77A DC_19A_n257A DC_21A_n77A DC_21A_n257A DC_42A_n257A		
DC_19A-21A-42C_n77A-n257G	DC_19A_n77A DC_19A_n257A DC_19A_n257G DC_21A_n77A DC_21A_n257A DC_21A_n257G DC_42A_n257A DC_42A_n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_19A-21A-42C_n77A-n257H	DC_19A_n77A DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_21A_n77A DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H		
DC_19A-21A-42C_n77A-n257I	DC_19A_n77A DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_19A_n257I DC_21A_n77A DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_19A-21A-42C_n78A-n257A	DC_19A_n78A DC_19A_n257A DC_21A_n78A DC_21A_n257A DC_42A_n257A		
DC_19A-21A-42C_n78A-n257G	DC_19A_n78A DC_19A_n257A DC_19A_n257G DC_21A_n78A DC_21A_n257A DC_21A_n257G DC_42A_n257A DC_42A_n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_19A-21A-42C_n78A-n257H	DC_19A_n78A DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_21A_n78A DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H		
DC_19A-21A-42C_n78A-n257I	DC_19A_n78A DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_19A_n257I DC_21A_n78A DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_19A-21A-42C_n79A-n257A	DC_19A_n79A DC_19A_n257A DC_21A_n79A DC_21A_n257A DC_42A_n257A		
DC_19A-21A-42C_n79A-n257G	DC_19A_n79A DC_19A_n257A DC_19A_n257G DC_21A_n79A DC_21A_n257A DC_21A_n257G DC_42A_n257A DC_42A_n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_19A-21A-42C_n79A-n257H	DC_19A_n79A DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_21A_n79A DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H		
DC_19A-21A-42C_n79A-n257I	DC_19A_n79A DC_19A_n257A DC_19A_n257G DC_19A_n257H DC_19A_n257I DC_21A_n79A DC_21A_n257A DC_21A_n257G DC_21A_n257H DC_21A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_28A-41A-42A_n78A-n257A	DC_28A_n78A DC_28A_n257A DC_41A_n78A DC_41A_n257A DC_42A_n257A		
DC_28A-41A-42A_n78A-n257G	DC_28A_n78A DC_28A_n257A DC_28A_n257G DC_41A_n78A DC_41A_n257A DC_41A_n257G DC_42A_n257A DC_42A_n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_28A-41A-42A_n78A-n257H	DC_28A_n78A DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_41A_n78A DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H		
DC_28A-41A-42A_n78A-n257I	DC_28A_n78A DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_28A_n257I DC_41A_n78A DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_28A-41A-42C_n78A-n257A	DC_28A_n78A DC_28A_n257A DC_41A_n78A DC_41A_n257A DC_42A_n257A DC_42C_n257A		
DC_28A-41A-42C_n78A-n257G	DC_28A_n78A DC_28A_n257A DC_28A_n257G DC_41A_n78A DC_41A_n257A DC_41A_n257G DC_42A_n257A DC_42A_n257G DC_42C_n257A DC_42C_n257G		
DC_28A-41A-42C_n78A-n257H	DC_28A_n78A DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_41A_n78A DC_41A_n257A DC_41A_n257G DC_41A_n257H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42C_n257A DC_42C_n257G DC_42C_n257H		
DC_28A-41A-42C_n78A-n257I	DC_28A_n78A DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_28A_n257I DC_41A_n78A DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_28A-41C-42A_n78A-n257A	DC_28A_n78A DC_28A_n257A DC_41A_n78A DC_41A_n257A DC_41C_n78A DC_41C_n257A DC_42A_n257A		
DC_28A-41C-42A_n78A-n257G	DC_28A_n78A DC_28A_n257A DC_28A_n257G DC_41A_n78A DC_41A_n257A DC_41A_n257G DC_41C_n78A DC_41C_n257A DC_41C_n257G DC_42A_n257A DC_42A_n257G		
DC_28A-41C-42A_n78A-n257H	DC_28A_n78A DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_41A_n78A DC_41A_n257A DC_41A_n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_41A_n257H DC_41C_n78A DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H		
DC_28A-41C-42A_n78A-n257I	DC_28A_n78A DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_28A_n257I DC_41A_n78A DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_41C_n78A DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_41C_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_28A-41C-42C_n78A-n257A	DC_28A_n78A DC_28A_n257A DC_41A_n78A DC_41A_n257A DC_41C_n78A DC_41C_n257A DC_42A_n257A DC_42C_n257A		
DC_28A-41C-42C_n78A-n257G	DC_28A_n78A DC_28A_n257A DC_28A_n257G DC_41A_n78A DC_41A_n257A DC_41A_n257G DC_41C_n78A DC_41C_n257A DC_41C_n257G DC_42A_n257A DC_42A_n257G DC_42C_n257A DC_42C_n257G		
DC_28A-41C-42C_n78A-n257H	DC_28A_n78A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_41A_n78A DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41C_n78A DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42C_n257A DC_42C_n257G DC_42C_n257H		
DC_28A-41C-42C_n78A-n257I	DC_28A_n78A DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_28A_n257I DC_41A_n78A DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_41C_n78A DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_41C_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_40A-40A-42A-42A_n257A	DC_40A_n257A DC_42A_n257A		
DC_40A-40A-42A-42A_n257D	DC_40A_n257A DC_42A_n257A		
DC_40A-40A-42A-42A_n257E	DC_40A_n257A DC_42A_n257A		
DC_40A-40A-42A-42A_n257F	DC_40A_n257A DC_42A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_40A-40A-42A-42A_n257G	DC_40A_n257A DC_42A_n257A		
DC_40A-40A-42A-42A_n257H	DC_40A_n257A DC_42A_n257A		
DC_40A-40A-42A-42A_n257I	DC_40A_n257A DC_42A_n257A		
DC_40A-40A-42A-42A_n257J	DC_40A_n257A DC_42A_n257A		
DC_40A-40A-42A-42A_n257K	DC_40A_n257A DC_42A_n257A		
DC_40A-40A-42A-42A_n257L	DC_40A_n257A DC_42A_n257A		
DC_40A-40A-42A-42A_n257M	DC_40A_n257A DC_42A_n257A		
DC_46A-46A-46A-66A_n261A	DC_66A_n261A		
DC_46A-46A-46A-66A_n261G	DC_66A_n261A DC_66A_n261G		
DC_46A-46A-46A-66A_n261H	DC_66A_n261A DC_66A_n261G DC_66A_n261H		
DC_46A-46A-46A-66A_n261I	DC_66A_n261A DC_66A_n261G DC_66A_n261H DC_66A_n261I		
DC_46A-46A-46A-66A_n261J	DC_66A_n261A DC_66A_n261G DC_66A_n261H DC_66A_n261I DC_66A_n261J		
DC_46A-46A-46A-66A_n261K	DC_66A_n261A DC_66A_n261G DC_66A_n261H DC_66A_n261I DC_66A_n261J DC_66A_n261K		
DC_46A-46A-46A-66A_n261L	DC_66A_n261A DC_66A_n261G DC_66A_n261H DC_66A_n261I DC_66A_n261J		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_66A_n261K DC_66A_n261L		
DC_46A-46A-46A-66A_n261M	DC_66A_n261A DC_66A_n261G DC_66A_n261H DC_66A_n261I DC_66A_n261J DC_66A_n261K DC_66A_n261L DC_66A_n261M		
DC_46A-46A-46A-66A_n261(2A)	DC_66A_n261A		
DC_46A-46A-46A-66A_n261(2A-G)	DC_66A_n261A DC_66A_n261G		
DC_46A-46A-46A-66A_n261(2A-H)	DC_66A_n261A DC_66A_n261G DC_66A_n261H		
DC_46A-46A-46A-66A_n261(2G)	DC_66A_n261A DC_66A_n261G		
DC_46A-46A-46A-66A_n261(2H)	DC_66A_n261A DC_66A_n261G DC_66A_n261H		
DC_46A-46A-46A-66A_n261(3A)	DC_66A_n261A		
DC_46A-46A-46A-66A_n261(A-G)	DC_66A_n261A DC_66A_n261G		
DC_46A-46A-46A-66A_n261(A-H)	DC_66A_n261A DC_66A_n261G DC_66A_n261H		
DC_46A-46A-46A-66A_n261(A-I)	DC_66A_n261A DC_66A_n261G DC_66A_n261H DC_66A_n261I		
DC_46A-46A-46A-66A_n261(A-J)	DC_66A_n261A DC_66A_n261G DC_66A_n261H DC_66A_n261I		
DC_46A-46A-46A-66A_n261(A-K)	DC_66A_n261A DC_66A_n261G DC_66A_n261H DC_66A_n261I		
DC_46A-46A-46A-66A_n261(A-L)	DC_66A_n261A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_66A_n261G DC_66A_n261H DC_66A_n261I		
DC_46A-46A-46A-66A_n261(G-H)	DC_66A_n261A DC_66A_n261G DC_66A_n261H		
DC_n3A-n8A-n77A-n257A_1A	DC_n3A_1A DC_n8A_1A DC_n77A_1A DC_n257A_1A		
DC_n3A-n8A-n77A-n257G_1A	DC_n3A_1A DC_n8A_1A DC_n77A_1A DC_n257A_1A		
DC_n3A-n8A-n77A-n257H_1A	DC_n3A_1A DC_n8A_1A DC_n77A_1A DC_n257A_1A		
DC_n3A-n8A-n77A-n257I_1A	DC_n3A_1A DC_n8A_1A DC_n77A_1A DC_n257A_1A		
DC_n3A-n8A-n77A-n257J_1A	DC_n3A_1A DC_n8A_1A DC_n77A_1A DC_n257A_1A		
DC_n3A-n8A-n77A-n257K_1A	DC_n3A_1A DC_n8A_1A DC_n77A_1A DC_n257A_1A		
DC_n3A-n8A-n77A-n257L_1A	DC_n3A_1A DC_n8A_1A DC_n77A_1A DC_n257A_1A		
DC_n3A-n8A-n77A-n257M_1A	DC_n3A_1A DC_n8A_1A DC_n77A_1A DC_n257A_1A		
DC_n3A-n8A-n77(2A)-n257A_1A	DC_n3A_1A DC_n8A_1A DC_n77A_1A DC_n257A_1A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_n3A-n8A-n77(2A)-n257G_1A	DC_n3A_1A DC_n8A_1A DC_n77A_1A DC_n257A_1A		
DC_n3A-n8A-n77(2A)-n257H_1A	DC_n3A_1A DC_n8A_1A DC_n77A_1A DC_n257A_1A		
DC_n3A-n8A-n77(2A)-n257I_1A	DC_n3A_1A DC_n8A_1A DC_n77A_1A DC_n257A_1A		
DC_n3A-n8A-n77(2A)-n257J_1A	DC_n3A_1A DC_n8A_1A DC_n77A_1A DC_n257A_1A		
DC_n3A-n8A-n77(2A)-n257K_1A	DC_n3A_1A DC_n8A_1A DC_n77A_1A DC_n257A_1A		
DC_n3A-n8A-n77(2A)-n257L_1A	DC_n3A_1A DC_n8A_1A DC_n77A_1A DC_n257A_1A		
DC_n3A-n8A-n77(2A)-n257M_1A	DC_n3A_1A DC_n8A_1A DC_n77A_1A DC_n257A_1A		
DC_n8A-n77A-n257A_1A-3A	DC_n8A_1A DC_n8A_3A DC_n77A_1A DC_n77A_3A DC_n257A_1A DC_n257A_3A		
DC_n8A-n77A-n257A-3(n)AA-1A	DC_n3A_1A DC_3(n)AA (switchedUlOnly) DC_n8A_1A DC_n8A_3A DC_n77A_1A DC_n77A_3A DC_n257A_1A DC_n257A_3A		
DC_n8A-n77A-n257G_1A-3A	DC_n8A_1A DC_n8A_3A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_n77A_1A DC_n77A_3A DC_n257A_1A DC_n257A_3A		
DC_n8A-n77A-n257G-3(n)AA-1A	DC_n3A_1A DC_3(n)AA (switchedUlOnly) DC_n8A_1A DC_n8A_3A DC_n77A_1A DC_n77A_3A DC_n257A_1A DC_n257A_3A		
DC_n8A-n77A-n257H_1A-3A	DC_n8A_1A DC_n8A_3A DC_n77A_1A DC_n77A_3A DC_n257A_1A DC_n257A_3A		
DC_n8A-n77A-n257H-3(n)AA-1A	DC_n3A_1A DC_3(n)AA (switchedUlOnly) DC_n8A_1A DC_n8A_3A DC_n77A_1A DC_n77A_3A DC_n257A_1A DC_n257A_3A		
DC_n8A-n77A-n257I_1A-3A	DC_n8A_1A DC_n8A_3A DC_n77A_1A DC_n77A_3A DC_n257A_1A DC_n257A_3A		
DC_n8A-n77A-n257I-3(n)AA-1A	DC_n3A_1A DC_3(n)AA (switchedUlOnly) DC_n8A_1A DC_n8A_3A DC_n77A_1A DC_n77A_3A DC_n257A_1A DC_n257A_3A		
DC_n8A-n77A-n257J_1A-3A	DC_n8A_1A DC_n8A_3A DC_n77A_1A DC_n77A_3A DC_n257A_1A DC_n257A_3A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_n8A-n77A-n257J-3(n)AA-1A	DC_n3A_1A DC_3(n)AA (switchedUlOnly) DC_n8A_1A DC_n8A_3A DC_n77A_1A DC_n77A_3A DC_n257A_1A DC_n257A_3A		
DC_n8A-n77A-n257K_1A-3A	DC_n8A_1A DC_n8A_3A DC_n77A_1A DC_n77A_3A DC_n257A_1A DC_n257A_3A		
DC_n8A-n77A-n257K-3(n)AA-1A	DC_n3A_1A DC_3(n)AA (switchedUlOnly) DC_n8A_1A DC_n8A_3A DC_n77A_1A DC_n77A_3A DC_n257A_1A DC_n257A_3A		
DC_n8A-n77A-n257L_1A-3A	DC_n8A_1A DC_n8A_3A DC_n77A_1A DC_n77A_3A DC_n257A_1A DC_n257A_3A		
DC_n8A-n77A-n257L-3(n)AA-1A	DC_n3A_1A DC_3(n)AA (switchedUlOnly) DC_n8A_1A DC_n8A_3A DC_n77A_1A DC_n77A_3A DC_n257A_1A DC_n257A_3A		
DC_n8A-n77A-n257M_1A-3A	DC_n8A_1A DC_n8A_3A DC_n77A_1A DC_n77A_3A DC_n257A_1A DC_n257A_3A		
DC_n8A-n77A-n257M-3(n)AA-1A	DC_n3A_1A DC_3(n)AA (switchedUlOnly) DC_n8A_1A DC_n8A_3A DC_n77A_1A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_n77A_3A DC_n257A_1A DC_n257A_3A		
DC_n8A-n77(2A)-n257A_1A-3A	DC_n8A_1A DC_n8A_3A DC_n77A_1A DC_n77A_3A DC_n257A_1A DC_n257A_3A		
DC_n8A-n77(2A)-n257A-3(n)AA-1A	DC_n3A_1A DC_3(n)AA (switchedUlOnly) DC_n8A_1A DC_n8A_3A DC_n77A_1A DC_n77A_3A DC_n257A_1A DC_n257A_3A		
DC_n8A-n77(2A)-n257G_1A-3A	DC_n8A_1A DC_n8A_3A DC_n77A_1A DC_n77A_3A DC_n257A_1A DC_n257A_3A		
DC_n8A-n77(2A)-n257G-3(n)AA-1A	DC_n3A_1A DC_3(n)AA (switchedUlOnly) DC_n8A_1A DC_n8A_3A DC_n77A_1A DC_n77A_3A DC_n257A_1A DC_n257A_3A		
DC_n8A-n77(2A)-n257H_1A-3A	DC_n8A_1A DC_n8A_3A DC_n77A_1A DC_n77A_3A DC_n257A_1A DC_n257A_3A		
DC_n8A-n77(2A)-n257H-3(n)AA-1A	DC_n3A_1A DC_3(n)AA (switchedUlOnly) DC_n8A_1A DC_n8A_3A DC_n77A_1A DC_n77A_3A DC_n257A_1A DC_n257A_3A		
DC_n8A-n77(2A)-n257I_1A-3A	DC_n8A_1A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_n8A_3A DC_n77A_1A DC_n77A_3A DC_n257A_1A DC_n257A_3A		
DC_n8A-n77(2A)-n257I-3(n)AA-1A	DC_n3A_1A DC_3(n)AA (switchedUlOnly) DC_n8A_1A DC_n8A_3A DC_n77A_1A DC_n77A_3A DC_n257A_1A DC_n257A_3A		
DC_n8A-n77(2A)-n257J_1A-3A	DC_n8A_1A DC_n8A_3A DC_n77A_1A DC_n77A_3A DC_n257A_1A DC_n257A_3A		
DC_n8A-n77(2A)-n257J-3(n)AA-1A	DC_n3A_1A DC_3(n)AA (switchedUlOnly) DC_n8A_1A DC_n8A_3A DC_n77A_1A DC_n77A_3A DC_n257A_1A DC_n257A_3A		
DC_n8A-n77(2A)-n257K_1A-3A	DC_n8A_1A DC_n8A_3A DC_n77A_1A DC_n77A_3A DC_n257A_1A DC_n257A_3A		
DC_n8A-n77(2A)-n257K-3(n)AA-1A	DC_n3A_1A DC_3(n)AA (switchedUlOnly) DC_n8A_1A DC_n8A_3A DC_n77A_1A DC_n77A_3A DC_n257A_1A DC_n257A_3A		
DC_n8A-n77(2A)-n257L_1A-3A	DC_n8A_1A DC_n8A_3A DC_n77A_1A DC_n77A_3A DC_n257A_1A DC_n257A_3A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_n8A-n77(2A)-n257L-3(n)AA-1A	DC_n3A_1A DC_3(n)AA (switchedUlOnly) DC_n8A_1A DC_n8A_3A DC_n77A_1A DC_n77A_3A DC_n257A_1A DC_n257A_3A		
DC_n8A-n77(2A)-n257M_1A-3A	DC_n8A_1A DC_n8A_3A DC_n77A_1A DC_n77A_3A DC_n257A_1A DC_n257A_3A		
DC_n8A-n77(2A)-n257M-3(n)AA-1A	DC_n3A_1A DC_3(n)AA (switchedUlOnly) DC_n8A_1A DC_n8A_3A DC_n77A_1A DC_n77A_3A DC_n257A_1A DC_n257A_3A		
DC_n77A-n257A_1A-3A-8A	DC_n77A_1A DC_n77A_3A DC_n77A_8A DC_n257A_1A DC_n257A_3A DC_n257A_8A		
DC_n77A-n257G_1A-3A-8A	DC_n77A_1A DC_n77A_3A DC_n77A_8A DC_n257A_1A DC_n257A_3A DC_n257A_8A		
DC_n77A-n257H_1A-3A-8A	DC_n77A_1A DC_n77A_3A DC_n77A_8A DC_n257A_1A DC_n257A_3A DC_n257A_8A		
DC_n77A-n257I_1A-3A-8A	DC_n77A_1A DC_n77A_3A DC_n77A_8A DC_n257A_1A DC_n257A_3A DC_n257A_8A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_n77A-n257J_1A-3A-8A	DC_n77A_1A DC_n77A_3A DC_n77A_8A DC_n257A_1A DC_n257A_3A DC_n257A_8A		
DC_n77A-n257K_1A-3A-8A	DC_n77A_1A DC_n77A_3A DC_n77A_8A DC_n257A_1A DC_n257A_3A DC_n257A_8A		
DC_n77A-n257L_1A-3A-8A	DC_n77A_1A DC_n77A_3A DC_n77A_8A DC_n257A_1A DC_n257A_3A DC_n257A_8A		
DC_n77A-n257M_1A-3A-8A	DC_n77A_1A DC_n77A_3A DC_n77A_8A DC_n257A_1A DC_n257A_3A DC_n257A_8A		
DC_n77(2A)-n257A_1A-3A-8A	DC_n77A_1A DC_n77A_3A DC_n77A_8A DC_n257A_1A DC_n257A_3A DC_n257A_8A		
DC_n77(2A)-n257A-3(n)AA-1A-8A	DC_n3A_1A DC_3(n)AA (switchedUlOnly) DC_n3A_8A DC_n77A_1A DC_n77A_3A DC_n77A_8A DC_n257A_1A DC_n257A_3A DC_n257A_8A		
DC_n77(2A)-n257G_1A-3A-8A	DC_n77A_1A DC_n77A_3A DC_n77A_8A DC_n257A_1A DC_n257A_3A DC_n257A_8A		
	DC_n3A_1A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_n77(2A)-n257G-3(n)AA-1A-8A	DC_3(n)AA (switchedUlOnly) DC_n3A_8A DC_n77A_1A DC_n77A_3A DC_n77A_8A DC_n257A_1A DC_n257A_3A DC_n257A_8A		
DC_n77(2A)-n257H_1A-3A-8A	DC_n77A_1A DC_n77A_3A DC_n77A_8A DC_n257A_1A DC_n257A_3A DC_n257A_8A		
DC_n77(2A)-n257H-3(n)AA-1A-8A	DC_n3A_1A DC_3(n)AA (switchedUlOnly) DC_n3A_8A DC_n77A_1A DC_n77A_3A DC_n77A_8A DC_n257A_1A DC_n257A_3A DC_n257A_8A		
DC_n77(2A)-n257I_1A-3A-8A	DC_n77A_1A DC_n77A_3A DC_n77A_8A DC_n257A_1A DC_n257A_3A DC_n257A_8A		
DC_n77(2A)-n257I-3(n)AA-1A-8A	DC_n3A_1A DC_3(n)AA (switchedUlOnly) DC_n3A_8A DC_n77A_1A DC_n77A_3A DC_n77A_8A DC_n257A_1A DC_n257A_3A DC_n257A_8A		
DC_n77(2A)-n257J_1A-3A-8A	DC_n77A_1A DC_n77A_3A DC_n77A_8A DC_n257A_1A DC_n257A_3A DC_n257A_8A		
DC_n77(2A)-n257J-3(n)AA-1A-8A	DC_n3A_1A DC_3(n)AA (switchedUlOnly) DC_n3A_8A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_n77A_1A DC_n77A_3A DC_n77A_8A DC_n257A_1A DC_n257A_3A DC_n257A_8A		
DC_n77(2A)-n257K_1A-3A-8A	DC_n77A_1A DC_n77A_3A DC_n77A_8A DC_n257A_1A DC_n257A_3A DC_n257A_8A		
DC_n77(2A)-n257K-3(n)AA-1A-8A	DC_n3A_1A DC_3(n)AA (switchedUlOnly) DC_n3A_8A DC_n77A_1A DC_n77A_3A DC_n77A_8A DC_n257A_1A DC_n257A_3A DC_n257A_8A		
DC_n77(2A)-n257L_1A-3A-8A	DC_n77A_1A DC_n77A_3A DC_n77A_8A DC_n257A_1A DC_n257A_3A DC_n257A_8A		
DC_n77(2A)-n257L-3(n)AA-1A-8A	DC_n3A_1A DC_3(n)AA (switchedUlOnly) DC_n3A_8A DC_n77A_1A DC_n77A_3A DC_n77A_8A DC_n257A_1A DC_n257A_3A DC_n257A_8A		
DC_n77(2A)-n257M_1A-3A-8A	DC_n77A_1A DC_n77A_3A DC_n77A_8A DC_n257A_1A DC_n257A_3A DC_n257A_8A		
DC_n77(2A)-n257M-3(n)AA-1A-8A	DC_n3A_1A DC_3(n)AA (switchedUlOnly) DC_n3A_8A DC_n77A_1A DC_n77A_3A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_n77A_8A DC_n257A_1A DC_n257A_3A DC_n257A_8A		
DC_n257A_1A-3A-5A-7A	DC_n257A_1A DC_n257A_3A DC_n257A_5A DC_n257A_7A		
DC_n257A_1A-3A-7A-7A	DC_n257A_1A DC_n257A_3A DC_n257A_7A		
DC_n257A_1A-5A-7A-7A	DC_n257A_1A DC_n257A_5A DC_n257A_7A		
DC_n257A_3A-5A-7A-7A	DC_n257A_3A DC_n257A_5A DC_n257A_7A		
DC_n257G_1A-3A-5A-7A	DC_n257A_1A DC_n257A_3A DC_n257A_5A DC_n257A_7A		
DC_n257G_1A-3A-7A-7A	DC_n257A_1A DC_n257A_3A DC_n257A_7A		
DC_n257G_1A-5A-7A-7A	DC_n257A_1A DC_n257A_5A DC_n257A_7A		
DC_n257G_3A-5A-7A-7A	DC_n257A_3A DC_n257A_5A DC_n257A_7A		
DC_n257H_1A-3A-5A-7A	DC_n257A_1A DC_n257A_3A DC_n257A_5A DC_n257A_7A		
DC_n257H_1A-3A-7A-7A	DC_n257A_1A DC_n257A_3A DC_n257A_7A		
DC_n257H_1A-5A-7A-7A	DC_n257A_1A DC_n257A_5A DC_n257A_7A		
DC_n257H_3A-5A-7A-7A	DC_n257A_3A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_n257A_5A DC_n257A_7A		
DC_n257I_1A-3A-5A-7A	DC_n257A_1A DC_n257A_3A DC_n257A_5A DC_n257A_7A		
DC_n257I_1A-3A-7A-7A	DC_n257A_1A DC_n257A_3A DC_n257A_7A		
DC_n257I_1A-5A-7A-7A	DC_n257A_1A DC_n257A_5A DC_n257A_7A		
DC_n257I_3A-5A-7A-7A	DC_n257A_3A DC_n257A_5A DC_n257A_7A		
DC_n257J_1A-3A-5A-7A	DC_n257A_1A DC_n257A_3A DC_n257A_5A DC_n257A_7A		
DC_n257J_1A-3A-7A-7A	DC_n257A_1A DC_n257A_3A DC_n257A_7A		
DC_n257J_1A-5A-7A-7A	DC_n257A_1A DC_n257A_5A DC_n257A_7A		
DC_n257J_3A-5A-7A-7A	DC_n257A_3A DC_n257A_5A DC_n257A_7A		
DC_n257K_1A-3A-5A-7A	DC_n257A_1A DC_n257A_3A DC_n257A_5A DC_n257A_7A		
DC_n257K_1A-3A-7A-7A	DC_n257A_1A DC_n257A_3A DC_n257A_7A		
DC_n257K_1A-5A-7A-7A	DC_n257A_1A DC_n257A_5A DC_n257A_7A		
DC_n257K_3A-5A-7A-7A	DC_n257A_3A DC_n257A_5A DC_n257A_7A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_n257L_1A-3A-5A-7A	DC_n257A_1A DC_n257A_3A DC_n257A_5A DC_n257A_7A		
DC_n257L_1A-3A-7A-7A	DC_n257A_1A DC_n257A_3A DC_n257A_7A		
DC_n257L_1A-5A-7A-7A	DC_n257A_1A DC_n257A_5A DC_n257A_7A		
DC_n257L_3A-5A-7A-7A	DC_n257A_3A DC_n257A_5A DC_n257A_7A		
DC_n257M_1A-3A-5A-7A	DC_n257A_1A DC_n257A_3A DC_n257A_5A DC_n257A_7A		
DC_n257M_1A-3A-7A-7A	DC_n257A_1A DC_n257A_3A DC_n257A_7A		
DC_n257M_1A-5A-7A-7A	DC_n257A_1A DC_n257A_5A DC_n257A_7A		
DC_n257M_3A-5A-7A-7A	DC_n257A_3A DC_n257A_5A DC_n257A_7A		
DC_1A-3A-5A-7A-7A_n257A (interBandEnDcSimRxTx)	DC_1A_n257A DC_3A_n257A DC_5A_n257A DC_7A_n257A		
DC_1A-3A-5A-7A-7A_n257D	DC_1A_n257A DC_1A_n257D DC_3A_n257A DC_3A_n257D DC_5A_n257A DC_5A_n257D DC_7A_n257A DC_7A_n257D		
DC_1A-3A-5A-7A-7A_n257E	DC_1A_n257A DC_1A_n257D DC_3A_n257A DC_3A_n257D DC_5A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_5A_n257D DC_7A_n257A DC_7A_n257D		
DC_1A-3A-5A-7A-7A_n257F	DC_1A_n257A DC_1A_n257D DC_3A_n257A DC_3A_n257D DC_5A_n257A DC_5A_n257D DC_7A_n257A DC_7A_n257D		
DC_1A-3A-5A-7A-7A_n257G	DC_1A_n257A DC_1A_n257G DC_3A_n257A DC_3A_n257G DC_5A_n257A DC_5A_n257G DC_7A_n257A DC_7A_n257G		
DC_1A-3A-5A-7A-7A_n257H	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_5A_n257A DC_5A_n257G DC_5A_n257H DC_7A_n257A DC_7A_n257G DC_7A_n257H		
DC_1A-3A-5A-7A-7A_n257I	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_5A_n257A DC_5A_n257G DC_5A_n257H DC_5A_n257I DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I		
DC_1A-3A-5A-7A-7A_n257J	DC_1A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_5A_n257A DC_5A_n257G DC_5A_n257H DC_5A_n257I DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I		
DC_1A-3A-5A-7A-7A_n257K	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_5A_n257A DC_5A_n257G DC_5A_n257H DC_5A_n257I DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I		
DC_1A-3A-5A-7A-7A_n257L	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_5A_n257A DC_5A_n257G DC_5A_n257H DC_5A_n257I DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I		
DC_1A-3A-5A-7A-7A_n257M	DC_1A_n257A DC_1A_n257G DC_1A_n257H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_5A_n257A DC_5A_n257G DC_5A_n257H DC_5A_n257I DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I		
DC_1A-3A-5A-7A_n78A-n257A	DC_1A_n78A DC_1A_n257A DC_3A_n78A DC_3A_n257A DC_5A_n78A DC_5A_n257A DC_7A_n78A DC_7A_n257A DC_1A_n78A-n257A DC_3A_n78A-n257A DC_5A_n78A-n257A DC_7A_n78A-n257A		
DC_1A-3A-5A-7A_n78A-n257D	DC_1A_n78A DC_1A_n257A DC_3A_n78A DC_3A_n257A DC_5A_n78A DC_5A_n257A DC_7A_n78A DC_7A_n257A DC_1A_n78A-n257A DC_3A_n78A-n257A DC_5A_n78A-n257A DC_7A_n78A-n257A		
DC_1A-3A-5A-7A_n78A-n257E	DC_1A_n78A DC_1A_n257A DC_3A_n78A DC_3A_n257A DC_5A_n78A DC_5A_n257A DC_7A_n78A DC_7A_n257A DC_1A_n78A-n257A DC_3A_n78A-n257A DC_5A_n78A-n257A DC_7A_n78A-n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_1A-3A-5A-7A_n78A-n257F	DC_1A_n78A DC_1A_n257A DC_3A_n78A DC_3A_n257A DC_5A_n78A DC_5A_n257A DC_7A_n78A DC_7A_n257A DC_1A_n78A-n257A DC_3A_n78A-n257A DC_5A_n78A-n257A DC_7A_n78A-n257A		
DC_1A-3A-5A-7A_n78A-n257G	DC_1A_n78A DC_1A_n257A DC_3A_n78A DC_3A_n257A DC_5A_n78A DC_5A_n257A DC_7A_n78A DC_7A_n257A DC_1A_n78A-n257A DC_1A_n78A-n257G DC_3A_n78A-n257A DC_3A_n78A-n257G DC_5A_n78A-n257A DC_5A_n78A-n257G DC_7A_n78A-n257A DC_7A_n78A-n257G		
DC_1A-3A-5A-7A_n78A-n257H	DC_1A_n78A DC_1A_n257A DC_3A_n78A DC_3A_n257A DC_5A_n78A DC_5A_n257A DC_7A_n78A DC_7A_n257A DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H		
DC_1A-3A-5A-7A_n78A-n257I	DC_1A_n78A DC_1A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_3A_n78A DC_3A_n257A DC_5A_n78A DC_5A_n257A DC_7A_n78A DC_7A_n257A DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H DC_5A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_1A-3A-5A-7A_n78A-n257J	DC_1A_n78A DC_1A_n257A DC_3A_n78A DC_3A_n257A DC_5A_n78A DC_5A_n257A DC_7A_n78A DC_7A_n257A DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H DC_5A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_1A-3A-5A-7A_n78A-n257K	DC_1A_n78A DC_1A_n257A DC_3A_n78A DC_3A_n257A DC_5A_n78A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_5A_n257A DC_7A_n78A DC_7A_n257A DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H DC_5A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_1A-3A-5A-7A_n78A-n257L	DC_1A_n78A DC_1A_n257A DC_3A_n78A DC_3A_n257A DC_5A_n78A DC_5A_n257A DC_7A_n78A DC_7A_n257A DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H DC_5A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_1A-3A-5A-7A_n78A-n257M	DC_1A_n78A DC_1A_n257A DC_3A_n78A DC_3A_n257A DC_5A_n78A DC_5A_n257A DC_7A_n78A DC_7A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H DC_5A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_1A-3A-5A-7A_n78C-n257A	DC_1A_n78A-n257A DC_3A_n78A-n257A DC_5A_n78A-n257A DC_7A_n78A-n257A		
DC_1A-3A-5A-7A_n78C-n257D	DC_1A_n78A-n257A DC_3A_n78A-n257A DC_5A_n78A-n257A DC_7A_n78A-n257A		
DC_1A-3A-5A-7A_n78C-n257E	DC_1A_n78A-n257A DC_3A_n78A-n257A DC_5A_n78A-n257A DC_7A_n78A-n257A		
DC_1A-3A-5A-7A_n78C-n257F	DC_1A_n78A-n257A DC_3A_n78A-n257A DC_5A_n78A-n257A DC_7A_n78A-n257A		
DC_1A-3A-5A-7A_n78C-n257G	DC_1A_n78A-n257A DC_1A_n78A-n257G DC_3A_n78A-n257A DC_3A_n78A-n257G DC_5A_n78A-n257A DC_5A_n78A-n257G DC_7A_n78A-n257A DC_7A_n78A-n257G		
DC_1A-3A-5A-7A_n78C-n257H	DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_5A_n78A-n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_5A_n78A-n257G DC_5A_n78A-n257H DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H		
DC_1A-3A-5A-7A_n78C-n257I	DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H DC_5A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_1A-3A-5A-7A_n78C-n257J	DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H DC_5A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_1A-3A-5A-7A_n78C-n257K	DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H DC_5A_n78A-n257I DC_7A_n78A-n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_1A-3A-5A-7A_n78C-n257L	DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H DC_5A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_1A-3A-5A-7A_n78C-n257M	DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H DC_5A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_1A-3A-7A-7A_n78A-n257A	DC_1A_n78A DC_1A_n257A DC_3A_n78A DC_3A_n257A DC_7A_n78A DC_7A_n257A DC_1A_n78A-n257A DC_3A_n78A-n257A DC_7A_n78A-n257A		
DC_1A-3A-7A-7A_n78A-n257D	DC_1A_n78A DC_1A_n257A DC_3A_n78A DC_3A_n257A DC_7A_n78A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_7A_n257A DC_1A_n78A-n257A DC_3A_n78A-n257A DC_7A_n78A-n257A		
DC_1A-3A-7A-7A_n78A-n257E	DC_1A_n78A DC_1A_n257A DC_3A_n78A DC_3A_n257A DC_7A_n78A DC_7A_n257A DC_1A_n78A-n257A DC_3A_n78A-n257A DC_7A_n78A-n257A		
DC_1A-3A-7A-7A_n78A-n257F	DC_1A_n78A DC_1A_n257A DC_3A_n78A DC_3A_n257A DC_7A_n78A DC_7A_n257A DC_1A_n78A-n257A DC_3A_n78A-n257A DC_7A_n78A-n257A		
DC_1A-3A-7A-7A_n78A-n257G	DC_1A_n78A DC_1A_n257A DC_3A_n78A DC_3A_n257A DC_7A_n78A DC_7A_n257A DC_1A_n78A-n257A DC_1A_n78A-n257G DC_3A_n78A-n257A DC_3A_n78A-n257G DC_7A_n78A-n257A DC_7A_n78A-n257G		
DC_1A-3A-7A-7A_n78A-n257H	DC_1A_n78A DC_1A_n257A DC_3A_n78A DC_3A_n257A DC_7A_n78A DC_7A_n257A DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_1A-3A-7A-7A_n78A-n257I	DC_1A_n78A DC_1A_n257A DC_3A_n78A DC_3A_n257A DC_7A_n78A DC_7A_n257A DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_1A-3A-7A-7A_n78A-n257J	DC_1A_n78A DC_1A_n257A DC_3A_n78A DC_3A_n257A DC_7A_n78A DC_7A_n257A DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_1A-3A-7A-7A_n78A-n257K	DC_1A_n78A DC_1A_n257A DC_3A_n78A DC_3A_n257A DC_7A_n78A DC_7A_n257A DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I DC_7A_n78A-n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_1A-3A-7A-7A_n78A-n257L	DC_1A_n78A DC_1A_n257A DC_3A_n78A DC_3A_n257A DC_7A_n78A DC_7A_n257A DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_1A-3A-7A-7A_n78A-n257M	DC_1A_n78A DC_1A_n257A DC_3A_n78A DC_3A_n257A DC_7A_n78A DC_7A_n257A DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_1A-3A-7A-7A_n78C-n257A	DC_1A_n78A-n257A DC_3A_n78A-n257A DC_7A_n78A-n257A		
DC_1A-3A-7A-7A_n78C-n257D	DC_1A_n78A-n257A DC_3A_n78A-n257A DC_7A_n78A-n257A		
DC_1A-3A-7A-7A_n78C-n257E	DC_1A_n78A-n257A DC_3A_n78A-n257A DC_7A_n78A-n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_1A-3A-7A-7A_n78C-n257F	DC_1A_n78A-n257A DC_3A_n78A-n257A DC_7A_n78A-n257A		
DC_1A-3A-7A-7A_n78C-n257G	DC_1A_n78A-n257A DC_1A_n78A-n257G DC_3A_n78A-n257A DC_3A_n78A-n257G DC_7A_n78A-n257A DC_7A_n78A-n257G		
DC_1A-3A-7A-7A_n78C-n257H	DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H		
DC_1A-3A-7A-7A_n78C-n257I	DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_1A-3A-7A-7A_n78C-n257J	DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_1A-3A-7A-7A_n78C-n257K	DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I DC_3A_n78A-n257A DC_3A_n78A-n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_3A_n78A-n257H DC_3A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_1A-3A-7A-7A_n78C-n257L	DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_1A-3A-7A-7A_n78C-n257M	DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_1A-3A-7A-28A_n38A-n257A	DC_1A_n257A DC_3A_n257A DC_28A_n257A		
DC_1A-3A-7A-28A_n38A-n257G	DC_1A_n257A DC_1A_n257G DC_3A_n257A DC_3A_n257G DC_28A_n257A DC_28A_n257G		
DC_1A-3A-7A-28A_n38A-n257H	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_28A_n257A DC_28A_n257G DC_28A_n257H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_1A-3A-7A-28A_n38A-n257I	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_28A_n257I		
DC_1A-3A-7A-28A_n78A-n257A	DC_1A_n78A DC_1A_n257A DC_3A_n78A DC_3A_n257A DC_7A_n78A DC_7A_n257A DC_28A_n78A DC_28A_n257A		
DC_1A-3A-7A-28A_n78A-n257G	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_7A_n78A DC_7A_n257A DC_7A_n257G DC_28A_n78A DC_28A_n257A DC_28A_n257G		
DC_1A-3A-7A-28A_n78A-n257H	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_7A_n78A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_28A_n78A DC_28A_n257A DC_28A_n257G DC_28A_n257H		
	DC_1A_n78A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_1A-3A-7A-28A_n78A-n257I	DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_7A_n78A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_28A_n78A DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_28A_n257I		
DC_1A-3A-18A-42A_n78A-n257A	DC_1A_n78A DC_1A_n257A DC_3A_n78A DC_3A_n257A DC_18A_n78A DC_18A_n257A DC_42A_n257A		
DC_1A-3A-18A-42A_n78A-n257G	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_18A_n78A DC_18A_n257A DC_18A_n257G DC_42A_n257A DC_42A_n257G		
DC_1A-3A-18A-42A_n78A-n257H	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_18A_n78A DC_18A_n257A DC_18A_n257G DC_18A_n257H DC_42A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_42A_n257G DC_42A_n257H		
DC_1A-3A-18A-42A_n78A-n257I	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_18A_n78A DC_18A_n257A DC_18A_n257G DC_18A_n257H DC_18A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_1A-3A-18A-42C_n78A-n257A	DC_1A_n78A DC_1A_n257A DC_3A_n78A DC_3A_n257A DC_18A_n78A DC_18A_n257A DC_42A_n257A DC_42C_n257A		
DC_1A-3A-18A-42C_n78A-n257G	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_18A_n78A DC_18A_n257A DC_18A_n257G DC_42A_n257A DC_42A_n257G DC_42C_n257A DC_42C_n257G		
DC_1A-3A-18A-42C_n78A-n257H	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_3A_n78A DC_3A_n257A DC_3A_n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_3A_n257H DC_18A_n78A DC_18A_n257A DC_18A_n257G DC_18A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42C_n257A DC_42C_n257G DC_42C_n257H		
DC_1A-3A-18A-42C_n78A-n257I	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_18A_n78A DC_18A_n257A DC_18A_n257G DC_18A_n257H DC_18A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_1A-3A-28A-42A_n78A-n257A	DC_1A_n78A DC_1A_n257A DC_3A_n78A DC_3A_n257A DC_28A_n78A DC_28A_n257A DC_42A_n257A		
DC_1A-3A-28A-42A_n78A-n257G	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_28A_n78A DC_28A_n257A DC_28A_n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_42A_n257A DC_42A_n257G		
DC_1A-3A-28A-42A_n78A-n257H	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_28A_n78A DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H		
DC_1A-3A-28A-42A_n78A-n257I	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_28A_n78A DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_28A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_1A-3A-28A-42C_n78A-n257A	DC_1A_n78A DC_1A_n257A DC_3A_n78A DC_3A_n257A DC_28A_n78A DC_28A_n257A DC_42A_n257A DC_42C_n257A		
DC_1A-3A-28A-42C_n78A-n257G	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_3A_n78A DC_3A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_3A_n257G DC_28A_n78A DC_28A_n257A DC_28A_n257G DC_42A_n257A DC_42A_n257G DC_42C_n257A DC_42C_n257G		
DC_1A-3A-28A-42C_n78A-n257H	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_28A_n78A DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42C_n257A DC_42C_n257G DC_42C_n257H		
DC_1A-3A-28A-42C_n78A-n257I	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_28A_n78A DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_28A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_1A-3A-41A-42A_n77A-n257A	DC_1A_n77A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_1A_n257A DC_3A_n77A DC_3A_n257A DC_41A_n77A DC_41A_n257A DC_42A_n257A		
DC_1A-3A-41A-42A_n77A-n257G	DC_1A_n77A DC_1A_n257A DC_1A_n257G DC_3A_n77A DC_3A_n257A DC_3A_n257G DC_41A_n77A DC_41A_n257A DC_41A_n257G DC_42A_n257A DC_42A_n257G		
DC_1A-3A-41A-42A_n77A-n257H	DC_1A_n77A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_3A_n77A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_41A_n77A DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H		
DC_1A-3A-41A-42A_n77A-n257I	DC_1A_n77A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n77A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_41A_n77A DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_42A_n257I		
DC_1A-3A-41A-42A_n78A-n257A	DC_1A_n78A DC_1A_n257A DC_3A_n78A DC_3A_n257A DC_41A_n78A DC_41A_n257A DC_42A_n257A		
DC_1A-3A-41A-42A_n78A-n257G	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_41A_n78A DC_41A_n257A DC_41A_n257G DC_42A_n257A DC_42A_n257G		
DC_1A-3A-41A-42A_n78A-n257H	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_41A_n78A DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H		
DC_1A-3A-41A-42A_n78A-n257I	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_41A_n78A DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_1A-3A-41A-42C_n77A-n257A	DC_1A_n77A DC_1A_n257A DC_3A_n77A DC_3A_n257A DC_41A_n77A DC_41A_n257A DC_42A_n257A DC_42C_n257A		
DC_1A-3A-41A-42C_n77A-n257G	DC_1A_n77A DC_1A_n257A DC_1A_n257G DC_3A_n77A DC_3A_n257A DC_3A_n257G DC_41A_n77A DC_41A_n257A DC_41A_n257G DC_42A_n257A DC_42A_n257G DC_42C_n257A DC_42C_n257G		
DC_1A-3A-41A-42C_n77A-n257H	DC_1A_n77A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_3A_n77A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_41A_n77A DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42C_n257A DC_42C_n257G DC_42C_n257H		
DC_1A-3A-41A-42C_n77A-n257I	DC_1A_n77A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n77A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_41A_n77A DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_1A-3A-41A-42C_n78A-n257A	DC_1A_n78A DC_1A_n257A DC_3A_n78A DC_3A_n257A DC_41A_n78A DC_41A_n257A DC_42A_n257A DC_42C_n257A		
DC_1A-3A-41A-42C_n78A-n257G	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_41A_n78A DC_41A_n257A DC_41A_n257G DC_42A_n257A DC_42A_n257G DC_42C_n257A DC_42C_n257G		
DC_1A-3A-41A-42C_n78A-n257H	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_41A_n78A DC_41A_n257A DC_41A_n257G DC_41A_n257H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42C_n257A DC_42C_n257G DC_42C_n257H		
DC_1A-3A-41A-42C_n78A-n257I	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_41A_n78A DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_1A-3A-41C-42A_n77A-n257A	DC_1A_n77A DC_1A_n257A DC_3A_n77A DC_3A_n257A DC_41A_n77A DC_41A_n257A DC_41C_n77A DC_41C_n257A DC_42A_n257A		
DC_1A-3A-41C-42A_n77A-n257G	DC_1A_n77A DC_1A_n257A DC_1A_n257G DC_3A_n77A DC_3A_n257A DC_3A_n257G DC_41A_n77A DC_41A_n257A DC_41A_n257G DC_41C_n77A DC_41C_n257A DC_41C_n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_42A_n257A DC_42A_n257G		
DC_1A-3A-41C-42A_n77A-n257H	DC_1A_n77A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_3A_n77A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_41A_n77A DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41C_n77A DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H		
DC_1A-3A-41C-42A_n77A-n257I	DC_1A_n77A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n77A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_41A_n77A DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_41C_n77A DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_41C_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_1A-3A-41C-42A_n78A-n257A	DC_1A_n78A DC_1A_n257A DC_3A_n78A DC_3A_n257A DC_41A_n78A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_41A_n257A DC_41C_n78A DC_41C_n257A DC_42A_n257A		
DC_1A-3A-41C-42A_n78A-n257G	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_41A_n78A DC_41A_n257A DC_41A_n257G DC_41C_n78A DC_41C_n257A DC_41C_n257G DC_42A_n257A DC_42A_n257G		
DC_1A-3A-41C-42A_n78A-n257H	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_41A_n78A DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41C_n78A DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H		
DC_1A-3A-41C-42A_n78A-n257I	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_41A_n78A DC_41A_n257A DC_41A_n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_41A_n257H DC_41A_n257I DC_41C_n78A DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_41C_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_1A-3A-41C-42C_n77A-n257A	DC_1A_n77A DC_1A_n257A DC_3A_n77A DC_3A_n257A DC_41A_n77A DC_41A_n257A DC_41C_n77A DC_41C_n257A DC_42A_n257A DC_42C_n257A		
DC_1A-3A-41C-42C_n77A-n257G	DC_1A_n77A DC_1A_n257A DC_1A_n257G DC_3A_n77A DC_3A_n257A DC_3A_n257G DC_41A_n77A DC_41A_n257A DC_41A_n257G DC_41C_n77A DC_41C_n257A DC_41C_n257G DC_42A_n257A DC_42A_n257G DC_42C_n257A DC_42C_n257G		
DC_1A-3A-41C-42C_n77A-n257H	DC_1A_n77A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_3A_n77A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_41A_n77A DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41C_n77A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42C_n257A DC_42C_n257G DC_42C_n257H		
DC_1A-3A-41C-42C_n77A-n257I	DC_1A_n77A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n77A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_41A_n77A DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_41C_n77A DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_41C_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_1A-3A-41C-42C_n78A-n257A	DC_1A_n78A DC_1A_n257A DC_3A_n78A DC_3A_n257A DC_41A_n78A DC_41A_n257A DC_41C_n78A DC_41C_n257A DC_42A_n257A DC_42C_n257A		
DC_1A-3A-41C-42C_n78A-n257G	DC_1A_n78A DC_1A_n257A DC_1A_n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_41A_n78A DC_41A_n257A DC_41A_n257G DC_41C_n78A DC_41C_n257A DC_41C_n257G DC_42A_n257A DC_42A_n257G DC_42C_n257A DC_42C_n257G		
DC_1A-3A-41C-42C_n78A-n257H	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_41A_n78A DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41C_n78A DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42C_n257A DC_42C_n257G DC_42C_n257H		
DC_1A-3A-41C-42C_n78A-n257I	DC_1A_n78A DC_1A_n257A DC_1A_n257G DC_1A_n257H DC_1A_n257I DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_41A_n78A DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_41C_n78A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_41C_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_1A-5A-7A-7A_n78A-n257A	DC_1A_n78A DC_1A_n257A DC_5A_n78A DC_5A_n257A DC_7A_n78A DC_7A_n257A DC_1A_n78A-n257A DC_5A_n78A-n257A DC_7A_n78A-n257A		
DC_1A-5A-7A-7A_n78A-n257D	DC_1A_n78A DC_1A_n257A DC_5A_n78A DC_5A_n257A DC_7A_n78A DC_7A_n257A DC_1A_n78A-n257A DC_5A_n78A-n257A DC_7A_n78A-n257A		
DC_1A-5A-7A-7A_n78A-n257E	DC_1A_n78A DC_1A_n257A DC_5A_n78A DC_5A_n257A DC_7A_n78A DC_7A_n257A DC_1A_n78A-n257A DC_5A_n78A-n257A DC_7A_n78A-n257A		
DC_1A-5A-7A-7A_n78A-n257F	DC_1A_n78A DC_1A_n257A DC_5A_n78A DC_5A_n257A DC_7A_n78A DC_7A_n257A DC_1A_n78A-n257A DC_5A_n78A-n257A DC_7A_n78A-n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_1A-5A-7A-7A_n78A-n257G	DC_1A_n78A DC_1A_n257A DC_5A_n78A DC_5A_n257A DC_7A_n78A DC_7A_n257A DC_1A_n78A-n257A DC_1A_n78A-n257G DC_5A_n78A-n257A DC_5A_n78A-n257G DC_7A_n78A-n257A DC_7A_n78A-n257G		
DC_1A-5A-7A-7A_n78A-n257H	DC_1A_n78A DC_1A_n257A DC_5A_n78A DC_5A_n257A DC_7A_n78A DC_7A_n257A DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H		
DC_1A-5A-7A-7A_n78A-n257I	DC_1A_n78A DC_1A_n257A DC_5A_n78A DC_5A_n257A DC_7A_n78A DC_7A_n257A DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H DC_5A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_1A-5A-7A-7A_n78A-n257J	DC_1A_n78A DC_1A_n257A DC_5A_n78A DC_5A_n257A DC_7A_n78A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_7A_n257A DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H DC_5A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_1A-5A-7A-7A_n78A-n257K	DC_1A_n78A DC_1A_n257A DC_5A_n78A DC_5A_n257A DC_7A_n78A DC_7A_n257A DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H DC_5A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_1A-5A-7A-7A_n78A-n257L	DC_1A_n78A DC_1A_n257A DC_5A_n78A DC_5A_n257A DC_7A_n78A DC_7A_n257A DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H DC_5A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_1A-5A-7A-7A_n78A-n257M	DC_1A_n78A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_1A_n257A DC_5A_n78A DC_5A_n257A DC_7A_n78A DC_7A_n257A DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H DC_5A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_1A-5A-7A-7A_n78C-n257A	DC_1A_n78A-n257A DC_5A_n78A-n257A DC_7A_n78A-n257A		
DC_1A-5A-7A-7A_n78C-n257D	DC_1A_n78A-n257A DC_5A_n78A-n257A DC_7A_n78A-n257A		
DC_1A-5A-7A-7A_n78C-n257E	DC_1A_n78A-n257A DC_5A_n78A-n257A DC_7A_n78A-n257A		
DC_1A-5A-7A-7A_n78C-n257F	DC_1A_n78A-n257A DC_5A_n78A-n257A DC_7A_n78A-n257A		
DC_1A-5A-7A-7A_n78C-n257G	DC_1A_n78A-n257A DC_1A_n78A-n257G DC_5A_n78A-n257A DC_5A_n78A-n257G DC_7A_n78A-n257A DC_7A_n78A-n257G		
DC_1A-5A-7A-7A_n78C-n257H	DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H		
DC_1A-5A-7A-7A_n78C-n257I	DC_1A_n78A-n257A DC_1A_n78A-n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_1A_n78A-n257H DC_1A_n78A-n257I DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H DC_5A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_1A-5A-7A-7A_n78C-n257J	DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H DC_5A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_1A-5A-7A-7A_n78C-n257K	DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H DC_5A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_1A-5A-7A-7A_n78C-n257L	DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H DC_5A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_1A-5A-7A-7A_n78C-n257M	DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_1A_n78A-n257I DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H DC_5A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_2A-2A-5A-30A-66A_n260A	DC_2A_n260A DC_5A_n260A DC_30A_n260A DC_66A_n260A		
DC_2A-2A-5A-30A-66A_n260G	DC_2A_n260A DC_5A_n260A DC_30A_n260A DC_66A_n260A DC_2A_n260G DC_5A_n260G DC_30A_n260G DC_66A_n260G		
DC_2A-2A-5A-30A-66A_n260H	DC_2A_n260A DC_5A_n260A DC_30A_n260A DC_66A_n260A DC_2A_n260G DC_5A_n260G DC_30A_n260G DC_66A_n260G DC_2A_n260H DC_5A_n260H DC_30A_n260H DC_66A_n260H		
DC_2A-2A-5A-30A-66A_n260I	DC_2A_n260A DC_5A_n260A DC_30A_n260A DC_66A_n260A DC_2A_n260G DC_5A_n260G DC_30A_n260G DC_66A_n260G DC_2A_n260H DC_5A_n260H DC_30A_n260H DC_66A_n260H DC_2A_n260I DC_5A_n260I DC_30A_n260I DC_66A_n260I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_2A-2A-5A-30A-66A_n260J	DC_2A_n260A DC_5A_n260A DC_30A_n260A DC_66A_n260A DC_2A_n260G DC_5A_n260G DC_30A_n260G DC_66A_n260G DC_2A_n260H DC_5A_n260H DC_30A_n260H DC_66A_n260H DC_2A_n260I DC_5A_n260I DC_30A_n260I DC_66A_n260I DC_2A_n260J DC_5A_n260J DC_30A_n260J DC_66A_n260J		
DC_2A-2A-5A-30A-66A_n260K	DC_2A_n260A DC_5A_n260A DC_30A_n260A DC_66A_n260A DC_2A_n260G DC_5A_n260G DC_30A_n260G DC_66A_n260G DC_2A_n260H DC_5A_n260H DC_30A_n260H DC_66A_n260H DC_2A_n260I DC_5A_n260I DC_30A_n260I DC_66A_n260I DC_2A_n260J DC_5A_n260J DC_30A_n260J DC_66A_n260J DC_2A_n260K DC_5A_n260K DC_30A_n260K DC_66A_n260K		
DC_2A-2A-5A-30A-66A_n260L	DC_2A_n260A DC_5A_n260A DC_30A_n260A DC_66A_n260A DC_2A_n260G DC_5A_n260G DC_30A_n260G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_66A_n260G DC_2A_n260H DC_5A_n260H DC_30A_n260H DC_66A_n260H DC_2A_n260I DC_5A_n260I DC_30A_n260I DC_66A_n260I DC_2A_n260J DC_5A_n260J DC_30A_n260J DC_66A_n260J DC_2A_n260K DC_5A_n260K DC_30A_n260K DC_66A_n260K DC_2A_n260L DC_5A_n260L DC_30A_n260L DC_66A_n260L		
DC_2A-2A-5A-30A-66A_n260M	DC_2A_n260A DC_5A_n260A DC_30A_n260A DC_66A_n260A DC_2A_n260G DC_5A_n260G DC_30A_n260G DC_66A_n260G DC_2A_n260H DC_5A_n260H DC_30A_n260H DC_66A_n260H DC_2A_n260I DC_5A_n260I DC_30A_n260I DC_66A_n260I DC_2A_n260J DC_5A_n260J DC_30A_n260J DC_66A_n260J DC_2A_n260K DC_5A_n260K DC_30A_n260K DC_66A_n260K DC_2A_n260L DC_5A_n260L DC_30A_n260L DC_66A_n260L DC_2A_n260M DC_5A_n260M DC_30A_n260M		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_66A_n260M		
DC_2A-2A-5A-66A-66A_n260A	DC_2A_n260A DC_5A_n260A DC_66A_n260A		
DC_2A-2A-5A-66A-66A_n260G	DC_2A_n260A DC_5A_n260A DC_66A_n260A DC_2A_n260G DC_5A_n260G DC_66A_n260G		
DC_2A-2A-5A-66A-66A_n260H	DC_2A_n260A DC_5A_n260A DC_66A_n260A DC_2A_n260G DC_5A_n260G DC_66A_n260G DC_2A_n260H DC_5A_n260H DC_66A_n260H		
DC_2A-2A-5A-66A-66A_n260I	DC_2A_n260A DC_5A_n260A DC_66A_n260A DC_2A_n260G DC_5A_n260G DC_66A_n260G DC_2A_n260H DC_5A_n260H DC_66A_n260H DC_2A_n260I DC_5A_n260I DC_66A_n260I		
DC_2A-2A-5A-66A-66A_n260J	DC_2A_n260A DC_5A_n260A DC_66A_n260A DC_2A_n260G DC_5A_n260G DC_66A_n260G DC_2A_n260H DC_5A_n260H DC_66A_n260H DC_2A_n260I DC_5A_n260I DC_66A_n260I DC_2A_n260J DC_5A_n260J DC_66A_n260J		
DC_2A-2A-5A-66A-66A_n260K	DC_2A_n260A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_5A_n260A DC_66A_n260A DC_2A_n260G DC_5A_n260G DC_66A_n260G DC_2A_n260H DC_5A_n260H DC_66A_n260H DC_2A_n260I DC_5A_n260I DC_66A_n260I DC_2A_n260J DC_5A_n260J DC_66A_n260J DC_2A_n260K DC_5A_n260K DC_66A_n260K		
DC_2A-2A-5A-66A-66A_n260L	DC_2A_n260A DC_5A_n260A DC_66A_n260A DC_2A_n260G DC_5A_n260G DC_66A_n260G DC_2A_n260H DC_5A_n260H DC_66A_n260H DC_2A_n260I DC_5A_n260I DC_66A_n260I DC_2A_n260J DC_5A_n260J DC_66A_n260J DC_2A_n260K DC_5A_n260K DC_66A_n260K DC_2A_n260L DC_5A_n260L DC_66A_n260L		
DC_2A-2A-5A-66A-66A_n260M	DC_2A_n260A DC_5A_n260A DC_66A_n260A DC_2A_n260G DC_5A_n260G DC_66A_n260G DC_2A_n260H DC_5A_n260H DC_66A_n260H DC_2A_n260I DC_5A_n260I DC_66A_n260I DC_2A_n260J		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_5A_n260J DC_66A_n260J DC_2A_n260K DC_5A_n260K DC_66A_n260K DC_2A_n260L DC_5A_n260L DC_66A_n260L DC_2A_n260M DC_5A_n260M DC_66A_n260M		
DC_2A-2A-12A-30A-66A_n260A	DC_2A_n260A DC_12A_n260A DC_30A_n260A DC_66A_n260A		
DC_2A-2A-12A-30A-66A_n260G	DC_2A_n260A DC_12A_n260A DC_30A_n260A DC_66A_n260A DC_2A_n260G DC_12A_n260G DC_30A_n260G DC_66A_n260G		
DC_2A-2A-12A-30A-66A_n260H	DC_2A_n260A DC_12A_n260A DC_30A_n260A DC_66A_n260A DC_2A_n260G DC_12A_n260G DC_30A_n260G DC_66A_n260G DC_2A_n260H DC_12A_n260H DC_30A_n260H DC_66A_n260H		
DC_2A-2A-12A-30A-66A_n260I	DC_2A_n260A DC_12A_n260A DC_30A_n260A DC_66A_n260A DC_2A_n260G DC_12A_n260G DC_30A_n260G DC_66A_n260G DC_2A_n260H DC_12A_n260H DC_30A_n260H DC_66A_n260H DC_2A_n260I DC_12A_n260I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_30A_n260I DC_66A_n260I		
DC_2A-2A-12A-30A-66A_n260J	DC_2A_n260A DC_12A_n260A DC_30A_n260A DC_66A_n260A DC_2A_n260G DC_12A_n260G DC_30A_n260G DC_66A_n260G DC_2A_n260H DC_12A_n260H DC_30A_n260H DC_66A_n260H DC_2A_n260I DC_12A_n260I DC_30A_n260I DC_66A_n260I DC_2A_n260J DC_12A_n260J DC_30A_n260J DC_66A_n260J		
DC_2A-2A-12A-30A-66A_n260K	DC_2A_n260A DC_12A_n260A DC_30A_n260A DC_66A_n260A DC_2A_n260G DC_12A_n260G DC_30A_n260G DC_66A_n260G DC_2A_n260H DC_12A_n260H DC_30A_n260H DC_66A_n260H DC_2A_n260I DC_12A_n260I DC_30A_n260I DC_66A_n260I DC_2A_n260J DC_12A_n260J DC_30A_n260J DC_66A_n260J DC_2A_n260K DC_12A_n260K DC_30A_n260K DC_66A_n260K		
DC_2A-2A-12A-30A-66A_n260L	DC_2A_n260A DC_12A_n260A DC_30A_n260A DC_66A_n260A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_2A_n260G DC_12A_n260G DC_30A_n260G DC_66A_n260G DC_2A_n260H DC_12A_n260H DC_30A_n260H DC_66A_n260H DC_2A_n260I DC_12A_n260I DC_30A_n260I DC_66A_n260I DC_2A_n260J DC_12A_n260J DC_30A_n260J DC_66A_n260J DC_2A_n260K DC_12A_n260K DC_30A_n260K DC_66A_n260K DC_2A_n260L DC_12A_n260L DC_30A_n260L DC_66A_n260L		
DC_2A-2A-12A-30A-66A_n260M	DC_2A_n260A DC_12A_n260A DC_30A_n260A DC_66A_n260A DC_2A_n260G DC_12A_n260G DC_30A_n260G DC_66A_n260G DC_2A_n260H DC_12A_n260H DC_30A_n260H DC_66A_n260H DC_2A_n260I DC_12A_n260I DC_30A_n260I DC_66A_n260I DC_2A_n260J DC_12A_n260J DC_30A_n260J DC_66A_n260J DC_2A_n260K DC_12A_n260K DC_30A_n260K DC_66A_n260K DC_2A_n260L DC_12A_n260L DC_30A_n260L DC_66A_n260L		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_2A_n260M DC_12A_n260M DC_30A_n260M DC_66A_n260M		
DC_2A-2A-12A-66A-66A_n260A	DC_2A_n260A DC_12A_n260A DC_66A_n260A		
DC_2A-2A-12A-66A-66A_n260G	DC_2A_n260A DC_12A_n260A DC_66A_n260A DC_2A_n260G DC_12A_n260G DC_66A_n260G		
DC_2A-2A-12A-66A-66A_n260H	DC_2A_n260A DC_12A_n260A DC_66A_n260A DC_2A_n260G DC_12A_n260G DC_66A_n260G DC_2A_n260H DC_12A_n260H DC_66A_n260H		
DC_2A-2A-12A-66A-66A_n260I	DC_2A_n260A DC_12A_n260A DC_66A_n260A DC_2A_n260G DC_12A_n260G DC_66A_n260G DC_2A_n260H DC_12A_n260H DC_66A_n260H DC_2A_n260I DC_12A_n260I DC_66A_n260I		
DC_2A-2A-12A-66A-66A_n260J	DC_2A_n260A DC_12A_n260A DC_66A_n260A DC_2A_n260G DC_12A_n260G DC_66A_n260G DC_2A_n260H DC_12A_n260H DC_66A_n260H DC_2A_n260I DC_12A_n260I DC_66A_n260I DC_2A_n260J DC_12A_n260J		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_66A_n260J		
DC_2A-2A-12A-66A-66A_n260K	DC_2A_n260A DC_12A_n260A DC_66A_n260A DC_2A_n260G DC_12A_n260G DC_66A_n260G DC_2A_n260H DC_12A_n260H DC_66A_n260H DC_2A_n260I DC_12A_n260I DC_66A_n260I DC_2A_n260J DC_12A_n260J DC_66A_n260J DC_2A_n260K DC_12A_n260K DC_66A_n260K		
DC_2A-2A-12A-66A-66A_n260L	DC_2A_n260A DC_12A_n260A DC_66A_n260A DC_2A_n260G DC_12A_n260G DC_66A_n260G DC_2A_n260H DC_12A_n260H DC_66A_n260H DC_2A_n260I DC_12A_n260I DC_66A_n260I DC_2A_n260J DC_12A_n260J DC_66A_n260J DC_2A_n260K DC_12A_n260K DC_66A_n260K DC_2A_n260L DC_12A_n260L DC_66A_n260L		
DC_2A-2A-12A-66A-66A_n260M	DC_2A_n260A DC_12A_n260A DC_66A_n260A DC_2A_n260G DC_12A_n260G DC_66A_n260G DC_2A_n260H DC_12A_n260H DC_66A_n260H DC_2A_n260I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_12A_n260I DC_66A_n260I DC_2A_n260J DC_12A_n260J DC_66A_n260J DC_2A_n260K DC_12A_n260K DC_66A_n260K DC_2A_n260L DC_12A_n260L DC_66A_n260L DC_2A_n260M DC_12A_n260M DC_66A_n260M		
DC_2A-2A-14A-30A-66A_n260A	DC_2A_n260A DC_14A_n260A DC_30A_n260A DC_66A_n260A		
DC_2A-2A-14A-30A-66A_n260G	DC_2A_n260A DC_2A_n260G DC_14A_n260A DC_14A_n260G DC_30A_n260A DC_30A_n260G DC_66A_n260A DC_66A_n260G		
DC_2A-2A-14A-30A-66A_n260H	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_14A_n260A DC_14A_n260G DC_14A_n260H DC_30A_n260A DC_30A_n260G DC_30A_n260H DC_66A_n260A DC_66A_n260G DC_66A_n260H		
DC_2A-2A-14A-30A-66A_n260I	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_14A_n260A DC_14A_n260G DC_14A_n260H DC_14A_n260I DC_30A_n260A DC_30A_n260G DC_30A_n260H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_30A_n260I DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I		
DC_2A-2A-14A-30A-66A_n260J	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_2A_n260J DC_14A_n260A DC_14A_n260G DC_14A_n260H DC_14A_n260I DC_14A_n260J DC_30A_n260A DC_30A_n260G DC_30A_n260H DC_30A_n260I DC_30A_n260J DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I DC_66A_n260J		
DC_2A-2A-14A-30A-66A_n260K	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_2A_n260J DC_2A_n260K DC_14A_n260A DC_14A_n260G DC_14A_n260H DC_14A_n260I DC_14A_n260J DC_14A_n260K DC_30A_n260A DC_30A_n260G DC_30A_n260H DC_30A_n260I DC_30A_n260J DC_30A_n260K DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I DC_66A_n260J DC_66A_n260K		
DC_2A-2A-14A-30A-66A_n260L	DC_2A_n260A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_2A_n260J DC_2A_n260K DC_2A_n260L DC_14A_n260A DC_14A_n260G DC_14A_n260H DC_14A_n260I DC_14A_n260J DC_14A_n260K DC_14A_n260L DC_30A_n260A DC_30A_n260G DC_30A_n260H DC_30A_n260I DC_30A_n260J DC_30A_n260K DC_30A_n260L DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I DC_66A_n260J DC_66A_n260K DC_66A_n260L		
DC_2A-2A-14A-30A-66A_n260M	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_2A_n260J DC_2A_n260K DC_2A_n260L DC_2A_n260M DC_14A_n260A DC_14A_n260G DC_14A_n260H DC_14A_n260I DC_14A_n260J DC_14A_n260K DC_14A_n260L DC_14A_n260M DC_30A_n260A DC_30A_n260G DC_30A_n260H DC_30A_n260I DC_30A_n260J DC_30A_n260K DC_30A_n260L DC_30A_n260M DC_66A_n260A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_66A_n260G DC_66A_n260H DC_66A_n260I DC_66A_n260J DC_66A_n260K DC_66A_n260L DC_66A_n260M		
DC_2A-2A-14A-66A-66A_n260A	DC_2A_n260A DC_14A_n260A DC_66A_n260A		
DC_2A-2A-14A-66A-66A_n260G	DC_2A_n260A DC_2A_n260G DC_14A_n260A DC_14A_n260G DC_66A_n260A DC_66A_n260G		
DC_2A-2A-14A-66A-66A_n260H	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_14A_n260A DC_14A_n260G DC_14A_n260H DC_66A_n260A DC_66A_n260G DC_66A_n260H		
DC_2A-2A-14A-66A-66A_n260I	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_14A_n260A DC_14A_n260G DC_14A_n260H DC_14A_n260I DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I		
DC_2A-2A-14A-66A-66A_n260J	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_2A_n260J DC_14A_n260A DC_14A_n260G DC_14A_n260H DC_14A_n260I DC_14A_n260J DC_66A_n260A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_66A_n260G DC_66A_n260H DC_66A_n260I DC_66A_n260J		
DC_2A-2A-14A-66A-66A_n260K	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_2A_n260J DC_2A_n260K DC_14A_n260A DC_14A_n260G DC_14A_n260H DC_14A_n260I DC_14A_n260J DC_14A_n260K DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I DC_66A_n260J DC_66A_n260K		
DC_2A-2A-14A-66A-66A_n260L	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_2A_n260J DC_2A_n260K DC_2A_n260L DC_14A_n260A DC_14A_n260G DC_14A_n260H DC_14A_n260I DC_14A_n260J DC_14A_n260K DC_14A_n260L DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I DC_66A_n260J DC_66A_n260K DC_66A_n260L		
DC_2A-2A-14A-66A-66A_n260M	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_2A_n260J DC_2A_n260K DC_2A_n260L		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_2A_n260M DC_14A_n260A DC_14A_n260G DC_14A_n260H DC_14A_n260I DC_14A_n260J DC_14A_n260K DC_14A_n260L DC_14A_n260M DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I DC_66A_n260J DC_66A_n260K DC_66A_n260L DC_66A_n260M		
DC_2A-5A-30A-66A-66A_n260A	DC_2A_n260A DC_5A_n260A DC_30A_n260A DC_66A_n260A		
DC_2A-5A-30A-66A-66A_n260G	DC_2A_n260A DC_5A_n260A DC_30A_n260A DC_66A_n260A DC_2A_n260G DC_5A_n260G DC_30A_n260G DC_66A_n260G		
DC_2A-5A-30A-66A-66A_n260H	DC_2A_n260A DC_5A_n260A DC_30A_n260A DC_66A_n260A DC_2A_n260G DC_5A_n260G DC_30A_n260G DC_66A_n260G DC_2A_n260H DC_5A_n260H DC_30A_n260H DC_66A_n260H		
DC_2A-5A-30A-66A-66A_n260I	DC_2A_n260A DC_5A_n260A DC_30A_n260A DC_66A_n260A DC_2A_n260G DC_5A_n260G DC_30A_n260G DC_66A_n260G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_2A_n260H DC_5A_n260H DC_30A_n260H DC_66A_n260H DC_2A_n260I DC_5A_n260I DC_30A_n260I DC_66A_n260I		
DC_2A-5A-30A-66A-66A_n260J	DC_2A_n260A DC_5A_n260A DC_30A_n260A DC_66A_n260A DC_2A_n260G DC_5A_n260G DC_30A_n260G DC_66A_n260G DC_2A_n260H DC_5A_n260H DC_30A_n260H DC_66A_n260H DC_2A_n260I DC_5A_n260I DC_30A_n260I DC_66A_n260I DC_2A_n260J DC_5A_n260J DC_30A_n260J DC_66A_n260J		
DC_2A-5A-30A-66A-66A_n260K	DC_2A_n260A DC_5A_n260A DC_30A_n260A DC_66A_n260A DC_2A_n260G DC_5A_n260G DC_30A_n260G DC_66A_n260G DC_2A_n260H DC_5A_n260H DC_30A_n260H DC_66A_n260H DC_2A_n260I DC_5A_n260I DC_30A_n260I DC_66A_n260I DC_2A_n260J DC_5A_n260J DC_30A_n260J DC_66A_n260J DC_2A_n260K DC_5A_n260K DC_30A_n260K		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_66A_n260K		
DC_2A-5A-30A-66A-66A_n260L	DC_2A_n260A DC_5A_n260A DC_30A_n260A DC_66A_n260A DC_2A_n260G DC_5A_n260G DC_30A_n260G DC_66A_n260G DC_2A_n260H DC_5A_n260H DC_30A_n260H DC_66A_n260H DC_2A_n260I DC_5A_n260I DC_30A_n260I DC_66A_n260I DC_2A_n260J DC_5A_n260J DC_30A_n260J DC_66A_n260J DC_2A_n260K DC_5A_n260K DC_30A_n260K DC_66A_n260K DC_2A_n260L DC_5A_n260L DC_30A_n260L DC_66A_n260L		
DC_2A-5A-30A-66A-66A_n260M	DC_2A_n260A DC_5A_n260A DC_30A_n260A DC_66A_n260A DC_2A_n260G DC_5A_n260G DC_30A_n260G DC_66A_n260G DC_2A_n260H DC_5A_n260H DC_30A_n260H DC_66A_n260H DC_2A_n260I DC_5A_n260I DC_30A_n260I DC_66A_n260I DC_2A_n260J DC_5A_n260J DC_30A_n260J DC_66A_n260J DC_2A_n260K DC_5A_n260K		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_30A_n260K DC_66A_n260K DC_2A_n260L DC_5A_n260L DC_30A_n260L DC_66A_n260L DC_2A_n260M DC_5A_n260M DC_30A_n260M DC_66A_n260M		
DC_2A-12A-30A-66A-66A_n260A	DC_2A_n260A DC_12A_n260A DC_30A_n260A DC_66A_n260A		
DC_2A-12A-30A-66A-66A_n260G	DC_2A_n260A DC_12A_n260A DC_30A_n260A DC_66A_n260A DC_2A_n260G DC_12A_n260G DC_30A_n260G DC_66A_n260G		
DC_2A-12A-30A-66A-66A_n260H	DC_2A_n260A DC_12A_n260A DC_30A_n260A DC_66A_n260A DC_2A_n260G DC_12A_n260G DC_30A_n260G DC_66A_n260G DC_2A_n260H DC_12A_n260H DC_30A_n260H DC_66A_n260H		
DC_2A-12A-30A-66A-66A_n260I	DC_2A_n260A DC_12A_n260A DC_30A_n260A DC_66A_n260A DC_2A_n260G DC_12A_n260G DC_30A_n260G DC_66A_n260G DC_2A_n260H DC_12A_n260H DC_30A_n260H DC_66A_n260H DC_2A_n260I DC_12A_n260I DC_30A_n260I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_66A_n260I		
DC_2A-12A-30A-66A-66A_n260J	DC_2A_n260A DC_12A_n260A DC_30A_n260A DC_66A_n260A DC_2A_n260G DC_12A_n260G DC_30A_n260G DC_66A_n260G DC_2A_n260H DC_12A_n260H DC_30A_n260H DC_66A_n260H DC_2A_n260I DC_12A_n260I DC_30A_n260I DC_66A_n260I DC_2A_n260J DC_12A_n260J DC_30A_n260J DC_66A_n260J		
DC_2A-12A-30A-66A-66A_n260K	DC_2A_n260A DC_12A_n260A DC_30A_n260A DC_66A_n260A DC_2A_n260G DC_12A_n260G DC_30A_n260G DC_66A_n260G DC_2A_n260H DC_12A_n260H DC_30A_n260H DC_66A_n260H DC_2A_n260I DC_12A_n260I DC_30A_n260I DC_66A_n260I DC_2A_n260J DC_12A_n260J DC_30A_n260J DC_66A_n260J DC_2A_n260K DC_12A_n260K DC_30A_n260K DC_66A_n260K		
DC_2A-12A-30A-66A-66A_n260L	DC_2A_n260A DC_12A_n260A DC_30A_n260A DC_66A_n260A DC_2A_n260G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_12A_n260G DC_30A_n260G DC_66A_n260G DC_2A_n260H DC_12A_n260H DC_30A_n260H DC_66A_n260H DC_2A_n260I DC_12A_n260I DC_30A_n260I DC_66A_n260I DC_2A_n260J DC_12A_n260J DC_30A_n260J DC_66A_n260J DC_2A_n260K DC_12A_n260K DC_30A_n260K DC_66A_n260K DC_2A_n260L DC_12A_n260L DC_30A_n260L DC_66A_n260L		
DC_2A-12A-30A-66A-66A_n260M	DC_2A_n260A DC_12A_n260A DC_30A_n260A DC_66A_n260A DC_2A_n260G DC_12A_n260G DC_30A_n260G DC_66A_n260G DC_2A_n260H DC_12A_n260H DC_30A_n260H DC_66A_n260H DC_2A_n260I DC_12A_n260I DC_30A_n260I DC_66A_n260I DC_2A_n260J DC_12A_n260J DC_30A_n260J DC_66A_n260J DC_2A_n260K DC_12A_n260K DC_30A_n260K DC_66A_n260K DC_2A_n260L DC_12A_n260L DC_30A_n260L DC_66A_n260L DC_2A_n260M		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_12A_n260M DC_30A_n260M DC_66A_n260M		
DC_2A-14A-30A-66A-66A_n260A	DC_2A_n260A DC_14A_n260A DC_30A_n260A DC_66A_n260A		
DC_2A-14A-30A-66A-66A_n260G	DC_2A_n260A DC_2A_n260G DC_14A_n260A DC_14A_n260G DC_30A_n260A DC_30A_n260G DC_66A_n260A DC_66A_n260G		
DC_2A-14A-30A-66A-66A_n260H	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_14A_n260A DC_14A_n260G DC_14A_n260H DC_30A_n260A DC_30A_n260G DC_30A_n260H DC_66A_n260A DC_66A_n260G DC_66A_n260H		
DC_2A-14A-30A-66A-66A_n260I	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_14A_n260A DC_14A_n260G DC_14A_n260H DC_14A_n260I DC_30A_n260A DC_30A_n260G DC_30A_n260H DC_30A_n260I DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I		
DC_2A-14A-30A-66A-66A_n260J	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_2A_n260J		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_14A_n260A DC_14A_n260G DC_14A_n260H DC_14A_n260I DC_14A_n260J DC_30A_n260A DC_30A_n260G DC_30A_n260H DC_30A_n260I DC_30A_n260J DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I DC_66A_n260J		
DC_2A-14A-30A-66A-66A_n260K	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_2A_n260J DC_2A_n260K DC_14A_n260A DC_14A_n260G DC_14A_n260H DC_14A_n260I DC_14A_n260J DC_14A_n260K DC_30A_n260A DC_30A_n260G DC_30A_n260H DC_30A_n260I DC_30A_n260J DC_30A_n260K DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I DC_66A_n260J DC_66A_n260K		
DC_2A-14A-30A-66A-66A_n260L	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_2A_n260J DC_2A_n260K DC_2A_n260L DC_14A_n260A DC_14A_n260G DC_14A_n260H DC_14A_n260I DC_14A_n260J		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_14A_n260K DC_14A_n260L DC_30A_n260A DC_30A_n260G DC_30A_n260H DC_30A_n260I DC_30A_n260J DC_30A_n260K DC_30A_n260L DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I DC_66A_n260J DC_66A_n260K DC_66A_n260L		
DC_2A-14A-30A-66A-66A_n260M	DC_2A_n260A DC_2A_n260G DC_2A_n260H DC_2A_n260I DC_2A_n260J DC_2A_n260K DC_2A_n260L DC_2A_n260M DC_14A_n260A DC_14A_n260G DC_14A_n260H DC_14A_n260I DC_14A_n260J DC_14A_n260K DC_14A_n260L DC_14A_n260M DC_30A_n260A DC_30A_n260G DC_30A_n260H DC_30A_n260I DC_30A_n260J DC_30A_n260K DC_30A_n260L DC_30A_n260M DC_66A_n260A DC_66A_n260G DC_66A_n260H DC_66A_n260I DC_66A_n260J DC_66A_n260K DC_66A_n260L DC_66A_n260M		
DC_3A-3A-7A-7A-8A_n257A	DC_3A_n257A DC_7A_n257A DC_8A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_3A-3A-7A-7A-8A_n257D	DC_3A_n257A DC_7A_n257A DC_8A_n257A		
DC_3A-3A-7A-7A-8A_n257E	DC_3A_n257A DC_7A_n257A DC_8A_n257A		
DC_3A-3A-7A-7A-8A_n257F	DC_3A_n257A DC_7A_n257A DC_8A_n257A		
DC_3A-3A-7A-7A-8A_n257G	DC_3A_n257A DC_7A_n257A DC_8A_n257A		
DC_3A-3A-7A-7A-8A_n257H	DC_3A_n257A DC_7A_n257A DC_8A_n257A		
DC_3A-3A-7A-7A-8A_n257I	DC_3A_n257A DC_7A_n257A DC_8A_n257A		
DC_3A-3A-7A-7A-8A_n257J	DC_3A_n257A DC_7A_n257A DC_8A_n257A		
DC_3A-3A-7A-7A-8A_n257K	DC_3A_n257A DC_7A_n257A DC_8A_n257A		
DC_3A-3A-7A-7A-8A_n257L	DC_3A_n257A DC_7A_n257A DC_8A_n257A		
DC_3A-3A-7A-7A-8A_n257M	DC_3A_n257A DC_7A_n257A DC_8A_n257A		
DC_3A-3A-7A-7A_n1A-n257A (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A DC_7A_n1A DC_7A_n257A		
DC_3A-3A-7A-7A_n1A-n257D (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A DC_7A_n1A DC_7A_n257A		
DC_3A-3A-7A-7A_n1A-n257E (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A DC_7A_n1A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_7A_n257A		
DC_3A-3A-7A-7A_n1A-n257F (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A DC_7A_n1A DC_7A_n257A		
DC_3A-3A-7A-7A_n1A-n257G (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A DC_3A_n257G DC_7A_n1A DC_7A_n257A DC_7A_n257G		
DC_3A-3A-7A-7A_n1A-n257H (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_7A_n1A DC_7A_n257A DC_7A_n257G DC_7A_n257H		
DC_3A-3A-7A-7A_n1A-n257I (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_7A_n1A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I		
DC_3A-3A-7A-7A_n1A-n257J (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_7A_n1A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J		
DC_3A-3A-7A-7A_n1A-n257K (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_3A_n257K DC_7A_n1A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_7A_n257K		
DC_3A-3A-7A-7A_n1A-n257L (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_7A_n1A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_7A_n257K		
DC_3A-3A-7A-7A_n1A-n257M (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_7A_n1A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_7A_n257K		
DC_3A-3A-7A-7A_n8A-n257A (interBandEnDcSimRxTx)	DC_3A_n8A DC_3A_n257A DC_7A_n8A DC_7A_n257A		
DC_3A-3A-7A-7A_n8A-n257G (interBandEnDcSimRxTx)	DC_3A_n8A DC_3A_n257A DC_3A_n257G DC_7A_n8A DC_7A_n257A DC_7A_n257G		
DC_3A-3A-7A-7A_n8A-n257H (interBandEnDcSimRxTx)	DC_3A_n8A DC_3A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_3A_n257G DC_3A_n257H DC_7A_n8A DC_7A_n257A DC_7A_n257G DC_7A_n257H		
DC_3A-3A-7A-7A_n8A-n257I (interBandEnDcSimRxTx)	DC_3A_n8A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_7A_n8A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I		
DC_3A-3A-7A-7A_n8A-n257J (interBandEnDcSimRxTx)	DC_3A_n8A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_7A_n8A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J		
DC_3A-3A-7A-7A_n8A-n257K (interBandEnDcSimRxTx)	DC_3A_n8A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_7A_n8A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_7A_n257K		
DC_3A-3A-7A-7A_n78A-n257A (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A DC_7A_n78A DC_7A_n257A		
DC_3A-3A-7A-7A_n78A-n257D (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_7A_n78A DC_7A_n257A		
DC_3A-3A-7A-7A_n78A-n257E (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A DC_7A_n78A DC_7A_n257A		
DC_3A-3A-7A-7A_n78A-n257F (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A DC_7A_n78A DC_7A_n257A		
DC_3A-3A-7A-7A_n78A-n257G (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_7A_n78A DC_7A_n257A DC_7A_n257G		
DC_3A-3A-7A-7A_n78A-n257H (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_7A_n78A DC_7A_n257A DC_7A_n257G DC_7A_n257H		
DC_3A-3A-7A-7A_n78A-n257I (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_7A_n78A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I		
DC_3A-3A-7A-7A_n78A-n257J (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_7A_n78A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_3A-3A-7A-7A_n78A-n257K (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_7A_n78A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_7A_n257K		
DC_3A-3A-7A-7A_n78A-n257L (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_7A_n78A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_7A_n257K		
DC_3A-3A-7A-7A_n78A-n257M (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_7A_n78A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_7A_n257K		
DC_3A-3A-7A-8A_n1A-n257A (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A DC_7A_n1A DC_7A_n257A DC_8A_n1A DC_8A_n257A		
	DC_3A_n1A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_3A-3A-7A-8A_n1A-n257D (interBandEnDcSimRxTx)	DC_3A_n257A DC_7A_n1A DC_7A_n257A DC_8A_n1A DC_8A_n257A		
DC_3A-3A-7A-8A_n1A-n257E (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A DC_7A_n1A DC_7A_n257A DC_8A_n1A DC_8A_n257A		
DC_3A-3A-7A-8A_n1A-n257F (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A DC_7A_n1A DC_7A_n257A DC_8A_n1A DC_8A_n257A		
DC_3A-3A-7A-8A_n1A-n257G (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A DC_3A_n257G DC_7A_n1A DC_7A_n257A DC_7A_n257G DC_8A_n1A DC_8A_n257A DC_8A_n257G		
DC_3A-3A-7A-8A_n1A-n257H (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_7A_n1A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_8A_n1A DC_8A_n257A DC_8A_n257G DC_8A_n257H		
DC_3A-3A-7A-8A_n1A-n257I (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_7A_n1A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_8A_n1A DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I		
DC_3A-3A-7A-8A_n1A-n257J (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_7A_n1A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_8A_n1A DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I DC_8A_n257J		
DC_3A-3A-7A-8A_n1A-n257K (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_7A_n1A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_7A_n257K DC_8A_n1A DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I DC_8A_n257J DC_8A_n257K		
DC_3A-3A-7A-8A_n1A-n257L (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_3A_n257K DC_7A_n1A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_7A_n257K DC_8A_n1A DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I DC_8A_n257J DC_8A_n257K		
DC_3A-3A-7A-8A_n1A-n257M (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_7A_n1A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_7A_n257K DC_8A_n1A DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I DC_8A_n257J DC_8A_n257K		
DC_3A-3A-7A-8A_n78A-n257A (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A DC_7A_n78A DC_7A_n257A DC_8A_n78A DC_8A_n257A		
DC_3A-3A-7A-8A_n78A-n257D (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A DC_7A_n78A DC_7A_n257A DC_8A_n78A DC_8A_n257A		
	DC_3A_n78A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_3A-3A-7A-8A_n78A-n257E (interBandEnDcSimRxTx)	DC_3A_n257A DC_7A_n78A DC_7A_n257A DC_8A_n78A DC_8A_n257A		
DC_3A-3A-7A-8A_n78A-n257F (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A DC_7A_n78A DC_7A_n257A DC_8A_n78A DC_8A_n257A		
DC_3A-3A-7A-8A_n78A-n257G (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_7A_n78A DC_7A_n257A DC_7A_n257G DC_8A_n78A DC_8A_n257A DC_8A_n257G		
DC_3A-3A-7A-8A_n78A-n257H (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_7A_n78A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_8A_n78A DC_8A_n257A DC_8A_n257G DC_8A_n257H		
DC_3A-3A-7A-8A_n78A-n257I (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_7A_n78A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_8A_n78A DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I		
	DC_3A_n78A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_3A-3A-7A-8A_n78A-n257J (interBandEnDcSimRxTx)	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_7A_n78A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_8A_n78A DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I DC_8A_n257J		
DC_3A-3A-7A-8A_n78A-n257K (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_7A_n78A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_7A_n257K DC_8A_n78A DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I DC_8A_n257J DC_8A_n257K		
DC_3A-3A-7A-8A_n78A-n257L (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_7A_n78A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_7A_n257K DC_8A_n78A DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I DC_8A_n257J DC_8A_n257K		
DC_3A-3A-7A-8A_n78A-n257M (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_7A_n78A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_7A_n257K DC_8A_n78A DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I DC_8A_n257J DC_8A_n257K		
DC_3A-3A-7A_n1A-n78A-n257A (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n78A DC_3A_n257A DC_7A_n1A DC_7A_n78A DC_7A_n257A		
DC_3A-3A-7A_n1A-n78A-n257D (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n78A DC_3A_n257A DC_7A_n1A DC_7A_n78A DC_7A_n257A		
DC_3A-3A-7A_n1A-n78A-n257E (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n78A DC_3A_n257A DC_7A_n1A DC_7A_n78A DC_7A_n257A		
	DC_3A_n1A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_3A-3A-7A_n1A-n78A-n257F (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A DC_7A_n1A DC_7A_n78A DC_7A_n257A		
DC_3A-3A-7A_n1A-n78A-n257G (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n78A DC_3A_n257A DC_7A_n1A DC_7A_n78A DC_7A_n257A		
DC_3A-3A-7A_n1A-n78A-n257H (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n78A DC_3A_n257A DC_7A_n1A DC_7A_n78A DC_7A_n257A		
DC_3A-3A-7A_n1A-n78A-n257I (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n78A DC_3A_n257A DC_7A_n1A DC_7A_n78A DC_7A_n257A		
DC_3A-3A-7A_n1A-n78A-n257J (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n78A DC_3A_n257A DC_7A_n1A DC_7A_n78A DC_7A_n257A		
DC_3A-3A-7A_n1A-n78A-n257K (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n78A DC_3A_n257A DC_7A_n1A DC_7A_n78A DC_7A_n257A		
DC_3A-3A-7A_n1A-n78A-n257L (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n78A DC_3A_n257A DC_7A_n1A DC_7A_n78A DC_7A_n257A		
DC_3A-3A-7A_n1A-n78A-n257M (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n78A DC_3A_n257A DC_7A_n1A DC_7A_n78A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_7A_n257A		
DC_3A-3A-7A_n8A-n78A-n257A (interBandEnDcSimRxTx)	DC_3A_n8A DC_3A_n78A DC_3A_n257A DC_7A_n8A DC_7A_n78A DC_7A_n257A		
DC_3A-3A-7A_n8A-n78A-n257G (interBandEnDcSimRxTx)	DC_3A_n8A DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_7A_n8A DC_7A_n78A DC_7A_n257A DC_7A_n257G		
DC_3A-3A-7A_n8A-n78A-n257H (interBandEnDcSimRxTx)	DC_3A_n8A DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_7A_n8A DC_7A_n78A DC_7A_n257A DC_7A_n257G DC_7A_n257H		
DC_3A-3A-7A_n8A-n78A-n257I (interBandEnDcSimRxTx)	DC_3A_n8A DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_7A_n8A DC_7A_n78A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I		
DC_3A-3A-7A_n8A-n78A-n257J (interBandEnDcSimRxTx)	DC_3A_n8A DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_7A_n8A DC_7A_n78A DC_7A_n257A DC_7A_n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_7A_n257H DC_7A_n257I DC_7A_n257J		
DC_3A-3A-7A_n8A-n78A-n257K (interBandEnDcSimRxTx)	DC_3A_n8A DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_7A_n8A DC_7A_n78A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_7A_n257K		
DC_3A-3A-8A_n1A-n78A-n257A (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n78A DC_3A_n257A DC_8A_n1A DC_8A_n78A DC_8A_n257A		
DC_3A-5A-7A-7A_n78A-n257A	DC_3A_n78A DC_3A_n257A DC_5A_n78A DC_5A_n257A DC_7A_n78A DC_7A_n257A DC_3A_n78A-n257A DC_5A_n78A-n257A DC_7A_n78A-n257A		
DC_3A-5A-7A-7A_n78A-n257D	DC_3A_n78A DC_3A_n257A DC_5A_n78A DC_5A_n257A DC_7A_n78A DC_7A_n257A DC_3A_n78A-n257A DC_5A_n78A-n257A DC_7A_n78A-n257A		
DC_3A-5A-7A-7A_n78A-n257E	DC_3A_n78A DC_3A_n257A DC_5A_n78A DC_5A_n257A DC_7A_n78A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_7A_n257A DC_3A_n78A-n257A DC_5A_n78A-n257A DC_7A_n78A-n257A		
DC_3A-5A-7A-7A_n78A-n257F	DC_3A_n78A DC_3A_n257A DC_5A_n78A DC_5A_n257A DC_7A_n78A DC_7A_n257A DC_3A_n78A-n257A DC_5A_n78A-n257A DC_7A_n78A-n257A		
DC_3A-5A-7A-7A_n78A-n257G	DC_3A_n78A DC_3A_n257A DC_5A_n78A DC_5A_n257A DC_7A_n78A DC_7A_n257A DC_3A_n78A-n257A DC_3A_n78A-n257G DC_5A_n78A-n257A DC_5A_n78A-n257G DC_7A_n78A-n257A DC_7A_n78A-n257G		
DC_3A-5A-7A-7A_n78A-n257H	DC_3A_n78A DC_3A_n257A DC_5A_n78A DC_5A_n257A DC_7A_n78A DC_7A_n257A DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H		
DC_3A-5A-7A-7A_n78A-n257I	DC_3A_n78A DC_3A_n257A DC_5A_n78A DC_5A_n257A DC_7A_n78A DC_7A_n257A DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_3A_n78A-n257I DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H DC_5A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_3A-5A-7A-7A_n78A-n257J	DC_3A_n78A DC_3A_n257A DC_5A_n78A DC_5A_n257A DC_7A_n78A DC_7A_n257A DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H DC_5A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_3A-5A-7A-7A_n78A-n257K	DC_3A_n78A DC_3A_n257A DC_5A_n78A DC_5A_n257A DC_7A_n78A DC_7A_n257A DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H DC_5A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_3A-5A-7A-7A_n78A-n257L	DC_3A_n78A DC_3A_n257A DC_5A_n78A DC_5A_n257A DC_7A_n78A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_7A_n257A DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H DC_5A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_3A-5A-7A-7A_n78A-n257M	DC_3A_n78A DC_3A_n257A DC_5A_n78A DC_5A_n257A DC_7A_n78A DC_7A_n257A DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H DC_5A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_3A-5A-7A-7A_n78C-n257A	DC_3A_n78A DC_3A_n257A DC_5A_n78A DC_5A_n257A DC_7A_n78A DC_7A_n257A DC_3A_n78A-n257A DC_5A_n78A-n257A DC_7A_n78A-n257A		
DC_3A-5A-7A-7A_n78C-n257D	DC_3A_n78A DC_3A_n257A DC_5A_n78A DC_5A_n257A DC_7A_n78A DC_7A_n257A DC_3A_n78A-n257A DC_5A_n78A-n257A DC_7A_n78A-n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_3A-5A-7A-7A_n78C-n257E	DC_3A_n78A DC_3A_n257A DC_5A_n78A DC_5A_n257A DC_7A_n78A DC_7A_n257A DC_3A_n78A-n257A DC_5A_n78A-n257A DC_7A_n78A-n257A		
DC_3A-5A-7A-7A_n78C-n257F	DC_3A_n78A DC_3A_n257A DC_5A_n78A DC_5A_n257A DC_7A_n78A DC_7A_n257A DC_3A_n78A-n257A DC_5A_n78A-n257A DC_7A_n78A-n257A		
DC_3A-5A-7A-7A_n78C-n257G	DC_3A_n78A DC_3A_n257A DC_5A_n78A DC_5A_n257A DC_7A_n78A DC_7A_n257A DC_3A_n78A-n257A DC_3A_n78A-n257G DC_5A_n78A-n257A DC_5A_n78A-n257G DC_7A_n78A-n257A DC_7A_n78A-n257G		
DC_3A-5A-7A-7A_n78C-n257H	DC_3A_n78A DC_3A_n257A DC_5A_n78A DC_5A_n257A DC_7A_n78A DC_7A_n257A DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H		
DC_3A-5A-7A-7A_n78C-n257I	DC_3A_n78A DC_3A_n257A DC_5A_n78A DC_5A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_7A_n78A DC_7A_n257A DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H DC_5A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_3A-5A-7A-7A_n78C-n257J	DC_3A_n78A DC_3A_n257A DC_5A_n78A DC_5A_n257A DC_7A_n78A DC_7A_n257A DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H DC_5A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_3A-5A-7A-7A_n78C-n257K	DC_3A_n78A DC_3A_n257A DC_5A_n78A DC_5A_n257A DC_7A_n78A DC_7A_n257A DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H DC_5A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_3A-5A-7A-7A_n78C-n257L	DC_3A_n78A DC_3A_n257A DC_5A_n78A DC_5A_n257A DC_7A_n78A DC_7A_n257A DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H DC_5A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_3A-5A-7A-7A_n78C-n257M	DC_3A_n78A DC_3A_n257A DC_5A_n78A DC_5A_n257A DC_7A_n78A DC_7A_n257A DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H DC_5A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_3A-7A-7A-8A_n1A-n257A (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A DC_7A_n1A DC_7A_n257A DC_8A_n1A DC_8A_n257A		
DC_3A-7A-7A-8A_n1A-n257D (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A DC_7A_n1A DC_7A_n257A DC_8A_n1A DC_8A_n257A		
	DC_3A_n1A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_3A-7A-7A-8A_n1A-n257E (interBandEnDcSimRxTx)	DC_3A_n257A DC_7A_n1A DC_7A_n257A DC_8A_n1A DC_8A_n257A		
DC_3A-7A-7A-8A_n1A-n257F (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A DC_7A_n1A DC_7A_n257A DC_8A_n1A DC_8A_n257A		
DC_3A-7A-7A-8A_n1A-n257G (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A DC_3A_n257G DC_7A_n1A DC_7A_n257A DC_7A_n257G DC_8A_n1A DC_8A_n257A DC_8A_n257G		
DC_3A-7A-7A-8A_n1A-n257H (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_7A_n1A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_8A_n1A DC_8A_n257A DC_8A_n257G DC_8A_n257H		
DC_3A-7A-7A-8A_n1A-n257I (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_7A_n1A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_8A_n1A DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I		
	DC_3A_n1A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_3A-7A-7A-8A_n1A-n257J (interBandEnDcSimRxTx)	DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_7A_n1A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_8A_n1A DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I DC_8A_n257J		
DC_3A-7A-7A-8A_n1A-n257K (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_7A_n1A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_7A_n257K DC_8A_n1A DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I DC_8A_n257J DC_8A_n257K		
DC_3A-7A-7A-8A_n1A-n257L (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_7A_n1A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_7A_n257K DC_8A_n1A DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I DC_8A_n257J DC_8A_n257K		
DC_3A-7A-7A-8A_n1A-n257M (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_7A_n1A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_7A_n257K DC_8A_n1A DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I DC_8A_n257J DC_8A_n257K		
DC_3A-7A-7A-8A_n78A-n257A (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A DC_7A_n78A DC_7A_n257A DC_8A_n78A DC_8A_n257A		
DC_3A-7A-7A-8A_n78A-n257D (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A DC_7A_n78A DC_7A_n257A DC_8A_n78A DC_8A_n257A		
DC_3A-7A-7A-8A_n78A-n257E (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A DC_7A_n78A DC_7A_n257A DC_8A_n78A DC_8A_n257A		
	DC_3A_n78A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_3A-7A-7A-8A_n78A-n257F (interBandEnDcSimRxTx)	DC_3A_n257A DC_7A_n78A DC_7A_n257A DC_8A_n78A DC_8A_n257A		
DC_3A-7A-7A-8A_n78A-n257G (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_7A_n78A DC_7A_n257A DC_7A_n257G DC_8A_n78A DC_8A_n257A DC_8A_n257G		
DC_3A-7A-7A-8A_n78A-n257H (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_7A_n78A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_8A_n78A DC_8A_n257A DC_8A_n257G DC_8A_n257H		
DC_3A-7A-7A-8A_n78A-n257I (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_7A_n78A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_8A_n78A DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I		
DC_3A-7A-7A-8A_n78A-n257J (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_7A_n78A DC_7A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_8A_n78A DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I DC_8A_n257J		
DC_3A-7A-7A-8A_n78A-n257K (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_7A_n78A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_7A_n257K DC_8A_n78A DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I DC_8A_n257J DC_8A_n257K		
DC_3A-7A-7A-8A_n78A-n257L (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_7A_n78A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_7A_n257K DC_8A_n78A DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I DC_8A_n257J		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_8A_n257K		
DC_3A-7A-7A-8A_n78A-n257M (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_7A_n78A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_7A_n257K DC_8A_n78A DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I DC_8A_n257J DC_8A_n257K		
DC_3A-7A-7A_n1A-n78A-n257A (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n78A DC_3A_n257A DC_7A_n1A DC_7A_n78A DC_7A_n257A		
DC_3A-7A-7A_n1A-n78A-n257D (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n78A DC_3A_n257A DC_7A_n1A DC_7A_n78A DC_7A_n257A		
DC_3A-7A-7A_n1A-n78A-n257E (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n78A DC_3A_n257A DC_7A_n1A DC_7A_n78A DC_7A_n257A		
DC_3A-7A-7A_n1A-n78A-n257F (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n78A DC_3A_n257A DC_7A_n1A DC_7A_n78A DC_7A_n257A		
	DC_3A_n1A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_3A-7A-7A_n1A-n78A-n257G (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A DC_7A_n1A DC_7A_n78A DC_7A_n257A		
DC_3A-7A-7A_n1A-n78A-n257H (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n78A DC_3A_n257A DC_7A_n1A DC_7A_n78A DC_7A_n257A		
DC_3A-7A-7A_n1A-n78A-n257I (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n78A DC_3A_n257A DC_7A_n1A DC_7A_n78A DC_7A_n257A		
DC_3A-7A-7A_n1A-n78A-n257J (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n78A DC_3A_n257A DC_7A_n1A DC_7A_n78A DC_7A_n257A		
DC_3A-7A-7A_n1A-n78A-n257K (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n78A DC_3A_n257A DC_7A_n1A DC_7A_n78A DC_7A_n257A		
DC_3A-7A-7A_n1A-n78A-n257L (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n78A DC_3A_n257A DC_7A_n1A DC_7A_n78A DC_7A_n257A		
DC_3A-7A-7A_n1A-n78A-n257M (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n78A DC_3A_n257A DC_7A_n1A DC_7A_n78A DC_7A_n257A		
DC_3A-7A-7A_n8A-n78A-n257A (interBandEnDcSimRxTx)	DC_3A_n8A DC_3A_n78A DC_3A_n257A DC_7A_n8A DC_7A_n78A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_7A_n257A		
DC_3A-7A-7A_n8A-n78A-n257G (interBandEnDcSimRxTx)	DC_3A_n8A DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_7A_n8A DC_7A_n78A DC_7A_n257A DC_7A_n257G		
DC_3A-7A-7A_n8A-n78A-n257H (interBandEnDcSimRxTx)	DC_3A_n8A DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_7A_n8A DC_7A_n78A DC_7A_n257A DC_7A_n257G DC_7A_n257H		
DC_3A-7A-7A_n8A-n78A-n257I (interBandEnDcSimRxTx)	DC_3A_n8A DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_7A_n8A DC_7A_n78A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I		
DC_3A-7A-7A_n8A-n78A-n257J (interBandEnDcSimRxTx)	DC_3A_n8A DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_7A_n8A DC_7A_n78A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J		
DC_3A-7A-7A_n8A-n78A-n257K (interBandEnDcSimRxTx)	DC_3A_n8A DC_3A_n78A DC_3A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_7A_n8A DC_7A_n78A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_7A_n257K		
DC_3A-7A-8A_n1A-n78A-n257A (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n78A DC_3A_n257A DC_7A_n1A DC_7A_n78A DC_7A_n257A DC_8A_n1A DC_8A_n78A DC_8A_n257A		
DC_3A-28A-41A-42A_n78A-n257A	DC_3A_n78A DC_3A_n257A DC_28A_n78A DC_28A_n257A DC_41A_n78A DC_41A_n257A DC_42A_n257A		
DC_3A-28A-41A-42A_n78A-n257G	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_28A_n78A DC_28A_n257A DC_28A_n257G DC_41A_n78A DC_41A_n257A DC_41A_n257G DC_42A_n257A DC_42A_n257G		
DC_3A-28A-41A-42A_n78A-n257H	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_28A_n78A DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_41A_n78A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H		
DC_3A-28A-41A-42A_n78A-n257I	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_28A_n78A DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_28A_n257I DC_41A_n78A DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_3A-28A-41A-42C_n78A-n257A	DC_3A_n78A DC_3A_n257A DC_28A_n78A DC_28A_n257A DC_41A_n78A DC_41A_n257A DC_42A_n257A DC_42C_n257A		
DC_3A-28A-41A-42C_n78A-n257G	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_28A_n78A DC_28A_n257A DC_28A_n257G DC_41A_n78A DC_41A_n257A DC_41A_n257G DC_42A_n257A DC_42A_n257G DC_42C_n257A DC_42C_n257G		
DC_3A-28A-41A-42C_n78A-n257H	DC_3A_n78A DC_3A_n257A DC_3A_n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_3A_n257H DC_28A_n78A DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_41A_n78A DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42C_n257A DC_42C_n257G DC_42C_n257H		
DC_3A-28A-41A-42C_n78A-n257I	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_28A_n78A DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_28A_n257I DC_41A_n78A DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_3A-28A-41C-42A_n78A-n257A	DC_3A_n78A DC_3A_n257A DC_28A_n78A DC_28A_n257A DC_41A_n78A DC_41A_n257A DC_41C_n78A DC_41C_n257A DC_42A_n257A		
DC_3A-28A-41C-42A_n78A-n257G	DC_3A_n78A DC_3A_n257A DC_3A_n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_28A_n78A DC_28A_n257A DC_28A_n257G DC_41A_n78A DC_41A_n257A DC_41A_n257G DC_41C_n78A DC_41C_n257A DC_41C_n257G DC_42A_n257A DC_42A_n257G		
DC_3A-28A-41C-42A_n78A-n257H	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_28A_n78A DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_41A_n78A DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41C_n78A DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H		
DC_3A-28A-41C-42A_n78A-n257I	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_28A_n78A DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_28A_n257I DC_41A_n78A DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_41C_n78A DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_41C_n257I DC_42A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_42A_n257G DC_42A_n257H DC_42A_n257I		
DC_3A-28A-41C-42C_n78A-n257A	DC_3A_n78A DC_3A_n257A DC_28A_n78A DC_28A_n257A DC_41A_n78A DC_41A_n257A DC_41C_n78A DC_41C_n257A DC_42A_n257A DC_42C_n257A		
DC_3A-28A-41C-42C_n78A-n257G	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_28A_n78A DC_28A_n257A DC_28A_n257G DC_41A_n78A DC_41A_n257A DC_41A_n257G DC_41C_n78A DC_41C_n257A DC_41C_n257G DC_42A_n257A DC_42A_n257G DC_42C_n257A DC_42C_n257G		
DC_3A-28A-41C-42C_n78A-n257H	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_28A_n78A DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_41A_n78A DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41C_n78A DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42C_n257A DC_42C_n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_42C_n257H		
DC_3A-28A-41C-42C_n78A-n257I	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_28A_n78A DC_28A_n257A DC_28A_n257G DC_28A_n257H DC_28A_n257I DC_41A_n78A DC_41A_n257A DC_41A_n257G DC_41A_n257H DC_41A_n257I DC_41C_n78A DC_41C_n257A DC_41C_n257G DC_41C_n257H DC_41C_n257I DC_42A_n257A DC_42A_n257G DC_42A_n257H DC_42A_n257I DC_42C_n257A DC_42C_n257G DC_42C_n257H DC_42C_n257I		
DC_7A-7A-8A_n1A-n78A-n257A (interBandEnDcSimRxTx)	DC_7A_n1A DC_7A_n78A DC_7A_n257A DC_8A_n1A DC_8A_n78A DC_8A_n257A		
DC_n257A_1A-3A-5A-7A-7A	DC_n257A_1A DC_n257A_3A DC_n257A_5A DC_n257A_7A		
DC_n257G_1A-3A-5A-7A-7A	DC_n257A_1A DC_n257A_3A DC_n257A_5A DC_n257A_7A		
DC_n257H_1A-3A-5A-7A-7A	DC_n257A_1A DC_n257A_3A DC_n257A_5A DC_n257A_7A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_n257I_1A-3A-5A-7A-7A	DC_n257A_1A DC_n257A_3A DC_n257A_5A DC_n257A_7A		
DC_n257J_1A-3A-5A-7A-7A	DC_n257A_1A DC_n257A_3A DC_n257A_5A DC_n257A_7A		
DC_n257K_1A-3A-5A-7A-7A	DC_n257A_1A DC_n257A_3A DC_n257A_5A DC_n257A_7A		
DC_n257L_1A-3A-5A-7A-7A	DC_n257A_1A DC_n257A_3A DC_n257A_5A DC_n257A_7A		
DC_n257M_1A-3A-5A-7A-7A	DC_n257A_1A DC_n257A_3A DC_n257A_5A DC_n257A_7A		
DC_1A-3A-5A-7A-7A_n78A-n257A	DC_1A_n78A DC_3A_n78A DC_5A_n78A DC_7A_n78A DC_1A_n257A DC_3A_n257A DC_5A_n257A DC_7A_n257A DC_1A_n78A-n257A DC_3A_n78A-n257A DC_5A_n78A-n257A DC_7A_n78A-n257A		
DC_1A-3A-5A-7A-7A_n78A-n257D	DC_1A_n78A DC_3A_n78A DC_5A_n78A DC_7A_n78A DC_1A_n257A DC_3A_n257A DC_5A_n257A DC_7A_n257A DC_1A_n78A-n257A DC_3A_n78A-n257A DC_5A_n78A-n257A DC_7A_n78A-n257A		
DC_1A-3A-5A-7A-7A_n78A-n257E	DC_1A_n78A DC_3A_n78A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_5A_n78A DC_7A_n78A DC_1A_n257A DC_3A_n257A DC_5A_n257A DC_7A_n257A DC_1A_n78A-n257A DC_3A_n78A-n257A DC_5A_n78A-n257A DC_7A_n78A-n257A		
DC_1A-3A-5A-7A-7A_n78A-n257F	DC_1A_n78A DC_3A_n78A DC_5A_n78A DC_7A_n78A DC_1A_n257A DC_3A_n257A DC_5A_n257A DC_7A_n257A DC_1A_n78A-n257A DC_3A_n78A-n257A DC_5A_n78A-n257A DC_7A_n78A-n257A		
DC_1A-3A-5A-7A-7A_n78A-n257G	DC_1A_n78A DC_3A_n78A DC_5A_n78A DC_7A_n78A DC_1A_n257A DC_3A_n257A DC_5A_n257A DC_7A_n257A DC_1A_n78A-n257A DC_1A_n78A-n257G DC_3A_n78A-n257A DC_3A_n78A-n257G DC_5A_n78A-n257A DC_5A_n78A-n257G DC_7A_n78A-n257A DC_7A_n78A-n257G		
DC_1A-3A-5A-7A-7A_n78A-n257H	DC_1A_n78A DC_3A_n78A DC_5A_n78A DC_7A_n78A DC_1A_n257A DC_3A_n257A DC_5A_n257A DC_7A_n257A DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_3A_n78A-n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_3A_n78A-n257G DC_3A_n78A-n257H DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H		
DC_1A-3A-5A-7A-7A_n78A-n257I	DC_1A_n78A DC_3A_n78A DC_5A_n78A DC_7A_n78A DC_1A_n257A DC_3A_n257A DC_5A_n257A DC_7A_n257A DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H DC_5A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_1A-3A-5A-7A-7A_n78A-n257J	DC_1A_n78A DC_3A_n78A DC_5A_n78A DC_7A_n78A DC_1A_n257A DC_3A_n257A DC_5A_n257A DC_7A_n257A DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_5A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_1A-3A-5A-7A-7A_n78A-n257K	DC_1A_n78A DC_3A_n78A DC_5A_n78A DC_7A_n78A DC_1A_n257A DC_3A_n257A DC_5A_n257A DC_7A_n257A DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H DC_5A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_1A-3A-5A-7A-7A_n78A-n257L	DC_1A_n78A DC_3A_n78A DC_5A_n78A DC_7A_n78A DC_1A_n257A DC_3A_n257A DC_5A_n257A DC_7A_n257A DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H DC_5A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_1A-3A-5A-7A-7A_n78A-n257M	DC_1A_n78A DC_3A_n78A DC_5A_n78A DC_7A_n78A DC_1A_n257A DC_3A_n257A DC_5A_n257A DC_7A_n257A DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H DC_5A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_1A-3A-5A-7A-7A_n78C-n257A	DC_1A_n78A-n257A DC_3A_n78A-n257A DC_5A_n78A-n257A DC_7A_n78A-n257A		
DC_1A-3A-5A-7A-7A_n78C-n257D	DC_1A_n78A-n257A DC_3A_n78A-n257A DC_5A_n78A-n257A DC_7A_n78A-n257A		
DC_1A-3A-5A-7A-7A_n78C-n257E	DC_1A_n78A-n257A DC_3A_n78A-n257A DC_5A_n78A-n257A DC_7A_n78A-n257A		
DC_1A-3A-5A-7A-7A_n78C-n257F	DC_1A_n78A-n257A DC_3A_n78A-n257A DC_5A_n78A-n257A DC_7A_n78A-n257A		
DC_1A-3A-5A-7A-7A_n78C-n257G	DC_1A_n78A-n257A DC_1A_n78A-n257G DC_3A_n78A-n257A DC_3A_n78A-n257G DC_5A_n78A-n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_5A_n78A-n257G DC_7A_n78A-n257A DC_7A_n78A-n257G		
DC_1A-3A-5A-7A-7A_n78C-n257H	DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H		
DC_1A-3A-5A-7A-7A_n78C-n257I	DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H DC_5A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_1A-3A-5A-7A-7A_n78C-n257J	DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H DC_5A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_1A-3A-5A-7A-7A_n78C-n257K	DC_1A_n78A-n257A DC_1A_n78A-n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_1A_n78A-n257H DC_1A_n78A-n257I DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H DC_5A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_1A-3A-5A-7A-7A_n78C-n257L	DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H DC_5A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_1A-3A-5A-7A-7A_n78C-n257M	DC_1A_n78A-n257A DC_1A_n78A-n257G DC_1A_n78A-n257H DC_1A_n78A-n257I DC_3A_n78A-n257A DC_3A_n78A-n257G DC_3A_n78A-n257H DC_3A_n78A-n257I DC_5A_n78A-n257A DC_5A_n78A-n257G DC_5A_n78A-n257H DC_5A_n78A-n257I DC_7A_n78A-n257A DC_7A_n78A-n257G DC_7A_n78A-n257H DC_7A_n78A-n257I		
DC_3A-3A-7A-7A-8A_n1A-n257A (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A DC_7A_n1A DC_7A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_8A_n1A DC_8A_n257A		
DC_3A-3A-7A-7A-8A_n1A-n257D (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A DC_7A_n1A DC_7A_n257A DC_8A_n1A DC_8A_n257A		
DC_3A-3A-7A-7A-8A_n1A-n257E (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A DC_7A_n1A DC_7A_n257A DC_8A_n1A DC_8A_n257A		
DC_3A-3A-7A-7A-8A_n1A-n257F (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A DC_7A_n1A DC_7A_n257A DC_8A_n1A DC_8A_n257A		
DC_3A-3A-7A-7A-8A_n1A-n257G (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A DC_3A_n257G DC_7A_n1A DC_7A_n257A DC_7A_n257G DC_8A_n1A DC_8A_n257A DC_8A_n257G		
DC_3A-3A-7A-7A-8A_n1A-n257H (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_7A_n1A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_8A_n1A DC_8A_n257A DC_8A_n257G DC_8A_n257H		
DC_3A-3A-7A-7A-8A_n1A-n257I (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_7A_n1A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_8A_n1A DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I		
DC_3A-3A-7A-7A-8A_n1A-n257J (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_7A_n1A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_8A_n1A DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I DC_8A_n257J		
DC_3A-3A-7A-7A-8A_n1A-n257K (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_7A_n1A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_7A_n257K DC_8A_n1A DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I DC_8A_n257J DC_8A_n257K		
DC_3A-3A-7A-7A-8A_n1A-n257L (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_7A_n1A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_7A_n257K DC_8A_n1A DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I DC_8A_n257J DC_8A_n257K		
DC_3A-3A-7A-7A-8A_n1A-n257M (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_7A_n1A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_7A_n257K DC_8A_n1A DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I DC_8A_n257J DC_8A_n257K		
DC_3A-3A-7A-7A-8A_n78A-n257A (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A DC_7A_n78A DC_7A_n257A DC_8A_n78A DC_8A_n257A		
DC_3A-3A-7A-7A-8A_n78A-n257D (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A DC_7A_n78A DC_7A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_8A_n78A DC_8A_n257A		
DC_3A-3A-7A-7A-8A_n78A-n257E (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A DC_7A_n78A DC_7A_n257A DC_8A_n78A DC_8A_n257A		
DC_3A-3A-7A-7A-8A_n78A-n257F (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A DC_7A_n78A DC_7A_n257A DC_8A_n78A DC_8A_n257A		
DC_3A-3A-7A-7A-8A_n78A-n257G (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_7A_n78A DC_7A_n257A DC_7A_n257G DC_8A_n78A DC_8A_n257A DC_8A_n257G		
DC_3A-3A-7A-7A-8A_n78A-n257H (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_7A_n78A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_8A_n78A DC_8A_n257A DC_8A_n257G DC_8A_n257H		
DC_3A-3A-7A-7A-8A_n78A-n257I (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_7A_n78A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_8A_n78A DC_8A_n257A DC_8A_n257G		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_8A_n257H DC_8A_n257I		
DC_3A-3A-7A-7A-8A_n78A-n257J (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_7A_n78A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_8A_n78A DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I DC_8A_n257J		
DC_3A-3A-7A-7A-8A_n78A-n257K (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_7A_n78A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_7A_n257K DC_8A_n78A DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I DC_8A_n257J DC_8A_n257K		
DC_3A-3A-7A-7A-8A_n78A-n257L (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_7A_n78A DC_7A_n257A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_7A_n257K DC_8A_n78A DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I DC_8A_n257J DC_8A_n257K		
DC_3A-3A-7A-7A-8A_n78A-n257M (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_7A_n78A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_7A_n257K DC_8A_n78A DC_8A_n257A DC_8A_n257G DC_8A_n257H DC_8A_n257I DC_8A_n257J DC_8A_n257K		
DC_3A-3A-7A-7A_n1A-n78A-n257A (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n78A DC_3A_n257A DC_7A_n1A DC_7A_n78A DC_7A_n257A		
DC_3A-3A-7A-7A_n1A-n78A-n257D (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n78A DC_3A_n257A DC_7A_n1A DC_7A_n78A DC_7A_n257A		
DC_3A-3A-7A-7A_n1A-n78A-n257E (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n78A DC_3A_n257A DC_7A_n1A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_7A_n78A DC_7A_n257A		
DC_3A-3A-7A-7A_n1A-n78A-n257F (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n78A DC_3A_n257A DC_7A_n1A DC_7A_n78A DC_7A_n257A		
DC_3A-3A-7A-7A_n1A-n78A-n257G (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n78A DC_3A_n257A DC_7A_n1A DC_7A_n78A DC_7A_n257A		
DC_3A-3A-7A-7A_n1A-n78A-n257H (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n78A DC_3A_n257A DC_7A_n1A DC_7A_n78A DC_7A_n257A		
DC_3A-3A-7A-7A_n1A-n78A-n257I (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n78A DC_3A_n257A DC_7A_n1A DC_7A_n78A DC_7A_n257A		
DC_3A-3A-7A-7A_n1A-n78A-n257J (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n78A DC_3A_n257A DC_7A_n1A DC_7A_n78A DC_7A_n257A		
DC_3A-3A-7A-7A_n1A-n78A-n257K (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n78A DC_3A_n257A DC_7A_n1A DC_7A_n78A DC_7A_n257A		
DC_3A-3A-7A-7A_n1A-n78A-n257L (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n78A DC_3A_n257A DC_7A_n1A DC_7A_n78A DC_7A_n257A		
	DC_3A_n1A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
DC_3A-3A-7A-7A_n1A-n78A-n257M (interBandEnDcSimRxTx)	DC_3A_n78A DC_3A_n257A DC_7A_n1A DC_7A_n78A DC_7A_n257A		
DC_3A-3A-7A-7A_n8A-n78A-n257A (interBandEnDcSimRxTx)	DC_3A_n8A DC_3A_n78A DC_3A_n257A DC_7A_n8A DC_7A_n78A DC_7A_n257A		
DC_3A-3A-7A-7A_n8A-n78A-n257G (interBandEnDcSimRxTx)	DC_3A_n8A DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_7A_n8A DC_7A_n78A DC_7A_n257A DC_7A_n257G		
DC_3A-3A-7A-7A_n8A-n78A-n257H (interBandEnDcSimRxTx)	DC_3A_n8A DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_7A_n8A DC_7A_n78A DC_7A_n257A DC_7A_n257G DC_7A_n257H		
DC_3A-3A-7A-7A_n8A-n78A-n257I (interBandEnDcSimRxTx)	DC_3A_n8A DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_7A_n8A DC_7A_n78A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I		
DC_3A-3A-7A-7A_n8A-n78A-n257J (interBandEnDcSimRxTx)	DC_3A_n8A DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_7A_n8A DC_7A_n78A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J		
DC_3A-3A-7A-7A_n8A-n78A-n257K (interBandEnDcSimRxTx)	DC_3A_n8A DC_3A_n78A DC_3A_n257A DC_3A_n257G DC_3A_n257H DC_3A_n257I DC_3A_n257J DC_3A_n257K DC_7A_n8A DC_7A_n78A DC_7A_n257A DC_7A_n257G DC_7A_n257H DC_7A_n257I DC_7A_n257J DC_7A_n257K		
DC_3A-3A-7A-8A_n1A-n78A-n257A (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n78A DC_3A_n257A DC_7A_n1A DC_7A_n78A DC_7A_n257A DC_8A_n1A DC_8A_n78A DC_8A_n257A		
DC_3A-7A-7A-8A_n1A-n78A-n257A (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n78A DC_3A_n257A DC_7A_n1A DC_7A_n78A DC_7A_n257A DC_8A_n1A DC_8A_n78A DC_8A_n257A		
DC_3A-3A-7A-7A-8A_n1A-n78A-n257A (interBandEnDcSimRxTx)	DC_3A_n1A DC_3A_n78A DC_3A_n257A DC_7A_n1A DC_7A_n78A DC_7A_n257A DC_8A_n1A DC_8A_n78A		

DL Configuration	UL Configurations	Single UL allowed	DL Interruptions allowed
	DC_8A_n257A		

intraBandENDC_nonCont	The UE supporting these configurations indicates 'non-contiguous' by IE intraBandENDC-Support-UL with intraBandENDC-Support absent.
intraBandENDC_both	The UE supporting these configurations indicates 'both' by IE intraBandENDC-Support-UL with intraBandENDC-Support absent.
intraBandNonContFallback	The minimum requirements also apply for the intra-band non-contiguous fallback resulting from releasing an Scell within the sub-block bandwidth of the downlink configuration
nr15kHzScsOnly	Requirements in this specification apply for NR SCS of 15 kHz only.
B41NotBelow2506	The frequency range below 2506 MHz for Band 41 is not used in this combination
B46WithInterBandCA	Restricted to E-UTRA operation when inter-band carrier aggregation is configured. The downlink operating band for Band 46 is paired with the uplink operating band (external E-UTRA band) of the carrier aggregation configuration that is supporting the configured Pcell.
nonSimuRxTx	The minimum requirements apply only when there is non-simultaneous Rx/Tx operation between E-UTRA and NR carriers. This restriction applies also for these carriers when applicable EN-DC configuration is part of a higher order EN-DC configuration.
nonSimRxTx	The minimum requirements apply only when there is non-simultaneous Rx/Tx operation between E-UTRA and NR carriers. This restriction applies also for these carriers when applicable EN-DC configuration is part of a higher order EN-DC configuration.
B42B48_n77n78	If a UE does not indicate interBandMRDC-WithOverlapDL-Bands-r16 or a UE indicates both interBandMRDC-WithOverlapDL-Bands-r16 and requirementTypeIndication-r18 and IE nonCollocatedTypeMRDC is provided, the minimum requirements for intra-band non-contiguous EN-DC apply for the Band 42/48 and Band n77/n78 combination. If a UE does not indicate interBandMRDC-WithOverlapDL-Bands-r16 or a UE indicates both interBandMRDC-WithOverlapDL-Bands-r16 and requirementTypeIndication-r18 and IE nonCollocatedTypeMRDC is provided and UE indicates interBandContiguousMRDC, the minimum requirements for intra-band contiguous EN-DC also apply in addtion to intra-band non-contiguous EN-DC. The intra-band requirements also apply for these carriers when applicable EN-DC configuration is a subset of a higher order EN-DC configuration.
interBandEnDcSimRxTx	Applicable for UE supporting inter-band EN-DC with mandatory simultaneous Rx/Tx capability.
interBandNeDcSimRxTx	Applicable for UE supporting inter-band NE-DC with mandatory simultaneous Rx/Tx capability.
interBandNrDcSimRxTx	Applicable for UE supporting inter-band NR-DC with mandatory simultaneous Rx/Tx capability.
noFallbackWithoutB42B48	The combination is not used alone as fall-back mode of other band combinations in which UL in Band 42 or Band 48 is not used.
max6dB	Maximum 6 dB power spectral density imbalance between downlink carriers is assumed when UE does not indicate interBandMRDC-WithOverlapDL-Bands-r16 or if a UE indicates both interBandMRDC-WithOverlapDL-Bands-r16 and requirementTypeIndication-r18 and IE nonCollocatedTypeMRDC is provided. Clause 7.10B.3 power imbalance requirement apply if the UE indicates interBandMRDC-WithOverlapDL-Bands-r16 but does not indicate requirementTypeIndication-r18 or a UE indicates both interBandMRDC-WithOverlapDL-Bands-r16 and requirementTypeIndication-r18 and IE nonCollocatedTypeMRDC is not provided when maxMIMO-Layers with value less than or equal to 2. Clause 7.10B.3 power imbalance requirement is applied, also, if the UE indicates interBandMRDC-WithOverlapDL-Bands-r19 and nonCollocatedTypeMRDC-v19xy is provided with value type4, when maxMIMO-Layers equals to 4. For these UEs, the power spectral density imbalance condition also applies for these carriers when applicable EN-DC configuration is a subset of a higher order EN-DC configuration.
n78NotAbove3600	The frequency range above 3600 MHz for Band n78 is not used in this combination

n79Above4800	Applicable for frequency range above 4800 MHz for Band n79 in this combination
lessThan_3µs	If a UE does not indicated interBandMRDC-WithOverlapDL-Bands-r16 or a UE indicates both interBandMRDC-WithOverlapDL-Bands-r16 and requirementTypeIndication-r18 and IE nonCollocatedTypeMRDC is provided or a UE indicates interBandMRDC-WithOverlapDL-Bands-r19 and the IE nonCollocatedTypeMRDC-v19xy is provided, the minimum requirements apply for synchronized DL carriers with a maximum receive time difference ≤ 3 usec. The requirements also apply for these carriers when applicable EN-DC configuration is a subset of a higher order EN-DC configuration.
noSimRxTxB42n77	Simultaneous Rx/Tx capability does not apply for UEs supporting band 42 with a n77 implementation only. Same restrictions are applied to related higher order configurations.
noFallbackWithoutB2	The combination is not used alone as fallback mode of other band combinations in which UL in Band 2 is not used.
n28B28Restrictions	The frequency range in band n28 /28 is restricted for this band combination to 703 - 733 MHz for the UL and 758-788 MHz for the DL. This restriction also applies for any band combinations when DC_20_n28/DC_28_n20/CA_20-28/CA_n20-n28 is a subset of a higher order band combination.
n41Restriction	The frequency range in band n41 is restricted for this band combination to 2595 - 2645 MHz.
n28ULDLRestrictions	The frequency range in band n28 is restricted for this band combination to 728 - 738 MHz for the UL and 783 - 793 MHz for the DL. This restriction applies also for these band combinations when applicable EN-DC configuration is part of a higher order EN-DC configuration.
SwitchingTime_140µs	If a UE is configured with both NR UL and NR SUL carriers in a cell, the switching time between NR UL carrier and NR SUL carrier can be up to 140us and placed in SUL resources.
n1ULDLRestrictions	The frequency range in band n1 is restricted for this band combination to 1940 - 1960 MHz for the UL and 2130-2150 MHz for the DL.
B3ULDLRestrictions	The frequency range in band 3 is restricted for this band combination to 1765 - 1785 MHz for the UL and 1860-1880 MHz for the DL.
B42Restrictions	The frequency range in band 42 is restricted for this band combination to 3440 - 3520 MHz.
noInterBandMRDC	For UEs not indicating interBandMRDC-WithOverlapDL-Bands-r16, the minimum requirements for intra-band non-contiguous EN-DC apply for the Band 42/48 and Band n77/n78 combination and for the Band 2 and Band n25 combinations. For UEs not indicating interBandMRDC-WithOverlapDL-Bands-r16, when UE capability interBandContiguousMRDC is indicated, the minimum requirements for intra-band-contiguous EN-DC also should be met in addtion to intra-band non-contiguous EN-DC.
noInterBandMRDC_6dB	For UEs not indicating interBandMRDC-WithOverlapDL-Bands-r16, the minimum requirements for inter-band EN-DC apply when the maximum power spectral density imbalance between downlink carriers contained in overlapping or partially overlapping DL bands is within 6 dB.
fwa3Ant	The implementation with 3 low-band antennas is targeted for FWA form factor for this band combination in Release 17.
noInterBandMRDC_3µs	For UEs not indicating interBandMRDC-WithOverlapDL-Bands-r16, the minimum requirements apply for synchronized DL carriers with a maximum receive time difference ≤ 3 usec between overlapping or partially overlapping DL bands contained in different cell groups.
nonSimuRxTx_n77n79	The minimum requirements apply only when there is non-simultaneous Rx/Tx operation between n77-n79 NR carriers. This restriction applies also for these carriers when applicable EN-DC configuration is part of a higher order configuration.
nonSimuRxTx_n78n79	For UEs supporting band n77, the minimum requirements apply only when there is non-simultaneous Rx/Tx operation between n78-n79 NR carriers. This restriction applies also for these carriers when applicable EN-DC configuration is part of a higher order configuration.
nonSimuRxTx_interBandCA	Only applicable for UE supporting inter-band carrier aggregation without simultaneous Rx/Tx.

noFallbackWithoutB42	The combination is not used alone as fall back mode of other band combinations in which UL in Band 42 is not used.
noInterBandMRDC_B42B48_n77n78	For UEs not indicating interBandMRDC-WithOverlapDL-Bands-r16, the minimum requirements for intra-band non-contiguous EN-DC apply for the Band 42/48 and Band n77/n78 combination. For UEs not indicating interBandMRDC-WithOverlapDL-Bands-r16, when UE capability interBandContiguousMRDC is indicated, the minimum requirements for intra-band-contiguous EN-DC also should be met in addtion to intra-band non-contiguous EN-DC.
B7B38_Scell	Band 7 and Band 38 are restricted as DL Scell. Power imbalance between downlink carriers on Band 7 and Band 38 is assumed to be within 6dB.
B7B38_6dB	Power imbalance between downlink carriers on Band 7 and band n38 is assumed to be within 6dB. The power spectral density imbalance condition also applies for these carriers when applicable EN-DC configuration is a subset of a higher order EN-DC configuration.
B7n38_Scell	Band 7 and Band n38 are restricted as DL Scell. Power imbalance between downlink carriers on Band 7 and Band 38 is assumed to be within 6dB.
noInterBandMRDC_B42_n77n78	For UEs not indicating interBandMRDC-WithOverlapDL-Bands-r16, the minimum requirements for intra-band non-contiguous EN-DC apply for the Band 42 and Band n77/n78 combination. For UEs not indicating interBandMRDC-WithOverlapDL-Bands-r16, when UE capability interBandContiguousMRDC is indicated, the minimum requirements for intra-band-contiguous EN-DC also should be met in addtion to intra-band non-contiguous EN-DC.
NA	Not Available (defined an used in Table 5.5B.4.2-1)
void	Void (might be used for some BCs but has no valid meaning anymore)
switchedUlOnly	Only single switched UL is supported.
singleUlDueToEmissionOnly	Single UL allowed due to potential emission issues, not self-interference.
singleUlDueToEmissionAndSelfInterf	Single UL allowed due to potential emission issues and self-interference.
simUplinkWhenDynPowerSharing	For UE(s) supporting dynamic power sharing it is mandatory to do dual simultaneous UL. For UE(s) not supporting dynamic power sharing single UL is allowed. Uplink DC_(n)71AA is not applicable to BCS2.
pc2	Minimum requirements for PC2 are applicable for this uplink EN-DC configuration in this downlink/uplink EN-DC configuration.
pc2_1tx+1tx	Minimum requirements for PC2 are applicable for this uplink EN-DC configuration in this downlink/uplink EN-DC configuration with 1Tx antenna connector in each band.
pc2_1tx+2tx	Minimum requirements for Power Class 2 are applicable for this EN-DC configuration with 1Tx antenna connector in one band and 2Tx antenna connectors in the other band.
pc2_Table6.2B.1.1-1	The PC2 Uplink EN-DC configuration supported in Table 6.2B.1.1-1 is applicable to the same EN-DC configuration.
pc1.5_Table6.2B.1.1-1	The PC1.5 Uplink EN-DC configuration supported in Table 6.2B.1.1-1 is applicable to the same EN-DC configuration.
B1orB28Only	UL carrier shall be supported in Band 1 or band 28 only. Power imbalance between downlink carriers on Band 7 and Band 38 is assumed to be within 6dB.
B2orB66Only	UL carrier shall be supported in Band 2 or band 66 only. Power imbalance between downlink carriers on Band 7 and Band 38 is assumed to be within 6dB.
B3orB28Only	UL carrier shall be supported in Band 3 or band 28 only. Power imbalance between downlink carriers on Band 7 and Band 38 is assumed to be within 6dB.

DC_2_n2_RESSENS	The downlink DC_2_n2 RESSENS requirements only apply when the band n2 downlink carrier is configured closer to the uplink operating band than the E-UTRA Band 2 downlink carrier.
fwa4Ant	The implementation with 4 antennas is targeted for FWA form factor for this band combination.
n71AA_Uplink_BCS2	Uplink DC_(n)71AA is not applicable to BCS2.
presentRelease	Uplink EN-DC configurations are the configurations supported by the present release of specifications. WARNING: This should not be used in any BC.
undefined	WARNING: This footnote is used in some BCs but undefined in the specification.