

TSG RAN Meeting #24
SEOUL, South Korea, 02 - 04 June 2004

RP-040170

Title List of all RAN3 CRs for RAN #24
Source TSG RAN WG3
Agenda Item 7.4.1

7.4.5 Approval of independent CRs to Release 5

RP-040173 CRs (Rel-5 and Rel-6 Category A) to TS 25.430 on Node B Communication Contexts

RAN3 Tdoc	Spec	curr. Vers.	new Vers.	CR	Rev	Cat	Rel	Title	Work item
R3-040774	TS 25.430	5.2.0	5.3.0	49	-	F	Rel-5	Clarification on Node B Communication Contexts	HSDPA-IubIur
R3-040775	TS 25.430	6.0.0	6.1.0	50	-	A	Rel-6	Clarification on Node B Communication Contexts	HSDPA-IubIur

RP-040174 CRs (Rel-5 and Rel-6 Category A) to TS 25.413

RAN3 Tdoc	Spec	curr. Vers.	new Vers.	CR	Rev	Cat	Rel	Title	Work item
R3-040836	TS 25.413	5.8.0	5.9.0	671	-	F	Rel-5	Correction of Transport Layer Address and Iu Transport Association handling in RAB Assignment	TEI5
R3-040837	TS 25.413	6.1.0	6.2.0	672	-	A	Rel-6	Correction of Transport Layer Address and Iu Transport Association handling in RAB Assignment	TEI5
R3-040928	TS 25.413	5.8.0	5.9.0	661	3	F	Rel-5	Data Volume Reporting Correction	TEI5
R3-040929	TS 25.413	6.1.0	6.2.0	662	3	A	Rel-6	Data Volume Reporting Correction	TEI5
R3-040930	TS 25.413	5.8.0	5.9.0	666	1	F	Rel-5	SNA Coding Correction	NTshar-UTRANEnh
R3-040931	TS 25.413	6.1.0	6.2.0	667	1	A	Rel-6	SNA Coding correction	NTshar-UTRANEnh

RP-040175 Rs (Rel-5 and Rel-6 Category A) to TS 25.423

RAN3 Tdoc	Spec	curr. Vers.	new Vers.	CR	Rev	Cat	Rel	Title	Work item
R3-040882	TS 25.423	5.9.0	5.10.0	954	1	F	Rel-5	Correction the presence of Traffic Class IE	TEI5
R3-040883	TS 25.423	6.1.0	6.2.0	955	1	A	Rel-6	Correction the presence of Traffic Class IE	TEI5
R3-040884	TS 25.423	5.9.0	5.10.0	956	1	F	Rel-5	Inclusion of scrambling code information in HS-DSCH FDD Information Response IE	HSDPA-IubIur
R3-040885	TS 25.423	6.1.0	6.2.0	957	1	A	Rel-6	Inclusion of scrambling code information in HS-DSCH FDD Information Response IE	HSDPA-IubIur
R3-040854	TS 25.423	5.9.0	5.10.0	977	-	F	Rel-5	HSDPA Corrections in RL Reconfiguration	HSDPA-IubIur
R3-040855	TS 25.423	6.1.0	6.2.0	978	-	A	Rel-6	HSDPA Corrections in RL Reconfiguration	HSDPA-IubIur

RP-040176 CRs (Rel-5 and Rel-6 Category A) to TS 25.433

RAN3 Tdoc	Spec	curr. Vers.	new Vers.	CR	Rev	Cat	Rel	Title	Work item
R3-040909	TS 25.433	5.8.0	5.9.0	990	1	F	Rel-5	Correction of PHYSICAL SHARED CHANNEL RECONFIGURATION message	HSDPA-IubIur
R3-040910	TS 25.433	6.1.0	6.2.0	991	1	A	Rel-6	Correction of PHYSICAL SHARED CHANNEL RECONFIGURATION message	HSDPA-IubIur

RP-040177 CRs (Rel-5 and Rel-6 Category A) to TS 29.108

RAN3 Tdoc	Spec	curr. Vers.	new Vers.	CR	Rev	Cat	Rel	Title	Work item
R3-040746	TS 29.108	5.3.0	5.4.0	14	-	F	Rel-5	PUESBINE support over E-interface	RANimp-FSEarlyUE
R3-040747	TS 29.108	6.0.0	6.1.0	15	-	A	Rel-6	PUESBINE support over E-interface	RANimp-FSEarlyUE

7.4.6 Approval of linked CRs where the leading one originated from WG3

RP-040178 CRs (Rel-5 and Rel-6 Category A) to TS 25.423 and TS 25.433 on Node B usage of the MAC-hs re-ordering buffer size

RAN3 Tdoc	Spec	curr. Vers.	new Vers.	CR	Rev	Cat	Rel	Title	Work item
R3-040926	TS 25.423	5.9.0	5.10.0	960	1	F	Rel-5	Node B usage of the MAC-hs re-ordering buffer size	HSDPA-IubIur
R3-040761	TS 25.423	6.1.0	6.2.0	961	-	A	Rel-6	Node B usage of the MAC-hs re-ordering buffer size	HSDPA-IubIur
R3-040762	TS 25.433	5.8.0	5.9.0	992	-	F	Rel-5	Node B usage of the MAC-hs re-ordering buffer size	HSDPA-IubIur
R3-040763	TS 25.433	6.1.0	6.2.0	993	-	A	Rel-6	Node B usage of the MAC-hs re-ordering buffer size	HSDPA-IubIur

RP-040179 CRs (Rel-5 and Rel-6 Category A) to TS 25.423 and TS 25.433 on Clarification on number of and capacity reporting of Priority Queues

RAN3 Tdoc	Spec	curr. Vers.	new Vers.	CR	Rev	Cat	Rel	Title	Work item
R3-040796	TS 25.423	5.9.0	5.10.0	968	-	F	Rel-5	Clarification on number of and capacity reporting of Priority Queues	HSDPA-IubIur
R3-040797	TS 25.423	6.1.0	6.2.0	969	-	A	Rel-6	Clarification on number of and capacity reporting of Priority Queues	HSDPA-IubIur
R3-040794	TS 25.433	5.8.0	5.9.0	998	-	F	Rel-5	Clarification on number of and capacity reporting of Priority Queues	HSDPA-IubIur
R3-040795	TS 25.433	6.1.0	6.2.0	999	-	A	Rel-6	Clarification on number of and capacity reporting of Priority Queues	HSDPA-IubIur

RP-040180 CRs (Rel-5 and Rel-6 Category A) to TS 25.423 and TS 25.433 on Unsuccessful Operation of RL Setup Procedure for HSDPA

RAN3 Tdoc	Spec	curr. Vers.	new Vers.	CR	Rev	Cat	Rel	Title	Work item
R3-040877	TS 25.423	5.9.0	5.10.0	962	1	F	Rel-5	Unsuccessful Operation of RL Setup Procedure for HSDPA	HSDPA-IubIur

RAN3 Tdoc	Spec	curr. Vers.	new Vers.	CR	Rev	Cat	Rel	Title	Work item
R3-040878	TS 25.423	6.1.0	6.2.0	963	1	A	Rel-6	Unsuccessful Operation of RL Setup Procedure for HSDPA	HSDPA-IubIur
R3-040879	TS 25.433	5.8.0	5.9.0	994	1	F	Rel-5	Unsuccessful Operation of RL Setup Procedure for HSDPA	HSDPA-IubIur
R3-040880	TS 25.433	6.1.0	6.2.0	995	1	A	Rel-6	Unsuccessful Operation of RL Setup Procedure for HSDPA	HSDPA-IubIur

RP-040181 CRs (Rel-5 and Rel-6 Category A) to TS 25.423 and TS 25.433 on Power Balancing Corrections

RAN3 Tdoc	Spec	curr. Vers.	new Vers.	CR	Rev	Cat	Rel	Title	Work item
R3-040850	TS 25.423	5.9.0	5.10.0	975	-	F	Rel-5	Power Balancing Corrections	TEI5
R3-040851	TS 25.423	6.1.0	6.2.0	976	-	A	Rel-6	Power Balancing Corrections	TEI5
R3-040852	TS 25.433	5.8.0	5.9.0	1008	-	F	Rel-5	Power Balancing Corrections	TEI5
R3-040853	TS 25.433	6.1.0	6.2.0	1009	-	A	Rel-6	Power Balancing Corrections	TEI5

8.2.4 Network Assisted Cell Change (NACC) from UTRAN to GERAN - network-side aspects

RP-040182 CRs (Rel-6 Category B) to TS 25.401, TS 25.410, TS 25.413, TS 25.420, TS 25.423 for Network Assisted Cell Change (NACC)

RAN3 Tdoc	Spec	curr. Vers.	new Vers.	CR	Rev	Cat	Rel	Title	Work item
R3-040904	TS 25.401	6.2.0	6.3.0	84	1	B	Rel-6	Introduction of Iu and Iur support of Network Assisted Cell Change from UTRAN to GERAN	RANimp-NACC
R3-040901	TS 25.410	6.0.0	6.1.0	52	1	B	Rel-6	Introduction of Iu support of Network Assisted Cell Change from UTRAN to GERAN	RANimp-NACC
R3-040917	TS 25.413	6.1.0	6.2.0	668	2	B	Rel-6	Introduction of RIM mechanisms for NACC over the Iu interface	RANimp-NACC
R3-040680	TS 25.420	6.0.0	6.1.0	40	-	B	Rel-6	Inclusion of Information Transfer as an Iur function	RANimp-NACC
R3-040937	TS 25.423	6.1.0	6.2.0	967	3	B	Rel-6	Introduction of support of NetworkAssistedCellChange from UTRAN to GERAN	RANimp-NACC

8.7 Subscriber and Equipment Trace Support in UTRAN

RP-040183 CRs (Rel-6 Category B) to TS 25.413, TS 25.420, TS 25.423 for Subscriber and Equipment Trace Support in UTRAN

RAN3 Tdoc	Spec	curr. Vers.	new Vers.	CR	Rev	Cat	Rel	Title	Work item
R3-040895	TS 25.413	6.1.0	6.2.0	673	1	B	Rel-6	Management Based Activation in the UTRAN over the Iu	OAM-Trace-RAN
R3-040896	TS 25.413	6.1.0	6.2.0	674	1	B	Rel-6	Enhancement of Trace handling during Relocation	OAM-Trace-RAN
R3-040920	TS 25.413	6.1.0	6.2.0	675	1	B	Rel-6	Modification of CN Invoke Trace for Subscriber and Equipment Trace support over Iu	OAM-Trace-RAN
R3-040897	TS 25.420	6.0.0	6.1.0	41	1	B	Rel-6	Trace Parameter Propagation over the Iur	OAM-Trace-RAN
R3-040898	TS 25.423	6.1.0	6.2.0	979	1	B	Rel-6	Trace Parameter Propagation over the Iur	OAM-Trace-RAN

8.10 Release 6 Technical Small Enhancements and Improvements

RP-040184 CRs (category C and F) to TS 25.423, (category C) to 25.433, (category F) to TS 25. 453

RAN3 Tdoc	Spec	curr. Vers.	new Vers.	CR	Rev	Cat	Rel	Title	Work item
R3-040845	TS 25.423	6.1.0	6.2.0	972	-	F	Rel-6	Correction of HS-SICH reception quality	TEI6
R3-040946	TS 25.423	6.1.0	6.2.0	966	1	C	Rel-6	Measurement Recovery Behavior for Common and Dedicated Measurement Procedures	TEI6
R3-040947	TS 25.433	6.1.0	6.2.0	997	1	C	Rel-6	Measurement Recovery Behavior for Common and Dedicated Measurement Procedures	TEI6
R3-040948	TS 25.453	6.3.0	6.4.0	72	1	F	Rel-6	Correction to usage of INITIAL UE POSITION	TEI6

Note: RAN3 CR 658 to TS 25.413 will be presented under Agenda Item 7.4.6 Approval of linked CRs where the leading one originated from WG2

RP-0400216

RAN2/3 Tdoc	Spec	curr. Vers.	new Vers.	CR	Rev	Cat	Rel	Title	Work item
R2-041209	TS 25.305	6.0.0	6.1.0	104	-	B	Rel-6	Indication of achieved accuracy in position estimate	LCS2-UEpos-enh
R3-040679	TS 25.413	6.1.0	6.2.0	658	-	B	Rel-6	Introduction of an indication of achieved accuracy in Location Report procedure over lu interface	LCS2-UEpos-enh