[98-bis-e][204] LTE_NR_DC_CA_RRM_1_NWM - Version 0.0.1 RAN4

1 Introduction

This document covers the email discussion related to email thread 204 on LTE_NR_DC_CA_RRM_1.

List of papers:

Core work (Topic #1):

Following 2 CRs have been submitted. Companies are encouraged to comment directly on the CRs in Topic #1.

5.4.1.1	R4-2106990	CR on LTE-NR EMR require- ments 36133	Huawei, HiSilicon	draftCR
5.4.1.1	R4-2106991	CR on EMR requirements correction 38133	Huawei, HiSilicon	draftCR

Table 1: Submissions for Core

Performance work (Topic #2):

Following Tdoc's have been submitted:

Table 2: Submissions for Performance

5.4.2.1.1	R4-2106389	Measurement Performance Re- quirements test for MR-DC	Nokia, Nokia Shanghai Bell	discussion
5.4.2.1.1	R4-2106390	Draft CR for Idle Mode mea- surements of inter-frequency RAT CA can- didate cells for early reporting (TC#3)	Nokia, Nokia Shanghai Bell	draftCR

5.4.2.1.3 R4-2104859 Testing of mea- surement perfor- mance for RSR- P/RSRQ in EMR Apple discussion	5.4.2.1.1	R4-2106391	Draft Big CR: Introduction of Rel-16 MR-DC EMR RRM performance re- quirements (TS 38.133)	Nokia, Nokia Shanghai Bell	draftCR
5.4.2.1.3 R4-2106992 draftCR to up- Huawei, HiSilicon draft date EMR TC4			surement perfor- mance for RSR- P/RSRQ in EMR draftCR to up-		discussion draftCR

2 Topic #1: IE names for capabilities

2.1 Contributions summary

No discussion document was submitted for RAN4#98bis meeting for the Core work. 2 CRs have been submitted for corrections to UE Core requirements.

Companies are welcomed to comment directly on the CRs.

Table 3: CR collection for Core requirements.

Reference	Tdoc	Title
1	R4-2106990	CR on LTE-NR EMR require- ments 36133
2	R4-2106991	CR on EMR requirements cor- rection 38133

2.2 Companies views' collection for 1st round

2.2.1 CR comments collection

Feedback Form 1: CRs comments collection for Topic #1

Item	Com-	Comments
	pany	
1	Nokia	Example:
	Corpora-	
	tion	• #1: Company comments
		• #2: Company comments
2	Ericsson	#1: OK
	GmbH,	#2: OK
	Eurolab	
3	Nokia	#1: ok
	Corpora-	#2: ok
	tion	
4	Qual-	#1: Okay
	comm	#2: Okay
	Incorpo-	
	rated	

2.3 Summary of 1st round

2.3.1 CRs

A summary of the 1st round discussion and status of 1st round will be provided here.

Table 4: CR recommendation for Topic #1 after 1st round

Tdoc	CRs Status update recommendation
R4-2106990	Endorsed. Based on the 1st round feedback.
R4-2106991	Endorsed. Based on the 1st round feedback.

3 Topic #2: Test of Measurement Performance Requirements test for MR-DC

3.1 Contributions summary

Table 5: Summary of the contributions

T-doc number	Company	Proposals / Observations

R4-2106389	Nokia, Nokia Shanghai Bell	Observation 1: Measurement accuracy tests include tests un- der normal and extreme condi- tions. Observation 2: Each test case needs to include two set of test parameters. One for normal conditions and one for extreme conditions. Proposal 1: RAN4 should re- consider defining the absolute measurement accuracy tests as separate test cases
R4-2104859	Apple	Observation 1: LTE CA IDLE mode accuracy requirements are verified together with mea- surement core requirements in one single test. Observation 2: NR EMR accu- racy requirements have already been verified in the approved test case.

3.2 Open issues summary

3.2.1 Sub-topic 1-1

Sub-topic description: Re-consider having the measurement accuracy tests as separate test cases.

3.2.1.1 Issue 1-1-1: Measurement accuracy testing as separate test cases

Proposals:

Option 1: Yes. Define the measurement accuracy test cases as separate tests.

Option 2: No. Test the measurement accuracy within core requirements.

Recommended WF:

Define and verify absolute measurement accuracy within the agreed test cases. Include the necessary test parameters and settings for testing measurement accuracy under normal and extreme conditions into the existing test cases.

3.3 Companies views' collection for 1st round

Feedback Form 2: Companies views' collection for 1st	
round	

Item	Com-	Comments
	pany	
1	Ericsson	Our preference is Option 2 i.e. testing both in the same set of test cases.
	GmbH,	
	Eurolab	
2	HuaWei	We support option 2 which is aligned with the first sentence of the Recom-
	Technolo-	mended WF.
	gies Co.,	For the second setence of the Recommended WF , we would like to clarify
	Ltd	what "extreme condition" means. Does it mean the extreme condition in accu-
		racy table e.g. Table 10.1.4.1.1-1? It is noted that in existing RAN4 accuracy
		tests, there is no separate sub-tests for normal and extreme conditions.
3	Nokia	We can support the recommended WF.
	Corpora-	We can agree to test absolute accuracy requirements in the existing test cases.
	tion	The test cases would need to be adapted accordingly.
4	Qual-	Option 2
	comm	
	Incorpo-	
	rated	
5	Apple	Support option 2. As elaborated in our contribution R4-2104859, we have
	GmbH	similar test case design in LTE spec, i.e. testing both accuracy and measurement
		period in one single test (TS36.133 clause A.8.16.105). Note that the signal
		power level in LTE test is higher than extreme condition, i.e. Es/Iot=0dB for
		SCC according to Table A.8.16.105.1-2. Therefore we propose to use the same
		test methodology here, i.e. no need to touch the extreme conditions.
6	MediaTek	MediaTek: Support option 2
	Inc.	Alculator. Support option 2
	1110.	

3.3.1 CR comments collection

Table 6: CR collection for Performance requirements.

Reference	Tdoc	Title
1	R4-2106390	Draft CR for Idle Mode mea- surements of inter-frequency RAT CA candidate cells for early reporting (TC#3)
2	R4-2106992	draftCR to update EMR TC4

Feedback Form 3: CRs comments collection for Topic #2

Item	Com-	Comments	
	pany		
1	Nokia	Example:	
	Corpora-		
	tion	• #1: Company comments	
		• #2: Company comments	
2	Anritsu	Anritsu: Comments to R4-2106390	
	Corpora- tion	 Anritsu: Comments to R4-2106390 a) It is very confusing to have T1, T2 and T5 in one table, and T3, T4 in another table. If the information on both Cell 1 and Cell 2 for T1T5 is too much in one table, suggest a split with one table for Cell 1 and another table for Cell 2. b) In several tables Cell 2 Noc/15kHz is stated twice, once with a fixed value of -98dBm/15kHz and again with band-dependent values, which is a contradiction. To meet the test purpose, it is probably not necessary to use band-dependent values. One fixed value may be OK, and is much simpler. c) It is not clear why Cell 1 needs different Noc values of -98dBm/15kHz during T1, T2, T5 and -102dBm/15kHz during T3, T4. Could this be simplified to a constant -98dBm/15kHz during T1T5? d) The derived parameters need to be re-evaluated when issues a) b) and c) are resolved. 	
3	Ericsson GmbH, Eurolab	#1: OK #2: OK	
4	RO-	R4-2106390	
	HDE &	Similar comment as Anritsu, very confusing description of 2Cells across T1-T5.	
	SCHWARZ	We suggest separate table per cell, with consecutive description of T1-T5.	

3.4 Summary of 1st round

3.4.1 Open issues

A summary of the 1st round discussion and status of 1^{st} round will be provided here including identified open issues, tentative agreements and/or candidate options etc.

Table 7: Summary of Sub-topic 1-1 after 1st round

Status summary

Sub-topic 1.1	Tentative agreements:
-	Option 2: 'Test the measurement accuracy
	within core requirements' (Ericsson, Huawei,
	Nokia, Qualcomm, Apple, MediaTek)
	Candidate options:
	There are still some open aspects for discussion
	related to how to test, what to test (Apple, Nokia
	and Huawei) and the actual test case layout (An-
	ritsu, R&S)
	Recommendations for 2^{nd} round:
	Continue the discussion of the open aspects
	above in 2nd round. Likely best way forward
	is direct CR text drafting.

3.4.2 CRs

A summary of the 1st round discussion and status of 1st round will be provided here.

Table 8: CR recommendation for Topic #2 after 1st round

Tdoc	CR Status update recommendation	
R4-2106390	To be revised. Work with Anritsu and R&S to account the comments.	
R4-2106992	Endorsed. No comments received during 1st round	

4 Recommendations for Tdocs

4.1 1st round

New Tdoc's:

Table 9: New Tdoc allocation after 1st round

Title	Source	Comment
WF on Test cases for MR-DC Idle mode CA measurements	Nokia, Nokia Shanghai Bell	New Tdoc

Existing Tdoc's:

Table 10: Tdoc status of existing Tdoc after 1st round

Title	Source	Comment
R4-2106990	Huawei, HiSilicon	Endorsed
R4-2106991	Huawei, HiSilicon	Endorsed
R4-2106390	Nokia, Nokia Shanghai Bell	Revised
R4-2106391	Nokia, Nokia Shanghai Bell	already reserved in R4-2106391
R4-2106992	Huawei, HiSilicon	Endorsed