

# 3GPP TS 38.533 V17.4.0 (2022-09)

Technical Specification

## 3rd Generation Partnership Project; Technical Specification Group Radio Access Network; NR; User Equipment (UE) conformance specification; Radio Resource Management (RRM) (Release 17)



The present document has been developed within the 3rd Generation Partnership Project (3GPP™) and may be further elaborated for the purposes of 3GPP. The present document has not been subject to any approval process by the 3GPP Organizational Partners and shall not be implemented. This Specification is provided for future development work within 3GPP only. The Organizational Partners accept no liability for any use of this Specification. Specifications and Reports for implementation of the 3GPP™ system should be obtained via the 3GPP Organizational Partners' Publications Offices.

**3GPP**

---

Postal address

---

3GPP support office address

650 Route des Lucioles - Sophia Antipolis  
Valbonne - FRANCE  
Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

---

Internet

<http://www.3gpp.org>

---

**Copyright Notification**

No part may be reproduced except as authorized by written permission.  
The copyright and the foregoing restriction extend to reproduction in all media.

© 2022, 3GPP Organizational Partners (ARIB, ATIS, CCSA, ETSI, TSDSI, TTA, TTC).  
All rights reserved.

UMTSTM is a Trade Mark of ETSI registered for the benefit of its members  
3GPPTM is a Trade Mark of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners  
LTE™ is a Trade Mark of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners  
GSM® and the GSM logo are registered and owned by the GSM Association

---

## Contents

Foreword.....	24
1 Scope .....	25
2 References .....	25
3 Definitions, symbols and abbreviations .....	26
3.1 Definitions .....	26
3.2 Symbols .....	27
3.3 Abbreviations.....	28
3A Requirements for the support of RRM .....	30
3A.1 General.....	30
3A.1.0 Overview of RRM requirements .....	30
3A.1.1 Test coverage across 5G NR connectivity options .....	31
3A.2 Requirements Classification for Statistical Testing .....	31
3A.3 Antenna Configuration .....	31
3A.4 NR band groups.....	31
3A.4.0 General .....	31
3A.4.1 NR operating bands in FR1 .....	32
3A.4.2 NR operating bands in FR2 .....	32
3A.5 NR operating band configuration.....	33
3A.6 UE with Multiband Capability.....	34
4 EN-DC with all NR cells in FR1 .....	34
4.0 General.....	34
4.1 Void .....	35
4.2 Void .....	35
4.3 RRC_CONNECTED state mobility .....	35
4.3.1 Void.....	35
4.3.2 RRC connection mobility control.....	35
4.3.2.1 Void.....	35
4.3.2.2 Random access .....	35
4.3.2.2.1 EN-DC FR1 contention based random access .....	35
4.3.2.2.2 EN-DC FR1 non-contention based random access .....	41
4.3.2.2.3 EN-DC FR1 2-step contention based random access.....	48
4.3.2.2.4 EN-DC FR1 2-step non-contention based random access .....	53
4.3.2.3 Void.....	59
4.4 Timing .....	59
4.4.1 UE transmit timing .....	59
4.4.1.0 Minimum conformance requirements.....	59
4.4.1.0.1 Minimum conformance requirements for UE transmit timing accuracy.....	59
4.4.1.1 EN-DC FR1 UE transmit timing accuracy .....	60
4.4.2 UE timer accuracy.....	66
4.4.3 Timing advance .....	66
4.4.3.0 Minimum conformance requirements.....	66
4.4.3.0.1 Minimum conformance requirements for timing advance adjustment accuracy.....	66
4.4.3.0.2 Minimum conformance requirements for timing advance adjustment delay .....	66
4.4.3.1 EN-DC FR1 timing advance adjustment accuracy .....	67
4.5 Signaling characteristics .....	72
4.5.1 Radio link monitoring .....	72
4.5.1.00 General .....	72
4.5.1.0 Minimum conformance requirements.....	72
4.5.1.0.1 Minimum conformance requirements for out-of-sync SSB-based RLM .....	72
4.5.1.0.2 Void .....	73
4.5.1.0.3 Minimum conformance requirements for out-of-sync CSI-RS based RLM .....	73
4.5.1.0.4 Minimum conformance requirements for in-sync CSI-RS based RLM.....	74
4.5.1.1 EN-DC FR1 radio link monitoring out-of-sync test for PSCell configured with SSB-based RLM RS in non-DRX mode.....	76

4.5.1.2	EN-DC FR1 radio link monitoring in-sync test for PSCell configured with SSB-based RLM RS in non-DRX mode .....	81
4.5.1.3	EN-DC FR1 radio link monitoring out-of-sync test for PSCell configured with SSB-based RLM RS in DRX mode.....	86
4.5.1.4	EN-DC FR1 radio link monitoring in-sync test for PSCell configured with SSB-based RLM RS in DRX mode.....	91
4.5.1.5	EN-DC FR1 radio link monitoring out-of-sync test for PSCell configured with CSI-RS-based RLM RS in non-DRX mode.....	96
4.5.1.6	EN-DC FR1 radio link monitoring in-sync test for PSCell configured with CSI-RS-based RLM RS in non-DRX mode.....	101
4.5.1.7	EN-DC FR1 radio link monitoring out-of-sync test for PSCell configured with CSI-RS-based RLM RS in DRX mode .....	106
4.5.2	Interruption.....	117
4.5.2.0	Minimum conformance requirements.....	117
4.5.2.0.1	Minimum conformance requirements for interruptions at transitions between active and non-active during DRX. ....	117
4.5.2.0.2	Minimum conformance requirements for interruptions during measurements on deactivated NR SCC .....	117
4.5.2.0.3	Minimum conformance requirements for interruptions during measurements on deactivated E-UTRAN SCC .....	118
4.5.2.1	EN-DC FR1 interruptions at transitions between active and non-active during DRX in synchronous EN-DC.....	119
4.5.2.2	EN-DC FR1 interruptions at transitions between active and non-active during DRX in asynchronous EN-DC.....	122
4.5.2.3	EN-DC FR1 interruptions during measurements on deactivated NR SCC in synchronous EN-DC ..	126
4.5.2.4	EN-DC FR1 interruptions during measurements on deactivated NR SCC in asynchronous EN-DC .....	133
4.5.2.5	EN-DC FR1 interruptions during measurements on deactivated E-UTRAN SCC in synchronous EN-DC.....	139
4.5.2.6	EN-DC FR1 interruptions during measurements on deactivated E-UTRAN SCC in asynchronous EN-DC.....	144
4.5.3	SCell activation and deactivation delay .....	149
4.5.3.0	Minimum conformance requirements.....	149
4.5.3.1	EN-DC FR1 SCell activation and deactivation of known SCell in non-DRX for 160ms SCell measurement cycle .....	152
4.5.3.2	EN-DC FR1 SCell activation and deactivation of known SCell in non-DRX for 640ms SCell measurement cycle .....	165
4.5.3.3	EN-DC FR1 SCell activation and deactivation of unknown SCell in non-DRX.....	166
4.5.4	UE UL carrier RRC reconfiguration delay.....	168
4.5.4.1	EN-DC FR1 UE UL carrier RRC reconfiguration delay .....	168
4.5.5	Link recovery procedures.....	176
4.5.5.0	Minimum conformance requirements.....	176
4.5.5.0.3	Scheduling availability of UE during beam failure detection and candidate beam detection .....	179
4.5.5.0.4	Requirements for Beam Failure Recovery in SCell .....	179
4.5.5.1	EN-DC FR1 SSB-based beam failure detection and link recovery in non-DRX.....	179
4.5.5.2	EN-DC FR1 SSB-based beam failure detection and link recovery in DRX .....	186
4.5.5.3	EN-DC FR1 CSI-RS-based beam failure detection and link recovery in non-DRX .....	192
4.5.5.4	EN-DC FR1 CSI-RS-based beam failure detection and link recovery in DRX .....	198
4.5.5.5	EN-DC FR1 Scell CSI-RS-based beam failure detection and SSB-based link recovery in non-DRX.....	202
4.5.5.6	EN-DC FR1 Scell CSI-RS-based beam failure detection and SSB-based link recovery in DRX .....	208
4.5.6	Active BWP switch delay .....	216
4.5.6.1	DCI-based and time-based active BWP switch .....	216
4.5.6.1.0	Minimum conformance requirements .....	216
4.5.6.1.1	EN-DC FR1 DCI-based DL active BWP switch in non-DRX in synchronous EN-DC .....	218
4.5.6.1.2	EN-DC FR1 DCI-based DL active BWP switch with SCell in non-DRX in synchronous EN-DC .....	226
<b>Editor's Note:</b>	<b>TT analysis for test configuration with SpCC SCS = 15kHz + SCC SCS = 30kHz or SpCC SCS = 30kHz + SCC SCS = 15kHz are still missing.</b>	226
4.5.6.2	RRC-based active BWP switch .....	235
4.5.6.2.0	Minimum conformance requirements .....	235
4.5.6.2.1	EN-DC FR1 RRC-based DL active BWP switch in non-DRX in synchronous EN-DC .....	235

4.5.7	PSCell addition and release delay .....	241
4.5.7.0	Minimum conformance requirements.....	241
4.5.7.0.1	NR PSCell Addition Delay Requirement.....	241
4.5.7.0.2	NR PSCell Release Delay Requirement .....	242
4.5.7.1	EN-DC FR1 addition and release delay of known PSCell.....	242
4.5.8	UL switching.....	248
4.5.8.0	Minimum conformance requirements.....	248
4.5.8.1	EN-DC FR1 interruptions at switching between two uplink carriers .....	248
4.6	Measurement procedures .....	258
4.6.1	Intra-frequency measurements .....	258
4.6.1.0	Minimum conformance requirements.....	258
4.6.1.0.1	Minimum conformance requirements for event-triggered reporting without gap .....	258
4.6.1.0.2	Minimum conformance requirements for event-triggered measurements with gap.....	262
4.6.1.1	EN-DC FR1 event-triggered reporting without gap in non-DRX.....	265
4.6.1.2	EN-DC FR1 event-triggered reporting without gap in DRX .....	269
4.6.1.3	EN-DC FR1 event-triggered reporting with gap in non-DRX.....	272
4.6.1.4	EN-DC FR1 event-triggered reporting with gap in DRX .....	278
4.6.1.5	EN-DC FR1 event-triggered reporting without gap in non-DRX with SSB time index detection .....	283
4.6.1.6	EN-DC FR1 event-triggered reporting with gap in non-DRX with SSB time index detection .....	287
4.6.1.7	EN-DC FR1 event-triggered reporting without gap in DRX for UE configured with highSpeedMeasFlag-r16.....	291
4.6.2	Inter-frequency measurements .....	296
4.6.2.0	Minimum conformance requirements for Inter-frequency measurements.....	296
4.6.2.1	EN-DC FR1-FR1 event-triggered reporting in non-DRX .....	297
4.6.2.2	EN-DC FR1-FR1 event-triggered reporting in DRX.....	302
4.6.2.3	Void.....	308
4.6.2.4	Void.....	308
4.6.2.5	EN-DC FR1-FR1 event-triggered reporting in non-DRX with SSB time index detection.....	308
4.6.2.6	EN-DC FR1-FR1 event-triggered reporting in DRX with SSB time index detection .....	313
4.6.2.7	Void.....	318
4.6.2.8	Void.....	318
4.6.3	Void.....	318
4.6.4	L1-RSRP measurement for beam reporting .....	318
4.6.4.0	Minimum conformance requirements.....	318
4.6.4.0.1	Minimum conformance requirements for SSB-based L1-RSRP measurement for beam reporting.....	319
4.6.4.1	EN-DC FR1 SSB-based L1-RSRP measurement in non-DRX .....	322
4.6.4.1.5	Test requirement .....	326
4.6.4.2	EN-DC FR1 SSB-based L1-RSRP measurement in DRX.....	326
4.6.4.2.3	Minimum conformance requirements .....	327
4.6.4.3	EN-DC FR1 CSI-RS-based L1-RSRP measurement in non-DRX .....	330
4.6.4.4	EN-DC FR1 CSI-RS-based L1-RSRP measurement in DRX .....	334
4.6.4.5	EN-DC FR1 SSB-based L1-RSRP measurement in DRX for UE configured with highSpeedMeasFlag-r16.....	337
4.6.5	CLI measurements .....	341
4.6.5.0	Minimum conformance requirements.....	341
4.6.5.0.2	Minimum conformance requirements for CLI-RSSI measurement with non-DRX .....	342
4.6.5.1	EN-DC FR1 SRS-RSRP measurement with non-DRX .....	343
4.6.5.1.3	Minimum conformance requirements .....	343
4.6.5.2	EN-DC FR1 CLI-RSSI measurement with non-DRX .....	346
4.6.6	349	
4.6.7	L1-SINR measurement for beam reporting .....	349
4.6.7.0	Minimum conformance requirements.....	349
4.6.7.1	EN-DC FR1 CSI-RS based CMR and no dedicated IMR L1-SINR measurement in non-DRX.....	354
4.6.7.2	EN-DC FR1 SSB based CMR and dedicated IMR L1-SINR measurement in DRX .....	359
4.6.7.3	EN-DC FR1 CSI-RS based CMR and dedicated IMR L1-SINR measurement in DRX .....	365
4.7	Measurement performance requirements .....	370
4.7.1	SS-RSRP .....	370
4.7.1.0	Minimum conformance requirements.....	370
4.7.1.1	Intra-frequency measurements.....	375
4.7.1.2	Inter-frequency measurements.....	384
4.7.2	SS-RSRQ .....	391

4.7.2.0	Minimum conformance requirements.....	391
4.7.2.1	EN-DC FR1 SS-RSRQ measurement accuracy.....	393
4.7.2.2	Inter-Frequency SS-RSRQ measurement accuracy .....	397
4.7.2.2.1	EN-DC FR1-FR1 SS-RSRQ absolute measurement accuracy.....	397
4.7.2.2.2	EN-DC FR1-FR1 SS-RSRQ relative measurement accuracy .....	401
4.7.3	SS-SINR.....	403
4.7.3.0	Minimum conformance requirements.....	403
4.7.3.0.1	Intra-frequency SS-SINR measurement accuracy requirements .....	403
4.7.3.0.2	Inter-frequency absolute SS-SINR measurement accuracy requirements .....	404
4.7.3.0.3	Inter-frequency relative SS-SINR measurement accuracy requirements .....	405
4.7.3.1	EN-DC FR1 SS-SINR measurement accuracy .....	406
4.7.3.2	Inter-Frequency SS-SINR measurement accuracy .....	410
4.7.3.2.1	EN-DC FR1-FR1 SS-SINR absolute measurement accuracy .....	410
4.7.3.2.2	EN-DC FR1-FR1 SS-SINR relative measurement accuracy .....	413
4.7.4	L1-RSRP .....	415
4.7.4.0	Minimum conformance requirements.....	415
4.7.4.0.1	SSB based absolute L1-RSRP measurement accuracy requirements.....	415
4.7.4.0.3	CSI-RS based absolute L1-RSRP measurement accuracy requirements .....	418
4.7.4.0.4	CSI-RS based relative L1-RSRP measurement accuracy requirements.....	419
4.7.4.1	SSB based L1-RSRP measurements.....	420
4.7.4.1.1	EN-DC FR1 SSB-based L1-RSRP absolute measurement accuracy .....	420
4.7.4.1.2	EN-DC FR1 SSB-based L1-RSRP relative measurement accuracy .....	425
4.7.4.2	CSI-RS based L1-RSRP measurements .....	427
4.7.4.2.1	EN-DC FR1 CSI-RS-based L1-RSRP absolute measurement accuracy .....	427
4.7.4.2.2	EN-DC FR1 CSI-RS-based L1-RSRP relative measurement accuracy .....	431
4.7.5	SFTD .....	433
4.7.5.0	Minimum conformance requirements.....	433
4.7.5.0.1	SFTD Accuracy Requirement.....	433
4.7.5.1	EN-DC FR1 SFTD measurement accuracy .....	434
4.7.6	CLI measurements .....	438
4.7.6.0	Minimum conformance requirements.....	438
4.7.6.0.1	Minimum conformance requirements for SRS-RSRP accuracy .....	438
4.7.6.0.1.1	SRS-RSRP report mapping .....	439
4.7.6.0.2	Minimum conformance requirements for CLI-RSSI measurement accuracy with FR1 serving cell.....	440
4.7.6.1	EN-DC SRS-RSRP measurement accuracy with FR1 serving cell .....	441
4.7.6.2	EN-DC CLI-RSSI measurement accuracy with FR1 serving cell .....	446
4.7.7	L1-SINR measurement for beam reporting .....	450
4.7.7.0	Minimum conformance requirements.....	450
4.7.7.0.1	Minimum conformance requirements for CSI-RS based CMR and no dedicated IMR configured and CSI-RS resource set with repetition off .....	450
4.7.7.0.2	Minimum conformance requirements for SSB based CMR and dedicated IMR .....	453
4.7.7.0.3	Minimum conformance requirements for CSI-RS based CMR and dedicated IMR .....	455
4.7.7.1	EN-DC FR1 CSI-RS based CMR and no dedicated IMR configured and CSI-RS resource set with repetition off L1-SINR measurement .....	459
4.7.7.1.1	EN-DC FR1 CSI-RS based CMR and no dedicated IMR configured and CSI-RS resource set with repetition off L1-SINR absolute measurement accuracy .....	459
4.7.7.1.2	EN-DC FR1 CSI-RS based CMR and no dedicated IMR configured and CSI-RS resource set with repetition off L1-SINR relative measurement accuracy .....	464
4.7.7.2	EN-DC FR1 SSB based CMR and dedicated IMR L1-SINR absolute measurement accuracy .....	466
4.7.7.3	EN-DC FR1 CSI-RS based CMR and dedicated IMR L1-SINR measurement .....	471
4.7.7.3.1	EN-DC FR1 CSI-RS based CMR and dedicated IMR L1-SINR absolute measurement accuracy .....	471
4.7.7.3.2	EN-DC FR1 CSI-RS based CMR and dedicated IMR L1-SINR relative measurement accuracy .....	477
4A	NE-DC with all NR cells in FR1 .....	479
4A.0	General.....	479
4A.1	Signalling characteristics .....	479
4A.1.1	E-UTRAN PSCell addition .....	479
4A.1.1.0	Minimum conformance requirements.....	479
4A.1.1.0.1	E-UTRA PSCell Addition Delay Requirement.....	479

4A.1.1.0.2	E-UTRA PSCell Release Delay Requirement .....	480
4A.1.1.1	NE-DC FR1 addition and release delay of known PSCell.....	480
4A.1.1.1	Test purpose .....	480
4A.1.1.2	Test applicability.....	480
4A.1.1.3	Minimum conformance requirements .....	480
4A.1.1.4	Test description.....	481
4A.1.1.5	Test Requirements .....	481
4A.1.2	Active BWP switch delay .....	481
4A.2	Measurement performance requirements.....	481
4A.2.1	SFTD accuracy .....	481
5	EN-DC with at least one NR cell in FR2 .....	484
5.0	General.....	484
5.1	Void .....	484
5.2	Void .....	484
5.3	RRC_CONNECTED state mobility .....	484
5.3.1	Void.....	484
5.3.2	RRC connection mobility control.....	484
5.3.2.1	Void.....	484
5.3.2.2	Random access .....	484
5.3.2.2.1	EN-DC FR2 contention based random access .....	484
5.3.2.2.2	EN-DC FR2 non-contention based random access .....	492
5.3.2.2.3	EN-DC FR2 2-step contention based random access.....	500
5.3.2.2.4	EN-DC FR2 2-step non-contention based random access .....	504
5.3.2.3	Void.....	508
5.4	Timing .....	508
5.4.1	UE transmit timing .....	508
5.4.1.0	Minimum Conformance Requirements .....	508
5.4.1.0.1	Minimum conformance requirements for UE transmit timing accuracy.....	508
5.4.1.1	EN-DC FR2 UE transmit timing accuracy .....	510
5.4.2	UE timer accuracy.....	516
5.4.3	Timing advance .....	516
5.4.3.0	Minimum conformance requirements.....	516
5.4.3.0.1	Minimum conformance requirements for timing advance adjustment accuracy.....	516
5.4.3.1	EN-DC FR2 timing advance adjustment accuracy .....	516
5.5	Signaling characteristics .....	521
5.5.1	Radio link monitoring .....	521
5.5.1.0	Minimum conformance requirements.....	521
5.5.1.0.1	Minimum conformance requirements for out-of-sync SSB-based RLM .....	521
5.5.1.0.2	Minimum conformance requirements for in-sync SSB-based RLM.....	522
5.5.1.0.3	Minimum conformance requirements for out-of-sync CSI-RS based RLM .....	523
5.5.1.0.4	Minimum conformance requirements for in-sync CSI-RS based RLM.....	526
5.5.1.0.5	Minimum conformance requirements for UE scheduling restrictions during radio link monitoring.....	529
5.5.1.1	EN-DC FR2 radio link monitoring out-of-sync test for PSCell configured with SSB-based RLM RS in non-DRX mode.....	530
5.5.1.2	EN-DC FR2 radio link monitoring in-sync test for PSCell configured with SSB-based RLM RS in non-DRX mode .....	536
5.5.1.3	EN-DC FR2 radio link monitoring out-of-sync test for PSCell configured with SSB-based RLM RS in DRX mode.....	542
5.5.1.4	EN-DC FR2 radio link monitoring in-sync test for PSCell configured with SSB-based RLM RS in DRX mode.....	548
5.5.1.5	EN-DC FR2 radio link monitoring out-of-sync test for PSCell configured with CSI-RS-based RLM RS in non-DRX mode.....	553
5.5.1.6	EN-DC FR2 radio link monitoring in-sync test for PSCell configured with CSI-RS-based RLM RS in non-DRX mode.....	558
5.5.1.7	EN-DC FR2 radio link monitoring out-of-sync test for PSCell configured with CSI-RS-based RLM RS in DRX mode .....	563
5.5.1.9	EN-DC FR2 radio link monitoring UE scheduling restrictions .....	574
5.5.2	Interruption.....	579
5.5.2.0	Minimum conformance requirements.....	579

5.5.2.0.1	Minimum conformance requirements for interruptions at transitions between active and non-active during DRX .....	579
5.5.2.0.2	Minimum conformance requirements for interruptions during measurements on deactivated NR SCC .....	579
5.5.2.0.3	Minimum conformance requirements for interruptions during measurements on deactivated E-UTRAN SCC .....	580
5.5.2.1	EN-DC FR2 interruptions at transitions between active and non-active during DRX in synchronous EN-DC.....	581
5.5.2.2	EN-DC FR2 interruptions at transitions between active and non-active during DRX in asynchronous EN-DC.....	585
5.5.2.3	EN-DC FR2 interruptions during measurements on deactivated NR SCC in synchronous EN-DC ..	589
5.5.2.4	EN-DC FR2 interruptions during measurements on deactivated NR SCC in asynchronous EN-DC .....	594
5.5.2.5	EN-DC FR2 interruptions during measurements on deactivated E-UTRAN SCC in synchronous EN-DC.....	598
5.5.2.6	EN-DC FR2 interruptions during measurements on deactivated E-UTRAN SCC in asynchronous EN-DC.....	603
5.5.3	SCell activation and deactivation delay .....	607
5.5.3.1	EN-DC FR2 SCell activation and deactivation intra-band in non-DRX .....	607
5.5.4	UE UL carrier RRC reconfiguration delay.....	611
5.5.5	Link recovery procedures .....	611
5.5.5.0	Minimum conformance requirements.....	611
5.5.5.0.1	Minimum conformance requirements for SSB-based BFD and link recovery procedures .....	611
5.5.5.0.2	Minimum conformance requirements for CSI-RS-based BFD and link recovery procedures .....	615
5.5.5.0.3	Scheduling availability of UE during beam failure detection and candidate beam detection .....	621
5.5.5.0.4	Requirements for Beam Failure Recovery in SCell .....	622
5.5.5.1	EN-DC FR2 SSB-based beam failure detection and link recovery in non-DRX.....	622
5.5.5.2	EN-DC FR2 SSB-based beam failure detection and link recovery in DRX .....	629
5.5.5.3	EN-DC FR2 CSI-RS-based beam failure detection and link recovery in non-DRX .....	635
5.5.5.4	EN-DC FR2 CSI-RS-based beam failure detection and link recovery in DRX.....	641
5.5.5.5	EN-DC FR2 scheduling available restriction during SSB-based beam failure detection and link recovery in non-DRX .....	647
5.5.5.6	EN-DC FR2 CSI-RS-based BFD and LR for SCell in non-DRX.....	652
5.5.5.7	EN-DC FR2 SCell CSI-RS-based beam failure detection and link recovery in DRX.....	658
5.5.6	Active BWP switch delay .....	664
5.5.6.1	DCI-based and time-based active BWP switch .....	664
5.5.6.1.0	Minimum conformance requirements .....	664
5.5.6.1.1	EN-DC FR2 DCI-based DL active BWP switch in non-DRX in synchronous EN-DC .....	664
5.5.6.1.2	EN-DC FR2 DCI-based DL active BWP switch with SCell in non-DRX in synchronous EN-DC.....	665
5.5.6.2	RRC-based active BWP switch .....	665
5.5.6.2.0	Minimum conformance requirements .....	665
5.5.6.2.1	EN-DC FR2 RRC-based DL active BWP switch in non-DRX in synchronous EN-DC .....	666
5.5.7	Void.....	670
5.5.8	Active TCI state switch delay .....	670
5.5.8.0	Minimum conformance requirements.....	670
5.5.8.0.1	Minimum conformance requirements for MAC-CE based active TCI state switch .....	670
5.5.8.0.2	Minimum conformance requirements for RRC based active TCI state switch .....	671
5.5.8.1	EN-DC FR2 MAC-CE based active TCI state switch .....	672
5.5.8.2	EN-DC FR2 RRC based active TCI state switch.....	676
5.6	Measurement procedures .....	680
5.6.1	Intra-frequency measurements .....	680
5.6.1.0	Minimum conformance requirements.....	680
5.6.1.0.1	Minimum conformance requirements for event-triggered measurement without gap .....	680
5.6.1.0.2	Minimum conformance requirements for event-triggered measurement with gap .....	682
5.6.1.1	EN-DC FR2 event-triggered reporting without gap in non-DRX.....	684
5.6.1.2	EN-DC FR2 event-triggered reporting without gap in DRX .....	689
5.6.1.3	EN-DC FR2 event-triggered reporting with gap in non-DRX.....	693
5.6.1.4	EN-DC FR2 event-triggered reporting with gap in DRX .....	699
5.6.2	Inter-frequency measurements .....	703
5.6.2.0	Minimum conformance requirements for Inter-frequency measurements.....	703
5.6.2.1	EN-DC FR2-FR2 event-triggered reporting in non-DRX .....	705

5.6.2.2	EN-DC FR2-FR2 event-triggered reporting in DRX.....	710
5.6.2.3	EN-DC FR2-FR2 event-triggered reporting in non-DRX with SSB time index detection.....	715
5.6.2.4	EN-DC FR2-FR2 event-triggered reporting in DRX with SSB time index detection.....	719
5.6.2.5	EN-DC FR1-FR2 event-triggered reporting in non-DRX .....	724
5.6.2.6	EN-DC FR1-FR2 event-triggered reporting in DRX.....	729
5.6.2.7	EN-DC FR1-FR2 event-triggered reporting in non-DRX with SSB time index detection.....	735
5.6.2.8	EN-DC FR1-FR2 event-triggered reporting in DRX with SSB time index detection.....	740
5.6.3	L1-RSRP measurement for beam reporting .....	746
5.6.3.0	Minimum conformance requirements.....	746
5.6.3.0.1	Minimum conformance requirements for SSB-based L1-RSRP measurement for beam reporting.....	746
5.6.3.0.2	Minimum conformance requirements for CSI-RS-based L1-RSRP measurement for beam reporting.....	747
5.6.3.1	EN-DC FR2 SSB-based L1-RSRP measurement in non-DRX .....	750
5.6.3.2	EN-DC FR2 SSB-based L1-RSRP measurement in DRX.....	754
5.6.3.3	EN-DC FR2 CSI-RS-based L1-RSRP measurement in non-DRX .....	758
5.6.3.4	EN-DC FR2 CSI-RS-based L1-RSRP measurement in DRX .....	762
5.6.4	CLI measurements .....	765
5.6.4.0	Minimum conformance requirements.....	765
5.6.4.0.1	Minimum conformance requirements for SRS-RSRP measurement period .....	766
5.6.4.1	EN-DC FR2 SRS-RSRP measurement in non-DRX .....	767
5.6.5	770	
5.6.6	L1-SINR measurement for beam reporting .....	770
5.6.6.0	Minimum conformance requirements.....	770
5.6.6.0.1	L1-SINR reporting with CSI-RS based CMR and no dedicated IMR configured .....	770
5.6.6.0.2	L1-SINR reporting with SSB based CMR and dedicated IMR configured .....	773
5.6.6.0.3	L1-SINR reporting with CSI-RS based CMR and dedicated IMR configured .....	775
5.6.6.1	EN-DC FR2 CSI-RS based CMR and no dedicated IMR L1-SINR measurement in DRX .....	778
5.6.6.2	EN-DC FR2 SSB based CMR and dedicated IMR L1-SINR measurement in non-DRX .....	782
5.6.6.3	EN-DC FR2 CSI-RS based CMR and dedicated IMR L1-SINR measurement in non-DRX .....	788
5.7	Measurement performance requirements .....	793
5.7.1	SS-RSRP .....	793
5.7.1.0	Minimum conformance requirements.....	793
5.7.1.0.1	Intra-frequency SS-RSRP measurement accuracy requirements .....	793
5.7.1.0.2	Inter-frequency SS-RSRP measurement accuracy requirements .....	794
5.7.1.1	EN-DC FR2 SS-RSRP measurement accuracy .....	796
5.7.1.2	EN-DC FR2-FR2 SS-RSRP measurement accuracy .....	803
5.7.1.3	EN-DC FR1-FR2 SS-RSRP measurement accuracy .....	809
5.7.2	SS-RSRQ .....	815
5.7.2.0	Minimum conformance requirements.....	815
5.7.2.0.1	Intra-frequency SS-RSRQ measurement accuracy requirements .....	815
5.7.2.0.2	Inter-frequency SS-RSRQ measurement accuracy requirements .....	815
5.7.2.1	EN-DC FR2 SS-RSRQ measurement accuracy .....	817
5.7.2.2	EN-DC FR2-FR2 SS-RSRQ measurement accuracy .....	821
5.7.3	SS-SINR .....	826
5.7.3.0	Minimum conformance requirements.....	826
5.7.3.0.1	Intra-frequency SS-SINR measurement accuracy requirements .....	826
5.7.3.0.2	Inter-frequency SS-SINR measurement accuracy requirements .....	826
5.7.3.1	EN-DC FR2 SS-SINR measurement accuracy .....	828
5.7.3.2	EN-DC FR2-FR2 SS-SINR measurement accuracy .....	832
5.7.4	L1-RSRP .....	837
5.7.4.0	Minimum conformance requirements.....	837
5.7.4.0.1	SSB-based L1-RSRP absolute measurement accuracy requirements .....	838
5.7.4.0.2	SSB-based L1-RSRP relative measurement accuracy requirements.....	838
5.7.4.0.3	CSI-RS-based L1-RSRP absolute measurement accuracy requirements .....	839
5.7.4.0.4	CSI-RS-based L1-RSRP relative measurement accuracy requirements .....	840
5.7.4.1	EN-DC FR2 SSB based L1-RSRP measurement accuracy .....	841
5.7.4.2	EN-DC FR2 CSI-RS based L1-RSRP measurement accuracy .....	847
5.7.5	SRS-RSRP .....	853
5.7.5.0	Minimum conformance requirements.....	853
5.7.5.0.1	Minimum conformance requirements for SRS-RSRP measurement accuracy .....	853
5.7.5.1	EN-DC FR2 SRS-RSRP measurement accuracy.....	855

5.7.6	L1-SINR measurement for beam reporting .....	859
5.7.6.0	Minimum conformance requirements.....	859
5.7.6.0.1	L1-SINR accuracy requirements with CSI-RS based CMR and no dedicated IMR configured ...	860
5.7.6.0.2	L1-SINR accuracy requirements with SSB based CMR and dedicated IMR configured .....	861
5.7.6.0.3	L1-SINR accuracy requirements with CSI-RS based CMR and dedicated IMR configured .....	863
5.7.6.1	EN-DC FR2 CSI-RS based CMR and no dedicated IMR configured and CSI-RS resource set with repetition off L1-SINR measurement accuracy .....	866
5.7.6.2	EN-DC FR2 SSB based CMR and dedicated IMR L1-SINR absolute measurement accuracy .....	872
5.7.6.3	EN-DC FR2 CSI-RS based CMR and dedicated IMR L1-SINR measurement accuracy .....	877
6	NR standalone in FR1 .....	883
6.0	General.....	883
6.1	RRC_IDLE state mobility .....	883
6.1.1	NR cell re-selection.....	883
6.1.1.0	Minimum conformance requirements.....	883
6.1.1.0.1	Minimum conformance requirements for intra-frequency cell re-selection.....	883
6.1.1.0.2	Minimum conformance requirements for inter-frequency cell re-selection.....	883
6.1.1.0.3	Minimum conformance requirements for intra-frequency cell re-selection for UE configured with highSpeedMeasFlag-r16 .....	885
6.1.1.0.4	Minimum conformance requirements for intra-frequency cell re-selection when UE configured with relaxed measurement criterion .....	885
6.1.1.0.5	Minimum conformance requirements for inter-frequency cell re-selection when UE configured with relaxed measurement criterion .....	887
6.1.1.1	NR SA FR1 cell re-selection .....	889
6.1.1.2	NR SA FR1-FR1 cell re-selection .....	895
6.1.1.3	NR SA FR1 cell re-selection for UE fulfilling low mobility relaxed measurement criterion.....	899
6.1.1.4	NR SA FR1 cell re-selection for UE fulfilling not-at-cell edge relaxed measurement criterion .....	906
6.1.1.5	NR SA FR1-FR1 cell re-selection for UE fulfilling low mobility relaxed measurement criterion ....	912
6.1.1.6	NR SA FR1-FR1 cell re-selection for UE fulfilling not-at-cell edge relaxed measurement criterion .....	918
6.1.1.7	NR SA FR1 cell re-selection for UE configured with highSpeedMeasFlag-r16 .....	924
6.1.2	NR – E-UTRA cell re-selection .....	929
6.1.2.0	Minimum conformance requirements.....	929
6.1.2.0.1	Minimum conformance requirements for NR – E-UTRA cell re-selection .....	929
6.1.2.0.2	Minimum conformance requirement for inter-RAT E-UTRAN cells for UE configured with relaxed measurement criterion .....	931
6.1.2.1	NR SA FR1 – E-UTRA cell re-selection to higher priority E-UTRA .....	933
6.1.2.2	NR SA FR1 – E-UTRA cell re-selection to lower priority E-UTRA .....	938
6.1.2.3	NR SA FR1 – E-UTRA cell re-selection to lower priority E-UTRAN for UE fulfilling low mobility relaxed measurement criterion .....	944
6.1.2.4	NR SA FR1 – E-UTRA cell re-selection to lower priority E-UTRAN for UE fulfilling not-at-cell edge relaxed measurement criterion .....	950
6.1.2.5	NR SA FR1 – E-UTRA cell re-selection to lower priority E-UTRA for UE configured with highSpeedMeasFlag-r16.....	955
6.2	RRC_INACTIVE state mobility .....	961
6.3	RRC_CONNECTED state mobility .....	961
6.3.1	Handover.....	961
6.3.1.0	Minimum conformance requirements.....	961
6.3.1.0.1	Minimum conformance requirements for NR – E-UTRAN handover.....	961
6.3.1.0.2	Minimum conformance requirements for NR FR1 – NR FR1 handover .....	961
6.3.1.0.3	Minimum conformance requirements for NR – UTRAN handover .....	962
6.3.1.0.4	Minimum conformance requirements for NR FR1- NR FR1 DAPS handover .....	963
6.3.1.1	NR SA FR1 handover with known target cell .....	965
6.3.1.2	NR SA FR1 handover with unknown target cell .....	969
6.3.1.3	NR SA FR1-FR1 handover with unknown target cell .....	972
6.3.1.4	NR SA FR1 – E-UTRA handover with known target cell.....	975
6.3.1.5	NR SA FR1 – E-UTRA handover with unknown target cell.....	982
6.3.1.6	NR SA FR1 – UTRAN FDD handover with known target cell.....	987
6.3.1.7	NR SA FR1 synchronous DAPS handover.....	993
6.3.1.8	NR SA FR1 asynchronous DAPS handover.....	1001
6.3.1.9	NR SA FR1 Intra-band inter-frequency synchronous DAPS handover.....	1006
6.3.1.10	NR SA FR1 Intra-band inter-frequency asynchronous DAPS handover.....	1015

6.3.1.11	NR SA FR1 Inter-band inter-frequency synchronous DAPS handover.....	1021
6.3.1.12	NR SA FR1 Inter-band inter-frequency asynchronous DAPS handover.....	1030
6.3.2	RRC connection mobility control.....	1038
6.3.2.1	RRC re-establishment.....	1038
6.3.2.1.0	Minimum conformance requirements .....	1038
6.3.2.1.1	NR SA FR1 RRC re-establishment.....	1040
6.3.2.1.2	NR SA FR1 - FR1 RRC re-establishment.....	1044
6.3.2.1.3	NR SA FR1 RRC re-establishment without serving cell timing.....	1048
6.3.2.2	Random access .....	1052
6.3.2.2.0	Minimum conformance requirements .....	1052
6.3.2.2.1	NR SA FR1 contention based random access.....	1054
6.3.2.2.2	NR SA FR1 non-contention based random access.....	1060
6.3.2.2.3	NR SA FR1 2-step contention based random access .....	1067
6.3.2.2.4	NR SA FR1 2-step non-contention based random access .....	1071
6.3.2.3	RRC connection release with redirection .....	1075
6.3.2.3.0	Minimum conformance requirements .....	1075
6.3.2.3.1	NR SA FR1 RRC connection release with redirection .....	1077
6.3.2.3.2	NR SA FR1 – E-UTRA RRC connection release with redirection.....	1080
6.3.3	Conditional handover .....	1085
6.3.3.0	Minimum conformance requirements.....	1085
6.3.3.0.1	Minimum conformance requirements for NR FR1 intra-frequency conditional handover.....	1085
6.3.3.0.2	Minimum conformance requirements for NR FR1 inter-frequency conditional handover.....	1088
6.3.3.1	NR SA FR1 conditional handover .....	1091
6.3.3.2	NR SA FR1-FR1 conditional handover.....	1098
6.4	Timing .....	1108
6.4.1	UE transmit timing .....	1108
6.4.1.0	Minimum conformance requirements.....	1108
6.4.1.1	NR SA FR1 UE transmit timing accuracy.....	1109
6.4.2	UE timer accuracy .....	1115
6.4.3	Timing advance .....	1115
6.4.3.0	Minimum conformance requirement .....	1115
6.4.3.0.1	Minimum conformance requirement for timing advance adjustment .....	1115
6.4.3.1	NR SA FR1 timing advance adjustment accuracy.....	1115
6.5	Signaling characteristics .....	1120
6.5.1	Radio link monitoring .....	1120
6.5.1.00	General .....	1120
6.5.1.0	Minimum conformance requirements.....	1121
6.5.1.0.1	Minimum conformance requirements for out-of-sync SSB-based RLM .....	1121
6.5.1.0.2	Minimum conformance requirements for in-sync SSB-based RLM.....	1123
6.5.1.0.3	Minimum conformance requirements for out-of-sync and in-sync CSI-RS based RLM.....	1124
6.5.1.1	NR SA FR1 radio link monitoring out-of-sync test for PCell configured with SSB-based RLM RS in non-DRX mode.....	1125
6.5.1.2	NR SA FR1 radio link monitoring in-sync test for PCell configured with SSB-based RLM RS in non-DRX mode .....	1130
6.5.1.3	NR SA FR1 radio link monitoring out-of-sync test for PCell configured with SSB-based RLM RS in DRX mode.....	1137
6.5.1.4	NR SA FR1 radio link monitoring in-sync test for PCell configured with SSB-based RLM RS in DRX mode.....	1142
6.5.1.5	NR SA FR1 radio link monitoring out-of-sync test for PCell configured with CSI-RS-based RLM RS in non-DRX mode .....	1149
6.5.1.6	NR SA FR1 radio link monitoring in-sync test for PCell configured with CSI-RS-based RLM RS in non-DRX mode .....	1156
6.5.1.7	NR SA FR1 radio link monitoring out-of-sync test for PCell configured with CSI-RS-based RLM RS in DRX mode .....	1162
6.5.1.8	NR SA FR1 radio link monitoring in-sync test for PCell configured with CSI-RS-based RLM RS in DRX mode.....	1169
6.5.2	Interruption.....	1175
6.5.2.0	Minimum conformance requirements.....	1175
6.5.2.0.1	Minimum conformance requirements for interruptions during measurements on deactivated NR SCC .....	1175
6.5.2.1	NR SA FR1 interruptions during measurements on deactivated NR SCC .....	1177
6.5.3	SCell activation and deactivation delay .....	1183

6.5.3.0	Minimum conformance requirements.....	1183
6.5.3.0.1	Minimum conformance requirements for SCell activation and deactivation delay .....	1183
6.5.3.1	NR SA FR1 SCell activation and deactivation of known SCell in non-DRX for 160ms SCell measurement cycle .....	1183
6.5.3.2	NR SA FR1 SCell activation and deactivation of known SCell in non-DRX for 640ms SCell measurement cycle .....	1196
6.5.3.3	NR SA FR1 SCell activation and deactivation of unknown SCell in non-DRX .....	1197
6.5.4	UE UL carrier RRC reconfiguration delay.....	1199
6.5.4.0	Minimum conformance requirements.....	1199
6.5.4.0.1	Minimum conformance requirements for UL carrier RRC reconfiguration delay .....	1199
6.5.4.1	NR SA FR1 UE UL carrier RRC reconfiguration delay.....	1200
6.5.5	Link recovery procedures.....	1208
6.5.5.0	Minimum conformance requirements.....	1208
6.5.5.0.1	Minimum conformance requirements for SSB-based BFD and link recovery procedures .....	1208
6.5.5.0.3	Scheduling availability of UE during beam failure detection and candidate beam detection .....	1208
6.5.5.0.4	Requirements for Beam Failure Recovery in SCell .....	1208
6.5.5.0.2	Minimum conformance requirements for CSI-RS-based BFD and link recovery procedures ....	1208
6.5.5.1	NR SA FR1 SSB-based beam failure detection and link recovery in non-DRX .....	1210
6.5.5.2	NR SA FR1 SSB-based beam failure detection and link recovery in DRX .....	1218
6.5.5.3	NR SA FR1 CSI-RS-based beam failure detection and link recovery in non-DRX .....	1225
6.5.5.4	NR SA FR1 CSI-RS-based beam failure detection and link recovery in DRX .....	1233
6.5.5.5	NR SA FR1 Scell CSI-RS-based beam failure detection and SSB-based link recovery in non-DRX.....	1240
6.5.5.6	NR SA FR1 Scell CSI-RS-based beam failure detection and SSB-based link recovery in DRX....	1247
6.5.6	Active BWP switch delay .....	1254
6.5.6.1	DCI-based and time-based active BWP switch .....	1254
6.5.6.1.0	Minimum conformance requirements .....	1254
6.5.6.1.1	NR SA FR1-FR1 DCI-based DL active BWP switch in non-DRX .....	1255
6.5.6.1.2	NR SA FR1 DCI-based DL active BWP switch in non-DRX .....	1265
6.5.6.2	RRC-based active BWP switch .....	1274
6.5.6.2.0	Minimum conformance requirements .....	1274
6.5.6.2.1	NR SA FR1 RRC-based DL active BWP switch in non-DRX .....	1274
6.5.7	DL interruptions at switching between two uplink carriers.....	1282
6.5.7.0	Minimum conformance requirements.....	1282
6.5.7.1	NR SA FR1 DL Interruptions at switching between two uplink carriers in FDD-TDD CA.....	1283
6.5.7.2	NR SA FR1 DL Interruptions at switching between two uplink carriers in TDD-TDD CA .....	1295
6.6	Measurement procedures .....	1304
6.6.1	Intra-frequency measurements .....	1304
6.6.1.0	Minimum conformance requirements.....	1304
6.6.1.0.1	Minimum conformance requirements for event-triggered measurement without gap .....	1304
6.6.1.0.2	Minimum conformance requirements for event-triggered measurement with gap .....	1305
6.6.1.0.3	Minimum conformance requirements for event-triggered measurement without gap with SSB index reading.....	1306
6.6.1.0.4	Minimum conformance requirements for event-triggered measurement with gap with SSB index reading.....	1308
6.6.1.0.5	Minimum conformance requirements for event-triggered measurement without gap for UE configured with highSpeedMeasFlag-r16 .....	1309
6.6.1.1	NR SA FR1 event-triggered reporting without gap in non-DRX .....	1311
6.6.1.2	NR SA FR1 event-triggered reporting without gap in DRX .....	1315
6.6.1.3	NR SA FR1 event-triggered reporting with gap in non-DRX .....	1320
6.6.1.4	NR SA FR1 event-triggered reporting with gap in DRX.....	1326
6.6.1.5	NR SA FR1 event-triggered reporting without gap in non-DRX with SSB index reading .....	1331
6.6.1.6	NR SA FR1 event-triggered reporting with gap in non-DRX with SSB index reading .....	1335
6.6.1.7	NR SA FR1 event-triggered reporting without gap in DRX for UE configured with highSpeedMeasFlag-r16.....	1339
6.6.2	Inter-frequency measurements .....	1344
6.6.2.0	Minimum conformance requirements for Inter-frequency measurements.....	1344
6.6.2.1	NR SA FR1-FR1 event-triggered reporting in non-DRX.....	1344
6.6.2.2	NR SA FR1-FR1 event-triggered reporting in DRX .....	1350
6.6.2.3	Void .....	1356
6.6.2.4	Void .....	1356
6.6.2.5	NR SA FR1-FR1 event-triggered reporting in non-DRX with SSB time index detection .....	1356

6.6.2.6	NR SA FR1-FR1 event-triggered reporting in DRX with SSB time index detection.....	1363
6.6.2.7	Void.....	1369
6.6.2.8	Void.....	1369
6.6.3	Inter-RAT Measurements.....	1369
6.6.3.0	Minimum conformance requirements.....	1369
6.6.3.0.1	Minimum conformance requirements for inter-RAT event triggered reporting to E-UTRAN FDD .....	1369
6.6.3.0.2	Minimum conformance requirements for inter-RAT event triggered reporting to E-UTRAN TDD .....	1372
6.6.3.1	NR SA FR1 – E-UTRAN event-triggered reporting in non-DRX.....	1374
6.6.3.2	NR SA FR1 – E-UTRAN event-triggered reporting in DRX.....	1382
6.6.3.3	NR SA FR1 – E-UTRAN event-triggered reporting in DRX for UE configured with highSpeedMeasFlag-r16.....	1388
6.6.4	L1-RSRP measurement for beam reporting.....	1393
6.6.4.0	Minimum conformance requirements.....	1393
6.6.4.0.1	Minimum conformance requirements for SSB-based L1-RSRP measurement for beam reporting.....	1393
6.6.4.0.2	Minimum conformance requirements for CSI-RS-based L1-RSRP measurement for beam reporting.....	1393
6.6.4.1	NR SA FR1 SSB-based L1-RSRP measurement in non-DRX.....	1393
6.6.4.2	NR SA FR1 SSB-based L1-RSRP measurement in DRX .....	1397
6.6.4.3	NR SA FR1 CSI-RS-based L1-RSRP measurement in non-DRX .....	1401
6.6.4.4	NR SA FR1 CSI-RS-based L1-RSRP measurement in DRX.....	1405
6.6.4.5	NR SA FR1 SSB-based L1-RSRP measurement in DRX for UE configured with highSpeedMeasFlag-r16.....	1408
6.6.5	UTRAN inter-RAT measurement .....	1413
6.6.5.1	NR SA FR1 – UTRAN event-triggered reporting in non-DRX .....	1413
6.6.6 to 6.6.7	1420	
6.6.8	L1-SINR measurement for beam reporting.....	1420
6.6.8.0	Minimum conformance requirements.....	1420
6.6.8.0.1	L1-SINR reporting with CSI-RS based CMR and no dedicated IMR configured .....	1420
6.6.8.0.2	L1-SINR reporting with SSB based CMR and dedicated IMR configured .....	1420
6.6.8.0.3	L1-SINR reporting with CSI-RS based CMR and dedicated IMR configured .....	1420
6.6.8.1	NR SA FR1 CSI-RS based CMR and no dedicated IMR L1-SINR measurement in DRX.....	1420
6.6.8.2	NR SA FR1 SSB based CMR and dedicated IMR L1-SINR measurement in non-DRX.....	1426
6.6.8.3	NR SA FR1 CSI-RS based CMR and dedicated IMR L1-SINR measurement in non-DRX .....	1432
6.6.9	Idle Mode CA/DC Measurements.....	1438
6.6.9.0	Minimum conformance requirements .....	1438
6.6.9.1	NR SA FR1 SA Idle mode CA/DC measurement for FR1 .....	1440
6.6.10 to 6.6.14	.....	1447
6.6.15	Idle Mode inter-RAT CA/DC Measurements .....	1447
6.6.15.0	Minimum conformance requirements .....	1447
6.6.15.1	NR SA FR1 Idle Mode measurements of inter-RAT CA candidate cells for early reporting .....	1448
6.7	Measurement performance requirements.....	1456
6.7.1	SS-RSRP .....	1456
6.7.1.0	Minimum conformance requirements.....	1456
6.7.1.0.1	Intra-frequency absolute SS-RSRP measurement accuracy requirements .....	1456
6.7.1.0.2	Intra-frequency relative SS-RSRP measurement accuracy requirements .....	1456
6.7.1.0.3	Inter-frequency absolute SS-RSRP measurement accuracy requirements .....	1456
6.7.1.0.4	Inter-frequency relative SS-RSRP measurement accuracy requirements .....	1456
6.7.1.1	Intra-frequency measurements.....	1456
6.7.1.1.1	NR SA FR1 SS-RSRP absolute measurement accuracy .....	1456
6.7.1.1.2	NR SA FR1 SS-RSRP relative measurement accuracy .....	1463
6.7.1.2	Inter-frequency measurements.....	1465
6.7.1.2.1	NR SA FR1-FR1 SS-RSRP absolute measurement accuracy .....	1465
6.7.1.2.2	NR SA FR1-FR1 SS-RSRP relative measurement accuracy .....	1472
6.7.2	SS-RSRQ .....	1474
6.7.2.0	Minimum conformance requirements.....	1474
6.7.2.0.1	Intra-frequency SS-RSRQ measurement accuracy requirements.....	1474
6.7.2.0.2	Inter-frequency SS-RSRQ absolute measurement accuracy requirements .....	1474
6.7.2.0.3	Inter-frequency SS-RSRQ relative measurement accuracy requirements .....	1474
6.7.2.1	NR SA FR1 SS-RSRQ measurement accuracy .....	1474

6.7.2.2	Inter-Frequency SS-RSRQ measurement accuracy .....	1478
6.7.2.2.1	NR SA FR1-FR1 SS-RSRQ absolute measurement accuracy .....	1478
6.7.2.2.2	NR SA FR1-FR1 SS-RSRQ relative measurement accuracy .....	1483
6.7.3	SS-SINR .....	1485
6.7.3.0	Minimum conformance requirements.....	1485
6.7.3.0.1	Intra-frequency SS-SINR measurement accuracy requirements.....	1485
6.7.3.0.2	Inter-frequency absolute SS-SINR measurement accuracy requirements.....	1485
6.7.3.0.3	Inter-frequency relative SS-SINR measurement accuracy requirements .....	1485
6.7.3.1	NR SA FR1 SS-SINR measurement accuracy .....	1485
6.7.3.2	Inter-Frequency SS-SINR measurement accuracy .....	1489
6.7.3.2.1	NR SA FR1-FR1 SS-SINR absolute measurement accuracy .....	1489
6.7.3.2.2	NR SA FR1-FR1 SS-SINR relative measurement accuracy .....	1493
6.7.4	L1-RSRP .....	1495
6.7.4.0	Minimum conformance requirements.....	1495
6.7.4.0.1	SSB based absolute L1-RSRP measurement accuracy requirements.....	1495
6.7.4.0.2	SSB based relative L1-RSRP measurement accuracy requirements .....	1495
6.7.4.0.3	CSI-RS based absolute L1-RSRP measurement accuracy requirements .....	1495
6.7.4.0.4	CSI-RS based relative L1-RSRP measurement accuracy.....	1495
6.7.4.1	SSB based L1-RSRP measurements.....	1495
6.7.4.1.1	NR SA FR1 SSB based L1-RSRP absolute measurement accuracy .....	1495
6.7.4.1.2	NR SA FR1 SSB based L1-RSRP relative measurement accuracy .....	1500
6.7.4.2	CSI-RS based L1-RSRP measurements .....	1502
6.7.4.2.1	NR SA FR1 CSI-RS based L1-RSRP absolute measurement accuracy .....	1502
6.7.4.2.2	NR SA FR1 CSI-RS based L1-RSRP relative measurement accuracy .....	1506
6.7.5	E-UTRAN RSRP .....	1508
6.7.5.0	Minimum conformance requirements.....	1508
6.7.5.0.1	E-UTRAN RSRP absolute accuracy .....	1508
6.7.5.1	NR SA FR1 – E-UTRAN RSRP absolute measurement accuracy .....	1509
6.7.6	E-UTRAN RSRQ.....	1516
6.7.6.0	Minimum conformance requirements.....	1516
6.7.6.0.1	E-UTRAN RSRQ absolute accuracy .....	1516
6.7.6.1	NR SA FR1 – E-UTRAN RSRQ absolute measurement accuracy .....	1517
6.7.7	E-UTRAN RS-SINR .....	1524
6.7.7.0	Minimum conformance requirements.....	1524
6.7.7.0.1	E-UTRAN RS-SINR absolute accuracy .....	1524
6.7.7.1	NR SA FR1 – E-UTRAN RS-SINR absolute measurement accuracy .....	1525
6.7.8	1532	
6.7.9	L1-SINR measurement for beam reporting .....	1532
6.7.9.0	Minimum conformance requirements.....	1532
6.7.9.0.1	Minimum conformance requirements for CSI-RS based CMR and no dedicated IMR configured and CSI-RS resource set with repetition off .....	1532
6.7.9.0.2	Minimum conformance requirements for SSB based CMR and dedicated IMR .....	1535
6.7.9.0.3	Minimum conformance requirements for CSI-RS based CMR and dedicated IMR .....	1537
6.7.9.1	NR SA FR1 CSI-RS based CMR and no dedicated IMR configured and CSI-RS resource set with repetition off L1-SINR measurement .....	1541
6.7.9.1.1	NR SA FR1 CSI-RS based CMR and no dedicated IMR configured and CSI-RS resource set with repetition off L1-SINR absolute measurement accuracy .....	1541
6.7.9.1.2	NR SA FR1 CSI-RS based CMR and no dedicated IMR configured and CSI-RS resource set with repetition off L1-SINR relative measurement accuracy.....	1544
6.7.9.2	NR SA FR1 SSB based CMR and dedicated IMR L1-SINR absolute measurement accuracy .....	1546
6.7.9.3	NR SA FR1 CSI-RS based CMR and dedicated IMR L1-SINR measurement accuracy .....	1549
6.7.9.3.1	NR SA FR1 CSI-RS based CMR and dedicated IMR L1-SINR absolute measurement accuracy .....	1550
6.7.9.3.2	NR SA FR1 CSI-RS based CMR and dedicated IMR L1-SINR relative measurement accuracy .....	1553
7	NR standalone with at least one NR cell in FR2 .....	1556
7.0	General.....	1556
7.1	RRC_IDLE state mobility .....	1556
7.1.1	NR cell re-selection .....	1556
7.1.1.0	Minimum conformance requirements.....	1556
7.1.1.0.1	Minimum conformance requirements for intra-frequency cell re-selection.....	1556

7.1.1.0.2	Minimum conformance requirements for inter-frequency cell re-selection.....	1556
7.1.1.0.3	Minimum conformance requirements for intra-frequency cell re-selection for UE configured with relaxed measurement criterion .....	1558
7.1.1.0.4	Minimum conformance requirements for inter-frequency cell re-selection for UE configured with relaxed measurement criterion .....	1559
7.1.1.1	NR SA FR2 cell re-selection .....	1560
7.1.1.2	NR SA FR2-FR2 cell re-selection .....	1565
7.1.1.3	NR SA FR2 cell re-selection for UE fulfilling low mobility relaxed measurement criterion.....	1573
7.1.1.4	NR SA FR2 cell re-selection for UE fulfilling not-at-cell edge relaxed measurement criterion ..	1578
7.1.1.5	NR SA FR2-FR2 cell re-selection for UE fulfilling low mobility relaxed measurement criterion ..	1583
7.1.1.6	NR SA FR2-FR2 cell re-selection for UE fulfilling not-at-cell edge relaxed measurement criterion .....	1590
7.2	RRC_INACTIVE state mobility .....	1596
7.3	RRC_CONNECTED state mobility .....	1596
7.3.1	Handover .....	1596
7.3.1.4	NR SA FR1-FR2 synchronous DAPS handover .....	1596
7.3.1.5	NR SA FR1-FR2 asynchronous DAPS handover.....	1607
7.3.2	RRC connection mobility control.....	1614
7.3.2.1	RRC re-establishment.....	1614
7.3.2.1.0	Minimum conformance requirements .....	1614
7.3.2.1.1	NR SA FR2 RRC re-establishment.....	1615
7.3.2.1.2	NR SA FR2 - FR2 RRC re-establishment.....	1619
7.3.2.1.3	NR SA FR2 RRC re-establishment without serving cell timing .....	1622
7.3.2.2	Random access .....	1627
7.3.2.2.0	Minimum conformance requirements .....	1627
7.3.2.2.1	NR SA FR2 contention based random access.....	1628
7.3.2.2.2	NR SA FR2 non-contention based random access.....	1636
7.3.2.2.3	NR SA FR2 2-step contention based random access .....	1643
7.3.2.2.4	NR SA FR2 2-step non-contention based random access .....	1650
7.3.2.3	RRC connection release with redirection .....	1657
7.3.3	Conditional handover .....	1657
7.3.3.0	Minimum conformance requirements.....	1657
7.3.3.0.1	Minimum conformance requirements for NR FR2 intra-frequency conditional handover .....	1657
7.3.3.0.2	Minimum conformance requirements for NR FR2 inter-frequency conditional handover .....	1661
7.3.3.1	NR SA FR2 conditional handover .....	1665
7.3.3.2	NR SA FR2-FR2 conditional handover.....	1672
7.4	Timing .....	1679
7.4.1	UE transmit timing .....	1679
7.4.2	UE timer accuracy .....	1679
7.4.3	Timing advance .....	1679
7.5	Signalling characteristics .....	1679
7.5.1	Radio link monitoring .....	1679
7.5.1.0	Minimum conformance requirements.....	1679
7.5.1.0.1	1679	
7.5.1.0.2	1679	
7.5.1.0.3	1679	
7.5.1.0.4	1679	
7.5.1.0.5	Minimum conformance requirements for UE scheduling restrictions during radio link monitoring.....	1679
7.5.1.1	Radio Link Monitoring Out-of-sync Test for FR2 PCell configured with SSB-based RLM RS in non-DRX mode .....	1680
7.5.1.2	Radio Link Monitoring In-sync Test for FR2 PCell configured with SSB-based RLM RS in non-DRX mode.....	1686
7.5.1.3	Radio Link Monitoring Out-of-sync Test for FR2 PCell configured with SSB-based RLM RS in DRX mode.....	1694
7.5.1.4	Radio Link Monitoring In-sync Test for FR2 PCell configured with SSB-based RLM RS in DRX mode .....	1700
7.5.1.5 to 7.5.1.8	1707	
7.5.1.9	NR SA FR2 radio link monitoring UE scheduling restrictions .....	1707
7.5.2	Interruption.....	1711
7.5.3	SCell activation and deactivation delay .....	1711
7.5.3.0	Minimum conformance requirements.....	1711

7.5.3.0.1	Minimum conformance requirements for SCell activation delay for deactivated SCell .....	1711
7.5.3.0.2	Minimum conformance requirements for SCell deactivation delay for activated SCell .....	1714
7.5.3.1	NR SA FR2-FR2 intra-band SCell activation and deactivation delay .....	1714
7.5.3.2	NR SA FR1-FR2 inter-band SCell activation and deactivation delay .....	1716
7.5.4	UE UL carrier RRC reconfiguration delay .....	1719
7.5.5	Link recovery procedures .....	1719
7.5.5.0	Minimum conformance requirements .....	1719
7.5.5.0.1	Minimum conformance requirements for SSB-based BFD and link recovery procedures .....	1719
7.5.5.0.2	Minimum conformance requirements for CSI-RS-based BFD and link recovery procedures .....	1719
7.5.5.0.3	Scheduling availability of UE during beam failure detection and candidate beam detection .....	1719
7.5.5.0.4	Requirements for Beam Failure Recovery in SCell .....	1719
7.5.5.1	NR SA FR2 SSB-based beam failure detection and link recovery in non-DRX .....	1719
7.5.5.2	NR SA FR2 SSB-based beam failure detection and link recovery in DRX .....	1724
7.5.5.3	NR SA FR2 CSI-RS-based beam failure detection and link recovery in non-DRX .....	1730
7.5.5.4	NR SA FR2 CSI-RS-based beam failure detection and link recovery in DRX .....	1735
7.5.5.5	NR SA FR2 scheduling availability restriction during SSB-based beam failure detection and link recovery in non-DRX .....	1742
7.5.5.6	NR SA FR2 Scell CSI-RS-based beam failure detection and link recovery in non-DRX .....	1746
7.5.5.7	NR SA FR2 Scell CSI-RS-based beam failure detection and link recovery in DRX .....	1752
7.5.6	Active BWP switch delay .....	1758
7.5.6.1	DCI-based and time-based active BWP switch .....	1758
7.5.6.1.0	Minimum conformance requirements .....	1758
7.5.6.1.1	NR SA FR2 DCI-based DL active BWP switch in non-DRX .....	1758
7.5.6.1.2	NR SA FR1-FR2 DCI-based DL active BWP switch in non-DRX .....	1759
7.5.6.1.3	NR SA FR2 DCI-based DL active BWP switch in non-DRX .....	1760
7.5.6.2	RRC-based active BWP switch .....	1761
7.5.6.2.0	Minimum conformance requirements .....	1761
7.5.6.2.1	NR SA FR2 RRC-based DL active BWP switch in non-DRX .....	1762
7.5.7	PSCell addition and release delay .....	1762
7.5.7.0	Minimum conformance requirements .....	1762
7.5.7.0.1	Minimum conformance requirements for PSCell addition delay .....	1762
7.5.7.0.2	Minimum conformance requirements for PSCell release delay .....	1763
7.5.7.1	NR SA FR2 addition and release delay of known PSCell .....	1763
7.5.7.2	NR SA FR2 addition and release delay of unknown PSCell .....	1765
7.6	Measurement procedures .....	1767
7.6.1	Intra-frequency measurements .....	1767
7.6.1.0	Minimum conformance requirements .....	1767
7.6.1.0.1	Minimum conformance requirements for event-triggered measurement without gap .....	1767
7.6.1.0.2	Minimum conformance requirements for event-triggered measurement with gap .....	1769
7.6.1.1	NR SA FR2 event-triggered reporting without gap in non-DRX .....	1770
7.6.1.2	NR SA FR2 event-triggered reporting without gap in DRX .....	1775
7.6.1.3	NR SA FR2 event-triggered reporting with gap in non-DRX .....	1780
7.6.1.4	NR SA FR2 event-triggered reporting with gap in DRX .....	1787
7.6.2	Inter-frequency measurements .....	1793
7.6.2.0	Minimum conformance requirements for Inter-frequency measurements .....	1793
7.6.2.1	NR SA FR2-FR2 event-triggered reporting in non-DRX .....	1793
7.6.2.2	NR SA FR2-FR2 event-triggered reporting in DRX .....	1798
7.6.2.3	NR SA FR2-FR2 event-triggered reporting in non-DRX with SSB time index detection .....	1804
7.6.2.4	NR SA FR2-FR2 event-triggered reporting in DRX with SSB time index detection .....	1809
7.6.2.5	NR SA FR1-FR2 event-triggered reporting in non-DRX .....	1815
7.6.2.6	NR SA FR1-FR2 event-triggered reporting in DRX .....	1821
7.6.2.7	NR SA FR1-FR2 event-triggered reporting in non-DRX with SSB time index detection .....	1827
7.6.2.8	NR SA FR1-FR2 event-triggered reporting in DRX with SSB time index detection .....	1833
7.6.3	L1-RSRP measurement for beam reporting .....	1839
7.6.3.0	Minimum conformance requirements for L1-RSRP measurement for beam reporting .....	1839
7.6.3.0.1	Minimum conformance requirements for SSB-based L1-RSRP measurement for beam reporting .....	1839
7.6.3.0.2	Minimum conformance requirements for CSI-RS-based L1-RSRP measurement for beam reporting .....	1839
7.6.3.1	NR SA FR2 SSB-based L1-RSRP measurement in non-DRX .....	1839
7.6.3.2	NR SA FR2 SSB-based L1-RSRP measurement in DRX .....	1845
7.6.3.3	NR SA FR2 CSI-RS-based L1-RSRP measurement in non-DRX .....	1849

7.6.3.4	NR SA FR2 CSI-RS-based L1-RSRP measurement in DRX.....	1853
7.6.4	CLI measurements .....	1856
7.6.4.0	Minimum conformance requirements.....	1856
7.6.4.0.1	Minimum conformance requirements for SRS-RSRP measurement period .....	1856
7.6.4.1	NR SA FR2 SRS-RSRP measurement in non-DRX.....	1857
7.6.5	1861	
7.6.6	L1-SINR measurement for beam reporting .....	1861
7.6.6.0	Minimum conformance requirements.....	1861
7.6.6.0.1	L1-SINR reporting with CSI-RS based CMR and no dedicated IMR configured .....	1861
7.6.6.0.2	L1-SINR reporting with SSB based CMR and dedicated IMR configured .....	1861
7.6.6.0.3	L1-SINR reporting with CSI-RS based CMR and dedicated IMR configured .....	1861
7.6.6.1	NR SA FR2 CSI-RS based CMR and no dedicated IMR L1-SINR measurement in non-DRX .....	1862
7.6.6.2	NR SA FR2 SSB based CMR and dedicated IMR L1-SINR measurement in DRX.....	1866
7.6.6.3	NR SA FR2 CSI-RS based CMR and dedicated IMR L1-SINR measurement in DRX.....	1871
7.7	Measurement performance requirements .....	1877
7.7.1	SS-RSRP .....	1877
7.7.1.0	Minimum conformance requirements.....	1877
7.7.1.0.1	Intra-frequency SS-RSRP measurement accuracy requirements .....	1877
7.7.1.0.2	Inter-frequency SS-RSRP measurement accuracy requirements .....	1877
7.7.1.1	NR SA FR2 SS-RSRP measurement accuracy .....	1877
7.7.1.2	NR SA FR2-FR2 SS-RSRP measurement accuracy.....	1884
7.7.1.3	Inter-frequency measurements between FR1 and FR2 .....	1892
7.7.1.3.1	NR SA FR1-FR2 SS-RSRP measurement accuracy .....	1892
7.7.1.3.2	Void .....	1899
7.7.2	SS-RSRQ .....	1899
7.7.2.0	Minimum conformance requirements.....	1899
7.7.2.0.1	Intra-frequency SS-RSRQ measurement accuracy requirements .....	1899
7.7.2.0.2	Inter-frequency SS-RSRQ measurement accuracy requirements.....	1899
7.7.2.1	NR SA FR2 SS-RSRQ measurement accuracy .....	1899
7.7.2.2	NR SA FR2-FR2 SS-RSRQ measurement accuracy .....	1903
7.7.3	SS-SINR .....	1909
7.7.3.0	Minimum conformance requirements.....	1909
7.7.3.0.1	Intra-frequency SS-SINR measurement accuracy requirements .....	1909
7.7.3.0.2	Inter-frequency SS-SINR measurement accuracy requirements .....	1909
7.7.3.1	NR SA FR2 SS-SINR measurement accuracy .....	1909
7.7.3.2	NR SA FR2-FR2 SS-SINR measurement accuracy .....	1914
7.7.4	L1-RSRP .....	1921
7.7.4.0	Minimum conformance requirements.....	1921
7.7.4.0.1	SSB-based L1-RSRP absolute measurement accuracy requirements .....	1921
7.7.4.0.2	SSB-based L1-RSRP relative measurement accuracy requirements.....	1921
7.7.4.0.3	CSI-RS-based L1-RSRP absolute measurement accuracy requirements .....	1921
7.7.4.0.4	CSI-RS-based L1-RSRP relative measurement accuracy requirements .....	1921
7.7.4.1	NR SA FR2 SSB based L1-RSRP measurement accuracy .....	1921
7.7.4.2	NR SA FR2 CSI-RS based L1-RSRP measurement accuracy .....	1926
7.7.5	SRS-RSRP .....	1931
7.7.5.0	Minimum conformance requirements.....	1931
7.7.5.0.1	Minimum conformance requirements for SRS-RSRP measurement accuracy .....	1931
7.7.5.1	NR SA FR2 SRS-RSRP measurement accuracy .....	1933
7.7.6	L1-SINR.....	1938
7.7.6.0	Minimum conformance requirements.....	1938
7.7.6.0.1	Minimum conformance requirements for CSI-RS based CMR and no dedicated IMR configured and CSI-RS resource set with repetition off .....	1938
7.7.6.0.2	Minimum conformance requirements for SSB based CMR and dedicated IMR L1-SINR measurement accuracy .....	1940
7.7.6.0.3	Minimum conformance requirements for CSI-RS based CMR and dedicated IMR L1-SINR measurement accuracy .....	1942
7.7.6.1	NR SA FR2 CSI-RS based CMR and no dedicated IMR configured and CSI-RS resource set with repetition off L1-SINR measurement accuracy .....	1945
7.7.6.2	NR SA FR2 SSB based CMR and dedicated IMR L1-SINR measurement accuracy .....	1950
7.7.6.3	NR SA FR2 CSI-RS based CMR and dedicated IMR L1-SINR measurement accuracy .....	1955
8.0	General.....	1961
8.1	Void .....	1961

8.2.1.0	Minimum conformance requirements.....	1961
8.2.1.0.1	Minimum conformance requirements for E-UTRA-NR FR1 inter-RAT cell reselection.....	1961
8.2.1.1	E-UTRA - NR FR1 cell re-selection to higher priority NR target cell .....	1963
8.2.1.2	E-UTRA - NR FR1 Cell reselection to lower priority NR target Cell in FR1 for UE configured with highSpeedInterRAT-NR-r16 .....	1970
8.2.2.0	Minimum conformance requirements.....	1975
8.2.2.1	E-UTRA – NR FR1 Early Measurement Reporting .....	1975
8.2.2.2	E-UTRA – NR FR2 Early Measurement Reporting .....	1980
8.3.1.0	Minimum conformance requirements.....	1984
8.3.1.0.1	Minimum conformance requirements for E-UTRA - NR FR1 handover .....	1984
8.3.1.1	E-UTRA - NR FR1 handover with known target cell .....	1984
8.3.1.1.3	Minimum conformance requirements .....	1985
8.4.1.0	Minimum conformance requirements.....	1990
8.4.1.0.1	Minimum conformance requirements for E-UTRA - NR FR1 SFTD measurement delay.....	1990
8.4.1.1	E-UTRA - NR FR1 SFTD measurement delay in non-DRX.....	1991
8.4.1.2	E-UTRA - NR FR1 SFTD measurement delay in DRX .....	1996
8.4.2.0	Minimum conformance requirements.....	2001
8.4.2.0.1	Minimum conformance requirements for E-UTRA - NR event-triggered measurement.....	2001
8.4.2.0.2	Void .....	2005
8.4.2.1	E-UTRA event-triggered reporting of a NR FR1 neighbour cell without SSB time index detection in non-DRX.....	2005
8.4.2.2	E-UTRA event-triggered reporting of a NR FR1 neighbour cell without SSB time index detection in DRX .....	2011
8.4.2.3	E-UTRA event-triggered reporting of a NR FR1 neighbour cell with SSB time index detection in non-DRX .....	2017
8.4.2.4	E-UTRA event-triggered reporting of a NR FR1 neighbour cell with SSB time index detection in DRX.....	2023
8.4.2.5	E-UTRA event-triggered reporting of a NR FR2 neighbour cell without SSB time index detection in non-DRX.....	2029
8.4.2.6	E-UTRA event-triggered reporting of a NR FR2 neighbour cell without SSB time index detection in DRX .....	2033
8.4.2.7	E-UTRA event-triggered reporting of a NR FR2 neighbour cell with SSB time index detection in non-DRX .....	2038
8.4.2.8	E-UTRA event-triggered reporting of a NR FR2 neighbour cell with SSB time index detection in DRX .....	2042
8.4.2.9	E-UTRA event triggered reporting of a NR FR1 neighbour cell with SSB time index detection in DRX for UE configured with highSpeedInterRAT-NR-r16.....	2047
8.5.1	SFTD measurement accuracy.....	2053
8.5.1.0	Minimum conformance requirements.....	2053
8.5.1.0.1	Intra-frequency absolute SS-RSRP measurement accuracy requirements .....	2053
8.5.1.1	E-UTRA - NR FR1 SFTD measurement accuracy .....	2054
8.5.2	Inter-RAT measurement accuracy.....	2060
8.5.2.1	SS-RSRP .....	2060
8.5.2.1.0	Minimum conformance requirements .....	2060
8.5.2.1.1	SS-RSRP with NR FR1 target cell.....	2061
8.5.2.1.2	E-UTRA SS-RSRP absolute measurement accuracy of a NR FR2 neighbour cell .....	2066
8.5.2.2	SS-RSRQ .....	2071
8.5.2.2.0	Minimum conformance requirements .....	2071
8.5.2.2.1	E-UTRA SS-RSRQ absolute measurement accuracy of a NR FR1 neighbour cell .....	2071
8.5.2.2.2	E-UTRA SS-RSRQ absolute measurement accuracy of a NR FR2 neighbour cell .....	2074
8.5.2.3	SS-SINR .....	2079
8.5.2.3.0	Minimum conformance requirements .....	2079
8.5.2.3.1	E-UTRA SS-SINR absolute measurement accuracy of a NR FR1 neighbour cell .....	2079
8.5.2.3.2	E-UTRA SS-SINR absolute measurement accuracy of a NR FR2 neighbour cell .....	2082
9	NR sidelink.....	2087
9.1	NR sidelink in FR1 .....	2087
9.1.1	UE transmit timing .....	2087
9.1.1.0	Minimum conformance requirements.....	2087
9.1.1.0.1	Minimum conformance requirements for GNSS as synchronization reference source .....	2087
9.1.1.0.2	Minimum conformance requirements for SyncRef UE as synchronization reference source ....	2087
9.1.1.0.3	Minimum conformance requirements for FR1 NR Cell as synchronization reference source ....	2087

9.1.1.1	NR SA FR1 UE transmit timing accuracy for GNSS as synchronization reference source .....	2088
9.1.1.2	NR SA FR1 UE transmit timing accuracy for SyncRef UE as synchronization reference source ...	2090
9.1.1.3	NR SA FR1 UE transmit timing accuracy for FR1 NR cell as synchronization reference source ...	2093
9.1.2	Initiation/Cease of S-SSB transmission .....	2098
9.1.2.0	Minimum conformance requirements.....	2098
9.1.2.0.1	Minimum conformance requirements for FR1 NR cell as synchronization reference source....	2098
9.1.1.0.2	Minimum conformance requirements for SyncRef UE as synchronization reference source....	2099
9.1.2.1	NR SA FR1 initiation/cease of S-SSB transmission for FR1 NR cell as synchronization reference source.....	2100
9.1.2.2	NR SA FR1 initiation/cease of S-SSB transmission for SyncRef UE as synchronization reference source.....	2105
9.1.3	Synchronization reference selection/reselection .....	2109
9.1.3.0	Minimum conformance requirements.....	2109
9.1.3.0.1	Minimum conformance requirements for GNSS configured as the highest priority synchronization reference source .....	2109
9.1.3.0.2	Minimum conformance requirements for eNB/gNB configured as the highest priority synchronization reference source.....	2110
9.1.3.1	NR SA FR1 synchronization reference selection/reselection for GNSS configured as the highest priority synchronization reference source.....	2112
9.1.3.2	NR SA FR1 synchronization reference selection/reselection for FR1 NR Cell configured as the highest priority synchronization reference source .....	2118
9.1.4	L1 SL-RSRP measurements.....	2123
9.1.4.0	Minimum conformance requirements.....	2123
9.1.4.0.1	Minimum conformance requirements for resource selection/reselection, re-evaluation and pre-emption.....	2123
9.1.4.1	NR SA FR1 L1 SL-RSRP measurement for autonomous resource selection/reselection .....	2124
9.1.4.2	NR SA FR1 L1 SL-RSRP measurement for resource pre-emption.....	2130
9.1.4.3	NR SA FR1 L1 SL-RSRP measurement for resource re-evaluation .....	2136
9.1.5	Congestion control measurement .....	2143
9.1.5.0	Minimum conformance requirements.....	2143
9.1.5.0.1	Minimum conformance requirements for congestion control measurements .....	2143
9.1.5.1	NR SA FR1 congestion control measurement for concurrent operation .....	2144
9.1.5.2	NR SA FR1 congestion control measurement for PC5-only operation .....	2152
9.1.6	Congestion control measurement .....	2158
9.1.6.0	Minimum conformance requirements.....	2158
9.1.6.0.1	Minimum conformance requirements for interruption to WAN due to NR sidelink communication.....	2158
9.1.6.1	NR SA FR1 interruption to WAN due to NR sidelink communication.....	2158
<b>Annex A (normative): RRM test configurations.....</b>	<b>2163</b>	
A.1	Reference measurement channels .....	2163
A.1.0	General.....	2163
A.1.1	PDSCH .....	2163
A.1.1.1	FDD.....	2163
A.1.1.2	TDD .....	2164
A.1.2	CORESET for RMSI scheduling .....	2167
A.1.2.1	FDD.....	2167
A.1.2.2	TDD .....	2168
A.1.3	CORESET for RMC scheduling .....	2171
A.1.3.1	FDD.....	2171
A.1.3.2	TDD .....	2171
A.1.4	CSI-RS .....	2173
A.1.4.1	FDD.....	2173
A.1.4.2	TDD .....	2174
A.1.4A	CSI-RS for tracking .....	2178
A.1.4A.1	FR1.....	2178
A.1.4A.1.1	FDD .....	2178
A.1.4A.1.2	TDD.....	2179
A.1.4A.2	FR2.....	2179
A.1.4A.2.1	TDD.....	2179
A.1.4B	CSI-IM configurations .....	2179

A.1.4B.1 FDD .....	2179
A.1.4B.2 TDD .....	2180
A.1.5 TDD UL/DL configuration .....	2182
A.1.6 PUSCH .....	2183
A.2 Reference OCGN configuration .....	2183
A.2.1 Generic OFDMA channel noise generator (OCNG) .....	2183
A.3 Reference SSB configuration .....	2186
A.3.1 SSB configuration for FR1 .....	2186
A.3.2 SSB configuration for FR2 .....	2186
A.4 Reference SMTTC configuration .....	2187
A.5 Reference DRX configurations .....	2187
A.6 EN-DC test setup .....	2187
A.6.1 E-UTRA serving cell parameters .....	2187
A.6.1.1 E-UTRA serving cell parameters for EN-DC tests with NR FR1 .....	2187
A.6.1.2 E-UTRA serving cell parameters for EN-DC tests with NR FR2 .....	2189
A.6A NR FR1-FR2 test setup .....	2191
A.7 Reference PRACH configurations .....	2191
A.7.1 PRACH configurations for FR1 .....	2191
A.7.2 PRACH configurations for FR2 .....	2192
A.7A Reference MsgA configurations .....	2193
A.7A.1 MsgA configurations for FR1 .....	2193
A.7A.2 MsgA configurations for FR2 .....	2196
A.8 Reference BWP configurations .....	2198
A.8.1 Downlink BWP configurations .....	2198
A.8.2 Uplink BWP configurations .....	2198
A.9 Angle of Arrival (AoA) for FR2 RRM test cases .....	2199
A.9.1 Setup 1: Single AoA in Rx beam peak direction .....	2199
A.9.2 Setup 2: Single AoA in non Rx beam peak direction .....	2199
A.9.2.1 Setup 2a: Single AoA in non Rx beam peak direction without change in direction .....	2199
A.9.2.2 Setup 2b: Single AoA in non Rx beam peak direction with change in direction .....	2199
A.9.3 Setup 3: 2 AoAs .....	2199
A.9.4 Setup 4: 2 AoAs, 1 AoA in Rx beam peak direction, 1 in non Rx beam peak .....	2200
A.9.4.1 Setup 4a: 2 AoAs, 1 AoA in Rx beam peak direction, 1 in non Rx beam peak without change in direction .....	2200
A.9.4.2 Setup 4b: 2 AoAs, 1 AoA in Rx beam peak direction, 1 in non Rx beam peak with change in direction .....	2200
A.10 TCI State Configuration .....	2200
A.10.1 Introduction .....	2200
A.10.2 TCI states .....	2201
A.11 NR sidelink communication .....	2201
A.11.1 Introduction .....	2201
A.11.2 Reference resource pool configurations for NR Sidelink Communication .....	2201
A.11.3 Reference measurement channels for NR Sidelink Communication .....	2204
<b>Annex B (normative): Conditions for RRM requirements applicability for operating bands .....</b>	<b>2205</b>
B.1 Conditions for NR RRC_IDLE state mobility .....	2205
B.1.1 Introduction .....	2205
B.1.2 Conditions for measurements on NR intra-frequency cells for cell re-selection .....	2205
B.1.3 Conditions for measurements on NR inter-frequency cells for cell re-selection .....	2206
B.2 Conditions for NR RRC_CONNECTED state .....	2206
B.2.1 Introduction .....	2206
B.2.2 Conditions for NR intra-frequency measurements .....	2207
B.2.3 Conditions for NR inter-frequency measurements .....	2208

B.2.4	Conditions for NR L1-RSRP reporting .....	2208
B.2.4.1	Conditions for SSB based L1-RSRP reporting .....	2208
B.2.4.2	Conditions for CSI-RS based L1-RSRP reporting .....	2209
B.2.5	Conditions for RRC connection release with redirection to NR .....	2210
B.2.6	Conditions for UE transmit timing .....	2211
B.2.6.1	Conditions for SSB based UE transmit timing .....	2211
B.3	RRM requirement exceptions .....	2212
B.3.1	Introduction .....	2212
B.3.2	Receiver sensitivity relaxation for CA .....	2212
B.3.2.1	Receiver sensitivity relaxation for UE supporting CA in FR1 .....	2212
B.3.2.2	Receiver sensitivity relaxation for UE configured with CA in FR1 .....	2213
B.3.2.2.1	Inter-band carrier aggregation .....	2213
B.3.2.2.2	Reference sensitivity exceptions due to UL harmonic interference for CA .....	2213
B.3.2.2.3	Reference sensitivity exceptions due to intermodulation interference due to 2UL CA .....	2213
B.3.2.3	Receiver sensitivity relaxation for UE supporting CA in FR2 .....	2213
B.3.2.4	Receiver sensitivity relaxation for UE configured with CA in FR2 .....	2213
B.3.2.4.1	Intra-band contiguous carrier aggregation .....	2213
B.3.2.4.2	Intra-band non-contiguous carrier aggregation .....	2214
B.3.3	Receiver sensitivity relaxation for DC .....	2214
B.3.4	Receiver sensitivity relaxation for SUL .....	2214
B.3.4.1	Receiver sensitivity relaxation for UE supporting SUL in FR1 .....	2214
B.3.4.2	Receiver sensitivity relaxation for UE configured with SUL in FR1 .....	2214
B.3.4.2.1	Reference sensitivity exceptions due to UL harmonic interference for SUL .....	2214
B.4	Conditions for NR sidelink .....	2214
B.4.1	Test parameters for GNSS signals .....	2214
B.4.2	Conditions for PSBCH-RSRP Accuracy Requirements .....	2215
B.4.3	Conditions for Selection/Reselection to Intra-frequency SyncRef UE .....	2215
B.4.4	Conditions for L1 SL-RSRP Accuracy Requirements .....	2215

## **Annex C (normative): Downlink physical channels and propagation conditions .....2216**

C.1	Downlink physical channels .....	2216
C.1.1	General .....	2216
C.1.2	Default downlink signal levels .....	2216
C.1.3	Default connection setup .....	2217
C.2	Propagation conditions .....	2217
C.2.0	General .....	2217
C.2.1	No interference .....	2218
C.2.2	Static propagation conditions .....	2218
C.2.2.0	General .....	2218
C.2.2.1	UE receiver with 2Rx antenna connectors .....	2218
C.2.2.2	UE receiver with 4Rx antenna connectors .....	2218
C.2.3	Multi-path fading propagation conditions .....	2219

## **Annex D (normative): Deviations from standard test configuration .....2220**

D.1	Test cases with different numerologies .....	2220
D.2	EN-DC test cases with different EN-DC configurations .....	2220
D.2.0	General .....	2220
D.2.1	Principle of testing .....	2220
D.3	Carrier aggregation test cases with different CA configurations .....	2220
D.3.0	General .....	2220
D.3.1	Principle of testing .....	2220
D.4	Antenna connection for 4Rx capable UEs .....	2220
D.4.0	General .....	2220
D.4.1	Principle of testing .....	2221
D.4.1.1	Single carrier tests .....	2221
D.4.1.2	Carrier aggregation tests .....	2222
D.4.1.3	EN-DC tests .....	2222

D.4.2	Antenna connection .....	2222
D.4.2.1	Antenna connection for NR bands where 2Rx is supported.....	2222
D.4.2.2	Antenna connection for NR bands where only 4Rx is supported.....	2222
D.4.2.3	Antenna connection for E-UTRA bands where 2Rx is supported.....	2222
D.4.2.4	Antenna connection for E-UTRA bands where only 4Rx is supported.....	2223
D.5	Test Cases with Different Channel Bandwidths.....	2223
D.5.1	Test Cases with Different E-UTRA Channel Bandwidths.....	2223
D.5.1.1	Introduction.....	2223
D.5.1.2	Principle of testing .....	2223
D.6	Test Cases for Synchronous and Asynchronous DC Operations .....	2223
D.6.1	EN-DC Test Cases for Synchronous and Asynchronous EN-DC Operations .....	2223
D.6.1.1	Introduction.....	2223
D.6.1.2	Principle of Testing .....	2223
<b>Annex E (normative): Cell configuration mapping.....</b>		<b>2224</b>
E.0	General .....	2224
E.1	Test frequency selection.....	2224
E.1.0	General.....	2224
E.1.1	E-UTRA PCell for EN-DC test cases .....	2224
E.1.2	Test cases with one NR cell .....	2224
E.1.3	Test cases with more than one NR cell .....	2224
E.1.3.1	Intra-frequency test cases .....	2224
E.1.3.2	Inter-frequency test cases .....	2224
E.1.4	Carrier aggregation test cases .....	2225
E.1.4.1	Inter-band carrier aggregation .....	2225
E.1.4.2	Intra-band contiguous carrier aggregation.....	2225
E.1.4.3	Intra-band non-contiguous carrier aggregation .....	2225
E.1.5	E-UTRA – NR inter RAT test cases .....	2225
E.1.6	Intra-band EN-DC test cases.....	2225
E.1.6.1	Intra-band non-contiguous EN-DC .....	2225
E.1.6.1.1	Inter frequency neighbour cell.....	2225
E.1.6.2	Intra-band contiguous EN-DC.....	2225
E.1.6.1.1	E-UTRA PCell.....	2225
E.1.7	NR sidelink test cases .....	2226
E.2	Cell configuration mapping for EN-DC FR1 test cases in Chapter 4 .....	2226
E.3	Cell configuration mapping for EN-DC FR2 test cases in Chapter 5 .....	2229
E.4	Cell configuration mapping for SA FR1 test cases in Chapter 6 .....	2232
E.5	Cell configuration mapping for SA FR2 test cases in Chapter 7 .....	2236
E.6	Cell configuration mapping for E-UTRAN – SA test cases in Chapter 8.....	2238
E.7	Cell configuration mapping for NR sidelink test cases in Chapter 9 .....	2239
<b>Annex F (normative): Measurement uncertainties and test tolerances.....</b>		<b>2240</b>
F.1	Measurement uncertainties and test tolerances for FR1 and FR2 .....	2240
F.1.1	Acceptable uncertainty of test system (normative).....	2240
F.1.1.1	Measurement of test environments.....	2240
F.1.1.2	Measurement of RRM requirements .....	2240
F.1.2	Interpretation of measurement results (normative).....	2277
F.1.3	Test Tolerance and Derivation of Test Requirements (informative) .....	2277
F.1.3.1	Measurement of test environments.....	2277
F.1.3.2	Measurement of RRM requirements .....	2278

<b>Annex G (normative): Statistical testing .....</b>	<b>2363</b>
G.1 General .....	2363
G.2 Statistical testing of delay and UE measurement performance in RRM tests .....	2363
G.2.1 General.....	2363
G.2.2 Design of the test .....	2363
G.2.3 Numerical definition of the pass fail limits.....	2363
G.2.4 Pass fail decision rules .....	2364
G.2.5 Void .....	2365
G.2.6 Test conditions for delay tests and UE measurement performance .....	2365
G.3 Statistical testing of NR sidelink CBR measurement tests.....	2365
G.3.1 General.....	2365
G.3.2 Design of the test .....	2365
G.3.3 Numerical definition of the pass fail limits.....	2366
G.3.4 Pass fail decision rules .....	2366
G.X Theory to derive the numbers in Table G.2.3-1 (informative) .....	2366
<b>Annex H (normative): Default message contents for RRM .....</b>	<b>2367</b>
H.1 Void.....	2367
H.2 System information blocks message content exceptions.....	2367
H.2.1 System information blocks message contents exceptions for NR intra frequency cell re-selection .....	2367
H.2.2 System information blocks message contents exceptions for NR inter frequency cell re-selection .....	2369
H.2.3 System information blocks message contents exceptions for NR inter-RAT cell re-selection.....	2370
H.3 RRC message content exceptions.....	2371
H.3.1 RRC messages and information elements contents exceptions for NR measurement configuration .....	2371
H.3.2 RRC messages and information elements contents exceptions for and handover .....	2387
H.3.3 RRC messages and information elements contents exceptions for NR inter-RAT handover .....	2388
H.3.4 E-UTRA RRC messages and information elements contents exceptions for NR measurement configuration.....	2389
H.3.6 RRC messages and IE content exceptions for L1-RSRP measurement for beam reporting .....	2398
H.3.6A RRC messages and IE content exceptions for L1-SINR measurement for beam reporting .....	2401
H.3.7 RRC messages and information elements contents exceptions for NR cell search when DRX is used.....	2407
H.3.8 RRC messages and information elements contents exceptions for NR RRC reconfiguration delay .....	2410
H.3.9 RRC messages and information elements contents exceptions for UL timing .....	2411
<b>Annex I (normative): RRM OTA procedures.....</b>	<b>2412</b>
I.0 Test applicability per permitted test method .....	2412
I.1 Direct far field (DFF) .....	2412
I.1.1 RX beam peak direction search .....	2412
I.1.2 Search for directions corresponding to the EIS spherical coverage percentile .....	2412
I.2 Direct far field (DFF) simplification .....	2412
I.2.1 RX beam peak direction search .....	2412
I.2.2 Search for directions corresponding to the EIS spherical coverage percentile .....	2413
I.3 Indirect far field (IFF) .....	2413
I.3.1 RX beam peak direction search .....	2413
I.3.2 Search for directions corresponding to the EIS spherical coverage percentile .....	2413
I.3A Enhanced indirect far field (Enhanced IFF) .....	2413
I.3A.1 RX beam peak direction search .....	2413
I.3A.2 Search for directions corresponding to the EIS spherical coverage percentile .....	2413
I.4 Procedures to search test directions for RRM FR2 .....	2413
I.4.1 RSRPB-based scan with fallback option to Rx beam peak direction search .....	2413
<b>Annex J (informative): Change history .....</b>	<b>2415</b>

