SP-99184




TSG_CN report to TSG_SA#3

Harald Dettner Chairman TSG_CN

Yokohama, Japan, 26-28. April 1999

Organisation of TSG_CN



Support Arrangements

CN Plenary Franco Settimo (in future) NEEDED,tbc

N1 (lu-lf) none URGENTLY

NEEDED

N2 Franco Settimo tbc


N2A (CAMEL) Franco Settimo tbc

N2B (MAP, etc) Istvan Kocsi tbc


• N3 (IW) none NEEDED

• SS_ad-hoc Istvan Kocsi? tbc

TSG_CN Meeting Schedule (1)



TSG_CN Meeting Schedule (2)



TSG_CN Co-Operation with ETSI/SMG3

- Entirely joint meetings
 - no GSM specialities identified so far
 - ETSI/SPS3 continues relation with TSG_CN for CAMEL3
- SMG specifications in SMG3's domain transferred to joint group SMG3/TSG_CN for evolution, maintenance (04.08 split RR / MM,CC pending, GSM only's excluded from this)
- SMG rel'99 work items as far as in SMG3's domain transferred to the joint SMG3/TSG_CN group

TSG_CN Specifications (1) April'99 release / Baseline documents

"UMTS Release '99 is based on GSM Release'99"

- April '99 release
 - = SMG#28 output specs in SMG3/TSG_CN domain
 - + CRs approved at TSG_CN#3 (*)

```
See SP-99186 (TSG_CN spec-list)
+ NP-99150 (SMG#28 output)
+ NP-99139 (all approved CRs to TSG_CN specs)
+ NP-99109 (07.03 CR) see also slide10
```

(*) Put on hold until specifications are renumbered and GSM 04.08 split

5

TSG_CN Specifications (2) April'99 release / Baseline documents

"UMTS Release '99 is based on GSM Release'99"

- Baseline Documents (TSG_CN perspective)
 - = GSM Rel'98
 - = SMG#28 output in SMG3/TSG_CN domain
 - + expected CRs on outstanding WI's (LCS, MExE, SoLSA,...)
 - + (corrective CRs)

SP-99184

TSG_CN Specifications

(3)

FORMALISMS

Numbering Scheme

 For SMG transferred Specs following Numbering Principle is endorsed:

GSM 3GPP

AB.CD ==>>> (A+20)B.0CD

example 09.78 ==>> 29.078

 Specification version restart with v3.0.0. (no CR free gap!!!)

(to be endorsed by TSG_SA)

CR numbering restart with A001

(to be endorsed by TSG_SA)

Proposed for all Specifications in SMG3/TSG_CN domain



TSG_CN#3 approved CR's

| WI | SPEC | CR | PH | REV | VERS | SUBJECT | CAT | NEW_VER | STC_DOC |
|------|-------|------|-----|-----|-------|--|-----|---------|----------|
| ASCI | 04.69 | A007 | R96 | 2 | 5.2.0 | Coding of Call Reference IE | F | 5.3.0 | N1-99168 |
| ASCI | 04.68 | A009 | R96 | 2 | 5.2.0 | Coding of Call Reference IE | F | 5.3.0 | N1-99167 |
| CCBS | 04.08 | A507 | R97 | 1 | 6.3.0 | Clarification to CCBS T334 timer | F | 6.4.0 | N1-99164 |
| CTS | 04.56 | A001 | R98 | | 7.0.0 | Inclusion of parameters in the Attachment Accept Procedure | F | 7.1.0 | N1-99078 |
| CTS | 04.56 | A002 | R98 | 1 | 7.0.0 | clarification to the reattach procedure | F | 7.1.0 | N1-99169 |
| EDGE | 04.08 | A371 | R99 | 2 | 6.1.1 | BCIE modifications due to EDGE | В | 8.0.0 | N1-99178 |
| GPRS | 04.08 | A505 | R97 | | 6.3.0 | 'GPRS services not allowed' cause in the ATTACH REJECT (combined | F | 6.4.0 | N1-99034 |
| | | | | | | case). | | | |
| GPRS | 09.10 | A009 | R97 | | 6.0.1 | GPRS Attach Reject Cause when 'IMSI unknown' | F | 6.1.0 | N1-99035 |
| GPRS | 09.18 | A024 | R97 | 1 | 6.3.0 | Clarification of the null RA and other corrections | F | 6.4.0 | N1-99176 |
| GPRS | 04.08 | A467 | R97 | 2 | 6.3.0 | Multiple ATTACH REQUEST attempts and GMM-common procedures: | F | 6.4.0 | N1-99184 |
| | | | | | | abnormal cases on the network side | | | |
| GPRS | 04.08 | A469 | R97 | 2 | 6.3.0 | Introduction of the A&C reference number in the AUTHETICATION AND | F | 6.3.0 | N1-99182 |
| | | | | | | CIPHERING REQUEST AND RESPONSE message | | | |
| GPRS | 04.64 | A051 | R97 | 1 | 6.3.0 | GSM 04.64 CR A051r1 Signalling SAPI Information Field Length | F | 6.4.0 | N1-99141 |
| GPRS | 04.64 | A055 | R97 | 1 | 6.3.0 | Discarding outstanding LL-DATA-REQ in the case of LLC re-establishment | F | 6.4.0 | N1-99172 |
| NITZ | 04.08 | A621 | R99 | 3 | 6.3.0 | IE Daylight Saving Time | В | 8.0.0 | |
| | | | | | | | | | NP-99145 |

| WI | SPEC | CR | PH | REV | VERS | SUBJECT | CAT | NEW_VER | STC_DOC |
|------|-------|-----|-----|-----|-------|----------------------|-----|---------|-----------|
| EDGE | 07.03 | tbd | R99 | 0 | 6.0.0 | Introduction of EDGE | В | tbd | N3-99-063 |
| | | | | | | | | | |

All put on hold until renumbering of specs completed / 04.08 split

and in

TSG_CN N1 Work Items ()

- Already approved WI's N1 works on:
 - EDGE (NSS Part)(higher data rates CSed in the core network)
 - NITZ enhancements (DST)
 - QoS Control for Packet services
 - Multicall
 - Classmark separation RAN vs CN

TSG_CN Status Working Group N1 (lu, MM / CC / SM)

- 04.08 split RR -- MM/CC/SM
 - expected to be completed until end May
- Location Services (LCS)
 - joint activity with T1P1.5 LSC to meet SMG#29
- GPRS
 - high amount of corrective CRs
- Joint action with SMG9 on SIM Data Change (IMSI, TMSI)
 - 03.22, 11.14 CRs in progress

TSG_CN N2 Work Items ()

- Already approved Work Items
 - CAMEL Phase3
 - FS on GLR (*)
 - FS on Pre-Paging (*)
 - Out-of-Band Transcoder Control
 - flexible length of security parameters ("Sub-WI")
 - non-CAMEL IST
 - (*) Implementation decision end May in co-operation with S2

TSG_CN Status Working Group N2 (CAMEL, MAP)

- CAMEL3 tight schedule
 - WG N2A tailored for CAMEL only
 - Principles for CAMEL GPRS interaction identified/endorsed
- CAMEL2 Rel '98
 - Endorsed to include CLI-Enhancements in 03.78 (R.97)
 SMG3/TSG_CN endorsed
- GLR, Pre-paging, Turbo-/Super-Charger (*)
 - Implementation decision end May in co-operation with S2

TSG_CN N3 Work Items (1)

- Already existing WI's in N3
 - GPRS Interworking with ISDN and PSDN
 - Access to ISPs and in GPRS Phase2 Wireless/Remote Access to LANs
- Proposed WI / Clarification/Checking needed
 - Parameters for Bearer and Tele-Services for the Provision of PIAFS services (32 and 64 kbit/s)
 - CAMEL support for GPRS PSTN/ISDN interconnect services. (NP-99109)
 - This WI is unrealistic for Release '99
 - S1 / S2 are invited to comment

TSG_CN N3 Work Items (2)

- WI's for Rel'99 approved at CN#3
 - An asynch-to-synch HDLC service for circuit switched Data (->NP-99110)
 - Real-time Fax (Based on non-transparent Fax as in GSM 03.46) in UMTS/IMT2000
 - (-> NP-99140)
 - 3 Fax-options are envisaged by CN:
 - a) Real time non-transparent 03.46 based
 - b) Real-time non-transparent T.38 based (see 22.45)
 - c) store-and-fwd T.37 based (see 22.45)
 - (a) was approved because of strong requirements and support for this WI indicated.

TSG_CN Status Working Group N3 ("Bearer Inter-Working")

TSG_CN SS-ad hoc Work Items ()

- MSP Phase2
- Follow Me
- USSD Enhancements
- CNAP

TSG_CN Status Working Group SS-ad-hoc

- Group created to relieve N2-B (CAMEL) and work on previous R'99 SS Work items
 - 1st meeting 4-7 May'99 (Vienna)
 - Status of the R'99 WI's to be determined until end May
- MSP ongoing discussion on this spec
 Techn. Specification / Techn. Report / Feasibility Study
 Mandatory Parts // Informative Parts
- GSM 09.12 / 09.13 / 09.14 remain in SMG3
 - (no common ISDN platform identified)

TSG_CN / Other issues (1)

- Scope release '99
 - Soft Working Assumption end April
 - analysis during May
 - Review of WA end May
 - more clarity on feasibility of the package until end June SA#4
 - Soft deadline for UMTS'99 CN new Requirements end May
 - Iterative process to refine on the Rel'99 scope

TSG_CN / Other issues (2)

- S1 Initiative on GSM Data streamlining supported in general by CN
 - Analysis of S1 produced CRs ongoing
 - expected to be completed until end June (SMG#29,SA#4)
 - Cross phase aspects to be considered
 - WI needed for this activity
- TSG_CN draft report in 163

TSG_CN

Summary

- MCC Support Arrangements for TSG_CN to be clarified / improved immediately
- Host situation for (Working Groups) Meetings
- "April-release" for TSG_CN identified
- Scope UMTS release '99 to be stabilised / confirmed