

CR-Form-v3

CHANGE REQUEST

⌘ **21.801 CR** ⌘ rev **-** ⌘ Current version: **4.0.0** ⌘

For **HELP** on using this form, see bottom of this page or look at the pop-up text over the ⌘ symbols.

Proposed change affects: ⌘ (U)SIM ME/UE Radio Access Network Core Network

Title:	⌘ Automatic numbering of references		
Source:	⌘ Vodafone		
Work item code:	⌘ TEI	Date:	⌘ 21 March 2001
Category:	⌘ B	Release:	⌘ REL-4
Use <u>one</u> of the following categories: F (essential correction) A (corresponds to a correction in an earlier release) B (Addition of feature), C (Functional modification of feature) D (Editorial modification) Detailed explanations of the above categories can be found in 3GPP TR 21.900.		Use <u>one</u> of the following releases: 2 (GSM Phase 2) R96 (Release 1996) R97 (Release 1997) R98 (Release 1998) R99 (Release 1999) REL-4 (Release 4) REL-5 (Release 5)	

Reason for change:	⌘ Automatic numbering of figures and tables is expressly permitted, but automatic numbering of references is not. This is a very useful tool when specifications are being drafted, especially if the reference list is long. There is also an error in subclause 6.6.4.3, which deals with numbering of figures ; the text gives permission for automatic numbering of tables .
Summary of change:	⌘ Add text to permit automatic numbering of references; correct reference to automatic numbering of tables in subclause 6.6.4.3
Consequences if not approved:	⌘ Unnecessary constraint on drafting; internal inconsistency

Clauses affected:	⌘ 6.6.4.3; 6.6.6.6 (new)		
Other specs affected:	⌘ <input type="checkbox"/> Other core specifications	⌘ <input type="checkbox"/>	
	<input type="checkbox"/> Test specifications		
	<input type="checkbox"/> O&M Specifications		
Other comments:	⌘		

How to create CRs using this form:

Comprehensive information and tips about how to create CRs can be found at: http://www.3gpp.org/3G_Specs/CRs.htm. Below is a brief summary:

- 1) Fill out the above form. The symbols above marked ⌘ contain pop-up help information about the field that they are closest to.
- 2) Obtain the latest version for the release of the specification to which the change is proposed. Use the MS Word "revision marks" feature (also known as "track changes") when making the changes. All 3GPP specifications can be downloaded from the 3GPP server under <ftp://www.3gpp.org/specs/> For the latest version, look for the directory name with the latest date e.g. 2000-09 contains the specifications resulting from the September 2000 TSG meetings.

- 3) With "track changes" disabled, paste the entire CR form (use CTRL-A to select it) into the specification just in front of the clause containing the first piece of changed text. Delete those parts of the specification which are not relevant to the change request.

****** First modified section ********6.6.4.3 Numbering**

Figures may be numbered sequentially throughout the document without regard to the clause numbering, e.g. first figure is figure 1 and the twentieth figure (in, say clause 7) is figure 20.

Figures may also be numbered taking account of clause or subclause numbering.

EXAMPLE 1: First figure in clause 7 is figure 7.1, fifth figure in clause 7 is figure 7.5.

EXAMPLE 2: First figure in subclause 7.3.2 is figure 7.3.2.1, fifth figure in subclause 7.3.2 is figure 7.3.2.5.

One level of subdivision only is permitted (e.g. figure 1 may be subdivided as 1 a), 1 b), 1 c), etc.). See also subclause 5.2.1A. For the numbering of figures in annexes, see subclause 5.2.6.

- You may use sequence fields for automatically numbering tables/figures. See clause H.4: "Sequence numbering".

****** New section ********6.6.6.6 Numbering**

References in clause 2 shall be numbered sequentially. If a reference is removed when a specification is under change control, the entry in clause 2 shall be replaced by a [void] entry, using the same principle as for deletion of clauses and subclauses.

- You may use sequence fields for automatically numbering references. See clause H.4: "Sequence numbering".

****** End ******