

CHANGE REQUEST

23.141 CR 057 # rev 1 # Current version: 6.3.0

For **HELP** on using this form, see bottom of this page or look at the pop-up text over the # symbols.

Proposed change affects: UICC apps ME Radio Access Network Core Network

Title:	# Pc and Pg Interfaces, Presence information		
Source:	# NTT DoCoMo		
Work item code:	# Presence	Date:	# 23/9/03
Category:	# F	Release:	# Rel-6
	<i>Use <u>one</u> of the following categories:</i> F (correction) A (corresponds to a correction in an earlier release) B (addition of feature), C (functional modification of feature) D (editorial modification) Detailed explanations of the above categories can be found in 3GPP TR 21.900 .		<i>Use <u>one</u> of the following releases:</i> 2 (GSM Phase 2) R96 (Release 1996) R97 (Release 1997) R98 (Release 1998) R99 (Release 1999) Rel-4 (Release 4) Rel-5 (Release 5) Rel-6 (Release 6)

Reason for change:	# Incorrect and missing information		
Summary of change:	# Session management related events (PS Domain) and Call related events (CS Domain) are listed. Mobility states are listed. Session (PS Domain) and Call (CS Domain) states are listed.		
Consequences if not approved:	# Incomplete description of Pc and Pg		

Clauses affected:	# 4.3.9 and 4.3.10										
Other specs Affected:	<table border="1" style="display: inline-table; border-collapse: collapse;"> <tr> <td style="text-align: center;">Y</td> <td style="text-align: center;">N</td> </tr> <tr> <td style="text-align: center;">#</td> <td style="text-align: center;">X</td> </tr> <tr> <td style="text-align: center;">#</td> <td style="text-align: center;">X</td> </tr> <tr> <td style="text-align: center;">#</td> <td style="text-align: center;">X</td> </tr> </table>	Y	N	#	X	#	X	#	X	Other core specifications # Test specifications # O&M Specifications #	
Y	N										
#	X										
#	X										
#	X										
Other comments:	# After SA2 e-mail approval (before SA#21) MCC created the first version of CR#57. This document is revision of S2-033213 and the only change is to assign a new CR number because the title is changed. At SA#21 it was requested to clarify that the Pc and Pg reference points use existing CAMEL capabilities and does not require any additional development.										

How to create CRs using this form:

Comprehensive information and tips about how to create CRs can be found at <http://www.3gpp.org/specs/CR.htm>. Below is a brief summary:

- 1) Fill out the above form. The symbols above marked ☒ contain pop-up help information about the field that they are closest to.
- 2) Obtain the latest version for the release of the specification to which the change is proposed. Use the MS Word "revision marks" feature (also known as "track changes") when making the changes. All 3GPP specifications can be downloaded from the 3GPP server under <ftp://ftp.3gpp.org/specs/> For the latest version, look for the directory name with the latest date e.g. 2001-03 contains the specifications resulting from the March 2001 TSG meetings.
- 3) With "track changes" disabled, paste the entire CR form (use CTRL-A to select it) into the specification just in front of the clause containing the first piece of changed text. Delete those parts of the specification which are not relevant to the change request.

4.3.9 Reference point Presence Network Agent – SGSN (Pg)

This reference point shall allow the SGSN to report mobility management related events (such as ~~PDP context active~~/attach/not reachable for paging/detach/routing area update)-to the Presence Network Agent.

This reference point may allow the SGSN to report Mobility States (such as Detached, Idle and Connected) and Session States (such as PDP context active and inactive).

This reference point is implemented using the existing ~~the MAP~~ mechanisms of CAMEL phase 4, 3GPP Release 5~~interface~~.

4.3.10 Reference point Presence Network Agent –MSC Server/VLR (Pc)

This reference point shall allow the MSC Server/VLR to report the mobility management related events to the Network Agent (such as attach/detach/location area update/~~CS-call active with bearer information~~) and may allow the MSC Server/VLR to report call related events (such as call setup with the bearer information and call release).

This reference point may allow the MSC Server/ VLR to report Mobility States (such as Detached, Idle and Connected) and Call States (such as Busy with Bearer informationt and Idle).

This reference point is implemented using the existing ~~MAP~~ mechanisms of CAMEL phase 4, 3GPP Release 5~~interface~~.