

**Source:** TSG CN WG 1  
**Title:** CS based Emergency Call in Rel-4  
**Agenda item:**

**3GPP TSG-CN-WG1, Meeting #16  
26 Feb – 2 March, 2001, Sophia Antipolis, France**

***Tdoc N1-010329***

**Agenda Item:** 7.2  
**WI / Topic:** Emergency Call Enhancements  
**Source:** TSG-CN1#16  
**Title:** CS based Emergency Call in Rel-4  
**Effected Specifications / Releases:** Rel-4  
**Document for:** Information  
**Date:** 26 February 2001

---

**Work Item Description**

**Title: CS based Emergency Call Enhancements in Rel-4**

**1 3GPP Work Area**

	Radio Access
X	Core Network
X	Services

**2 Linked work items**

-

**3 Justification**

It shall be possible to establish an emergency speech call to the serving network. Emergency calls will be routed to the emergency services in accordance with national regulations. This may be based upon one or more default numbers stored in the ME and/or USIM. It shall be allowed to establish an emergency call without the need to dial a dedicated number to avoid the mis-connection in roaming case, such as menu, or a linkage to a car air bag control. This functionality shall be supported by the UE without a SIM/USIM being present. No other type than Emergency calls shall be accepted without a SIM/USIM.

~~It shall be possible for the called emergency instance to recall the emergency caller, if the call is interrupted. However, loss of radio contact is out of scope of this requirement. This functionality shall be supported with and without an USIM being present in the UE.~~

**Source:** TSG CN WG 1  
**Title:** CS based Emergency Call in Rel-4

**Agenda item:**

**3GPP TSG-CN-WG1, Meeting #16  
26 Feb – 2 March, 2001, Sophia Antipolis, France**

**Tdoc N1-010329**

**4 Objective**

The objective of this WI is to study the functionalities required on the protocol level to meet the requirements as defined in TS 22.101, TR 22.976 and other relevant specifications.

**5 Service Aspects**

As defined in TS 22.101, TR 22.976 and other relevant specifications to include but not limited to:

- ~~///~~ Using the existing emergency numbering schemes
- ~~///~~ Compliant with FCC mandates, European and other regulatory requirements
- ~~///~~ Possibility to initiate emergency calls to different emergency call centers, depending on the type of emergency
- ~~///~~ ~~Possibility to call back the emergency caller, if the emergency call dropped—a loss of radio contact shall not be considered~~
- ~~///~~ The functions shall be supported, when roaming

**6 MMI-Aspects**

As defined in TS 22.101, TR 22.976 and other relevant specifications, it shall be possible to implement different MMIs to invoke emergency services. This can be for example the dialled number, a dedicated Menu, one or more dedicated buttons, etc.

**7 Charging Aspects**

None.

In accordance to TS 22.101 and TR 22.976, no impacts on charging are foreseen.

**8 Security Aspects**

None.

In accordance to TS 33.102, no impacts on security are foreseen.

**9 Impacts**

<b>Affects:</b>	<b>USIM</b>	<b>ME</b>	<b>AN</b>	<b>CN</b>	<b>Others</b>
<b>Yes</b>	X			X	
<b>No</b>					
<b>Don't know</b>		X	X		

**Source:** TSG CN WG 1  
**Title:** CS based Emergency Call in Rel-4

**Agenda item:**

3GPP TSG-CN-WG1, Meeting #16  
 26 Feb – 2 March, 2001, Sophia Antipolis, France

**Tdoc N1-010329**

**10 Expected Output and Time scale (to be updated at each plenary)**

New specifications						
Spec No.	Title	Prime rsp. WG	2ndary rsp. WG(s)	Presented for information at plenary#	Approved at plenary#	Comments
Affected existing specifications						
Spec No.	CR	Subject		Approved at plenary#	Comments	
24.008		<a href="#">Emergency Service Category Type</a>		TSG#9		
		<a href="#">(Emergency call recalling capability enhancement)</a>		<a href="#">(TSG#11)</a>	<a href="#">This requirement is no longer valid. Agreed to be removed by SA1 and CN1.</a>	

**11 Work item raporteurs**

Rouzbeh Farhoumand – Ericsson  
 E-mail: [rouzbeh.farhoumand@ericsson.com](mailto:rouzbeh.farhoumand@ericsson.com)  
 Tel: +1-972-583-8061

**12 Work item leadership**

TSG-[CN1](#)  
 Secondary responsibility: TSG-[SA1](#)

**13 Supporting Companies**

Ericsson, NTT DoCoMo, NEC Corporation, Lucent Technologies

**14 Classification of the WI (if known)**

	Feature (go to 14a)
X	Building Block (go to 14b)
	Work Task (go to 14c)

14a The WI is a Feature: List of building blocks under this feature

N/A

**3GPP TSG CN Plenary  
Meeting #11, Palm Springs, U.S.A  
14<sup>th</sup> - 16<sup>th</sup> March 2001**

**Tdoc NP-010136**

**Source: TSG CN WG 1**

**Title: CS based Emergency Call in Rel-4**

**Agenda item:**

**3GPP TSG-CN-WG1, Meeting #16  
26 Feb – 2 March, 2001, Sophia Antipolis, France**

***Tdoc N1-010329***

14b The WI is a Building Block: parent Feature

**Emergency call enhancements**

14c The WI is a Work Task: parent Building Block

N/A