

**3GPP TSG CN Plenary Meeting #14
Kyoto, JAPAN, 12th-14th December 2001**

NP-010674

Source: TSG CN WG4
Title: CR on R99 Technical Enhancements and Improvements
Agenda item: 7.22
Document for: APPROVAL

Introduction:

This document contains 1 CR on R99 Work Item "TEI", that has been agreed by TSG CN WG4, and is forwarded to TSG CN Plenary meeting #14 for approval.

Spec	CR	Rev	Doc-2nd-Level	Phase	Subject	Cat	Ver_C
29.010	039		N4-011095	R99	Global replace of BSS-APDU with AN-APDU	F	3.6.0

CHANGE REQUEST

⌘ **29.010 CR 039** ⌘ rev **-** ⌘ Current version: **3.6.0** ⌘

For **HELP** on using this form, see bottom of this page or look at the pop-up text over the ⌘ symbols.

Proposed change affects: ⌘ (U)SIM ME/UE Radio Access Network Core Network

Title:	⌘ Global replace of BSS-APDU with AN-APDU		
Source:	⌘ Ericsson		
Work item code:	⌘ Handover	Date:	⌘ 18/9/2001
Category:	⌘ F (Agreed by Consensus)	Release:	⌘ R99
	<i>Use one of the following categories:</i> F (correction) A (corresponds to a correction in an earlier release) B (Addition of feature), C (Functional modification of feature) D (Editorial modification)		<i>Use one of the following releases:</i> 2 (GSM Phase 2) R96 (Release 1996) R97 (Release 1997) R98 (Release 1998) R99 (Release 1999) REL-4 (Release 4) REL-5 (Release 5)
	Detailed explanations of the above categories can be found in 3GPP TR 21.900.		

Reason for change:	⌘ Up to release 98 the MAP Operations included in the handoverControlContext AC v1 and v2 contained the parameter BSS-APDU which could be used to encapsulate BSSMAP messages. In rel99 the AC version has been raised to v3 and BSS-APDU has been replaced by AN-APDU which can transport BSSMAP and RANAP messages. 29.010 has not been updated to reflect this replacement, and still refers to BSS-APDU. This can cause confusion on what is actually meant or implied by 29.010.
Summary of change:	⌘ Replace every instance of BSS-APDU with AN-APDU.
Consequences if not approved:	⌘ Misalignment with 29.002 and consequent possible confusion in interpreting 29.010

Clauses affected:	⌘ 4.5.1, 4.5.2, 4.5.3, 4.5.4, 4.6.1, 4.6.2, 4.6.3	
Other specs affected:	⌘ <input type="checkbox"/> Other core specifications ⌘ <input type="checkbox"/> Test specifications <input type="checkbox"/> O&M Specifications	
Other comments:	⌘ Instead of detailing in the CR every single change by including the impacted sections, I'd like to ask the editor of the CR to perform a global replacement of BSS-APDU with AN-APDU. The editor could also take the chance to line up the following TS references throughout the text: <ul style="list-style-type: none"> • 03.09 → 23.009 • 04.08 → 24.008 • 09.02 → 29.002 • 09.07 → 29.007 	

How to create CRs using this form:

Comprehensive information and tips about how to create CRs can be found at: http://www.3gpp.org/3G_Specs/CRs.htm. Below is a brief summary:

- 1) Fill out the above form. The symbols above marked ¶ contain pop-up help information about the field that they are closest to.
- 2) Obtain the latest version for the release of the specification to which the change is proposed. Use the MS Word "revision marks" feature (also known as "track changes") when making the changes. All 3GPP specifications can be downloaded from the 3GPP server under <ftp://www.3gpp.org/specs/> For the latest version, look for the directory name with the latest date e.g. 2000-09 contains the specifications resulting from the September 2000 TSG meetings.
- 3) With "track changes" disabled, paste the entire CR form (use CTRL-A to select it) into the specification just in front of the clause containing the first piece of changed text. Delete those parts of the specification which are not relevant to the change request.

****** FIRST MODIFIED SECTION ******

BSS APDUAN-PDU

****** END OF MODIFICATIONS ******