# 3GPP TSG CN Plenary Meeting #14 Kyoto, Japan, 12-14 December 2001

NP-010687

Source: CN plenary

Title: Revised Work Item Description OSA Stage 3 Rel-5; approved at CN#13 as

NP-010535

Agenda item: 9.4

Document for: Decision

# **Work Item Description**

Title: OSA Stage 3

#### 1 3GPP Work Area

	Radio Access
X	Core Network
Х	Services
	Terminals

#### 2 Linked work items

• Feature-level WI ID#1367: VHE enhancements (stages 1 and 2)

• Feature-level WI ID#1637: OSA enhancements (stages 1 and 2)


#### 3 Justification

The Open Service Access (OSA) enables service application developers to make use of network functionality through open, standardised, secure, extensible and scalable interfaces. Applications see the network functionality offered to them as a set of Service Capability Features (SCFs) in the OSA API. These SCFs provide access to the network capabilities on which the application developers can rely when designing their applications. The OSA API is independent of where or which network capabilities are implemented in the network, and of vendor specific solutions and programming languages.

A secure OSA API is a key enabler for the Virtual Home Environment (VHE) system concept, which requires users to be consistently presented with the same personalised services in whatever network and terminal, subject to the capabilities of both.

#### 4 Objective

Within the organisation of 3GPP TSG CN (Core Network), CN5 is in charge of the stage 3 specifications of the OSA API. The functionality provided by the API is defined in terms of requirements and their impact in the overall architecture defined by 3GPP, as shown in the following figure:



The figure above depicts the main OSA workflow; besides, co-ordination with other 3GPP groups will be necessary in some areas, some of which have already been identified, like Charging (SA5) and Security (SA3).

Additionally CN5 is actively involved in liaisons of different natures with related bodies and fora, with the objective to ensure that there is a single API specified for the whole development community. In its joint work with these external bodies CN5 ensure that the 3GPP working process is respected – i.e. input from them is translated in terms of requirements and contributed to SA1.

# **5** Service Aspects

The OSA API stage 3 specifications will be aligned with the service provisioning architecture specified by 3GPP TSG SA (SA1 and SA2). As such, it will enable the provision of 3<sup>rd</sup> Party services for UMTS.

# 6 MMI-Aspects

None.

# 7 Charging Aspects

The OSA API stage 3 specifications will satisfy the charging requirements from SA1 and SA2 in cooperation with SA5, which will be found in TS 22.127 and TR 23.815.

#### 8 Security Aspects

The OSA API stage 3 specifications will satisfy the security requirements from SA1 and SA2 in cooperation with SA3. They can be found in TS 22.127, TS 22.121, TR 23.955, and in the security architecture.

#### 9 Impacts

Affects:	USIM	ME	AN	CN	Others
Yes				Х	
No	Х	Х	Х		
Don't know					Х

10 Expected Output and Time scale (to be updated at each plenary)

	New specifications									
Spec No.		Title	Prime	2ndary	Presented	Appro	ved	Comments		
			resp. WG	resp. WG(s)	for information at plenary#	at plen	ary#			
29.xyz			CN5		TSG#15 (03/02)	TSG#16 (06/0	2)			
			Aff	ected exist	ing specificatior	ıs				
Spec No.	CR		Subject		Approved	at plenary#		Comments		
29.198					TSG#15 (03/0	2)				
29.998					TSG#15 (03/0	2)				

#### Work item raporteurs

Ard-Jan Moerdijk (Ard-Jan.Moerdijk@ELN.ERICSSON.SE)

# Work item leadership

CN5

# 13 Supporting Companies

Alcatel, BT, Ericsson, Lucent, Siemens, Marconi, Nokia

# 14 Classification of the WI (if known)

	Feature (go to 14a)
Х	Building Block (go to 14b)
	Work Task (go to 14c)

Work Tasks under this Building Block

Building Block	Work Task	Description	Release
OSA Stage 3	WT 1: OSA API specification	Definition of the OSA API interface classes, and their methods and detailed behaviour, in line with release 5 requirements and architecture.	Release 5
OSA Stage 3	WT 2: OSA API IDL	IDL specification of the OSA API	Release 5
OSA Stage 3	WT 3: OSA API mapping	Functional mapping of OSA interfaces to UMTS network protocols ()	Release 5
OSA Stage 3	WT 4: OSA API WSDL	WSDL specification of the OSA API	Release 5

# **3GPP TSG CN Plenary Meeting #14** Kyoto, Japan, 12-14 December 2001

NP-010687<del>1</del>

Source: CN5 (OSA) plenary

Title: Revised Work Item Description OSA Stage 3 Rel-5; approved at CN#13 as

NP-010535

Agenda item: 9.4

**Document for: Decision** 

NOTE 1: Only the work flow showing the relationship with the other 3GPP groups has been updated. NOTE 2:

The present document is a revision of NP-010671 affecting:

sections 7 and 8 (removed references to status/specific versions of 3GPP deliverables)

section 10 Expected Output and Time scale (changed target dates for Approval)

section 15 Work Tasks under this Building Block (added a new WT on WSDL specification of the OSA API) in line with the CN5 Chair report to CN#14 plenary (NP-010590)

# 3GPP TSG CN5/Parlay/ETSI SPAN12 Meeting #14, Cancun, Mexico, 26 – 30 November 2001

N5-011124

Source: Chelo Abarca (Alcatel) Chelo.Abarca@alcatel.fr

Title: Proposed modification to the 3GPP Rel5 OSA Stage 3 - Building Block level

Work Item Description approved at CN#13 in Sept 2001

Agenda Item: 11.1

**Document for:** Approval

Category:

Work Item ID:

**Doc Summary:** This is a modification proposed to the WID after discussion of the

work flow with SA2 VHE/OSA.

Specs involved:

# **Work Item Description**

Title: OSA Stage 3

3GPP Work Area 1

	Radio Access
X	Core Network
Х	Services
	Terminals

#### Linked work items

- Feature-level WI ID#1367: VHE enhancements (stages 1 and 2)
- Feature-level WI ID#1637: OSA enhancements (stages 1 and 2)


#### 3 Justification

The Open Service Access (OSA) enables service application developers to make use of network functionality through open, standardised, secure, extensible and scalable interfaces. Applications see the network functionality offered to them as a set of Service Capability Features (SCFs) in the OSA API. These SCFs provide access to the network capabilities on which the application developers can rely when designing their applications. The OSA API is independent of where or which network capabilities are implemented in the network, and of vendor specific solutions and programming languages.

A secure OSA API is a key enabler for the Virtual Home Environment (VHE) system concept, which requires users to be consistently presented with the same personalised services in whatever network and terminal, subject to the capabilities of both.

# 4 Objective

Within the organisation of 3GPP TSG CN (Core Network), CN5 is in charge of the stage 3 specifications of the OSA API. The functionality provided by the API is defined in terms of requirements and their impact in the overall architecture defined by 3GPP, as shown in the following figure:



The figure above depicts the main OSA workflow; besides, co-ordination with other 3GPP groups will be necessary in some areas, some of which have already been identified, like Charging (SA5) and Security (SA3). Additionally CN5 is actively involved in liaisons of different natures with related bodies and fora, with the objective to ensure that there is a single API specified for the whole development community. In its joint work with these external bodies CN5 ensure that the 3GPP working process is respected – i.e. input from them is translated in terms of

# requirements and contributed to SA1.

# 5 Service Aspects

The OSA API stage 3 specifications will be aligned with the service provisioning architecture specified by 3GPP TSG SA (SA1 and SA2). As such, it will enable the provision of 3<sup>rd</sup> Party services for UMTS.

# 6 MMI-Aspects

None.

# 7 Charging Aspects

The OSA API stage 3 specifications will satisfy the charging requirements from SA1 and SA2 in co-operation with SA5, which will be found in TS 22.127 (version 5.0.0 already available) and TR 23.815 (still in draft form).

#### 8 Security Aspects

The OSA API stage 3 specifications will satisfy the security requirements from SA1 and SA2 in cooperation with SA3. They can be found in TS 22.127-version 5.0.0, TS 22.121-version 5.1.0, TR 23.955-version 0.1.0, and in the security architecture.

# 9 Impacts

Affects:	USIM	ME	AN	CN	Others
Yes				Х	
No	Х	Х	Х		
Don't know					X

10 Expected Output and Time scale (to be updated at each plenary)

		mpeered output	***************************************	S S C C C C C C C C C C C C C C C C C C	e apantea at ene	r promerj)		
				New spe	ecifications			
Spec No.		Title	Prime resp. WG	2ndary resp. WG(s)	Presented for information at plenary#	Appro at plen		Comments
29.xyz			CN5		TSG#1 <u>5</u> 3 (0 <u>3</u> 9/0 <u>2</u> 4)	TSG#1 <u>6</u> 4 ( <u>06</u> 4	<del> 2</del> /0 <u>2</u> 1)	
Affected existing specifications								
Spec No.	CR		Subject		Approved	at plenarv#		Comments

Spec No.	CR	Subject	Approved at plenary#	Comments
29.198			TSG#1 <u>5</u> 4 ( <u>03</u> <del>12</del> /0 <u>2</u> <del>1</del> )	
29.998			TSG#1 <u>5</u> 4 ( <u>03</u> 12/0 <u>2</u> 1)	

# Work item raporteurs

Ard-Jan Moerdijk (Ard-Jan.Moerdijk@ELN.ERICSSON.SE)

# Work item leadership

CN<sub>5</sub>

# 13 Supporting Companies

Alcatel, BT, Ericsson, Lucent, Siemens, Marconi, Nokia

# 14 Classification of the WI (if known)

	Feature (go to 14a)
X	Building Block (go to 14b)
	Work Task (go to 14c)

# 15 Work Tasks under this Building Block

15 Work Tusks under tins Building Block							
<b>Building Block</b>	Work Task	Description	Release				
OSA Stage 3	WT 1: OSA API specification	Definition of the OSA API interface classes, and their methods and detailed behaviour, in line with release 5 requirements and architecture.	Release 5				
OSA Stage 3	WT 2: OSA API IDL	IDL specification of the OSA API	Release 5				
OSA Stage 3	WT 3: OSA API mapping	Functional mapping of OSA interfaces to UMTS network protocols ()	Release 5				
OSA Stage 3	WT 4: OSA API WSDL	WSDL specification of the OSA API	Release 5				