

Source: TSG CN WG3
Title: CR to Rel-4 on Work Item CSSPLIT
Agenda item: 9.13
Document for: APPROVAL

Introduction:

This document contains 1 CR on **Rel-4** to Work Item "**CSSPLIT**", that have been agreed by **TSG CN WG3**, and is forwarded to TSG CN Plenary meeting #15 for approval.

Doc-2nd-	Subject	Spec	CR	Rev	Cat	Phase	Versi	Workitem
N3-020061	Update Reference to I.363.2	29.414	006		F	Rel-4	4.3.0	CSSPLIT

CHANGE REQUEST

⌘ **29.414 CR 006** ⌘ rev **-** ⌘ Current version: **4.3.0** ⌘

For **HELP** on using this form, see bottom of this page or look at the pop-up text over the ⌘ symbols.

Proposed change affects: ⌘ (U)SIM ME/UE Radio Access Network Core Network

Title:	⌘ Update Reference to I.363.2		
Source:	⌘ TSG_CN WG3		
Work item code:	⌘ BICSCN	Date:	⌘ 21.01.2001
Category:	⌘ F	Release:	⌘ Rel-4
	<i>Use one of the following categories:</i> F (correction) A (corresponds to a correction in an earlier release) B (addition of feature), C (functional modification of feature) D (editorial modification) Detailed explanations of the above categories can be found in 3GPP TR 21.900.	<i>Use one of the following releases:</i> 2 (GSM Phase 2) R96 (Release 1996) R97 (Release 1997) R98 (Release 1998) R99 (Release 1999) REL-4 (Release 4) REL-5 (Release 5)	

Reason for change:	⌘ TS 29.414 references outdated version of ITU-T I.363.2, but TS 25.414 (Iu interface) has already been updated.		
Summary of change:	⌘ Update version from (9/1997) to (11/2000):		
Consequences if not approved:	⌘ Error corrections missing, No allignment between Nb and Iu interface		

Clauses affected:	⌘ 1 Scope		
Other specs affected:	⌘ <input type="checkbox"/> Other core specifications ⌘ <input type="checkbox"/> Test specifications ⌘ <input type="checkbox"/> O&M Specifications	⌘	
Other comments:	⌘ The versions of I.363.2 differ mostly in error corrections.		

2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies. In the case of a reference to a 3GPP document (including a GSM document), a non-specific reference implicitly refers to the latest version of that document in the same Release as the present document.

- [1] 3GPP TS 23.205: “Bearer Independent CS Core Network; Stage 2”
- [2] 3GPP TS 25.414: “UTRAN Iu Interface Data Transport and Transport Signalling”
- [3] 3GPP TS 29.415: “Core Network Nb Interface User Plane Protocols”
- [4] 3GPP TS 29.232: “Media Gateway Controller (MGC) – Media Gateway (MGW) Interface; Stage 3”
- [5] ITU-T Recommendation E.164 (5/1997): “Numbering Plan for the ISDN Era”
- [6] ITU-T Recommendation I.361 (2/1999): “B-ISDN ATM Layer Specification”
- [7] ITU-T Recommendation I.363.2 (~~9/1997~~–11/2000): “B-ISDN ATM Adaptation Layer Type 2 Specification”
- [8] ITU-T Recommendation I.363.5 (8/1996): “B-ISDN ATM Adaptation Layer Type 5 Specification”
- [9] ITU-T Recommendation I.366.1 (6/1998): “Segmentation and Reassembly Service Specific Convergence Sublayer for the AAL Type 2”
- [10] ITU-T Recommendation H.248 (6/2000)“Media Gateway Control Protocol”
- [11] 3GPP TS 29.205: "Application of Q.1900 Series to Bearer Independent CS Core Network Architecture".
- [12] Void
- [13] Void
- [14] ITU-T Recommendation Q.2110 (7/1994): “B-ISDN ATM Adaptation Layer-Service Specific Connection Oriented Protocol (SSCOP)”
- [15] ITU-T Recommendation Q.2140 (2/1995): “B-ISDN ATM Adaptation Layer-Service Specific Coordination Function for Support of Signalling at the Network Node Interface (SSCF-NNI)”
- [16] ITU-T Recommendation Q.2150.1 (1999): “B-ISDN ATM Adaptation Layer-Signalling Transport Converter for the MTP3b”
- [17] ITU-T Recommendation Q.2210 (7/1996): “Message Transfer Part level 3 functions and messages using the services of ITU-T Recommendation Q.2140”
- [18] ITU-T Implementor's guide (12/99) for recommendation Q.2210 (07/96)
- [19] ITU-T Recommendation Q.2630.2 (12/2000): “AAL type 2 Signalling Protocol (Capability Set 2)”
- [20] ITU-T Recommendation Q.2931 (2/1995): “Digital Subscriber Signalling System No. 2 (DSS 2) – User-Network Interface (UNI) layer 3 specification for basic call/connection control”

- [21] ITU-T Recommendation X.213 (8/1997): “Information Technology-Open Systems Interconnection-Network Service Definitions”
- [22] IETF RFC 768: “User Datagram Protocol. (UDP)”
- [23] IETF RFC 791: “Internet Protocol (IP)”
- [24] IETF RFC 1889: “RTP: A Transport Protocol for Real Time Applications”
- [25] IETF RFC 1890: “RTP Profile for Audio and Video Conferences with Minimal Control”
- [26] IETF RFC 2327: “SDP: Session Description Protocol”
- [27] IETF RFC 2460: “Internet Protocol, Version 6 (IPv6)”