3GPP TSG CN Plenary Meeting #17 4th - 6th September 2002. Biarritz, France.

| Source: | CN2 chairman |
|---------------|--|
| Title: | Update of CAMEL4 Work Item Description (WID) in ReI-5 for TSG- CN |
| Agenda item: | 8.3 |
| Document for: | Approval |

Work Item Description

Title: CAMEL4 scope in Rel-5 for TSG-CN

1 3GPP Work Area

| | Radio Access |
|---|--------------|
| Х | Core Network |
| Х | Services |

2 Linked work items

SA1 CAMEL WI CN2 CAMEL support of IMS services WI

3 Justification

It was agreed to use CAMEL (as distinct from other toolkits, existing or new ones) as a proper toolkit to provide services. For Rel-5 additions are needed. This Work Item Description summarises the work to be done.

4 Objectives

- CAMEL 4 shall be a superset of CAMEL 3 together with Rel-5 CAMEL additions.
- Any Rel-5 CAMEL addition, shall be applicable for GSM and UMTS networks, except when otherwise stated.
- The same set of CAMEL 4 capabilities shall be available when roaming in or outside the home network.
- CAMEL 4 capabilities shall apply to any service where appropriate, core network transport independence. That means, CAMEL procedures shall be usable for CS services and PS services, where appropriate. See clause 14b.
- TSG-CN shall implement CAMEL4 so that the TSG-SA1 specified requirements (22.078) are fulfilled. The implementation shall follow 3GPP Rel-5 time schedule as close as possible.

5 Service Aspects

In contrast to 2G systems new services in 3GPP will not be standardised. New services will be enabled by Service Capabilities, which are based on toolkits (e.g. CAMEL). If in addition to existing Service Capabilities new SCs particular to IM services are required or existing SCs need to be modified this needs to be identified.

6 MMI-Aspects

None identified.

7 Charging Aspects

Sufficient Charging capabilities have to be foreseen to allow flexible charging scenarios from the service provider and the network operator (visited and home) point of view. From the subscribers' point of view, online charging methods should be sufficiently enhanced to cover facilities provided in a Rel-5 network.

8 Security Aspects

A special attention has to be given to a Security Policy. Secure access to service and user confidential information has to be provided.

9 Impacts

| Affects: | USIM | ME | AN | CN | Others |
|----------|------|----|----|----|--------|
| Yes | | | | Х | |
| No | | | Х | | |
| Don't | Х | Х | | | Х |
| know | | | | | |

10 Expected Output and Time scale (to be updated at each plenary)

The results of this Work item shall be provided in a Technical Standard.

In order to complete CAMEL4 in a timely fashion the following Work Plan is proposed.

| CN2 | Dates | | Actions |
|-------------------|----------------------|---|--|
| CN2#20 | October 15-19, 2001 | • | Make final version of combined CRs to specs within CN4 remit. |
| CN4#11, CN2#21 | November 26-30, 2001 | • | CN4 to approve CN2 endorsed CRs. From that point on, CAMEL related matters are corrected one-by- |
| | | | one. |
| | | • | Prepare any new Stage 2's and 3's for submission to |
| | | | CN#14 (December 12-14). |
| | | • | Complete CR's to the 23-series and 29-series. |

| | | | New spe | ecifications | | |
|----------|-----------------------------------|------------------|-------------|---|-------------------------|-----------------------------------|
| Spec No. | Title | Prime rsp. WG | 2ndary | Presented for information at plenary# | Approved at plenary# | Comments |
| 22.078 | CAMEL 4 | SA1 | | | | |
| 23.078 | CAMEL 4 Stage 2 | CN2 | | | CN#14 | |
| 29.078 | CAMEL 4 Stage 3 | CN2 | | | CN#14 | |
| 23.278 | IMS-CAMEL interworking, stage2 | CN2 | | CN#15 and CN#16 | | Provided to CN#17 for approval |
| 29.278 | IMS-CAMEL interworking, stage3 | CN2 | | | | Provided to CN#17 for approval |
| 23.008 | | CN4 | | | | |
| 23.016 | | CN4 | | | | |
| 23.018 | | CN4 | | | | |
| 29.002 | | CN4 | | | | |
| 23.218 | | CN1 | | | | |
| 23.060 | | SA2 | | | | |
| Commer | nt: there will be potent | ially othe | er new spe | ecs, yet to be i | dentified | |
| | | Affe | cted existi | ng specificati | ons | |
| Spec No. | CR Subject | | | Approved at | plenary# | Comments |
| Commer | nt: there will be proba | oly vario | us R99 sp | ecifications in | npacted, yet | to be identified |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

| 11 | Work item | raporteurs |
|----|-------------|------------|
| 11 | WOIN ILCIII | raporteurs |

[Keijo Palviainen, Nokia]

12 Work item leadership

CN2

13 Supporting Companies

[Alcatel, Ericsson, Lucent, Nokia, Siemens]

14 Classification of the WI (if known)

| | Feature (go to 14a) |
|---|----------------------------|
| Х | Building Block (go to 14b) |
| | Work Task (go to 14c) |

14a The WI is a Feature: List of building blocks under this feature

14b The WI covers several Building Blocks: parent Feature CAMEL Phase 4

- 1.1. Interactions with Optimal Routing
- 1.2. Call Party Handling
- 1.3. DTMF Mid call procedure for MO and MT calls
- 1.4. Provisioning of IP-based multimedia services / CAMEL applicability to media streams like VoIP
- 1.5. CAMEL control over MT SMS
- 1.6. Inclusion of flexible tone injection
- 1.7. Provision of location information of called subscriber
- 1.8. Notification of GPRS mobility management to CSE
- 1.9. Inclusion of ODB data in the CSE-HLR interface
- 1.10. Location information during an ongoing call (Handover DP)
- 1.11. GPRS AnyTimeInterrogation
- 1.12. Transfer of IMEI (with SW version) to CSE
- 1.13. Handling of partial implementations of CAMEL phase 4
- 14c The WI is a Work Task: parent Building Block

3GPP TSG CN Plenary Meeting #17 4th - 6th September 2002. Biarritz, France.

| Source: | CN2 chairman |
|---------------|--|
| Title: | Update of CAMEL4 Work Item Description (WID) in ReI-5 for TSG- CN |
| Agenda item: | 8.3 |
| Document for: | Approval |

Work Item Description

Title: CAMEL4 scope in Rel-5 for TSG-CN

1 3GPP Work Area

| | Radio Access |
|---|--------------|
| Х | Core Network |
| Х | Services |

2 Linked work items

SA1 CAMEL WI CN2 CAMEL support of IMS services WI

3 Justification

It was agreed to use CAMEL (as distinct from other toolkits, existing or new ones) as a proper toolkit to provide services. For Rel-5 additions are needed. This Work Item Description summarises the work to be done.

4 Objectives

- CAMEL 4 shall be a superset of CAMEL 3 together with Rel-5 CAMEL additions.
- Any Rel-5 CAMEL addition, shall be applicable for GSM and UMTS networks, except when otherwise stated.
- The same set of CAMEL 4 capabilities shall be available when roaming in or outside the home network.
- CAMEL 4 capabilities shall apply to any service where appropriate, core network transport independence. That means, CAMEL procedures shall be usable for CS services and PS services, where appropriate. See clause 14b.
- TSG-CN shall implement CAMEL4 so that the TSG-SA1 specified requirements (22.078) are fulfilled. The implementation shall follow 3GPP Rel-5 time schedule as close as possible.

5 Service Aspects

In contrast to 2G systems new services in 3GPP will not be standardised. New services will be enabled by Service Capabilities, which are based on toolkits (e.g. CAMEL). If in addition to existing Service Capabilities new SCs particular to IM services are required or existing SCs need to be modified this needs to be identified.

6 MMI-Aspects

None identified.

7 Charging Aspects

Sufficient Charging capabilities have to be foreseen to allow flexible charging scenarios from the service provider and the network operator (visited and home) point of view. From the subscribers' point of view, online charging methods should be sufficiently enhanced to cover facilities provided in a Rel-5 network.

8 Security Aspects

A special attention has to be given to a Security Policy. Secure access to service and user confidential information has to be provided.

9 Impacts

| Affects: | USIM | ME | AN | CN | Others |
|----------|------|----|----|----|--------|
| Yes | | | | Х | |
| No | | | Х | | |
| Don't | Х | Х | | | Х |
| know | | | | | |

10 Expected Output and Time scale (to be updated at each plenary)

The results of this Work item shall be provided in a Technical Standard.

In order to complete CAMEL4 in a timely fashion the following Work Plan is proposed.

| CN2 | Dates | | Actions |
|-------------------|----------------------|---|--|
| CN2#20 | October 15-19, 2001 | • | Make final version of combined CRs to specs within CN4 remit. |
| CN4#11, CN2#21 | November 26-30, 2001 | • | CN4 to approve CN2 endorsed CRs. From that point on, CAMEL related matters are corrected one-by- |
| | | | one. |
| | | • | Prepare any new Stage 2's and 3's for submission to |
| | | | CN#14 (December 12-14). |
| | | • | Complete CR's to the 23-series and 29-series. |

| | | | New spe | ecifications | | |
|---------------|--------------------------|------------------|-------------|---|-------------------------|-----------------------|
| Spec No. | Title | Prime rsp. WG | 2ndary | Presented for information at plenary# | Approved at plenary# | Comments |
| 22.078 | CAMEL 4 | SA1 | | | | |
| 23.078 | CAMEL 4 Stage 2 | CN2 | | | CN#14 | |
| 29.078 | CAMEL 4 Stage 3 | CN2 | | | CN#14 | |
| <u>23.278</u> | IMS-CAMEL | CN2 | | <u>CN#15 and</u> | | Provided to CN#17 for |
| | interworking, stage2 | | | <u>CN#16</u> | | <u>approval</u> |
| <u>29.278</u> | IMS-CAMEL | CN2 | | | | Provided to CN#17 for |
| | interworking, stage3 | | | | | <u>approval</u> |
| 23.008 | | CN4 | | | | |
| 23.016 | | CN4 | | | | |
| 23.018 | | CN4 | | | | |
| 29.002 | | CN4 | | | | |
| 23.218 | | CN1 | | | | |
| 23.060 | | SA2 | | | | |
| Commer | nt: there will be potent | ially othe | er new spe | ecs, yet to be i | dentified | |
| | | Affe | cted existi | ng specificati | ons | |
| Spec No. | CR Subject | | | Approved at | plenary# | Comments |
| Commer | nt: there will be probal | oly vario | us R99 sp | ecifications in | npacted, yet | to be identified |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

| 11 | Work item | raporteurs |
|----|-------------|------------|
| 11 | WOIN ILCIII | raporteurs |

[Keijo Palviainen, Nokia]

12 Work item leadership

CN2

13 Supporting Companies

[Alcatel, Ericsson, Lucent, Nokia, Siemens]

14 Classification of the WI (if known)

| | Feature (go to 14a) |
|---|----------------------------|
| Х | Building Block (go to 14b) |
| | Work Task (go to 14c) |

14a The WI is a Feature: List of building blocks under this feature

14b The WI covers several Building Blocks: parent Feature CAMEL Phase 4

- 1.1. Interactions with Optimal Routing
- 1.2. Call Party Handling
- 1.3. DTMF Mid call procedure for MO and MT calls
- 1.4. Provisioning of IP-based multimedia services / CAMEL applicability to media streams like VoIP
- 1.5. CAMEL control over MT SMS
- 1.6. Inclusion of flexible tone injection
- 1.7.Charging Notification to CSE
- 1.8.Enhancements of dialled services

1.9.1.7. Provision of location information of called subscriber

1.10.1.8. Notification of GPRS mobility management to CSE

1.11. <u>1.9.</u> Inclusion of ODB data in the CSE-HLR interface

1.12. <u>1.10.</u> Location information during an ongoing call (Handover DP)

1.13. <u>1.11.</u> GPRS AnyTimeInterrogation

1.12. Transfer of IMEI (with SW version) to CSE

1.13. Handling of partial implementations of CAMEL phase 4

14c The WI is a Work Task: parent Building Block