Source:	MCC
	mailto:john.meredith@etsi.fr
Title:	CRs to 41.101 and 01.01
Document for:	information

These CRs create versions of 3GPP TS 01.01 pertaining to earlier Releases of the GSM specification sets. (This was requested by TSG SA at its 19th meeting.)

The rather unusual procedure is as follows:

- 1) CRs 004 and 005 to 41.103 create 01.01 Phase 1; CR 004 makes generic changes whilst CR005 replaces the list of specs. The starting point of 41.103 Rel-5 was chosen (rather than 01.01 R99) on the grounds that the latest version of the spec concerned should always be used as the basis of CRs to create the next Release. (Even though, in this case, it is the *first* Release which is being created rather than the *next* one!) Effectively, 41.103 is the latest in the continuing series of specs 01.01, 41.102, 41.103.
- 2) Assuming that the above CRs have been approved and implemented, the resulting 01.01 Phase 1 is then taken as the basis for a CR to create the Phase 2 version.

Note that the only change from Phase 1 to Phase 2 is to the list of specs. It would have been more regular to have created the Phase 2 spec by writing a CR to 41.103. However, this approach would not have shown the changes in the list of specs from Phase 1 to Phase 2, which is the whole objective of the exercise. Hence the rather non-standard procedure.

- 3) Assuming that the CRs creating 01.01 Phase 2 have been approved and implemented, the resulting Phase 2 spec is then taken as the basis for a CR to create the Phase 2+ Release 96 version.
- 4) Analogous steps create the R97 version from the R96 version, and then the R98 version from the R97 version.

TSG Doc	Spec	CR	Rev	Rel	Subject	Cat	Version written to	Version resulting	WG Doc	Work Item
SP-030228	41.103	004	-	1	Back formation of TS 01.01 for GSM Phase 1 – generic part	F	5.3.0	01.01 3.0.0		TEI
SP-030228	41.103	005	-	1	Back formation of TS 01.01 for GSM Phase 1 – list of specs	F	5.3.0	01.01 3.0.0		TEI
SP-030228	01.01	012	-	2	Update of list of specs for next Release	F	3.0.0	4.0.0		TEI
SP-030228	01.01	013	-	R96	Update of list of specs for next Release	F	4.0.0	5.0.0		TEI
SP-030228	01.01	014	-	R97	Update of list of specs for next Release	F	5.0.0	6.0.0		TEI
SP-030228	01.01	015	-	R98	Update of list of specs for next Release	F	6.0.0	7.0.0		TEI

		(CHANGE	REQ	UE	ST				CR-Form-v7
ж	41.10	<mark>)3</mark> CR	004	жrev	-	ж	Current vers	ion:	5.3.0	ж
For HELP on using this form, see bottom of this page or look at the pop-up text over the # symbols.										
Proposed chang	e affects:	UICC a	pps#	ME	Rad	io Ac	ccess Networ	k 📃	Core Ne	twork
Title:	第 Back f	ormation of	o <mark>f TS 01.01 fo</mark>	<mark>r GSM P</mark> h	ase 1	– g	eneric part			
Source:	ж <mark>МСС (</mark>	Specificat	ions Manager	<u>)</u>						
Work item code:	່ <mark>ສ TEI</mark>						<i>Date:</i> ೫	07/0	05/2003	
Category:	F (A (B (C (D (correction) correspond addition of functional editorial m explanatio	owing categories of to a correction feature), modification of to odification) ns of the above <u>FR 21.900</u> .	n in an ear feature)		lease	R97 R98 R99 Rel-4	(GSM (Relea (Relea (Relea	l Phase 2) ase 1996) ase 1997) ase 1998) ase 1999) ase 4) ase 5)	ases:

Clauses affected:	Ж	All
Consequences if not approved:	Ħ	Doubt over which specs are valid for this Release
Summary of change:	¥	New Release of spec created, to be numbered TS 01.01 (old GSM numbering scheme). This CR shows generic changes required. The list of specs is contained in CR 005.
Reason for change:	Ħ	Retrospective creation of definitive specs list for GSM Phase 1

Other specs affected:	ж	Y	Χ	Other core specifications # Test specifications O&M Specifications	
Other comments:	ж	С	rea	tes 01.01 v3.0.0 (GSM Phase 1)	

3GPP TS 41.10301.01 V5.3.03.0.0 (2003-

Technical Specification

3rd Generation Partnership Project; Technical Specification Group Services and System Aspects; <u>Technical Specifications and Technical Reports for a</u> <u>GERAN-based 3GPP system</u>GSM Release 5 specifications (Release 5)





The present document has been developed within the 3rd Generation Partnership Project (3GPP TM) and may be further elaborated for the purposes of 3GPP.

The present document has not been subject to any approval process by the 3GPP Organizational Partners and shall not be implemented. This Specification is provided for future development work within 3GPP only. The Organizational Partners accept no liability for any use of this Specification. Specifications and reports for implementation of the 3GPPTM system should be obtained via the 3GPP Organizational Partners' Publications Offices. Keywords GSM, architecture

3GPP

Postal address

3GPP support office address

650 Route des Lucioles - Sophia Antipolis Valbonne - FRANCE Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Internet

http://www.3gpp.org

Copyright Notification

No part may be reproduced except as authorized by written permission. The copyright and the foregoing restriction extend to reproduction in all media.

© 2003, 3GPP Organizational Partners (ARIB, CWTS, ETSI, T1, TTA, TTC). All rights reserved.

1 Scope

The present document identifies the <u>3GPP Technical Specifications and Technical Reports required to construct a</u> <u>GERAN-based system for</u> Release 5GSM system specifications for Release 5. The specifications and reports of 3GPP Release 5Release 5 have a major version number $\underline{35}$ (e.g. $\underline{35}$.x.y).

Most of the core Release 5 Technical Specifications and Technical Reports were functionally frozen at either the 15th-Technical Specification Group meetings in March 2002 or the 16th in June 2002.

NOTE 1: Functionally frozen means that no further functionality/features may be incorporated into the set of specifications, and that only corrective Change Requests (CRs) are to be accepted and agreed.

NOTE 2: It can be expected that corrective CRs will be introduced into the Release 5 version 5.x.y specificationsthroughout 2002 and beyond.

2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies. In the case of a reference to a 3GPP document (including a GSM document), a non-specific reference implicitly refers to the latest version of that document *in the same Release as the present document*.
- [1] 3GPP TR 01.0421.905: "<u>Abbreviations and acronyms</u><u>Vocabulary for 3GPP Specifications</u>".
- [2] 3GPP TR 21.900 v3 (R99): "Technical Specification Group working methods".

3 Abbreviations

For the purposes of the present document, the terms and definitions given in 3GPP TR 21.90501.04 apply.

4 General

GSM Release 5 consists of GSM only specifications and common specifications developed for both GSM Release 5 and Release 5 of the 3rd Generation mobile system.

The present document identifies the GSM system set of specifications required to implement GSM Release 5.

Specifications for GSM only Release 5 can be identified by the "**ab.cde''**-numbering scheme where "ab" is in the range 41 to 52.

Specifications for both GSM Release 4 and Release 5 of the 3rd Generation mobile system are identified by the "**ab.cdc''**-numbering scheme where "ab" is in the range 21 to 35.

A more detailed description of the specification numbering scheme is given in 3GPP TR 21.900.

4

5 Specifications and Reports

NOTE-1: The "for publication?" column of the table below indicates whether or not the documents are intended for adoption by the partner Standards Development Organizations as their own publications. Those marked "no" are internal working documents of the 3GPP TSGs.

NOTE 2: For definition of "freezing" of specifications (last two columns), see 3GPP TS 21.900 [2].

			(CHANGE	REQ	UE	ST				CR-Form-v7
æ		<mark>41.103</mark>	CR	005	ж геv	-	Ħ	Current vers	ion:	5.3.0	ж
For <u>HELP</u> on using this form, see bottom of this page or look at the pop-up text over the X symbols.										nbols.	
Proposed chang	je al	ffects: l	JICC a	lpps₩	ME	Rac	A oib	ccess Networ	k	Core Ne	twork
Title:	Ж	Back form	nation o	of TS 01.01 fo	<mark>r GSM Ph</mark>	ase	1 – li	st of specs			
Source:	Ж	MCC (Spe	ecificat	tions Manager)						
Work item code:	: X	TEI						<i>Date:</i> ೫	07/	05/2003	
Category:	[F (corr A (corr B (adc C (fund D (edit	rection) respond lition of ctional torial m planatio	ds to a correction feature), modification of f odification) uns of the above	n in an ear eature)			e) R96 R97 R98 R99 Rel-4	(GSN (Rele (Rele (Rele (Rele (Rele	ollowing rele A Phase 2) pase 1996) pase 1997) pase 1998) pase 1999) pase 4) pase 5) pase 6)	ases:

Reason for change: #	Retrospective creation of definitive specs list for GSM Phase 1
Summary of change: ₩	New Release of spec created, to be numbered TS 01.01 (old GSM numbering scheme). This CR shows the list of specs. The generic changes are contained in CR 004.
Consequences if # not approved:	Doubt over which specs are valid for this Release
Clauses affected: #	5

		Υ	Ν		
Other specs	ж		Χ	Other core specifications %	
affected:			X X	Test specifications O&M Specifications	
Other comments:	ж	С	rea	es 01.01 v3.0.0 (GSM Phase 1)	

Number	Title	WG- prime	For- publication?	freeze date	frozen
21.801	Specification drafting rules	SP	No	14/03/2002	yes
21.900	Technical Specification Group working methods	SP	Yes	14/03/2002	yes
22.001	Principles of circuit telecommunication services- supported by a Public Land Mobile Network- (PLMN)	\$1	Yes	13/06/2002	yes
22.002	Circuit Bearer Services (BS) supported by a Public Land Mobile Network (PLMN)	S 1	Yes	13/06/2002	yes
22.003	Circuit Teleservices supported by a Public Land- Mobile Network (PLMN)	\$1	Yes	14/03/2002	yes
22.004	General on supplementary services	\$1	Yes	13/06/2002	ves
22.011	Service accessibility	\$1	Yes	13/06/2002	
22.016	International Mobile Equipment Identities (IMEI)	\$1	Yes	13/06/2002	
22.022	Personalisation of Mobile Equipment (ME); Mobile functionality specification	\$3	Yes	12/09/2002	
22.024	Description of Charge Advice Information (CAI)	\$1	¥es	13/06/2002	yes
22.030	Man-Machine Interface (MMI) of the User- Equipment (UE)	\$1	Yes	13/06/2002	J
22.031	Fraud Information Gathering System (FIGS); Service description; Stage 1	\$3	Yes	12/12/2002	yes
<u>22.032</u>	Immediate Service Termination (IST); Service- description; Stage 1	\$3	Yes	13/06/2002	yes
22.034	High Speed Circuit Switched Data (HSCSD); Stage 1	\$1	Yes	13/06/2002	yes
22.038	USIM/SIM Application Toolkit (USAT/SAT);- Service description; Stage 1	S1	Yes	14/03/2002	yes
22.041	Operator Determined Call Barring	S1	Yes	13/06/2002	VAS
22.042	Network Identity and Time Zone (NITZ) service- description; Stage 1	\$1	Yes	13/06/2002	
22.053	Tandem Free Operation (TFO); Service- description; Stage 1	S 4	Yes	13/06/2002	yes
<u>22.057</u>	Mobile Execution Environment (MExE) service- description; Stage 1	\$1	Yes	14/03/2002	yes
22.060	General Packet Radio Service (GPRS); Service- description; Stage 1	\$1	Yes	14/03/2002	yes
22.066	Support of Mobile Number Portability (MNP); Stage 1	S1	Yes	13/06/2002	yes
22.067	enhanced Multi-Level Precedence and Pre- emption service (eMLPP); Stage 1	S 1	Yes	13/06/2002	yes
22.071	Location Services (LCS); Stage 1	S1	Yes	14/03/2002	ves
22.072	Call Deflection (CD); Stage 1	\$1	Yes	13/06/2002	ves
22.076	Noise suppression for the AMR codec; Service- description; Stage 1	\$ 4	Yes	13/06/2002	
22.078	Customized Applications for Mobile network- Enhanced Logic (CAMEL); Service description; Stage 1	\$1	Yes	14/03/2002	yes
22.079	Support of optimal routeing; Stage 1	\$1	¥es	13/06/2002	yes
22.081	Line Identification supplementary services; Stage		Yes	13/06/2002	
22.082	Call Forwarding (CF) Supplementary Services; Stage 1	\$1	Yes	13/06/2002	yes
22.083	Call Waiting (CW) and Call Hold (HOLD)- supplementary services; Stage 1	\$ 1	¥ es	13/06/2002	yes
22.084	MultiParty (MPTY) supplementary service; Stage 1	S 1	Yes	13/06/2002	yes
22.085	Closed User Group (CUG) supplementary- services; Stage 1	\$1	Yes	13/06/2002	yes
22.086	Advice of Charge (AoC) supplementary services; Stage 1	S 1	Yes	13/06/2002	yes
22.087	User-to-user signalling (UUS); Stage 1	\$1	Yes	13/06/2002	VAS

Number	Title	WG- prime	For- publication?	freeze date	frozen
22.088	Call Barring (CB) supplementary services; Stage-	\$1	Yes	13/06/2002	yes
22.090	Unstructured Supplementary Service Data- (USSD); Stage 1	\$1	Yes	13/06/2002	yes
22.091	Explicit Call Transfer (ECT) supplementary- service; Stage 1	\$1	Yes	13/06/2002	yes
22.093	Completion of Calls to Busy Subscriber (CCBS);- Service description, Stage 1	\$1	Yes	13/06/2002	yes
22.094	Follow Me service description - Stage 1	\$1	Yes	13/06/2002	yes
22.096	Name identification supplementary services; Stage 1	\$1	Yes	13/06/2002	yes
22.097	Multiple Subscriber Profile (MSP) Phase 1; Service description - Stage 1	\$1	Yes	13/06/2002	yes
22.115	Service Aspects Charging and billing	\$1	Yes	14/03/2002	yes
22.121	Service aspects; The Virtual Home Environment; Stage 1	\$1	Yes	14/03/2002	yes
22.129	Handover requirements between UTRAN and GERAN or other radio systems	\$1	Yes	14/03/2002	yes
22.226	Global text telephony (GTT); Stage 1: Service-	\$1	Yes	14/03/2002	yes
22.228	Service requirements for the Internet Protocol- (IP) multimedia core network subsystem; Stage 1	\$1	Yes	14/03/2002	yes
23.002	Network architecture	S2	Yes	14/03/2002	
23.003	Numbering, Addressing and Identification	N4	Yes	08/03/2002	yes
23.007	Restoration procedures	N4	Yes	08/03/2002	
23.008	Organisation of subscriber data	N4	Yes	08/03/2002	
23.009	Handover procedures	N1	Yes	08/03/2002	yes
23.011	Technical realization of Supplementary Services	N4	Yes	08/03/2002	
23.012	Location management procedures	N 4	Yes	08/03/2002	yes
23.01 4	Support of Dual Tone Multi Frequency (DTMF)- signalling	N1	Yes	08/03/2002	yes
23.015	Technical realisation of Operator Determined- Barring (ODB)	N 4	Yes	08/03/2002	yes
23.016	Subscriber data management; Stage 2	N4	Yes	08/03/2002	
23.018	Basic Call Handling; Technical realization	N 4	Yes	08/03/2002	
23.031	Fraud Information Gathering System (FIGS); Service description; Stage 2	\$3	Yes	12/12/2002	
<u>23.032</u>	Universal Geographical Area Description (GAD)	\$2	Yes	20/03/2003	
23.03 4	High Speed Circuit Switched Data (HSCSD); Stage 2	N 1	Yes	08/03/2002	
23.035	Immediate Service Termination (IST); Stage 2	\$3	Yes	13/06/2002	
23.038	Alphabets and language-specific information	T2	Yes	08/03/2002	
23.039	Interface Protocols for the Connection of Short- Message Service Centers (SMSCs) to Short- Message Entities (SMEs)	T2	Yes	08/03/2002	yes
23.040	Technical realization of Short Message Service- (SMS)	72	Yes	08/03/2002	yes
23.0 41	Technical realization of Cell Broadcast Service (CBS)	T2	¥ es	07/06/2002	yes
23.042	Compression algorithm for SMS	T2	Yes	08/03/2002	
23.048	Security Mechanisms for the (U)SIM application toolkit; Stage 2	T3	Yes	08/03/2002	yes
23.053	Tandem Free Operation (TFO); Service- description; Stage 2	\$ 4	¥ es	1 3/06/2002	yes
23.057	Mobile Execution Environment (MExE); Functional description; Stage 2	T2	¥ es	08/03/2002	yes
23.060	General Packet Radio Service (GPRS) Service- description; Stage 2	\$2	Yes	14/03/2002	yes
23.066	Support of GSM Mobile Number Portability (MNP) stage 2	N 4	Yes	08/03/2002	
23.067	Enhanced Multi-Level Precedence and Pre- emption Service (cMLPP); Stage 2	N 4	Yes	08/03/2002	
<u>23.072</u>	Call Deflection Supplementary Service; Stage 2	N 4	Yes	08/03/2002	yes

Number	Title	WG- prime	For- publication?	freeze date	frozen
23.078	Customised Applications for Mobile network Enhanced Logic (CAMEL); Stage 2	N2	Yes	07/06/2002	yes
23.079	Support of Optimal Routeing (SOR); Technical realization; Stage 2	N 4	Yes	08/03/2002	yes
23.081	Line Identification supplementary services; Stage 2	N 4	Yes	08/03/2002	yes
23.082	Call Forwarding (CF) Supplementary Services; Stage 2	N 4	¥ es	08/03/2002	yes
23.083	Call Waiting (CW) and Call Hold (HOLD)- Supplementary Service; Stage 2	N 4	Yes	08/03/2002	yes
23.08 4	MultiParty (MPTY) Supplementary Service; Stage 2	N 4	Yes	08/03/2002	yes
23.085	Closed User Group (CUG) Supplementary Service; Stage 2	N4	Yes	08/03/2002	
23.086	Advice of Charge (AoC) Supplementary Service; Stage 2	N 4	Yes	08/03/2002	Ĩ
23.087	User-to-User Signalling (UUS) supplementary- service; Stage 2	N 4	Yes	08/03/2002	
23.088	Call Barring (CB) Supplementary Service; Stage-2	N 4	Yes	08/03/2002	
23.090	Unstructured Supplementary Service Data- (USSD); Stage 2	N 4	Yes	08/03/2002	
23.091	Explicit Call Transfer (ECT) Supplementary Service; Stage 2	N4	Yes	08/03/2002	Ĩ
23.093	Technical realization of Completion of Calls to- Busy Subscriber (CCBS); Stage 2	N 4	Yes	08/03/2002	yes
23.094	Follow Me Stage 2	N4	Yes	08/03/2002	yes
23.096	Name Identification Supplementary Service; Stage 2	N 4	Yes	08/03/2002	yes
23.097	Multiple Subscriber Profile (MSP) Phase 1; Stage 2	N4	Yes	08/03/2002	yes
23.108	Mobile radio interface layer 3 specification core- network protocols; Stage 2 (structured- procedures)	N1	Yes	07/06/2002	yes
23.116	Super-Charger technical realization; Stage 2	N4	Yes	08/03/2002	ves
23.119	Gateway Location Register (GLR); Stage2	N4	Yes	08/03/2002	
23.140	Multimedia Messaging Service (MMS); Functional description; Stage 2	T2	Yes	08/03/2002	
23.207	End-to-end Quality of Service (QoS) concept and architecture	\$2	Yes	14/03/2002	yes
23.218	IP Multimedia (IM) session handling; IM call- model; Stage 2	N1	Yes	08/03/2002	yes
23.221	Architectural requirements	\$2	Yes	14/03/2002	yes
23.226	Global text telephony (GTT); Stage 2: Architecture	82	Yes	08/03/2002	yes
23.228	IP Multimedia Subsystem (IMS); Stage 2	S2	Yes	14/03/2002	yes
23.236	Intra-domain connection of Radio Access- Network (RAN) nodes to multiple Core Network- (CN) nodes	\$2	Y es	14/03/2002	yes
23.271	Location Services (LCS); Functional description;- Stage 2	\$2	Yes	14/03/2002	yes
23.278	Customised Applications for Mobile network- Enhanced Logic (CAMEL) - IP Multimedia- System (IMS) interworking; Stage 2	N2	Yes	06/12/2002	yes
23.815	Charging implications of IMS architecture	<u>\$2</u>	No	14/03/2002	VAS
24.002	GSM-UMTS Public Land Mobile Network (PLMN) Access Reference Configuration	N1	Yes	08/03/2002	
24.007	Mobile radio interface signalling layer 3; General Aspects	N1	Y es	08/03/2002	yes
24.008	Mobile radio interface Layer 3 specification; Core network protocols; Stage 3	N1	Yes	08/03/2002	yes
24.010	Mobile Radio Interface Layer 3 - Supplementary Services Specification - General Aspects	N 4	Yes	08/03/2002	yes

Number	Title	WG- prime	For- publication?	freeze date	frozen
24.011	Point-to-Point (PP) Short Message Service- (SMS) Support on Mobile Radio Interface	N1	Yes	08/03/2002	yes
24.022	Radio Link Protocol (RLP) for circuit switched- bearer and teleservices	N3	Yes	08/03/2002	yes
24.030	Location Services (LCS); Supplementary service- operations; Stage 3	N 4	Yes	08/03/2002	yes
<u>24.067</u>	Enhanced Multi-Level Precedence and Pre- emption service (eMLPP); Stage 3	N4	Yes	08/03/2002	yes
24.072	Call Deflection Supplementary Service; Stage 3	N4	Yes	08/03/2002	yes
<u>24.080</u>	Mobile radio Layer 3 supplementary service- specification; Formats and coding	N 4	Yes	08/03/2002	yes
<u>24.081</u>	Line Identification Supplementary Service; Stage- 3	N4	Yes	08/03/2002	yes
24.082	Call Forwarding supplementary service; Stage 3	N4	Yes	08/03/2002	yes
<u>24.083</u>	Call Waiting (CW) and Call Hold (HOLD)- Supplementary Service; Stage 3	N 4	Yes	08/03/2002	yes
<u>24.08</u> 4	MultiParty (MPTY) Supplementary Service; Stage 3	N 4	Yes	08/03/2002	yes
24.085	Closed User Group (CUG) Supplementary Service; Stage 3	N 4	Yes	08/03/2002	yes
24.086	Advice of Charge (AoC) Supplementary Service; Stage 3	N 4	Yes	08/03/2002	yes
24.087	User-to-User Signalling (UUS); Stage 3	N4	Yes	08/03/2002	ves
24.088	Call Barring (CB) Supplementary Service; Stage-	N 4	Yes	08/03/2002	
24.090	Unstructured Supplementary Service Data- (USSD); Stage 3	N 4	Yes	08/03/2002	yes
24.091	Explicit Call Transfer (ECT) Supplementary- Service; Stage 3	N 4	Yes	08/03/2002	yes
<u>24.093</u>	Call Completion to Busy Subscriber (CCBS); Stage 3	N 4	Yes	08/03/2002	yes
24.096	Name Identification Supplementary Service; Stage 3	N 4	Yes	08/03/2002	yes
<u>24.228</u>	Signalling flows for the IP multimedia call control- based on SIP and SDP; Stage 3	N1	Yes	07/06/2002	yes
24.229	IP Multimedia Call Control Protocol based on SIP and SDP; Stage 3	N1	Yes	07/06/2002	
<u>26.071</u>	AMR speech Codec; General description	\$ 4	Yes	13/06/2002	yes
<u>26.073</u>	AMR speech Codec; C-source code	\$ 4	Yes	13/06/2002	
<u>26.074</u>	AMR speech Codec; Test sequences	\$ 4	Yes	13/06/2002	yes
26.077	Minimum Performance Requirements for Noise- Suppresser Application to the AMR Speech- Encoder	\$ 4	Yes	13/06/2002	yes
26.090	AMR speech Codec; Transcoding Functions	\$4	Yes	13/06/2002	Ves
26.091	AMR speech Codec; Error concealment of lost frames	\$ 4	Yes	13/06/2002	
<u>26.092</u>	AMR speech Codec; comfort noise for AMR- Speech Traffic Channels	\$ 4	Yes	13/06/2002	yes
26.093	AMR speech Codec; Source Controlled Rate- operation	\$ 4	Yes	13/06/2002	yes
26.094	AMR Speech Codec; Voice Activity Detector for AMR Speech Traffic Channels	\$ 4	Yes	13/06/2002	yes
26.102	AMR speech Codec; Interface to lu and Uu	\$ 4	Yes	13/06/2002	yes
26.103	Speech codec list for GSM and UMTS	S 4	Yes	14/03/2002	
2 <u>6.10</u> 4	ANSI-C code for the floating-point Adaptive- Multi-Rate (AMR) speech codec	\$ 4	Yes	13/06/2002	
26.110	Codec for circuit switched multimedia telephony service; General description	\$ 4	Yes	13/06/2002	yes
26.111	Codec for Circuit switched Multimedia Telephony Service; Modifications to H.324		Yes	13/06/2002	
26.140	Multimedia Messaging Service (MMS); Media- formats and codes	\$ 4	Yes	14/03/2002	
<u>26.171</u>	AMR speech codec, wideband; General description	\$ 4	Yes	14/03/2002	yes

Number	Title	WG- prime	For- publication?	freeze date	frozen
26.173	ANSI-C code for the Adaptive Multi Rate (AMR)- Wideband speech codec	\$ 4	¥es	14/03/2002	yes
26.174	AMR speech codec, wideband; Test sequences	S 4	Yes	14/03/2002	ves
26.190	Mandatory Speech Codec speech processing- functions AMR Wideband speech codec; Transcoding functions	\$ 4	Yes	14/03/2002	
26.191	AMR speech codec, wideband; Error- concealment of lost frames	\$ 4	Yes	14/03/2002	yes
26.192	Mandatory Speech Codec speech processing- functions AMR Wideband Speech Codec;- Comfort noise aspects	\$ 4	Yes	14/03/2002	yes
26.193	AMR speech codec, wideband; Source- Controlled Rate operation	\$ 4	Yes	14/03/2002	yes
26.194	Mandatory Speech Codec speech processing- functions AMR Wideband speech codec; Voice- Activity Detector (VAD)	\$ 4	Yes	14/03/2002	yes
26.201	AMR speech codec, wideband; Frame structure	\$ 4	Yes	14/03/2002	yes
26.202	AMR speech codec, wideband; Interface to lu- and Uu	\$ 4	Yes	14/03/2002	yes
26.20 4	ANSI-C code for the floating-point Adaptive- Multi-Rate (AMR) wideband speech codec	\$ 4	Yes	14/03/2002	-
26.226	Global text telephony (GTT);Transport of text in- the voice channel	\$ 4	Yes	14/03/2002	
26.230	Global text telephony (GTT); Cellular text- telephone modem transmitter C-code description	\$ 4	Yes	14/03/2002	
26.231	Global text telephony (GTT); Cellular text- telephone modem minimum performance- requirements	S 4	Yes	14/03/2002	yes
26.235	Packet switched conversational multimedia- applications; Default codecs	S 4	Yes	14/03/2002	yes
26.911	Codec for Circuit switched Multimedia Telephony Service;Terminal Implementor's Guide	\$ 4	Yes	13/06/2002	yes
26.975	Performance characterization of the Adaptive- Multi-Rate (AMR) speech codec	\$ 4	Yes	13/06/2002	
26.976	Performance characterization of the Adaptive- Multi-Rate Wideband (AMR-WB) speech codec	\$ 4	Yes	07/06/2002	
27.001	General on Terminal Adaptation Functions (TAF) for Mobile Stations (MS)		Yes	08/03/2002	
27.002	Terminal Adaptation Functions (TAF) for services using Asynchronous bearer capabilities		Yes	08/03/2002	,
27.003	Terminal Adaptation Functions (TAF) for services using Synchronous bearer capabilities		Yes	08/03/2002	
27.005	Use of Data Terminal Equipment - Data Circuit terminating Equipment (DTE-DCE) interface for Short Message Service (SMS) and Cell- Broadcast Service (CBS)	T2	Yes	08/03/2002	
27.007	AT command set for 3G User Equipment (UE)	T2	Yes	08/03/2002	yes
27.010	Terminal Equipment to User Equipment (TE-UE)- multiplexer protocol	T2	Yes	08/03/2002	yes
27.060	Packet domain; Mobile Station (MS) supporting- Packet Switched services	N3	Yes	08/03/2002	
27.103	Wide Area Network Synchronization	T2	Yes	08/03/2002	
28.062	Inband Tandem Free Operation (TFO) of speech- codecs; Service description; Stage 3	\$ 4	Yes	14/03/2002	
29.002	Mobile Application Part (MAP) specification	N 4	Yes	08/03/2002	
29.007	General requirements on interworking between- the Public Land Mobile Network (PLMN) and the- Integrated Services Digital Network (ISDN) or- Public Switched Telephone Network (PSTN)	N3	Yes	08/03/2002	yes
29.010	Information Element Mapping between Mobile- Station - Base Station System (MS - BSS) and Base Station System - Mobile-services Switching Centre (BSS - MCS) Signalling Procedures and the Mobile Application Part (MAP)	N4	¥ os	08/03/2002	yes

Number	Title	WG- prime	For- publication?	freeze date	frozen
29.011	Signalling Interworking for Supplementary- Services	N4	Yes	08/03/2002	yes
29.013	Signalling interworking between ISDN- supplementary services Application Service- Element (ASE) and Mobile Application Part- (MAP) protocols	N4	Yes	08/03/2002	
29.016	Serving GPRS Support Node SGSN - Visitors Location Register (VLR); Gs Interface Network- Service Specification	N1	Yes	08/03/2002	yes
29.018	General Packet Radio Service (GPRS); Serving- GPRS Support Node (SGSN) - Visitors Location- Register (VLR); Gs interface layer 3 specification	N1	Yes	08/03/2002	yes
29.060	General Packet Radio Service (GPRS); GPRS- Tunnelling Protocol (GTP) across the Gn and Gp- interface	N 4	Yes	08/03/2002	yes
29.061	Interworking between the Public Land Mobile Network (PLMN) supporting Packet Based- services and Packet Data Networks (PDN)	N3	Yes	06/09/2002	yes
29.078	Customised Applications for Mobile network- Enhanced Logic (CAMEL); CAMEL Application-	N2	Yes	07/06/2002	yes
29.207	Part (CAP) specification Policy control over Go interface	N3	Yes	07/06/2002	VAS
29.207 29.208	End to end Quality of Service (QoS) signalling flows	N3	Yes	07/06/2002	
29.228	IP Multimedia (IM) Subsystem Cx and Dx- Interfaces; Signalling flows and message- contents	N 4	Y es	07/06/2002	yes
29.229	Cx and Dx interfaces based on the Diameter- protocol; Protocol details	N 4	Yes	07/06/2002	yes
29.278	Customised Applications for Mobile network- Enhanced Logic (CAMEL); CAMEL Application- Part (CAP) specification for IP Multimedia- Subsystems (IMS)	N2	¥ os	06/12/2002	yes
29.328	IP Multimedia Subsystem (IMS) Sh interface- signalling flows and message contents	N 4	Yes	07/06/2002	yes
29.329	Sh interface based on the Diameter protocol	N4	Yes	07/06/2002	yes
29.994	Recommended infrastructure measures to- overcome specific Mobile Station (MS) and User- Equipment (UE) faults	N1	Yes	14/03/2002	yes
<u>30.902</u>	Guidelines for the modification of the Mobile- Application Part (MAP)	N 4	No	14/03/2002	yes
31.048	Test specification for security mechanisms for- the (U)SIM application toolkit	13	Yes	19/09/2003	-
31.103	Characteristics of the ISIM application	13	Yes	07/06/2002	
31.111	USIM Application Toolkit (USAT)	13	Yes	08/03/2002	
32.200	Telecommunication management; Charging- management; Charging principles	\$5	Yes	12/09/2002	
32.225	Telecommunication management; Charging- management; Charging data description for the- IP Multimedia Subsystem (IMS)	\$5	Yes	12/09/2002	yes
32.311	Telecommunication management; Ceneric- Integration Reference Point (IRP) management; Requirements	\$5	Yes	14/03/2002	yes
32.401	Telecommunication management; Performance- Management (PM); Concept and requirements	\$5	Yes	14/03/2002	yes
32.403	Telecommunication management; Performance- Management (PM); Performance measurements- - UMTS and combined UMTS/GSM	\$5	Yes	14/03/2002	yes
32.600	Telecommunication management; Configuration- Management (CM); Concept and high-level- requirements	\$5	Yes	12/09/2002	yes
32.601	Telecommunication management; Configuration- Management (CM); Basic CM Integration- Reference Point (IRP): requirements	\$5	Yes	12/09/2002	yes

Number	Title	WG- prime	For- publication?	freeze date	frozen
32.602	Telecommunication management; Configuration Management (CM); Basic Configuration Management Integration Reference Point (IRP) information service	\$5	Yes	12/09/2002	yes
32.603	Telecommunication management; Configuration Management (CM); Basic Configuration Management Integration Reference Point (IRP): CORBA solution set	S5	Yes	12/09/2002	yes
32.621	Telecommunication management; Configuration- Management (CM); Generic network resources- Integration Reference Point (IRP): requirements	\$5	Yes	12/09/2002	yes
<u>32.622</u>	Telecommunication management; Configuration- Management (CM); Generic network resources- Integration Reference Point (IRP): Network- Resource Model (NRM)	\$5	Yes	12/09/2002	yes
<u>32.623</u>	Telecommunication management; Configuration- Management (CM); Generic network resources- Integration Reference Point (IRP): CORBA- solution set	\$5	Yes	12/09/2002	yes
<u>32.62</u> 4	Telecommunication management; Configuration Management (CM); Generic network resources:- Integration Reference Point (IRP) CMIP solution- set	\$5	Yes	12/09/2002	yes
32.625	Telecommunication management; Configuration- Management (CM); Generic network resources- Integration Reference Point (IRP): Bulk CM- eXtensible Markup Language (XML) file format- definition	\$5	¥ os	14/03/2002	yes
32.632	Telecommunication management; Configuration- Management (CM); Core Network Resources- Integration Reference Point (IRP): Network- Resource Model (NRM)	\$5	¥ os	12/09/2002	yes
32.633	Telecommunication management; Configuration Management (CM); Core network resources Integration Reference Point (IRP): CORBA- solution set	\$5	Yes	12/09/2002	yes
32.63 4	Telecommunication management; Configuration- Management (CM); Core network resources- Integration Reference Point (IRP): CMIP solution set	\$5	Yes	12/09/2002	yes
32.635	Telecommunication management; Configuration- Management (CM); Core network resources- Integration Reference Point (IRP): Bulk CM- eXtensible Markup Language (XML) file format- definition	\$5	Y os	13/06/2002	yes
32.651	Telecommunication management; Configuration Management (CM); GERAN network resources- Integration Reference Point (IRP): requirements	\$5	Yes	12/09/2002	yes
32.652	Telecommunication management; Configuration- Management (CM); GERAN network resources- Integration Reference Point (IRP): Network- Resource Model (NRM)	\$5	Y os	12/09/2002	yes
32.653	Telecommunication management; Configuration- Management (CM); GERAN network resources- Integration Reference Point (IRP): CORBA- solution set	\$5	Yes	12/09/2002	yes
32.65 4	Telecommunication management; Configuration- Management (CM); GERAN network resources- Integration Reference Point (IRP): CMIP solution- set	\$5	¥ os	12/09/2002	yes
32.655	Telecommunication management; Configuration- Management (CM); GERAN network resources- Integration Reference Point (IRP): Bulk CM- eXtensible Markup Language (XML) file format- definition	\$5	Yes	13/06/2002	yes

Number	Title	WG- prime	For- publication?	freeze date	frozen
32.691	Telecommunication management; Inventory-	\$5	Yes	12/09/2002	yes
	management network resources Integration Reference Point (IRP): Requirements				
32.692	Telecommunication management; Inventory	\$5	Yes	12/09/2002	yes
	management network resources Integration Reference Point (IRP): Network resource model				
33.203	3G security; Access security for IP-based-	\$3	Yes	14/03/2002	yes
33.210	3G security; Network Domain Security (NDS); IP- network layer security	S3	Yes	14/03/2002	yes
11.031	Fraud Information Gathering System (FIGS); Service requirements; Stage 0	S3	Yes	14/03/2002	yes
11.033	· · · · ·	\$3	Yes	14/03/2002	
++.033 11.103	Lawful Interception requirements for GSM GSM Release 5 specifications	SP	Yes	13/06/2002	
12.019	Subscriber Identity Module Application	3- T3	Yes	08/03/2002	
	Programming Interface (SIM API); Stage 1				
1 <u>2.033</u>	Lawful Interception; Stage 1	\$3	Yes	14/03/2002	
12.043	Support of Localised Service Area (SoLSA); Service description; Stage 1	\$1	Yes	13/06/2002	yes
1 <u>2.056</u>	GSM Cordless Telephony System (CTS), Phase- 1; Service description; Stage 1	\$1	Yes	13/06/2002	yes
2.068	Voice Group Call Service (VGCS); Stage 1	\$1	Yes	13/06/2002	VAS
2.069	Voice Broadcast Service (VBS); Stage 1	\$1	Yes	13/06/2002	
12.000	Technical performance objectives	NP	Yes	08/03/2002	
13.010	GSM Public Land Mobile Network (PLMN)	N3	Yes	08/03/2002	
1 3.013	connection types Discontinuous Reception (DRX) in the GSM-	G 1	Yes	28/06/2002	yes
13.019	system Subscriber Identity Module Application- Programming Interface (SIM API) for Java Card;-	T3	Yes	08/03/2002	yes
10.000	Stage 2	00		40/00/0000	
13.020	Security-related network functions	\$3	Yes	13/06/2002	
1 3.022	Functions related to Mobile Station (MS) in idle- mode and group receive mode	G1	Yes	28/06/2002	
13.026	Multiband operation of GSM / DCS 1800 by a- single operator	G1	Yes	28/06/2002	yes
13.030	Radio network planning aspects	G1	Yes	28/06/2002	yes
13.033	Lawful Interception; Stage 2	S3	Yes	14/03/2002	ves
1 3.045	Technical Realization of Facsimile Group 3- Service - transparent	N3	Yes	08/03/2002	
1 3.050	Transmission Planning Aspects of the Speech	S 4	Yes	14/03/2002	yes
	Service in the GSM Public Land Mobile Network- (PLMN) System				
1 3.051	GSM/EDGE Radio Access Network (GERAN) overall description; Stage 2	G1	Yes	19/04/2002	yes
1 3.052	Lower layers of the GSM Cordless Telephony- System (CTS) radio interface; Stage 2	G1	Yes	28/06/2002	yes
13.055	Dual Transfer Mode (DTM); Stage 2	G1	Yes	28/06/2002	yes
13.058	Characterisation, test methods and quality- assessment for handsfree Mobile Stations (MSs)	\$ 4	Yes	13/06/2002	
1 3.059	Functional stage 2 description of Location- Services (LCS) in GERAN	G1	Yes	19/04/2002	yes
1 3.06 4	Overall description of the GPRS radio interface; Stage 2	G1	Yes	19/04/2002	yes
3.068	Voice Group Call Service (VGCS); Stage 2	N1	Yes	08/03/2002	Ves
3.069	Voice Broadcast service (VBC3); Stage 2	N1	Yes	08/03/2002	
13.009 13.073	Support of Localised Service Area (SoLSA);	N4	Yes	13/06/2002	
	Stage 2				
13.130	lur-g interface; Stage 2	G1	Yes	30/08/2002	
1 3.900	Support for voice optimization for the IMS in the GERAN	G 1	Yes	28/06/2002	
14.001	Mobile Station - Base Station System (MS - BSS) Interface General Aspects and Principles	N1	Yes	08/03/2002	yes

Number	Title	WG- prime	For- publication?	freeze date	frozen
44.003	Mobile Station - Base Station System (MS -	G2	Yes	30/08/2002	yes
	BSS) Interface Channel Structures and Access Capabilities				
14.004	Layer 1 - General Requirements	G2	Yes	19/04/2002	yes
14.005	Data Link (DL) Layer General Aspects	G2	Yes	30/08/2002	yes
14.006	Mobile Station - Base Stations System (MS BSS) Interface Data Link (DL) Layer- Specification	G2	Yes	30/08/2002	yes
44. 012	Short Message Service Cell Broadcast (SMSCB) Support on the Mobile Radio Interface	G2	Yes	30/08/2002	yes
14.01 3	Performance Requirements on Mobile Radio-	N 1	Yes	08/03/2002	yes
4 4.014	Individual equipment type requirements and interworking; Special conformance testing-functions	G2	Yes	30/08/2002	yes
44.018	Mobile radio interface layer 3 specification; Radio Resource Control Protocol	G2	Yes	19/04/2002	yes
44.021	Rate Adaption on the Mobile Station - Base- Station System (MS-BSS) Interface	N3	Yes	08/03/2002	yes
44. 031	Location Services (LCS); Mobile Station (MS) - Serving Mobile Location Centre (SMLC) Radio- Resource LCS Protocol (RRLP)	G2	Yes	19/04/2002	yes
44. 035	Location Services (LCS); Broadcast network- assistance for Enhanced Observed Time- Difference (E-OTD) and Global Positioning- System (GPS) positioning methods	G2	Yes	30/08/2002	yes
44.0 56	GSM Cordless Telephony System (CTS), (Phase 1) CTS Radio Interface Layer 3 Specification	N 1	Yes	08/03/2002	yes
44.057	GSM Cordless Telephony System (CTS), (Phase 1) CTS CTS supervising system Layer 3 Specification	N1	Yes	08/03/2002	yes
4 4.060	General Packet Radio Service (GPRS); Mobile Station (MS) - Base Station System (BSS)- interface; Radio Link Control/ Medium Access- Control (RLC/MAC) protocol	G2	Yes	19/04/2002	yes
44.064	Mobile Station - Serving GPRS Support Node- (MS-SGSN) Logical Link Control (LLC) Layer- Specification	N1	Yes	08/03/2002	yes
44.065	Mobile Station (MS) - Serving GPRS Support- Node (SGSN); Subnetwork Dependent- Convergence Protocol (SNDCP)	N1	Y es	08/03/2002	yes
14.068	Group Call Control (GCC) Protocol	N1	Yes	08/03/2002	VAS
14.069	Broadcast Call Control (BCC) protocol	N1	Yes	08/03/2002	
14.071	Location Services (LCS); Mobile radio interface- layer 3 LCS specification	G2	Yes	30/08/2002	
44.118	Mobile radio interface layer 3 specification, Radio Resource Control (RRC) protocol lu mode	G2	Yes	19/04/2002	yes
44.1 60	General Packet Radio Service (GPRS); Mobile- Station (MS) - Base Station System (BSS)- interface; Radio Link Control/ Medium Access- Control (RLC/MAC) protocol for Iu mode	G2	Yes	19/04/2002	yes
14.901	External network assisted cell change (NACC)	G2	¥es	19/04/2002	yes
15.001	Physical layer on the radio path; General description	G1	Yes	19/04/2002	
1 5.002	Multiplexing and multiple access on the radio- path	G 1	Yes	19/04/2002	
4 5.003	Channel coding	G1	Yes	19/04/2002	
1 5.004	Modulation	G 1	Yes	19/04/2002	
15.005	Radio transmission and reception	G1	Yes	19/04/2002	
15.008	Radio subsystem link control	G1	Yes	19/04/2002	yes
15.009	Link adaptation	G1	Yes	19/04/2002	
15.010	Radio subsystem synchronization	G1	Yes	28/06/2002	yes
1 5.022	Radio link management in hierarchical networks	G1	Yes	28/06/2002	
45.050	Background for RF Requirements	G1	Yes	28/06/2002	ves

Number	Title	WG- prime	For- publication?	freeze date	frozen
4 5.056	CTS-FP Radio Sub-system	G1	Yes	28/06/2002	yes
16.001	Full Rate Speech Processing Functions	S 4	Yes	13/06/2002	yes
16.002	Half Rate Speech Processing Functions	S 4	Yes	13/06/2002	yes
16.006	Half-rate speech: ANSI-C code for GSM half- rate speech codec	\$ 4	Yes	13/06/2002	
4 6.007	Half Rate Speech: Test Sequence for GSM Half- Rate Speech Codec	S4	Yes	13/06/2002	yes
4 6.008	Half Rate Speech; Performance Characterization	\$ 4	Yes	13/06/2002	yes
40.040	of the GSM Half Rate speech codec	C 4	Vee	42/00/2002	
4 6.010	Full-rate speech transcoding	\$4	Yes	13/06/2002	
16.011	Substitution and Muting of Lost Frames for Full- Rate Speech Channels	\$ 4	Yes	13/06/2002	
46.012	Comfort Noise Aspects for Full Rate Speech- Traffic Channels	\$ 4	Yes	13/06/2002	yes
46.020	Half Rate Speech Transcoding	S 4	Yes	13/06/2002	ves
4 6.021	Half rate speech; Substitution and muting of lost- frames for half rate speech traffic channels	\$ 4	Yes	13/06/2002	
4 6.022	Comfort Noise Aspects for Half Rate Speech Traffic Channels	\$ 4	Yes	13/06/2002	yes
4 6.031	Discontinuous Transmission (DTX) for Full Rate	\$ 4	Yes	13/06/2002	yes
40.000	Speech Traffic Channels	\$ 4	Vee	13/06/2002	
4 6.032 4 6.041	Voice Activity Detection (VAD) Discontinuous Transmission (DTX) for Half Rate	54 \$4	Yes Yes	13/06/2002	
	Speech Traffic Channels				
16.042	Voice Activity Detection (VAD) for Half Rate- Speech Traffic Channels	\$ 4	Yes	13/06/2002	yes
1 6.051	GSM Enhanced full rate speech processing- functions: General description	\$ 4	Yes	13/06/2002	yes
4 6.053	ANSI-C code for the GSM Enhanced full rate- speech codec	\$ 4	Yes	13/06/2002	yes
4 6.05 4	Test sequences for the GSM Enhanced Full Rate (EFR)	S 4	Yes	13/06/2002	yes
4 6.055	Performance characterisation of the GSM EFR- Speech Codec	\$ 4	Yes	13/06/2002	yes
46.060	Enhanced full rate speech transcoding	\$ 4	Yes	13/06/2002	VAS
46.061	Substitution and muting of lost frames for	\$4	Yes	13/06/2002	
	encanced full rate speech traffic channels				-
4 6.062	Comfort noise aspects for Enhanced Full Rate (EFR) speech traffic channels	S4	Yes	13/06/2002	
4 6.081	Discontinuous Transmission (DTX) for encanced- full rate speech traffic channels	\$ 4	¥es	13/06/2002	yes
1 6.082	Voice Activity Detection (VAD) for encanced full- rate speech traffic channels	\$ 4	Yes	13/06/2002	yes
4 6.085	Subjective tests on the interoperability of the HR/FR/EFR speech codecs; single, tandem and	\$ 4	Yes	13/06/2002	yes
48.001	tandem free operation General Aspects on the BSS-MSC Interface	G2	Yes	30/08/2002	VAS
48.001 48.002	Base Station System - Mobile Services Switching		Yes	19/04/2002	
10.002	Centre (BSS-MSC) Interface - Interface Principles	92	105	+8/04/2002	yes
48.004	Base Station System - Mobile Services Switching Centre (BSS-MSC) Interface Layer 1- Specification	G2	Yes	30/08/2002	yes
18.006	Signalling Transport Mechanism Specification for the Base Station System - Mobile Services- Switching Centre (BSS-MSC) Interface	G2	Yes	30/08/2002	yes
48.008	Mobile Switching Centre - Base Station system	G2	Yes	19/04/2002	yes
4 8.014	(MSC-BSS) Interface Layer 3 Specification General Packet Radio Service (GPRS); Base- Station System (BSS) - Serving GPRS Support- Node (SCSN) interface: Children Layer 1	G2	Yes	30/08/2002	yes
18.016	Node (SGSN) interface; Gb Interface Layer 1 General Packet Radio Service (GPRS); Base- Station System (BSS) - Serving GPRS Support- Node (SGSN) Interface; Network Service	G2	Yes	19/04/2002	yes

Number	Title	WG- prime	For- publication?	freeze date	frozen
4 8.018	General Packet Radio Service (GPRS); Base- Station System (BSS) - Serving GPRS Support- Node (SGSN); BSS GPRS Protocol	G2	Yes	19/04/2002	yes
4 8.020	Rate Adaptation on the Base Station System - Mobile Service Switching Centre (BSS-MSC) Interface	N3	Y es	08/03/2002	yes
4 8.031	Location Services LCS: Serving Mobile Location Centre - Serving Mobile Location Centre (SMLC- - SMLC); SMLCPP specification	G2	Yes	28/06/2002	yes
4 8.051	Base Station Controller - Base Tranceiver Station (BSC-BTS) Interface General Aspects	G2	Yes	30/08/2002	yes
4 8.052	Base Station Controller - Base Tranceiver Station (BSC-BTS) Interface - Interface Principles	G2	Yes	30/08/2002	yes
4 8.054	Base Station Controller - Base Transceiver- Station (BSC - BTS) interface; Layer 1 structure- of physical circuits	G2	Yes	30/08/2002	yes
4 8.056	Base Station Controller - Base Transceiver- Station (BSC - BTS) interface; Layer 2- specification	G2	Yes	30/08/2002	yes
4 8.058	Base Station Controler - Base Transceiver- Station (BCS-BTS) Interface Layer 3- Specification	G2	Yes	19/04/2002	yes
4 8.060	In-band control of remote transcoders and rate- adaptors for full rate traffic channels	G 1	¥ es	19/04/2002	yes
4 8.061	In-band control of remote transcoders and rate- adaptors for half rate traffic channels	G1	Yes	19/04/2002	yes
4 8.071	Location Services (LCS); Serving Mobile- Location Centre - Base Station System (SMLC- BSS) interface; Layer 3 specification	G2	Yes	30/08/2002	yes
49.001	General network interworking scenarios	N4	Yes	08/03/2002	ves
4 9.008	Application of the Base Station System Application Part (BSSAP) on the E-Interface	N1	¥ es	08/03/2002	
4 9.031	Location Services (LCS); Base Station System- Application Part LCS Extension (BSSAP-LE)	G2	Yes	19/04/2002	yes
	Mobile Station (MS) conformance specification; Part 1: Conformance specification	G5	Yes	14/03/2002	yes
51.010-2	Mobile Station (MS) conformance specification; Part 2: Protocol Implementation Conformance Statement (PICS) proforma specification	G5	Yes	30/08/2002	yes
51.013	Test specification for SIM API for Java card	T3	Yes	14/03/2002	yes
51.021	GSM radio aspects base station system- equipment specification	G3	Yes	28/06/2002	
51.026	GSM Repeater Equipment Specification	G3	Yes	28/06/2002	ves
52.021	Network Management (NM) Procedures and Messages on the A-bis Interface	G3	Yes	28/06/2002	
52.402	Telecommunication management; Performance- Management (PM); Performance measurements- -GSM	\$5	Y os	12/12/2002	yes

Number	<u>Title</u>	WG	<u>For</u>
		prime	publication?
<u>01.01</u>	Technical Specifications and Technical Reports	<u>SP</u>	<u>Yes</u>
	for a GERAN-based 3GPP system		
01.04	Abbreviations and acronyms	<u>GP</u>	Yes
02.01	Principles of telecommunication services	<u>S1</u>	<u>Yes</u>
	supported by a GSM Public Land Mobile		
	Network(PLMN)		
02.02	Bearer Services (BS) Supported by a GSM Public	<u>S1</u>	<u>Yes</u>
	Land Mobile Network (PLMN)		
02.03	Teleservices Supported by a GSM Public Land	<u>S1</u>	Yes
	Mobile Network (PLMN)		
02.04	General on Supplementary Services	<u>S1</u>	<u>Yes</u>

Number	<u>Title</u>	<u>WG</u> prime	For publication?
02.06	Types of Mobile Stations (MS)	<u>S1</u>	Yes
02.07	Mobile Station (MS) Features	<u>S1</u>	Yes
02.09	Security aspects	<u>S3</u>	Yes
02.11	Service Accessibility	S1	Yes
<u>02.16</u>	International Mobile Station Equipment Identities (IMEI)	<u>S1</u>	Yes
<u>02.17</u>	Subscriber Identity Module (SIM); Functional characteristics	<u>T3</u>	<u>Yes</u>
02.20	Collection charges	<u>S1</u>	Yes
<u>02.30</u>	Man-machine Interface (MMI) of the Mobile Station (MS)	<u>S1</u>	<u>Yes</u>
02.40	Procedures for Call Progress Indications	<u>S1</u>	Yes
<u>02.82</u>	Call Forwarding (CF) Supplementary Services; Stage 1	<u>S1</u>	<u>Yes</u>
<u>02.88</u>	Call Barring (CB) Supplementary Services; Stage 1	<u>S1</u>	<u>Yes</u>
<u>03.01</u>	Network Functions	<u>S2</u>	<u>Yes</u>
<u>03.02</u>	Network Architecture	<u>S2</u>	<u>Yes</u>
03.03	Numbering, Addressing and Identification	<u>N4</u>	Yes
03.04	Signalling Requirements Relating to Routing of Calls to Mobile Subscribers	<u>N4</u>	Yes
03.05	Technical performance objectives	NP	Yes
03.07	Restoration Procedures	N4	Yes
03.08	Organization of Subscriber Data	N4	Yes
03.09	Handover Procedures	N1	Yes
03.10	GSM Public Land Mobile Network (PLMN) Connection Types	<u>N3</u>	Yes
<u>03.11</u>	Technical Realization of Supplementary Services - General Aspects	<u>N4</u>	<u>Yes</u>
03.12	Location Registration Procedures	<u>N4</u>	Yes
03.13	Discontinuous Reception (DRX) in the GSM System	<u>G1</u>	Yes
<u>03.14</u>	Support of Dual Tone Multi-Frequency Signalling (DTMF) via the GSM System	<u>N1</u>	<u>Yes</u>
03.20	Security-related Network Functions	<u>S3</u>	Yes
03.40	Technical Realization of the Short Message Service (SMS) Point-to-poin (PP)	<u>T2</u>	Yes
<u>03.41</u>	Technical Realization of Short Message Service Cell Broadcast (SMSCB)	<u>T2</u>	Yes
03.43	Support of Videotex	T2	Yes
03.44	Support of Teletex in a GSM Public Land Mobile Network (PLMN)	<u>T2</u>	Yes
<u>03.45</u>	Technical Realization of Facsimile Group 3 Service - transparent	<u>N3</u>	<u>Yes</u>
<u>03.46</u>	Technical Realization of Facsimile Group 3 Service - non transparent	<u>N3</u>	<u>Yes</u>
<u>03.48</u>	Security mechanisms for SIM application toolkit; Stage 2	<u>T3</u>	<u>Yes</u>
<u>03.50</u>	Transmission Planning Aspects of the Speech Service in the GSM Public Land Mobile Network (PLMN) System	<u>S4</u>	Yes
<u>03.70</u>	Routeing of Calls to/from Public Data Networks (PDN)	<u>N3</u>	<u>Yes</u>
<u>03.82</u>	Call Forwarding (CF) Supplementary Services; Stage 2	<u>N4</u>	<u>Yes</u>
<u>03.88</u>	Call Barring (CB) supplementary services; Stage 2	<u>N4</u>	<u>Yes</u>
<u>04.01</u>	Mobile Station - Base Station System (MS - BSS) Interface General Aspects and Principles	<u>N1</u>	<u>Yes</u>
<u>04.02</u>	GSM Public Land Mobile Network (PLMN) Access Reference Configuration	<u>N1</u>	<u>Yes</u>
<u>04.03</u>	Mobile Station - Base Station System (MS - BSS) Interface Channel Structures and Access Capabilities	<u>G2</u>	Yes

<u>Number</u>	<u>Title</u>	<u>WG</u> prime	For publication?
<u>04.04</u>	Layer 1 - General Requirements	<u>G2</u>	<u>Yes</u>
<u>04.05</u>	Data Link (DL) Layer General Aspects	<u>G2</u>	<u>Yes</u>
<u>04.06</u>	Mobile Station - Base Stations System (MS - BSS) Interface Data Link (DL) Layer Specification	<u>G2</u>	Yes
<u>04.07</u>	Mobile Radio Interface Signalling Layer 3 - General Aspects	<u>N1</u>	<u>Yes</u>
04.08	Mobile radio interface layer 3 specification	N1	Yes
04.10	Mobile Radio Interface Layer 3 - Supplementary Services Specification - General Aspects	<u>N4</u>	Yes
<u>04.11</u>	Point-to-Point (PP) Short Message Service (SMS) Support on Mobile Radio Interface	<u>N1</u>	<u>Yes</u>
<u>04.12</u>	Short Message Service Cell Broadcast (SMSCB) Support on the Mobile Radio Interface	<u>G2</u>	Yes
<u>04.21</u>	Rate Adaption on the Mobile Station - Base Station System (MS-BSS) Interface	<u>N3</u>	Yes
<u>04.22</u>	Radio Link Protocol (RLP) for data and telematic services on the Mobile Station - Base Station System (MS - BSS) interface and the Base Station System - Mobile-services Switching Centre (BSS - MSC) interface	<u>N3</u>	Yes
<u>04.80</u>	Mobile Radio Interface Layer 3 - Supplementary Services Specification Formats and Coding	<u>N4</u>	Yes
<u>04.82</u>	Call Forwarding (CF) Supplementary Services; Stage 3	<u>N4</u>	<u>Yes</u>
<u>04.88</u>	Call Barring (CB) Supplementary Services; Stage	<u>N4</u>	<u>Yes</u>
<u>05.01</u>	Physical Layer on the Radio Path (General Description)	<u>G1</u>	<u>Yes</u>
<u>05.02</u>	Multiplexing and Multiple Access on the Radio Path	<u>G1</u>	Yes
<u>05.03</u>	Channel coding	<u>G1</u>	Yes
05.04	Modulation	<u>G1</u>	Yes
05.05	Radio Transmission and Reception	<u>G1</u>	Yes
<u>05.08</u>	Radio Subsystem Link Control	<u>G1</u>	Yes
05.10	Radio subsystem synchronization	<u>G1</u>	Yes
06.01	Full Rate Speech Processing Functions	<u>S4</u>	Yes
06.10	Full Rate Speech Transcoding	<u>S4</u>	Yes
06.11	Substitution and Muting of Lost Frames for Full Rate Speech Channels	<u>S4</u>	Yes
<u>06.12</u>	Comfort Noise Aspects for Full Rate Speech Traffic Channels	<u>S4</u>	Yes
<u>06.31</u>	Discontinuous Transmission (DTX) for Full Rate Speech Traffic Channels	<u>S4</u>	Yes
<u>06.32</u>	Voice Activity Detection (VAD)	<u>S4</u>	Yes
<u>07.01</u>	General on Terminal Adaptation Functions (TAF) for Mobile Stations (MS)	<u>N3</u>	Yes
07.02	Terminal Adaptation Functions (TAF) for Services Using Asynchronous Bearer Capabilities	<u>N3</u>	Yes
<u>07.03</u>	Terminal Adaptation Functions (TAF) for Services Using Synchronous Bearer Capabilities	<u>N3</u>	Yes
<u>08.01</u>	General Aspects on the BSS-MSC Interface	<u>G2</u>	Yes
08.02	Base Station System - Mobile Services Switching Centre (BSS-MSC) Interface - Interface Principles	<u>G2</u>	Yes
<u>08.04</u>	Base Station System - Mobile Services Switching Centre (BSS-MSC) Interface Layer 1 Specification	<u>G2</u>	Yes
<u>08.06</u>	Signalling Transport Mechanism Specification for the Base Station System - Mobile Services Switching Centre (BSS-MSC) Interface	<u>G2</u>	Yes
<u>08.08</u>	Mobile-services Switching Centre - Base Station system (MSC-BSS) Interface Layer 3 Specification	<u>G2</u>	Yes
<u>08.20</u>	Rate Adaptation on the Base Station System - Mobile Service Switching Centre (BSS-MSC)	<u>N3</u>	<u>Yes</u>

Number	<u>Title</u>	<u>WG</u> prime	For publication?
	Interface		
08.51	Base Station Controller - Base Tranceiver Station	<u>G2</u>	Yes
	(BSC-BTS) Interface General Aspects		
08.52	Base Station Controller - Base Tranceiver Station	<u>G2</u>	Yes
	(BSC-BTS) Interface - Interface Principles		
<u>08.54</u>	BSC-BTS Layer 1; Structure of Physical Circuits	<u>G2</u>	Yes
<u>08.56</u>	BSC-BTS Layer 2; Specification	<u>G2</u>	<u>Yes</u>
<u>08.58</u>	Base Station Controler - Base Transceiver	<u>G2</u>	Yes
	Station (BCS-BTS) Interface Layer 3		
	Specification		
<u>08.59</u>	BSC-BTS O&M Signalling Transport	<u>G3</u>	<u>Yes</u>
<u>08.60</u>	In-band control of remote transcoders and rate	<u>G1</u>	<u>Yes</u>
	adaptors for Enhanced Full Rate (EFR) and full		
	rate traffic channels		
<u>09.01</u>	General Network Interworking Scenarios	<u>N4</u>	Yes
<u>09.02</u>	Mobile Application Part (MAP) Specification	<u>N4</u>	Yes
<u>09.03</u>	Signalling Requirements on Interworking between	<u>N3</u>	Yes
	the Intergrated Services Digital Network (ISDN)		
	or Public Switched Telephone Network (PSTN) and the Public Land Mobile Network (PLMN)		
00.04		NO	Vee
<u>09.04</u>	Interworking between the Public Land Mobile Network (PLMN) and the Circuit Switched Public	<u>N3</u>	Yes
	Data Network (CSPDN)		
09.05	Interworking between the PLMN and the PSPDN	N3	Yes
09.05	for PAD Access	113	165
09.07	General Requirements on Interworking between	<u>N3</u>	Yes
00.01	the Public Land Mobile Network (PLMN) and the	110	100
	Intergrated Services Digital Network (ISDN) or		
	Public Switched Telephone Network (PSTN)		
09.09	Detailed Signalling Interworking within the PLMN	N4	Yes
	and with the PSTN/ISDN	_	
09.10	Information Element Mapping between Mobile	N4	Yes
	Station - Base Station System (MS - BSS) and		
	Base Station System - Mobile-services Switching		
	Centre (BSS - MCS) Signalling Procedures and		
	the Mobile Application Part (MAP)		
<u>09.11</u>	Signalling Interworking for Supplementary	<u>N4</u>	<u>Yes</u>
	Services		
<u>11.10</u>	Mobile Station Conformity Specification	<u>G4</u>	<u>Yes</u>
<u>11.11</u>	Specification of the Subscriber Identity Module -	<u>T3</u>	Yes
	Mobile Equipment (SIM-ME) Interface	0.5	
<u>11.30</u>	Mobile Services Switching Centre	<u>GP</u>	Yes
<u>11.31</u>	Home Location Register Specification	<u>GP</u>	Yes
<u>11.32</u>	Visitor Location Register Specification	<u>GP</u>	Yes
<u>11.40</u>	DCS 1800 System Simulator Conformity	<u>G4</u>	<u>Yes</u>
40.42	Specification	05	
<u>12.13</u>	Maintenance of the Mobile-services Switching	<u>S5</u>	Yes
10.14	Centre Maintenance of Leastian Registers	CF.	Vee
<u>12.14</u>	Maintenance of Location Registers	<u>S5</u>	Yes

Other comments:

Ħ

	CHANGE REQUE		orm-v7
ж	01.01 CR 012 #rev -	# Current version: 3.0.0 [※]	
For <u>HELP</u> o	n using this form, see bottom of this page or look	at the pop-up text over the X symbols	s.
Proposed chang	n e affects: UICC apps ೫ ME Rad	dio Access Network Core Network	'k 📃
Title:	第 Update of list of specs for next Release		
Source:	第 MCC (Specifications Manager)		
Work item code	ж <mark>ТЕІ</mark>	Date:	
Category:	 F Use <u>one</u> of the following categories: F (correction) A (corresponds to a correction in an earlier re B (addition of feature), C (functional modification of feature) D (editorial modification) Detailed explanations of the above categories can be found in 3GPP <u>TR 21.900</u>. 	R97 (Release 1997) R98 (Release 1998) R99 (Release 1999)	x:

Reason for change: ೫	Retrospective creation of definitive specs list for this GSM Release
Summary of change: #	Adds / deletes specs
Consequences if 🛛 🔀	Doubt over which specs are valid for this Release
not approved:	
Clauses affected: #	5
	YN
Other specs ೫	X Other core specifications %
affected:	X Test specifications
	X O&M Specifications

Number	Title	WG prime	For publication?
01.01	Technical Specifications and Technical Reports for a GERAN-based 3GPP system	SP	Yes
<u>01.02</u>	General Description of a GSM Public Land Mobile Network (PLMN)	<u>S1</u>	Yes
01.04	Abbreviations and acronyms	GP	Yes
02.01	Principles of telecommunication services supported by a GSM Public Land Mobile Network(PLMN)	S1	Yes
02.02	Bearer Services (BS) Supported by a GSM Public Land Mobile Network (PLMN)	S1	Yes
02.03	Teleservices Supported by a GSM Public Land Mobile Network (PLMN)	S1	Yes
02.04	General on Supplementary Services	S1	Yes
02.06	Types of Mobile Stations (MS)	S1	Yes
02.07	Mobile Station (MS) Features	S1	Yes
02.09	Security aspects	S3	Yes
02.11	Service Accessibility	S1	Yes
02.16	International Mobile Station Equipment Identities (IMEI)	S1	Yes
02.17	Subscriber Identity Module (SIM); Functional characteristics	Т3	Yes
02.20	Collection charges	\$1	Yes
02.24	Description of Charge Advice Information (CAI)	<u>S1</u>	Yes
02.30	Man-machine Interface (MMI) of the Mobile Station (MS)	S1	Yes
02.40	Procedures for Call Progress Indications	S1	Yes
02.41	Operator Determined Barring	S1	Yes
02.81	Line Identification Supplementary Services; Stage 1	<u>S1</u>	Yes
02.82	Call Forwarding (CF) Supplementary Services; Stage 1	S1	Yes
<u>02.83</u>	Call Waiting (CW) and Call Hold (HOLD) Supplementary Services; Stage 1	<u>S1</u>	Yes
<u>02.84</u>	MultiParty (MPTY) Supplementary Services; Stage 1	<u>S1</u>	Yes
<u>02.85</u>	Closed User Group (CUG) Supplementary Services: Stage 1	<u>S1</u>	Yes
<u>02.86</u>	Advice of Charge (AoC) Supplementary Services; Stage 1	<u>S1</u>	Yes
02.88	Call Barring (CB) Supplementary Services; Stage 1	S1	Yes
02.90	Unstructured Supplementary Service Data (USSD); Stage 1	<u>S1</u>	Yes
03.01	Network Functions	S2	Yes
03.02	Network Architecture	S2	Yes
03.03	Numbering, Addressing and Identification	N4	Yes
03.04	Signalling Requirements Relating to Routing of Calls to Mobile Subscribers	N4	Yes
03.05	Technical performance objectives	NP	Yes
03.07	Restoration Procedures	N4	Yes
03.08	Organization of Subscriber Data	N4	Yes
03.09	Handover Procedures	N1	Yes
03.10	GSM Public Land Mobile Network (PLMN) Connection Types	N3	Yes
03.11	Technical Realization of Supplementary Services - General Aspects	N4	Yes
03.12	Location Registration Procedures	N4	Yes
03.13	Discontinuous Reception (DRX) in the GSM System	G1	Yes
03.14	Support of Dual Tone Multi-Frequency Signalling	N1	Yes

	(DTMF) via the GSM System		
<u>03.15</u>	Technical Realization of Operator Determined Barring	<u>N4</u>	Yes
03.16	Subscriber Data Management	N4	Yes
03.20	Security-related Network Functions	S3	Yes
03.22	Functions related to Mobile Station (MS) in idle	<u>G1</u>	Yes
	mode and group receive mode		
<u>03.26</u>	Multiband operation of GSM/DCS 1800 by a single operator	<u>G1</u>	Yes
03.30	Radio Network Planning Aspects	GP	Yes
03.38	Alphabets and language-specific information	T2	Yes
03.40	Technical Realization of the Short Message Service (SMS) Point-to-poin (PP)	T2	Yes
03.41	Technical Realization of Short Message Service Cell Broadcast (SMSCB)	T2	Yes
03.43	Support of Videotex	T2	Yes
03.44	Support of Teletex in a GSM Public Land Mobile	T2	Yes
	Network (PLMN)		
03.45	Technical Realization of Facsimile Group 3 Service - transparent	N3	Yes
03.46	Technical Realization of Facsimile Group 3 Service - non transparent	N3	Yes
03.48	Security mechanisms for SIM application toolkit; Stage 2	T3	Yes
<u>03.47</u>	Example Protocol Stacks for Interconnecting Service Centre(s) (SC) and Mobile Services Switching Centre(s) (MSC)	<u>T2</u>	Yes
<u>03.49</u>	Example protocol stacks for interconnecting Cell Broadcast Centre (CBC) and Base Station Controler (BSC)	<u>T2</u>	Yes
03.50	Transmission Planning Aspects of the Speech Service in the GSM Public Land Mobile Network (PLMN) System	S4	Yes
03.70	Routeing of Calls to/from Public Data Networks (PDN)	N3	Yes
<u>03.81</u>	Line Identification Supplementary Services; Stage 2	<u>N4</u>	Yes
03.82	Call Forwarding (CF) Supplementary Services; Stage 2	N4	Yes
<u>03.83</u>	Call Waiting (CW) and Call Hold (HOLD) Supplementary Services; Stage 2	<u>N4</u>	<u>Yes</u>
<u>03.84</u>	Multi Party (MPTY) Supplementary Services; Stage 2	<u>N4</u>	<u>Yes</u>
<u>03.85</u>	Closed user Group (CUG) Supplementary Services; Stage 2	<u>N4</u>	Yes
<u>03.86</u>	Advice of Charge (AoC) Supplementary Services; Stage 2	<u>N4</u>	Yes
03.88	Call Barring (CB) supplementary services; Stage 2	N4	Yes
<u>03.90</u>	Unstructured Supplementary Service Data (USSD)	<u>N4</u>	Yes
04.01	Mobile Station - Base Station System (MS - BSS) Interface General Aspects and Principles	N1	Yes
04.02	GSM Public Land Mobile Network (PLMN) Access Reference Configuration	N1	Yes
04.03	Mobile Station - Base Station System (MS - BSS) Interface Channel Structures and Access Capabilities	G2	Yes
04.04	Layer 1 - General Requirements	G2	Yes
04.05	Data Link (DL) Layer General Aspects	G2	Yes
04.05	Mobile Station - Base Stations System (MS - BSS) Interface Data Link (DL) Layer	G2 G2	Yes
04.07	Specification Mobile Radio Interface Signalling Layer 3 -	N1	Yes
	General Aspects		
04.08	Mobile radio interface layer 3 specification	N1	Yes

04.10	Mobile Radio Interface Layer 3 - Supplementary Services Specification - General Aspects	N4	Yes
04.11	Point-to-Point (PP) Short Message Service (SMS) Support on Mobile Radio Interface	N1	Yes
04.12	Short Message Service Cell Broadcast (SMSCB) Support on the Mobile Radio Interface	G2	Yes
<u>04.13</u>	Performance Requirements on Mobile Radio Interface	<u>N1</u>	Yes
04.21	Rate Adaption on the Mobile Station - Base Station System (MS-BSS) Interface	N3	Yes
04.22	Radio Link Protocol (RLP) for data and telematic services on the Mobile Station - Base Station System (MS - BSS) interface and the Base Station System - Mobile-services Switching Centre (BSS - MSC) interface	N3	Yes
04.80	Mobile Radio Interface Layer 3 - Supplementary Services Specification Formats and Coding	N4	Yes
<u>04.81</u>	Line Identification Supplementary Services: Stage 3	<u>N4</u>	Yes
04.82	Call Forwarding (CF) Supplementary Services; Stage 3	N4	Yes
<u>04.83</u>	Call Waiting (CW) and Call Hold (HOLD) Supplementary Services; Stage 3	<u>N4</u>	Yes
<u>04.84</u>	Multi Party (MPTY) Supplementary Services; Stage 3	<u>N4</u>	<u>Yes</u>
<u>04.85</u>	Closed User Group (CUG) Supplementary Services; Stage 3	<u>N4</u>	Yes
<u>04.86</u>	Advice of Charge (AoC) Supplementary Services; Stage 3	<u>N4</u>	Yes
04.88	Call Barring (CB) Supplementary Services; Stage 3	N4	Yes
<u>04.90</u>	Unstructured Supplementary Service Data (USSD)	<u>N4</u>	Yes
05.01	Physical Layer on the Radio Path (General Description)	G1	Yes
05.02	Multiplexing and Multiple Access on the Radio Path	G1	Yes
05.03	Channel coding	G1	Yes
05.04	Modulation	G1	Yes
05.05	Radio Transmission and Reception	G1	Yes
05.08	Radio Subsystem Link Control	G1	Yes
05.10	Radio subsystem synchronization	G1	Yes
05.22	Radio link management in hierarchical networks	G1	Yes
05.50	Background for RF Requirements	G1	Yes
05.90	GSM Electromagnetic Compatibility (EMC) considerations	<u>G1</u>	Yes
06.01	Full Rate Speech Processing Functions	S4	Yes
06.02	Half Rate Speech Processing Functions	S4	Yes
06.06	Half Rate Speech: ANSI-C Code for GSM Half Rate Speech Codec	<u>S4</u>	Yes
<u>06.07</u>	Half Rate Speech: Test Sequence for GSM Half Rate Speech Codec	<u>S4</u>	<u>Yes</u>
<u>06.08</u>	Half Rate Speech; Performance Characterization of the GSM Half Rate speech codec	<u>S4</u>	<u>Yes</u>
06.10	Full Rate Speech Transcoding	S4	Yes
06.11	Substitution and Muting of Lost Frames for Full Rate Speech Channels	S4	Yes
06.12	Comfort Noise Aspects for Full Rate Speech Traffic Channels	S4	Yes
06.20	Half Rate Speech Transcoding	S4	Yes
06.21	Half rate speech; Substitution and muting of lost frames for half rate speech traffic channels	<u>S4</u>	Yes
<u>06.22</u>	Comfort Noise Aspects for Half Rate Speech Traffic Channels	<u>S4</u>	Yes
06.31	Discontinuous Transmission (DTX) for Full Rate Speech Traffic Channels	S4	Yes

06.32	Voice Activity Detection (VAD)	S4	Yes
<u>06.41</u>	Discontinuous Transmission (DTX) for Half Rate Speech Traffic Channels	<u>S4</u>	Yes
06.42	Voice Activity Detection (VAD) for Half Rate	S 1	Yes
	Speech Traffic Channels	<u>S4</u>	<u>res</u>
<u>06.51</u>	GSM Enhanced full rate speech processing functions: General description	<u>S4</u>	Yes
<u>06.53</u>	ANSI-C code for the GSM Enhanced Full Rate	<u>S4</u>	Yes
06.54	(EFR) speech codec Test sequences for the GSM Enhanced Full Rate	S4	Yes
	(EFR)		
<u>06.55</u>	Performance characterisation of the GSM EFR Speech Codec	<u>S4</u>	Yes
06.60	Enhanced full rate speech transcoding	S4	Yes
06.61	Substitution and muting of lost frames for encanced full rate speech traffic channels	<u>S4</u>	Yes
<u>06.62</u>	Comfort noise aspects for Enhanced Full Rate	<u>S4</u>	Yes
06.81	(EFR) speech traffic channels Discontinuous Transmission (DTX) for encanced	<u>S4</u>	Yes
06.82	full rate speech traffic channelsVoice Activity Detection (VAD) for encanced full	<u>S4</u>	Yes
	rate speech traffic channels		
07.01	General on Terminal Adaptation Functions (TAF) for Mobile Stations (MS)	N3	Yes
07.02	Terminal Adaptation Functions (TAF) for Services Using Asynchronous Bearer Capabilities	N3	Yes
07.03	Terminal Adaptation Functions (TAF) for Services Using Synchronous Bearer Capabilities	N3	Yes
<u>07.05</u>	Use of Data Terminal Equipment - Data Circuit Terminating Equipment (DTE-DCE) Interface for Short Message Services (SMS) and Cell Broadcast Services (CBS)	<u>T2</u>	Yes
07.07	AT Command set for GSM Mobile Equipment (ME)	<u>T2</u>	Yes
08.01	General Aspects on the BSS-MSC Interface	G2	Yes
08.02	Base Station System - Mobile Services Switching Centre (BSS-MSC) Interface - Interface Principles	G2	Yes
08.04	Base Station System - Mobile Services Switching Centre (BSS-MSC) Interface Layer 1 Specification	G2	Yes
08.06	Signalling Transport Mechanism Specification for the Base Station System - Mobile Services Switching Centre (BSS-MSC) Interface	G2	Yes
08.08	Mobile-services Switching Centre - Base Station system (MSC-BSS) Interface Layer 3 Specification	G2	Yes
08.20	Rate Adaptation on the Base Station System - Mobile Service Switching Centre (BSS-MSC) Interface	N3	Yes
08.51	Base Station Controller - Base Tranceiver Station (BSC-BTS) Interface General Aspects	G2	Yes
08.52	Base Station Controller - Base Tranceiver Station (BSC-BTS) Interface - Interface Principles	G2	Yes
08.54	BSC-BTS Layer 1; Structure of Physical Circuits	G2	Yes
08.56	BSC-BTS Layer 2; Specification	G2	Yes
08.58	Base Station Controler - Base Transceiver Station (BCS-BTS) Interface Layer 3	G2	Yes
00 50	Specification	<u></u>	Vaa
08.59	BSC-BTS O&M Signalling Transport	G3	Yes
08.60	In-band control of remote transcoders and rate adaptors for Enhanced Full Rate (EFR) and full	G1	Yes
	rate traffic channels		

	adaptors for half rate traffic channels		
09.01	General Network Interworking Scenarios	N4	Yes
09.02 09.03	Mobile Application Part (MAP) Specification Signalling Requirements on Interworking between the Intergrated Services Digital Network (ISDN) or Public Switched Telephone Network (PSTN) and the Public Land Mobile Network (PLMN)	N4 N3	Yes Yes
09.04	Interworking between the Public Land Mobile Network (PLMN) and the Circuit Switched Public Data Network (CSPDN)		Yes
09.05	Interworking between the PLMN and the PSPDN for PAD Access	N3	Yes
<u>09.06</u>	Interworking between a Public Land Mobile Network (PLMN) and a Packet Switched Public Data Network/Intergrated Services digital Network (PSPDN/ISDN) for Support of Packet Switched Data Transmission Services	<u>N3</u>	Yes
09.07	General Requirements on Interworking between the Public Land Mobile Network (PLMN) and the Intergrated Services Digital Network (ISDN) or Public Switched Telephone Network (PSTN)	N3	Yes
09.09	Detailed Signalling Interworking within the PLMN and with the PSTN/ISDN	N4	Yes
<u>09.08</u>	Application of the Base Station System Application Part (BSSAP) on the E-Interface	<u>N1</u>	Yes
09.10	Information Element Mapping between Mobile Station - Base Station System (MS - BSS) and Base Station System - Mobile-services Switching Centre (BSS - MCS) Signalling Procedures and the Mobile Application Part (MAP)	N4	Yes
09.11	Signalling Interworking for Supplementary Services	N4	Yes
11.10	Mobile Station Conformity Specification	G4	Yes
<u>09.12</u>	Application of ISUP Version 2 for the ISDN- PLMN (GSM) Signalling	SPAN3	Yes
<u>09.90</u>	Interworking between Phase 1 Infrastructure and Phase 2 Mobile Stations (MS)	<u>N1</u>	Yes
<u>09.91</u>	Interworking Aspects of the SIM/ME Interface Between Phase 1 and Phase 2	<u>T3</u>	Yes
<u>09.94</u>	Recommended infrastructure measures to overcome specific Mobile Station (MS) faults	<u>N1</u>	Yes
<u>11.10-1</u>	Mobile station (MS) conformance specification; Part 1: Conformance specification	<u>G5</u>	Yes
<u>11.10-2</u>	Mobile station (MS) conformance specification; Part 2: Protocol Implementation Conformance Statement (PICS) proforma specification	<u>G5</u>	Yes
<u>11.10-3</u>	Mobile Station (MS) conformance specification: Part 3: Layer3 (L3) Abstract Test Suite (ATS)	<u>G5</u>	<u>Yes</u>
11.11	Specification of the Subscriber Identity Module - Mobile Equipment (SIM-ME) Interface	Т3	Yes
11.30	Mobile Services Switching Centre	GP	Yes
11.31	Home Location Register Specification	GP	Yes
11.32	Visitor Location Register Specification	GP	Yes
11.40	DCS 1800 System Simulator Conformity Specification	G4	Yes
12.13	Maintenance of the Mobile-services Switching Centre	\$5	Yes
12.14	Maintenance of Location Registers	\$5	Yes
<u>11.12</u>	Specification on the 3 volt subscriber identity module Equipment (SIM-ME) Interface	<u>T3</u>	<u>Yes</u>
<u>11.21</u>	Base Station System (BSS) equipment specification; Radio aspects	<u>G3</u>	Yes
<u>11.22</u>	GSM Base Station and Ancillary Equipment, Physical and Electronical Parameters, Application of Standards and Guidance Notes	<u>G3</u>	Yes

<u>11.23</u>	GSM Signalling Aspects Base Station System equipment Specification	<u>G3</u>	Yes
<u>11.24</u>	GSM Transcoding and Rate Adaptation: Base Station System Equipment Specification	<u>G3</u>	Yes
<u>11.26</u>	Base Station System (BSS) equipment specification; Part 4: Repeaters	<u>G3</u>	Yes
<u>12.00</u>	Objectives and Structure of GSM Public Land Mobile Network (PLMN) Management	<u>S5</u>	Yes
<u>12.01</u>	Network Management (NM); Part 2: Common aspects of SM/DCS 1800 Network Management	<u>S5</u>	Yes
<u>12.02</u>	Subscriber, Mobile Equipment (ME) and Services Data Administration	<u>S5</u>	Yes
12.03	Security Management	<u>S5</u>	Yes
12.04	Performance data measurements	<u>S5</u>	Yes
12.05	Subscriber Related Call and Event Data	<u>S5</u>	Yes
12.06	Network Configuration Management and Administration	<u>S5</u>	Yes
12.08	Subscriber and Equipment trace	<u>S5</u>	Yes
12.11	Fault management of the Base Station System (BSS)	<u>S5</u>	Yes
<u>12.20</u>	Base Station System (BSS) Management	<u>S5</u>	Yes
<u>12.21</u>	Network Management (NM) procedures and messages on the A-bis interface	<u>G3</u>	Yes
<u>12.22</u>	Interworking of GSM Network Management (NM) Procedures and Messages at the Base Station Controller (BSC)	<u>G3</u>	Yes
12.30	ETSI Object Identifier Tree; Mobile Domain O&M	<u>S5</u>	Yes

Other comments:

Ж

		CHANGE		JES	т			CR-Form-v7
X	01.01	CR <mark>013</mark>	жrev	- #	Currer	nt version:	4.0.0	ж
For <u>HELP</u> of	n using this forr	n, see bottom of this	s page or l	ook at	the pop-u	p text ove	er the ೫ syr	nbols.
Proposed chang	le affects: ∪	IICC apps೫	ME	Radio	Access N	Vetwork	Core Ne	etwork
Title:	Here Stress Here S	list of specs for next	Release					
Source:	発 <mark>MCC (Spe</mark>	cifications Manager)					
Work item code.	ж <mark>ТЕІ</mark>				Da	ate: ೫ 07	7/05/2003	
Category:	F (corre A (corre B (addi C (func D (edito Detailed expl	he following categories ection) esponds to a correction ition of feature), tional modification of fe orial modification) lanations of the above BGPP <u>TR 21.900</u> .	n in an earl eature)		2 ase) R R R R R R R	one of the (GS 96 (Re 97 (Re 98 (Re 99 (Re el-4 (Re el-5 (Re	96 following rele M Phase 2) lease 1996) lease 1997) lease 1998) lease 1999) lease 4) lease 5) lease 6)	eases:

Reason for change: #	Retrospective creation of definitive specs list for this GSM Release
Summary of change: #	Adds / deletes specs
Consequences if #	Doubt over which specs are valid for this Release
not approved:	
Clauses affected: #	5
	YN
Other specs #	X Other core specifications %
affected:	X Test specifications
	X O&M Specifications

CR page 1

Number	Title	WG prime	For publication?
01.01	Technical Specifications and Technical Reports for a GERAN-based 3GPP system	SP	Yes
01.02	General Description of a GSM Public Land Mobile Network (PLMN)	S1	Yes
01.04	Abbreviations and acronyms	GP	Yes
01.48	ISDN-based DECT/GSM interworking; Feasibility study		Yes
02.01	Principles of telecommunication services supported by a GSM Public Land Mobile Network(PLMN)	S1	Yes
02.02	Bearer Services (BS) Supported by a GSM Public Land Mobile Network (PLMN)	S1	Yes
02.03	Teleservices Supported by a GSM Public Land Mobile Network (PLMN)	S1	Yes
02.04	General on Supplementary Services	S1	Yes
02.06	Types of Mobile Stations (MS)	S1	Yes
02.07	Mobile Station (MS) Features	S1	Yes
02.09	Security aspects	S3	Yes
02.11	Service Accessibility	S1	Yes
02.16	International Mobile Station Equipment Identities (IMEI)	S1	Yes
02.17	Subscriber Identity Module (SIM); Functional characteristics	Т3	Yes
02.22	Stage 1 for personalisation of GSM ME	<u>S1</u>	Yes
02.24	Description of Charge Advice Information (CAI)	S1	Yes
02.30	Man-machine Interface (MMI) of the Mobile Station (MS)	S1	Yes
<u>02.34</u>	High Speed Circuit Switched Data (HSCSD); Stage 1	<u>S1</u>	<u>Yes</u>
02.40	Procedures for Call Progress Indications	S1	Yes
02.41	Operator Determined Barring	S1	Yes
<u>02.42</u>	Network Identity and Timezone (NITZ); Service Description, Stage 1	<u>S1</u>	<u>Yes</u>
<u>02.63</u>	Packet Data on Signalling channels Service (PDS); Stage 1	<u>S1</u>	<u>Yes</u>
<u>02.67</u>	Enhanced Multi-Level Precedence and Pre- emption Service (eMLPP); Stage 1	<u>S1</u>	Yes
02.68	Voice Group Call Service (VGCS); Stage 1	<u>S1</u>	Yes
02.69	Voice Broadcast Service (VBS); Stage 1	<u>S1</u>	Yes
02.78	Customized Applications for Mobile network Enhanced Logic (CAMEL); Service definition (Stage 1)	<u>S1</u>	Yes
<u>02.79</u>	Support of Optimal Routeing (SOR); Service definition (Stage 1)	<u>S1</u>	Yes
02.81	Line Identification Supplementary Services; Stage 1	S1	Yes
02.82	Call Forwarding (CF) Supplementary Services; Stage 1	S1	Yes
02.83	Call Waiting (CW) and Call Hold (HOLD) Supplementary Services; Stage 1	S1	Yes
02.84	MultiParty (MPTY) Supplementary Services; Stage 1	S1	Yes
02.85	Closed User Group (CUG) Supplementary Services; Stage 1	S1	Yes
02.86	Advice of Charge (AoC) Supplementary Services; Stage 1	S1	Yes
02.88	Call Barring (CB) Supplementary Services; Stage 1	S1	Yes
02.90	Unstructured Supplementary Service Data (USSD); Stage 1	S1	Yes

<u>02.91</u>	Explicit Call Transfer (ECT)	<u>S1</u>	Yes
02.95	Support of Private Numbering Plan (SPNP);	S1	Yes
	Service description; Stage 1		
03.01	Network Functions	S2	Yes
03.02	Network Architecture	S2	Yes
03.03	Numbering, Addressing and Identification	N4	Yes
03.03 03.04	Signalling Requirements Relating to Routing of	N4	Yes
	Calls to Mobile Subscribers		
03.05	Technical performance objectives	NP	Yes
03.07	Restoration Procedures	N4	Yes
03.08	Organization of Subscriber Data	N4	Yes
03.09	Handover Procedures	N1	Yes
03.10	GSM Public Land Mobile Network (PLMN)	N3	Yes
	Connection Types	_	
03.11	Technical Realization of Supplementary Services - General Aspects	N4	Yes
03.12	Location Registration Procedures	N4	Yes
03.12	Discontinuous Reception (DRX) in the GSM	G1	Yes
	System		
03.14	Support of Dual Tone Multi-Frequency Signalling (DTMF) via the GSM System	N1	Yes
03.15	Technical Realization of Operator Determined Barring	N4	Yes
03.16	Subscriber Data Management	N4	Yes
03.10 03.18	Basic Call Handling	<u>N4</u>	Yes
		S3	Yes
03.20	Security-related Network Functions		
03.22	Functions related to Mobile Station (MS) in idle mode and group receive mode	G1	Yes
03.26	Multiband operation of GSM/DCS 1800 by a single operator	G1	Yes
03.30	Radio Network Planning Aspects	GP	Yes
03.32	Universal Geographical Area Description (GAD)	S2	Yes
03.34	High Speed Circuit Switched Data (HSCSD); Stage 2	<u>N1</u>	Yes
03.38	Alphabets and language-specific information	T2	Yes
03.40	Technical Realization of the Short Message	T2	Yes
	Service (SMS) Point-to-poin (PP)		
03.41	Technical Realization of Short Message Service Cell Broadcast (SMSCB)	T2	Yes
<u>03.42</u>	SMS Compression	<u>T2</u>	<u>Yes</u>
03.43	Support of Videotex	T2	Yes
03.44	Support of Teletex in a GSM Public Land Mobile Network (PLMN)	T2	Yes
03.45	Technical Realization of Facsimile Group 3	N3	Yes
03.46	Service - transparent Technical Realization of Facsimile Group 3	N3	Yes
00 17	Service - non transparent	TC	
03.47	Example Protocol Stacks for Interconnecting Service Centre(s) (SC) and Mobile Services	T2	Yes
03.49	Switching Centre(s) (MSC) Example protocol stacks for interconnecting Cell Broadcast Centre (CBC) and Base Station	T2	Yes
03.50	Controler (BSC) Transmission Planning Aspects of the Speech Service in the GSM Public Land Mobile Network (PLMN) System	S4	Yes
03.54	(PLMN) System <u>Description for the use of a Shared Inter Working</u> <u>Function</u> (SIM(E) in a CSM PLMNL Stage 2	<u>N3</u>	Yes
03.63	Function (SIWF) in a GSM PLMN; Stage 2 Packet Data on Signalling channels service	<u>N1</u>	Yes
<u>03.67</u>	(PDS) Service description, Stage 2 Enhanced Multi-Level Precedence and Pre-	<u>N4</u>	Yes
	emption Service (eMLPP); Stage 2		
03.68	Voice Group Call Service (VGCS); Stage 2	<u>N1</u>	Yes
03.69	Voice Broadcast service (VBS); Stage 2	N1	Yes
	Routeing of Calls to/from Public Data Networks	N3	Yes
03.70			

03.78	Customised Applications for Mobile network	<u>N2</u>	Yes
	Enhanced Logic (CAMEL) Phase 2; Stage 2		
<u>03.79</u>	Support of Optimal Routeing phase 1; Stage 2	<u>N4</u>	<u>Yes</u>
03.81	Line Identification Supplementary Services; Stage 2	N4	Yes
03.82	Call Forwarding (CF) Supplementary Services; Stage 2	N4	Yes
03.83	Call Waiting (CW) and Call Hold (HOLD) Supplementary Services; Stage 2	N4	Yes
03.84	Multi Party (MPTY) Supplementary Services; Stage 2	N4	Yes
03.85	Closed user Group (CUG) Supplementary Services; Stage 2	N4	Yes
03.86	Advice of Charge (AoC) Supplementary Services; Stage 2	N4	Yes
03.88	Call Barring (CB) supplementary services; Stage 2	N4	Yes
03.90	Unstructured Supplementary Service Data (USSD)	N4	Yes
<u>03.91</u>	Explicit Call Transfer (ECT) Supplementary Service; Stage 2	<u>N4</u>	Yes
04.01	Mobile Station - Base Station System (MS - BSS) Interface General Aspects and Principles	N1	Yes
04.02	GSM Public Land Mobile Network (PLMN) Access Reference Configuration	N1	Yes
04.03	Mobile Station - Base Station System (MS - BSS) Interface Channel Structures and Access Capabilities	G2	Yes
04.04	Layer 1 - General Requirements	G2	Yes
04.05	Data Link (DL) Layer General Aspects	G2	Yes
04.06	Mobile Station - Base Stations System (MS - BSS) Interface Data Link (DL) Layer Specification	G2	Yes
04.07	Mobile Radio Interface Signalling Layer 3 - General Aspects	N1	Yes
04.08	Mobile radio interface layer 3 specification	N1	Yes
04.10	Mobile Radio Interface Layer 3 - Supplementary Services Specification - General Aspects	N4	Yes
04.11	Point-to-Point (PP) Short Message Service (SMS) Support on Mobile Radio Interface	N1	Yes
04.12	Short Message Service Cell Broadcast (SMSCB) Support on the Mobile Radio Interface	G2	Yes
04.13	Performance Requirements on Mobile Radio Interface	N1	Yes
<u>04.14</u>	Individual equipment type requirements and interworking; Special conformance testing functions	<u>G2</u>	Yes
04.21	Rate Adaption on the Mobile Station - Base Station System (MS-BSS) Interface	N3	Yes
04.22	Radio Link Protocol (RLP) for data and telematic services on the Mobile Station - Base Station System (MS - BSS) interface and the Base Station System - Mobile-services Switching Centre (BSS - MSC) interface	N3	Yes
<u>04.63</u>	Packet Data on Signalling channels Service (PDS) Service Description, Stage 3	<u>N1</u>	Yes
<u>04.67</u>	Enhanced Multi-Level Precedence and Pre- emption service (eMLPP); Stage 3	<u>N4</u>	Yes
<u>04.68</u>	Group Call Control (GCC) Protocol	<u>N1</u>	<u>Yes</u>
<u>04.69</u>	Broadcast Call Control (BCC) protocol	<u>N1</u>	<u>Yes</u>
04.80	Mobile Radio Interface Layer 3 - Supplementary Services Specification Formats and Coding	N4	Yes
04.81	Line Identification Supplementary Services; Stage 3	N4	Yes
04.82	Call Forwarding (CF) Supplementary Services; Stage 3	N4	Yes

04.83	Call Waiting (CW) and Call Hold (HOLD)	N4	Yes
04.84	Supplementary Services; Stage 3 Multi Party (MPTY) Supplementary Services;	N4	Yes
04.85	Stage 3 Closed User Group (CUG) Supplementary	N4	Yes
04.86	Services; Stage 3 Advice of Charge (AoC) Supplementary Services; Stage 3	N4	Yes
04.88	Call Barring (CB) Supplementary Services; Stage 3	N4	Yes
04.90	Unstructured Supplementary Service Data (USSD)	N4	Yes
<u>04.91</u>	Explicit Call Transfer (ECT) Supplementary Service; Stage 3	<u>N4</u>	<u>Yes</u>
05.01	Physical Layer on the Radio Path (General Description)	G1	Yes
05.02	Multiplexing and Multiple Access on the Radio Path	G1	Yes
05.03	Channel coding	G1	Yes
05.04	Modulation	G1	Yes
05.05	Radio Transmission and Reception	G1	Yes
	Radio Subsystem Link Control	G1	Yes
05.08			
05.10	Radio subsystem synchronization	G1	Yes
05.22	Radio link management in hierarchical networks	G1	Yes
05.50	Background for RF Requirements	G1	Yes
05.90	GSM Electromagnetic Compatibility (EMC) considerations	G1	Yes
06.01	Full Rate Speech Processing Functions	S4	Yes
06.02	Half Rate Speech Processing Functions	S4	Yes
06.06	Half Rate Speech: ANSI-C Code for GSM Half Rate Speech Codec	S4	Yes
06.07	Half Rate Speech: Test Sequence for GSM Half Rate Speech Codec	S4	Yes
06.08	Half Rate Speech; Performance Characterization of the GSM Half Rate speech codec	S4	Yes
06.10	Full Rate Speech Transcoding	S4	Yes
06.11	Substitution and Muting of Lost Frames for Full Rate Speech Channels	S4	Yes
06.12	Comfort Noise Aspects for Full Rate Speech Traffic Channels	S4	Yes
06.20	Half Rate Speech Transcoding	S4	Yes
06.21	Half rate speech; Substitution and muting of lost frames for half rate speech traffic channels	S4	Yes
06.22	Comfort Noise Aspects for Half Rate Speech Traffic Channels	S4	Yes
06.31	Discontinuous Transmission (DTX) for Full Rate Speech Traffic Channels	S4	Yes
06.32	Voice Activity Detection (VAD)	S4	Yes
06.41	Discontinuous Transmission (DTX) for Half Rate Speech Traffic Channels	S4	Yes
06.42	Voice Activity Detection (VAD) for Half Rate Speech Traffic Channels	S4	Yes
06.51	GSM Enhanced full rate speech processing functions: General description	S4	Yes
06.53	ANSI-C code for the GSM Enhanced Full Rate (EFR) speech codec	S4	Yes
06.54	Test sequences for the GSM Enhanced Full Rate (EFR)	S4	Yes
06.55	Performance characterisation of the GSM EFR Speech Codec	S4	Yes
06.60	Enhanced full rate speech transcoding	S4	Yes
06.61	Substitution and muting of lost frames for encanced full rate speech traffic channels	S4	Yes
06.62	Comfort noise aspects for Enhanced Full Rate (EFR) speech traffic channels	S4	Yes
		S4	Yes

06.90	full rate speech traffic channels	<u><u></u></u>	Vaa
06.82	Voice Activity Detection (VAD) for encanced full rate speech traffic channels	S4	Yes
<u>06.85</u>	Subjective tests on the interoperability of the	<u>S4</u>	<u>Yes</u>
07.04	HR/FR/EFR speech codecs; single, tandem and		
	tandem free operation		Ma a
07.01	General on Terminal Adaptation Functions (TAF) for Mobile Stations (MS)	N3	Yes
07.02	Terminal Adaptation Functions (TAF) for Services Using Asynchronous Bearer Capabilities	N3	Yes
07.03	Terminal Adaptation Functions (TAF) for Services Using Synchronous Bearer Capabilities	N3	Yes
07.05	Use of Data Terminal Equipment - Data Circuit Terminating Equipment (DTE-DCE) Interface for Short Message Services (SMS) and Cell Broadcast Services (CBS)	T2	Yes
07.07	AT Command set for GSM Mobile Equipment (ME)	T2	Yes
<u>07.08</u>	GSM Application Programming Interface	<u>T2</u>	<u>Yes</u>
<u>07.60</u>	General Packet Radio Service (GPRS); Mobile Station (MS) supporting GPRS	<u>N3</u>	Yes
08.01	General Aspects on the BSS-MSC Interface	G2	Yes
08.02	Base Station System - Mobile Services Switching Centre (BSS-MSC) Interface - Interface Principles	G2	Yes
08.04	Base Station System - Mobile Services Switching Centre (BSS-MSC) Interface Layer 1 Specification	G2	Yes
08.06	Signalling Transport Mechanism Specification for the Base Station System - Mobile Services Switching Centre (BSS-MSC) Interface	G2	Yes
08.08	Mobile-services Switching Centre - Base Station system (MSC-BSS) Interface Layer 3 Specification	G2	Yes
<u>08.18</u>	General Packet Radio Service (GPRS); Base Station System (BSS) - Serving GPRS Support Node (SGSN); BSS GPRS Protocol	<u>G2</u>	Yes
08.20	Rate Adaptation on the Base Station System - Mobile Service Switching Centre (BSS-MSC) Interface	N3	Yes
08.51	Base Station Controller - Base Tranceiver Station (BSC-BTS) Interface General Aspects	G2	Yes
08.52	Base Station Controller - Base Tranceiver Station (BSC-BTS) Interface - Interface Principles	G2	Yes
08.54	BSC-BTS Layer 1; Structure of Physical Circuits	G2	Yes
08.56	BSC-BTS Layer 2; Specification	G2	Yes
08.58	Base Station Controler - Base Transceiver Station (BCS-BTS) Interface Layer 3 Specification	G2	Yes
08.60	In-band control of remote transcoders and rate adaptors for Enhanced Full Rate (EFR) and full rate traffic channels	G1	Yes
08.61	In-band control of remote transcoders and rate adaptors for half rate traffic channels	G1	Yes
09.01	General Network Interworking Scenarios	N4	Yes
09.02	Mobile Application Part (MAP) Specification	N4	Yes
09.03	Signalling Requirements on Interworking between the Intergrated Services Digital Network (ISDN) or Public Switched Telephone Network (PSTN) and the Public Land Mobile Network (PLMN)	N3	Yes
09.04	Interworking between the Public Land Mobile Network (PLMN) and the Circuit Switched Public Data Network (CSPDN)	N3	Yes

09.05	Interworking between the PLMN and the PSPDN for PAD Access	N3	Yes
09.06	Interworking between a Public Land Mobile Network (PLMN) and a Packet Switched Public Data Network/Intergrated Services digital Network (PSPDN/ISDN) for Support of Packet Switched Data Transmission Services	N3	Yes
09.07	General Requirements on Interworking between the Public Land Mobile Network (PLMN) and the Intergrated Services Digital Network (ISDN) or Public Switched Telephone Network (PSTN)	N3	Yes
09.08	Application of the Base Station System Application Part (BSSAP) on the E-Interface	N1	Yes
09.10	Information Element Mapping between Mobile Station - Base Station System (MS - BSS) and Base Station System - Mobile-services Switching Centre (BSS - MCS) Signalling Procedures and the Mobile Application Part (MAP)	N4	Yes
09.11	Signalling Interworking for Supplementary Services	N4	Yes
09.12	Application of ISUP Version 2 for the ISDN- PLMN (GSM) Signalling	SPAN3	Yes
<u>09.78</u>	CAMEL Application Part phase 2 (stage 3)	<u>N2</u>	<u>Yes</u>
09.90	Interworking between Phase 1 Infrastructure and Phase 2 Mobile Stations (MS)	N1	Yes
09.91	Interworking Aspects of the SIM/ME Interface Between Phase 1 and Phase 2	T3	Yes
09.94	Recommended infrastructure measures to overcome specific Mobile Station (MS) faults	N1	Yes
<u>10.00</u>	Digital Cellular Telecommunication System Feature Description	<u>S2</u>	No
<u>10.02</u>	Guidelines for the modification of the Mobile Application Part (MAP) in phase 2+	<u>N4</u>	No
<u>10.14</u>	System overview for 14.4 kbit/s Work Item	<u>S2</u>	No
11.10-1	Mobile station (MS) conformance specification; Part 1: Conformance specification	G5	Yes
11.10-2	Mobile station (MS) conformance specification; Part 2: Protocol Implementation Conformance Statement (PICS) proforma specification	G5	Yes
11.10-3	Mobile Station (MS) conformance specification; Part 3: Layer3 (L3) Abstract Test Suite (ATS)	G5	Yes
<u>11.10-4</u>	Mobile Station (MS) conformance specification: Part 4: Subscriber Interface Module (SIM) application toolkit conformance specification	<u>G5</u>	Yes
11.11	Specification of the Subscriber Identity Module - Mobile Equipment (SIM-ME) Interface	Т3	Yes
11.12	Specification on the 3 volt subscriber identity module Equipment (SIM-ME) Interface	13	Yes
11.21	Base Station System (BSS) equipment specification; Radio aspects	G3	Yes
11.22	GSM Base Station and Ancillary Equipment, Physical and Electronical Parameters, Application of Standards and Guidance Notes	G3	Yes
11.23	GSM Signalling Aspects Base Station System equipment Specification	G3	Yes
11.24	GSM Transcoding and Rate Adaptation: Base Station System Equipment Specification	63	Yes
<u>11.14</u>	Specification of the SIM Application Toolkit (SAT) for the Subscriber Identity Module - Mobile Equipment (SIM-ME) interface	<u>T3</u>	Yes
11.26	Base Station System (BSS) equipment specification; Part 4: Repeaters	G3	Yes
12.00	Objectives and Structure of GSM Public Land Mobile Network (PLMN) Management	\$5	Yes
12.01	Network Management (NM); Part 2: Common aspects of SM/DCS 1800 Network Management	\$5	Yes

12.02	Subscriber, Mobile Equipment (ME) and Services Data Administration	S5	Yes
12.03	Security Management	S5	Yes
12.04	Performance data measurements	\$5	Yes
12.05	Subscriber Related Call and Event Data	S5	Yes
12.06	Network Configuration Management and Administration	\$5	Yes
12.08	Subscriber and Equipment trace	S5	Yes
12.11	Fault management of the Base Station System (BSS)	\$5	Yes
12.20	Base Station System (BSS) Management	\$5	Yes
12.21	Network Management (NM) procedures and messages on the A-bis interface	G3	Yes
12.22	Interworking of GSM Network Management (NM) Procedures and Messages at the Base Station Controller (BSC)	63	Yes
12.30	ETSI Object Identifier Tree; Mobile Domain O&M	S5	Yes

Other comments:

Ħ

		CHANGE		JES	т		CR-Form-v7
ж	01.01	CR 014	ж rev	- 9	Current ver	^{sion:} 5.0.0	Ħ
For <u>HELP</u> o	n using this fo	rm, see bottom of thi	is page or l	ook at	the pop-up tex	t over the X sy	mbols.
Proposed change affects: UICC apps# ME Radio Access Network Core Network							
Title:	策 Update o	f list of specs for nex	t Release				
Source:	¥ MCC (Sp	ecifications Manage	<u>r</u>)				
Work item code	:೫ <mark>TEI</mark>				Date: ३	€ 07/05/2003	
Category:	F (co) A (co) B (ad C (fur D (ed Detailed ex	the following categorie rection) rresponds to a correction dition of feature), actional modification of itorial modification) planations of the above 3GPP <u>TR 21.900</u> .	on in an earl feature)		2	£ R97 f the following re (GSM Phase 2 (Release 1996 (Release 1997 (Release 1998 (Release 1999 (Release 4) (Release 5) (Release 6))))

Reason for change: #	Retrospective creation of definitive specs list for this GSM Release
Summary of change: #	Adds / deletes specs
Consequences if #	B Doubt over which specs are valid for this Release
not approved:	
Clauses affected: #	3 5
	YN
Other specs #	Contractions Contractions
affected:	X Test specifications
	X O&M Specifications

Number	Title	WG prime	For publication?
01.01	Technical Specifications and Technical Reports for a GERAN-based 3GPP system	SP	Yes
01.02	General Description of a GSM Public Land Mobile Network (PLMN)	S1	Yes
01.04	Abbreviations and acronyms	GP	Yes
01.48	ISDN-based DECT/GSM interworking; Feasibility study	S1	Yes
01.60	GPRS requirements	<u>S1</u>	Yes
01.61	General Packet Radio Service (GPRS); GPRS ciphering algorithm requirements	<u>S3</u>	Yes
02.01	Principles of telecommunication services supported by a GSM Public Land Mobile Network(PLMN)	S1	Yes
02.02	Bearer Services (BS) Supported by a GSM Public Land Mobile Network (PLMN)	S1	Yes
02.03	Teleservices Supported by a GSM Public Land Mobile Network (PLMN)	S1	Yes
02.04	General on Supplementary Services	S1	Yes
02.06	Types of Mobile Stations (MS)	S1	Yes
02.00	Mobile Station (MS) Features	S1	Yes
02.07	Security aspects	S3	Yes
		53 S1	Yes
02.11 02.16	Service Accessibility International Mobile Station Equipment Identities (IMEI)	S1	Yes
02.17	Subscriber Identity Module (SIM); Functional characteristics	Т3	Yes
02.22	Stage 1 for personalisation of GSM ME	S1	Yes
02.24	Description of Charge Advice Information (CAI)	S1	Yes
02.30	Man-machine Interface (MMI) of the Mobile Station (MS)	S1	Yes
02.34	High Speed Circuit Switched Data (HSCSD); Stage 1	S1	Yes
02.40	Procedures for Call Progress Indications	S1	Yes
02.40	Operator Determined Barring	S1	Yes
02.41	Network Identity and Timezone (NITZ); Service Description, Stage 1	S1	Yes
<u>02.48</u>	Security mechanisms for the SIM Application Toolkit; Stage 1	<u>T3</u>	Yes
<u>02.53</u>	Tandem Free Operation (TFO); Service description; Stage 1	<u>S4</u>	<u>Yes</u>
<u>02.60</u>	General Packet Radio Service Stage 1 Description	<u>S1</u>	Yes
02.63	Packet Data on Signalling channels Service (PDS); Stage 1	S1	Yes
02.67	Enhanced Multi-Level Precedence and Pre- emption Service (eMLPP); Stage 1	S1	Yes
02.68	Voice Group Call Service (VGCS); Stage 1	S1	Yes
02.69	Voice Broadcast Service (VBS); Stage 1	S1	Yes
02.78	Customized Applications for Mobile network Enhanced Logic (CAMEL); Service definition (Stage 1)		Yes
02.79	Support of Optimal Routeing (SOR); Service definition (Stage 1)	S1	Yes
02.81	Line Identification Supplementary Services; Stage 1	S1	Yes
02.82	Call Forwarding (CF) Supplementary Services; Stage 1	ry Services; S1 Yes	
02.83	Call Waiting (CW) and Call Hold (HOLD) Supplementary Services; Stage 1	S1	Yes
	MultiParty (MPTY) Supplementary Services;	S1	Yes

00.05	Stage 1	0.1	N/
02.85	Closed User Group (CUG) Supplementary Services; Stage 1	S1	Yes
02.86	Advice of Charge (AoC) Supplementary Services; Stage 1	S1	Yes
02.88	Call Barring (CB) Supplementary Services; Stage 1	S1	Yes
02.90	Unstructured Supplementary Service Data (USSD); Stage 1	S1	Yes
02.91	Explicit Call Transfer (ECT)	S1	Yes
02.93	Completion of Calls to Busy Subcriber (CCBS) Service Description; Stage 1	<u>S1</u>	Yes
02.95	Support of Private Numbering Plan (SPNP); Service description; Stage 1	S1	Yes
<u>02.96</u>	Name Identification Supplementary Services; Stage 1	<u>S1</u>	Yes
03.01	Network Functions	S2	Yes
03.02	Network Architecture	S2	Yes
03.03	Numbering, Addressing and Identification	N4	Yes
03.05	Technical performance objectives	NP	Yes
03.07	Restoration Procedures	N4	Yes
03.08	Organization of Subscriber Data	N4	Yes
03.09	Handover Procedures	N1	Yes
03.10	GSM Public Land Mobile Network (PLMN) Connection Types	N3	Yes
03.11	Technical Realization of Supplementary Services - General Aspects	N4	Yes
03.12	Location Registration Procedures	N4	Yes
03.13	Discontinuous Reception (DRX) in the GSM System	G1	Yes
03.14	Support of Dual Tone Multi-Frequency Signalling (DTMF) via the GSM System	N1	Yes
03.15	Technical Realization of Operator Determined Barring	N4	Yes
03.16	Subscriber Data Management	N4	Yes
03.18	Basic Call Handling	N4	Yes
03.20	Security-related Network Functions	S3	Yes
03.22	Functions related to Mobile Station (MS) in idle mode and group receive mode	G1	Yes
03.26	Multiband operation of GSM/DCS 1800 by a single operator	G1	Yes
03.30	Radio Network Planning Aspects	GP	Yes
03.32	Universal Geographical Area Description (GAD)	S2	Yes
03.34	High Speed Circuit Switched Data (HSCSD); Stage 2	N1	Yes
03.38	Alphabets and language-specific information	T2	Yes
03.40	Technical Realization of the Short Message Service (SMS) Point-to-poin (PP)	T2	Yes
03.41	Technical Realization of Short Message Service Cell Broadcast (SMSCB)	T2	Yes
03.42	SMS Compression	T2	Yes
03.43	Support of Videotex	T2	Yes
03.44	Support of Teletex in a GSM Public Land Mobile Network (PLMN)	T2	Yes
03.45	Technical Realization of Facsimile Group 3 Service - transparent	N3	Yes
03.46	Technical Realization of Facsimile Group 3 Service - non transparent	N3	Yes
03.47	Example Protocol Stacks for Interconnecting Service Centre(s) (SC) and Mobile Services Switching Centre(s) (MSC)	T2	Yes
<u>03.48</u>	Security mechanisms for SIM application toolkit; Stage 2	<u>T3</u>	<u>Yes</u>
03.49	Example protocol stacks for interconnecting Cell Broadcast Centre (CBC) and Base Station Controler (BSC)	T2	Yes

03.50	Transmission Planning Aspects of the Speech Service in the GSM Public Land Mobile Network (PLMN) System	S4	Yes
03.54	Description for the use of a Shared Inter Working Function (SIWF) in a GSM PLMN; Stage 2	N3	Yes
<u>03.58</u>	Characterisation, test methods and quality assessment for handsfree Mobile Stations (MSs)	<u>S4</u>	Yes
<u>03.60</u>	General Packet Radio Service (GPRS) Service description; Stage 2	<u>S2</u>	Yes
03.63	Packet Data on Signalling channels service (PDS) Service description, Stage 2	N1	Yes
<u>03.64</u>	General Packet Radio Service (GPRS); Overall description of the GPRS radio interface; Stage 2	<u>G1</u>	Yes
03.67	Enhanced Multi-Level Precedence and Pre- emption Service (eMLPP); Stage 2	N4	Yes
03.68	Voice Group Call Service (VGCS); Stage 2	N1	Yes
03.69	Voice Broadcast service (VBS); Stage 2	N1	Yes
03.70	Routeing of Calls to/from Public Data Networks (PDN)	N3	Yes
03.78	Customised Applications for Mobile network Enhanced Logic (CAMEL) Phase 2; Stage 2	N2	Yes
03.79	Support of Optimal Routeing phase 1; Stage 2	N4	Yes
03.81	Line Identification Supplementary Services; Stage 2	N4	Yes
03.82	Call Forwarding (CF) Supplementary Services; Stage 2	N4	Yes
03.83	Call Waiting (CW) and Call Hold (HOLD) Supplementary Services; Stage 2	N4	Yes
03.84	Multi Party (MPTY) Supplementary Services; Stage 2	N4	Yes
03.85	Closed user Group (CUG) Supplementary Services; Stage 2	N4	Yes
03.86	Advice of Charge (AoC) Supplementary Services; Stage 2	N4 Yes	
03.88	Call Barring (CB) supplementary services; Stage 2	N4	Yes
03.90	Unstructured Supplementary Service Data (USSD)	N4	Yes
03.91	Explicit Call Transfer (ECT) Supplementary Service; Stage 2	N4	Yes
<u>03.93</u>	Technical realization of Completion of Calls to Busy Subscriber (CCBS); Stage 2	<u>N4</u>	Yes
<u>03.96</u>	Name Identification Supplementary Services; Stage 2	<u>N4</u>	Yes
04.01	Mobile Station - Base Station System (MS - BSS) Interface General Aspects and Principles	N1	Yes
04.02	GSM Public Land Mobile Network (PLMN) Access Reference Configuration	N1	Yes
04.03	Mobile Station - Base Station System (MS - BSS) Interface Channel Structures and Access Capabilities	G2	Yes
04.04	Layer 1 - General Requirements	G2	Yes
04.05	Data Link (DL) Layer General Aspects	G2	Yes
04.06	Mobile Station - Base Stations System (MS - BSS) Interface Data Link (DL) Layer Specification	G2	Yes
04.07	Mobile Radio Interface Signalling Layer 3 - General Aspects	N1	Yes
04.08	Mobile radio interface layer 3 specification	N1	Yes
04.10	Mobile Radio Interface Layer 3 - Supplementary Services Specification - General Aspects	N4	Yes
04.11	Point-to-Point (PP) Short Message Service (SMS) Support on Mobile Radio Interface	N1	Yes
04.12	Short Message Service Cell Broadcast (SMSCB) Support on the Mobile Radio Interface	G2	Yes
04.13	Performance Requirements on Mobile Radio	N1	Yes

	Interface					
04.14	Individual equipment type requirements and interworking; Special conformance testing functions	G2	Yes			
04.21	Rate Adaption on the Mobile Station - Base Station System (MS-BSS) Interface	N3	N3 Yes			
04.22	Radio Link Protocol (RLP) for data and telematic services on the Mobile Station - Base Station System (MS - BSS) interface and the Base Station System - Mobile-services Switching Centre (BSS - MSC) interface	N3	Yes			
<u>04.60</u>	General Packet Radio Service (GPRS); Mobile Station (MS) - Base Station System (BSS) interface; Radio Link Control/ Medium Access Control (RLC/MAC) protocol	<u>G2</u>	Yes			
04.63	Packet Data on Signalling channels Service (PDS) Service Description, Stage 3	N1	Yes			
<u>04.64</u>	General Packet Radio Service (GPRS); Mobile Station - Serving GPRS Support Node (MS- SGSN) Logical Link Control (LLC) layer specification	<u>N1</u>	Yes			
<u>04.65</u>	General Packet Radio Service (GPRS); Mobile Station (MS) - Serving GPRS Support Node (SGSN); Subnetwork Dependent Convergence Protocol (SNDCP)	<u>N1</u>	Yes			
04.67	Enhanced Multi-Level Precedence and Pre- emption service (eMLPP); Stage 3	N4	Yes			
04.68	Group Call Control (GCC) Protocol	N1	Yes			
04.69	Broadcast Call Control (BCC) protocol	N1	Yes			
04.80	Mobile Radio Interface Layer 3 - Supplementary Services Specification Formats and Coding	N4	Yes			
04.81	Line Identification Supplementary Services; Stage 3	N4	Yes			
04.82	Call Forwarding (CF) Supplementary Services; Stage 3	N4	Yes			
04.83	Call Waiting (CW) and Call Hold (HOLD) Supplementary Services; Stage 3	N4	Yes			
04.84	Multi Party (MPTY) Supplementary Services; Stage 3	N4	Yes			
04.85	Closed User Group (CUG) Supplementary Services; Stage 3	N4	Yes			
04.86	Advice of Charge (AoC) Supplementary Services; Stage 3	N4	Yes			
04.88	Call Barring (CB) Supplementary Services; Stage 3	N4	Yes			
04.90	Unstructured Supplementary Service Data (USSD)	N4	Yes			
04.91	Explicit Call Transfer (ECT) Supplementary Service; Stage 3	N4	Yes			
<u>04.93</u>	Completion of Calls to Busy Subscriber (CCBS): Stage 3	<u>N4</u>	Yes			
<u>04.96</u>	Name Identification Supplementary Services; Stage 3	<u>N4</u>	<u>Yes</u>			
05.01	Physical Layer on the Radio Path (General Description)	G1	Yes			
05.02	Multiplexing and Multiple Access on the Radio Path	G1	Yes			
05.03	Channel coding	G1	Yes			
05.04	Modulation	G1	Yes			
05.05	Radio Transmission and Reception	G1	Yes			
05.08	Radio Subsystem Link Control	G1	Yes			
05.10	Radio subsystem synchronization	G1	Yes			
<u>05.14</u>	Release independent frequency bands; Implementation guidelines	<u>G1</u>	Yes			
05.22	Radio link management in hierarchical networks	G1	Yes			
05.50	Background for RF Requirements	G1	Yes			

05.90	GSM Electromagnetic Compatibility (EMC) considerations	G1	Yes				
06.01	Full Rate Speech Processing Functions	S4	Yes				
06.02	Half Rate Speech Processing Functions	S4	Yes				
06.02	Half Rate Speech: ANSI-C Code for GSM Half	S4	Yes				
	Rate Speech Codec						
06.07	Half Rate Speech: Test Sequence for GSM Half Rate Speech Codec	S4	Yes				
06.08	Half Rate Speech; Performance Characterization of the GSM Half Rate speech codec	S4	Yes				
06.10	Full Rate Speech Transcoding	S4	Yes				
06.11	Substitution and Muting of Lost Frames for Full Rate Speech Channels	S4	Yes				
06.12	Comfort Noise Aspects for Full Rate Speech Traffic Channels	S4	Yes				
06.20	Half Rate Speech Transcoding	S4	Yes				
06.21	Half rate speech; Substitution and muting of lost	S4	Yes				
00.00	frames for half rate speech traffic channels	C 4	Vaa				
06.22	Comfort Noise Aspects for Half Rate Speech Traffic Channels	S4	Yes				
06.31	Discontinuous Transmission (DTX) for Full Rate Speech Traffic Channels	S4	Yes				
06.32	Voice Activity Detection (VAD)	S4	Yes				
06.41	Discontinuous Transmission (DTX) for Half Rate Speech Traffic Channels	S4	Yes				
06.42	Voice Activity Detection (VAD) for Half Rate Speech Traffic Channels	S4	Yes				
06.51	GSM Enhanced full rate speech processing functions: General description	S4	Yes				
06.53	ANSI-C code for the GSM Enhanced Full Rate (EFR) speech codec	Full Rate S4 Yes					
06.54	Test sequences for the GSM Enhanced Full Rate (EFR)	S4	Yes				
06.55	Performance characterisation of the GSM EFR Speech Codec	S4	Yes				
06.60	Enhanced full rate speech transcoding	S4	Yes				
06.61	Substitution and muting of lost frames for encanced full rate speech traffic channels	S4	Yes				
06.62	Comfort noise aspects for Enhanced Full Rate (EFR) speech traffic channels	S4	Yes				
06.81	Discontinuous Transmission (DTX) for encanced full rate speech traffic channels	S4	Yes				
06.82	Voice Activity Detection (VAD) for encanced full rate speech traffic channels	S4	Yes				
06.85	Subjective tests on the interoperability of the HR/FR/EFR speech codecs; single, tandem and tandem free operation	S4	Yes				
07.01	General on Terminal Adaptation Functions (TAF) for Mobile Stations (MS)	N3	Yes				
07.02	Terminal Adaptation Functions (TAF) for Services Using Asynchronous Bearer Capabilities	N3	Yes				
07.03	Terminal Adaptation Functions (TAF) for	N3	Yes				
07.05	Services Using Synchronous Bearer Capabilities Use of Data Terminal Equipment - Data Circuit T2 Terminating Equipment (DTE-DCE) Interface for Short Message Services (SMS) and Cell						
07.07	Broadcast Services (CBS) AT Command set for GSM Mobile Equipment (ME)	T2	Yes				
07.08	GSM Application Programming Interface	T2	Yes				
07.00 07.10	Terminal Equipment to Mobile Station (TE-MS)		Yes				
	multiplexer protocol	<u>T2</u>					
07.60	General Packet Radio Service (GPRS); Mobile Station (MS) supporting GPRS	N3	Yes				
08.01	General Aspects on the BSS-MSC Interface	G2	Yes				

08.02	Base Station System - Mobile Services Switching Centre (BSS-MSC) Interface - Interface Principles	G2	Yes
08.04	Base Station System - Mobile Services Switching Centre (BSS-MSC) Interface Layer 1 Specification	G2	Yes
08.06	Signalling Transport Mechanism Specification for the Base Station System - Mobile Services Switching Centre (BSS-MSC) Interface	G2	Yes
08.08	Mobile-services Switching Centre - Base Station system (MSC-BSS) Interface Layer 3 Specification	G2	Yes
<u>08.14</u>	General Packet Radio Service (GPRS); Base Station System (BSS) - Serving GPRS Support Node (SGSN) interface; Gb Interface Layer 1	<u>G2</u>	Yes
<u>08.16</u>	General Packet Radio Service (GPRS); Base Station System (BSS) - Serving GPRS Support Node (SGSN) Interface; Network Service	<u>G2</u>	Yes
08.18	General Packet Radio Service (GPRS); Base Station System (BSS) - Serving GPRS Support Node (SGSN); BSS GPRS Protocol	G2	Yes
08.20	Rate Adaptation on the Base Station System - Mobile Service Switching Centre (BSS-MSC) Interface	N3	Yes
08.51	Base Station Controller - Base Tranceiver Station (BSC-BTS) Interface General Aspects	G2	Yes
08.52	Base Station Controller - Base Tranceiver Station (BSC-BTS) Interface - Interface Principles	G2	Yes
08.54	BSC-BTS Layer 1; Structure of Physical Circuits	G2	Yes
08.56	BSC-BTS Layer 2; Specification	G2	Yes
08.58	Base Station Controler - Base Transceiver Station (BCS-BTS) Interface Layer 3 Specification	G2	Yes
08.60	In-band control of remote transcoders and rate adaptors for Enhanced Full Rate (EFR) and full rate traffic channels	G1	Yes
08.61	In-band control of remote transcoders and rate adaptors for half rate traffic channels	G1	Yes
09.01	General Network Interworking Scenarios	N4	Yes
09.02	Mobile Application Part (MAP) Specification	N4	Yes
09.03	Signalling Requirements on Interworking between the Intergrated Services Digital Network (ISDN) or Public Switched Telephone Network (PSTN) and the Public Land Mobile Network (PLMN)	N3	Yes
09.04	Interworking between the Public Land Mobile Network (PLMN) and the Circuit Switched Public Data Network (CSPDN)	N3	Yes
09.05	Interworking between the PLMN and the PSPDN for PAD Access	N3	Yes
09.06	Interworking between a Public Land Mobile N3 Network (PLMN) and a Packet Switched Public Data Network/Intergrated Services digital Network (PSPDN/ISDN) for Support of Packet Switched Data Transmission Services		Yes
09.07	General Requirements on Interworking between the Public Land Mobile Network (PLMN) and the Intergrated Services Digital Network (ISDN) or Public Switched Telephone Network (PSTN)	on Interworking between N3 Yes Network (PLMN) and the gital Network (ISDN) or	
09.08	Application of the Base Station System Application Part (BSSAP) on the E-Interface	N1	Yes
09.10	Information Element Mapping between Mobile Station - Base Station System (MS - BSS) and Base Station System - Mobile-services Switching Centre (BSS - MCS) Signalling Procedures and the Mobile Application Part (MAP)	N4	Yes

09.11	Signalling Interworking for Supplementary Services	N4	Yes	
<u>09.13</u>	Signalling interworking between ISDN supplementary services Application Service Element (ASE) and Mobile Application Part (MAP) protocols	<u>N4</u>	Yes	
<u>09.16</u>	General Packet Radio Service (GPRS); Serving GPRS Support Node (SGSN) - Visitors Location Register (VLR); Gs interface network service specification	<u>N1</u>	Yes	
<u>09.18</u>	General Packet Radio Service (GPRS); Serving GPRS Support Node (SGSN) - Visitors Location Register (VLR); Gs interface layer 3 specification	<u>N1</u>	Yes	
<u>09.60</u>	General Packet Radio Service (GPRS); GPRS Tunnelling Protocol GPT) across the Gn and Gp Interface	<u>N4</u>	Yes	
<u>09.61</u>	General Packet Radio Service (GPRS); Interworking between the Public Land Mobile Network (PLMN) supporting GPRS and Packet Data Networks (PDN)	<u>N3</u>	Yes	
09.78	CAMEL Application Part phase 2 (stage 3)	N2	Yes	
09.90	Interworking between Phase 1 Infrastructure and Phase 2 Mobile Stations (MS)	N 1	Yes	
09.94	Recommended infrastructure measures to overcome specific Mobile Station (MS) faults	N1 Yes		
10.00	Digital Cellular Telecommunication System Feature Description	S2 No		
<u>09.95</u>	Interworking between modified PLMN supporting GPRS and legacy GPRS mobiles	<u>G1</u> <u>Yes</u>		
10.02	Guidelines for the modification of the Mobile Application Part (MAP) in phase 2+	N4	No	
10.14	System overview for 14.4 kbit/s Work Item	\$2	No	
11.10-1	Mobile station (MS) conformance specification; Part 1: Conformance specification	G5	Yes	
11.10-3	Mobile Station (MS) conformance specification; Part 3: Layer3 (L3) Abstract Test Suite (ATS)	G5	Yes	
11.10-4	Mobile Station (MS) conformance specification; Part 4: Subscriber Interface Module (SIM) application toolkit conformance specification	G5	Yes	
11.11	Specification of the Subscriber Identity Module - Mobile Equipment (SIM-ME) Interface	Т3	Yes	
11.14	Specification of the SIM Application Toolkit (SAT) for the Subscriber Identity Module - Mobile Equipment (SIM-ME) interface	Т3	Yes	
11.26	Base Station System (BSS) equipment specification; Part 4: Repeaters	G3	Yes	
12.02	Subscriber, Mobile Equipment (ME) and Services Data Administration	\$5	Yes	
12.05	Subscriber Related Call and Event Data	S5	Yes	
12.08	Subscriber and Equipment trace	S5	Yes	
<u>12.11</u>	Fault management of the Base Station System (BSS)	<u>S5</u>	<u>Yes</u>	
<u>12.15</u>	General Packet Radio Service (GPRS); GPRS Charging	<u>S5</u>	<u>Yes</u>	
12.21	Network Management (NM) procedures and messages on the A-bis interface	G3	Yes	

Other comments: 🛛 🕱

		CHANC	GE REQ	UES	ST			CR-Form-v7
ж	01.01	CR <mark>015</mark>	жrev	-	₩ Cı	irrent versi	^{on:} 6.0	.0 ^ж
For <u>HELP</u> o	n using this fo	orm, see bottom of	this page or	look ai	t the po	op-up text (over the ¥	symbols.
Proposed chang	ge affects:	UICC apps ೫ <mark></mark>	ME	Radio	o Acce	ss Networł	< Cor	e Network
Title:	策 Update	of list of specs for r	next Release					
Source:	ж <mark>МСС (S</mark>	pecifications Mana	ger)					
Work item code	:೫ <mark>TEI</mark>					Date: ೫	07/05/20	03
Category:	F (cc A (cc B (ac C (fu D (ec Detailed e	f the following catego prection) brresponds to a corre ddition of feature), nctional modification ditorial modification) xplanations of the ab a 3GPP <u>TR 21.900</u> .	ection in an ea of feature)		l	Jse <u>one</u> of t 2 R96 R97 R98 R99 Rel-4 Rel-5	R98 he following (GSM Phas (Release 19 (Release 19 (Release 19 (Release 4) (Release 5) (Release 6)	e 2) 996) 997) 998) 999))

Reason for change: #	Retrospective creation of definitive specs list for this GSM Release
Summary of change: ೫	Adds / deletes specs
Consequences if #	Doubt over which specs are valid for this Release
not approved:	
Clauses affected: #	5
	YN
Other specs अ	X Other core specifications #
affected:	X Test specifications
	X O&M Specifications

Number	Title	WG prime	For publication?
01.01	Technical Specifications and Technical Reports for a GERAN-based 3GPP system	SP	Yes
01.02	General Description of a GSM Public Land Mobile Network (PLMN)	\$1	Yes
01.04	Abbreviations and acronyms	GP	Yes
01.48	ISDN-based DECT/GSM interworking; Feasibility study	S1	Yes
01.60	GPRS requirements	S 1	Yes
<u>01.31</u>	Fraud Information Gathering System (FIGS); Service requirements; Stage 0	<u>S3</u>	<u>Yes</u>
01.33	Lawful Interception requirements for GSM	S 3	Yes
01.56	GSM Cordless Telephony System (CTS) (Phase 1); CTS Authentication and Key Generation Algorithms Requirements	<u>S1</u>	Yes
01.61	General Packet Radio Service (GPRS); GPRS ciphering algorithm requirements	S3	Yes
02.01	Principles of telecommunication services supported by a GSM Public Land Mobile Network(PLMN)	S1	Yes
02.02	Bearer Services (BS) Supported by a GSM Public Land Mobile Network (PLMN)	S1	Yes
02.03	Teleservices Supported by a GSM Public Land Mobile Network (PLMN)	S1	Yes
02.04	General on Supplementary Services	S1	Yes
02.06	Types of Mobile Stations (MS)	S1	Yes
02.07	Mobile Station (MS) Features	S1	Yes
02.09	Security aspects	S3	Yes
02.11	Service Accessibility	S1	Yes
02.16	International Mobile Station Equipment Identities (IMEI)	S1	Yes
02.17	Subscriber Identity Module (SIM); Functional characteristics	Т3	Yes
<u>02.19</u>	Subscriber Identity Module Application Programming Interface (SIM API); Stage 1	<u>T3</u>	<u>Yes</u>
02.22	Stage 1 for personalisation of GSM ME	S1	Yes
02.24	Description of Charge Advice Information (CAI)	S1	Yes
02.30	Man-machine Interface (MMI) of the Mobile Station (MS)	S1	Yes
<u>02.31</u>	Fraud Information Gathering System (FIGS); Service description; Stage 1	<u>S3</u>	Yes
02.32	Immediate Service Termination (IST); Service description; Stage 1	<u>S3</u>	<u>Yes</u>
02.33	Lawful Interception (LI); Stage 1	S 3	Yes
02.34	High Speed Circuit Switched Data (HSCSD); Stage 1	S1	Yes
02.40	Procedures for Call Progress Indications	S1	Yes
02.41	Operator Determined Barring	S1	Yes
02.42	Network Identity and Timezone (NITZ); Service Description, Stage 1	S1	Yes
<u>02.43</u>	Support of Localised Service Area (SoLSA); Service description; Stage 1	<u>S1</u>	<u>Yes</u>
02.48	Security mechanisms for the SIM Application Toolkit; Stage 1	Т3	Yes
02.53	Tandem Free Operation (TFO); Service description; Stage 1	S4	Yes
<u>02.56</u>	GSM Cordless Telephony System (CTS), Phase 1; Service description; Stage 1	<u>S1</u>	Yes
02.57	Mobile Station Application Execution Environment (MExE) Service description Stage 1	<u>S1</u>	<u>Yes</u>

1	Description		
02.63	Packet Data on Signalling channels Service	S1	Yes
02.00	(PDS); Stage 1	0.	100
02.66	Support of Mobile Number Portability (MNP);	<u>S1</u>	Yes
	Service description; Stage 1		
02.67	Enhanced Multi-Level Precedence and Pre-	S1	Yes
	emption Service (eMLPP); Stage 1		
02.68	Voice Group Call Service (VGCS); Stage 1	S1	Yes
02.69	Voice Broadcast Service (VBS); Stage 1	S1	Yes
<u>02.71</u>	Location Services (LCS); Stage 1	<u>S1</u>	<u>Yes</u>
<u>02.72</u>	Call Deflection Service description; Stage 1	<u>S1</u>	<u>Yes</u>
02.78	Customized Applications for Mobile network Enhanced Logic (CAMEL); Service definition (Stage 1)	S1	Yes
02.79	Support of Optimal Routeing (SOR); Service definition (Stage 1)	S1	Yes
02.81	Line Identification Supplementary Services; Stage 1	S1	Yes
02.82	Call Forwarding (CF) Supplementary Services; Stage 1	S1	Yes
02.83	Call Waiting (CW) and Call Hold (HOLD) Supplementary Services; Stage 1	S1	Yes
02.84	MultiParty (MPTY) Supplementary Services; Stage 1	S1	Yes
02.85	Closed User Group (CUG) Supplementary Services; Stage 1	S1	Yes
02.86	Advice of Charge (AoC) Supplementary Services; Stage 1	S1	Yes
<u>02.87</u>	User-to-User Signalling (UUS) Service Description; Stage 1	<u>S1</u>	Yes
02.88	Call Barring (CB) Supplementary Services; Stage 1	S1	Yes
02.90	Unstructured Supplementary Service Data (USSD); Stage 1	S1	Yes
02.91	Explicit Call Transfer (ECT)	S1	Yes
02.93	Completion of Calls to Busy Subcriber (CCBS) Service Description; Stage 1	S1	Yes
02.95	Support of Private Numbering Plan (SPNP); Service description; Stage 1	S1	Yes
02.96	Name Identification Supplementary Services; Stage 1	S1	Yes
02.97	Multiple Subscriber Profile (MSP) Service	04	
	description, Stage 1	<u>S1</u>	Yes
03.01	description, Stage 1 Network Functions	S2	Yes
03.01 03.02	description, Stage 1 Network Functions Network Architecture	S2 S2	Yes Yes
03.01 03.02 03.03	description, Stage 1 Network Functions Network Architecture Numbering, Addressing and Identification	S2 S2 N4	Yes Yes Yes
03.01 03.02 03.03 03.05	description, Stage 1 Network Functions Network Architecture Numbering, Addressing and Identification Technical performance objectives	S2 S2 N4 NP	Yes Yes Yes Yes
03.01 03.02 03.03 03.05 03.07	description, Stage 1 Network Functions Network Architecture Numbering, Addressing and Identification Technical performance objectives Restoration Procedures	S2 S2 N4 NP N4	Yes Yes Yes Yes Yes Yes
03.01 03.02 03.03 03.05 03.07 03.08	description, Stage 1Network FunctionsNetwork ArchitectureNumbering, Addressing and IdentificationTechnical performance objectivesRestoration ProceduresOrganization of Subscriber Data	S2 S2 N4 NP N4 N4	Yes Yes Yes Yes Yes Yes Yes
03.01 03.02 03.03 03.05 03.07 03.08 03.09	description, Stage 1Network FunctionsNetwork ArchitectureNumbering, Addressing and IdentificationTechnical performance objectivesRestoration ProceduresOrganization of Subscriber DataHandover Procedures	S2 S2 N4 NP N4 N4 N4 N1	Yes Yes Yes Yes Yes Yes Yes Yes
03.01 03.02 03.03 03.05 03.07 03.08 03.09 03.10	description, Stage 1Network FunctionsNetwork ArchitectureNumbering, Addressing and IdentificationTechnical performance objectivesRestoration ProceduresOrganization of Subscriber DataHandover ProceduresGSM Public Land Mobile Network (PLMN) Connection Types	S2 S2 N4 NP N4 N4 N4 N1 N3	Yes Yes Yes Yes Yes Yes Yes Yes Yes
03.01 03.02 03.03 03.05 03.07 03.08 03.09 03.10 03.11	description, Stage 1Network FunctionsNetwork ArchitectureNumbering, Addressing and IdentificationTechnical performance objectivesRestoration ProceduresOrganization of Subscriber DataHandover ProceduresGSM Public Land Mobile Network (PLMN) Connection TypesTechnical Realization of Supplementary Services - General Aspects	S2 S2 N4 NP N4 N4 N1 N3 N4	Yes Yes Yes Yes Yes Yes Yes Yes Yes
03.01 03.02 03.03 03.05 03.07 03.08 03.09 03.10 03.11 03.12	description, Stage 1Network FunctionsNetwork ArchitectureNumbering, Addressing and IdentificationTechnical performance objectivesRestoration ProceduresOrganization of Subscriber DataHandover ProceduresGSM Public Land Mobile Network (PLMN)Connection TypesTechnical Realization of Supplementary Services- General AspectsLocation Registration Procedures	S2 S2 N4 NP N4 N4 N1 N3 N4 N4	Yes Yes Yes Yes Yes Yes Yes Yes Yes Yes
03.01 03.02 03.03 03.05 03.07 03.08 03.09 03.10 03.11 03.12 03.13	description, Stage 1Network FunctionsNetwork ArchitectureNumbering, Addressing and IdentificationTechnical performance objectivesRestoration ProceduresOrganization of Subscriber DataHandover ProceduresGSM Public Land Mobile Network (PLMN) Connection TypesTechnical Realization of Supplementary Services - General AspectsLocation Registration ProceduresDiscontinuous Reception (DRX) in the GSM System	S2 S2 N4 NP N4 N4 N1 N3 N4 N4 G1	Yes Yes Yes Yes Yes Yes Yes Yes Yes Yes
03.01 03.02 03.03 03.05 03.07 03.08 03.09 03.10 03.11 03.12 03.13 03.14	description, Stage 1 Network Functions Network Architecture Numbering, Addressing and Identification Technical performance objectives Restoration Procedures Organization of Subscriber Data Handover Procedures GSM Public Land Mobile Network (PLMN) Connection Types Technical Realization of Supplementary Services - General Aspects Location Registration Procedures Discontinuous Reception (DRX) in the GSM System Support of Dual Tone Multi-Frequency Signalling (DTMF) via the GSM System	S2 S2 N4 NP N4 N4 N1 N3 N4 N4 G1 N1	Yes Yes Yes Yes Yes Yes Yes Yes Yes Yes
03.01 03.02 03.03 03.05 03.07 03.08 03.09 03.10 03.11 03.12 03.13 03.14 03.15	description, Stage 1Network FunctionsNetwork ArchitectureNumbering, Addressing and IdentificationTechnical performance objectivesRestoration ProceduresOrganization of Subscriber DataHandover ProceduresGSM Public Land Mobile Network (PLMN) Connection TypesTechnical Realization of Supplementary Services - General AspectsLocation Registration ProceduresDiscontinuous Reception (DRX) in the GSM SystemSupport of Dual Tone Multi-Frequency Signalling (DTMF) via the GSM SystemTechnical Realization of Operator Determined Barring	S2 S2 N4 NP N4 N4 N1 N3 N4 G1 N1 N4	Yes Yes Yes Yes Yes Yes Yes Yes Yes Yes
03.01 03.02 03.03 03.05 03.07 03.08 03.09 03.10 03.11 03.12 03.13 03.14 03.15 03.16	description, Stage 1Network FunctionsNetwork ArchitectureNumbering, Addressing and IdentificationTechnical performance objectivesRestoration ProceduresOrganization of Subscriber DataHandover ProceduresGSM Public Land Mobile Network (PLMN) Connection TypesTechnical Realization of Supplementary Services - General AspectsLocation Registration ProceduresDiscontinuous Reception (DRX) in the GSM SystemSupport of Dual Tone Multi-Frequency Signalling (DTMF) via the GSM SystemTechnical Realization of Operator Determined BarringSubscriber Data Management	S2 S2 N4 NP N4 N4 N1 N3 N4 G1 N1 N4 N4 N4	Yes Yes Yes Yes Yes Yes Yes Yes Yes Yes
03.01 03.02 03.03 03.05 03.07 03.08 03.09 03.10 03.11 03.12 03.13 03.14 03.15	description, Stage 1Network FunctionsNetwork ArchitectureNumbering, Addressing and IdentificationTechnical performance objectivesRestoration ProceduresOrganization of Subscriber DataHandover ProceduresGSM Public Land Mobile Network (PLMN) Connection TypesTechnical Realization of Supplementary Services - General AspectsLocation Registration ProceduresDiscontinuous Reception (DRX) in the GSM SystemSupport of Dual Tone Multi-Frequency Signalling (DTMF) via the GSM SystemTechnical Realization of Operator Determined Barring	S2 S2 N4 NP N4 N4 N1 N3 N4 G1 N1 N4	Yes Yes Yes Yes Yes Yes Yes Yes Yes Yes

03.22	Functions related to Mobile Station (MS) in idle mode and group receive mode	G1	Yes
03.26	Multiband operation of GSM/DCS 1800 by a single operator	G1	Yes
03.30	Radio Network Planning Aspects	GP	Yes
03.30	Fraud Information Gathering System (FIGS);	<u>S3</u>	Yes
00.01	Service description; Stage 2	00	103
03.32	Universal Geographical Area Description (GAD)	S2	Yes
<u>03.33</u>	Lawful Interception; Stage 2	<u>S3</u>	<u>Yes</u>
03.34	High Speed Circuit Switched Data (HSCSD); Stage 2	N1	Yes
<u>03.35</u>	Immediate Service Termination (IST); Stage 2	<u>S3</u>	<u>Yes</u>
03.38	Alphabets and language-specific information	T2	Yes
03.40	Technical Realization of the Short Message Service (SMS) Point-to-poin (PP)	T2	Yes
03.41	Technical Realization of Short Message Service Cell Broadcast (SMSCB)	T2	Yes
03.42	SMS Compression	T2	Yes
03.43	Support of Videotex	T2	Yes
03.44	Support of Teletex in a GSM Public Land Mobile	T2	Yes
03.45	Network (PLMN) Technical Realization of Facsimile Group 3	N3	Yes
	Service - transparent		
03.46	Technical Realization of Facsimile Group 3 Service - non transparent	N3	Yes
03.47	Example Protocol Stacks for Interconnecting Service Centre(s) (SC) and Mobile Services Switching Centre(s) (MSC)	T2	Yes
03.48	Security mechanisms for SIM application toolkit; Stage 2	Т3	Yes
03.49	Example protocol stacks for interconnecting Cell Broadcast Centre (CBC) and Base Station Controler (BSC)	T2	Yes
03.50	Transmission Planning Aspects of the Speech Service in the GSM Public Land Mobile Network (PLMN) System	S4	Yes
<u>03.52</u>	Lower layers of the GSM Cordless Telephony System (CTS) radio interface; Stage 2	<u>G1</u>	<u>Yes</u>
<u>03.53</u>	Tandem Free Operation (TFO); Service description; Stage 2	<u>S4</u>	<u>Yes</u>
03.54	Description for the use of a Shared Inter Working Function (SIWF) in a GSM PLMN; Stage 2	N3	Yes
<u>03.56</u>	<u>GSM Cordless Telephony System (CTS), Phase</u> <u>1; CTS Architecture Description; Stage 2</u>	<u>S2</u>	<u>Yes</u>
<u>03.57</u>	Mobile Station Application Execution Environment (MExE); Functional description;	<u>T2</u>	Yes
03.58	Stage 2 Characterisation, test methods and quality assessment for handsfree Mobile Stations (MSs)	S4	Yes
03.60	General Packet Radio Service (GPRS) Service description; Stage 2	S2	Yes
03.63	Packet Data on Signalling channels service (PDS) Service description, Stage 2	N1	Yes
03.64	General Packet Radio Service (GPRS); Overall description of the GPRS radio interface; Stage 2	G1	Yes
<u>03.66</u>	Support of GSM Mobile Number Portability (MNP); Stage 2	<u>N4</u>	<u>Yes</u>
03.67	Enhanced Multi-Level Precedence and Pre- emption Service (eMLPP); Stage 2	N4	Yes
03.68	Voice Group Call Service (VGCS); Stage 2	N1	Yes
03.69	Voice Broadcast service (VBS); Stage 2	N1	Yes
03.70	Routeing of Calls to/from Public Data Networks (PDN)	N3	Yes
<u>03.71</u>	Location Services (LCS); Functional description; Stage 2	<u>S2</u>	<u>Yes</u>
<u>03.72</u>	Call Deflection stage 2	<u>N4</u>	Yes

<u>03.73</u>	Support of Localised Service Area (SoLSA);	<u>N4</u>	Yes
03.78	Stage 2 Customised Applications for Mobile network	N2	Yes
00.70	Enhanced Logic (CAMEL) Phase 2; Stage 2	NI4	
03.79	Support of Optimal Routeing phase 1; Stage 2	N4	Yes
03.81	Line Identification Supplementary Services; Stage 2	N4	Yes
03.82	Call Forwarding (CF) Supplementary Services; Stage 2	N4	Yes
03.83	Call Waiting (CW) and Call Hold (HOLD) Supplementary Services; Stage 2	N4	Yes
03.84	Multi Party (MPTY) Supplementary Services; Stage 2	N4	Yes
03.85	Closed user Group (CUG) Supplementary Services; Stage 2	N4	Yes
03.86	Advice of Charge (AoC) Supplementary Services; Stage 2	N4	Yes
03.87	User-to-user signalling (UUS); Stage 2	<u>N4</u>	Yes
03.88	Call Barring (CB) supplementary services; Stage 2	N4	Yes
03.90	Unstructured Supplementary Service Data (USSD)	N4	Yes
03.91	Explicit Call Transfer (ECT) Supplementary Service; Stage 2	N4	Yes
03.93	Technical realization of Completion of Calls to Busy Subscriber (CCBS); Stage 2	N4	Yes
03.96	Name Identification Supplementary Services; Stage 2	N4	Yes
<u>03.97</u>	Multiple subscriber Profile (MSP); Stage 2	<u>N4</u>	Yes
04.01	Mobile Station - Base Station System (MS - BSS) Interface General Aspects and Principles	N1	Yes
04.02	GSM Public Land Mobile Network (PLMN) Access Reference Configuration	N1	Yes
04.03	Mobile Station - Base Station System (MS - BSS) Interface Channel Structures and Access Capabilities	G2	Yes
04.04	Layer 1 - General Requirements	G2	Yes
04.05	Data Link (DL) Layer General Aspects	G2	Yes
04.06	Mobile Station - Base Stations System (MS - BSS) Interface Data Link (DL) Layer Specification	G2	Yes
04.07	Mobile Radio Interface Signalling Layer 3 - General Aspects	N1	Yes
04.08	Mobile radio interface layer 3 specification	N1	Yes
04.10	Mobile Radio Interface Layer 3 - Supplementary Services Specification - General Aspects	N4	Yes
04.11	Point-to-Point (PP) Short Message Service (SMS) Support on Mobile Radio Interface	N1	Yes
04.12	Short Message Service Cell Broadcast (SMSCB) Support on the Mobile Radio Interface	G2	Yes
04.13	Performance Requirements on Mobile Radio Interface	N1	Yes
04.14	Individual equipment type requirements and interworking; Special conformance testing functions	G2	Yes
04.21	Rate Adaption on the Mobile Station - Base Station System (MS-BSS) Interface	N3	Yes
04.22	Radio Link Protocol (RLP) for data and telematic services on the Mobile Station - Base Station System (MS - BSS) interface and the Base Station System - Mobile-services Switching Centre (BSS - MSC) interface	N3	Yes
<u>04.30</u>	Location Services (LCS); Supplementary service operations; Stage 3	<u>N4</u>	Yes
04.31	Location Services (LCS); Mobile Station (MS) - Serving Mobile Location Centre (SMLC) Radio	<u>G2</u>	<u>Yes</u>

	Resource LCS Protocol (RRLP)		
<u>04.35</u>	Location Services (LCS); Broadcast network	<u>G2</u>	Yes
	assistance for Enhanced Observed Time Difference (E-OTD) and Global Positioning		
	System (GPS) positioning methods		
04.56	GSM Cordless Telephony System (CTS), (Phase	N1	Yes
04.00	1) CTS Radio Interface Layer 3 Specification	<u></u>	100
04.57	GSM Cordless Telephony System (CTS), (Phase	N1	Yes
<u> </u>	1) CTS CTS supervising system Layer 3	<u></u>	<u></u>
	Specification		
04.60	General Packet Radio Service (GPRS); Mobile	G2	Yes
	Station (MS) - Base Station System (BSS)		
	interface; Radio Link Control/ Medium Access		
	Control (RLC/MAC) protocol		
04.63	Packet Data on Signalling channels Service	N1	Yes
04.04	(PDS) Service Description, Stage 3	N14	Vee
04.64	General Packet Radio Service (GPRS); Mobile Station - Serving GPRS Support Node (MS-	N1	Yes
	SGSN) Logical Link Control (LLC) layer		
	specification		
04.65	General Packet Radio Service (GPRS); Mobile	N1	Yes
0 1.00	Station (MS) - Serving GPRS Support Node		
	(SGSN); Subnetwork Dependent Convergence		
	Protocol (SNDCP)		
04.67	Enhanced Multi-Level Precedence and Pre-	N4	Yes
	emption service (eMLPP); Stage 3		
04.68	Group Call Control (GCC) Protocol	N1	Yes
04.69	Broadcast Call Control (BCC) protocol	N1	Yes
<u>04.71</u>	Location Services (LCS); Mobile radio interface	<u>G2</u>	<u>Yes</u>
	layer 3 specification		
<u>04.72</u>	Call Deflection (CD) Supplementary Service;	<u>N4</u>	<u>Yes</u>
	Stage 3		
04.80	Mobile Radio Interface Layer 3 - Supplementary	N4	Yes
04.04	Services Specification Formats and Coding	N14	Vee
04.81	Line Identification Supplementary Services; Stage 3	N4	Yes
04.82	Call Forwarding (CF) Supplementary Services;	N4	Yes
04.02	Stage 3	1.1-1	105
04.83	Call Waiting (CW) and Call Hold (HOLD)	N4	Yes
	Supplementary Services; Stage 3		
04.84	Multi Party (MPTY) Supplementary Services;	N4	Yes
	Stage 3		
04.85	Closed User Group (CUG) Supplementary	N4	Yes
	Services; Stage 3		
04.86	Advice of Charge (AoC) Supplementary	N4	Yes
	Services; Stage 3		
<u>04.87</u>	User-to-User Signalling (UUS) Supplementary	<u>N4</u>	<u>Yes</u>
04.00	Service: Stage 3		
04.88	Call Barring (CB) Supplementary Services;	N4	Yes
04.00	Stage 3	N14	Vee
04.90	Unstructured Supplementary Service Data	N4	Yes
04.91	(USSD) Explicit Call Transfer (ECT) Supplementary	N4	Yes
04.91	Service; Stage 3	114	165
04.93	Completion of Calls to Busy Subscriber (CCBS);	N4	Yes
2	Stage 3		
04.96	Name Identification Supplementary Services;	N4	Yes
-	Stage 3		
05.01	Physical Layer on the Radio Path (General	G1	Yes
	Description)		
05.02	Multiplexing and Multiple Access on the Radio	G1	Yes
	Path		
05.03	Channel coding	G1	Yes
05.04	Modulation	G1	Yes
05.05	Radio Transmission and Reception	G1	Yes
05.08	Radio Subsystem Link Control	G1	Yes

I

<u>05.09</u>	Link adaptation Radio subsystem synchronization	<u>G1</u> G1	Yes Voc
05.10			Yes
05.14	Release independent frequency bands; Implementation guidelines	G1	Yes
05.22	Radio link management in hierarchical networks	G1	Yes
05.50	Background for RF Requirements	G1	Yes
<u>05.56</u>	GSM Cordless Telephony System (CTS), Phase 1; CTS-Fixed Part (FP) radio subsystem	<u>G1</u>	Yes
05.90	GSM Electromagnetic Compatibility (EMC) considerations	G1	Yes
06.01	Full Rate Speech Processing Functions	S4	Yes
06.02	Half Rate Speech Processing Functions	S4	Yes
06.06	Half Rate Speech: ANSI-C Code for GSM Half Rate Speech Codec	S4	Yes
06.07	Half Rate Speech: Test Sequence for GSM Half Rate Speech Codec	S4	Yes
06.08	Half Rate Speech; Performance Characterization of the GSM Half Rate speech codec	S4	Yes
06.10	Full Rate Speech Transcoding	S4	Yes
06.11	Substitution and Muting of Lost Frames for Full Rate Speech Channels	S4	Yes
06.12	Comfort Noise Aspects for Full Rate Speech Traffic Channels	S4	Yes
06.20	Half Rate Speech Transcoding	S4	Yes
06.21	Half rate speech; Substitution and muting of lost frames for half rate speech traffic channels	S4	Yes
06.22	Comfort Noise Aspects for Half Rate Speech Traffic Channels	S4	Yes
06.31	Discontinuous Transmission (DTX) for Full Rate Speech Traffic Channels	S4	Yes
06.32	Voice Activity Detection (VAD)	S4	Yes
06.41	Discontinuous Transmission (DTX) for Half Rate Speech Traffic Channels	S4	Yes
06.42	Voice Activity Detection (VAD) for Half Rate Speech Traffic Channels	S4	Yes
06.51	GSM Enhanced full rate speech processing functions: General description	S4	Yes
06.53	ANSI-C code for the GSM Enhanced Full Rate (EFR) speech codec	S4	Yes
06.54	Test sequences for the GSM Enhanced Full Rate (EFR)		Yes
06.55	Performance characterisation of the GSM EFR Speech Codec	S4	Yes
06.60	Enhanced full rate speech transcoding	S4	Yes
06.61	Substitution and muting of lost frames for encanced full rate speech traffic channels	S4	Yes
06.62	Comfort noise aspects for Enhanced Full Rate (EFR) speech traffic channels	S4	Yes
<u>06.71</u>	Adaptive Multi-Rate speech processing functions; General description	<u>S4</u>	Yes
<u>06.73</u>	Adaptive Multi Rate (AMR) speech; ANSI-C code for the AMR speech codec		Yes
<u>06.74</u>	Test sequences for the GSM Adaptive Multi Rate (AMR) speech codec	<u>S4</u>	Yes
<u>06.75</u>	Performance characterization of the GSM Adaptive Multi-Rate (AMR) speech codec	<u>S4</u>	Yes
<u>06.76</u>	Adaptive Multi-Rate (AMR) speech codec; Study phase report	<u>S4</u>	Yes
06.81	Discontinuous Transmission (DTX) for encanced full rate speech traffic channels	S4	Yes
06.82	Voice Activity Detection (VAD) for encanced full rate speech traffic channels	S4	Yes
06.85	Subjective tests on the interoperability of the HR/FR/EFR speech codecs; single, tandem and tandem free operation	S4	Yes
06.90	Adaptive Multi-Rate speech transcoding	<u>S4</u>	Yes

<u>06.91</u>	Substitution and muting of lost frames for AMR	<u>S4</u>	Yes
~~~~	speech traffic channels	<u></u>	N
<u>06.92</u>	Comfort noise aspects for Adaptive Multi-Rate speech traffic channels	<u>S4</u>	Yes
<u>06.93</u>	Discontinuous Transmission (DTX) for Adaptive Multi-Rate speech traffic channels	<u>S4</u>	Yes
<u>06.94</u>	Voice Activity Detector (VAD) for Adaptive Multi Rate (AMR) speech traffic channels	<u>S4</u>	Yes
07.01	General on Terminal Adaptation Functions (TAF) for Mobile Stations (MS)	N3	Yes
07.02	Terminal Adaptation Functions (TAF) for Services Using Asynchronous Bearer Capabilities	N3	Yes
07.03	Terminal Adaptation Functions (TAF) for Services Using Synchronous Bearer Capabilities	N3	Yes
07.05	Use of Data Terminal Equipment - Data Circuit Terminating Equipment (DTE-DCE) Interface for Short Message Services (SMS) and Cell Broadcast Services (CBS)	T2	Yes
07.07	AT Command set for GSM Mobile Equipment (ME)	T2	Yes
07.10	Terminal Equipment to Mobile Station (TE-MS) multiplexer protocol	T2	Yes
07.60	General Packet Radio Service (GPRS); Mobile Station (MS) supporting GPRS	N3	Yes
08.01	General Aspects on the BSS-MSC Interface	G2	Yes
08.02	Base Station System - Mobile Services Switching Centre (BSS-MSC) Interface - Interface Principles	G2	Yes
08.04	Base Station System - Mobile Services Switching Centre (BSS-MSC) Interface Layer 1 Specification	G2	Yes
08.06	Signalling Transport Mechanism Specification for the Base Station System - Mobile Services Switching Centre (BSS-MSC) Interface	G2	Yes
08.08	Mobile-services Switching Centre - Base Station system (MSC-BSS) Interface Layer 3 Specification	G2	Yes
08.14	General Packet Radio Service (GPRS); Base Station System (BSS) - Serving GPRS Support Node (SGSN) interface; Gb Interface Layer 1	G2	Yes
08.16	General Packet Radio Service (GPRS); Base Station System (BSS) - Serving GPRS Support Node (SGSN) Interface; Network Service	G2	Yes
08.18	General Packet Radio Service (GPRS); Base Station System (BSS) - Serving GPRS Support Node (SGSN); BSS GPRS Protocol	G2	Yes
08.20	Rate Adaptation on the Base Station System - Mobile Service Switching Centre (BSS-MSC) Interface	N3	Yes
<u>08.31</u>	Location Services LCS: Serving Mobile Location Centre - Serving Mobile Location Centre (SMLC - SMLC); SMLCPP specification	<u>G2</u>	Yes
08.51	Base Station Controller - Base Tranceiver Station (BSC-BTS) Interface General Aspects	G2	Yes
08.52	Base Station Controller - Base Tranceiver Station (BSC-BTS) Interface - Interface Principles	G2	Yes
08.54	BSC-BTS Layer 1; Structure of Physical Circuits	G2	Yes
08.56	BSC-BTS Layer 2; Specification	G2	Yes
08.58	Base Station Controler - Base Transceiver Station (BCS-BTS) Interface Layer 3 Specification	G2	Yes
08.60	In-band control of remote transcoders and rate adaptors for Enhanced Full Rate (EFR) and full rate traffic channels	G1	Yes

08.61	In-band control of remote transcoders and rate adaptors for half rate traffic channels	G1	Yes
<u>08.62</u>	Inband Tandem Free Operation (TFO) of Speech Codecs; Service Description; Stage 3	<u>S4</u>	Yes
<u>08.71</u>	Location Services (LCS); Serving Mobile Location Centre - Base Station System (SMLC- BSS) interface; Layer 3	<u>G2</u>	<u>Yes</u>
09.01	General Network Interworking Scenarios	N4	Yes
09.02	Mobile Application Part (MAP) Specification	N4	Yes
09.03	Signalling Requirements on Interworking between the Intergrated Services Digital Network (ISDN) or Public Switched Telephone Network (PSTN) and the Public Land Mobile Network (PLMN)	N3	Yes
09.04	Interworking between the Public Land Mobile Network (PLMN) and the Circuit Switched Public Data Network (CSPDN)	N3	Yes
09.05	Interworking between the PLMN and the PSPDN for PAD Access	N3	Yes
09.06	Interworking between a Public Land Mobile Network (PLMN) and a Packet Switched Public Data Network/Intergrated Services digital Network (PSPDN/ISDN) for Support of Packet Switched Data Transmission Services	N3	Yes
09.07	General Requirements on Interworking between the Public Land Mobile Network (PLMN) and the Intergrated Services Digital Network (ISDN) or Public Switched Telephone Network (PSTN)	N3	Yes
09.08	Application of the Base Station System Application Part (BSSAP) on the E-Interface	N1	Yes
09.10	Information Element Mapping between Mobile Station - Base Station System (MS - BSS) and Base Station System - Mobile-services Switching Centre (BSS - MCS) Signalling Procedures and the Mobile Application Part (MAP)	N4	Yes
09.11	Signalling Interworking for Supplementary Services	N4	Yes
09.13	Signalling interworking between ISDN supplementary services Application Service Element (ASE) and Mobile Application Part (MAP) protocols	N4	Yes
<u>09.14</u>	Application of ISUP Version 3 for the ISDN- PLMN (GSM) Signalling	<u>SPAN3</u>	Yes
09.16	General Packet Radio Service (GPRS); Serving GPRS Support Node (SGSN) - Visitors Location Register (VLR); Gs interface network service specification	N1	Yes
09.18	General Packet Radio Service (GPRS); Serving GPRS Support Node (SGSN) - Visitors Location Register (VLR); Gs interface layer 3 specification	N1	Yes
<u>09.31</u>	Location Services (LCS); Base Station System Application Part LCS Extension (BSSAP-LE)	<u>G2</u>	Yes
09.60	General Packet Radio Service (GPRS); GPRS Tunnelling Protocol GPT) across the Gn and Gp Interface	N4	Yes
09.61	General Packet Radio Service (GPRS); Interworking between the Public Land Mobile Network (PLMN) supporting GPRS and Packet Data Networks (PDN)	N3	Yes
09.78	CAMEL Application Part phase 2 (stage 3)	N2	Yes
09.94	Recommended infrastructure measures to overcome specific Mobile Station (MS) faults	N1	Yes
09.95	Interworking between modified PLMN supporting GPRS and legacy GPRS mobiles	G1	Yes
<del>10.02</del>	Guidelines for the modification of the Mobile Application Part (MAP) in phase 2+	N4	No

	Feature Description		
<u>10.56</u>	Project scheduling and open issues: GSM	<u>S2</u>	<u>No</u>
	Cordless Telephony System CTS, Phase 1		
<u>10.70</u>	GSM Adaptive Multi-Rate Speech Codec (AMR);	<u>S4</u>	<u>No</u>
	Project schedule and open issues for AMR		
11.10-1	Mobile station (MS) conformance specification;	G5	Yes
	Part 1: Conformance specification		
11.11	Specification of the Subscriber Identity Module -	Т3	Yes
	Mobile Equipment (SIM-ME) Interface		
<u>11.13</u>	Test specification for Subscriber Interface	<u>T3</u>	<u>Yes</u>
	Module (SIM) Application Programme Interface		
	(API) for Java card		
11.14	Specification of the SIM Application Toolkit (SAT)	Т3	Yes
	for the Subscriber Identity Module - Mobile		
	Equipment (SIM-ME) interface		
<u>11.17</u>	Subscriber Interface Module (SIM) test	<u>T3</u>	<u>Yes</u>
	specification		
<u>11.18</u>	Specification of the 1.8 Volt Subscriber Identity	<u>T3</u>	<u>Yes</u>
	Module - Mobile Equipment (SIM - ME) Interface		
<u>11.19</u>	CTS SIM Fixed Part	<u>T3</u>	Yes
<u>11.21</u>	Base Station System (BSS) equipment	<u>G3</u>	<u>Yes</u>
	specification; Radio aspects		
11.26	Base Station System (BSS) equipment	G3	Yes
	specification; Part 4: Repeaters		
<u>12.03</u>	Security Management	<u>S5</u>	Yes
<u>12.04</u>	Performance data measurements	<u>S5</u>	Yes
12.05	Subscriber Related Call and Event Data	S5	Yes
<del>12.11</del>	Fault management of the Base Station System	<del>\$5</del>	Yes
	(BSS)		
12.15	General Packet Radio Service (GPRS); GPRS	S5	Yes
	Charging		
12.21	Network Management (NM) procedures and	G3	Yes
	messages on the A-bis interface		
<u>12.71</u>	Location Services (LCS); Location services	<u>S5</u>	<u>Yes</u>
	management		