3GPP TSG CN Plenary Meeting #21 17th - 19th September 2003. Frankfurt, Germany.

Source:TSG CN WG3Title:CRs on Rel-5 Work Item E2EQoS.Agenda item:8.5Document for:APPROVAL

Introduction:

This document contains **1** CRs on **Rel-5 Work Item E2EQoS**, including the corresponding mirror CRs (as required).

These CRs have been agreed by TSG CN WG3 and are forwarded to TSG CN Plenary meeting for approval.

WG_tdoc	Title	Spec	CR	Rev	Cat	Rel	C_Ver
N3-030574	Correcting that SBLP is needed for applying functions	27.060	087	1	F	Rel-5	5.4.0

3GPP TSG-CN WG3 Meeting #29 Sophia Antipolis, France. 25th - 29th August 2003.

N3-030574

ж	27.060 CR 087	Current versior	^{n:} 5.4.0 [#]				
For <u>HELP</u> or	using this form, see bottom of this page or look at the	e pop-up text ov	er the X symbols.				
Proposed chang	e affects: UICC apps # ME X Radio Ad	ccess Network	Core Network				
Title:	# Correcting that SBLP is needed for applying funct	ions					
Source:	# TSG_CN WG3 [Ericsson]						
Work item code.	₩ <mark>E2eQoS</mark>	Date: 🕱 💈	24/08/2003				
Category:	 F Use <u>one</u> of the following categories: F (correction) A (corresponds to a correction in an earlier release B (addition of feature), C (functional modification of feature) D (editorial modification) Detailed explanations of the above categories can be found in 3GPP <u>TR 21.900</u>. 	2 (G R96 (R R97 (R R98 (R R99 (R Rel-4 (R Rel-5 (R	Rel-5 e following releases: SM Phase 2) elease 1996) elease 1997) elease 1998) elease 1999) elease 4) elease 5) elease 6)				

Reason for change: # Correct the text to be align and concistent with the description in TS 29.207 and TS 29.208 that IMS has to apply SBLP in order for authorization to apply.

Summary of change	: # Correct that authorization will only occur if SBLP is applied
Consequences if not approved:	# An incorrect description of the prerequisites for the authorization to occure.
Clauses affected:	₩ <mark>13.7</mark>
Othersen	

		Υ	Ν			
Other specs	Ж		Χ	Other core specifications	Ж	
affected:			X X	Test specifications O&M Specifications		
Other comments:	ж -					
Other comments:	ማ					

How to create CRs using this form:

Comprehensive information and tips about how to create CRs can be found at <u>http://www.3gpp.org/specs/CR.htm</u>. Below is a brief summary:

- 1) Fill out the above form. The symbols above marked **#** contain pop-up help information about the field that they are closest to.
- 2) Obtain the latest version for the release of the specification to which the change is proposed. Use the MS Word "revision marks" feature (also known as "track changes") when making the changes. All 3GPP specifications can be downloaded from the 3GPP server under <u>ftp://ftp.3gpp.org/specs/</u> For the latest version, look for the directory name with the latest date e.g. 2001-03 contains the specifications resulting from the March 2001 TSG meetings.

3) With "track changes" disabled, paste the entire CR form (use CTRL-A to select it) into the specification just in front of the clause containing the first piece of changed text. Delete those parts of the specification which are not relevant to the change request.

Start of modification

13.7 Authorization of QoS Attributes

When the PDP context is activated or modified, for an IMS session where service-based local policy is applied, the MS can check that the values of some requested QoS attributes, e.g. Guaranteed or Maximum Bitrate uplink and downlink, do not exceed the values of the corresponding Maximum Authorized QoS attributes, e.g. Maximum Authorized Bandwidth uplink and downlink. The values of the Maximum Authorized QoS attributes are derived from the SDP parameters of the IMS media components identified. The rules for deriving the Maximum Authorized QoS attributes per IMS media component and per PDP context are specified in 3GPP TS 29.208 [53].

End of modifications