

3GPP TSG CN Plenary Meeting #22
10 - 12 December 2003, Maui, Hawaii, USA

NP-030550

Source: CN5 (OSA)
Title: Rel-5 CRs 29.198-04-3 OSA API Part 4: Call control;
Sub-part 3: Multi-Party Call Control SCF
Agenda item: 8.2
Document for: APPROVAL

Doc-1st-Level	Spec	CR	R	Ph	Subject	Cat	Version-Current	Doc-2nd-Lev	WI
NP-030550	29.198-04-3	016	-	Rel-5	Correction of description of TpNotificationRequestedSetEntry	F	5.4.0	N5-030566	OSA2
NP-030550	29.198-04-3	017	-	Rel-6	Correction of description of TpNotificationRequestedSetEntry	A	6.0.0	N5-030567	OSA2

CHANGE REQUEST

⌘ **29.198-04-3 CR 016** ⌘ rev - ⌘ Current version: **5.4.0** ⌘

For **HELP** on using this form, see bottom of this page or look at the pop-up text over the ⌘ symbols.

Proposed change affects: UICC apps ME Radio Access Network Core Network

Title:	⌘ Correction of description of TpNotificationRequestedSetEntry		
Source:	⌘ CN5 (ETSI PTCC)		
Work item code:	⌘ OSA2	Date:	⌘ 31/10/2003
Category:	⌘ F	Release:	⌘ REL-5
	Use <u>one</u> of the following categories: F (correction) A (corresponds to a correction in an earlier release) B (addition of feature), C (functional modification of feature) D (editorial modification) Detailed explanations of the above categories can be found in 3GPP TR 21.900 .		Use <u>one</u> of the following releases: 2 (GSM Phase 2) R96 (Release 1996) R97 (Release 1997) R98 (Release 1998) R99 (Release 1999) Rel-4 (Release 4) Rel-5 (Release 5) Rel-6 (Release 6)

Reason for change:	⌘ The description of TpNotificationRequestedSetEntry makes reference to a type TpNotificationRequestSet. This type doesn't exist. It should be TpNotificationRequestedSet. This change is backwards compatible, because the UML model, and therefore the IDL, WSDL and Java code, all contain the correct data type.
Summary of change:	⌘ Replace TpNotificationRequestSet with TpNotificationRequestedSet in the description of TpNotificationRequestedSetEntry
Consequences if not approved:	⌘ The description of the data type will conflict with the IDL, WSDL and Java code. Implementations which follow the Word document may not interwork with implementations based exclusively on the code in the specification.

Clauses affected:	⌘ 9.2.44										
Other specs affected:	<table border="1" style="display: inline-table; border-collapse: collapse;"> <tr> <td style="text-align: center;">Y</td> <td style="text-align: center;">N</td> </tr> <tr> <td style="text-align: center;">X</td> <td style="text-align: center;"></td> </tr> <tr> <td style="text-align: center;"></td> <td style="text-align: center;">X</td> </tr> <tr> <td style="text-align: center;"></td> <td style="text-align: center;">X</td> </tr> </table> Other core specifications Test specifications O&M Specifications	Y	N	X			X		X	⌘ Rel-6 29.198-04-3	
Y	N										
X											
	X										
	X										
Other comments:	⌘ Rel-6 Mirror CR in N5-030567										

How to create CRs using this form:

Comprehensive information and tips about how to create CRs can be found at <http://www.3gpp.org/specs/CR.htm>.

Change in Clause 9.2.44

9.2.44 TpNotificationRequestedSetEntry

Defines the Sequence of Data Elements that specify a set of requested notifications and an indication whether more notifications can be requested.

Sequence Element Name	Sequence Element Type	Description
NotificationRequestSet	TpNotificationRequest <u>ed</u> Set	Numbered set of requested notifications.
Final	TpBoolean	Indication whether the set of notifications is the final set (TRUE) or if there are more notifications available (FALSE).

**End of Change in Annex 9.2.44
End of Document**

Annex D (informative): Change history

Change history							
Date	TSG #	TSG Doc.	CR	Rev	Subject/Comment	Old	New
Mar 2003	CN_19	NP-030031	007	--	Correction of status of MPCC methods	5.1.0	5.2.0
Mar 2003	CN_19	NP-030031	008	--	Inconsistent description of use of secondary callback	5.1.0	5.2.0
Mar 2003	CN_19	NP-030020	009	--	Correction to TpReleaseCauseSet in Multi Party Call Control IDL	5.1.0	5.2.0
Mar 2003	CN_19	NP-030130	010	--	Correction of definition of the P_MAX_CALLEGS_PER_CALL	5.1.0	5.2.0
Jun 2003	CN_20	NP-030238	011	--	Correction of the description for callEventNotify & reportNotification	5.2.0	5.3.0
Sep 2003	CN_21	NP-030352	014	--	Correction to Java Realisation Annex	5.3.0	5.4.0

CHANGE REQUEST

⌘ **29.198-04-3 CR 017** ⌘ rev - ⌘ Current version: **6.0.0** ⌘

For **HELP** on using this form, see bottom of this page or look at the pop-up text over the ⌘ symbols.

Proposed change affects: UICC apps ME Radio Access Network Core Network

Title:	⌘ Correction of description of TpNotificationRequestedSetEntry		
Source:	⌘ CN5 (ETSI PTCC)		
Work item code:	⌘ OSA2	Date:	⌘ 31/10/2003
Category:	⌘ A	Release:	⌘ REL-6
	Use <u>one</u> of the following categories: F (correction) A (corresponds to a correction in an earlier release) B (addition of feature), C (functional modification of feature) D (editorial modification) Detailed explanations of the above categories can be found in 3GPP TR 21.900 .		Use <u>one</u> of the following releases: 2 (GSM Phase 2) R96 (Release 1996) R97 (Release 1997) R98 (Release 1998) R99 (Release 1999) Rel-4 (Release 4) Rel-5 (Release 5) Rel-6 (Release 6)

Reason for change:	⌘ The description of TpNotificationRequestedSetEntry makes reference to a type TpNotificationRequestSet. This type doesn't exist. It should be TpNotificationRequestedSet. This change is backwards compatible, because the UML model, and therefore the IDL, WSDL and Java code, all contain the correct data type.
Summary of change:	⌘ Replace TpNotificationRequestSet with TpNotificationRequestedSet in the description of TpNotificationRequestedSetEntry
Consequences if not approved:	⌘ The description of the data type will conflict with the IDL, WSDL and Java code. Implementations which follow the Word document may not interwork with implementations based exclusively on the code in the specification.

Clauses affected:	⌘ 9.2.44						
Other specs affected:	<table border="1" style="display: inline-table; border-collapse: collapse;"> <tr> <td style="text-align: center;">Y</td> <td style="text-align: center;">N</td> </tr> <tr> <td style="text-align: center;"><input type="checkbox"/></td> <td style="text-align: center;"><input checked="" type="checkbox"/></td> </tr> </table> Other core specifications	Y	N	<input type="checkbox"/>	<input checked="" type="checkbox"/>	⌘	
Y	N						
<input type="checkbox"/>	<input checked="" type="checkbox"/>						
	<table border="1" style="display: inline-table; border-collapse: collapse;"> <tr> <td style="text-align: center;"><input checked="" type="checkbox"/></td> <td style="text-align: center;"><input type="checkbox"/></td> </tr> </table> Test specifications	<input checked="" type="checkbox"/>	<input type="checkbox"/>				
<input checked="" type="checkbox"/>	<input type="checkbox"/>						
	<table border="1" style="display: inline-table; border-collapse: collapse;"> <tr> <td style="text-align: center;"><input checked="" type="checkbox"/></td> <td style="text-align: center;"><input type="checkbox"/></td> </tr> </table> O&M Specifications	<input checked="" type="checkbox"/>	<input type="checkbox"/>				
<input checked="" type="checkbox"/>	<input type="checkbox"/>						
Other comments:	⌘ Rel-6 Mirror CR of N5-030566						

How to create CRs using this form:

Comprehensive information and tips about how to create CRs can be found at <http://www.3gpp.org/specs/CR.htm>.

Change in Clause 9.2.44**9.2.44 TpNotificationRequestedSetEntry**

Defines the Sequence of Data Elements that specify a set of requested notifications and an indication whether more notifications can be requested.

Sequence Element Name	Sequence Element Type	Description
NotificationRequestSet	TpNotificationRequest <u>ed</u> Set	Numbered set of requested notifications.
Final	TpBoolean	Indication whether the set of notifications is the final set (TRUE) or if there are more notifications available (FALSE).

**End of Change in Annex 9.2.44
End of Document**

Annex D (informative): Change history

Change history							
Date	TSG #	TSG Doc.	CR	Rev	Subject/Comment	Old	New
Mar 2003	CN_19	NP-030031	007	--	Correction of status of MPCC methods	5.1.0	5.2.0
Mar 2003	CN_19	NP-030031	008	--	Inconsistent description of use of secondary callback	5.1.0	5.2.0
Mar 2003	CN_19	NP-030020	009	--	Correction to TpReleaseCauseSet in Multi Party Call Control IDL	5.1.0	5.2.0
Mar 2003	CN_19	NP-030130	010	--	Correction of definition of the P_MAX_CALLEGS_PER_CALL	5.1.0	5.2.0
Jun 2003	CN_20	NP-030238	011	--	Correction of the description for callEventNotify & reportNotification	5.2.0	5.3.0
Jun 2003	CN_20	NP-030305	012	1	Unclear overlap criteria for rejection of createNotification	5.3.0	6.0.0
Jun 2003	CN_20	NP-030247	013	--	Add support for advanced subscriber presentation	5.3.0	6.0.0