


Hosted by:



CN Officials:

7

| Chairman: | Stephen Hayes, Ericsson Inc. Stephen.haves@ericsson.com |
|----------------|--|
| Vice-Chairman: | Ian Park, Vodafone. lan.park@vf.vodafone.co.uk |
| Vice-Chairman: | Kunihiko Taya, NEC taya@bk.jp.nec.com |
| MCC Support: | David Boswarthick, ETSI MCC. david.boswarthick@etsi.org |

Table of contents

| CN | I Chairn | nan's Executive Summary | 5 |
|----|----------|---|----|
| 1 | | Opening, of the meeting | 5 |
| 2 | | Approval of the agenda | 5 |
| 3 | | IPR declarations | 6 |
| 4 | | Meeting Reports | 6 |
| | 4.1 | Report from CN#18 meeting | 6 |
| 4 | 4.2 | Reports from other groups | 6 |
| | 4.3 | IETF coordination report | 6 |
| | 4.4 | CN Chairman's report | 7 |
| 5 | | Incoming liaisons | 8 |
| ! | 5.1 | From TSG-CN working groups | |
| : | 5.2 | From other 3GPP groups | 8 |
| : | 5.3 | From other groups | |
| 6 | | Reports from TSG-CN working groups (& CN Ad Hocs) | 11 |
| (| 6.1 | Reporting from TSG-CN WG1 | |
| | 6.1.1 | Status report from CN1 | |
| | 6.1.2 | Questions for advice and decisions from CN1 | |
| (| 6.2 | Reporting from TSG-CN WG2 | |
| | 6.2.1 | Status report from CN2 | |
| | 6.2.2 | Questions for advice and decisions from CN2 | |
| (| 6.3 | Reporting from TSG-CN WG3 | |
| | 6.3.1 | Status report from CN3 | |
| | 6.3.2 | Questions for advice and decisions from CN3 | |
| (| 6.4 | Reporting from TSG-CN WG4 | |
| | 6.4.1 | Status report from CN4 | |
| | 6.4.2 | Questions for advice and decisions from CN4 | |
| (| 6.5 | Reporting from TSG-CN WG5 | |
| | 6.5.1 | Status report from CN5 | |
| | 6.5.2 | Questions for advice and decisions from CN5 | |
| (| 6.6 | Status ITU-T ad hoc group | |
| 7 | | Release 4 & earlier: Approval of contributions (by Work Item) | 14 |
| - | 7.1 | CAMEL Phase 2 and Phase 3 | |
| - | 7.2 Secu | ırity | |
| - | 7.3 GPR | S 14 | |
| - | 7.4 Loca | tion service enhancement [LCS1] | |
| | | dover | |
| - | 7.6 Loca | tion service enhancement [LCS1] | |

| | 7.7 Tran | scoder Free Operation [TrFO] | . 14 | | |
|---|-----------|--|------|--|--|
| | 7.8 | Enable bearer independent CS architecture [CSSPLIT] | . 15 | | |
| | 7.9 Multi | call | . 15 | | |
| | 7.10 OS | A Enhancements [OSA1] | . 15 | | |
| | 7.11 Sm | all Technical Enhancements & Improvements [TEI] | . 15 | | |
| | 7.12 Any | Other pre-Release 5 WI | . 16 | | |
| 8 | | Release 5: | .19 | | |
| | 8.1 Prov | isioning of IP-based multimedia services [IMS] | . 19 | | |
| | 8.2 OSA | enhancements [OSA2] | . 20 | | |
| | 8.3 CAM | IEL Phase 4 [CAMEL4] | . 21 | | |
| | 8.4 Loca | tion Service Enhancements [LCS1] | . 21 | | |
| | 8.5 | End to End QoS [E2EQoS] | . 21 | | |
| | 8.6 Secu | urity enhancements [SEC1] | . 22 | | |
| | 8.7 Serv | ice Change and UDI Fallback [SCUDIF] | . 22 | | |
| | 8.8 Tech | nical Enhancements and Improvements [TEI5] | . 22 | | |
| | 8.9 Any (| other Rel-5 WI | . 23 | | |
| 9 | | Release 6 | .24 | | |
| | 9.1 IMS | Phase 2 [IMS] | . 24 | | |
| 9.2 Support of Presence Capability [PRESNC] | | | | | |
| | 9.3 Secu | rity Enhancements[SEC1] | . 24 | | |
| | 9.4 Eme | rgency Call Enhancements [EMC1] | . 24 | | |
| | 9.5 Spee | ech Recognition and Speech Enabled Services[SRSES] | . 25 | | |
| | 9.6 Gene | eric User Profile [GUP] | . 25 | | |
| | 9.7 OSA | Enhancements [OSA3] | . 25 | | |
| | 9.8 Multi | media Broadcast and Multicast Service [MBMS] | . 25 | | |
| | 9.9 | Preferred Framing Protocol [PFP] | . 25 | | |
| | 9.10 | Small Technical Enhancements and Improvements [TEI6] | . 25 | | |
| | 9.11 Any | v otherRel-6 WI | . 26 | | |
| 1(| C | TSG CN work organization | .28 | | |
| | 10.1 | Principles for work organization within CN | . 28 | | |
| | 10.2 | Terms of Reference | . 28 | | |
| | 10.3 | Support Arrangements | . 28 | | |
| | 10.4 | Working methods / Work Style | . 28 | | |
| | 10.5 | Future Meeting Schedule | . 29 | | |
| 11 | 1 | Specifications in TSG-CN domain | .30 | | |
| 12 | 2 | Review of 3GPP Work Plan | .30 | | |
| 13 | 3 | Postponed issues from earlier in the meeting | .30 | | |
| 14 | 4 | Election of TSG CN Officials | .30 | | |
| 15 | 5 | Any other business | .30 | | |

| 16 | Close of Meeting | .30 |
|---------|---|------|
| ANNEX A | OUTPUT MATERIAL | .31 |
| A.1 | Liaisons Approved | . 31 |
| A.2 | New TSs /TRs Approved (to be placed under change control) | . 31 |
| A.3 | New / Revised Work Items Approved | . 31 |
| A.4 | Status of CRs following TSG CN Plenary meeting | . 32 |
| ANNEX B | Tdoc List with Status | .40 |
| ANNEX C | C. TSG CN meeting Participants List | .48 |
| History | 50 | |

CN Chairman's Executive Summary

A major topic of discussion was how to handle implementation errors in pre-Rel 99 core networks. Although clarifications to the specifications have been made and fixes exist for the network, delays in rolling out these fixes could lead to significant problems when roaming. For this reason, workarounds in the UE were considered. Ultimately it was decided that it was preferable to document these as CRs against the existing specifications instead of as a TR. These CRs are covered under our current procedures, but must meet the guidelines established for permissible changes to frozen releases. In addition a liaison was sent to GSMA TWG urging operators to deploy the network fixes and requesting information on the gravity and timeline of the problems (NP-030146).

Continued progress has been made on stabilizing IMS for Release 5.

Rel 5 CRs were conditionally approved for the SIM-IMS issue (NP-030053). These were conditionally approved pending the outcome of the SA decisions on this functionality. There may still be CN4 CRs needed for this functionality.

The 24.008 CR for the indicator for the Signalling PDP context was approved, however the 24.229 CR was sent back to CN1 awaiting further clarification on its usage from SA2 (NP -030054)

The CN3/CN4 proposal to use a 2 step HLR interrogation procedure for SCUDIF was challenged on the basis of signalling load and interaction with CAMEL (NP-030078, NP-030106, NP-030131). The CRs were sent back to CN3 and CN4 for further evaluation, in discussion with CN2.

CN responded to the ITU-T SSG request for Rel 5 Core network specs in NP-030150. This will be sent to the SDOs as the basis for their response to the request for input to Q.1741.3

The work on SS barring of SMS transfer over GRPS was completed (Rel 6).

The following new WIDs were approved:

- Enhanced Dialled Services (NP-030153)
- WLAN interworking stage 3 (NP-030116)

The following WIDs were revised

- Emergency calls over IMS aligned with SA2 WID and completing at CN#22 (NP-030149)
- Mn (MGCF to IMS-MSG) completion slipped until CN#22 (NP-030115)
- MBMS completion slipped until CN#22 (NP-030151)
- OSA Rel 6 aligned with SA1 WID (NP-030036)

The following WIDs were deleted due to lack of interest

- Preferred Framing Protocol
- Ze Stage 3

SA3 was informed of the intention to delete the Ze work item and also "Enhanced HE control of security" via a liaison (NP-030139). In addition, SA1 was informed by CN5 that several of the OSA work tasks are in danger of being deleted if no activity occurs by the CN#20.

1 Opening, of the meeting

Mr. Ian Park of Vodafone welcomed the delegates to Birmingham on behalf of the hosts. The meeting was chaired by Mr. Stephen Hayes, (Chair, Ericsson). Additional support was provided by Mr. Ian Park (Vice-Chair, Vodafone), Mr. Kunihiko Taya (Vice-Chair, NEC), and Mr. David Boswarthick (CN Secretary, MCC).

2 Approval of the agenda

NP-030001 Draft agenda for CN #19 meeting. MCC. APPROVED.

NP-030002 Allocation of documents to agenda items (start of day 1). Source: CN vice-chairman. NOTED.

NP-030003 Allocation of documents to agenda items (end of day 1). Source: CN vice-chairman. NOTED.

NP-030004 Allocation of documents to agenda items (end of day 2). Source: CN vice-chairman. NOTED.

NP-030005 Allocation of documents to agenda items (end of day 3). Source: CN vice-chairman. NOTED.

3 IPR declarations

The Chairman reminded delegates of the fact that 3GPP Individual Members have the obligation under the IPR Policies of their respective Organizational Partners to inform their respective Organizational Partners of Essential IPRs they become aware of.

The delegates were invited:

- ?? to investigate in their company whether their company does own IPRs which are, or are likely to become Essential in respect of the work of TSG CN and the CN working groups
- ?? to notify the Director-General or chairman of their respective Organizational Partners, of all potential IPRs that their company may own, by means of the IPR Statement and the Licensing declaration forms

4 Meeting Reports

4.1 Report from CN#18 meeting

NP-030007 Draft report from CN #18 meeting. Source: MCC Status: APPROVED.

4.2 Reports from other groups

No input

4.3 IETF coordination report

NP-030129 IETF coordination report. Source: CN Chair.

Content: Contains the CN chairman's status report on progress of IETF work.

1. Executive Summary

Successful Rel 6 workshop held between 3GPP/IETF (See workshop report).

Two SIP drafts still not completed (svcrtdisc, 3pcc). 12 drafts approved but still awaiting publication. IETF to continue to try and expedite all outstanding 3GPP Rel 5 dependencies. Diameter base completed but not yet published. Credit-control and multimedia-app approved as AAA WG items.

2. Statistics

Drafts being tracked:

Release 4: 2

Release 5: 45

Release 6: 20

Drafts not yet approved by IESG (technical stability)

Release 4: 0

Release 5: 2

Release 6: 20

Drafts not yet published as RFCs (formally available)

Release 4: 0 Release 5: 14 Release 6: 20

Drafts approved by IESG since TSG#18: 7 Drafts published as RFCs since TSG#18: 16

3. Significant Developments

3GPP/IETF Workshop held. Next steps established on areas of:

- Network vs. user control
- Security
- Presence
- WLAN

- IETF will continue to expedite dangling dependencies. Priority will be given to those that have been allocated RFC numbers, but are not yet published.
- DIAMETER base approved by IESG. Dependency on NASREQ removed. Credit-control and mm-app drafts finally chartered as AAA WG items.

No significant update to Rel-6 dependencies. 3GPP needs to clarify it's Rel-6 dependencies ASAP. **NOTED.**

NP-030147 3GPP/IETF Release 6 Workshop Major Conclusions. Source: CN Chair. Status: NOTED.

NP-030135 3GPP/IETF Release 6 Workshop Notes. Source: CN Chair. Status: NOTED.

4.4 CN Chairman's report

No input.

Status:

5 Incoming liaisons

5.1 From TSG-CN working groups

LSs moved to other agenda items:

NP-030014 moved to 7.12 NP-030124 moved to 9.12 NP-030117 moved to 9.4

NP-030069 LS on MS RAC for UMTS only mobiles, source CN1

Content: CN1 have agreed the attached CRs to add the missing definition of MS RAC encoding for R99 UE which does not support any GSM band. Since it is a late change of R99 UE requirements, it was checked that these changes are in alignment with the known already existing implementations.

Additionally to the encoding issue, the recommendation for the UE to indicate the support of only one of the upper GSM bands (1800 / 1900) at a time has been removed. This limitation has become redundant since the introduction of the BAND INDICATOR both in GERAN and RAN.

T00 04

GERAN2 are asked to review and endorse the CRs, and if they do not agree the CRs they should contact CN#19 directly with a late LS to this meeting [NP-030141].

Status: NOTED.

5.2 From other 3GPP groups

LSs moved to other agenda items:

. . . .

NP-030119 moved to 9.9 NP-030122 moved to 9.4

. . . .

| NP-030010 Content: | Liaison statement on comments to DTR/MTS 0082, source TSG SA The 3GPP TSGs have discussed the scope of the DTR attached to the liaison. A general concern was raised that ETSI TC MTS is performing work that falls within the scope of 3GPP. If specifications for UMTS network integration testing are considered necessary, interested parties are kindly encouraged to submit contributions to the relevant 3GPP working groups and participate accordingly. Members of ETSI TC MTS are kindly invited to note the ongoing work in 3GPP TSG T WG1 on UE conformance testing. Further, a brief review of the DTR attached to the liaison revealed that the versions of the referenced 3GPP technical specifications are out of date as they refer to versions approved in March 2001. 3GPP has since then extensively modified the referenced technical specifications. |
|-----------------------|---|
| Status: | NOTED. |
| NP-030011 Content: | Response to IETF Concerns on SIP and IMS Interoperability, source TSG SA Final liaison on the 3GPP - IETF interworking issue. This is the response that TSG SA sent to the IETF. |
| Status: | NOTED. |
| NP-030012 | Additional Release 5 work needed for Policy Control and Subscription Control of Media, source TSG SA |
| Content: | This liaison requests that the addressed working groups investigate the issues and provide appropriate Release 5 CRs to the CN#19 and SA#19 meetings. |
| Comments: | This LS has been seen by the relevant working groups and it is expected that the working groups will progress work accordingly |
| Status: | NOTED. |
| etatue. | |

Status: NOTED. NP-030120 Re. LS on SS barring for SMS transfer over GPRS, source SA2 According to SA1's requirements (S1-030241), SA2 have approved the CR to TS23.060 for SS Content: barring for SMS transfer over GPRS (S2-030415rev2). Status: NOTED. NP-030121 LS on Clarification of Scenario 2 and Scenario 3 architectural characteristics and stable and non-stable parts of TS 23.234 SA2 To; source: Nokia SA2 would like to clarify what are the stable and non-stable parts in the currently defined architecture Content: (Stage 2 work) for WLAN-3GPP IW in TS 23.234. Furthermore, the Scenario 2 and Scenario 3 architectural characteristics are also clarified. The target is to ensure that other WGs that have initiated WLAN-3GPP IW work, have a clear understanding of the architecture situation, to proceed with their work. This LS is not expected to have an impact on the stage 3 WLAN WID presented to this meeting. Comments: Status: NOTED. NP-030125 LS on Radio Access Bearer for PS conversational testing, source SA4 SA4 have agreed to carry out conversational tests in order to characterize the AMR and AMR WB Content: used in PS voice service. To progress a conversation test methodology has been proposed, but still some test parameters (delay, packet loss, radio condition) are unsure. SA4 kindly asks the groups (RAN and CN) to answer the following questions: ?? Is this example RAB the only one available for that type of service? ?? If the previous statement is not right, could you provide us with the right and most suitable RAB parameters knowing the service we want to set (as described in the overall description)? ?? Are the 100 ms transfer delay defined in the QoS (26.236 Use case 1) feasible on an UTRAN bearer (between the GGSN and the terminal)? ?? Is it the understanding of RAN that the end to end delay is the sum of the 2 transfer delays plus the CN delay? Are there more delays to be taken into account? **Comments:** CN need to provide answers on the delay of user plane packet transfer. Suggested that it also relates to 23.107 hence under the domain of SA2. Falls under the remit of CN1, CN4 and CN3. They are asked to characterise a "delay range" that they believe is reasonable and detail some of the characteristics that relate to that delay range. Lucent felt that it would be better to have a coordinated response as opposed to three potentially different responses from the 3 groups. It was decided that a joint session was not the best way, but it is hoped that there will be some harmonisation of responses by the companies attending the different working group meetings. Status: Forwarded to CN1, CN4 and CN3 for treatment. NP-030126 Re. LS on the "Additional Release 5 work needed for Policy Control and Subscription Control of Media", source SA3 The following is SA3 opinion on the issues identified by the LS: Content: The use of 488 message may be seen to open a door for denial of service attacks because a malicious UE is able to initiate INVITE and/or re-INVITE messages with media descriptions that are known to be rejected by a CSCF. In this way, the assumed attacker would be able to cause some additional load to the network, and create state in the CSCFs. However, this issue should rather be seen as a feature of SIP as a protocol. There are other similar features in SIP. For example, SIP UA is able to send OPTION method to any CSCF in the IMS network, and cause similar load. Furthermore, 488 is an error message that does not require the CSCF to keep any state after the response message has been sent.

Because the 488 response message includes policy information of the entity that rejected the message, the mechanism can be used to acquire information about the operator local policies. However, this cannot be avoided because the UAC needs this information to generate a new media description. SA3 is not aware of any mechanism that could be used to avoid revealing the policy descriptions to the UAC.

SA3 would also like to point out that the real source of the 488 response is not necessarily revealed to the UAC because the same error message can be used between the UE and various CSCFs, and

| | between two UEs. The UAC (or the adjacent CSCFs) may not know which entity is responsible for |
|--|---|
| | the response. However, this is a question related to the SIP as a protocol rather than to the security of the system. |
| | SA3 is not currently planning to introduce new security requirements related to the above issue. |
| Comments: | Has also been sent to CN1, but due to meeting dates, they have yet to see it. |
| Status: | NOTED. |
| NP-030123 | LS on Protocols over the Mt interface, source SA2 |
| Content: | SA WG2 has agreed to introduce a new reference point (Mt) between the UE and the Application Server to allow the user to configure service related data. The corresponding CR on 23.002 approved by SA2 is attached for information (S2-030915). |
| | The initial motivation for the Mt reference point was to allow the user e.g. control presence lists, presence authorisation policies, chat rooms (participation policies and other parameters) and conferences (create and delete conferences, and manipulate parameters related to them). However, the usage of the reference point is not restricted to the above-mentioned examples. |
| | During the discussions SA2 had on the level and nature of standardization foreseen for the Mt interface, two views were brought up: Mt only as a HTTP interface for secure Web based management, or Mt to include HTTP Web based management and IETF Data Manipulation and Conference Policy Control Protocols. |
| Comments: | This interface falls under the remit of CN1. CN1 will examine the need for a WID for this interface as required. CN1 may proceed with the technical work without an approved WID. |
| Status: | NOTED. |
| Status. | NOTED. |
| NP-030140 | LS on early UE handling, source SA2 |
| | |
| NP-030140 | LS on early UE handling, source SA2 In this LS, SA2 kindly request TSG-RAN to make a decision between "bitmap" and IMEISV during |
| NP-030140 Content: | LS on early UE handling, source SA2 In this LS, SA2 kindly request TSG-RAN to make a decision between "bitmap" and IMEISV during their March 2003 TSG meeting. |
| NP-030140 Content: Comments: | LS on early UE handling, source SA2 In this LS, SA2 kindly request TSG-RAN to make a decision between "bitmap" and IMEISV during their March 2003 TSG meeting. This topic will be discussed in RAN#19 meeting NOTED. |
| NP-030140 Content: Comments: Status: | LS on early UE handling, source SA2 In this LS, SA2 kindly request TSG-RAN to make a decision between "bitmap" and IMEISV during their March 2003 TSG meeting. This topic will be discussed in RAN#19 meeting |
| NP-030140 Content: Comments: Status: NP-030141 | LS on early UE handling, source SA2 In this LS, SA2 kindly request TSG-RAN to make a decision between "bitmap" and IMEISV during their March 2003 TSG meeting. This topic will be discussed in RAN#19 meeting NOTED. Reply to LS on MS RAC for UMTS only mobiles, source GERAN2 GERAN2 has reviewed the CN1 CRs. GERAN 2 noticed that the proposed CRs deal with two |
| NP-030140 Content: Comments: Status: NP-030141 Content: | LS on early UE handling, source SA2 In this LS, SA2 kindly request TSG-RAN to make a decision between "bitmap" and IMEISV during their March 2003 TSG meeting. This topic will be discussed in RAN#19 meeting NOTED. Reply to LS on MS RAC for UMTS only mobiles, source GERAN2 GERAN2 has reviewed the CN1 CRs. GERAN 2 noticed that the proposed CRs deal with two separate issues: |
| NP-030140 Content: Comments: Status: NP-030141 Content: 1. | LS on early UE handling, source SA2 In this LS, SA2 kindly request TSG-RAN to make a decision between "bitmap" and IMEISV during their March 2003 TSG meeting. This topic will be discussed in RAN#19 meeting NOTED. Reply to LS on MS RAC for UMTS only mobiles, source GERAN2 GERAN2 has reviewed the CN1 CRs. GERAN 2 noticed that the proposed CRs deal with two separate issues: Definition of MS RAC encoding for R99 UEs which do not support any GSM band. Removal of the restriction for multiband mobile stations to send information about only one of the |
| NP-030140 Content: Comments: Status: NP-030141 Content: 1. | LS on early UE handling, source SA2 In this LS, SA2 kindly request TSG-RAN to make a decision between "bitmap" and IMEISV during their March 2003 TSG meeting. This topic will be discussed in RAN#19 meeting NOTED. Reply to LS on MS RAC for UMTS only mobiles, source GERAN2 GERAN2 has reviewed the CN1 CRs. GERAN 2 noticed that the proposed CRs deal with two separate issues: Definition of MS RAC encoding for R99 UEs which do not support any GSM band. Removal of the restriction for multiband mobile stations to send information about only one of the upper GSM bands (GSM 1800 / GSM 1900). GERAN 2 agrees on the first change (UMTS-only MS RAC coding) as proposed by CN 1. |
| NP-030140 Content: Comments: Status: NP-030141 Content: 1. | LS on early UE handling, source SA2 In this LS, SA2 kindly request TSG-RAN to make a decision between "bitmap" and IMEISV during their March 2003 TSG meeting. This topic will be discussed in RAN#19 meeting NOTED. Reply to LS on MS RAC for UMTS only mobiles, source GERAN2 GERAN2 has reviewed the CN1 CRs. GERAN 2 noticed that the proposed CRs deal with two separate issues: Definition of MS RAC encoding for R99 UEs which do not support any GSM band. Removal of the restriction for multiband mobile stations to send information about only one of the upper GSM bands (GSM 1800 / GSM 1900). GERAN 2 agrees on the first change (UMTS only MS RAC coding) as proposed by CN 1. However GERAN 2 has a concern about the second change GERAN have proposed an alternative to the CN1 CRs (that are contained in NP-030043). CN1 chairman felt that the text was not correct, because we do not have the recommendation that "the mobile should indicate support for either GSM DCS 1800 band OR GSM PCS 1900 band." |
| NP-030140 Content: Comments: Status: NP-030141 Content: 1. 2. | LS on early UE handling, source SA2 In this LS, SA2 kindly request TSG-RAN to make a decision between "bitmap" and IMEISV during their March 2003 TSG meeting. This topic will be discussed in RAN#19 meeting NOTED. Reply to LS on MS RAC for UMTS only mobiles, source GERAN2 GERAN2 has reviewed the CN1 CRs. GERAN 2 noticed that the proposed CRs deal with two separate issues: Definition of MS RAC encoding for R99 UEs which do not support any GSM band. Removal of the restriction for multiband mobile stations to send information about only one of the upper GSM bands (GSM 1800 / GSM 1900). GERAN 2 agrees on the first change (UMTS only MS RAC coding) as proposed by CN 1. However GERAN 2 has a concern about the second change GERAN have proposed an alternative to the CN1 CRs (that are contained in NP-030043). CN1 chairman felt that the text was not correct, because we do not have the recommendation that |

Status: NOTED - CRs APPROVED.

5.3 From other groups

LSs moved to other agenda items: NP-030118 moved to 6.6

6 Reports from TSG-CN working groups (& CN Ad Hocs)

6.1 Reporting from TSG-CN WG1

6.1.1 Status report from CN1

NP-0300037 Status Report for TSG CN WG1, CN1 ChairComments: Note: the August meeting dates are incorrect in the report.Status: NOTED.

NP-030038 CN1 meeting report from CN1#28, MCC. NOTED.

NP-030039 All LSs sent from CN1 since TSG CN#18 Meeting, MCC. NOTED.

6.1.2 Questions for advice and decisions from CN1

No input.

6.2 Reporting from TSG-CN WG2

6.2.1 Status report from CN2

NP-030082 Status Report for TSG CN WG2, source CN2 Chair

- **Comments:** It was noted that CAMEL 4 in Rel-6 is slightly different from CAMEL 4 in Rel-5. It is backwards compatible but includes a new sub-set "Enhanced dialled services". CAMEL support for concatenated SMS pre-paid charging may be added for Release 6 if SA1 approve the necessary WI. It was noted that MCC is able to provide support for CN2 up until the end of 2003. This is primarily due to budgetary constraints. This will be further discussed under agenda item 10.3.
- Status: NOTED.
- NP-030083 CN2 meeting report from CN2#28, MCC. NOTED.
- NP-030084 All LSs sent from CN2 since TSG CN#18 Meeting, MCC. NOTED.

6.2.2 Questions for advice and decisions from CN2

No Input.

6.3 Reporting from TSG-CN WG3

6.3.1 Status report from CN3

NP-030070 Status Report for TSG CN WG3, CN3 Chair

Comments: Note: the August meeting dates are incorrect in the report.

There is an discussion document on an alternative approach for SCUDIF in NP-030131 and a related CN4 CR pack in NP-030106. These will be treated together.

Lucent asked that CN3 also examine TR 29.962 in their April ad hoc meeting. Norbert replied that the ad hoc meeting has the mandate to progress work only on TS 29.163. The CN meeting could not support rushing the analysis of this TR and proposed continuing as previously agreed. CN3 will examine the CN1 output on TR 29.962 in the CN3 May meeting. However if individual companies have specific concerns they can extract elements from the TR and present them to SA2 as they feel appropriate.

Status: NOTED.

NP-030071 Meeting report from CN3#27, source MCC. NOTED.

NP-030072 All LSs sent from CN3 since TSG CN#18 Meeting, source MCC. NOTED.

6.3.2 Questions for advice and decisions from CN3

No Input.

6.4 Reporting from TSG-CN WG4

6.4.1 Status report from CN4

NP-030006 Status Report for TSG CN WG4, CN4 Chair Comments: CN4 ask the following questions to CN #19: Should the work item for the protocol for the Ze interface be deleted? SA3 have not formally been consulted on the deletion of the Ze interface. CN Plenary propose to delete the Ze interface. This will be reported to the SA#19 meeting in the CN chairman's report. CN also will send a LS to SA3 [NP-030139] to inform them that we are deleting the work item for the protocol on the Ze interface. However if individual companies wish to bring contributions on the Ze interface to the CN4 working group meetings this can still be done. Should the work item for the Preferred Framing Protocol be deleted? No company in the CN meeting showed interest in progressing this work. It was agree to delete this Work Item. No CRs have been approved and implemented to this WID and therefore nothing needs to be removed from the specifications Should the work item Enhanced HE control of security be deleted? No company in the CN meeting showed interest in progressing this work. It was agreed to delete this work item from the project plan. This information will be included in the LS to SA3 [NP-030139]. Stephen will report all of these changes to SA#19 meeting. Status: NOTED. NP-030139 LS on proposed deletion of security-related work items in TSG-CN, source TSG CN Content: In this LS, TSG CN asks TSG SA WG3 to indicate to CN WG4 whether the protocol development for the Ze interface is still required, and if so to encourage companies to bring technical contributions to the next CN WG4 meeting to allow concrete progress to be made. In addition TSG CN asks TSG SA WG3 to indicate to CN WG4 whether the feasibility study on the network impacts of enhanced HE control of security is still required, and if so to provi de specific guidance on the requirements to the next CN WG4 meeting to allow concrete progress to be made. Status: **APPROVED.** NP-030093 CN4 meeting report since CN#18 meeting, MCC. NOTED. NP-030094 All LSs sent from CN4 since TSG CN#18 Meeting, MCC. NOTED.

6.4.2 Questions for advice and decisions from CN4

No input documents; questions were handled in the discussion of the CN4 status report.

6.5 Reporting from TSG-CN WG5

6.5.1 Status report from CN5

NP-030015Status Report for TSG CN WG5, source CN5 ChairComments:CN plenary endorsed the proposed CN5 method of issuing CRs over 2003.Status:NOTED

NP-030017 CN5 meeting report from CN5#22, source MCC. NOTED.

NP-030016 All LSs sent from CN5 since TSG CN#18 Meeting, MCC. NOTED.

6.5.2 Questions for advice and decisions from CN5

No Input.

6.6 Status ITU-T ad hoc group

| NP-030064 | Progress Report, source ITU-T Ad Hoc Convenor |
|-------------------------------------|--|
| Content: Status: | Contains the progress report from the 3GPP CN - ITU-T Ad Hoc. NOTED. |
| NP-030066 | Proposal as SDO Input To The ITU-T Draft Rec. Q.1741.3 ITU-T Ad Hoc Convenor |
| Comments: Status: | CN agreed that this will be the basis of the information that will be sent to the various SDOs ENDORSED. |
| NP-030065 | Proposed LS on Co-ordination of SDO input to ITU-T Q.1741.3 ITU-T Ad Hoc Convenor |
| Content: | Contains the list that was endorsed in NP-030066 in the form of a LS to the SDOs. |
| Comments: | Suggested to attach the original circular letter that prompted this work. Also some minor errors and modifications were discovered. |
| Status: | REVISED to 0150. |
| ? REVISED ? NP-030150 Status: | Proposed LS on Co-ordination of SDO input to ITU-T Q.1741.3 ITU-T Ad Hoc Convenor APPROVED. |
| NP-030118 | Received comments to Rec. Q.1741.2 approval relevant to 3GPP ITU-T To; source: Ericsson |
| Content: | During the approval process for our draft Recommendation Q.1741.2 (IMT 2000 References to Release 4 of GSM evolved UMTS Core Network with UTRAN Access Network) which references the specifications transposed by the SDOs which make up 3GPP, a formal comment was received from NEC (Japan). |
| Comments: | TSG CN considered the problem, and concluded that CRs may be brought to future meetings to resolve this issue. |
| Status: | NOTED. |

7 Release 4 & earlier: Approval of contributions (by Work Item)

NOTE - Rel 4 and previous releases are functionally FROZEN. ONLY CAT F and CAT A CRS ALLOWED.

7.1 CAMEL Phase 2 and Phase 3

NP-030068 CR pack: Correction to interactions between CAMEL control of MO SMS and barring, source Vodafone, Lucent Technologies, L M Ericsson

Status: APPROVED.

NP-030085 CRs to R99 WI CAMEL3, source CN2

Status: APPROVED.

NP-030086 CR to R99 WI CAMEL3, source CN2

Comments: Noted that the ASN.1 modules of 29.078 v3.14.0 are also used in 29.278 v5.1.0.Motorola asked if another CR is required to 29.278. It was clarified that this CR is contained in NP-030090.
 Status: APPROVED.

NP-030095 CR pack: Corrections on Camel Phase 3, source CN4

Status: APPROVED.

7.2 Security

7.3 GPRS

NP-030096 CR pack: Corrections on GPRS Release 99, source CN4 Status: APPROVED.

7.4 Location service enhancement [LCS1]

7.5 Handover

7.6 Location service enhancement [LCS1]

| NP-030040 | CR to R99 (with mirror CRs) on Work Item GSM/UMTS interworking towards 09.08 and 49.008, source CN1 |
|-----------|---|
| Status: | APPROVED. |
| NP-030041 | CR to R99 (with mirror CRs) on Work Item GSM/UMTS interworking towards 23.009, source CN1 |

Status: APPROVED.

7.7 Transcoder Free Operation [TrFO]

```
NP-030097 Corrections on Transcoder Free Operation Release 4, source CN4 Status: APPROVED.
```

7.8 Enable bearer independent CS architecture [CSSPLIT]

NP-030076Corrections on CSSPLIT, source CN3Status:APPROVED.

| 7.9 Multical | I |
|------------------------|--|
| NP-030099 | Corrections on Multicall R99 CN4 |
| Status: | APPROVED. |
| | |
| | nhancements [OSA1] |
| NP-030018 Comments: | Rel-4 CRs 29.198-02 OSA API Part 2: Common data, source CN5 Work item code seems to change between CRs. It is best to keep the same WI code for mirror CRs. MCC will correct this in the CR database. |
| Status: | APPROVED. |
| NP-030019 Status: | Rel-4 CRs 29.198-03 OSA API Part 3: Framework, source CN5 APPROVED. |
| NP-030020 Comments: | Rel-4 CRs 29.198-04 OSA API Part 4: Call control, source CN5 Some of the subjects between mirrors and base CRs are not the same. |
| Status: | APPROVED. |
| NP-030021 Status: | Rel-4 CRs 29.198-05 OSA API Part 5: Generic user interaction, source CN5 APPROVED. |
| NP-030022 Status: | Rel-4 CRs 29.198-06 OSA API Part 6: Mobility, source CN5 APPROVED. |
| NP-030023 Status: | Rel-4 CRs 29.198-07 OSA API Part 7: Terminal Capabilities, source CN5 APPROVED. |
| NP-030024 Status: | Rel-4 CRs 29.198-08 OSA API Part 8: Data session control, source CN5 APPROVED. |
| NP-030025 Status: | Rel-4 CRs 29.198-11 OSA API Part 11: Account management, source CN5 APPROVED. |
| NP-030026 Status: | Rel-4 CRs 29.198-12 OSA API Part 12: Charging, source CN5 APPROVED. |
| 7 11 Small | Technical Enhancemento 8 Improvemento [TEI] |
| | Technical Enhancements & Improvements [TEI] |
| NP-030042 Status: | CR to R99 (with mirror CRs) on Work Item TEI towards 24.008, source CN1 APPROVED. |
| Jiaiu3. | |
| NP-030043 | CR to R99 (with mirror CRs) on Work Item TEI towards 24.008 awaiting GERAN endorsement, source CN1 |
| Comments: | Relates to the GERAN2 LS in NP-030141. The CRs in 0043 were revised and replaced by the CRs contained in NP-0300141 |
| Status: | REVISED to 0141 (GERAN2 LS). |
| NP-030044 | CR to Rel-4 (with mirror CR) on Work Item TEI4 towards 24.002, source CN1 |
| Status: | APPROVED. |

NP-030074 CRs to R97 (with mirror CRs) on Work Item T.E.I, source CN3

- It was noted that similar corrections are required to remove the references to 03.61 and 03.62 that Comments: no longer exist in this release but still remain in the various versions of 09.61 and 29.061. Motorola and 3 questioned having such large editorial changes added to a minor technical change. It was requested to identify the technical changes that have been 'bundled' with these editorial changes. The essential corrections were only to references and to incorrect figures. There were no sustained objections to the CRs. **APPROVED.** Status: NP-030075 CRs to Rel-4 (with mirror CRs) on Work Item T.E.I, source CN3 Status: **APPROVED.** NP-030098 Corrections on small technical enhancements and improvements for R96, source CN4 Status: **APPROVED.**
- NP-030100 Corrections on small technical enhancements and improvements for R99, source CN4 Status: APPROVED.

7.12 Any Other pre-Release 5 WI

NP-030061 Proposed new TR 29.abc on network errors, source Nokia

Content: The document contains a draft TR on specific network implementation faults and possible UE workaround procedures

Several network implementation errors have been detected during the testing of R99 UEs. Due to complicated logistics it has not been possible to install corrections to every existing network and therefore R99 mobiles will not work in those networks which still contain the errors.

The document proposes that R99 UEs cannot be distributed before all networks in the world have been updated, unless some rapid actions are taken and it is proposed that a new TR is started to share the identified workarounds in R99 and later UEs.

The intention is not to not to mandate any specific behaviour but just to document the solutions which have been identified and analysed for correctness in the appropriate working group.

- Comments: See the related discussion under NP-030014.
- Status: NOTED.

NP-030137 LS on terminal and network revision interoperability problems

- **Content:** TSG GERAN asks the GSMA Board to note the detected interoperability problems and consider actions to correct the situation. TSG GERAN appreciates the challenge of installing corrections to every existing piece of affected network equipment, but stresses the fact that such interoperability problems need to be solved in order to facilitate the deployment of commercial R99 UE's.
- **Comments:** The specifications related to this issue are correct. The problem is due to a mis-implementation of those specification.

Nortel did not agree that the baseline specifications were entirely correct and problems in implementation may be due to the ambiguity of the specifications.

Motorola agreed that there was some lack of clarity in certain areas of the related specifications.

Status: NOTED.

NP-030014 LS on GSM phase 2 network errors, source CN1

Content: CN1 has discussed but not agreed a proposed document on known implementation errors in GSM phase 2 networks. A GSM phase 2 network with any of these errors can provide either degraded service or fail to provide any service at all to a compliant R99 UE.

These problems have been raised to the attention of both GERAN and CN1 during summer 2002. Even though it is understood that the corrections to all these errors are available from the network manufacturers, the updating of the networks is not under the control of either 3GPP or the manufacturers.

CN1 is aware that GERAN has also asked guidance on this issue from GSMA [see the LS contained in NP-030137].

CN1 asks CN Plenary to do the following:-

- 1. Study the problem and to decide whether documenting such problems is needed
- 2. If TSG CN see that such documenting of known problems is needed then it is requested to define the right forum and format for the documentation.
- **Comments:** It was agreed that a meeting tdoc and/or report do not have enough stability to document these technical problems.

Motorola confirmed that network patches are available for all of the identified problems. However these are available principally to later versions of the software.

Several operators have demanded work around for these problems. However suppliers must provide equipment that conforms to approved 3GPP specifications. Hence the workarounds must be correctly documented.

In order to allow the desired workarounds Motorola prefer to have approved 3GPP documentation. The situation is further complicated by the roaming issues.

The GSMA needs to press the operators to implement the correction to the existing networks.

Nokia asked what the proposed timeframe must be to have a certain percentage of the networks upgraded to solve the networking issues.

Siemens proposed going beyond having a TR for the network errors, and suggested for certain cases it may be possible to capture the proposed workarounds in the actual core specifications (TSs). Siemens formally objected to the proposed TR. However TSG CN did not agree to closing off the option of a specific TR until the response has been received from GSMA. However CN1 are asked not to continue work on the draft TR.

Ericsson proposed to have the work done in the GSMA and not having such a TR in 3GPP.

NEC and Orange supported the Ericsson approach to having this resolved in GSMA.

Orange preferred not to change the core specifications, but rather to send an LS to GSMA highlighting the problems and requesting an estimate of when 3GPP can expect these problems to be resolved in the various networks.

The agreed documentation method will be to define an option in the core network specifications. This means there will be no need for the TR.

However some companies (including 3) stated they may object to R99 CRs on this.

CN Plenary produced the LS to the GSMA [NP-030142] with the following main points.

Urge the operators to deploy the required fixed to the network

Warn the GSMA that deployment of a non-3GPP documented workaround carries risks The GSMA provide 3GPP an assessment of how long the problems that have been identified will persist and the scale of these problems

CN Plenary Guidance to CN1

The TR will not progress in CN1 (it could be revived following a response from GSMA) Technical work on this must be done using CAT F CRs to the core specifications. Usual handling of CAT F CRs to a frozen Release will apply. The Work Item code of T.E.I may be used for these CRs The changes apply to R99 only and no mirror CRs will be required to later releases. NOTED.

Status: NO

NP-030142 Liaison statement on error handling in Pre-R99 networks, source CN

Comments: There were concerns with the text in the second paragraph (the term non-compliant implementation). Alternative text was proposed and drafted on-line.

It was requested to underline the urgency of the issue to GSMA.

It was stressed that the only place that the alternative solutions should be documented is in 3GPP permanent documents (i.e TS and TR).

Suggested to add TSG SA to the cc field.

GSMA are asked to reply to all recipients as the next TSG CN meeting is not before June.

Status: REVISED to 0146.

? REVISED ?

| NP-030146 Status: | Liaison statement on error handling in Pre-R99 networks, source CN NOTE: On the last day of CN#19 meeting, Francois Dronne (Orange France) informed the meeting that he had forwarded the LS to a contact in the GSMA; they have seen both this LS and the original one from GERAN. It is hoped that an answer may be sent in time to reach SA#19. APPROVED. |
|-----------------------|---|
| | |
| NP-030063 Content: | Documentation of GSM phase 2 network errors, source Siemens The document proposes a procedure for proceeding with the issue of these network errors. |
| Status: | NOTED. |
| NP-030128 | On the proposed TR on "Recommended User Equipment (UE) measures to overcome specific infrastructure faults", source Ericsson, Alcatel, Orange. |
| Content: | The discussion paper addresses the severe consequences of introducing a 3GPP TR on "Recommended User Equipment (UE) measures to overcome specific infrastructure faults" |
| | The authors of the contribution do not challenge the technical errors that are identified in the proposed TR. |
| | The document concludes that the problems currently identified in the proposed TR are network implementation problems and that patches to those are presently available. The safest solution would be to rollout the network patches urgently. |
| | The existence of a TR like the one proposed would partly remove the incentive for manufacturers to provide corrections as well as for operators to update their old networks urgently, leaving it all to UE implementation 'workarounds'. |
| | It is argued that the existence of a TR, recommending 'workarounds' in otherwise compliant UEs, will set a very dangerous precedence that will make the quality and consistency of the 3GPP standards deteriorate. In addition it will add cost to development, and there would also be cost in case of a later need to recall delivered UEs. Another drawback is that also operators with well-behaving networks would suffer from reduced functionality in the UEs with such 'workarounds'. |
| | Furthermore a similar issue was discussed at CN1#27 (N1-022489). In this case, the CN1 recommendation was that R99 upgrades should be well co-ordinated by the operator in its network, but that the related mechanisms did not need to be standardised. |
| | The contribution concludes that documenting 'workarounds' in a TR is unproven and detrimental. |
| Status: | NOTED. |
| NP-030134 | Comments on Proposed TR "Specific network implementation faults and possible UE workaround procedures, source Nortel |
| Content: | Nortel is not happy with the proposed TR as it is presented to this meeting. |
| | The contribution proposes that: |
| • | 3GPP accepts a TR with the proposed criteria indicated above for inclusion |
| • | the title and introductory text is as shown in the contribution |
| | experts in CN and GERAN working groups are asked to assess the technical correctness of the proposed work arounds in the draft TR. This should be done before they are included in the draft TR text. |
| Status: | NOTED. |

8 Release 5:

NOTE - Rel 5 release is functionally FROZEN. ONLY CAT F and CAT A CRS ALLOWED

| | aning of ID based multimedia comises (INO) |
|-----------|--|
| | oning of IP-based multimedia services [IMS] |
| NP-030045 | CR to Rel-5 on Work Item IMS-CCR towards 23.218(040r2), source CN1 |
| Status: | APPROVED. |
| | CD to Dol 5 on Work Itom IMS CCD towards 22 249/042) - source CN4 |
| NP-030046 | CR to Rel-5 on Work Item IMS-CCR towards 23.218(042) , source CN1 |
| Status: | APPROVED. |
| NP-030047 | CRs to Rel-5 on Work Item IMS-CCR towards 24.228, source CN1 |
| Status: | |
| Status: | APPROVED. |
| NP-030048 | CR to Rel-5 on Work Item IMS-CCR towards 24.228(102r2) , source CN1 |
| Status: | APPROVED. |
| Olalas. | |
| NP-030049 | CRs to Rel-5 on Work Item IMS-CCR towards 24.229,- pack 1, source CN1 |
| Status: | APPROVED. |
| | |
| NP-030050 | CRs to Rel-5 on Work Item IMS-CCR towards 24.229,- pack 2, source CN1 |
| Status: | APPROVED. |
| | |
| NP-030051 | CRs to Rel-5 on Work Item IMS-CCR towards 24.229,- pack 3, source CN1 |
| Status: | APPROVED. |
| | |
| NP-030052 | CRs to Rel-5 on Work Item IMS-CCR towards 24.229,- pack 4, source CN1 |
| Status: | APPROVED. |
| NP-030053 | CRs to Rel-5 on Work Item IMS-CCR towards IMS access with SIM, source CN1 |
| Comments: | The question of raising the specifications to Rel-6 was discussed. The issue of IMS access with SIM |
| Comments. | for both Rel-5 and Rel-6 will be discussed in SA#19. |
| | 3 questioned if this provides the complete CN package for this issue. The impact on the Cx interface |
| | has not yet been examined by CN4. |
| | Stephen will report to SA#19 that there may still be possible impacts on the Cx interface. |
| Status: | CONDITIONALLY APPROVED - < <condition and="" corresponding="" crs="" from="" is="" sa1,="" sa2="" sa3<="" th=""></condition> |
| | are approved in SA#19>>. |
| | |
| NP-030054 | CRs to Rel-5 on Work Item IMS-CCR towards Signalling PDP context Indication to Core Network, source CN1 |
| Comments: | |
| comments: | There was some controversy on this in SA2. However this does not affect the CN1 CRs. Ericsson wished to see the stage 2 stable before CN approves the Stage 3 CRs. |
| | The changes provide the indicator for signalling PDP context. SA have not yet decided how the |
| | indicator will be used. The CN1 CRs, whilst not 100% complete, are not incorrect. Additional |
| | changes may be required once SA2 resolve this issue. |
| | Ericsson wished to send these CRs back to CN1. The 24.008 CR does not cover the existing |
| | requirements from SA2 [TS 23.060]. |
| | At this point an interesting discussion on the merit of fresh or frozen bread took place, but |
| | unfortunately it was not minuted. |
| | Vodafone Motorola and Lucent wanted to approve these CRs and make additional changes to the CN1 specifications as and when required. |
| | Ericsson were asked to provide a document explaining what is wrong with the CRs presented in this |
| | document above and beyond things that could be not added later. This is contained in NP-030148 |
| | |

| Spec | CR | Rev | Cat | Phase | Subject | Doc-2nd-Level | STATUS | |
|-----------|---|---|-------|----------|---|----------------------|-------------------------|--|
| 24.008 | 738 | 2 | F | Rel-5 | Signalling PDP Context Indication to Core Network | N1-030266 | APPROVED | |
| 24.229 | 321 | 2 | F | Rel-5 | Signalling PDP Context Indication to Core Network | N1-030267 | Sent back to CN1 | |
| Status: | F | PART APPROVED. | | | | | | |
| NP-03014 | 48 E | Errors | in NF | P-030054 | 4 which need resolution, source | Ericsson | | |
| Comments: | | Ericsson are willing to accept the CR to 24.008 if it is noted that more work is required to complete this issue. | | | | | | |
| | | However Ericsson present in this document their analysis of the problems with the CR to 24.229. | | | | | | |
| | | The document also contained an alternative CR, but TSG CN could not approve this as it needs to be seen by CN1. | | | | | | |
| | | The related CR to 24.229 was sent back to CN1 for further study. | | | | | | |
| | | fhe Eri clearly. | | n concer | ns could also be raised in SA2, in o | order to get them to | o specify the Stage 2 m | |
| Status: | | NOTED | | | | | | |
| NP-0301 | 01 (| ` ~~~~~ | tiona | on ID h | acad Multimadia Sarviaca Cx/Dx | interface cours | - CN4 | |
| Commen | | | | | ased Multimedia Services Cx/Dx e references once the RFCs have n | - | | |
| | | | | | MCC of this once it happens. | | | |
| Status: | - | APPRC | OVED | • | | | | |
| NP-0301 | 02 (| Corrections on IP-based Multimedia Services Sh-interface, source CN4 | | | | | | |
| Commen | | MCC can replace the references once the RFCs have numbers and have been approved. Stephen | | | | | | |
| Status: | | Hayes will inform the MCC of this once it happens. APPROVED. | | | | | | |
| Status. | í | | | • | | | | |
| 8.2 OSA | enha | ancen | nents | | 21 | | | |
| NP-03002 | | Rel-5 CRs 29.198-02 OSA API Part 2: Common data, source CN5 | | | | | | |
| Status: | / | APPRO | OVED | | | | | |
| NP-03002 | 28 F | ReI-5 CRs 29.198-03 OSA API Part 3: Framework, source CN5 | | | | | | |
| Status: | / | APPROVED. | | | | | | |
| NP-03002 | | Rel-5 CRs 29.198-04-1 OSA API Part 4: Call control; Sub-part 1: Call Control Common Definitions, source CN5 | | | | | | |
| Status: | | APPRC | OVED | • | | | | |
| NP-03003 | | Rel-5 CRs 29.198-04-2 OSA API Part 4: Call control; Sub-part 2: Generic Call Control SCF, source CN5 | | | | | | |
| Status: | F | REVISED to 0130. | | | | | | |
| REVISI | | | | 0 100 0 | 1 2 OSA ADI Dort 4. Coll control. | Sub part 2. Cara | via Call Control SCE | |
| NP-030130 | | Rel-5 CRs 29.198-04-2 OSA API Part 4: Call control; Sub-part 2: Generic Call Control SCF, source CN5 | | | | | | |
| Status: | / | APPRO | OVED | | | | | |
| NP-03003 | 0031 Rel-5 CRs 29.198-04-3 OSA API Part 4: Call control; Sub-part 3: Multi-Party Call Control SC source CN5 | | | | | | | |
| Status: | | APPROVED. | | | | | | |
| | | | | | | | | |

| NP-030032 | Rel-5 CRs 29.198-04-4 OSA API Part 4: Call control; Sub-part 4: Multi-Media Call Control SCF, source CN5 |
|------------------------|--|
| Status: | APPROVED. |
| NP-030033 | ReI-5 CRs 29.198-05 OSA API Part 5: Generic user interaction, source CN5 |
| Status: | APPROVED. |
| NP-030034 | Rel-5 CRs 29.198-08 OSA API Part 8: Data session control, source CN5 |
| Status: | APPROVED. |
| NP-030035 | Rel-5 CRs 29.198-11 OSA API Part 11: Account management, source CN5 |
| Comments: | Text in the CR should be in the cover sheet |
| Status: | APPROVED. |
| 8 3 CAMEL | Phase 4 [CAMEL4] |
| NP-030087 Status: | |
| NP-030088 | CRs to ReI-5 WI CAMEL4, source CN2 |
| Status: | APPROVED |
| NP-030089 | CRs to Rel-5 WI CAMEL4, source CN2 |
| Status: | APPROVED |
| NP-030090 | CRs to ReI-5 WI IMS-CAMEL, source CN2 |
| Status: | APPROVED |
| NP-030091 | CRs to ReI-5 WI IMS-CAMEL, source CN2 |
| Status: | APPROVED |
| NP-030103 | Corrections on Camel Phase 4, source CN4 |
| Status: | APPROVED |
| | n Comico Enhancomento II 0041 |
| 8.4 LOCATIO | n Service Enhancements [LCS1] |
| NP-030104 | Corrections on Location Service Enhancements Release 5, source CN4 |
| Status: | APPROVED |
| 8.5 End to | o End QoS [E2EQoS] |
| NP-030079 | CR to Rel-5 on Work Item E2EQoS, source CN3 |
| Status: | APPROVED |
| NP-030080 | CR to Rel-5 (29.207) on Work Item E2EQoS, source CN3 |
| Status: | APPROVED |
| NP-030081 | CR to Rel-5 (29.208) on Work Item E2EQoS, source CN3 |
| Status: | APPROVED |
| NP-030105 Comments: | Corrections on End to end QoS for PS Domain, source CN4 Lucent had some concerns with the CRs. It is possibly required to take this essential change back to R99. No objections to the CRs contained in the pack. The issue of CRs to past releases will be further examined in CN4 |
| Status: | APPROVED. |

8.6 Security enhancements [SEC1]

No input

| | Change and UDI Fallback [SCUDIF] |
|----------------------|--|
| NP-030131 | Concern for two step HLR interrogation, source DoCoMo |
| Content: | The document proposes that CN postpones the approval of the CRs for two step HLR interrogation and CN asks CN3 and CN4 to take the signalling load into account. |
| Comments: | It was clarified that the signalling load impacts were not considered in the CN3/CN4 discussions. |
| | The new proposal from DoCoMo has not yet been considered in CN3 and CN4. |
| | There is also some minor alignment required between the CN3 and CN4 CRs |
| | Also the question of interaction with CAMEL has yet to be considered in both groups; CN2 should be involved in this discussion. |
| Status: | NOTED. |
| NP-030143 | Issues regarding one-step HLR interrogation, source Ericsson |
| Content: | This contribution addresses the concerns expressed in NP-030131 that includes introduction of a one-step interrogation procedure. |
| Status: | NOTED. |
| NP-030078 | CR to Rel-5 on Work Item SCUDIF, source CN3 |
| Comments: | The CN3 CR is based on an earlier version of the CN4 MAP CRs. |
| | There is a need for minor alignments to the later versions of the CN4 CRs. |
| | This issue is sent back to CN3 and CN4 for further study. |
| Status: | REFERRED BACK TO CN3. |
| NP-030106 | Correction on Service Change and UDI Fallback, source CN4 |
| | This issue is sent back to CN3 and CN4 for further study. |
| Status: | REFERRED BACK TO CN4. |
| 8 8 Tochnic | al Enhancements and Improvements [TEI5] |
| NP-030055 | CRs to Rel-5 on Work Item TEI5 towards 24.008, source CN1 |
| | |
| Comments: Status: | Siemens also presented a CR direct to plenary [NP-030062] in order to complete this package. APPROVED. |
| NP-030062 | Introduction of USIM in the figure "Overview mobility management protocol" , source Siemens |
| Status: | APPROVED. |
| NP-030056 | CR to Rel-5 on Work Item TEI5 towards 23.034, source CN1 |
| Status: | APPROVED. |
| NP-030077 | CR to Rel-5 on Work Item T.E.I, source CN3 |
| Status: | APPROVED. |
| NP-030107 | Small Technical Enhancements and Improvements for GTP specification Rel-5, source CN4 |
| Status: | APPROVED. |
| NP-030108 | Small Technical Enhancements and Improvements for CSSPLIT specification ReI-5, source CN4 |

Status: APPROVED.

NP-030109 Small Technical Enhancements and Improvements for CCBS specification Rel-5, source CN4 Status: APPROVED.

NP-030110Small Technical Enhancements and Improvements for SMS specification Rel-5, source CN4Comments:Once again the issue of editorial changes to frozen releases was raised.Status:APPROVED.

8.9 Any other Rel-5 WI

No Input.

9 Release 6

9.1 IMS Phase 2 [IMS]

NP-030073 TR 29.962v1.0.0 (for information), source CN3

 Content: Contains the latest version of TR 29.962. As agreed in a joint meeting between CN3#26 and CN1#27 in Bangkok, and endorsed by CN#18, the TR will be reviewed by CN1. The review will take place during CN1#28 in Sophia Antipolis. The proposed changes will be endorsed by CN3#27 in San Diego. If required, a joint CN1 / CN3 meeting may also be organised in San Diego to complete the review. CN1 are expecting comments against the TR to be made in the format of a CRs.
 Status: NOTED.
 NP-030115 Updated WID for Media Gateway Control Function (MGCF) - IM Media Gateway (IMS-MGW) Mn

Interface between IMS-MGW and MGCF, source CN4

Status: APPROVED.

9.2 Support of Presence Capability [PRESNC]

No Input.

9.3 Security Enhancements[SEC1]

No Input.

9.4 Emergency Call Enhancements [EMC1]

| NP-030059 | WID: Emergency Call Enhancements for IP& PS Based Calls - stage 3, source CN1 |
|-------------|--|
| Status: | REVISED to 0144 (before presentation). |
| ? REVISED ? | |
| NP-030144 | WID: Emergency Call Enhancements for IP& PS Based Calls - stage 3, source Ericsson |
| Content: | Updated WID following the response from SA2 in NP -030122. |
| Comments: | The corresponding SA2 WID that is contained in the SA2 LS has been agreed by SA2 (to be presented to SA#19). |
| | This stage 3 WID has not been seen and agreed by CN1, but aligns with the SA2 WID. |
| | It was mentioned that the TSG $\#22$ date is incorrect. Also the use of headers in the document needs to be examined / cleaned. |
| Status: | REVISED to 0149. |
| ? REVISED ? | |
| NP-030149 | WID: Emergency Call Enhancements for IP& PS Based Calls - stage 3, source Ericsson |
| Status: | APPROVED. |
| NP-030117 | LS on updated WID for emergency call enhancements for IP & PS based calls, source CN1 |
| Content: | The existing WID for emergency call enhancements for IP & PS based calls has not been updated since March 2001 and needs a major revision. The proposed updated WID 'Emergency call enhancements for IP & PS based calls – stage 3' is attached for information. |
| Status: | NOTED. |
| NP-030122 | Reply LS on updated WID for emergency call enhancements for IP & PS based calls SA2 To; source: Ericsson |
| Content: | SA2 has followed the recommendation from CN WG1 to create a new feature level work item on the additions needed in GPRS and IMS to support IMS emergency sessions. The SA2 work item will include both emergency access scenarios, with UICC and without UICC. |
| Status: | NOTED. |

9.5 Speech Recognition and Speech Enabled Services[SRSES]

No input

9.6 Generic User Profile [GUP]

No input

9.7 OSA Enhancements [OSA3]

NP-030124 LS on Status of OSA Rel6 Requirements, source CN5

- **Content:** In this LS CN5 asks SA1 group to analyse the status of the OSA Rel6 requirements, re-visit the issue of company support for those for which CN5 is receiving no contributions, and consider removing those with no support from the OSA stage 1 specification. CN5 asks CN to monitor this activity.
- **Comments:** If there is lack of support for these areas of work SA will be asked to delete them. Stephen will report this issue to TSG SA.

Status: NOTED.

NP-030036 Rel-6 [draft] Revised WID OSA Stage 3, source CN5

- Content: Contains the Updated Rel-6 Work Item Description for OSA Stage 3
- **Comments:** Noted that WIDs usually do not indicate Release, but in the case of these bundled work items Rel6 has been used to identify the bundle.

Status: APPROVED.

9.8 Multimedia Broadcast and Multicast Service [MBMS]

- NP-030060 WID: Support of the Multimedia Broadcast Multicast Service (MBMS) in CN protocols, source CN1
- **Comments:** Need to change some of the dates (CN#22).

The work for CN3 has not yet been defined (29.061). It was mentioned that there may not be work for CN3; this was just a place holder.

NTT DoCoMo were added to the supporting companies.

Status: REVISED to 0151.

? REVISED ?

- NP-030151 WID: Support of the Multimedia Broadcast Multicast Service (MBMS) in CN protocols, source CN1
- Status: APPROVED.

9.9 Preferred Framing Protocol [PFP]

NP-030119 Liaison on eTFO, source SA2

- **Content:** This LS provides the result of the SA2 study on the system aspects and impacts of enhanced TFO (eTFO).
- Status: NOTED.

NP-030127 Clarification on Framing Protocol, source Alcatel, Ericsson, Lucent, Nokia, Siemens.

- **Content:** This contribution relates to the SA2 LS (NP-030119) and attempts to clarify the different interpretations on how G.711 encoded speech may be carried over Nb according to existing standards.
- **Comments:** Nortel supported the conclusions presented in this document.

Stephen Hayes will inform TSG SA that we have seen and endorsed this document (NP-030127). **Status:** ENDORSED.

9.10 Small Technical Enhancements and Improvements [TEI6]

NP-030057 CR to Rel-6 on Work Item TEI6 towards 24.008, source CN1

| Status: | APPROVED. |
|-------------------------------------|---|
| NP-030111 Status: | Small Technical Enhancements and Improvements for MAP specification Rel-6, source CN4 APPROVED. |
| NP-030112 Status: | Small Technical Enhancements and Improvements for SMS specification Rel-6, source CN4 APPROVED. |
| NP-030113 Status: | Small Technical Enhancements and Improvements for Priority Service specification Rel-6, source CN4 APPROVED. |
| 0.44 America | |
| 9.11 Any ot NP-030058 Status: | nerRei-6 Wi CR to Rei-6 on Work Item T-GSM towards 24.008, source CN1 APPROVED. |
| NP-030067 Content: Status: | WID: Enhancement of dialled service for CAMEL in Release 6, source Rapporteur (Samsung) This is a duplicate of NP-030092 WITHDRAWN |
| NP-030092 Comments: | WID "Enhancement of dialled services for CAMEL", source CN2 Requirement to remove the Rel-6 from the title and throughout the WID Also there are not any new specs listed only existing specifications. these must be moved Also some need for table alignment in the formatting. Ericsson suggested that CN#21 is not really achievable - suggest moving back to CN#22. CN could |
| Status: | not agree to this but asked the rapporteurs and CN2 to examine the dates. REVISED to 0152. |
| ? REVISED ? NP-030152 | WID "Enhancement of dialled services for CAMEL", source CN2 |
| Comments: | One minor error was detected |
| Status: ? REVISED ? | REVISED to 0153. |
| NP-030153 | WID "Enhancement of dialled services for CAMEL", source CN2 |
| Status: | APPROVED. |
| NP-030114 Status: | Corrections on Location Service Enhancements Release 6, source CN4 APPROVED. |
| NP-030116 Comments: | WLAN Interworking - stage 3 definition of WLAN - 3GPP interworking, source CN4 The LS from SA2 (NP-030121) detailed the stability of the WLAN work in SA2. |
| | There has been some discussion in CN3 that the work on the Wm interface could also be done by CN3 as they have already done similar work. This request has been raised in CN4, no final decision has been made, but for the moment the Wm interface is allocated to CN4. |
| | Siemens acknowledge the SA2 recommendation for the use of Diameter protocol over the Wm interface. There may be other candidates. However if DIAMETER is the chosen protocol then CN4 would be best placed to develop the Wm interface. |
| Status: | APPROVED. |
| NP-030136 | Discussion on IPv6 utilisation within IMS, source mmO2 |
| Content: | This discussion document on the utilisation of IPv6 within IMS is principally intended for TSG SA, and is presented to TSG T and CN in order to get comments and feedback before its presentation to TSG SA. |

Comments: TSG CN can provide input in this, but Stephen Hayes had concerns on re-opening Rel-5 to support IPv4.

It is not known to what extent interworking with IPv6 is necessary for the functionality of IMS. In the IETF, the plan of the SIP working group is to present a roadmap on the impacts of interworking with IPv6.

There is also a draft IPv4 to IPv6 transition document under progression in the IETF.

Nokia Ericsson and Siemens stated that it is too late to introduce such functionality into ReI-5 but would support examining this in ReI-6.

IETF is looking for drivers for IPv6, 3GPP is one major driver for IPv6 and if 3GPP's support of IPv6 waivers at some point, this may have a roll on effect on the overall deployment of IPv6 in the field. 3GPP need to be cautious on the message it is sending.

Status: NOTED.

10 TSG CN work organization

10.1 Principles for work organization within CN

"NICE TO HAVE" CRs:

TSG CN meeting # 19 decided that the 'nice to have = non-critical' CRs will be allowed to ReI-5 until CN#20 meeting.

After CN#20 'nice to have/ non-critical ' CRs will no longer be allowed.

Merge of CN2 and CN4:

A proposal was made to merge CN2 and CN4 in December 2003.

The CN2 Chair stated that it makes sense to merge CN2 and CN4 if there are no parallel sessions planned (as companies still need to send several delegates to cover all issues). The CN4 Chair summarised that the merge is desirable if and only if there is a single stream of meetings with one MCC support. With the current level of work it is most probable that this would mean at least 6 meetings a year for the new merged CN2+4.

CN#19 meeting could not agree to merge the two working groups in December 2003. CN2 and CN4 will study this and come up with a proposal once SA has examined and fixed the Rel-6 freezing date.

The chairs of CN2 and CN4 will present a proposal to CN#20 meeting.

10.2 Terms of Reference

No input

10.3 Support Arrangements

No input

10.4 Working methods / Work Style

No input

10.5 Future Meeting Schedule

| NF = 0.50 + 1.50 = 2.00.5/4 Meeting Schedule, Source MCC. NOTED. | NP-030138 | 2003/4 Meeting schedule, source MCC. NOTED. |
|--|-----------|---|
|--|-----------|---|

| Feb 2003 | | | | |
|--|----|------------------|--------------|----|
| Joint CN WG Meeting (CN1, 2, 3, 4) | WG | 10 - 14 Feb 2003 | Dublin | IR |
| Mar 2003 | | | | |
| 3GPPCN-#19 | OR | 12 - 14 Mar 2003 | Birmingham | UK |
| May 2003 | | | | |
| Joint CN WG Meeting (CN1, 2, 3, 4, 5) | WG | 19 - 23 May 2003 | San Diego | US |
| Jun 2003 | | | | |
| 3GPPCN-#20 | OR | 4 - 6 Jun 2003 | HÄMEENLINNA | FI |
| Aug 2003 | | | | |
| Joint CN WG Meeting (CN1, 2, 3, 4, 5) | WG | 25 - 29 Aug 2003 | Sophia | FR |
| Sep 2003 | | | | |
| 3GPPCN-#21 | OR | 17 - 19 Sep 2003 | Berlin | DE |
| Oct 2003 | | | | |
| Joint CN WG Meeting (CN1, 2, 3, 4) + SA1 and SA2 | WG | 27 - 31 Oct 2003 | ???, China | CN |
| Dec 2003 | | | | |
| 3GPPCN-#22 | OR | 10 - 12 Dec 2003 | Maui, Hawaii | US |
| Mar 2004 | | | | |
| 3GPPCN-#23 | OR | 10 - 12 Mar 2004 | ???, China | CN |
| Jun 2004 | | | | |
| 3GPPCN-#24 | OR | 2 - 4 Jun 2004 | Seoul | KO |
| Sep 2004 | | | | |
| <u>3GPPCN-#25</u> | OR | 8 - 10 Sep 2004 | ???, US | US |
| Dec 2004 | | | | |
| 3GPPCN-#26 | OR | 8 - 10 Dec 2004 | Athens | GR |
| | | | | |

CN1 chairman said that the September 2004 meeting date is early and it would be preferable to push it back by one week in order to allow delegates to have a reasonable summer holiday and prepare adequately for working group meetings. However comments came that US delegations may like to see the meeting move forward one week. Others supported leaving the September meeting where it is. There was no consensus on this.

The CN2 opinion is that meetings in mid August are not desirable.

11 Specifications in TSG-CN domain

| NP-030132 | CRs to lists of specs, frozen Releases, source JMM,MCC |
|-----------|---|
| Status: | NOTED |
| NP-030133 | Specs status list prior to TSGs#19, source JMM, MCC |
| Status: | NOTED |
| NP-030145 | Specifications not yet under change control, but pertaining to frozen Releases, source JMM, MCC |
| Status: | NOTED |

12 Review of 3GPP Work Plan

NP-030008 3GPP Work Plan, source MCC NOTED.

NP-030009 3GPP Work Plan [Slide Presentation], source MCC

Comments: Updates made online >>>

Page 22 CN agreed to delete the work item Preferred framing protocol for bearer independent CS architecture

- Page 28 Emergency call enhancements for IP & PS based calls-Stage 3 pushed back to DEC. 2003
- Page 33 CN agreed to delete the work item for the Ze interface
- Page 35 CN review of SIP capabilities against IMS complete by Dec 2003
- Page 38 Interoperability and commonality between IMS using different IP connectivity networks. If Stage 2 is complete in March, the stage 3 will be available in June.
- Page 39 Push Services:- Stage two complete in December 2003, but no stage 3 work expected.
- Page 43 Presence completion from CN1 stated as June Lucent believe September

The slides and work plan will be updated before presentation to TSG SA#19.

CN could not agree on a deadline for no longer introducing new work items for Release 6.

TSG CN asked that the updated work plan be available one week after the SA Plenary. CN Chair suggested linking the work plan to the MCC statistics. Status: NOTED

13 Postponed issues from earlier in the meeting

No Input.

14 Election of TSG CN Officials

The election of TSG CN officials was held on Thursday 13th March at 09:00.

There was one candidate for the position of CN Chairman. Mr Stephen Hayes (Ericsson) was re-elected as the Chairman of TSG CN.

There were two candidates for the two positions of CN Vice Chairman. Mr Ian Park (Vodafone) and Mr Kunihiko Taya (NEC) were re-elected as the Vice Chairmen of TSG CN.

15 Any other business

No Input.

16 Close of Meeting

The Chairman thanked the host, delegates and MCC for their participation, and closed the meeting at 13:10 on Friday 14th March.

ANNEX A:OUTPUT MATERIAL

A.1 Liaisons Approved

| Tdoc | Tdoc Title | LS to | LS cc | Attach. |
|-----------|--|-----------------------------------|----------------------------------|-----------|
| NP-030139 | LS on Proposed deletion of security- related work items in TSG-CN | SA3 | SA, CN4 | - |
| NP-030146 | Liaison statement on error handling in Pre-R99 networks | GSMA Board, GSMA TWG | TSG GERAN, TSG SA, TSG CN WG1 | GP-030322 |
| NP-030150 | LS on Co-ordination of SDO input to ITU- T Q.1741.3 | ARIB, CWTS, ETSI, T1, TTA, TTC | TSG SA | - |

A.2 New TSs /TRs Approved (to be placed under change control)

NONE.

A.3 New / Revised Work Items Approved

| Tdoc | Tdoc Title | Source | Rel |
|-----------|--|----------|-------|
| NP-030036 | Rel-6 [draft] Revised WID OSA Stage 3 | CN5 | Rel-6 |
| NP-030115 | Updated WID for Media Gateway Control Function (MGCF) - IM Media Gateway (IMS-MGW) Mc Interface between IMS-MGW and MGCF | CN4 | Rel-6 |
| NP-030116 | WLAN Interworking - stage 3 definition of WLAN - 3GPP interworking | CN4 | Rel-6 |
| NP-030149 | Emergency Call Enhancements for IP& PS Based Calls - stage 3 | Ericsson | Rel-6 |
| NP-030151 | Support of the Multimedia Broadcast Multicast Service (MBMS) in CN protocols. | CN1 | Rel-6 |
| NP-030153 | WID "Enhancement of dialled services for CAMEL" | CN2 | Rel-6 |

A.4 Status of CRs following TSG CN Plenary meeting

| Spec | CR | Rev | Phase | Cat | NP doc | WG doc | TSG status | Subject | CR | Resulti | WG | Workitem |
|--------|------|-----|-------|-----|-----------|------------|------------|---------------------------|--------|---------|----|-----------------------|
| 09.08 | A141 | - | R99 | F | NP-030040 | N1-030084 | approved | Corrections to the list | 8.1.0 | 8.2.0 | N1 | GSM/UMTS interworking |
| 23.009 | 091 | 1 | R99 | F | NP-030041 | N1-030292 | approved | Further clarification of | 3.12.0 | 3.13.0 | N1 | GSM/UMTS interworking |
| 23.009 | 092 | 1 | Rel-4 | А | NP-030041 | N1-030293 | approved | Further clarification of | 4.6.0 | 4.7.0 | N1 | GSM/UMTS interworking |
| 23.009 | 093 | 1 | Rel-5 | А | NP-030041 | N1-030294 | approved | Further clarification of | 5.3.0 | 5.4.0 | N1 | GSM/UMTS interworking |
| 23.034 | 800 | - | Rel-5 | F | NP-030056 | N1-030091 | approved | Use of Nb UP protocol | 5.1.0 | 5.2.0 | N1 | TEI5 |
| 23.218 | 040 | 2 | Rel-5 | F | NP-030045 | N1-030309 | approved | Clarification on Sh | 5.3.0 | 5.4.0 | N1 | IMS-CCR |
| 23.218 | 042 | - | Rel-5 | F | NP-030046 | N1-030197 | approved | Correction related to | 5.3.0 | 5.4.0 | N1 | IMS-CCR |
| 24.002 | 002 | 1 | Rel-4 | F | NP-030044 | N1-030211 | approved | Removal of the S | 4.0.0 | 4.1.0 | N1 | TEI4 |
| 24.002 | 003 | 1 | Rel-5 | А | NP-030044 | N1-030212 | approved | Removal of the S | 5.0.0 | 5.1.0 | N1 | TEI4 |
| 24.008 | 728 | - | R99 | F | NP-030042 | N1-030066 | approved | Correction on CC | 3.14.0 | 3.15.0 | N1 | TEI |
| 24.008 | 729 | - | Rel-4 | А | NP-030042 | N1-030067 | approved | Correction on CC | 4.9.0 | 4.10.0 | N1 | TEI |
| 24.008 | 730 | - | Rel-5 | А | NP-030042 | N1-030068 | approved | Correction on CC | 5.6.0 | 5.7.0 | N1 | TEI |
| 24.008 | 731 | 1 | Rel-5 | F | NP-030055 | N1-030213 | approved | Support of UMTS | 5.6.0 | 5.7.0 | N1 | TEI5 |
| 24.008 | 733 | 1 | Rel-6 | С | NP-030057 | N1-030224 | approved | Interruption of DL user | 5.6.0 | 6.0.0 | N1 | TEI6 |
| 24.008 | 734 | 2 | R99 | F | NP-030141 | N1-030207r | approved | MS RAC for UMTS | 3.14.0 | 3.15.0 | N1 | TEI |
| 24.008 | 735 | 2 | Rel-4 | А | NP-030141 | N1-030208r | approved | MS RAC for UMTS | 4.9.0 | 4.10.0 | N1 | TEI |
| 24.008 | 736 | 2 | Rel-5 | А | NP-030141 | N1-030209r | approved | MS RAC for UMTS | 5.6.0 | 5.7.0 | N1 | TEI |
| 24.008 | 737 | 1 | Rel-5 | F | NP-030055 | N1-030115 | approved | High multislot classes | 5.6.0 | 5.7.0 | N1 | TEI5 |
| 24.008 | 738 | 2 | Rel-5 | F | NP-030054 | N1-030266 | approved | Signalling PDP Context | 5.6.0 | 5.7.0 | N1 | IMS-CCR |
| 24.008 | 739 | 2 | Rel-6 | В | NP-030058 | N1-030270 | approved | Implementation of new | 5.6.0 | 6.0.0 | N1 | T-GSM |
| 24.008 | 740 | 1 | Rel-5 | F | NP-030055 | N1-030214 | approved | Missing IEI definition in | 5.6.0 | 5.7.0 | N1 | TEI5 |
| 24.008 | 741 | 1 | Rel-5 | F | NP-030055 | N1-030216 | approved | Combined RAU | 5.6.0 | 5.7.0 | N1 | TEI5 |
| 24.008 | 746 | - | Rel-5 | F | NP-030055 | N1-030253 | approved | Enhanced Power | 5.6.0 | 5.7.0 | N1 | TEI5 |
| 24.008 | 747 | - | Rel-5 | F | NP-030062 | NP-030062 | approved | Introduction of USIM in | 5.6.0 | 5.7.0 | N1 | TEI5 |
| 24.228 | 097 | 2 | Rel-5 | F | NP-030047 | N1-030269 | approved | Correction of the | 5.3.0 | 5.4.0 | N1 | IMS-CCR |
| 24.228 | 098 | 1 | Rel-5 | F | NP-030047 | N1-030247 | approved | General update to | 5.3.0 | 5.4.0 | N1 | IMS-CCR |
| 24.228 | 099 | 1 | Rel-5 | F | NP-030047 | N1-030248 | approved | General update to | 5.3.0 | 5.4.0 | N1 | IMS-CCR |
| 24.228 | 100 | 1 | Rel-5 | F | NP-030047 | N1-030249 | approved | General update to | 5.3.0 | 5.4.0 | N1 | IMS-CCR |
| 24.228 | 102 | 2 | Rel-5 | F | NP-030048 | N1-030283 | approved | General update to | 5.3.0 | 5.4.0 | N1 | IMS-CCR |
| 24.229 | 291 | - | Rel-5 | F | NP-030049 | N1-030012 | approved | Minor correction and | 5.3.0 | 5.4.0 | N1 | IMS-CCR |
| 24.229 | 292 | - | Rel-5 | F | NP-030049 | N1-030013 | approved | SIP profile minor | 5.3.0 | 5.4.0 | N1 | IMS-CCR |
| 24.229 | 293 | 1 | Rel-5 | F | NP-030049 | N1-030261 | approved | Network asserted | 5.3.0 | 5.4.0 | N1 | IMS-CCR |
| 24.229 | 294 | 1 | Rel-5 | F | NP-030049 | N1-030300 | approved | Asserted identity | 5.3.0 | 5.4.0 | N1 | IMS-CCR |
| 24.229 | 296 | - | Rel-5 | F | NP-030049 | N1-030023 | approved | Profile references | 5.3.0 | 5.4.0 | N1 | IMS-CCR |
| 24.229 | 297 | 2 | Rel-5 | F | NP-030049 | N1-030301 | approved | Reference corrections | 5.3.0 | 5.4.0 | N1 | IMS-CCR |
| 24.229 | 300 | 1 | Rel-5 | F | NP-030050 | N1-030245 | approved | 488 message with a | 5.3.0 | 5.4.0 | N1 | IMS-CCR |
| 24.229 | 301 | 1 | Rel-5 | F | NP-030050 | N1-030239 | approved | Handling of Emergency | 5.3.0 | 5.4.0 | N1 | IMS-CCR |
| 24.229 | 302 | 2 | Rel-5 | F | NP-030050 | N1-030268 | approved | Correction of the | 5.3.0 | 5.4.0 | N1 | IMS-CCR |

| Spec | CR | Rev | Phase | Cat | NP doc | WG doc | TSG status | Subject | CR | Resulti | WG | Workitem |
|--------|-----|-----|-------|-----|-----------|-----------|------------|----------------------------|--------|---------|----|-----------------------|
| 24.229 | 305 | 2 | Rel-5 | F | NP-030050 | N1-030295 | approved | User initiated de- | 5.3.0 | 5.4.0 | N1 | IMS-CCR |
| 24.229 | 306 | 2 | Rel-5 | F | NP-030050 | N1-030296 | approved | Network-initiated | 5.3.0 | 5.4.0 | N1 | IMS-CCR |
| 24.229 | 307 | 2 | Rel-5 | F | NP-030050 | N1-030297 | approved | UE deregistration | 5.3.0 | 5.4.0 | N1 | IMS-CCR |
| 24.229 | 308 | 2 | Rel-5 | F | NP-030050 | N1-030298 | approved | S-CSCF handling of | 5.3.0 | 5.4.0 | N1 | IMS-CCR |
| 24.229 | 309 | 1 | Rel-5 | F | NP-030050 | N1-030233 | approved | S-CSCF handling of | 5.3.0 | 5.4.0 | N1 | IMS-CCR |
| 24.229 | 310 | 2 | Rel-5 | F | NP-030050 | N1-030299 | approved | S-CSCF handling of | 5.3.0 | 5.4.0 | N1 | IMS-CCR |
| 24.229 | 311 | 1 | Rel-5 | F | NP-030051 | N1-030235 | approved | P-CSCF handling of | 5.3.0 | 5.4.0 | N1 | IMS-CCR |
| 24.229 | 312 | 1 | Rel-5 | F | NP-030051 | N1-030240 | approved | Correction of | 5.3.0 | 5.4.0 | N1 | IMS-CCR |
| 24.229 | 313 | - | Rel-5 | F | NP-030051 | N1-030127 | approved | Mixed Path header and | 5.3.0 | 5.4.0 | N1 | IMS-CCR |
| 24.229 | 315 | 2 | Rel-5 | F | NP-030051 | N1-030255 | approved | Clarifications on | 5.3.0 | 5.4.0 | N1 | IMS-CCR |
| 24.229 | 318 | 2 | Rel-5 | F | NP-030051 | N1-030307 | approved | Consideration of P- | 5.3.0 | 5.4.0 | N1 | IMS-CCR |
| 24.229 | 319 | 2 | Rel-5 | F | NP-030051 | N1-030308 | approved | Clarification on GPRS | 5.3.0 | 5.4.0 | N1 | IMS-CCR |
| 24.229 | 323 | 1 | Rel-5 | F | NP-030051 | N1-030250 | approved | P-Access-Network-Info | 5.3.0 | 5.4.0 | N1 | IMS-CCR |
| 24.229 | 324 | 1 | Rel-5 | F | NP-030051 | N1-030251 | approved | P-Access-Network-Info | 5.3.0 | 5.4.0 | N1 | IMS-CCR |
| 24.229 | 326 | 1 | Rel-5 | F | NP-030051 | N1-030260 | approved | Updating user agent | 5.3.0 | 5.4.0 | N1 | IMS-CCR |
| 24.229 | 327 | 2 | Rel-5 | F | NP-030052 | N1-030282 | approved | Cleanup and | 5.3.0 | 5.4.0 | N1 | IMS-CCR |
| 24.229 | 328 | 1 | Rel-5 | F | NP-030052 | N1-030230 | approved | Corrections to the reg | 5.3.0 | 5.4.0 | N1 | IMS-CCR |
| 24.229 | 330 | 2 | Rel-5 | F | NP-030052 | N1-030288 | approved | Clarifications for setting | 5.3.0 | 5.4.0 | N1 | IMS-CCR |
| 24.229 | 331 | 2 | Rel-5 | F | NP-030052 | N1-030289 | approved | Handling of the P- | 5.3.0 | 5.4.0 | N1 | IMS-CCR |
| 24.229 | 333 | 3 | Rel-5 | F | NP-030052 | N1-030310 | approved | Removal of P- | 5.3.0 | 5.4.0 | N1 | IMS-CCR |
| 24.229 | 334 | - | Rel-5 | F | NP-030052 | N1-030182 | approved | P-CSCF general | 5.3.0 | 5.4.0 | N1 | IMS-CCR |
| 24.229 | 335 | 2 | Rel-5 | F | NP-030052 | N1-030281 | approved | Usage of Contact in | 5.3.0 | 5.4.0 | N1 | IMS-CCR |
| 24.229 | 337 | - | Rel-5 | F | NP-030052 | N1-030193 | approved | Usage of P-Asserted- | 5.3.0 | 5.4.0 | N1 | IMS-CCR |
| 24.229 | 339 | 2 | Rel-5 | F | NP-030052 | N1-030285 | approved | Authorization for | 5.3.0 | 5.4.0 | N1 | IMS-CCR |
| 24.229 | 341 | 1 | Rel-5 | F | NP-030052 | N1-030284 | approved | P-CSCF subscription to | 5.3.0 | 5.4.0 | N1 | IMS-CCR |
| 49.008 | 001 | - | Rel-4 | А | NP-030040 | N1-030085 | approved | Corrections to the list | 4.0.1 | 4.1.0 | N1 | GSM/UMTS interworking |
| 49.008 | 002 | - | Rel-5 | А | NP-030040 | N1-030086 | approved | Corrections to the list | 5.0.0 | 5.1.0 | N1 | GSM/UMTS interworking |
| 24.008 | 734 | 1 | R99 | F | NP-030043 | N1-030207 | revised | MS RAC for UMTS | 3.14.0 | | N1 | TEI |
| 24.008 | 735 | 1 | Rel-4 | А | NP-030043 | N1-030208 | revised | MS RAC for UMTS | 4.9.0 | | N1 | TEI |
| 24.008 | 736 | 1 | Rel-5 | А | NP-030043 | N1-030209 | revised | MS RAC for UMTS | 5.6.0 | | N1 | TEI |
| 24.228 | 094 | 2 | Rel-5 | С | NP-030053 | N1-030257 | rejected | Allowing IMS access | 5.3.0 | | N1 | IMS-CCR |
| 24.229 | 299 | 2 | Rel-5 | С | NP-030053 | N1-030258 | rejected | Allowing IMS access | 5.3.0 | | N1 | IMS-CCR |
| 24.229 | 321 | 2 | Rel-5 | F | NP-030054 | N1-030267 | rejected | Signalling PDP Context | 5.3.0 | | N1 | IMS-CCR |
| 23.078 | 491 | 2 | Rel-5 | F | NP-030088 | N2-030125 | approved | Handling of a Stand | 5.2.0 | 5.3.0 | N2 | CAMEL4 |
| 23.078 | 513 | - | Rel-5 | F | NP-030088 | N2-030013 | approved | Handling of | 5.2.0 | 5.3.0 | N2 | CAMEL4 |
| 23.078 | 516 | 2 | Rel-5 | F | NP-030088 | N2-030157 | approved | Correction to CAMEL | 5.2.0 | 5.3.0 | N2 | CAMEL4 |
| 23.078 | 517 | 1 | Rel-5 | F | NP-030088 | N2-030113 | approved | Correction to implicit | 5.2.0 | 5.3.0 | N2 | CAMEL4 |
| 23.078 | 518 | 3 | Rel-5 | F | NP-030088 | N2-030160 | approved | HLR handling when | 5.2.0 | 5.3.0 | N2 | CAMEL4 |
| 23.078 | 520 | 1 | Rel-5 | F | NP-030088 | N2-030114 | approved | Correction to CTR | 5.2.0 | 5.3.0 | N2 | CAMEL4 |
| 23.078 | 521 | 1 | R99 | F | NP-030085 | N2-030115 | approved | Correction to SRI | 3.15.0 | 3.16.0 | N2 | CAMEL3 |
| 23.078 | 526 | - | Rel-5 | F | NP-030089 | N2-030032 | approved | Consistent prefix | 5.2.0 | 5.3.0 | N2 | CAMEL4 |

| Spec | CR | Rev | Phase | Cat | NP doc | WG doc | TSG status | Subject | CR | Resulti | WG | Workitem |
|--------|------|-----|-------|-----|-----------|-----------|------------|------------------------|--------|---------|----|-----------|
| 23.078 | 527 | 1 | R99 | F | NP-030068 | N2-030104 | approved | Correction to | 3.15.0 | 3.16.0 | N2 | CAMEL3 |
| 23.078 | 528 | 1 | Rel-4 | А | NP-030068 | N2-030105 | approved | Correction to | 4.7.0 | 4.8.0 | N2 | CAMEL3 |
| 23.078 | 529 | - | Rel-5 | А | NP-030068 | N2-030055 | approved | Correction to | 5.2.0 | 5.3.0 | N2 | CAMEL3 |
| 23.078 | 531 | - | Rel-5 | F | NP-030089 | N2-030057 | approved | Alignment of signal | 5.2.0 | 5.3.0 | N2 | CAMEL4 |
| 23.078 | 532 | 1 | R99 | F | NP-030085 | N2-030121 | approved | Introduction of | 3.15.0 | 3.16.0 | N2 | CAMEL3 |
| 23.078 | 533 | 2 | Rel-5 | F | NP-030089 | N2-030154 | approved | Buffering of TC | 5.2.0 | 5.3.0 | N2 | CAMEL4 |
| 23.078 | 534 | - | Rel-5 | F | NP-030089 | N2-030066 | approved | Disallowing ACH- | 5.2.0 | 5.3.0 | N2 | CAMEL4 |
| 23.078 | 536 | 1 | Rel-5 | F | NP-030089 | N2-030148 | approved | Correction to timer | 5.2.0 | 5.3.0 | N2 | CAMEL4 |
| 23.078 | 538 | - | Rel-5 | F | NP-030089 | N2-030070 | approved | Correction to Call | 5.2.0 | 5.3.0 | N2 | CAMEL4 |
| 23.078 | 539 | 1 | R99 | F | NP-030085 | N2-030106 | approved | Inconsistency in Call | 3.15.0 | 3.16.0 | N2 | CAMEL3 |
| 23.078 | 540 | 1 | Rel-4 | А | NP-030085 | N2-030107 | approved | Inconsistency in Call | 4.7.0 | 4.8.0 | N2 | CAMEL3 |
| 23.078 | 541 | 1 | Rel-5 | А | NP-030085 | N2-030108 | approved | Inconsistency in Call | 5.2.0 | 5.3.0 | N2 | CAMEL3 |
| 23.078 | 542 | 1 | Rel-5 | F | NP-030089 | N2-030152 | approved | Handling of AC and | 5.2.0 | 5.3.0 | N2 | CAMEL4 |
| 23.078 | 543 | - | Rel-4 | А | NP-030085 | N2-030116 | approved | Correction to SRI | 4.7.0 | 5.3.0 | N2 | CAMEL3 |
| 23.078 | 544 | - | Rel-5 | А | NP-030085 | N2-030117 | approved | Correction to SRI | 5.2.0 | 5.3.0 | N2 | CAMEL3 |
| 23.078 | 545 | - | Rel-4 | А | NP-030085 | N2-030122 | approved | Introduction of | 4.7.0 | 4.8.0 | N2 | CAMEL3 |
| 23.078 | 546 | - | Rel-5 | А | NP-030085 | N2-030123 | approved | Introduction of | 5.2.0 | 5.3.0 | N2 | CAMEL3 |
| 23.278 | 027 | 1 | Rel-5 | F | NP-030090 | N2-030150 | approved | Implementing of | 5.1.0 | 5.2.0 | N2 | IMS-CAMEL |
| 23.278 | 028 | 1 | Rel-5 | F | NP-030090 | N2-030124 | approved | Introduction of | 5.1.0 | 5.2.0 | N2 | IMS-CAMEL |
| 23.278 | 029 | - | Rel-5 | F | NP-030090 | N2-030079 | approved | Correction of imcnSSF | 5.1.0 | 5.2.0 | N2 | IMS-CAMEL |
| 23.278 | 030 | - | Rel-5 | F | NP-030090 | N2-030080 | approved | Incorrect procedure | 5.1.0 | 5.2.0 | N2 | IMS-CAMEL |
| 23.278 | 031 | - | Rel-5 | F | NP-030090 | N2-030081 | approved | Incorrect procedures | 5.1.0 | 5.2.0 | N2 | IMS-CAMEL |
| 23.278 | 032 | - | Rel-5 | F | NP-030091 | N2-030082 | approved | Sending of provisional | 5.1.0 | 5.2.0 | N2 | IMS-CAMEL |
| 23.278 | 033 | - | Rel-5 | F | NP-030091 | N2-030083 | approved | Incorrect SIP response | 5.1.0 | 5.2.0 | N2 | IMS-CAMEL |
| 23.278 | 035 | 1 | Rel-5 | F | NP-030091 | N2-030143 | approved | Corrections in | 5.1.0 | 5.2.0 | N2 | IMS-CAMEL |
| 23.278 | 036 | - | Rel-5 | F | NP-030091 | N2-030086 | approved | Corrections in the | 5.1.0 | 5.2.0 | N2 | IMS-CAMEL |
| 23.278 | 039 | - | Rel-5 | F | NP-030091 | N2-030155 | approved | Inconsistency in Call | 5.1.0 | 5.2.0 | N2 | IMS-CAMEL |
| 29.078 | 298 | 1 | Rel-5 | F | NP-030087 | N2-030118 | approved | Correction to Call | 5.2.0 | 5.3.0 | N2 | CAMEL4 |
| 29.078 | 299 | 1 | R99 | F | NP-030086 | N2-030100 | approved | ASN.1 syntax basic | 3.14.0 | 3.15.0 | N2 | CAMEL3 |
| 29.078 | 300 | - | Rel-4 | А | NP-030086 | N2-030035 | approved | ASN.1 syntax basic | 4.7.0 | 4.8.0 | N2 | CAMEL3 |
| 29.078 | 301 | - | Rel-5 | F | NP-030087 | N2-030036 | approved | ASN.1 syntax basic | 5.2.0 | 5.3.0 | N2 | CAMEL4 |
| 29.078 | 302 | - | Rel-5 | F | NP-030087 | N2-030062 | approved | ASN operation | 5.2.0 | 5.3.0 | N2 | CAMEL4 |
| 29.078 | 304 | 1 | Rel-5 | F | NP-030087 | N2-030110 | approved | Correction to ASN.1 | 5.2.0 | 5.3.0 | N2 | CAMEL4 |
| 29.078 | 305 | 1 | Rel-5 | F | NP-030087 | N2-030147 | approved | Disallowing ACH- | 5.2.0 | 5.3.0 | N2 | CAMEL4 |
| 29.078 | 306 | 2 | Rel-5 | F | NP-030087 | N2-030156 | approved | Missing parameter | 5.2.0 | 5.3.0 | N2 | CAMEL4 |
| 29.078 | 307 | - | Rel-5 | F | NP-030087 | N2-030094 | approved | Adding unknownCSId | 5.2.0 | 5.3.0 | N2 | CAMEL4 |
| 29.278 | 004 | - | Rel-5 | F | NP-030090 | N2-030037 | approved | ASN.1 syntax basic | 5.1.0 | 5.2.0 | N2 | IMS-CAMEL |
| 09.61 | A047 | 1 | R97 | F | NP-030074 | N3-030120 | approved | Correction of | 6.9.0 | 6.10.0 | N3 | TEI |
| 09.61 | A048 | 1 | R98 | А | NP-030074 | N3-030121 | approved | Correction of | 7.8.0 | 7.9.0 | N3 | TEI |
| 23.910 | 044 | 1 | Rel-4 | F | NP-030076 | N3-030116 | approved | Use of Nb UP protocol | 4.6.0 | 4.7.0 | N3 | CSSPLIT |
| 23.910 | 045 | 1 | Rel-5 | А | NP-030076 | N3-030117 | approved | Use of Nb UP protocol | 5.2.0 | 5.3.0 | N3 | CSSPLIT |

| Spec | CR | Rev | Phase | Cat | NP doc | WG doc | TSG status | Subject | CR | Resulti | WG | Workitem |
|--------|------|-----|-------|-----|-----------|-----------|------------|--------------------------|--------|---------|----|----------|
| 24.022 | 008 | 1 | Rel-5 | F | NP-030074 | N3-030125 | approved | Correction of | 5.1.0 | 5.2.0 | N3 | TEI |
| 27.001 | 083 | 1 | Rel-4 | F | NP-030075 | N3-030145 | approved | Removal of S | 4.8.0 | 4.9.0 | N3 | TEI |
| 27.001 | 084 | 1 | Rel-5 | F | NP-030075 | N3-030146 | approved | Removal of S | 5.4.0 | 5.5.0 | N3 | TEI |
| 29.007 | 065 | - | Rel-5 | F | NP-030077 | N3-030032 | approved | Correction of | 5.4.0 | 5.5.0 | N3 | TEI |
| 29.007 | 066 | 1 | Rel-4 | F | NP-030076 | N3-030118 | approved | Use of Nb UP protocol | 4.6.0 | 4.7.0 | N3 | CSSPLIT |
| 29.007 | 067 | 1 | Rel-5 | А | NP-030076 | N3-030119 | approved | Use of Nb UP protocol | 5.4.0 | 5.5.0 | N3 | CSSPLIT |
| 29.061 | 080 | - | Rel-5 | F | NP-030079 | N3-030046 | approved | Terminology correction | 5.4.0 | 5.5.0 | N3 | E2EQoS-W |
| 29.061 | 081 | 1 | R99 | А | NP-030074 | N3-030122 | approved | Correction of | 3.11.0 | 3.12.0 | N3 | TEI |
| 29.061 | 082 | 1 | Rel-4 | А | NP-030074 | N3-030123 | approved | Correction of | 4.6.0 | 4.7.0 | N3 | TEI |
| 29.061 | 083 | 1 | Rel-5 | А | NP-030074 | N3-030124 | approved | Correction of | 5.4.0 | 5.5.0 | N3 | TEI |
| 29.207 | 073 | 2 | Rel-5 | F | NP-030080 | N3-030165 | approved | Terminology | 5.2.0 | 5.3.0 | N3 | E2EQoS-W |
| 29.207 | 075 | - | Rel-5 | F | NP-030080 | N3-030047 | approved | Invalid Flow ID | 5.2.0 | 5.3.0 | N3 | E2EQoS-W |
| 29.207 | 076 | 1 | Rel-5 | F | NP-030080 | N3-030127 | approved | Clarification to binding | 5.2.0 | 5.3.0 | N3 | E2EQoS-W |
| 29.207 | 077 | 1 | Rel-5 | F | NP-030080 | N3-030132 | approved | Restrictions to PDP | 5.2.0 | 5.3.0 | N3 | E2EQoS-W |
| 29.207 | 078 | 1 | Rel-5 | F | NP-030080 | N3-030128 | approved | Mechanism for | 5.2.0 | 5.3.0 | N3 | E2EQoS-W |
| 29.207 | 081 | 3 | Rel-5 | F | NP-030080 | N3-030181 | approved | Reject change of token | 5.2.0 | 5.3.0 | N3 | E2EQoS-W |
| 29.207 | 084 | 2 | Rel-5 | F | NP-030080 | N3-030167 | approved | Clarification on TFT | 5.2.0 | 5.3.0 | N3 | E2EQoS-W |
| 29.207 | 088 | - | Rel-5 | F | NP-030080 | N3-030113 | approved | Correction of what is | 5.2.0 | 5.3.0 | N3 | E2EQoS-W |
| 29.208 | 019 | 3 | Rel-5 | F | NP-030081 | N3-030182 | approved | mapping rules for QoS | 5.2.0 | 5.3.0 | N3 | E2EQoS-W |
| 29.208 | 021 | 2 | Rel-5 | F | NP-030081 | N3-030171 | approved | Correction of a clash | 5.2.0 | 5.3.0 | N3 | E2EQoS-W |
| 29.208 | 022 | - | Rel-5 | F | NP-030081 | N3-030074 | approved | Addition of the SDP | 5.2.0 | 5.3.0 | N3 | E2EQoS-W |
| 29.208 | 025 | 2 | Rel-5 | F | NP-030081 | N3-030173 | approved | Adding of the Resume | 5.2.0 | 5.3.0 | N3 | E2EQoS-W |
| 29.208 | 026 | 1 | Rel-5 | F | NP-030081 | N3-030137 | approved | Clarification on PDP | 5.2.0 | 5.3.0 | N3 | E2EQoS-W |
| 29.208 | 029 | 2 | Rel-5 | F | NP-030081 | N3-030169 | approved | Correction and | 5.2.0 | 5.3.0 | N3 | E2EQoS-W |
| 29.208 | 031 | - | Rel-5 | F | NP-030081 | N3-030141 | approved | Corrections in the table | 5.2.0 | 5.3.0 | N3 | E2EQoS-W |
| 29.415 | 006 | 1 | Rel-4 | F | NP-030076 | N3-030174 | approved | No backward | 4.2.0 | 4.3.0 | N3 | CSSPLIT |
| 29.415 | 007 | 1 | Rel-5 | А | NP-030076 | N3-030175 | approved | No backward | 5.0.0 | 5.1.0 | N3 | CSSPLIT |
| 23.172 | 007 | 1 | Rel-5 | F | NP-030078 | N3-030133 | rejected | Two-step HLR | 5.1.0 | | N3 | SCUDIF |
| 09.02 | A332 | 1 | R96 | F | NP-030098 | N4-030281 | approved | Change of SS-Code | 5.17.1 | 5.18.0 | N4 | TEI |
| 09.02 | A333 | 1 | R97 | A | NP-030098 | N4-030282 | approved | Change of SS-Code | 6.12.0 | 6.13.0 | N4 | TEI |
| 09.02 | A334 | 1 | R98 | А | NP-030098 | N4-030283 | approved | Change of SS-Code | 7.12.0 | 7.13.0 | N4 | TEI |
| 23.008 | 065 | 1 | Rel-5 | F | NP-030101 | N4-030241 | approved | Clarification of IMPU | 5.3.0 | 5.4.0 | N4 | IMS-CCR |
| 23.008 | 067 | 1 | Rel-5 | F | NP-030101 | N4-030251 | approved | Definition of the | 5.3.0 | 5.4.0 | N4 | IMS-CCR |
| 23.011 | 003 | 3 | Rel-6 | С | NP-030112 | N4-030235 | approved | Introducing SMS Call | 5.0.0 | 6.0.0 | N4 | TEI6 |
| 23.016 | 030 | 1 | Rel-6 | С | NP-030112 | N4-030161 | approved | Introducing SMS Call | 5.1.0 | 6.0.0 | N4 | TEI6 |
| 23.018 | 116 | 1 | R99 | F | NP-030095 | N4-030327 | approved | Correction to wrong | 3.11.0 | 3.12.0 | N4 | CAMEL3 |
| 23.018 | 117 | - | Rel-4 | А | NP-030095 | N4-030328 | approved | Correction to wrong | 4.6.0 | 4.7.0 | N4 | CAMEL3 |
| 23.018 | 118 | - | Rel-5 | А | NP-030095 | N4-030329 | approved | Correction to wrong | 5.5.0 | 5.6.0 | N4 | CAMEL3 |
| 23.067 | 011 | 1 | Rel-6 | С | NP-030113 | N4-030228 | approved | Optional additional | 5.0.0 | 6.0.0 | N4 | TEI6 |
| 23.081 | 007 | 1 | Rel-5 | F | NP-030103 | N4-030206 | approved | Correction to the | 5.1.0 | 5.2.0 | N4 | CAMEL4 |
| 23.088 | 003 | 1 | Rel-6 | С | NP-030112 | N4-030162 | approved | Introducing SMS Call | 5.0.0 | 6.0.0 | N4 | TEI6 |

| Spec | CR | Rev | Phase | Cat | NP doc | WG doc | TSG status | Subject | CR | Resulti | WG | Workitem |
|--------|-----|-----|-------|-----|-----------|-----------|------------|-------------------------|--------|---------|----|-----------------|
| 23.153 | 052 | - | Rel-4 | F | NP-030097 | N4-030105 | approved | Setting Of Guaranteed | 4.6.0 | 4.7.0 | N4 | OoBTC |
| 23.153 | 053 | - | Rel-5 | А | NP-030097 | N4-030106 | approved | Setting Of Guaranteed | 5.3.0 | 5.4.0 | N4 | OoBTC |
| 23.205 | 039 | 1 | Rel-5 | F | NP-030108 | N4-030275 | approved | Bearer Release for lu | 5.4.0 | 5.5.0 | N4 | TEI5 |
| 24.088 | 001 | 2 | Rel-6 | С | NP-030112 | N4-030236 | approved | Introducing SMS Call | 5.0.0 | 6.0.0 | N4 | TEI6 |
| 29.002 | 500 | 3 | Rel-5 | F | NP-030104 | N4-030253 | approved | Addition of Positioning | 5.4.0 | 5.5.0 | N4 | LCS1 |
| 29.002 | 509 | 2 | Rel-6 | С | NP-030112 | N4-030234 | approved | Introduction of Call | 6.0.0 | 6.1.0 | N4 | TEI6 |
| 29.002 | 523 | 3 | Rel-5 | F | NP-030110 | N4-030324 | approved | Editorial clean-up of | 5.4.0 | 5.5.0 | N4 | TEI5 |
| 29.002 | 524 | 3 | Rel-6 | А | NP-030110 | N4-030325 | approved | Editorial clean-up of | 6.0.0 | 6.1.0 | N4 | TEI5 |
| 29.002 | 526 | - | Rel-6 | F | NP-030111 | N4-030061 | approved | Incrementing ASN.1 | 6.0.0 | 6.1.0 | N4 | TEI6 |
| 29.002 | 527 | - | Rel-5 | F | NP-030104 | N4-030062 | approved | LCS diagnostic | 5.4.0 | 5.5.0 | N4 | LCS1 |
| 29.002 | 528 | - | Rel-6 | А | NP-030104 | N4-030063 | approved | LCS diagnostic | 6.0.0 | 6.1.0 | N4 | LCS1 |
| 29.002 | 529 | - | Rel-6 | F | NP-030114 | N4-030054 | approved | Addition of LCS | 6.0.0 | 6.1.0 | N4 | LCS2 |
| 29.002 | 530 | 1 | R99 | F | NP-030099 | N4-030298 | approved | Correction to the | 3.15.0 | 3.16.0 | N4 | Multicall |
| 29.002 | 531 | 1 | Rel-4 | А | NP-030099 | N4-030299 | approved | Correction to the | 4.10.0 | 4.11.0 | N4 | Multicall |
| 29.002 | 532 | 1 | Rel-5 | А | NP-030099 | N4-030300 | approved | Correction to the | 5.4.0 | 5.5.0 | N4 | Multicall |
| 29.002 | 533 | 1 | Rel-6 | А | NP-030099 | N4-030301 | approved | Correction to the | 6.0.0 | 6.1.0 | N4 | Multicall |
| 29.002 | 538 | 2 | R99 | F | NP-030100 | N4-030302 | approved | Handover of Group | 3.15.0 | 3.16.0 | N4 | TEI |
| 29.002 | 539 | 2 | Rel-4 | А | NP-030100 | N4-030303 | approved | Handover of Group | 4.10.0 | 4.11.0 | N4 | TEI |
| 29.002 | 540 | 2 | Rel-5 | А | NP-030100 | N4-030304 | approved | Handover of Group | 5.4.0 | 5.5.0 | N4 | TEI |
| 29.002 | 541 | 2 | Rel-6 | А | NP-030100 | N4-030305 | approved | Handover of Group | 6.0.0 | 6.1.0 | N4 | TEI |
| 29.002 | 542 | 3 | R99 | F | NP-030068 | | approved | Correction to | 3.15.0 | 3.16.0 | N4 | CAMEL3 |
| 29.002 | 543 | 2 | Rel-4 | А | NP-030068 | | approved | Correction to | 4.10.0 | 4.11.0 | N4 | CAMEL3 |
| 29.002 | 544 | 2 | Rel-5 | А | NP-030068 | | approved | Correction to | 5.4.0 | 5.5.0 | N4 | CAMEL3 |
| 29.002 | 545 | 2 | Rel-6 | А | NP-030068 | | approved | Correction to | 6.0.0 | 6.1.0 | N4 | CAMEL3 |
| 29.002 | 548 | 1 | R99 | А | NP-030098 | N4-030284 | approved | Change of SS-Code | 3.15.0 | 3.16.0 | N4 | TEI |
| 29.002 | 549 | 1 | Rel-4 | А | NP-030098 | N4-030285 | approved | Change of SS-Code | 4.10.0 | 4.11.0 | N4 | TEI |
| 29.002 | 550 | 1 | Rel-5 | А | NP-030098 | N4-030286 | approved | Change of SS-Code | 5.4.0 | 5.5.0 | N4 | TEI |
| 29.002 | 551 | 1 | Rel-6 | А | NP-030098 | N4-030287 | approved | Change of SS-Code | 6.0.0 | 6.1.0 | N4 | TEI |
| 29.002 | 558 | 1 | Rel-5 | F | NP-030109 | N4-030288 | approved | Missing of "Continue | 5.4.0 | 5.5.0 | N4 | TEI5 |
| 29.002 | 559 | 1 | Rel-6 | А | NP-030109 | N4-030289 | approved | Missing of "Continue | 6.0.0 | 6.1.0 | N4 | TEI5 |
| 29.002 | 562 | 1 | Rel-5 | F | NP-030105 | N4-030296 | approved | Alignment of TS 29.002 | 5.4.0 | 5.5.0 | N4 | E2EQoS |
| 29.002 | 563 | 1 | Rel-6 | А | NP-030105 | N4-030297 | approved | Alignment of TS 29.002 | 6.0.0 | 6.1.0 | N4 | E2EQoS |
| 29.002 | 566 | 1 | Rel-6 | F | NP-030114 | N4-030222 | approved | Intoduction of MSC | 6.0.0 | 6.1.0 | N4 | LCS2 |
| 29.002 | 568 | 2 | Rel-6 | А | NP-030104 | N4-030254 | approved | Addition of Positioning | 6.0.0 | 6.1.0 | N4 | LCS1 |
| 29.060 | 384 | 1 | R99 | F | NP-030096 | N4-030270 | approved | Reinstatement of | 3.15.0 | 3.16.0 | N4 | GTP enhancement |
| 29.060 | 385 | 1 | Rel-4 | А | NP-030096 | N4-030271 | approved | Reinstatement of | 4.6.0 | 4.7.0 | N4 | GTP enhancement |
| 29.060 | 386 | 1 | Rel-5 | А | NP-030096 | N4-030272 | approved | Reinstatement of | 5.4.0 | 5.5.0 | N4 | GTP enhancement |
| 29.060 | 387 | - | Rel-5 | F | NP-030107 | N4-030064 | approved | Correction on handling | 5.4.0 | 5.5.0 | N4 | TEI5 |
| 29.060 | 388 | - | Rel-5 | F | NP-030107 | N4-030082 | approved | Removal of the N3- | 5.4.0 | 5.5.0 | N4 | TEI5 |
| 29.060 | 389 | - | Rel-5 | F | NP-030107 | N4-030083 | approved | Correction of presence | 5.4.0 | 5.5.0 | N4 | TEI5 |
| 29.060 | 390 | 1 | Rel-6 | В | NP-030114 | N4-030224 | approved | Intoduction of SGSN | 5.4.0 | 6.0.0 | N4 | LCS2 |

| Spec | CR | Rev | Phase | Cat | NP doc | WG doc | TSG status | Subject | CR | Resulti | WG | Workitem |
|-----------|-----|-----|-------|-----|-----------|-----------|------------|--------------------------|-------|---------|----|-----------------|
| 29.060 | 395 | 3 | Rel-5 | F | NP-030107 | N4-030323 | approved | TEID for GTF-C | 5.4.0 | 5.5.0 | N4 | GTP enhancement |
| 29.060 | 399 | - | Rel-5 | F | NP-030107 | N4-030159 | approved | Correction of GTP' | 5.4.0 | 5.5.0 | N4 | TEI5 |
| 29.060 | 402 | 2 | Rel-5 | F | NP-030107 | N4-030320 | approved | IPv4 and IPv6 form of | 5.4.0 | 5.5.0 | N4 | TEI5 |
| 29.060 | 403 | - | Rel-6 | В | NP-030114 | N4-030265 | approved | Indroduction of SGSN | 5.4.0 | 6.0.0 | N4 | LCS2 |
| 29.228 | 024 | 1 | Rel-5 | F | NP-030101 | N4-030240 | approved | Clarification of the | 5.2.0 | 5.3.0 | N4 | IMS-CCR |
| 29.228 | 025 | 1 | Rel-5 | F | NP-030101 | N4-030238 | approved | Clarification of service | 5.2.0 | 5.3.0 | N4 | IMS-CCR |
| 29.228 | 026 | - | Rel-5 | F | NP-030101 | N4-030014 | approved | Error in definition of | 5.2.0 | 5.3.0 | N4 | IMS-CCR |
| 29.228 | 027 | - | Rel-5 | F | NP-030101 | N4-030015 | approved | Deletion of Annex F | 5.2.0 | 5.3.0 | N4 | IMS-CCR |
| 29.228 | 028 | - | Rel-5 | F | NP-030101 | N4-030016 | approved | Filter ID field removal | 5.2.0 | 5.3.0 | N4 | IMS-CCR |
| 29.228 | 029 | - | Rel-5 | F | NP-030101 | N4-030017 | approved | Clarification of User- | 5.2.0 | 5.3.0 | N4 | IMS-CCR |
| 29.228 | 030 | 1 | Rel-5 | F | NP-030101 | N4-030242 | approved | Clarification of IMPU | 5.2.0 | 5.3.0 | N4 | IMS-CCR |
| 29.228 | 031 | 1 | Rel-5 | F | NP-030101 | N4-030243 | approved | Update TS 29.228 after | 5.2.0 | 5.3.0 | N4 | IMS-CCR |
| 29.228 | 032 | 1 | Rel-5 | F | NP-030101 | N4-030245 | approved | The default public user | 5.2.0 | 5.3.0 | N4 | IMS-CCR |
| 29.228 | 033 | 1 | Rel-5 | F | NP-030101 | N4-030246 | approved | Replacement of the | 5.2.0 | 5.3.0 | N4 | IMS-CCR |
| 29.228 | 034 | 2 | Rel-5 | F | NP-030101 | N4-030247 | approved | Corrections to service | 5.2.0 | 5.3.0 | N4 | IMS-CCR |
| 29.228 | 035 | 2 | Rel-5 | F | NP-030101 | N4-030312 | approved | Clarification on the re- | 5.2.0 | 5.3.0 | N4 | IMS-CCR |
| 29.228 | 037 | 3 | Rel-5 | F | NP-030101 | N4-030314 | approved | Handling of non | 5.2.0 | 5.3.0 | N4 | IMS-CCR |
| 29.228 | 038 | 1 | Rel-5 | F | NP-030101 | N4-030261 | approved | Change of SPI to SPT | 5.2.0 | 5.3.0 | N4 | IMS-CCR |
| 29.228 | 040 | 1 | Rel-5 | F | NP-030101 | N4-030252 | approved | Definition of the | 5.2.0 | 5.3.0 | N4 | IMS-CCR |
| 29.229 | 012 | 1 | Rel-5 | F | NP-030101 | N4-030244 | approved | Update TS 29.229 after | 5.2.0 | 5.3.0 | N4 | IMS-CCR |
| 29.229 | 013 | - | Rel-5 | F | NP-030101 | N4-030077 | approved | Replacement of the | 5.2.0 | 5.3.0 | N4 | IMS-CCR |
| 29.229 | 014 | - | Rel-5 | F | NP-030101 | N4-030079 | approved | Correction to the | 5.2.0 | 5.3.0 | N4 | IMS-CCR |
| 29.229 | 015 | 1 | Rel-5 | F | NP-030101 | N4-030277 | approved | Clarification on the re- | 5.2.0 | 5.3.0 | N4 | IMS-CCR |
| 29.229 | 018 | 1 | Rel-5 | F | NP-030101 | N4-030237 | approved | Handling of non | 5.2.0 | 5.3.0 | N4 | IMS-CCR |
| 29.232 | 053 | - | Rel-5 | F | NP-030108 | N4-030107 | approved | Update to 3GUP | 5.4.0 | 5.5.0 | N4 | CSSPLIT |
| 29.232 | 054 | 1 | Rel-5 | F | NP-030108 | N4-030278 | approved | Update to 3GUP | 5.4.0 | 5.5.0 | N4 | CSSPLIT |
| 29.328 | 012 | 3 | Rel-5 | F | NP-030102 | N4-030315 | approved | Initial Filter Criteria | 5.2.1 | 5.3.0 | N4 | IMS-CCR |
| 29.328 | 015 | - | Rel-5 | F | NP-030102 | N4-030022 | approved | Deletion of Annex E | 5.2.1 | 5.3.0 | N4 | IMS-CCR |
| 29.328 | 016 | 2 | Rel-5 | F | NP-030102 | N4-030262 | approved | Update TS 29.328 after | 5.2.1 | 5.3.0 | N4 | IMS-CCR |
| 29.328 | 017 | 1 | Rel-5 | F | NP-030102 | N4-030266 | approved | Correction to | 5.2.1 | 5.3.0 | N4 | IMS-CCR |
| 29.328 | 018 | 2 | Rel-5 | F | NP-030102 | N4-030267 | approved | Clarification on Sh | 5.2.1 | 5.3.0 | N4 | IMS-CCR |
| 29.328 | 019 | 1 | Rel-5 | F | NP-030102 | N4-030268 | approved | Change of SPI to SPT | 5.2.1 | 5.3.0 | N4 | IMS-CCR |
| 29.329 | 005 | 1 | Rel-5 | F | NP-030102 | N4-030057 | approved | Initial Filter Criteria | 5.2.0 | 5.3.0 | N4 | IMS-CCR |
| 29.329 | 007 | 2 | Rel-5 | F | NP-030102 | N4-030263 | approved | Update TS 29.329 after | 5.2.0 | 5.3.0 | N4 | IMS-CCR |
| 29.329 | 008 | - | Rel-5 | F | NP-030102 | N4-030103 | approved | Correction to | 5.2.0 | 5.3.0 | N4 | IMS-CCR |
| 29.329 | 009 | - | Rel-5 | F | NP-030102 | N4-030123 | approved | Clarification on Sh | 5.2.0 | 5.3.0 | N4 | IMS-CCR |
| 29.329 | 011 | - | Rel-5 | F | NP-030102 | N4-030264 | approved | Missing code-point in | 5.2.0 | 5.3.0 | N4 | IMS-CCR |
| 29.329 | 013 | - | Rel-5 | F | NP-030102 | N4-030316 | approved | RegistrationState | 5.2.0 | 5.3.0 | N4 | IMS-CCR |
| 29.002 | 560 | 2 | Rel-5 | F | NP-030106 | N4-030321 | rejected | Two-step HLR | 5.4.0 | | N4 | SCUDIF |
| 29.002 | 561 | 2 | Rel-6 | A | NP-030106 | N4-030322 | rejected | Two-step HLR | 6.0.0 | | N4 | SCUDIF |
| 29.198-02 | 023 | - | Rel-4 | F | NP-030018 | N5-021096 | approved | Correction to defintion | 4.4.0 | 4.5.0 | N5 | OSA1 |

| Spec | CR | Rev | Phase | Cat | NP doc | WG doc | TSG status | Subject | CR | Resulti | WG | Workitem |
|-------------|-----|-----|-------|-----|-----------|-----------|------------|--------------------------|-------|---------|----|----------|
| 29.198-02 | 024 | - | Rel-4 | F | NP-030018 | N5-021129 | approved | Clarification on | 4.4.0 | 4.5.0 | N5 | OSA1 |
| 29.198-02 | 025 | - | Rel-5 | А | NP-030018 | N5-021130 | approved | Clarification on | 5.1.1 | 5.2.0 | N5 | OSA1 |
| 29.198-02 | 026 | - | Rel-4 | F | NP-030018 | N5-021119 | approved | Correction to | 4.4.0 | 4.5.0 | N5 | OSA1 |
| 29.198-02 | 027 | - | Rel-5 | А | NP-030018 | N5-021120 | approved | Correction to | 5.1.1 | 5.2.0 | N5 | OSA1 |
| 29.198-02 | 028 | - | Rel-4 | F | NP-030018 | N5-030042 | approved | Addition of Support of | 4.4.0 | 4.5.0 | N5 | OSA1 |
| 29.198-02 | 029 | - | Rel-5 | А | NP-030018 | N5-030043 | approved | Addition of Support of | 5.1.1 | 5.2.0 | N5 | OSA1 |
| 29.198-02 | 030 | - | Rel-5 | F | NP-030027 | N5-030081 | approved | Addition of Numbered | 5.1.1 | 5.2.0 | N5 | OSA2 |
| 29.198-02 | 031 | - | Rel-5 | F | NP-030027 | N5-030066 | approved | Correction of Exception | 5.1.1 | 5.2.0 | N5 | OSA2 |
| 29.198-02 | 032 | - | Rel-5 | F | NP-030027 | N5-030055 | approved | Promotion of | 5.1.1 | 5.2.0 | N5 | OSA2 |
| 29.198-03 | 060 | - | Rel-4 | F | NP-030019 | N5-020895 | approved | Correction of status of | 4.6.0 | 4.7.0 | N5 | OSA1 |
| 29.198-03 | 061 | - | Rel-4 | F | NP-030019 | N5-020896 | approved | Correction of status of | 4.6.0 | 4.7.0 | N5 | OSA1 |
| 29.198-03 | 062 | - | Rel-4 | F | NP-030019 | N5-021070 | approved | Correction to Initial | 4.6.0 | 4.7.0 | N5 | OSA1 |
| 29.198-03 | 063 | - | Rel-5 | А | NP-030019 | N5-021071 | approved | Correction to Initial | 5.1.0 | 5.2.0 | N5 | OSA1 |
| 29.198-03 | 064 | - | Rel-4 | F | NP-030019 | N5-021131 | approved | Enable | 4.6.0 | 4.7.0 | N5 | OSA1 |
| 29.198-03 | 065 | - | Rel-5 | А | NP-030019 | N5-021132 | approved | Enable | 5.1.0 | 5.2.0 | N5 | OSA1 |
| 29.198-03 | 066 | - | Rel-4 | F | NP-030019 | N5-021086 | approved | Correction of | 4.6.0 | 4.7.0 | N5 | OSA1 |
| 29.198-03 | 067 | - | Rel-5 | А | NP-030019 | N5-021087 | approved | Correction of | 5.1.0 | 5.2.0 | N5 | OSA1 |
| 29.198-03 | 068 | - | Rel-5 | F | NP-030028 | N5-020882 | approved | Correction to | 5.1.0 | 5.2.0 | N5 | OSA2 |
| 29.198-03 | 069 | - | Rel-5 | F | NP-030028 | N5-020897 | approved | Correction of status of | 5.1.0 | 5.2.0 | N5 | OSA2 |
| 29.198-03 | 070 | - | Rel-5 | F | NP-030028 | N5-020898 | approved | Correction of status of | 5.1.0 | 5.2.0 | N5 | OSA2 |
| 29.198-03 | 071 | - | Rel-5 | F | NP-030028 | N5-021143 | approved | Correction of status of | 5.1.0 | 5.2.0 | N5 | OSA2 |
| 29.198-03 | 072 | - | Rel-4 | F | NP-030019 | N5-020894 | approved | Correction of status of | 4.6.0 | 4.7.0 | N5 | OSA1 |
| 29.198-03 | 073 | - | Rel-4 | F | NP-030019 | N5-030075 | approved | Add Initial Load | 4.6.0 | 4.7.0 | N5 | OSA1 |
| 29.198-03 | 074 | - | Rel-5 | А | NP-030019 | N5-030076 | approved | Add Initial Load | 5.1.0 | 5.2.0 | N5 | OSA1 |
| 29.198-03 | 075 | - | Rel-5 | F | NP-030028 | N5-030046 | approved | Adding the | 5.1.0 | 5.2.0 | N5 | OSA2 |
| 29.198-03 | 076 | - | Rel-5 | F | NP-030028 | N5-030082 | approved | Remove race condition | 5.1.0 | 5.2.0 | N5 | OSA2 |
| 29.198-03 | 077 | - | Rel-5 | F | NP-030028 | N5-030083 | approved | Change reference to | 5.1.0 | 5.2.0 | N5 | OSA2 |
| 29.198-04 | 058 | - | Rel-4 | F | NP-030020 | N5-020888 | approved | Correction of status of | 4.5.0 | 4.6.0 | N5 | OSA1 |
| 29.198-04 | 059 | - | Rel-4 | F | NP-030020 | N5-021052 | approved | Correction to | 4.5.0 | 4.6.0 | N5 | OSA1 |
| 29.198-04 | 060 | - | Rel-4 | F | NP-030020 | N5-021063 | approved | Correction to | 4.5.0 | 4.6.0 | N5 | OSA1 |
| 29.198-04 | 061 | - | Rel-4 | F | NP-030020 | N5-021064 | approved | Correction to User | 4.5.0 | 4.6.0 | N5 | OSA1 |
| 29.198-04 | 062 | - | Rel-4 | F | NP-030020 | N5-021079 | approved | Correction to remove | 4.5.0 | 4.6.0 | N5 | OSA1 |
| 29.198-04 | 063 | - | Rel-4 | F | NP-030020 | N5-021121 | approved | Correction to | 4.5.0 | 4.6.0 | N5 | OSA1 |
| 29.198-04 | 064 | - | Rel-4 | F | NP-030020 | N5-030048 | approved | Correction of status of | 4.5.0 | 4.6.0 | N5 | OSA1 |
| 29.198-04-1 | 003 | - | Rel-5 | F | NP-030029 | N5-020891 | approved | Correction to | 5.1.0 | 5.2.0 | N5 | OSA2 |
| 29.198-04-1 | 004 | - | Rel-5 | А | NP-030020 | N5-021080 | approved | Correction to remove | 5.1.0 | 5.2.0 | N5 | OSA1 |
| 29.198-04-2 | 003 | - | Rel-5 | А | NP-030020 | N5-020873 | approved | Correction of status of | 5.1.0 | 5.2.0 | N5 | OSA1 |
| 29.198-04-2 | 004 | - | Rel-5 | А | NP-030020 | N5-021065 | approved | Correction to Prepaid | 5.1.0 | 5.2.0 | N5 | OSA1 |
| 29.198-04-2 | 005 | - | Rel-5 | А | NP-030020 | N5-021122 | approved | Correction to | 5.1.0 | 5.2.0 | N5 | OSA1 |
| 29.198-04-3 | 007 | - | Rel-5 | F | NP-030031 | N5-020874 | approved | Correction of status of | 5.1.0 | 5.2.0 | N5 | OSA2 |
| 29.198-04-3 | 008 | - | Rel-5 | F | NP-030031 | N5-021038 | approved | Inconsistent description | 5.1.0 | 5.2.0 | N5 | OSA2 |

| Spec | CR | Rev | Phase | Cat | NP doc | WG doc | TSG status | Subject | CR | Resulti | WG | Workitem |
|-------------|-----|-----|-------|-----|-----------|-----------|------------|--------------------------|-------|---------|----|----------|
| 29.198-04-3 | 009 | - | Rel-5 | А | NP-030020 | N5-021053 | approved | Correction to | 5.1.0 | 5.2.0 | N5 | OSA1 |
| 29.198-04-3 | 010 | - | Rel-5 | F | NP-030130 | N5-021149 | approved | Correction of definition | 5.1.0 | 5.2.0 | N5 | OSA2 |
| 29.198-04-4 | 002 | - | Rel-5 | F | NP-030032 | N5-020892 | approved | Correction of status of | 5.1.0 | 5.2.0 | N5 | OSA2 |
| 29.198-04-4 | 003 | - | Rel-5 | F | NP-030032 | N5-030067 | approved | Correction of | 5.1.0 | 5.2.0 | N5 | OSA2 |
| 29.198-04-4 | 004 | - | Rel-5 | F | NP-030032 | N5-030094 | approved | Addition of missing | 5.1.0 | 5.2.0 | N5 | OSA2 |
| 29.198-05 | 022 | - | Rel-4 | F | NP-030021 | N5-021066 | approved | Correction to User | 4.5.0 | 4.6.0 | N5 | OSA1 |
| 29.198-05 | 023 | - | Rel-5 | А | NP-030021 | N5-021067 | approved | Correction to User | 5.1.0 | 5.2.0 | N5 | OSA1 |
| 29.198-05 | 024 | - | Rel-4 | F | NP-030021 | N5-021072 | approved | Correction to | 4.5.0 | 4.6.0 | N5 | OSA1 |
| 29.198-05 | 025 | - | Rel-5 | А | NP-030021 | N5-021073 | approved | Correction to | 5.1.0 | 5.2.0 | N5 | OSA1 |
| 29.198-05 | 026 | - | Rel-4 | F | NP-030021 | N5-021133 | approved | Inconsistent description | 4.5.0 | 4.6.0 | N5 | OSA1 |
| 29.198-05 | 027 | - | Rel-4 | F | NP-030021 | N5-021145 | approved | Correction of status of | 4.5.0 | 4.6.0 | N5 | OSA1 |
| 29.198-05 | 028 | - | Rel-5 | А | NP-030021 | N5-021147 | approved | Addition of status of | 5.1.0 | 5.2.0 | N5 | OSA1 |
| 29.198-05 | 029 | - | Rel-5 | F | NP-030033 | N5-021037 | approved | Inconsistent description | 5.1.0 | 5.2.0 | N5 | OSA2 |
| 29.198-05 | 030 | - | Rel-4 | F | NP-030021 | N5-030051 | approved | Corrections to User | 4.5.0 | 4.6.0 | N5 | OSA1 |
| 29.198-05 | 031 | - | Rel-5 | А | NP-030021 | N5-030052 | approved | Corrections to User | 5.1.0 | 5.2.0 | N5 | OSA1 |
| 29.198-05 | 032 | - | Rel-4 | F | NP-030021 | N5-030077 | approved | Correction of User | 4.5.0 | 4.6.0 | N5 | OSA1 |
| 29.198-05 | 033 | - | Rel-5 | А | NP-030021 | N5-030078 | approved | Correction of User | 5.1.0 | 5.2.0 | N5 | OSA1 |
| 29.198-06 | 019 | - | Rel-4 | F | NP-030022 | N5-021134 | approved | Correction of status of | 4.4.0 | 4.5.0 | N5 | OSA1 |
| 29.198-06 | 020 | - | Rel-5 | А | NP-030022 | N5-021135 | approved | Addition of status of | 5.1.0 | 5.2.0 | N5 | OSA1 |
| 29.198-07 | 009 | - | Rel-4 | F | NP-030023 | N5-021091 | approved | Correction to Class | 4.4.0 | 4.5.0 | N5 | OSA1 |
| 29.198-07 | 010 | - | Rel-4 | F | NP-030023 | N5-021016 | approved | Correction of status of | 4.4.0 | 4.5.0 | N5 | OSA1 |
| 29.198-07 | 011 | - | Rel-5 | А | NP-030023 | N5-021136 | approved | Addition of status of | 5.2.0 | 5.3.0 | N5 | OSA1 |
| 29.198-07 | 012 | - | Rel-4 | F | NP-030023 | N5-021123 | approved | Correction to | 4.4.0 | 4.5.0 | N5 | OSA1 |
| 29.198-07 | 013 | - | Rel-5 | А | NP-030023 | N5-021124 | approved | Correction to | 5.2.0 | 5.3.0 | N5 | OSA1 |
| 29.198-08 | 018 | - | Rel-4 | F | NP-030024 | N5-021017 | approved | Correction of status of | 4.5.0 | 4.6.0 | N5 | OSA1 |
| 29.198-08 | 019 | - | Rel-5 | А | NP-030024 | N5-021024 | approved | Addition of status of | 5.1.0 | 5.2.0 | N5 | OSA1 |
| 29.198-08 | 020 | - | Rel-4 | F | NP-030024 | N5-021125 | approved | Corrections to Data | 4.5.0 | 4.6.0 | N5 | OSA1 |
| 29.198-08 | 021 | - | Rel-5 | А | NP-030024 | N5-021126 | approved | Corrections to data | 5.1.0 | 5.2.0 | N5 | OSA1 |
| 29.198-08 | 022 | - | Rel-5 | F | NP-030034 | N5-021039 | approved | Inconsistent description | 5.1.0 | 5.2.0 | N5 | OSA2 |
| 29.198-08 | 023 | - | Rel-5 | F | NP-030034 | N5-021116 | approved | Promotion of | 5.1.0 | 5.2.0 | N5 | OSA2 |
| 29.198-11 | 015 | - | Rel-4 | F | NP-030025 | N5-021127 | approved | Correction to | 4.3.0 | 4.4.0 | N5 | OSA1 |
| 29.198-11 | 016 | - | Rel-5 | А | NP-030025 | N5-021128 | approved | Correction to | 5.1.0 | 5.2.0 | N5 | OSA1 |
| 29.198-11 | 017 | - | Rel-4 | F | NP-030025 | N5-021146 | approved | Correction of status of | 4.3.0 | 4.4.0 | N5 | OSA1 |
| 29.198-11 | 018 | - | Rel-5 | А | NP-030025 | N5-021148 | approved | Addition of status of | 5.1.0 | 5.2.0 | N5 | OSA1 |
| 29.198-11 | 019 | - | Rel-5 | F | NP-030035 | N5-021040 | approved | Inconsistent description | 5.1.0 | 5.2.0 | N5 | OSA2 |
| 29.198-12 | 020 | - | Rel-4 | F | NP-030026 | N5-021137 | approved | Correction of status of | 4.3.0 | 4.4.0 | N5 | OSA1 |
| 29.198-12 | 021 | - | Rel-5 | А | NP-030026 | N5-021138 | approved | Addition of status of | 5.1.0 | 5.2.0 | N5 | OSA1 |
| 29.198-04-2 | 006 | - | Rel-5 | F | NP-030030 | N5-021149 | withdrawn | Correction of definition | 5.1.0 | | N5 | OSA2 |

Note:- Updated from master Spec_status dbase on 24th March 2003 For latest details please see the 3GPP specifications database at <u>ftp://ftp.3gpp.org/Information/Databases/Spec_Status/</u>

ANNEX B Tdoc List with Status

| Tdoc | Agenda | Туре | Tdoc Title | WI | Source | Rel | Spec | Status |
|-----------|--------|-----------|--|------|------------------|-------|-----------|----------|
| NP-030001 | 2 | AGENDA | DRAFT Agenda for CN#19 Meeting | | CN Chair | | | APPROVED |
| NP-030002 | 2 | DAD | Proposed allocation of documents to agenda items for TSG-CN Plenary Meeting #19: beginning of day 1 | | CN vice-chairman | | | NOTED |
| NP-030003 | 2 | DAD | Proposed allocation of documents to agenda items for TSG-CN Plenary Meeting #19: end of day 2 | | CN vice-chairman | | | NOTED |
| NP-030004 | 2 | DAD | Proposed allocation of documents to agenda items for TSG-CN Plenary Meeting #19: end of day 3 | | CN vice-chairman | | | NOTED |
| NP-030005 | 2 | DAD | Proposed allocation of documents to agenda items for TSG-CN Plenary Meeting #19: end of day 4 | | CN vice-chairman | | | NOTED |
| NP-030006 | 6.4.1 | REPORT | Status report from CN4 to TSG-CN Plenary Meeting #19 | | CN4 chairman | | | NOTED |
| NP-030007 | 4.1 | REPORT | Draft Meeting Report from CN#17 | | MCC | | | APPROVED |
| NP-030008 | 12 | WORK PLAN | Latest version of 3GPP Workplan | | MCC | | | NOTED |
| NP-030009 | 12 | WORK PLAN | Latest version of 3GPP Workplan (SLIDES) | | MCC | | | NOTED |
| NP-030010 | 5.2 | LS IN | Liaison statement on comments to DTR/MTS 0082 | | TSG SA | | | NOTED |
| NP-030011 | 5.2 | LS IN | Response to IETF Concerns on SIP and IMS Interoperability | | TSG SA | | | NOTED |
| NP-030012 | 5.2 | LS IN | Additional Release 5 work needed for Policy Control and Subscription Control of Media | | TSG SA | | | NOTED |
| NP-030013 | 5.2 | LS IN | LS on control of SS barring for SMS transfer over GPRS | | SA1 | | | NOTED |
| NP-030014 | 5.1 | LS IN | LS on GSM phase 2 network errors | | CN1 | | | NOTED |
| NP-030015 | 6.5.1 | REPORT | Chair's report from CN5 (slide presentation) | | CN5 Chair | | | NOTED |
| NP-030016 | 6.5.1 | LS PACK | LSs outgoing from CN5 between CN#18 and CN#19 | | CN5 | | | NOTED |
| NP-030017 | 6.5.1 | REPORT | Draft Report of CN5#22, Bangkok, THAILAND, 24-28 February 2003 (N5-030007) | | CN5 Chair | | | NOTED |
| NP-030018 | 7.10 | CR PACK | Rel-4 CRs 29.198-02 OSA API Part 2: Common data | OSA1 | CN5 | Rel-4 | 29.198-02 | APPROVED |

| Tdoc | Agenda | Туре | Tdoc Title | WI | Source | Rel | Spec | Status |
|-----------|--------|---------|--|------|-----------|-------|-----------------------|-----------------|
| NP-030019 | 7.10 | CR PACK | Rel-4 CRs 29.198-03 OSA API Part 3: Framework | OSA1 | CN5 | Rel-4 | 29.198-03 | APPROVED |
| NP-030020 | 7.10 | CR PACK | Rel-4 CRs 29.198-04 OSA API Part 4: Call control | OSA1 | CN5 | Rel-4 | 29.198-04 | APPROVED |
| NP-030021 | 7.10 | CR PACK | Rel-4 CRs 29.198-05 OSA API Part 5: Generic user interaction | OSA1 | CN5 | Rel-4 | 29.198-05 | APPROVED |
| NP-030022 | 7.10 | CR PACK | Rel-4 CRs 29.198-06 OSA API Part 6: Mobility | OSA1 | CN5 | Rel-4 | 29.198-06 | APPROVED |
| NP-030023 | 7.10 | CR PACK | Rel-4 CRs 29.198-07 OSA API Part 7: Terminal Capabilities | OSA1 | CN5 | Rel-4 | 29.198-07 | APPROVED |
| NP-030024 | 7.10 | CR PACK | Rel-4 CRs 29.198-08 OSA API Part 8: Data session control | OSA1 | CN5 | Rel-4 | 29.198-08 | APPROVED |
| NP-030025 | 7.10 | CR PACK | Rel-4 CRs 29.198-11 OSA API Part 11: Account management | OSA1 | CN5 | Rel-4 | 29.198-11 | APPROVED |
| NP-030026 | 7.10 | CR PACK | Rel-4 CRs 29.198-12 OSA API Part 12: Charging | OSA1 | CN5 | Rel-4 | 29.198-12 | APPROVED |
| NP-030027 | 8.2 | CR PACK | Rel-5 CRs 29.198-02 OSA API Part 2: Common data | OSA2 | CN5 | Rel-5 | 29.198-02 | APPROVED |
| NP-030028 | 8.2 | CR PACK | Rel-5 CRs 29.198-03 OSA API Part 3: Framework | OSA2 | CN5 | Rel-5 | 29.198-03 | APPROVED |
| NP-030029 | 8.2 | CR PACK | Rel-5 CRs 29.198-04-1 OSA API Part 4: Call control; Sub-part 1: Call Control Common Definitions | OSA2 | CN5 | Rel-5 | 29.198-04-1 | APPROVED |
| NP-030030 | 8.2 | CR PACK | Rel-5 CRs 29.198-04-2 OSA API Part 4: Call control; Sub-part 2: Generic Call Control SCF | OSA2 | CN5 | Rel-5 | 29.198-04-2 | REVISED TO 0130 |
| NP-030031 | 8.2 | CR PACK | Rel-5 CRs 29.198-04-3 OSA API Part 4: Call control; Sub-part 3: Multi-Party Call Control SCF | OSA2 | CN5 | Rel-5 | 29.198-04-3 | APPROVED |
| NP-030032 | 8.2 | CR PACK | Rel-5 CRs 29.198-04-4 OSA API Part 4: Call control; Sub-part 4: Multi-Media Call Control SCF | OSA2 | CN5 | Rel-5 | 29.198-04-4 | APPROVED |
| NP-030033 | 8.2 | CR PACK | Rel-5 CRs 29.198-05 OSA API Part 5: Generic user interaction | OSA2 | CN5 | Rel-5 | 29.198-05 | APPROVED |
| NP-030034 | 8.2 | CR PACK | Rel-5 CRs 29.198-08 OSA API Part 8: Data session control | OSA2 | CN5 | Rel-5 | 29.198-08 | APPROVED |
| NP-030035 | 8.2 | CR PACK | Rel-5 CRs 29.198-11 OSA API Part 11: Account management | OSA2 | CN5 | Rel-5 | 29.198-11 | APPROVED |
| NP-030036 | 9.7 | WID | Rel-6 [draft] Revised WID OSA Stage 3 | OSA3 | CN5 | Rel-6 | 29.198-x, 29.998-x | APPROVED |
| NP-030037 | 6.1.1 | REPORT | Status Report for TSG CN WG1 | - | CN1 Chair | - | | NOTED |
| NP-030038 | 6.1.1 | REPORT | CN1#28 Meeting Report | | MCC | - | | NOTED |

| Tdoc | Agenda | Туре | Tdoc Title | WI | Source | Rel | Spec | Status |
|-----------|--------|---------|---|-----------------------|--------|-------|------|------------------------|
| NP-030039 | 6.1.1 | LS PACK | All LSs sent from CN1 since TSG CN#18 Meeting | | MCC | - | | NOTED |
| NP-030040 | 7.6 | CR PACK | CR to R99 (with mirror CRs) on Work Item GSM/UMTS interworking towards 09.08 and 49.008 | GSM/UMTS interworking | CN1 | R99 | | APPROVED |
| NP-030041 | 7.6 | CR PACK | CR to R99 (with mirror CRs) on Work Item GSM/UMTS interworking towards 23.009 | GSM/UMTS interworking | CN1 | R99 | | APPROVED |
| NP-030042 | 7.11 | CR PACK | CR to R99 (with mirror CRs) on Work Item TEI towards 24.008 | TEI | CN1 | R99 | | APPROVED |
| NP-030043 | 7.11 | CR PACK | CR to R99 (with mirror CRs) on Work Item TEI towards 24.008 awaiting GERAN endorcement | TEI | CN1 | R99 | | REVISED TO 0141 |
| NP-030044 | 7.12 | CR PACK | CR to Rel-4 (with mirror CR) on Work Item TEI4 towards 24.002 | TEI4 | CN1 | Rel-4 | | APPROVED |
| NP-030045 | 8.1 | CR PACK | CR to Rel-5 on Work Item IMS-CCR towards 23.218(040r2) | IMS-CCR | CN1 | Rel-5 | | APPROVED |
| NP-030046 | 8.1 | CR PACK | CR to Rel-5 on Work Item IMS-CCR towards 23.218(042) | IMS-CCR | CN1 | Rel-5 | | APPROVED |
| NP-030047 | 8.1 | CR PACK | CRs to Rel-5 on Work Item IMS-CCR towards 24.228 | IMS-CCR | CN1 | Rel-5 | | APPROVED |
| NP-030048 | 8.1 | CR PACK | CR to Rel-5 on Work Item IMS-CCR towards 24.228(102r2) | IMS-CCR | CN1 | Rel-5 | | APPROVED |
| NP-030049 | 8.1 | CR PACK | CRs to Rel-5 on Work Item IMS-CCR towards 24.229,- pack 1 | IMS-CCR | CN1 | Rel-5 | | APPROVED |
| NP-030050 | 8.1 | CR PACK | CRs to ReI-5 on Work Item IMS-CCR towards 24.229,- pack 2 | IMS-CCR | CN1 | Rel-5 | | APPROVED |
| NP-030051 | 8.1 | CR PACK | CRs to ReI-5 on Work Item IMS-CCR towards 24.229,- pack 3 | IMS-CCR | CN1 | Rel-5 | | APPROVED |
| NP-030052 | 8.1 | CR PACK | CRs to ReI-5 on Work Item IMS-CCR towards 24.229,- pack 4 | IMS-CCR | CN1 | Rel-5 | | APPROVED |
| NP-030053 | 8.1 | CR PACK | CRs to ReI-5 on Work Item IMS-CCR towards IMS access with SIM | IMS-CCR | CN1 | Rel-5 | | CONDITIONALLY APPROVED |
| NP-030054 | 8.1 | CR PACK | CRs to ReI-5 on Work Item IMS-CCR towards Signaling PDP context Indication to Core Network | IMS-CCR | CN1 | Rel-5 | | PART APPROVED |
| NP-030055 | 8.8 | CR PACK | CRs to Rel-5 on Work Item TEI5 towards 24.008 | TEI5 | CN1 | Rel-5 | | APPROVED |
| NP-030056 | 8.8 | CR PACK | CR to Rel-5 on Work Item TEI5 towards 23.034 | TEI5 | CN1 | Rel-5 | | APPROVED |
| NP-030057 | 9.10 | CR PACK | CR to Rel-6 on Work Item TEI6 towards 24.008 | TEI6 | CN1 | Rel-6 | | APPROVED |
| NP-030058 | 9.11 | CR PACK | CR to Rel-6 on Work Item T-GSM towards 24.008 | T-GSM | CN1 | Rel-6 | | APPROVED |

| Tdoc | Agenda | Туре | Tdoc Title | WI | Source | Rel | Spec | Status |
|-----------|--------|-------------------|---|------------|--------------------------|-------|--------|-----------------|
| NP-030059 | 9.4 | WID | Emergency Call Enhancements for IP& PS Based Calls - stage 3 | EMC1-PS | CN1 | Rel-6 | | REVISED TO 0144 |
| NP-030060 | 9.8 | WID | Support of the Multimedia Broadcast Multicast Service (MBMS) in CN protocols. | MBMS | CN1 | Rel-6 | | REVISED TO 0151 |
| NP-030061 | 7.12 | TR | Proposed new TR 29.abc on network errors | | Nokia | Rel-6 | | NOTED |
| NP-030062 | 8.8 | CR | Introduction of USIM in the figure "Overview mobility management protocol" | TEI5 | Siemens | Rel-5 | 24.008 | APPROVED |
| NP-030063 | 6.1.2 | DISCUSSION DOC | Documentation of GSM phase 2 network errors | | Siemens | | | NOTED |
| NP-030064 | 6.6 | REPORT | Progress Report, ITU-T Ad Hoc | | ITU-T Ad Hoc Convenor | | | NOTED |
| NP-030065 | 6.6 | LS OUT | LS on Co-ordination of SDO input to ITU-T Q.1741.3 | | ITU-T Ad Hoc Convenor | | | REVISED TO 0150 |
| NP-030066 | 6.6 | DISCUSSION DOC | Proposal as SDO Input To The ITU-T Draft Rec. Q.1741.3 | | ITU-T Ad Hoc Convenor | | | ENDORSED |
| NP-030067 | 9.11 | WID | Enhancement of dialled service for CAMEL in Release 6 | | Rapportour | | | WITHDRAWN |
| NP-030068 | 7.1 | CR PACK | Correction to interactions between CAMEL control of MO SMS and barring | | Vodafone | | | APPROVED |
| NP-030069 | 5.1 | LS IN | LS on MS RAC for UMTS only mobiles | | CN1 | | | NOTED |
| NP-030070 | 6.3.1 | REPORT | CN3 Status Report to CN Plenary | - | CN3 Chair | - | | NOTED |
| NP-030071 | 6.3.1 | REPORT | Draft Meeting Report from CN3#27 Meeting (Dublin) | - | CN3 | - | | NOTED |
| NP-030072 | 6.3.1 | LS PACK | LSs outgoing from CN5 between CN#18 and CN#19 | - | CN3 | - | | NOTED |
| NP-030073 | 9.1 | TR | TR 29.962v1.0.0 (for information) | W-CCR-IWIP | CN3 | Rel-6 | | NOTED |
| NP-030074 | 7.11 | CR PACK | CRs to R97 (with mirror CRs) on Work Item T.E.I | TEI | CN3 | R97 | | APPROVED |
| NP-030075 | 7.11 | CR PACK | CRs to ReI-4 (with mirror CRs) on Work Item T.E.I | TEI | CN3 | Rel-4 | | APPROVED |
| NP-030076 | 7.8 | CR PACK | CRs to Rel-4 (with mirror CRs) on Work Item CSSPLIT | CSSPLIT | CN3 | Rel-4 | | APPROVED |
| NP-030077 | 8.8 | CR PACK | CR to Rel-5 on Work Item T.E.I | TEI | CN3 | Rel-5 | | APPROVED |
| NP-030078 | 8.7 | CR PACK | CR to Rel-5 on Work Item SCUDIF | SCUDIF | CN3 | Rel-5 | | REJECTED |

| Tdoc | Agenda | Туре | Tdoc Title | WI | Source | Rel | Spec | Status |
|-----------|--------|----------|--|-----------|-----------|-------|------|-----------------|
| NP-030079 | 8.5 | CR PACK | CR to Rel-5 on Work Item E2EQoS | E2EQoS | CN3 | Rel-5 | | APPROVED |
| NP-030080 | 8.5 | CR PACK | CR to Rel-5 (29.207) on Work Item E2EQoS | E2EQoS | CN3 | Rel-5 | | APPROVED |
| NP-030081 | 8.5 | CR PACK | CR to Rel-5 (29.208) on Work Item E2EQoS | E2EQoS | CN3 | Rel-5 | | APPROVED |
| NP-030082 | 6.2.1 | REPORT | Status Report for TSG CN WG2 | | CN2 Chair | | | NOTED |
| NP-030083 | 6.2.1 | REPORT | CN2#28 Draft Meeting Report | | MCC | | | NOTED |
| NP-030084 | 6.2.1 | LS PACK | LSs sent from CN2 since TSG CN#18 Meeting | | CN2 | | | NOTED |
| NP-030085 | 7.1 | CR PACK1 | CRs to R99 WI CAMEL3 | CAMEL3 | CN2 | R99 | | APPROVED |
| NP-030086 | 7.1 | CR PACK2 | CR to R99 WI CAMEL3 | CAMEL3 | CN2 | R99 | | APPROVED |
| NP-030087 | 7.1 | CR PACK1 | CRs to ReI-5 WI CAMEL4 | CAMEL4 | CN2 | R99 | | APPROVED |
| NP-030088 | 7.1 | CR PACK2 | CRs to ReI-5 WI CAMEL4 | CAMEL4 | CN2 | R99 | | APPROVED |
| NP-030089 | 8.3 | CR PACK3 | CRs to ReI-5 WI CAMEL4 | CAMEL4 | CN2 | Rel-5 | | APPROVED |
| NP-030090 | 8.3 | CR PACK1 | CRs to ReI-5 WI IMS-CAMEL | IMS-CAMEL | CN2 | Rel-5 | | APPROVED |
| NP-030091 | 8.3 | CR PACK2 | CRs to Rel-5 WI IMS-CAMEL | IMS-CAMEL | CN2 | Rel-5 | | APPROVED |
| NP-030092 | 9.11 | WID | WID "Enhancement of dialled services for CAMEL" | EDCAMEL | CN2 | Rel-6 | | REVISED TO 0152 |
| NP-030093 | 6.4.1 | REPORT | CN4 meeting report after CN#18 | | CN4 | | | NOTED |
| NP-030094 | 6.4.1 | LS PACK | CN4 Output LSs after CN#18 | | CN4 | | | NOTED |
| NP-030095 | 7.1 | CR PACK | Corrections on Camel Phase 3 | Camel3 | CN4 | | | APPROVED |
| NP-030096 | 7.3 | CR PACK | Corrections on GPRS Release 99 | GPRS | CN4 | | | APPROVED |
| NP-030097 | 7.7 | CR PACK | Corrections on Transcoder Free Operation Release 4 | OoBTC | CN4 | | | APPROVED |
| NP-030098 | 7.11 | CR PACK | Small corrections on technical enhancements and improvements for R96 | TEI | CN4 | | | APPROVED |

| Tdoc | Agenda | Туре | Tdoc Title | WI | Source | Rel | Spec | Status |
|-----------|--------|---------|--|------------|--------|-------|------|----------|
| NP-030099 | 7.9 | CR PACK | Corrections on Multicall R99 | Multicall | CN4 | | | APPROVED |
| NP-030100 | 7.11 | CR PACK | Small corrections on technical enhancements and improvements for R99 | TEI | CN4 | | | APPROVED |
| NP-030101 | 8.1 | CR PACK | Corrections on IP-based Multimedia Services Cx/Dx-interface | IMS-CCR | CN4 | | | APPROVED |
| NP-030102 | 8.1 | CR PACK | Corrections on IP-based Multimedia Services Sh-interface | IMS-CCR | CN4 | | | APPROVED |
| NP-030103 | 8.3 | CR PACK | Corrections on Camel Phase 4 | Camel4 | CN4 | | | APPROVED |
| NP-030104 | 8.4 | CR PACK | Corrections on Location Service Enhancements Release 5 | LCS1 | CN4 | | | APPROVED |
| NP-030105 | 8.5 | CR PACK | Corrections on End to end QoS for PS Domain | E2EQOS | CN4 | | | APPROVED |
| NP-030106 | 8.7 | CR PACK | Correction on Service Change and UDI Fallback | SCUDIF | CN4 | | | REJECTED |
| NP-030107 | 8.8 | CR PACK | Small Technical Enhancements and Improvements for GTP specification Rel-5 | TEI5 | CN4 | | | APPROVED |
| NP-030108 | 8.8 | CR PACK | Small Technical Enhancements and Improvements for CSSPLIT specification Rel-5 | TEI5 | CN4 | | | APPROVED |
| NP-030109 | 8.8 | CR PACK | Small Technical Enhancements and Improvements for CCBS specification Rel-5 | TEI5 | CN4 | | | APPROVED |
| NP-030110 | 8.8 | CR PACK | Small Technical Enhancements and Improvements for SMS specification Rel-5 | TEI5 | CN4 | | | APPROVED |
| NP-030111 | 9.10 | CR PACK | Small Technical Enhancements and Improvements for MAP specification Rel-6 | TEI6 | CN4 | | | APPROVED |
| NP-030112 | 9.10 | CR PACK | Small Technical Enhancements and Improvements for SMS specification Rel-6 | TEI6 | CN4 | | | APPROVED |
| NP-030113 | 9.10 | CR PACK | Small Technical Enhancements and Improvements for Priority Service specification Rel-6 | TEI6 | CN4 | | | APPROVED |
| NP-030114 | 9.11 | CR PACK | Corrections on Location Service Enhancements Release 6 | LCS2 | CN4 | | | APPROVED |
| NP-030115 | 9.1 | WID | Updated WID for Media Gateway Control Function (MGCF) - IM Media Gateway (IMS-MGW) Mc Interface between IMS-MGW and | IMS-CCR-Mn | CN4 | Rel-6 | | APPROVED |
| NP-030116 | 9.11 | WID | WLAN Interworking - stage 3 definition of WLAN - 3GPP interworking | WLAN | CN4 | Rel-6 | | APPROVED |
| NP-030117 | 9.4 | LS IN | LS on updated WID for emergency call enhancements for IP & PS based calls | | CN1 | | | NOTED |
| NP-030118 | 5.3 | LS IN | Received comments to Rec. Q.1741.2 approval relevant to 3GPP | | ITU-T | | | NOTED |

| Tdoc | Agenda | Туре | Tdoc Title | WI | Source | Rel | Spec | Status |
|-----------|--------|-------------------|---|---------------------|----------------|-------|-------------|-------------------------------|
| NP-030119 | 5.2 | LS IN | Liaison on eTFO | eTFO | SA2 | | | NOTED |
| NP-030120 | 5.2 | LS IN | Re. LS on SS barring for SMS transfer over GPRS | | SA2 | | | NOTED |
| NP-030121 | 5.2 | LS IN | LS on Clarification of Scenario 2 and Scenario 3 architectural characteristics and stable and non-stable parts of TS 23.234 | | SA2 | | | NOTED |
| NP-030122 | 9.4 | LS IN | Re. LS on updated WID for emergency call enhancements for IP & PS based calls | | SA2 | | | NOTED |
| NP-030123 | 5.2 | LS IN | LS on Protocols over the Mt interface | | SA2 | | | NOTED |
| NP-030124 | 5.1 | LS IN | LS on Status of OSA Rel6 Requirements | OSA | CN5 | | | NOTED |
| NP-030125 | 5.2 | LS IN | LS on Radio Access Bearer for PS conversational testing | | | | | Forwarded to CN1, CN4 and CN3 |
| NP-030126 | 5.2 | LS IN | RE. LS on the "Additional Release 5 work needed for Policy Control and Subscription Control of Media" | | SA3 | | | NOTED |
| NP-030127 | 8.2 | DISCUSSION DOC | Clarification on Framing Protocol | Framing Protocol | Siemens et Al. | | | ENDORSED |
| NP-030128 | 6.1.2 | DISCUSSION DOC | On the proposed TR on "Recommended User Equipment (UE) measures to overcome specific infrastructure faults" | | Ericsson | | | NOTED |
| NP-030129 | 4.3 | REPORT | IETF status report | | CN Chair | | | NOTED |
| NP-030130 | 8.2 | CR PACK | 29.198-04-3 010 - Rel-5 Correction of definition of the P_MAX_CALLEGS_PER_CALL | OSA2 | CN5 | Rel-5 | 29.198-04-3 | APPROVED |
| NP-030131 | 8.7 | DISCUSSION DOC | Concern for two step HLR interrgation | | NTT DoCoMo | Rel-5 | | NOTED |
| NP-030132 | 11 | CR PACK | CRs to lists of specs, frozen Releases | | JMM | | | NOTED |
| NP-030133 | 11 | LIST | Specs status list prior to TSGs#19 | | JMM | | | NOTED |
| NP-030134 | 7.2 | DISCUSSION DOC | Comments on Proposed TR "Specific network implementation faults and possible UE workaround procedures | | Nortel | | | NOTED |
| NP-030135 | 4.3 | REPORT | 3GPP/IETF Release 6 Workshop Notes | | CN Chair | | 1 | NOTED |
| NP-030136 | 9.11 | DISCUSSION DOC | Discussion on IPv6 utilisation within IMS | 1 | mmO2 | | | NOTED |
| NP-030137 | 7.12 | LS IN | LS on terminal and network revision interoperability problems | | GERAN | | | NOTED |
| NP-030138 | 10.5 | CALENDAR | 2003/4 Meeting schedule | | MCC | | | NOTED |

| Tdoc | Agenda | Туре | Tdoc Title | WI | Source | Rel | Spec | Status |
|-----------|--------|-------------------|--|---------|--------------------------|-------|------|------------------|
| NP-030139 | 6.4.1 | LS OUT | LS on Proposed deletion of security -related work items in TSG- CN | | CN | | | APPROVED |
| NP-030140 | 5.2 | LS IN | LS on early UE handling | | SA2 | | | NOTED |
| NP-030141 | 5.2 | LS IN | Reply to LS on MS RAC for UMTS only mobiles | | GERAN2 | | | Noted - APPROVED |
| NP-030142 | 7.12 | LS OUT | Liaison statement on error handling in Pre-R99 networks | | CN | | | REVISED TO 0146 |
| NP-030143 | | DISCUSSION DOC | Issues regarding one-step HLR interrogation | | Ericsson | | | NOTED |
| NP-030144 | 9.4 | WID | Emergency Call Enhancements for IP& PS Based Calls - stage 3 | EMC1-PS | Ericsson | Rel-6 | | REVISED TO 0149 |
| NP-030145 | 11 | LIST | Specifications not yet under change control, but pertaining to frozen Releases | | MCC, JMM | | | NOTED |
| NP-030146 | 7.12 | LS OUT | Liaison statement on error handling in Pre-R99 networks | | CN | | | APPROVED |
| NP-030147 | | REPORT | 3GPP/IETF Release 6 Workshop Major Conclusions* | | CN Chair | | | NOTED |
| NP-030148 | 8.1 | DISCUSSION DOC | Problems with the CR contained in NP-030054 | | Ericsson | | | NOTED |
| NP-030149 | 9.4 | WID | Emergency Call Enhancements for IP& PS Based Calls - stage 3 | EMC1-PS | Ericsson | Rel-6 | | APPROVED |
| NP-030150 | 6.6 | LS OUT | LS on Co-ordination of SDO input to ITU-T Q.1741.3 | | ITU-T Ad Hoc Convenor | | | APPROVED |
| NP-030151 | 9.8 | WID | Support of the Multimedia Broadcast Multicast Service (MBMS) in CN protocols. | MBMS | CN1 | Rel-6 | | APPROVED |
| NP-030152 | 9.11 | WID | WID "Enhancement of dialled services for CAMEL" | EDCAMEL | CN2 | Rel-6 | | REVISED TO 0153 |
| NP-030153 | 9.11 | WID | WID "Enhancement of dialled services for CAMEL" | EDCAMEL | CN2 | Rel-6 | | APPROVED |

ANNEX C. TSG CN meeting Participants List

| Mr. Peter M. Adams | peter.m.adams@bt.com | BT Group Plc | 3GPPM | ETSI | GB |
|-------------------------|--------------------------------------|------------------------------|-------|------|----|
| Mr. Niels Andersen | NPA001@MOTOROLA.COM | MOTOROLA A/S | 3GPPM | ETSI | DK |
| Mr. Nigel Barnes | Nigel.Barnes@motorola.com | MOTOROLA Ltd | 3GPPM | ETSI | GB |
| Mr. Paolo Belloni | paolo.belloni@tilab.com | TELECOM ITALIA S.p.A. | 3GPPM | ETSI | Π |
| Mr. Nigel. H Berry | nhberry@lucent.com | Lucent Technologies N. S. UK | 3GPPM | ETSI | UK |
| Mr. David Boswarthick | david.boswarthick@etsi.org | ETSI Secretariat | 3GPPO | ETSI | FR |
| Mr. Richard Brook | richardbrook39@aol.com | SAMSUNG Electronics | 3GPPM | ETSI | GB |
| Mr. Stephan Castagnet | stephane.castagnet@alcatel.fr | NEC Technologies (UK) | 3GPPM | ETSI | GB |
| Dr. Elizabeth Daniel | lizdaniel@lucent.com | Lucent Technologies N. S. UK | 3GPPM | ETSI | UK |
| Mr. Ian Doig | ian.doig@motorola.com | MOTOROLA S.A.S | 3GPPM | ETSI | FR |
| Mr. François Dronne | francois.dronne@rd.francetelecom.com | ORANGE FRANCE | 3GPPM | ETSI | FR |
| Mr. Ed Ehrlich | ed.ehrlich@nokia.com | Nokia Telecomms Inc. | 3GPPM | T1 | US |
| Mr. Jan Ellsberger | jan.ellsberger@era.ericsson.se | Ericsson Korea | 3GPPM | ΤΤΑ | KR |
| Mr. Rouzbeh Farhouman | d rouzbeh.farhoumand@ericsson.com | Nippon Ericsson K.K. | 3GPPM | ARIB | JP |
| Mr. Javier Gonzalez | <u>ggfj@nortelnetworks.com</u> | NORTEL NETWORKS (EUROPE) | 3GPPM | ETSI | GB |
| Mr. Roland Gruber | roland.rg.gruber@SIEMENS.COM | SIEMENS AG | 3GPPM | ETSI | DE |
| Mr. Stephen Hayes | stephen.haves@ericsson.com | Ericsson Inc. | 3GPPM | T1 | US |
| Ms. Ruth Hewson | ruth.hewson@gb.vodafone.co.uk | VODAFONE LTD | 3GPPM | ETSI | GB |
| Mr. Ludwig Hiebinger | ludwig.hiebinger@icn.siemens.de | SIEMENS AG | 3GPPM | ETSI | DE |
| Mr. Hannu Hietalahti | hannu.hietalahti@nokia.com | NOKIA GmbH | 3GPPM | ETSI | FI |
| Mr. Kevan Hobbis | Kevan.Hobbis@three.co.uk | 3 | 3GPPM | ETSI | GB |
| Mr. Thomas Holm | thrho@tdc.dk | TDC TELE DANMARK A/S | 3GPPM | ETSI | DK |
| Mr. Tomas Holmström | tomas.holmstrom@emp.ericsson.se | Nippon Ericsson K.K. | 3GPPM | TTC | JP |
| Mr. Nobuhiro Horisaki | horisaki@ttc.or.jp | πс | 3GPPO | TTC | JP |
| Mr. Andrew Howell | andrew.howell@motorola.com | MOTOROLA GmbH | 3GPPM | ETSI | UK |
| Mr. Yun-Chao Hu | <u>yunchao.hu@etc.ericsson.se</u> | ERICSSON L.M. | 3GPPM | ETSI | CH |
| Mr. Daisuke Igarashi | igarashi@nw.yrp.nttdocomo.co.jp | NTT DoCoMo Inc. | 3GPPM | TTC | JP |
| Mr. Dieter Jacobsohn | Dieter.Jacobsohn@t-mobile.de | T-MOBILE DEUTSCHLAND | 3GPPM | ETSI | DE |
| Mr. Per Johan Jorgenser | n jorgensen@etsi.org | ETSI Secretariat | 3GPPO | ETSI | FR |
| Ms. Susanna Kallio | susanna.kallio@nokia.com | Nokia Korea | 3GPPM | TTA | KR |
| Mr. Mikko Kanerva | mikko.j.kanerva@nokia.com | NOKIA Corporation | 3GPPM | ETSI | FI |
| Mrs. Soo Jin Kim | soojin@sktelecom.com | SK Telecom | 3GPPM | TTA | KR |
| Mr. Norbert Klehn | norbert.klehn@siemens.com | SIEMENS AG | 3GPPM | ETSI | DE |
| Mr. Kimmo Kymalainen | kimmo.kymalainen@etsi.org | ETSI Secretariat | 3GPPO | ETSI | FR |
| Dr. Hashem Madadi | hmadadi@attglobal.net | 3 | 3GPPM | ETSI | GB |
| Mr. Steve Mecrow | steve.mecrow@o2.com | mmO2 plc | 3GPPM | ETSI | GB |
| Dr. Sang-jun Moon | moonst@samsung.com | Samsung Electronics Co., Ltd | 3GPPM | TTA | KR |
| Mr. Klaus Nieminen | klaus.nieminen@ficora.fi | FICORA | 3GPPM | ETSI | FI |
| Mr. Akishige Noda | aki.noda@jp.fujitsu.com | Fujitsu Limited | 3GPPM | TTC | JP |
| Mr. Juha Nykopp | juha.nykopp@radiolinja.fi | Elisa Communications Corp. | 3GPPM | ETSI | FI |
| Mr. Stig Ouvrier | stig.g.ouvrier@telia.se | TeliaSonera AB | 3GPPM | ETSI | SE |
| Mr. Keijo Palviainen | keijo.palviainen@nokia.com | NOKIA Corporation | 3GPPM | ETSI | FI |
| | | | | | |

| Mr. Ian David Park | ian.park@gb.vodafone.co.uk | VODAFONE Group Plc | 3GPPM | ETSI | GB |
|-----------------------|--------------------------------|------------------------------|-------|------|----|
| Mr. Johannes Rainer | Johannes.Rainer@oefeg.at | Telekom Austria AG | 3GPPM | ETSI | AT |
| Mr. Derek Richards | drichards@megisto.com | Megisto Systems Inc. | 3GPPM | ETSI | US |
| Mr. Nick Russell | nick.russell@gb.vodafone.co.uk | VODAFONE LTD | 3GPPM | ETSI | GB |
| Mr. Nick Sampson | nick.sampson@orange.co.uk | ORANGE PCS LTD | 3GPPM | ETSI | GB |
| Dr. Gary Schlanger | gschlanger@comcast.net | AT&T Wireless Services, Inc. | 3GPPM | T1 | US |
| Mr. Peter Schmitt | peter.schmitt@gksag.de | SIEMENS AG | 3GPPM | ETSI | DE |
| Mr. Iain Sharp | isharp@nortelnetworks.com | NORTEL NETWORKS (EUROPE) | 3GPPM | ETSI | GB |
| Mr. Sajid SOORMALLY | sajid.soormally@alcatel.fr | ALCATEL S.A. | 3GPPM | ETSI | FR |
| Mr. Alain Sultan | alain.sultan@etsi.org | ETSI Secretariat | 3GPPO | ETSI | FR |
| Mr. Toshiyuki Tamura | tamurato@aj.jp.nec.com | NEC Corporation | 3GPPM | ARIB | JP |
| Mr. Kunihiko Taya | taya@bk.jp.nec.com | NEC Corporation | 3GPPM | TTC | JP |
| Mr. Stefan Toth | stefan.toth@erv.ericsson.se | ERICSSON L.M. | 3GPPM | ETSI | SE |
| Mr. Jose Ubeda | <u>ubeda ja@tsm.es</u> | TELEFONICA de España S.A. | 3GPPM | ETSI | ES |
| Mr. Hans van der Veen | Hans.vanderVeen@ccrle.nec.de | NEC EUROPE LTD | 3GPPM | ETSI | GB |
| Miss Jie Wang | jie wang@huawei.com | HuaWei Technologies Co., Ltd | 3GPPM | CWTS | CN |
| Mr. Peter Wild | peter.wild@vodafone.com | Vodafone D2 GmbH | 3GPPM | ETSI | DE |
| Dr. David Williams | dwilliams@qualcomm.com | QUALCOMM EUROPE S.A.R.L. | 3GPPM | ETSI | FR |
| Ms. Wei Xie | <u>xiew@bupt.edu.cn</u> | RITT | 3GPPM | ETSI | CN |
| | | | | | |

History

| Document History | | |
|--------------------------------------|--|--|
| up to 14 th March 2003 | DRAFT v0.0.1, 002, 003 distributed in meeting. v0.0.3 send to TSG CN Officials for comments | |
| 19 th March 2003 | DRAFT v1.1.0 Presented to TSG-SA#19 (SP-030157) | |
| 21 st March 2003 | DRAFT v1.1.1 placed to meeting server and dispatched to the TSG-CN mail exploder for comments. | |
| | Comments to be addressed to: | |
| | Mr. David Boswarthick, 3GPP TSG CN MCC Support MCC - ETSI Secrétariat Tel :+33 (0)4 92 94 42 78 | |
| | E-mail: david.boswarthick@ETSI.fr | |
| | A deadline of 2 weeks was given to the CN delegates for e-mail comments on the draft report. | |
| | E-mail comments back by 7 th of April 2003 | |
| 8 th June 2003 | DRAFT v1.2.0 (with rev marks placed to FTP server) | |
| June 2003 | Final v2.0.0 approved at TSG#20 Meeting– Made version 3.0.0 and placed to server as the official meeting report. | |