Quebec, Ganada, 61 – 65 Gune 2000			
CHANGE REQUEST			
[ <b>36</b> ]	31.111 CR 148	≋rev - ¤	Current version: 6.5.0
For <u>HELP</u> on using this form, see bottom of this page or look at the pop-up text over the <b>#</b> symbols.			
Proposed change affects: UICC apps  ■ ME X Radio Access Network Core Network			
Title:	器 Correction of OCI & OCT usa	age in conjunction w	ith SETUP CALL
Source:	₩ MCC		
Work item code.	: <mark>Ж</mark> TEI-6		<i>Date:</i>
Category:	Use one of the following categorie  F (correction)  A (corresponds to a correction  B (addition of feature),  C (functional modification)  Detailed explanations of the above be found in 3GPP TR 21.900.	on in an earlier release feature)	Release: Rel-6  Use one of the following releases: Ph2 (GSM Phase 2) e) R96 (Release 1996) R97 (Release 1997) R98 (Release 1998) R99 (Release 1999) Rel-4 (Release 4) Rel-5 (Release 5) Rel-6 (Release 6) Rel-7 (Release 7)
Reason for change: To correct the mis-implementation of CR. The original CR was approved, but implemented to the wrong release of the specification.			
Summary of change: Add a sentence dealing with OCI and OCT which was by mistake implemented into the Rel-4 specification instead of the Rel-6 specification.			
Consequences in not approved:	if Soriginally agreed CR 136	would not be implei	mented into the specification.
Clauses affected	d:		
Other specs Affected:	Y N  X Other core specific X Test specifications	•	
Other comments	s: 器 Referenced CRs: T3-050	0151 CR 136, C6-0	50468 CR 147

## 6.4.13 SET UP CALL

This command is issued by the UICC to request a call set up. The procedure is defined in TS 102 223 [32], except when stated otherwise in the present document.

The UICC may request the use of an automatic redial mechanism according to 3GPP TS 22.001 [22].

In addition to the rules given in TS 102 223 [32] the following applies:

- If the UICC supplies a number stored in EF<sub>ECC</sub>, this shall not result in an emergency call.

Upon receiving this command, the ME shall decide if it is able to execute the command. Examples are given below, but the list is not exhaustive:

- if the command is rejected because the ME is busy on another call, the ME informs the UICC using TERMINAL RESPONSE (ME unable to process command currently busy on call);
- if the command is rejected because the ME is busy on a SS transaction, the ME informs the UICC using TERMINAL RESPONSE (ME unable to process command currently busy on SS transaction);
- if the command is rejected because the ME cannot support Call Hold, or because the ME does not support the capability configuration parameters requested by the UICC, the ME informs the UICC using TERMINAL RESPONSE (Command beyond ME's capabilities);
- if the command is rejected because the network cannot support or is not allowing Call Hold of a multi party call, the ME informs the UICC using TERMINAL RESPONSE (SS Return Result error code);
- if the command is rejected because the network cannot support or is not allowing Call Hold of a single call, the ME informs the UICC using TERMINAL RESPONSE (Network currently unable to process command).

If the ME supports the Outgoing Call Information service, the ME shall not store in EF<sub>OCT</sub> and in EF<sub>OCT</sub> the call set-up details (called party number and associated parameters) sent by the UICC in this command.