


# Chairman's Summary

3GPP TSG GERAN2#24bis – Quebec – 23-27 May, 2005

Guillaume SÉBIRE (Nokia-TP/Hki)

# Incoming Contributions per Agenda Item





3GPP TSG GERAN#25 - Montreal

# Pre Rel-6 Corrections

- RIM/eNACC
  - [G2-050282](#), [G2-050283](#), [G2-050284](#) CRs 48.018 agreed (Rel-5+)
  - Consistency of specification of the RIM containers
- LCS
  - [G2-050212](#), [G2-050213](#), [G2-050214](#) postponed (Rel-5+)
  - Ongoing email discussion
  - Correct the use of A-GPS assistance data when Reference Location uncertainty is large
- GPRS
  - [G2-050285](#), [G2-050286](#), [G2-050287](#) CRs 44.060 (Rel-4+) agreed
    - Packet Cell Change Continue: confirm the proposed cell in PCCN
    - Packet Cell Change Order: override the proposed cell in PCCN
  - [G2-050267](#), [G2-050268](#), [G2-050269](#) CRs 44.060 (Rel-4+) agreed
    - EGPRS, ext UL TBF mode, FAI=1: SSN, [C/U]RBB shall be interpreted

# Completed Rel-6 Work Items

- PSIntDTM
  - Mobile station behaviour when receiving PACKET CS COMMAND for enhanced DTM
    - G2-050292 CR 44.060 postponed – cross referencing with other specs (44.018, 44.006) needed
  - Correction of (P)SI STATUS message use in Enhanced CS Release
    - G2-050325 CR 44.060 agreed
    - If MS in DTM has no knowledge of PBCCH availability, it sends a Packet SI Status with empty SI message list
    - NW then transmits (P)SI messages to the MS
- Generic Access to A/Gb interface
  - Stage 2 CRs endorsed
    - G2-050291, G2-050290, G2-050240
  - Misc 44.318 CRs agreed
    - G2-050232, G2-050233, G2-050234, G2-050235, G2-050288, G2-050237, G2-050238, G2-050289

# Open Work Items – MBMS

- Transmission/reception of multiple MBMS Bearers
  - Impact on notification: separate CR needed (Nokia)
  - G2-050295 CR 44.060 postponed
  - To be worked offline (reflector)
- MBMS Assignment on CCCH
  - MBMS Assignment not sent on CCCH (otherwise impacts extended paging)
  - Immediate Assignment message: only 11 octets in IA Rest Octets
    - Generic solution needed
    - E.g. IA allocates resources on PDCH where MBMS Assignment is sent
    - To be solved by GERAN#25
    - G2-050216, G2-050217 CRs 44.060, 44.018 postponed
- G2-050218 CR 48.016 PTM Traffic Handling
- G2-050215 CR 44.060 Corrections of errors in MPRACH
- Misc LSs in G2-050322, G2-050281, G2-050323, G2-050281

# Open Work Items – PS Handover in A/Gb mode

- Stage 2
  - G2-050331 CR 43.129: Misc corrections
  - G2-050221 CR 43.129 Alignment of PDU names with CR to TS 48.018
  - G2-050222 CR 43.129 Clarification on the sending of PS Handover Access messages
- Stage 3
  - G2-050294 CR 44.060 postponed
  - G2-050299 CR 48.018 – in line with stage 2 principles – postponed
  - G2-050263 (new) CR 48.018 requires further evaluation – No support but from Nortel
  - NSAPI/SAPI/PFI Mapping: to be dealt with in 3GPP TSG CT (WG1)

# TEI-6 (1/2)

- LCS
  - Addition of IMSI/IMEI to PERFORM LOCATION REQUEST
  - Security issue: none, as confirmed by SA3
  - [G2-050302](#) to [G2-050307](#) CRs agreed
  - [G2-050264](#) CR 48.071-026 Correction to Cell Identity List IE (Rel-6)
- Repeated FACCH
  - Signalling-free solution
  - Mandatory for Rel-6 MSs
  - [G2-050300](#) CR 44.006 agreed
- Video-Voice Fallback
  - Network-initiated SCUDIF on MAP/E
  - New BSSAP message created, used in Rel-6 only on E interface
  - [G2-050336](#), [G2-050337](#) CRs 48.008 agreed
  - 49.008 CR needed (CT1)
  - LS sent in [G2-050334](#)
- VGCS
  - Reduced NCH monitoring
  - [G2-050308](#), [G2-050309](#) CRs 44.018, 44.060 agreed
  - [G2-050181](#) CR 44.018 agreed – correction to notification(FACCH)

# TEI-6 (2/2)

- Service Handover
  - Dual mode MS supporting transparent bearer services, e.g. CS multimedia, in UMTS but not in GSM and being attached to a GSM radio network can request such service while in GSM. Service HO triggered
  - [G2-050310](#) CR 48.008 agreed
  - LS in [G2-050339](#)
- BSS Selection of RLC mode
  - Allows the BSS to override the MS's indicated RLC mode
  - Only if both BSS and MS support MTBF
  - [G2-050314](#) CR 43.064 (endorsed)
  - [G2-050328](#) CR 44.060 agreed
  - [G2-050313](#) CR 44.018 agreed
- Misc.
  - [G2-050315](#) CR 44.060 (NACC): Removal of inconsistent Note.
  - [G2-050316](#) CR 48.016 Correction of Test Procedure for IP Sub-network in static configuration mode
  - For intermediate IP network connection, either administrative means or auto-configuration procedures may be used
  - [G2-050317](#) CR 43.055 endorsed: removal of misleading editor's note

# Other technical work – Rel-7 (1/3)

- EVGCS
  - VGCS/VBS Broadcast point in BSS
    - G2-050330 CR 48.008 agreed conditionally to the approval of stage 2 CRs in CT plenary
    - Enhancement proposed in G2-050205, G2-050206, G2-050207 postponed – CT1 discussion needed
  - Support of talker priority
    - G2-050335 CR 48.008 agreed
    - G2-050338 CR 44.018 agreed
- GNSS
  - Ref. provided for G2-050074 presented in GERAN2#23bis
  - Galileo specifications remain to be made available to 3GPP via a public link – Should be done at SA plenary level

## Other technical work – Rel-7 (2/3)

- Handover of Shared and Dedicated Resources in DTM
  - Need for flexibility for HO highlighted. Behaviour to be defined for the following cases:
    - CS and PS can be HO
    - CS xor PS can be HO
    - PS may have higher priority than CS
  - Ncell measurement reporting based on RR: no change vs. today
  - Other criteria can be used as today (implementation dependent)
    - Specified Solution should not bring limitations wrt to these criteria
  - Discussion should occur in GERAN1#25
    - SA1 may need to be involved
    - Need to check how this is handled on UTRAN side
- Two similar proposals (Nokia, Ericsson)
  - Parallel CS and PS Handovers
  - A single message on the air interface: DTM HO COMMAND built by the TBSS

## Other technical work – Rel-7 (3/3)

- GSM 710
  - GERAN WG1 involvement needed
    - Impact on GSM750 of the lack of GSM750 parameters (starting from Rel-4)
    - Rel-7: need for separate parameters for GSM710 and GSM750?
  - Inclusion in 44.018, 44.060 to be made in backwards compatible manner using extension
  - G2-050270 to G2-050277 postponed