#### TSG-RAN Meeting #12 Stockholm, Sweden, 12 - 15 June 2001

RP-010438

Title: Proposed CRs (Rel-4) to TS 25.307

Source: TSG-RAN WG2

Agenda item: 8.2.4

Doc-1st-	Status-	Spec	CR	Rev	Phase	Subject		Version	Versio
n.a.	proposed	25.307	001		Rel-4	Correction to create Release 4	F	4.0.0	4.1.0

NOTE: This CR is necessary to create a Rel-4 version of 25.307, if 25.307 v2.0.0 is approved to v3.0.0 by RP#12.

#### RP-010438

CHANGE REQUEST										
ж	25.30	7 CR <mark>001</mark>	ж	ev _	¥ Cu	irrent vers	<sup>ion:</sup> 3.0.0	ж		
For <b>HELP</b> on using this form, see bottom of this page or look at the pop-up text over the <b>#</b> symbols.										
Proposed change affects: # (U)SIM ME/UE Radio Access Network Core Network										
Title: #	Correcti	<mark>on to create Rel</mark>	ease 4							
Source: #	MCC									
Work item code: ℜ	TEI4					Date: ೫	8 June 2001			
Category: ೫	<i>F</i> (co <i>A</i> (co <i>B</i> (a) <i>C</i> (fu <i>D</i> (co Detailed e	of the following cat prrection) prresponds to a co ddition of feature), unctional modificatio ditorial modificatio xplanations of the n 3GPP <u>TR 21.90</u>	prrection in a tion of featur on) above cates	e)	lelease)	2 R96 R97 R98 R99 REL-4	REL-4 the following re (GSM Phase 2, (Release 1996, (Release 1997, (Release 1999, (Release 4) (Release 5)	) ) )		
Reason for change: # Necessity of having a Release 4 version of the specification   Summary of change: # References to Release '99 are changed to references to Release 4 where										
Consequences if not approved:	app	propriate. ere will be no Re		-						
Clauses affected:	쁐 <mark>1,</mark> 2	2, 4.1, 5.1, 5.2								
Other specs affected:	-	Other core speci Test specificatio O&M Specificatio	ns	ж						
Other comments:	ж									

#### How to create CRs using this form:

Comprehensive information and tips about how to create CRs can be found at: <u>http://www.3gpp.org/3G\_Specs/CRs.htm</u>. Below is a brief summary:

- 1) Fill out the above form. The symbols above marked **#** contain pop-up help information about the field that they are closest to.
- 2) Obtain the latest version for the release of the specification to which the change is proposed. Use the MS Word "revision marks" feature (also known as "track changes") when making the changes. All 3GPP specifications can be downloaded from the 3GPP server under <u>ftp://ftp.3gpp.org/specs/</u> For the latest version, look for the directory name with the latest date e.g. 2001-03 contains the specifications resulting from the March 2001 TSG meetings.
- 3) With "track changes" disabled, paste the entire CR form (use CTRL-A to select it) into the specification just in front of the clause containing the first piece of changed text. Delete those parts of the specification which are not relevant to the change request.

# 3GPP TS 25.307 V43.0.0 (2001-06)

Technical Specification

3rd Generation Partnership Project; Technical Specification Group Radio Access Network; Requirements on UEs supporting a Release Independent Frequency Band; (Release 19994)



The present document has been developed within the 3<sup>rd</sup> Generation Partnership Project (3GPP <sup>TM</sup>) and may be further elaborated for the purposes of 3GPP.

The present document has not been subject to any approval process by the 3GPP Organizational Partners and shall not be implemented. This Specification is provided for future development work within 3GPP only. The Organizational Partners accept no liability for any use of this Specification. Specifications and reports for implementation of the 3GPP <sup>TM</sup> system should be obtained via the 3GPP Organizational Partners' Publications Offices. Keywords UMTS, radio

3GPP

Postal address

3GPP support office address

650 Route des Lucioles - Sophia Antipolis Valbonne - FRANCE Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Internet

http://www.3gpp.org

**Copyright Notification** 

No part may be reproduced except as authorized by written permission. The copyright and the foregoing restriction extend to reproduction in all media.

© 2001, 3GPP Organizational Partners (ARIB, CWTS, ETSI, T1, TTA, TTC). All rights reserved.

## Contents

Forew	/ord	5
1	Scope	6
2	References	6
3 3.1 3.2	Definitions and abbreviations Definitions Abbreviations	6 .6
4	UMTS 1800 Independent of Release UMTS 1800 UE	6
5 5.1	UMTS 1900 Independent of Release UMTS 1900 UE	7 .7
Anne	x A (informative): Change history	8

## Foreword

This Technical Specification has been produced by the 3<sup>rd</sup> Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

5

Version x.y.z

where:

- x the first digit:
  - 1 presented to TSG for information;
  - 2 presented to TSG for approval;
  - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

## 1 Scope

The present document specifies requirements on UEs supporting a frequency band that is independent of release. TSG-RAN has agreed that the standardisation of new frequency bands may be independent of a release. However, in order to implement a UE that conforms to a particular release but supports a band of operation that is specified in a later release, it is necessary to specify some extra requirements.

For example, UMTS 1800 is contained in the Release 5 specifications. In order to implement a UE conforming to Release <u>4</u>'99 but supporting the 1800 MHz band, it is necessary for the UE to additionally conform to some parts of the Release 5 specifications, such as the radio frequency requirements for the 1800 MHz band and some signalling extensions relating to the UE radio access capabilities.

## 2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies. In the case of a reference to a 3GPP document (including a GSM document), a non-specific reference implicitly refers to the latest version of that document *in the same Release as the present document*.
- [1] 3GPP TR 21.905: "Vocabulary for 3GPP Specifications".
- [2] 3GPP TS 25.101 (Release 5, version 5): "UE Radio Transmission and Reception (FDD)".
- [3] 3GPP TS 25.331 (Release 5, version 5): "Radio Resource Control Protocol".
- [4] 3GPP TS 25.331 (Release  $\underline{4'99}$  version  $\underline{43}$ ): "Radio Resource Control Protocol".

## 3 Definitions and abbreviations

### 3.1 Definitions

For the purposes of the present document, the terms and definitions given in [1] apply.

### 3.2 Abbreviations

For the purposes of the present document, the following abbreviations apply:

FDD	Frequency Division Duplex
RRC	Radio Resource Control
UE	User Equipment

## 4 UMTS 1800 Independent of Release

UMTS 1800 is specified in the Release 5 but is defined as a release-independent frequency band. This approach aligns the UMTS 1800 band with other frequency bands when considering features that have to be supported in different releases.

#### 4.1 UMTS 1800 UE

UEs that conform to Release 439 and support the 1800 MHz frequency band shall support the following requirements in Release 5:

- Comply with the RF requirements for the 1800 MHz band specified in [2];
- Support the following RRC extensions specified in [3]:
  - The parameter value "UMTS1800" for the IE "FDD frequency band" contained within the IEs "UE radio access capability extension" and "Measurement capability extension". The UE shall use this parameter value in order to signal its radio access capabilities relating to the 1800 MHz band.

## 5 UMTS 1900 Independent of Release

UMTS 1900 is specified in Release 5 but is defined as a release-independent frequency band. This approach aligns the UMTS 1900 band with other frequency bands when considering features that have to be supported in different releases.

### 5.1 UMTS 1900 UE

UEs that conform to Release 439 and support the 1900 MHz frequency band shall support the following requirements in Release 5:

- Comply with the RF requirements for the 1900 MHz band specified in [2].

Release 499 contains the necessary signalling for the 1900 MHz frequency band [4].

## Annex A (informative): Change history

Change history									
Date	TSG # TSG Doc. CR Rev S		Rev	Subject/Comment	Old	New			
06/2001	RP-12	RP-010326	-		Approved at TSG-RAN #12 and placed under Change Control	-	3.0.0		
	<u>RP-12</u>	<u>RP-010438</u>	001		Correction to create Release 4	3.0.0	4.0.0		