3GPP TSG-CNMeeting #133GPP TSG-RANMeeting #133GPP TSG-TMeeting #133GPP TSG-SAMeeting #13Beijing, China, September 2001

CHANGE REQUEST						
ж	41.102 CR 002 * ev - * C	Current versi	<sup>on:</sup> <b>4.1.0</b> <sup>⊮</sup>			
For <u>HELP</u> on	using this form, see bottom of this page or look at the p	oop-up text	over the X symbols.			
Proposed chang	e affects: ೫ (U)SIM Y ME/UE Y Radio Acce	ess Network	Y Core Network Y			
Title:	Correction to list of specifications					
Source:	# MCC (John M Meredith)					
Work item code:	f TEI	Date: ₩	2001-09-11			
Category:	<ul> <li>F F Correction</li> <li>A (corresponds to a correction in an earlier release)</li> <li>B (addition of feature),</li> <li>C (functional modification of feature)</li> <li>D (editorial modification)</li> <li>Detailed explanations of the above categories can be found in 3GPP TR 21,900.</li> </ul>	2 R96 R97 R98 R99 REL-4	Rel-4 the following releases: (GSM Phase 2) (Release 1996) (Release 1997) (Release 1998) (Release 1999) (Release 4) (Release 5)			

Reason for change:	ж	Specs have been stopped / created.
Summary of change:	Ж	Additions / deletions to table of specs for this release
Consequences if not approved:	ж	FUD
Clauses affected:	ж	5
Other specs affected:	ж	Other core specifications # Test specifications O&M Specifications
Other comments:		The table of specs has been re-ordered to be sorted by Spec number rather than the notional index based upon the (possibly hypothetical) progenitor Spec. This makes it easier to find a given Spec, and more intuitive in use. However, the result is that the present CR simply deletes the entire table and replaces it with another. This makes it difficult to detect the additions and deletions. Therefore, the tables below summarize the changes: Table A: Specs added 22.048 Security mechanisms for the (Universal) Subscriber Interface Module (U)SIM Application Toolkit; Stage 1

	Yes
43.046	
Technical Realization of Facsimile Group 3 Service - non transparent	
N3	
	Yes
44.004	
Layer 1 - General Requirements	
G2	
	Yes
Table B: Specs removed     24.004	
Layer 1 - General Requirements	
G2	
Yes	
42.048	
Security mechanisms for the SIM Application Toolkit; Stage 1	
Т3	
Yes	

## How to create CRs using this form:

Comprehensive information and tips about how to create CRs can be found at: <u>http://www.3gpp.org/3G\_Specs/CRs.htm</u>. Below is a brief summary:

- 1) Fill out the above form. The symbols above marked **#** contain pop-up help information about the field that they are closest to.
- 2) Obtain the latest version for the release of the specification to which the change is proposed. Use the MS Word "revision marks" feature (also known as "track changes") when making the changes. All 3GPP specifications can be downloaded from the 3GPP server under <u>ftp://ftp.3gpp.org/specs/</u> For the latest version, look for the directory name with the latest date e.g. 2001-03 contains the specifications resulting from the March 2001 TSG meetings.
- 3) With "track changes" disabled, paste the entire CR form (use CTRL-A to select it) into the specification just in front of the clause containing the first piece of changed text. Delete those parts of the specification which are not relevant to the change request.

# 5 Specifications and Reports

Specifications in the range 01,xx to 13.xx are 'pure' GSM specs - that is, those required to build systems with a GERAN air interface. Those in the range 21.xxx to 35.xxx are common to GSM and UMTS implementations - that is, to systems with either GERAN or UTRAN air interfaces.

The first column shows the prior Release specification number, if any, corresponding to the spec number given in the second column.

<u>Number</u>	Title	<u>WG</u> prime	For publication
21.801	3GPP drafting rules	SP	No
22.001	Principles of circuit telecommunication services supported by a Public Land Mobile Network (PLMN)	<u>S1</u>	Yes
22.002	Circuit Bearer Services (BS) supported by a Public Land Mobile Network (PLMN)	<u>S1</u>	Yes
22.003	Circuit Teleservices supported by a Public Land Mobile Network (PLMN)	<u>S1</u>	Yes
22.004	General on Supplementary Services	<u>S1</u>	Yes
22.011	Service accessibility	<u>S1</u>	Yes
22.016	International Mobile Equipment Identities (IMEI)	<u>S1</u>	Yes
22.022	Personalisation of Mobile Equipment (ME); Mobile functionality specification	<u>S3</u>	Yes
22.024	Description of Charge Advice Information (CAI)	<u>S1</u>	Yes
22.030	Man-Machine Interface (MMI) of the User Equipment (UE)	<u>S1</u>	Yes
22.034	High Speed Circuit Switched Data (HSCSD); Stage 1	<u>S1</u>	Yes
22.038	USIM/SIM Application Toolkit (USAT/SAT); Service description; Stage 1	<u>S1</u>	Yes
22.041	Operator Determined Call Barring	<u>S1</u>	Yes
22.042	Network Identity and Time Zone (NITZ), stage 1	S1	Yes
22.048	Security mechanisms for the (Universal) Subscriber Interface Module (U)SIM	<u>T3</u>	Yes
22.040	Application Toolkit; Stage 1	15	103
22.053	Tandem Free Operation (TFO); Service Description - Stage 1	<u>S4</u>	Yes
22.055	Mobile Execution Environment (MExE); Stage 1	<u>S4</u> <u>S1</u>	Yes
22.007	General Packet Radio Service (GPRS); Stage 1	<u>S1</u>	
· · · · · · · · · · · · · · · · · · ·		S1	Yes
22.066	Support of Mobile Number Portability (MNP); Stage 1		Yes
22.067	enhanced Multi-Level Precedence and Pre-emption service (eMLPP); Stage 1	<u>S1</u>	Yes
<u>22.071</u>	Location Services (LCS); Stage 1	<u>S1</u>	Yes
22.072	Call Deflection (CD); Stage 1	<u>S1</u>	Yes
22.076	Noise suppression for the AMR codec; Service description - Stage 1	<u>S4</u>	Yes
22.078	CAMEL; Stage 1	<u>S1</u>	Yes
<u>22.079</u>	Support of optimal routeing; Stage 1	<u>S1</u>	Yes
<u>22.081</u>	Line Identification supplementary services; Stage 1	<u>S1</u>	Yes
22.082	Call Forwarding (CF) Supplementary Services; Stage 1	<u>S1</u>	Yes
<u>22.083</u>	Call Waiting (CW) and Call Hold (HOLD) supplementary services; Stage 1	<u>S1</u>	Yes
<u>22.084</u>	MultiParty (MPTY) supplementary service; Stage 1	<u>S1</u>	Yes
22.085	Closed User Group (CUG) supplementary services; Stage 1	<u>S1</u>	Yes
<u>22.086</u>	Advice of Charge (AoC) supplementary services; Stage 1	<u>S1</u>	Yes
22.087	User-to-user signalling (UUS); Stage 1	<u>S1</u>	Yes
<u>22.088</u>	Call Barring (CB) supplementary services; Stage 1	<u>S1</u>	Yes
22.090	Unstructured Supplementary Service Data (USSD); Stage 1	<u>S1</u>	Yes
22.091	Explicit Call Transfer (ECT) supplementary service; Stage 1	<u>S1</u>	Yes
22.093	Completion of Calls to Busy Subscriber (CCBS); Service description, Stage 1	<u>S1</u>	Yes
22.094	Follow Me service description - Stage 1	<u>S1</u>	Yes
22.096	Name identification supplementary services; Stage 1	<u>S1</u>	Yes
22.097	Multiple Subscriber Profile (MSP) Phase 1; Service description - Stage 1	S1	Yes
22.115	Service Aspects Charging and billing	<u>S1</u>	Yes
22.121	Service aspects; The Virtual Home Environment; Stage 1	<u>S1</u>	Yes
22.129	Handover Requirements between UMTS and GSM or other Radio Systems	<u>S1</u>	Yes
23.002	Network Architecture	<u>S2</u>	Yes
23.003	Numbering, Addressing and Identification	<u>N4</u>	Yes
23.007	Restoration procedures	<u>N4</u>	Yes
23.008	Organisation of subscriber data	<u>N4</u>	Yes
23.009	Handover procedures	N1	Yes
<u>23.009</u> <u>23.011</u>	Technical realization of Supplementary Services	<u>N4</u>	Yes
23.011	Location management procedures	N4	Yes

<u>23.014</u>	Support of Dual Tone Multi Frequency (DTMF) signalling	<u>N1</u>	Yes
<u>23.015</u>	Technical realisation of Operator Determined Barring (ODB)	<u>N4</u>	<u>Yes</u>
<u>23.016</u>	Subscriber data management; Stage 2	<u>N4</u>	<u>Yes</u>
<u>23.018</u>	Basic Call Handling; Technical realization	<u>N4</u>	Yes
<u>23.032</u>	Universal Geographical Area Description (GAD)	<u>S2</u>	<u>Yes</u>
23.034	High Speed Circuit Switched Data (HSCSD); Stage 2	<u>N1</u>	Yes
23.038	Alphabets & Language	<u>T2</u>	Yes
23.039	Interface Protocols for the Connection of Short Message Service Centers (SMSCs)	<u>T2</u>	Yes
	to Short Message Entities (SMEs)		
23.040	Technical realization of Short Message Service (SMS)	T2	Yes
23.041	Technical realization of Cell Broadcast Service (CBS)	T2	Yes
23.042	Compression algorithm for SMS	T2	Yes
23.048	Security Mechanisms for SIM Toolkit Application; Stage 2	<u>T3</u>	Yes
23.053	Tandem Free Operation (TFO); Service description; Stage 2	<u>S4</u>	Yes
23.057	Mobile Execution Environment (MExE); Functional description; Stage 2	T2	Yes
		S2	
23.060	General Packet Radio Service (GPRS) Service description; Stage 2		Yes
23.066	Support of GSM Mobile Number Portability (MNP) stage 2	<u>N4</u>	Yes
23.067	Enhanced Multi-Level Precedence and Preemption Service (EMLPP); Stage 2	<u>N4</u>	Yes
<u>23.072</u>	Call Deflection Supplementary Service; Stage 2	<u>N4</u>	Yes
<u>23.073</u>	Support of Localised Service Area (SoLSA); Stage 2	<u>N4</u>	<u>Yes</u>
<u>23.078</u>	Customised Applications for Mobile network Enhanced Logic (CAMEL) Phase 3 -	<u>N2</u>	<u>Yes</u>
	Stage 2		
<u>23.079</u>	Support of Optimal Routeing (SOR); Technical realization; Stage 2	<u>N4</u>	<u>Yes</u>
23.081	Line Identification supplementary services; Stage 2	<u>N4</u>	Yes
23.082	Call Forwarding (CF) Supplementary Services; Stage 2	<u>N4</u>	Yes
23.083	Call Waiting (CW) and Call Hold (HOLD) Supplementary Service; Stage 2	N4	Yes
23.084	MultiParty (MPTY) Supplementary Service; Stage 2	N4	Yes
23.085	Closed User Group (CUG) Supplementary Service; Stage 2	N4	Yes
23.086	Advice of Charge (AoC) Supplementary Service; Stage 2	N4	Yes
23.087	User-to-User Signalling (UUS) supplementary service; Stage 2	N4	Yes
23.088	Call Barring (CB) Supplementary Service; Stage 2	N4	Yes
23.088		N4	
	Unstructured Supplementary Service Data (USSD); Stage 2		Yes
<u>23.091</u>	Explicit Call Transfer (ECT) Supplementary Service; Stage 2	<u>N4</u>	Yes
23.093	Call Completion to Busy Subscriber (CCBS); Stage 2	<u>N4</u>	Yes
<u>23.094</u>	Follow Me Stage 2	<u>N4</u>	Yes
<u>23.096</u>	Name Identification Supplementary Service; Stage 2	<u>N4</u>	<u>Yes</u>
<u>23.097</u>	Multiple Subscriber Profile (MSP); Stage 2	<u>N4</u>	<u>Yes</u>
<u>23.108</u>	Mobile Radio Interface Layer 3 specification Core Network Protocols stage 2 (structured procedures)	<u>N1</u>	<u>Yes</u>
23.110	UMTS Access Stratum Services and Functions	<u>S2</u>	Yes
23.116	Super-Charger technical realization; Stage 2	<u>N4</u>	Yes
23.119	Gateway Location Register (GLR); Stage2	N4	Yes
23.140	Multimedia Messaging Service (MMS)	T2	Yes
23.221	Architectural requirements	<u>S2</u>	Yes
23.271	Functional stage 2 description of location services	<u>S2</u>	Yes
	Technical report on Pre-Paging	<u>N4</u>	Yes
		1114	
<u>23.908</u>			
<u>23.909</u>	Technical report on the Gateway Location Register	<u>N4</u>	<u>Yes</u>
<u>23.909</u> <u>23.911</u>	Technical report on the Gateway Location Register Technical report on Out-of-band transcoder control	<u>N4</u> <u>N4</u>	<u>Yes</u> <u>Yes</u>
23.909 23.911 23.912	Technical report on the Gateway Location Register           Technical report on Out-of-band transcoder control           Technical report on Super-Charger	N4           N4           N4           N4	<u>Yes</u> <u>Yes</u> Yes
23.909 23.911 23.912 23.925	Technical report on the Gateway Location Register         Technical report on Out-of-band transcoder control         Technical report on Super-Charger         UMTS Core network based ATM transport	N4           N4           N4           N4           S2	<u>Yes</u> <u>Yes</u> <u>Yes</u> <u>Yes</u>
23.909 23.911 23.912 23.925 24.002	Technical report on the Gateway Location Register         Technical report on Out-of-band transcoder control         Technical report on Super-Charger         UMTS Core network based ATM transport         GSM-UMTS Public Land Mobile Network (PLMN) Access Reference Configuration	N4           N4           N4           S2           N1	Yes Yes Yes Yes Yes
23.909 23.911 23.912 23.925	Technical report on the Gateway Location Register         Technical report on Out-of-band transcoder control         Technical report on Super-Charger         UMTS Core network based ATM transport	N4           N4           N4           N4           S2	Yes Yes Yes Yes Yes
23.909 23.911 23.912 23.925 24.002	Technical report on the Gateway Location Register         Technical report on Out-of-band transcoder control         Technical report on Super-Charger         UMTS Core network based ATM transport         GSM-UMTS Public Land Mobile Network (PLMN) Access Reference Configuration	N4           N4           N4           S2           N1	Yes Yes Yes Yes Yes Yes
23.909 23.911 23.912 23.925 24.002 24.007	Technical report on the Gateway Location Register         Technical report on Out-of-band transcoder control         Technical report on Super-Charger         UMTS Core network based ATM transport         GSM-UMTS Public Land Mobile Network (PLMN) Access Reference Configuration         Mobile Radio Interface Signalling Layer 3 - General Aspects	N4           N4           N4           S2           N1           N1	Yes Yes Yes Yes Yes Yes Yes
23.909 23.911 23.912 23.925 24.002 24.007 24.008	Technical report on the Gateway Location Register         Technical report on Out-of-band transcoder control         Technical report on Super-Charger         UMTS Core network based ATM transport         GSM-UMTS Public Land Mobile Network (PLMN) Access Reference Configuration         Mobile Radio Interface Signalling Layer 3 - General Aspects         Mobile Radio Interface Layer 3 specification; Core Network Protocols; Stage 3	N4           N4           S2           N1           N1           N1           N1	Yes Yes Yes Yes Yes Yes Yes
23.909 23.911 23.912 23.925 24.002 24.007 24.008	Technical report on the Gateway Location Register         Technical report on Out-of-band transcoder control         Technical report on Super-Charger         UMTS Core network based ATM transport         GSM-UMTS Public Land Mobile Network (PLMN) Access Reference Configuration         Mobile Radio Interface Signalling Layer 3 - General Aspects         Mobile Radio Interface Layer 3 specification; Core Network Protocols; Stage 3         Mobile Radio Interface Layer 3 - Supplementary Services Specification - General Aspects         Point-to-Point (PP) Short Message Service (SMS) Support on Mobile Radio	N4           N4           S2           N1           N1           N1           N1	Yes Yes Yes Yes Yes Yes Yes
23.909 23.911 23.912 23.925 24.002 24.007 24.008 24.010	Technical report on the Gateway Location Register         Technical report on Out-of-band transcoder control         Technical report on Super-Charger         UMTS Core network based ATM transport         GSM-UMTS Public Land Mobile Network (PLMN) Access Reference Configuration         Mobile Radio Interface Signalling Layer 3 - General Aspects         Mobile Radio Interface Layer 3 specification; Core Network Protocols; Stage 3         Mobile Radio Interface Layer 3 - Supplementary Services Specification - General Aspects         Point-to-Point (PP) Short Message Service (SMS) Support on Mobile Radio Interface         Radio Link Protocol (RLP) for Data and Telematic Services on the (MS-BSS) Interface and the Base Station System - Mobile-services Switching Centre (BSS-	N4         N4           N4	<u>Yes</u> <u>Yes</u> Yes
23.909 23.911 23.912 23.925 24.002 24.007 24.008 24.010 24.011 24.022	Technical report on the Gateway Location Register         Technical report on Out-of-band transcoder control         Technical report on Super-Charger         UMTS Core network based ATM transport         GSM-UMTS Public Land Mobile Network (PLMN) Access Reference Configuration         Mobile Radio Interface Signalling Layer 3 - General Aspects         Mobile Radio Interface Layer 3 specification; Core Network Protocols; Stage 3         Mobile Radio Interface Layer 3 - Supplementary Services Specification - General Aspects         Point-to-Point (PP) Short Message Service (SMS) Support on Mobile Radio Interface         Radio Link Protocol (RLP) for Data and Telematic Services on the (MS-BSS) Interface and the Base Station System - Mobile-services Switching Centre (BSS-MSC) Interface	N4         N4           N4         S2           N1         N1           N1         N1           N1         N1           N1         N1           N4         N1           N1         N1           N4         N1           N1         N1           N4         N1           N1         N1	Yes Yes Yes Yes Yes Yes Yes Yes
23.909 23.911 23.912 23.925 24.002 24.007 24.008 24.010 24.011 24.022 24.022 24.067	Technical report on the Gateway Location Register         Technical report on Out-of-band transcoder control         Technical report on Super-Charger         UMTS Core network based ATM transport         GSM-UMTS Public Land Mobile Network (PLMN) Access Reference Configuration         Mobile Radio Interface Signalling Layer 3 - General Aspects         Mobile Radio Interface Layer 3 specification; Core Network Protocols; Stage 3         Mobile Radio Interface Layer 3 - Supplementary Services Specification - General Aspects         Point-to-Point (PP) Short Message Service (SMS) Support on Mobile Radio Interface         Radio Link Protocol (RLP) for Data and Telematic Services on the (MS-BSS) Interface and the Base Station System - Mobile-services Switching Centre (BSS-MSC) Interface         Enhanced Multi-Level Precedence and Pre-emption service (eMLPP); Stage 3	N4         N4           N4         S2           N1         N1           N1         N1           N1         N1           N1         N1           N4         S2           N1         N1           N3         N4           N4         S2	Yes Yes Yes Yes Yes Yes Yes Yes Yes
23.909 23.911 23.912 23.925 24.002 24.007 24.008 24.010 24.011 24.022	Technical report on the Gateway Location Register         Technical report on Out-of-band transcoder control         Technical report on Super-Charger         UMTS Core network based ATM transport         GSM-UMTS Public Land Mobile Network (PLMN) Access Reference Configuration         Mobile Radio Interface Signalling Layer 3 - General Aspects         Mobile Radio Interface Layer 3 specification; Core Network Protocols; Stage 3         Mobile Radio Interface Layer 3 - Supplementary Services Specification - General Aspects         Point-to-Point (PP) Short Message Service (SMS) Support on Mobile Radio Interface         Radio Link Protocol (RLP) for Data and Telematic Services on the (MS-BSS) Interface and the Base Station System - Mobile-services Switching Centre (BSS-MSC) Interface	N4         N4           N4         S2           N1         N1           N1         N1           N1         N1           N1         N1           N4         N1           N1         N1           N4         N1           N1         N1           N4         N1           N1         N1	Yes Yes Yes Yes Yes Yes Yes Yes

<u>24.082</u> 24.083	Call Forwarding Supplementary Service; Stage 3 Call Waiting (CW) and Call Hold (HOLD) Supplementary Service; Stage 3	<u>N4</u> N4	Yes Yes
24.083	MultiParty (MPTY) Supplementary Service; Stage 3	N4	Yes
24.085	Closed User Group (CUG) Supplementary Service; Stage 3	N4	Yes
24.086	Advice of Charge (AoC) Supplementary Service; Stage 3	<u>N4</u>	Yes
24.087	User-to-User Signalling (UUS); Stage 3	<u>N4</u>	Yes
<u>24.088</u>	Call Barring (CB) Supplementary Service; Stage 3	<u>N4</u>	Yes
<u>24.090</u>	Unstructured Supplementary Service Data (USSD); Stage 3	<u>N4</u>	Yes
<u>24.091</u>	Explicit Call Transfer (ECT) Supplementary Service; Stage 3	<u>N4</u>	Yes
<u>24.093</u>	Call Completion to Busy Subscriber (CCBS); Stage 3	<u>N4</u>	Yes
24.096	Name Identification Supplementary Service; Stage 3	<u>N4</u>	Yes
26.978	Results of the AMR noise suppression selection phase	S4	Yes
27.001	General on Terminal Adaptation Functions (TAF) for Mobile Stations (MS)	<u>N3</u>	Yes
27.002	Terminal Adaptation Functions (TAF) for services using Asynchronous bearer capabilities	<u>N3</u>	Yes
27.003	Terminal Adaptation Functions (TAF) for services using Synchronous bearer capabilities	<u>N3</u>	Yes
27.005	Use of Data Terminal Equipment - Data Circuit terminating Equipment (DTE-DCE) interface for Short Message Service (SMS) and Cell Broadcast Service (CBS)	<u>T2</u>	Yes
27.007	AT command set for 3G User Equipment (UE)	<u>T2</u>	Yes
	Terminal Equipment to User Equipment (TE-UE) multiplexer protocol User		
<u>27.010</u>	Equipment (UE)	<u>T2</u>	Yes
27.060	Packet domain; Mobile Station (MS) supporting Packet Switched services	<u>N3</u>	Yes
<u>27.103</u>	Wide Area Network Synchronization	<u>T2</u>	Yes
<u>28.062</u>	Inband Tandem Free Operation (TFO) of Speech Codecs; Service Description; Stage 3	<u>S4</u>	<u>Yes</u>
<u>29.002</u>	Mobile Application Part (MAP) specification	<u>N4</u>	<u>Yes</u>
<u>29.007</u>	General requirements on interworking between the Public Land Mobile Network (PLMN) and the Integrated Services Digital Network (ISDN) or Public Switched Telephone Network (PSTN)	<u>N3</u>	<u>Yes</u>
<u>29.010</u>	Information Element Mapping between Mobile Station - Base Station System (MS - BSS) and Base Station System - Mobile-services Switching Centre (BSS - MCS) Signalling Procedures and the Mobile Application Part (MAP)	<u>N4</u>	Yes
29.011	Signalling Interworking for Supplementary Services	N4	Yes
29.013	Signalling interworking between ISDN supplementary services Application Service	<u>N4</u>	Yes
23.013	Element (ASE) and Mobile Application Part (MAP) protocols		103
<u>29.016</u>	Serving GPRS Support Node SGSN - Visitors Location Register (VLR); Gs Interface Network Service Specification	<u>N1</u>	Yes
<u>29.018</u>	Serving GPRS Support Node SGSN - Visitors Location Register (VLR); Gs Interface Layer 3 Specification	<u>N1</u>	Yes
29.060	GPRS Tunnelling protocol (GTP) across the Gn and Gp interface	<u>N4</u>	Yes
<u>29.061</u>	Interworking between the Public Land Mobile Network (PLMN) supporting Packet Based services and Packet Data Networks (PDN)	<u>N3</u>	Yes
<u>29.078</u>	Customised Applications for Mobile network Enhanced Logic (CAMEL) Phase 3; CAMEL Application Part (CAP) specification	<u>N2</u>	Yes
<u>31.111</u>	USIM Application Toolkit (USAT)	<u>T3</u>	Yes
32.311	Telecommunication management; Generic IRP management; Requirements	<u>S5</u>	Yes
32.401	Telecommunication management; Performance Management (PM); Concept and requirements	<u>S5</u>	Yes
<u>32.402</u>	Telecommunication management; Performance Management (PM); Performance measurements - GSM	<u>S5</u>	Yes
32.403	Telecommunication management; Performance Management (PM); Performance measurements - UMTS and combined UMTS/GSM	<u>S5</u>	Yes
32.600	Telecommunication Management; Configuration Management; 3G configuration management; Concept and main requirements	<u>S5</u>	Yes
<u>32.601</u>	Telecommunication Management; Configuration Management; Basic CM IRP: requirements	<u>S5</u>	<u>Yes</u>
<u>32.602</u>	Telecommunication Management; Configuration Management; Basic configuration management IRP information model	<u>S5</u>	<u>Yes</u>
<u>32.603</u>	Telecommunication Management; Configuration Management; Basic configuration management IRP: CORBA solution set	<u>S5</u>	<u>Yes</u>
<u>32.621</u>	Telecommunication Management; Configuration Management; Generic network resources IRP: requirements	<u>S5</u>	<u>Yes</u>
<u>32.622</u>	Telecommunication Management; Configuration Management; Generic network resources IRP: NRM	<u>S5</u>	Yes

<u>32.623</u>	Telecommunication Management; Configuration Management; Generic network resources IRP: CORBA solution set	<u>S5</u>	Yes
32.624	Telecommunication Management; Configuration Management; Generic network	<u>S5</u>	Yes
	resources: IRP CMIP solution set	05	
<u>32.632</u>	Telecommunication Management; Configuration Management; Core Network Resources IRP: NRM	<u>S5</u>	<u>Yes</u>
32.633	Telecommunication Management; Configuration Management; Core network resources IRP: CORBA solution set	<u>S5</u>	Yes
32.634	Telecommunication Management; Configuration Management; Core network	<u>S5</u>	Yes
32.651	resources IRP: CMIP solution set           Telecommunication Management; Configuration Management; GERAN network	<u>S5</u>	Yes
32.652	resources IRP: requirements Telecommunication Management; Configuration Management; GERAN network	<u>S5</u>	Yes
32.653	resources IRP: NRM Telecommunication Management; Configuration Management; GERAN network	<u>S5</u>	Yes
	resources IRP: CORBA solution set		
<u>32.654</u>	Telecommunication Management; Configuration Management; GERAN network resources IRP: CMIP solution set	<u>S5</u>	<u>Yes</u>
41.031	Fraud Information Gathering System (FIGS); Service requirements; Stage 0	<u>S3</u>	Yes
41.033	Lawful Interception requirements for GSM	<u>S3</u>	Yes
41.061	General Packet Radio Service (GPRS); GPRS ciphering algorithm requirements	<u>S3</u>	Yes
41.102	GSM Release 4 specifications	SP	Yes
42.009	Security Aspects	<u>S3</u>	Yes
42.017	Subscriber Identity Modules, Functional Characteristics	T3	Yes
42.019	Subscriber Identity Module Application Programming Interface (SIM API); Service description; Stage 1	<u>T3</u>	Yes
42.031	Fraud Information Gathering System (FIGS) Service description; Stage 1	<u>S3</u>	Yes
42.032	Immediate Service Termination (IST); Service description; Stage 1	<u>S3</u>	Yes
42.033	Lawful Interception; Stage 1	<u>S3</u>	Yes
42.043	Support of Localised Service Area (SoLSA); Service description; Stage 1	<u>S1</u>	Yes
42.056	GSM Cordless Telephony System (CTS), Phase 1; Service description; Stage 1	<u>S1</u>	Yes
42.068	Voice Group Call Service (VGCS); Stage 1	<u>S1</u>	Yes
42.069	Voice Broadcast Service (VBS); Stage 1	<u>S1</u>	Yes
43.005	Technical performance objectives	NP	Yes
	GSM Public Land Mobile Network (PLMN) Connection Types	N3	Yes
<u>43.010</u>		G1	
<u>43.013</u> 43.019	Discontinuous Reception (DRX) in the GSM System GSM Application Programming Interface (API) for Subscriber Interface Module	<u>T3</u>	<u>Yes</u> Yes
	(SIM) toolkit stage 2		
43.020	Security-related Network Functions	<u>S3</u>	Yes
<u>43.022</u>	Functions Related to Mobile Station (MS) in Idle Mode	<u>G1</u>	Yes
<u>43.026</u>	Multiband operation of GSM/DCS 1800 by a single operator	<u>G1</u>	Yes
<u>43.030</u>	Radio Network Planning Aspects	<u>G1</u>	Yes
<u>43.031</u>	Fraud Information Gathering System (FIGS); Service description; Stage 2	<u>S3</u>	<u>Yes</u>
<u>43.033</u>	Lawful Interception; Stage 2	<u>S3</u>	Yes
<u>43.035</u>	Immediate Service Termination (IST); Stage 2	<u>S3</u>	Yes
<u>43.045</u>	Technical Realization of Facsimile Group 3 Service - transparent	<u>N3</u>	<u>Yes</u>
<u>43.046</u>	Technical Realization of Facsimile Group 3 Service - non transparent	<u>N3</u>	Yes
<u>43.050</u>	Transmission Planning Aspects of the Speech Service in the GSM Public Land Mobile Network (PLMN) System	<u>S4</u>	Yes
<u>43.051</u>	GSM/EDGE Radio Access Network (GERAN) overall description; Stage 2	<u>G1</u>	<u>Yes</u>
<u>43.052</u>	Lower layers of the GSM Cordless Telephony System (CTS) radio interface; Stage 2	<u>G1</u>	Yes
43.055	Dual Transfer Mode (DTM); Stage 2	<u>G1</u>	Yes
<u>43.058</u>	Characterisation, test methods and quality assessment for handsfree Mobile Stations (MSs)	<u>S4</u>	Yes
43.059	Functional stage 2 description of Location Services in GERAN	<u>GP</u>	Yes
	Packet Data on Signalling channels service (PDS) Service description, Stage 2	<u>N1</u>	Yes
<u>43.0</u> 03	Overall description of the GPRS radio interface; Stage 2	G1	Yes
43.064	Voice Group Call Service (VGCS): Stage 2	N1	Yes
43.064 43.068	Voice Group Call Service (VGCS); Stage 2 Voice Broadcast service (VBS): Stage 2	<u>N1</u> N1	
43.064 43.068 43.069	Voice Broadcast service (VBS); Stage 2 Mobile Station - Base Station System (MS - BSS) Interface General Aspects and	<u>N1</u> <u>N1</u> <u>N1</u>	Yes
43.063         43.064         43.068         43.069         44.001	Voice Broadcast service (VBS): Stage 2           Mobile Station - Base Station System (MS - BSS) Interface General Aspects and Principles           Mobile Station - Base Station System (MS - BSS) Interface Channel Structures and	<u>N1</u>	Yes Yes Yes Yes
<u>43.064</u> <u>43.068</u> <u>43.069</u> <u>44.001</u>	Voice Broadcast service (VBS); Stage 2 Mobile Station - Base Station System (MS - BSS) Interface General Aspects and Principles	<u>N1</u> <u>N1</u>	<u>Yes</u> Yes

<u>44.006</u>	Mobile Station - Base Stations System (MS - BSS) Interface Data Link (DL) Layer Specification	<u>G2</u>	Yes
44.008	Mobile radio interface layer 3 specification	N1	Yes
44.012	Short Message Service Cell Broadcast (SMSCB) Support on the Mobile Radio	<u>G2</u>	Yes
	Interface		
<u>44.013</u>	Performance Requirements on Mobile Radio Interface	<u>N1</u>	Yes
<u>44.014</u>	Individual equipment type requirements and interworking; Special conformance testing functions	<u>G2</u>	<u>Yes</u>
<u>44.018</u>	Mobile Radio Interface - Layer 3 Specification RR part	<u>G2</u>	Yes
<u>44.021</u>	Rate Adaption on the Mobile Station - Base Station System (MS-BSS) Interface	<u>N3</u>	Yes
<u>44.031</u>	Location Services LCS RR LCS Protocol	<u>G2</u>	<u>Yes</u>
<u>44.035</u>	Location Services LCS Stage 3 E-OTD Enhanced Observed	<u>G2</u>	<u>Yes</u>
<u>44.056</u>	<u>GSM Cordless Telephony System (CTS), (Phase 1) CTS Radio Interface Layer 3</u> <u>Specification</u>	<u>N1</u>	<u>Yes</u>
44.057	<u>GSM Cordless Telephony System (CTS), (Phase 1) CTS CTS supervising system</u> Layer 3 Specification	<u>N1</u>	<u>Yes</u>
44.060	General Packet Radio Service (GPRS); Mobile Station (MS) - Base Station System (BSS) interface; Radio Link Control/ Medium Access Control (RLC/MAC) protocol	<u>G2</u>	<u>Yes</u>
44.063	Packet Data on Signalling channels Service (PDS) Service Description, Stage 3	N1	Yes
44.064	Mobile Station - Serving GPRS Support Node (MS-SGSN) Logical Link Control	<u>N1</u>	Yes
	(LLC) Layer Specification	<u> </u>	
<u>44.065</u>	Mobile Station (MS) - Serving GPRS Support Node (SGSN); Subnetwork Dependent Convergence Protocol (SNDCP)	<u>N1</u>	Yes
44.068	Group Call Control (GCC) Protocol	N1	Yes
44.069	Broadcast Call Control (BCC) protocol	N1	Yes
44.071	Location services (LCS) stage 3	G2	Yes
45.001	Physical Layer on the Radio Path (General Description)	<u>G1</u>	Yes
45.002	Multiplexing and Multiple Access on the Radio Path	G1	Yes
45.003	Channel coding	G1	Yes
45.005	Radio transmission and reception	<u>G1</u>	Yes
45.008	Radio subsystem link control	<u>G1</u>	Yes
45.009	Link adaptation	<u>G1</u>	Yes
<u>45.010</u>	Radio subsystem synchronization	<u>G1</u>	<u>Yes</u>
<u>45.022</u>	Radio link management in hierarchical networks	<u>G1</u>	<u>Yes</u>
<u>45.050</u>	Background for RF Requirements	<u>G1</u>	<u>Yes</u>
<u>45.056</u>	CTS-FP Radio Sub-system	<u>G1</u>	<u>Yes</u>
<u>46.001</u>	Full Rate Speech Processing Functions	<u>S4</u>	Yes
46.002	Half Rate Speech Processing Functions	<u>S4</u>	Yes
46.006	Half-rate speech: ANSI-C code for GSM half-rate speech codec	<u>S4</u>	Yes
<u>46.007</u>	Half Rate Speech: Test Sequence for GSM Half Rate Speech Codec	<u>S4</u>	Yes
<u>46.008</u>	Half Rate Speech; Performance Characterization of the GSM Half Rate speech codec	<u>S4</u>	Yes
<u>46.010</u>	Full-rate speech transcoding	<u>S4</u>	<u>Yes</u>
<u>46.011</u>	Substitution and Muting of Lost Frames for Full Rate Speech Channels	<u>S4</u>	<u>Yes</u>
<u>46.012</u>	Comfort Noise Aspects for Full Rate Speech Traffic Channels	<u>S4</u>	<u>Yes</u>
<u>46.020</u>	Half Rate Speech Transcoding	<u>S4</u>	<u>Yes</u>
<u>46.021</u>	Half rate speech; Substitution and muting of lost frames for half rate speech traffic channels	<u>S4</u>	Yes
<u>46.022</u>	Comfort Noise Aspects for Half Rate Speech Traffic Channels	<u>S4</u>	<u>Yes</u>
<u>46.031</u>	Discontinuous Transmission (DTX) for Full Rate Speech Traffic Channels	<u>S4</u>	<u>Yes</u>
<u>46.032</u>	Voice Activity Detection (VAD)	<u>S4</u>	<u>Yes</u>
<u>46.041</u>	Discontinuous Transmission (DTX) for Half Rate Speech Traffic Channels	<u>S4</u>	Yes
<u>46.042</u>	Voice Activity Detection (VAD) for Half Rate Speech Traffic Channels	<u>S4</u>	<u>Yes</u>
<u>46.051</u>	GSM Enhanced full rate speech processing functions: General description	<u>S4</u>	Yes
46.053	ANSI-C code for the GSM Enhanced full rate speech codec	<u>S4</u>	Yes
46.054	Test sequences for the GSM Enhanced Full Rate (EFR)	<u>S4</u>	Yes
46.055	Performance characterisation of the GSM EFR Speech Codec	<u>S4</u>	Yes
46.060	Enhanced full rate speech transcoding	<u>S4</u>	Yes
46.061	Substitution and muting of lost frames for encanced full rate speech traffic channels	<u>S4</u>	Yes
46.062	Comfort noise aspects for Enhanced Full Rate (EFR) speech traffic channels	<u>S4</u>	Yes Yes
<u>46.076</u>	Adaptive Multi-Rate (AMR) speech codec; Study phase report	<u>S4</u>	Yes Yes
<u>46.081</u>	Discontinuous Transmission (DTX) for encanced full rate speech traffic channels	<u>S4</u>	Yes Yes
<u>46.082</u>	Voice Activity Detection (VAD) for encanced full rate speech traffic channels Subjective tests on the interoperability of the HR/FR/EFR speech codecs; single,	<u>S4</u>	Yes Yes
46.085	TRUME TO A TRUE OF THE THEODERS DUILY OF THE HEVER / FER SHOPPIN COMPLET. SIDNIA	104	Yes

<u>48.001</u>	General Aspects on the BSS-MSC Interface	<u>G2</u>	Yes
<u>48.002</u>	Base Station System - Mobile Services Switching Centre (BSS-MSC) Interface - Interface Principles	<u>G2</u>	<u>Yes</u>
48.004	Base Station System - Mobile Services Switching Centre (BSS-MSC) Interface Layer 1 Specification	<u>G2</u>	Yes
48.006	Signalling Transport Mechanism Specification for the Base Station System - Mobile Services Switching Centre (BSS-MSC) Interface	<u>G2</u>	Yes
48.008	Mobile Switching Centre - Base Station system (MSC-BSS) Interface Layer 3 Specification	<u>G2</u>	Yes
48.014	General Packet Radio Service (GPRS); Base Station System (BSS) - Serving GPRS Support Node (SGSN) interface; Gb Interface Layer 1	<u>G2</u>	Yes
<u>48.016</u>	General Packet Radio Service (GPRS); Base Station System (BSS) - Serving GPRS Support Node (SGSN) Interface; Network Service	<u>G2</u>	Yes
<u>48.018</u>	General Packet Radio Service (GPRS); Base Station System (BSS) - Serving GPRS Support Node (SGSN); BSS GPRS Protocol	<u>G2</u>	Yes
<u>48.020</u>	Rate Adaptation on the Base Station System - Mobile Service Switching Centre (BSS-MSC) Interface	<u>N3</u>	Yes
<u>48.031</u>	Location Services LCS: Serving Mobile Location Centre - Serving Mobile Location Centre (SMLC - SMLC); SMLCPP specification	<u>G2</u>	Yes
<u>48.051</u>	Base Station Controller - Base Tranceiver Station (BSC-BTS) Interface General Aspects	<u>G2</u>	Yes
48.052	Base Station Controller - Base Tranceiver Station (BSC-BTS) Interface - Interface Principles	<u>G2</u>	Yes
48.054	BSC-BTS : Layer 1 Structure of Physical Circuits	G2	Yes
48.056	BSC-BTS Layer 2 Specification	G2	Yes
48.058	Base Station Controler - Base Transceiver Station (BCS-BTS) Interface Layer 3 Specification	<u>G2</u>	Yes
48.060	In-band control of remote transcoders and rate adaptors for full rate traffic channels	G2	Yes
48.061	In-band control of remote transcoders and rate adaptors for half rate traffic channels		Yes
48.071	Location services (LCS) SMLC-BSS interface L 3	G2	Yes
49.001	General Network Interworking Scenarios	<u>N4</u>	Yes
49.008	Application of the Base Station System Application Part (BSSAP) on the E-Interface	N1	Yes
49.031	Location Services LCS Extension (BSSAP-LE)	G2	Yes
50.059	Project scheduling and open issues for EDGE	<u>G1</u>	<u>100</u> No
50.099	GERAN project plan and open issues	GP	No
51.010-1	Mobile Station (MS) conformance specification; Part 1: Conformance specification	<u>G4</u>	Yes
51.010-2	Mobile Station (MS) conformance specification; Part 2: Protocol Implementation Conformance Statement (PICS) proforma specification	<u>G4</u>	Yes
51.010-3	Mobile Station (MS) conformance specification; Part 3: Layer3 (L3) Abstract Test Suite (ATS)	<u>G4</u>	Yes
51.010-4	Mobile Station (MS) conformance specification; Part 4: SIM Application Toolkit conformance specification	<u>G4</u>	Yes
<u>51.011</u>	Specification of the Subscriber Identity Module - Mobile Equipment (SIM-ME) interface	<u>T3</u>	Yes
<u>51.013</u>	Test specification for SIM API for Java card	<u>T3</u>	Yes
<u>51.021</u>	GSM radio aspects base station system equipment specification	<u>G3</u>	<u>Yes</u>
<u>51.021</u>	GSM Repeater Equipment Specification	<u>G3</u>	Yes
<u>52.071</u>	Location Services (LCS); Location services management	<u>S5</u>	Yes

progenitor	Number	Title	WG prime	For pub lication
	<del>21.801</del>	3GPP drafting rules	<del>SP</del>	Yes
	<del>22.121</del>	Provision of Services in UMTS - The Virtual Home Environment ; Stage 1	<del>S1</del>	Yes
	<del>23.221</del>	Architectural requirements	<del>S2</del>	<del>Yes</del>
	<del>23.271</del>	Functional stage 2 description of location services	<del>\$2</del>	<del>Yes</del>
	<del>23.908</del>	Technical report on Pre-Paging	<del>N</del> 4	<del>Yes</del>
	<del>23.909</del>	Technical report on the Gateway Location Register	N4	Yes
	<del>23.911</del>	Technical report on Out-of-band transcoder control	<del>N</del> 4	Yes
	<del>23.912</del>	Technical report on Super-Charger	N4	Yes
	23.925	UMTS Core network based ATM transport	<u>\$2</u>	Yes
	41.102	GSM Release 4 Specifications	<u>SP</u>	Yes
	<del>26.978</del>	Results of the AMR noise suppression selection phase	<del>\$4</del>	Yes
	<u>32.311</u>	Telecommunication management; Generic IRP management;	<del>\$5</del>	Yes
	02.011	Requirements		100
	<del>32.401</del>	Telecommunication management; Performance Management (PM);	<del>\$5</del>	Yes
		Concept and requirements		
	<del>32.402</del>	Telecommunication management; Performance Management (PM); Performance measurements - GSM	<del>\$5</del>	Yes
	32,403	Telecommunication management; Performance Management (PM);	<del>\$5</del>	Yes
	02.100	Performance measurements - UMTS and combined UMTS/GSM		100
	<del>32.600</del>	Telecommunication Management; Configuration Management; 3G	<del>\$5</del>	Yes
		configuration management; Concept and main requirements		
	<del>32.601</del>	Telecommunication Management; Configuration Management; Basic CM IRP: requirements	<del>\$5</del>	Yes
	<del>32.602</del>	Telecommunication Management; Configuration Management; Basic	<del>S5</del>	Yes
	0	configuration management IRP information model		
	<del>32.603</del>	Telecommunication Management; Configuration Management; Basic configuration management IRP: CORBA solution set	<del>\$5</del>	<del>Yes</del>
	32.621	Telecommunication Management; Configuration Management; Generic	<del>\$5</del>	Yes
	02.02.	network resources IRP: requirements		
	<del>32.622</del>	Telecommunication Management; Configuration Management; Generic network resources IRP: NRM	<del>\$5</del>	<del>Yes</del>
	<del>32.623</del>	Telecommunication Management; Configuration Management; Generic network resources IRP: CORBA solution set	<del>\$5</del>	Yes
	<del>32.624</del>	Telecommunication Management; Configuration Management; Generic network resources: IRP CMIP solution set	<del>\$5</del>	<del>Yes</del>
	<del>32.632</del>	Telecommunication Management; Configuration Management; Core	<del>S5</del>	Yes
	02.002	Network Resources IRP: NRM		103
	<del>32.633</del>	Telecommunication Management; Configuration Management; Core network resources IRP: CORBA solution set	<del>\$5</del>	<del>Yes</del>
	<del>32.634</del>	Telecommunication Management; Configuration Management; Core	<del>\$5</del>	Yes
		network resources IRP: CMIP solution set		
	<del>32.651</del>	Telecommunication Management; Configuration Management; GERAN	<del>\$5</del>	Yes
	<del>32.652</del>	Telecommunication Management; Configuration Management; GERAN	<del>\$5</del>	Yes
		network resources IRP: NRM		
	<del>32.653</del>	Telecommunication Management; Configuration Management; GERAN network resources IRP: CORBA solution set	<del>\$5</del>	<del>Yes</del>
	<del>32.65</del> 4	Telecommunication Management; Configuration Management; GERAN	<del>\$5</del>	Yes
)1.31	41.031	network resources IRP: CMIP solution set	<del>S3</del>	Yes
<del>/1.01</del>	41.031	Fraud Information Gathering System (FIGS); Service requirements ; Stage 0	<del>30</del>	<del>182</del>
)1.33	41.033	Lawful Interception requirements for GSM	<del>S3</del>	Yes
)1.60 )1.61	41.061	General Packet Radio Service (GPRS); GPRS ciphering algorithm	<del>S3</del>	Yes
		requirements		
<del>)2.01</del>	<del>22.001</del>	Principles of circuit telecommunication services supported by a Public Land Mobile Network (PLMN)	<del>S1</del>	Yes
)2.02	<del>22.002</del>	Circuit Bearer Services Supported by a PLMN	<del>S1</del>	Yes
2.02	22.002	Circuit Teleservices supported by a Public Land Mobile Network (PLMN)	<del>\$1</del>	Yes
12 113			U OT	1 100

<del>progenitor</del>		Title	<del>WG</del> <del>prime</del>	For put
02.09	<del>42.009</del>	Security Aspects	<del>S3</del>	Yes
<del>02.11</del>	<del>22.011</del>	Service accessibility	<del>\$1</del>	Yes
02.15	<del>22.115</del>	Service Aspects Charging and billing	<del>\$1</del>	Yes
<del>02.16</del>	<del>22.016</del>	International Mobile Equipment Identities (IMEI)	<del>S1</del>	Yes
<del>02.17</del>	<del>42.017</del>	Subscriber Identity Modules, Functional Characteristics	<del>T3</del>	Yes
<del>02.19</del>	4 <del>2.019</del>	Subscriber Identity Module Application Programming Interface (SIM API); Service description; Stage 1	<del>13</del>	<del>Yes</del>
<del>02.22</del>	<del>22.022</del>	Personalisation of GSM ME Mobile functionality specification ; Stage 1	<del>S3</del>	Yes
0 <u>2.2</u> 4	<del>22.024</del>	Description of Charge Advice Information (CAI)	<del>S1</del>	<del>Yes</del>
<del>02.29</del>	<del>22.129</del>	Handover Requirements between UMTS and GSM or other Radio Systems	<del>\$1</del>	Yes
<del>02.30</del>	<del>22.030</del>	Man-Machine Interface (MMI) of the Mobile Station (MS)	<del>\$1</del>	<del>Yes</del>
0 <u>2.31</u>	4 <del>2.031</del>	Fraud Information Gathering System (FIGS) Service description ; Stage 1	<del>\$3</del>	<del>Yes</del>
<del>02.32</del>	<del>42.032</del>	Immediate Service Termination (IST); Service description ; Stage 1	<del>\$3</del>	Yes
02.33	<del>42.033</del>	Lawful Interception ; Stage 1	<del>\$3</del>	Yes
02.34	<del>22.034</del>	High Speed Circuit Switched Data (HSCSD) ; Stage 1	<del>\$1</del>	Yes
02.38	<del>22.038</del>	SIM application toolkit (SAT); Stage 1	<del>S1</del>	Yes
<del>)2.41</del>	<del>22.041</del>	Operator Determined Call Barring	<del>S1</del>	Yes
02.11 02.42	22.042	Network Identity and Time Zone (NITZ), stage 1	<del>\$1</del>	Yes
)2.43	42.043	Support of Localised Service Area (SoLSA) ; Stage 1	<del>\$1</del>	Yes
)2.48	42.048	Security mechanisms for the SIM Application Toolkit; Stage 1	<del>T3</del>	Yes
02.40 02.53	<del>22.053</del>	Tandem Free Operation (TFO); Service Description - Stage 1	<del>\$</del> 4	Yes
02.56	42.056	GSM Cordless Telephony System (CTS), Phase 1; Service description; Stage 1	<del>\$1</del>	Yes
)2.57	<del>22.057</del>	Mobile Station Application Execution Environment (MExE); Stage 1	<del>S1</del>	Yes
<u>)2.60</u>	22.060	General Packet Radio Service (GPRS); Stage 1	<del>\$1</del>	Yes
02.66	22.066	Support of Mobile Number Portability (MNP); Stage 1	<del>\$1</del>	Yes
<del>)2.67</del>	<del>22.000</del> <del>22.067</del>	enhanced Multi-Level Precedence and Pre-emption service (eMLPP) ; Stage 1	<del>\$1</del>	Yes
02.68	42.068	Voice Group Call Service (VGCS) ; Stage 1	<del>\$1</del>	Yes
<del>02.69</del>	42.069	Voice Broadcast Service (VBS) ; Stage 1	<del>\$1</del>	Yes
02.03 02.71	<del>42.003</del> 22.071	Location Services (LCS); Stage 1	<del>\$1</del>	<del>Yes</del>
02.72	<del>22.07 +</del> 22.072		<del>\$1</del>	<del>Yes</del>
		Call Deflection (CD); Stage 1		
<del>02.76</del>	<del>22.076</del>	Noise Suppression for the AMR	<del>\$</del> 4	Yes
02.78	<del>22.078</del>	CAMEL; Stage 1	<del>\$1</del>	Yes
0 <u>2.79</u>	<del>22.079</del>	Support of Optimal Routing; Stage 1	<del>\$1</del>	Yes
02.81	<del>22.081</del>	Line Identification Supplementary Services; Stage 1	<del>S1</del>	Yes
02.82	<del>22.082</del>	Call Forwarding (CF) Supplementary Services; Stage 1	<del>\$1</del>	Yes
<del>02.83</del>	<del>22.083</del>	Call Waiting (CW) and Call Hold (HOLD) Supplementary Services; Stage 4	<del>S1</del>	Yes
<del>)2.84</del>	<del>22.084</del>	MultiParty (MPTY) Supplementary Service; Stage 1	<del>S1</del>	Yes
<del>)2.85</del>	<del>22.085</del>	Closed User Group (CUG) Supplementary Services; Stage 1	<del>S1</del>	Yes
<del>)2.86</del>	<del>22.086</del>	Advice of Charge (AoC) Supplementary Services; Stage 1	<del>\$1</del>	Yes
<del>)2.87</del>	<del>22.087</del>	User-to-user signalling (UUS); Stage 1	<del>\$1</del>	Yes
0 <u>2.88</u>	<del>22.088</del>	Call Barring (CB) Supplementary Services; Stage 1	<del>S1</del>	Yes
02.90	<del>22.090</del>	Unstructured Supplementary Service Data (USSD); Stage 1	<del>S1</del>	Yes
<del>)2.91</del>	<del>22.091</del>	Explicit Call Transfer (ECT) Supplementary Service; Stage 1	<del>S1</del>	Yes
02.93	<del>22.093</del>	Call Completion to Busy Subscriber (CCBS); Stage 1	<del>S1</del>	Yes
02.94	<del>22.094</del>	Follow Me Stage 1	<del>S1</del>	Yes
02.96	22.096	Calling Name Presentation (CNAP); Stage 1 (T1P1)	<del>S1</del>	Yes
02.00 02.97	<u>22.097</u>	Multiple Subscriber Profile (MSP); Stage 1	<del>\$1</del>	Yes
03.02	23.002	Network Architecture	<del>S2</del>	Yes
<del>03.02</del> 0 <del>3.03</del>	<del>23.002</del> <del>23.003</del>	Numbering, Addressing and Identification	<del>32</del> N4	<del>Yes</del>
<del>)3.03</del> <del>)3.05</del>	<del>23.003</del> 43.005	Technical performance objectives	N <del>P</del>	<del>Yes</del>
	<del>43.003</del>	Technical performance objectives	THE .	105
03.03 03.07	<del>23.007</del>	Restoration procedures	N4	Yes

<del>progenitor</del>	Number	Title	WG prime	For pub
<del>03.08</del>	<del>23.108</del>	Mobile Radio Interface Layer 3 specification Core Network Protocols stage 2 (structured procedures)	N1	Yes
03.09	<del>23.009</del>	Handover procedures	N1	Yes
03.10	<del>23.110</del>	UMTS Access Stratum Services and Functions	<u>\$2</u>	Yes
03.10	43.010	GSM Public Land Mobile Network (PLMN) Connection Types	N3	Yes
03.11	23.011	Technical Realization of Supplementary Services - General Aspects	N4	Yes
03.12	23.012	Location management procedures	N4	Yes
03.13	43.013	Discontinuous Reception (DRX) in the GSM System	GP	Yes
03.14	23.014	Support of Dual Tone Multi Frequency (DTMF) signalling	N1	Yes
03.15	23.015	Technical realisation of Operator Determined Barring (ODB)	N4	Yes
00.10 03.16	<del>23.016</del>	Subscriber data management ; Stage 2	N4	Yes
03.16	23.116	Super Charger ; Stage 2	N4	Yes
03.18	23.018	Basic Call Handling - Technical realisation	N4	Yes
03.19	<del>23.119</del>	Gateway Location Register (GLR) ; Stage2	N4	Yes
03.19 03.19	43.019	GSM API for SIM toolkit stage 2	<del>13</del>	<del>Yes</del>
			+ <del>3</del> \$3	<del>Yes</del>
<del>03.20</del>	43.020	Security-related Network Functions		
<del>)3.22</del>	43.022	Functions Related to Mobile Station (MS) in Idle Mode	G1	Yes
03.26	43.026	Multiband operation of GSM/DCS 1800 by a single operator	<del>GP</del>	Yes
<del>03.30</del>	<del>43.030</del>	Radio Network Planning Aspects	<del>GP</del>	Yes
03.31	4 <del>3.031</del>	Fraud Information Gathering System (FIGS); Service description; Stage 2		Yes
03.32	<del>23.032</del>	Universal Geographical Area Description (GAD)	<del>\$2</del>	Yes
03.33	4 <del>3.033</del>	Lawful Interception ; Stage 2	<del>\$3</del>	<del>Yes</del>
<del>03.34</del>	<del>23.034</del>	High Speed Circuit Switched Data (HSCSD) ; Stage 2	<del>N1</del>	Yes
<del>03.35</del>	4 <del>3.035</del>	Immediate Service Termination (IST); Stage 2	<del>\$3</del>	<del>Yes</del>
<del>)3.38</del>	<del>23.038</del>	Alphabets & Language	<del>T2</del>	Yes
<del>)3.39</del>	<del>23.039</del>	Interface Protocols for the Connection of Short Message Service Centers (SMSCs) to Short Message Entities (SMEs)	<del>T2</del>	Yes
03.40	<del>23.040</del>	Technical realisation of Short Message Service	<del>T2</del>	<del>Yes</del>
03.40	<del>23.140</del>	Multimedia Messaging Service (MMS)	<del>T2</del>	Yes
03.41	<del>23.041</del>	Technical Realization of Cell Broadcast Service	<del>T2</del>	Yes
03.42	<del>23.042</del>	Compression algorithm for SMS	<del>T2</del>	Yes
03.45	43.045	Technical Realization of Facsimile Group 3 Service - transparent	N3	Yes
<del>03.48</del>	23.048	Security Mechanisms for SIM Toolkit Application ; Stage 2	<del>T3</del>	Yes
03.50	43.050	Transmission Planning Aspects of the Speech Service in the GSM Public Land Mobile Network (PLMN) System	<del>\$</del> 4	<del>Yes</del>
03.51	43.051	GSM/EDGE Radio Access Network (GERAN) overall description; Stage 2	<del>G</del> 1	Yes
03.52	43.052	Lower layers of the GSM Cordless Telephony System (CTS) radio	GP	Yes
00.02	10.002	interface ; Stage 2	<del>0</del> -	+00
03.53	23.053	Tandem Free Operation (TFO); Service description; Stage 2	<del>\$</del> 4	Yes
03.55	<del>43.055</del>	Dual Transfer Mode (DTM); Stage 2	<del>G1</del>	Yes
<del>)3.57</del>	23.057	Mobile Station Application Execution Environment (MExE)	<del>T2</del>	Yes
03.58	4 <del>3.058</del>	Characterisation, test methods and quality assessment for handsfree Mobile Stations (MSs)	<del>\$</del> 4	Yes
03.59	<del>43.059</del>	Location services (LCS) GERAN; Stage 2	<del>GP</del>	Yes
03.60	<del>23.060</del>	General Packet Radio Service (GPRS) Service description; Stage 2	<del>\$2</del>	Yes
<del>)3.63</del>	43.063	Packet Data on Signalling channels service (PDS) Service description,	N1	Yes
	40.00	Stage 2		
<del>)3.64</del>	4 <del>3.064</del>	Overall description of the GPRS radio interface; Stage 2	<del>G1</del>	Yes
<del>)3.66</del>	<del>23.066</del>	Support of GSM Mobile Number Portability (MNP) stage 2	<del>N</del> 4	Yes
<del>03.67</del>	<del>23.067</del>	Enhanced Multi-Level Precedence and Preemption Service (EMLPP) ; Stage 2	<del>N4</del>	Yes
<del>)3.68</del>	4 <del>3.068</del>	Voice Group Call Service (VGCS); Stage 2	<del>N1</del>	<del>Yes</del>
<del>)3.69</del>	<del>43.069</del>	Voice Broadcast service (VBS); Stage 2	<del>N1</del>	Yes
<del>)3.72</del>	<del>23.072</del>	Call Deflection Supplementary Service ; Stage 2	<del>N4</del>	Yes
03.73	<del>23.073</del>	Support of Localised Service Area (SoLSA) ; Stage 2	<del>N</del> 4	Yes
03.78	<del>23.078</del>	Customised Applications for Mobile network Enhanced Logic (CAMEL)	N2	Yes

<del>progenitor</del>	Number	Title	WG prime	For pub lication
		Phase 3 - Stage 2		
03.79	<del>23.079</del>	Support of Optimal Routeing - Phase 1 ; Stage 2	<del>N</del> 4	Yes
03.81	<del>23.081</del>	Line Identification Supplementary Services ; Stage 2	<del>N</del> 4	<del>Yes</del>
<del>03.82</del>	<del>23.082</del>	Call Forwarding (CF) Supplementary Services ; Stage 2	<del>N4</del>	<del>Yes</del>
<del>03.83</del>	<del>23.083</del>	Call Waiting (CW) and Call Hold (HOLD) Supplementary Service ; Stage 2	<del>N</del> 4	<del>Yes</del>
<del>03.84</del>	<del>23.084</del>	MultiParty (MPTY) Supplementary Service ; Stage 2	<del>N4</del>	<del>Yes</del>
<del>03.85</del>	<del>23.085</del>	Closed User Group (CUG) Supplementary Service ; Stage 2	<del>N4</del>	Yes
03.86	<del>23.086</del>	Advice of Charge (AoC) Supplementary Service ; Stage 2	<del>N</del> 4	Yes
0 <u>3.87</u>	<del>23.087</del>	User-to-User Signalling (UUS) ; Stage 2	N4	<del>Yes</del>
<del>03.88</del>	<del>23.088</del>	Call Barring (CB) Supplementary Service ; Stage 2	<del>N</del> 4	Yes
<del>03.90</del>	<del>23.090</del>	Unstructured Supplementary Service Data (USSD) ; Stage 2	<del>N</del> 4	<del>Yes</del>
03.91	<del>23.091</del>	Explicit Call Transfer (ECT) Supplementary Service ; Stage 2	<del>N</del> 4	<del>Yes</del>
03.93	<del>23.093</del>	Call Completion to Busy Subscriber (CCBS) ; Stage 2	<del>N4</del>	Yes
03.94	<del>23.094</del>	Follow Me Stage 2	N4	Yes
03.96	23.096	Name Identification Supplementary Service ; Stage 2	N4	Yes
03.97	<del>23.097</del>	Multiple Subscriber Profile (MSP); Stage 2	N4	Yes
04.01	44.001	Mobile Station - Base Station System (MS - BSS) Interface General Aspects and Principles	N1	Yes
<del>04.02</del>	<del>24.002</del>	GSM-UMTS Public Land Mobile Network (PLMN) Access Reference Configuration	N1	Yes
04.03	44.003	Mobile Station - Base Station System (MS - BSS) Interface Channel Structures and Access Capabilities	<del>G2</del>	Yes
04.04	<del>24.004</del>	Layer 1 - General Requirements	<del>G2</del>	<del>Yes</del>
04.05	44.005	Data Link (DL) Layer General Aspects	G2	Yes
04.06	44. <del>006</del>	Mobile Station - Base Stations System (MS - BSS) Interface Data Link (DL) Layer Specification	<del>G2</del>	Yes
04.07	24.007	Mobile Radio Interface Signalling Layer 3 - General Aspects	N1	Yes
04.08	<del>24.008</del>	Mobile Radio Interface Layer 3 specification; Core Network Protocols ; Stage 3	<del>N</del> 1	Yes
04.08	44.008	Mobile radio interface layer 3 specification	N1	<del>Yes</del>
<del>04.10</del>	<del>24.010</del>	Mobile Radio Interface Layer 3 - Supplementary Services Specification - General Aspects	<del>N</del> 4	Yes
04.11	<del>24.011</del>	Point-to-Point (PP) Short Message Service (SMS) Support on Mobile Radio Interface	N1	Yes
<u>04.12</u>	44.012	Short Message Service Cell Broadcast (SMSCB) Support on the Mobile Radio Interface	<del>G2</del>	Yes
04.13	44.013	Performance Requirements on Mobile Radio Interface	N1	<del>Yes</del>
04.14	44.014	Individual equipment type requirements and interworking; Special conformance testing functions	<del>G2</del>	Yes
<del>04.18</del>	<del>44.018</del>	Mobile Radio Interface - Layer 3 Specification RR part	<del>G2</del>	Yes
<u>04.21</u>	44. <del>021</del>	Rate Adaption on the Mobile Station - Base Station System (MS-BSS) Interface	<del>N3</del>	Yes
<del>04.22</del>	<del>24.022</del>	Radio Link Protocol (RLP) for Data and Telematic Services on the (MS- BSS) Interface and the Base Station System - Mobile-services Switching Centre (BSS-MSC) Interface	<del>N3</del>	Yes
04.31	44.031	Location Services LCS RR LCS Protocol	<del>G2</del>	<del>Yes</del>
04.35	44.035	Location Services LCS Stage 3 E-OTD Enhanced Observed	<del>G2</del>	Yes
04. <del>56</del>	44. <del>056</del>	GSM Cordless Telephony System (CTS), (Phase 1) CTS Radio Interface Layer 3 Specification	<del>N</del> 1	Yes
<del>04.57</del>	44.057	GSM Cordless Telephony System (CTS), (Phase 1) CTS CTS supervising system Layer 3 Specification	N1	Yes
<del>04.60</del>	44 <del>.060</del>	General Packet Radio Service (GPRS); Mobile Station (MS) - Base Station System (BSS) interface; Radio Link Control/ Medium Access Control (RLC/MAC) protocol	<del>G2</del>	Yes
04. <del>63</del>	44.063	Packet Data on Signalling channels Service (PDS) Service Description, Stage 3	<mark>N</mark> 1	Yes
04.64	44.064	Mobile Station - Serving GPRS Support Node (MS-SGSN) Logical Link Control (LLC) Layer Specification	<mark>N</mark> 1	Yes
04.65	44.065	Mobile Station (MS) - Serving GPRS Support Node (SGSN); Subnetwork	N1	Yes

<del>progenitor</del>	Number	Title	WG prime	For pub lication
		Dependent Convergence Protocol (SNDCP)		
<del>04.67</del>	<del>24.067</del>	Enhanced Multi-Level Precedence and Pre-emption service (eMLPP) ; Stage 3	<del>N</del> 4	<del>Yes</del>
<del>04.68</del>	44.068	Group Call Control (GCC) Protocol	<del>N1</del>	Yes
04. <del>69</del>	44.069	Broadcast Call Control (BCC) protocol	<del>N1</del>	Yes
04.71	44.071	Location services (LCS) stage 3	<del>G2</del>	Yes
<del>04.72</del>	<del>24.072</del>	Call Deflection Supplementary Service ; Stage 3	<del>N4</del>	Yes
<del>04.80</del>	<del>24.080</del>	Mobile radio Layer 3 Supplementary Service specification - Formats and coding	<del>N4</del>	Yes
04.81	<del>24.081</del>	Line Identification Supplementary Service ; Stage 3	<del>N4</del>	Yes
<u>04.82</u>	<del>24.082</del>	Call Forwarding Supplementary Service ; Stage 3	<del>N</del> 4	Yes
04.83	<del>24.083</del>	Call Waiting (CW) and Call Hold (HOLD) Supplementary Service ; Stage	<del>N</del> 4	<del>Yes</del>
04.84	<del>24.084</del>	MultiParty (MPTY) Supplementary Service ; Stage 3	<del>N</del> 4	Yes
04.85	<del>24.085</del>	Closed User Group (CUG) Supplementary Service ; Stage 3	<del>N</del> 4	Yes
04.86	<del>24.086</del>	Advice of Charge (AoC) Supplementary Service ; Stage 3	<del>N4</del>	Yes
04.87	<del>24.087</del>	User-to-User Signalling (UUS) ; Stage 3	N4	Yes
04.88	<u>24.088</u>	Call Barring (CB) Supplementary Service ; Stage 3	N4	Yes
04.90	24.090	Unstructured Supplementary Service Data (USSD) ; Stage 3	N4	Yes
04.91	<del>21.000</del> 24.091	Explicit Call Transfer (ECT) Supplementary Service ; Stage 3	N4	Yes
<del>04.93</del>	<del>24.093</del>	Call Completion to Busy Subscriber (CCBS) ; Stage 3	N4	Yes
<del>04.93</del> 04.96	<del>24.093</del> 24.096		N4	<del>Yes</del>
		Name Identification Supplementary Service ; Stage 3		
<del>05.01</del>	45.001	Physical Layer on the Radio Path (General Description)	G1	Yes
<del>05.02</del>	45.002	Multiplexing and Multiple Access on the Radio Path	<del>G1</del>	Yes
<del>05.03</del>	<del>45.003</del>	Channel coding	<del>G1</del>	Yes
05.05	4 <del>5.005</del>	Radio transmission and reception	<del>G1</del>	Yes
05.08	4 <del>5.008</del>	Radio subsystem link control	<del>G</del> 1	Yes
<del>05.09</del>	<del>45.009</del>	Link adaptation	<del>G1</del>	<del>Yes</del>
<del>05.10</del>	4 <del>5.010</del>	Radio subsystem synchronization	<del>G1</del>	<del>Yes</del>
<del>05.22</del>	4 <del>5.022</del>	Radio link management in hierarchical networks	<del>GP</del>	Yes
05.50	4 <del>5.050</del>	Background for RF Requirements	<u>GP</u>	<del>Yes</del>
<del>05.56</del>	<del>45.056</del>	CTS-FP Radio Sub-system	<del>GP</del>	Yes
<del>06.01</del>	<del>46.001</del>	Full Rate Speech Processing Functions	<del>S4</del>	Yes
06.02	4 <del>6.002</del>	Half Rate Speech Processing Functions	<del>\$</del> 4	Yes
06.06	46.006	Half Rate Speech: ANSI-C Code for GSM Half Rate Speech Codec	<del>\$</del> 4	Yes
<del>06.07</del>	<del>46.007</del>	Half Rate Speech: Test Sequence for GSM Half Rate Speech Codec	<del>\$4</del>	Yes
<del>06.08</del>	4 <del>6.008</del>	Half Rate Speech; Performance Characterization of the GSM Half Rate	<del>\$</del> 4	Yes
<del>06.10</del>	<del>46.010</del>	Full Rate Speech Transcoding	<del>S</del> 4	Yes
<del>06.11</del>	<del>46.011</del>	Substitution and Muting of Lost Frames for Full Rate Speech Channels	<del>\$4</del>	Yes
06.12	4 <del>6.012</del>	Comfort Noise Aspects for Full Rate Speech Traffic Channels	<del>\$</del> 4	Yes
06.20	46.020	Half Rate Speech Transcoding	<del>\$</del> 4	Yes
<del>06.21</del>	4 <del>6.021</del>	Half rate speech; Substitution and muting of lost frames for half rate speech traffic channels	<del>\$</del> 4	Yes
<u>06.22</u>	4 <del>6.022</del>	Comfort Noise Aspects for Half Rate Speech Traffic Channels	<del>\$</del> 4	Yes
<del>06.31</del>	46.031	Discontinuous Transmission (DTX) for Full Rate Speech Traffic Channels	<del>\$4</del>	Yes
<del>06.32</del>	46.032	Voice Activity Detection (VAD)	<del>\$4</del>	Yes
00.02 06.41	46.041	Discontinuous Transmission (DTX) for Half Rate Speech Traffic Channels	\$4	Yes
<del>06.42</del>	46.042	Voice Activity Detection (VAD) for Half Rate Speech Traffic Channels	<del>\$4</del>	Yes
<del>06.51</del>	46.051	GSM Enhanced full rate speech processing functions: General	<del>84</del>	Yes
06.53	4 <del>6.053</del>	description ANSI-C code for the GSM Enhanced full rate speech codec	<b>S</b> 4	Yes
<del>06.53</del> 06.54	46.053 46.054	Test sequences for the GSM Enhanced Full Rate (EFR)	<del>54</del> <del>S</del> 4	<del>Yes</del>
<del>06.54</del> 06.55				
	46.055	Performance characterisation of the GSM EFR Speech Codec	<del>\$</del> 4	<del>Yes</del>
<del>06.60</del>	46.060	Enhanced full rate speech transcoding	<del>S</del> 4	Yes

## Error! No text of specified style in document.

<del>progenitor</del>	Number	Title	WG prime	For pub
		channels		
<del>06.62</del>	4 <del>6.062</del>	Comfort noise aspects for Enhanced Full Rate (EFR) speech traffic channels	<del>\$</del> 4	<del>Yes</del>
0 <del>6.76</del>	4 <del>6.076</del>	Adaptive Multi-Rate (AMR) speech codec; Study phase report	<del>\$</del> 4	Yes
<del>06.81</del>	4 <del>6.081</del>	Discontinuous Transmission (DTX) for encanced full rate speech traffic channels	<del>\$</del> 4	<del>Yes</del>
<del>06.82</del>	4 <del>6.082</del>	Voice Activity Detection (VAD) for encanced full rate speech traffic channels	<del>\$</del> 4	<del>Yes</del>
<del>06.85</del>	<del>46.085</del>	Subjective tests on the interoperability of the HR/FR/EFR speech codecs; single, tandem and tandem free operation	<del>\$</del> 4	Yes
07.01	<del>27.001</del>	General on Terminal Adaptation Functions (TAF) for Mobile Stations (MS)	<del>N3</del>	<del>Yes</del>
<del>07.02</del>	<del>27.002</del>	Terminal Adaptation Functions (TAF) for services using Asynchronous bearer capabilities	<del>N3</del>	Yes
<del>07.03</del>	<del>27.003</del>	Terminal Adaptation Functions (TAF) for services using Synchronous bearer capabilities	<del>N3</del>	Yes
<del>07.03</del>	<del>27.103</del>	Wide Area Network Synchronisation	<del>T2</del>	Yes
<del>07.05</del>	<del>27.005</del>	Use of Data Terminal Equipment - Data Circuit terminating Equipment (DTE - DCE) interface for Short Message Service (SMS) and Cell Broadcast Service (CBS)	<del>T2</del>	Yes
<del>07.07</del>	<del>27.007</del>	AT command set for 3G User Equipment (UE)	<del>T2</del>	Yes
<del>07.10</del>	<del>27.010</del>	Terminal Equipment to User Equipment (TE-UE) multiplexer protocol User Equipment (UE)	<del>T2</del>	<del>Yes</del>
<del>07.60</del>	<del>27.060</del>	GPRS Mobile Stations supporting GPRS	N3	Yes
08.01	4 <del>8.001</del>	General Aspects on the BSS-MSC Interface	<del>G2</del>	<del>Yes</del>
0 <del>8.02</del>	4 <del>8.002</del>	Base Station System - Mobile Services Switching Centre (BSS-MSC) Interface - Interface Principles	<del>G2</del>	<del>Yes</del>
<del>08.04</del>	4 <del>8.00</del> 4	Base Station System - Mobile Services Switching Centre (BSS-MSC) Interface Layer 1 Specification	<del>G2</del>	<del>Yes</del>
<del>08.06</del>	48.006	Signalling Transport Mechanism Specification for the Base Station System - Mobile Services Switching Centre (BSS-MSC) Interface	<del>G2</del>	Yes
<del>8.08</del>	<del>48.008</del>	Mobile Switching Centre - Base Station system (MSC-BSS) Interface Layer 3 Specification	<del>G2</del>	Yes
08.14	4 <del>8.014</del>	General Packet Radio Service (GPRS); Base Station System (BSS) - Serving GPRS Support Node (SGSN) interface; Gb Interface Layer 1	<del>G2</del>	Yes
<del>08.16</del>	4 <del>8.016</del>	General Packet Radio Service (GPRS); Base Station System (BSS) - Serving GPRS Support Node (SGSN) Interface; Network Service	<del>G2</del>	Yes
<del>08.18</del>	4 <del>8.018</del>	General Packet Radio Service (GPRS); Base Station System (BSS) - Serving GPRS Support Node (SGSN); BSS GPRS Protocol	<del>G2</del>	Yes
<del>08.20</del>	<del>48.020</del>	Rate Adaptation on the Base Station System - Mobile Service Switching Centre (BSS-MSC) Interface	<del>N3</del>	<del>Yes</del>
0 <del>8.31</del>	<del>48.031</del>	Location Services LCS: Serving Mobile Location Centre - Serving Mobile Location Centre (SMLC - SMLC); SMLCPP specification	<del>G2</del>	Yes
0 <del>8.51</del>	4 <del>8.051</del>	Base Station Controller - Base Tranceiver Station (BSC-BTS) Interface General Aspects	<del>G2</del>	<del>Yes</del>
0 <del>8.52</del>	4 <del>8.052</del>	Base Station Controller - Base Tranceiver Station (BSC-BTS) Interface - Interface Principles	<del>G2</del>	<del>Yes</del>
0 <del>8.54</del>	4 <del>8.05</del> 4	BSC-BTS : Layer 1 Structure of Physical Circuits	<del>G2</del>	<del>Yes</del>
0 <del>8.56</del>	4 <del>8.056</del>	BSC-BTS Layer 2 Specification	<del>G2</del>	Yes
<del>08.58</del>	48.058	Base Station Controler - Base Transceiver Station (BCS-BTS) Interface	<del>G2</del>	Yes
<del>08.60</del>	4 <del>8.060</del>	Inband Control of Remote Transcoders and Rate Adaptors for EFR/FR	<del>GP</del>	Yes
<del>)8.61</del>	<del>48.061</del>	Inband Control of Remote Transcoder and Rate Adaptors;(Half Rate)	<del>GP</del>	Yes
<del>08.62</del>	<del>28.062</del>	Inband Tandem Free Operation (TFO) of Speech Codecs; Service Description; Stage 3	<del>\$</del> 4	Yes
0 <del>8.71</del>	<del>48.071</del>	Location services (LCS) SMLC-BSS interface L 3	<del>G2</del>	<del>Yes</del>
<del>09.01</del>	<del>49.001</del>	General Network Interworking Scenarios	<del>N4</del>	Yes
0 <del>9.02</del>	<del>29.002</del>	Mobile Application Part (MAP)	<del>N</del> 4	Yes
0 <del>9.07</del>	<del>29.007</del>	General requirements on Interworking between the PLMN and the ISDN or PSTN	<del>N3</del>	<del>Yes</del>
<del>09.08</del>	4 <del>9.008</del>	Application of the Base Station System Application Part (BSSAP) on the E-Interface	N1	<del>Yes</del>

progenitor	Number	Title	WG prime	For pub- lication
<del>09.10</del>	<del>29.010</del>	Information Element Mapping between Mobile Station - Base Station System (MS - BSS) and Base Station System - Mobile-services Switching Centre (BSS - MCS) Signalling Procedures and the Mobile Application Part (MAP)	N4	Yes
<del>09.11</del>	<del>29.011</del>	Signalling Interworking for Supplementary Services	<del>N4</del>	Yes
<del>09.13</del>	<del>29.013</del>	Signalling interworking between ISDN supplementary services Application Service Element (ASE) and Mobile Application Part (MAP) protocols	<del>N</del> 4	<del>Yes</del>
<del>09.16</del>	<del>29.016</del>	Serving GPRS Support Node SGSN - Visitors Location Register (VLR); Gs Interface Network Service Specification	<del>N1</del>	<del>Yes</del>
<del>09.18</del>	<del>29.018</del>	Serving GPRS Support Node SGSN - Visitors Location Register (VLR); Gs Interface Layer 3 Specification	<del>N1</del>	<del>Yes</del>
<del>09.31</del>	4 <del>9.031</del>	Location Services LCS Extension (BSSAP-LE)	<del>G2</del>	Yes
<del>09.60</del>	<del>29.060</del>	GPRS Tunnelling protocol (GTP) across the Gn and Gp interface	N4	Yes
<del>09.61</del>	<del>29.061</del>	General Packet Radio Service (GPRS); Interworking between the Public Land Mobile Network (PLMN) supporting GPRS and Packet	<del>N3</del>	<del>Yes</del>
<del>09.78</del>	<del>29.078</del>	CAMEL; Stage 3	N2	Yes
<del>10.59</del>	<del>50.059</del>	Project scheduling and open issues for EDGE	GP	No
<del>10.99</del>	<del>50.099</del>	GERAN project plan and open issues	GP	No
<del>11.10-1</del>	51.010-1	Conformance Specification	G4	Yes
<del>11.10-2</del>	<del>51.010-2</del>	Mobile station (MS) conformance specification; Part 2: Protocol Implementation Conformance Statement (PICS) proforma specification	<del>G</del> 4	Yes
<del>11.10-3</del>	<del>51.010-3</del>	Layer3 (L3) Abstract Test Suite (ATS)	G4	Yes
<del>11.10-</del> 4	<del>51.010-4</del>	Mobile Station (MS) Conformance Specification; Part 4: SIM Application Toolkit conformance specification	G4	<del>Yes</del>
11.11	<del>31.111</del>	USIM Application Toolkit (USAT)	<del>T3</del>	Yes
<del>11.11</del>	<del>51.011</del>	Specification of the Subscriber Identity Module - Mobile Equipment (SIM- ME) Interface	<del>T3</del>	Yes
11.13	<del>51.013</del>	Test specification for SIM API for Java card	<del>T3</del>	<del>Yes</del>
<u>11.21</u>	<del>51.021</del>	GSM Radio Aspects Base Station System Equipment Specification	<del>G3</del>	<del>Yes</del>
<del>11.26</del>	<del>51.026</del>	GSM Repeater Equipment Specification	<del>G3</del>	<del>Yes</del>
<del>12.71</del>	<u>52.071</u>	Location Services (LCS); Location services management	<del>\$5</del>	Yes