TSG-RAN Meeting #14 Kyoto, Japan, 11 - 14, December, 2001

Title: Agreed CRs to TS 25.424

Source: TSG-RAN WG3

Agenda item: 8.3.3/8.3.4/9.4.3

RP Tdoc	R3 Tdoc	Spec	CR_Num	Rev	Release	CR_Subject	Cat	Cur_Ver	New_Ver	Workitem
RP-010857	R3-013204	25.424	012		R99	Reference corrections	F	3.6.0	3.7.0	TEI
RP-010857	R3-013205	25.424	013		Rel-4	Reference corrections	А	4.0.0	4.1.0	TEI

3GPP TSG-RAN3 Meeting #25 Makuhari, Japan, 26th – 30th November, 2001

CHANGE REQUEST									
*	25.424	CR 012	ж	rev	æ (Current vers	ion:	3.6.0	ж
For <u>HELP</u> on using this form, see bottom of this page or look at the pop-up text over the # symbols.							nbols.		
Proposed change affects: (U)SIM ME/UE Radio Access Network X Core Network ■									
Title:	Reference	e corrections							
Source:	R-WG3								
Work item code:	TEI					Date: ₩	Nov	ember, 2	001
Category:	F					Release: ₩	R99		
	F (es A (co B (Ac C (Fu D (Ec	the following cates sential correction) rresponds to a coldition of feature), nctional modification and incidental modification of the 3GPP TR 21.900	rrection in a tion of featu n) above cate	re)		Use <u>one</u> of 2) R96 R97 R98 R99 REL-4 REL-5	(GSM (Relea (Relea (Relea	Phase 2) ase 1996) ase 1997) ase 1998) ase 1999) ase 4)	eases:
Reason for change: Reference of 1999 for Q.2630.1 is ambiguous. There are several versions of Q.2630.1 that were pre-published in 1999 including, 3/99, 6/99 and 12/99. Of these only the 12/99 version should be used. There are protocol differences amongst the versions that would create interworking problems.								9. Of	
Summary of chan	Impaction Impact	et Analysis: et assessment tow CR has isolated in se previous imple oly. CR has an impact mpact can be cons	ards the pre npact with t ementations under prote	evious vers he previou may have	ion of is versi not be	the specification of the specen clear which	ion (sa cificati h versi	on (same ion of spec	release) cification
Consequences if not approved:	₩ If no	ot approved, the	re may be	interwork	ing pro	oblems.			
Clauses affected:	第 2								
Other specs affected:	T	Other core specification Other specification Other specification	ns	₩ TS	25.424	4 REL-4 CR	013		
Other comments:	ж								

How to create CRs using this form:

Comprehensive information and tips about how to create CRs can be found at: http://www.3gpp.org/3G_Specs/CRs.htm. Below is a brief summary:

- 1) Fill out the above form. The symbols above marked # contain pop-up help information about the field that they are closest to.
- 2) Obtain the latest version for the release of the specification to which the change is proposed. Use the MS Word "revision marks" feature (also known as "track changes") when making the changes. All 3GPP specifications can be downloaded from the 3GPP server under ftp://www.3gpp.org/specs/ For the latest version, look for the directory name with the latest date e.g. 2000-09 contains the specifications resulting from the September 2000 TSG meetings.
- 3) With "track changes" disabled, paste the entire CR form (use CTRL-A to select it) into the specification just in front of the clause containing the first piece of changed text. Delete those parts of the specification which are not relevant to the change request.

2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies. In the case of a reference to a 3GPP document (including a GSM document), a non-specific reference implicitly refers to the latest version of that document *in the same Release as the present document*.
- [1] ITU-T Recommendation I.361 (11/95): "B-ISDN ATM Layer Specification".
- [2] ITU-T Recommendation I.363.2 (9/97): "B-ISDN ATM Adaptation Layer type 2".
- [3] ITU-T Recommendation I.366.1 (6/98): "Segmentation and Re-assembly Service Specific Convergence Sublayer for the AAL type 2".
- [4] New ITU-T Recommendation Q.2630.1 (<u>12/1999</u>): "AAL Type 2 signalling protocol (Capability Set 1)".
- [5] ITU-T Recommendation E.191 (10/96): "B-ISDN numbering and addressing".
- [6] 3GPP TS 25.426: "UTRAN I_{ur} and I_{ub} Interface Data Transport & Transport Signalling for DCH Data Streams".
- [7] 3GPP TS 25.434: "UTRAN I_{ub} Interface Data Transport & Transport Signalling for Common Transport Channel Data Streams".

3GPP TSG-RAN3 Meeting #25 Makuhari, Japan, 26th – 30th November, 2001

CHANGE REQUEST					
*	25.424 CR 013 ** rev -	Current version: 4.0.0 #			
For <u>HELP</u> on us	sing this form, see bottom of this page or look a	t the pop-up text over the \ symbols.			
Proposed change a	ffects: 第 (U)SIM ME/UE Radio	Access Network X Core Network			
Title: ♯	Reference corrections				
Source: #	R-WG3				
Work item code: ₩	TEI	Date:			
Category:	A	Release: Rel-4			
	Use one of the following categories: F (essential correction) A (corresponds to a correction in an earlier release (Addition of feature), C (Functional modification of feature) D (Editorial modification) Detailed explanations of the above categories can be found in 3GPP TR 21.900.	Use <u>one</u> of the following releases: 2 (GSM Phase 2) ease) R96 (Release 1996) R97 (Release 1997) R98 (Release 1998) R99 (Release 1999) REL-4 (Release 4) REL-5 (Release 5)			
Reason for change	* # Reference of 1999 for Q.2630.1 is ambig	uous. There are several versions of			
-	Q.2630.1 that were pre-published in 1999 these only the 12/99 version should be us amongst the versions that would create in	sed. There are protocol differences			
Summary of chang	e: # Make explicit that 12/99 version of Q.263	0.1 is to be used.			
	Impact Analysis: Impact assessment towards the previous version. This CR has isolated impact with the previous because previous implementations may have not apply. This CR has an impact under protocol point of the impact can be considered isolated because	version of the specification (same release) on been clear which version of specification view.			
Consequences if	# If not approved, there would be interwork	ing problems as it is not clear what			
not approved:	versions of ITU specifications to use.				
Clauses affected:	第 2				
Other specs affected:	# X Other core specifications # TS 28 Test specifications O&M Specifications	5.424 R99 CR012			
Other comments:	*				

How to create CRs using this form:

Comprehensive information and tips about how to create CRs can be found at: http://www.3gpp.org/3G Specs/CRs.htm. Below is a brief summary:

- 1) Fill out the above form. The symbols above marked # contain pop-up help information about the field that they are closest to.
- 2) Obtain the latest version for the release of the specification to which the change is proposed. Use the MS Word "revision marks" feature (also known as "track changes") when making the changes. All 3GPP specifications can be downloaded from the 3GPP server under ftp://www.3gpp.org/specs/ For the latest version, look for the directory name with the latest date e.g. 2000-09 contains the specifications resulting from the September 2000 TSG meetings.
- 3) With "track changes" disabled, paste the entire CR form (use CTRL-A to select it) into the specification just in front of the clause containing the first piece of changed text. Delete those parts of the specification which are not relevant to the change request.

2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies. In the case of a reference to a 3GPP document (including a GSM document), a non-specific reference implicitly refers to the latest version of that document *in the same Release as the present document*.
- [1] ITU-T Recommendation I.361 (11/95): "B-ISDN ATM Layer Specification".
- [2] ITU-T Recommendation I.363.2 (11/2000): "B-ISDN ATM Adaptation Layer type 2".
- [3] ITU-T Recommendation I.366.1 (6/98): "Segmentation and Re-assembly Service Specific Convergence Sublayer for the AAL type 2".
- [4] New ITU-T Recommendation Q.2630.1 (<u>12/1999</u>): "AAL Type 2 signalling protocol (Capability Set 1)".
- [5] ITU-T Recommendation E.191 (10/96): "B-ISDN numbering and addressing".
- [6] 3GPP TS 25.426: "UTRAN I_{ur} and I_{ub} Interface Data Transport & Transport Signalling for DCH Data Streams".
- [7] 3GPP TS 25.434: "UTRAN I_{ub} Interface Data Transport & Transport Signalling for Common Transport Channel Data Streams".
- [8] ITU-T Recommendation Q.2630.2 (12/2000): "AAL Type 2 signalling protocol (Capability Set 2)".