

TSG RAN Meeting #19
Birmingham, United Kingdom, 11 - 14 March, 2003

RP-030024

Source: RAN WG4 Chairman / 3GPP Support

Title: List of agreed CRs from RAN WG4

Agenda item: 8.4.1

RP-030025
Agenda Item

CRs (R'99 and Rel-4/Rel-5 Category A) to TS 25.101
8.4.3

RAN4 Tdoc	Spec	CR	R	Cat	Rel	Curr Ver	Title	Work Item
R4-030195	25.101	217		F	R99	3.12.0	The Closed Loop Timing Adjustment Mode parameter for the transmit diversity performance requirements	TEI
R4-030196	25.101	218		A	Rel-4	4.6.0	The Closed Loop Timing Adjustment Mode parameter for the transmit diversity performance requirements	TEI
R4-030197	25.101	219		A	Rel-5	5.5.0	The Closed Loop Timing Adjustment Mode parameter for the transmit diversity performance requirements	TEI
R4-030245	25.101	224		F	R99	3.12.0	Downlink power control during compressed mode tests	TEI
R4-030246	25.101	225		A	Rel-4	4.6.0	Downlink power control during compressed mode tests	TEI
R4-030247	25.101	226		A	Rel-5	5.5.0	Downlink power control during compressed mode tests	TEI

RP-030026
Agenda Item

CRs (R'99 and Rel-4/Rel-5 Category A) to TS 25.123
8.4.3

RAN4 Tdoc	Spec	CR	R	Cat	Rel	Curr Ver	Title	Work Item
R4-030018	25.123	288		F	R99	3.11.0	Correction of interruption time in TDD Hard Handover	TEI
R4-030019	25.123	289		A	Rel-4	4.7.0	Correction of interruption time in TDD Hard Handover	TEI
R4-030020	25.123	290		A	Rel-5	5.3.0	Correction of interruption time in TDD Hard Handover	TEI
R4-030049	25.123	293		F	R99	3.11.0	Transmitted code power accuracy	TEI
R4-030050	25.123	294		A	Rel-4	4.7.0	Transmitted code power accuracy	TEI
R4-030051	25.123	295		A	Rel-5	5.3.0	Transmitted code power accuracy	TEI
R4-030052	25.123	296		F	R99	3.11.0	UE Timer accuracy for TDD	TEI
R4-030053	25.123	297		A	Rel-4	4.7.0	UE Timer accuracy for TDD	TEI
R4-030054	25.123	298		A	Rel-5	5.3.0	UE Timer accuracy for TDD	TEI
R4-030261	25.123	286	1	F	Rel-4	4.7.0	Correction of interruption time in TDD Hard Handover	LCRTDD-RF
R4-030262	25.123	287	1	A	Rel-5	5.3.0	Correction of interruption time in TDD Hard Handover	LCRTDD-RF

RP-030027
Agenda Item

CRs (R'99 and Rel-4/Rel-5/Rel-6 Category A) to TS 25.133
8.4.3

RAN4 Tdoc	Spec	CR	R	Cat	Rel	Curr Ver	Title	Work Item
R4-030012	25.133	510		F	R99	3.12.0	Correction of interruption time in FDD/TDD Hard Handover	TEI
R4-030013	25.133	511		A	Rel-4	4.7.0	Correction of interruption time in FDD/TDD Hard Handover	TEI
R4-030014	25.133	512		A	Rel-5	5.5.0	Correction of interruption time in FDD/TDD Hard Handover	TEI
R4-030015	25.133	513		A	Rel-6	6.0.0	Correction of interruption time in FDD/TDD Hard Handover	TEI

RAN4 Tdoc	Spec	CR	R	Cat	Rel	Curr Ver	Title	Work Item
R4-030021	25.133	514		F	R99	3.12.0	Applicability of Timer T-reselection for 2G cell reselection.	TEI
R4-030022	25.133	515		A	Rel-4	4.7.0	Applicability of Timer T-reselection for 2G cell reselection.	TEI
R4-030023	25.133	516		A	Rel-5	5.5.0	Applicability of Timer T-reselection for 2G cell reselection.	TEI
R4-030024	25.133	517		A	Rel-6	6.0.0	Applicability of Timer T-reselection for 2G cell reselection.	TEI
R4-030154	25.133	528		F	R99	3.12.0	Correction of Hard HO test case	TEI
R4-030155	25.133	529		A	Rel-4	4.7.0	Correction of Hard HO test case	TEI
R4-030076	25.133	521		A	Rel-5	5.5.0	Correction of Hard HO test case	TEI
R4-030077	25.133	522		A	Rel-6	6.0.0	Correction of Hard HO test case	TEI
R4-030248	25.133	544		F	R99	3.12.0	Constant Value in Random Access Test requirements	TEI
R4-030249	25.133	545		A	Rel-4	4.7.0	Constant Value in Random Access Test requirements	TEI
R4-030250	25.133	546		A	Rel-5	5.5.0	Constant Value in Random Access Test requirements	TEI
R4-030251	25.133	547		A	Rel-6	6.0.0	Constant Value in Random Access Test requirements	TEI

RP-030028
Agenda Item

CRs (R'99 and Rel-4/Rel-5 Category A) to TS 25.142
8.4.3

RAN4 Tdoc	Spec	CR	R	Cat	Rel	Curr Ver	Title	Work Item
R4-030036	25.142	159		F	R99	3.12.0	Spurious emission requirements for unsynchronized TDD operation	TEI
R4-030037	25.142	160		F	Rel-4	4.7.0	Spurious emission requirements for unsynchronized TDD operation	TEI; LCRTDD-RF
R4-030038	25.142	161		F	Rel-5	5.3.0	Spurious emission requirements for unsynchronized TDD operation	TEI; LCRTDD-RF; RInImp- BSCClass-

RAN4 Tdoc	Spec	CR	R	Cat	Rel	Curr Ver	Title	Work Item
								TDD

RP-030029 **CRs (R'99 and Rel-4/Rel-5/Rel-6 Category A) to TS 25.104 & TS 25.141 on "Protection of FDD BS receiver"**
Agenda Item **8.4.3**

RAN4 Tdoc	Spec	CR	R	Cat	Rel	Curr Ver	Title	Work Item
R4-030293	25.104	169	1	F	R99	3.11.0	Protection of the FDD BS receiver	TEI
R4-030294	25.104	170	1	A	Rel-4	4.6.0	Protection of the FDD BS receiver	TEI
R4-030295	25.104	171	1	A	Rel-5	5.5.0	Protection of the FDD BS receiver	TEI
R4-030296	25.104	172	1	A	Rel-6	6.0.0	Protection of the FDD BS receiver	TEI
R4-030314	25.141	270	1	F	R99	3.12.0	Protection of the FDD BS receiver	TEI
R4-030315	25.141	271	1	A	Rel-4	4.7.0	Protection of the FDD BS receiver	TEI
R4-030316	25.141	272	1	A	Rel-5	5.5.0	Protection of the FDD BS receiver	TEI
R4-030317	25.141	273	1	A	Rel-6	6.0.0	Protection of the FDD BS receiver	TEI

RP-030030 **CRs (R'99 and Rel-4/Rel-5 Category A) to TS 25.105 & TS 25.142 on "TDD - GSM co-existence in the same geographic area"**
Agenda Item **8.4.3**

RAN4 Tdoc	Spec	CR	R	Cat	Rel	Curr Ver	Title	Work Item
R4-030030	25.105	145		F	R99	3.12.0	TDD-GSM co-existence in the same geographic area	TEI
R4-030031	25.105	146		A	Rel-4	4.6.0	TDD-GSM co-existence in the same geographic area	TEI; LCRTDD-RF
R4-030032	25.105	147		A	Rel-5	5.3.0	TDD-GSM co-existence in the same geographic area	TEI; LCRTDD-RF
R4-030033	25.142	156		F	R99	3.12.0	TDD-GSM co-existence in the same geographic area	TEI
R4-030034	25.142	157		A	Rel-4	4.7.0	TDD-GSM co-existence in the same geographic area	TEI; LCRTDD-RF
R4-030035	25.142	158		A	Rel-5	5.3.0	TDD-GSM co-existence in the same geographic area	TEI;LCRTDD -RF

RP-030031

CRs (R'99 and Rel-4/Rel-5/Rel-6 Category A) to TS 25.133 on "Correction of UE parameters for Random Access test" (Linked to CR239 to TS34.121 in TP-030045)

Agenda Item

8.4.3

RAN4 Tdoc	Spec	CR	R	Cat	Rel	Curr Ver	Title	Work Item
R4-030278	25.133	548		F	R99	3.12.0	Correction of UE parameters for Random Access test	TEI
R4-030279	25.133	549		A	Rel-4	4.7.0	Correction of UE parameters for Random Access test	TEI
R4-030280	25.133	550		A	Rel-5	5.5.0	Correction of UE parameters for Random Access test	TEI
R4-030281	25.133	551		A	Rel-6	6.0.0	Correction of UE parameters for Random Access test	TEI

RP-030032
Agenda Item

CRs (Rel-4 and Rel-5 Category A) to TS 25.101
8.4.4

RAN4 Tdoc	Spec	CR	R	Cat	Rel	Curr Ver	Title	Work Item
R4-030321	25.101	227		F	Rel-4	4.6.0	Correction to PCH demodulation test	TEI4
R4-030322	25.101	228		A	Rel-5	5.5.0	Correction to PCH demodulation test	TEI4

RP-030033
Agenda Item

CRs (Rel-4 and Rel-5 Category A) to TS 25.123
8.4.4

RAN4 Tdoc	Spec	CR	R	Cat	Rel	Curr Ver	Title	Work Item
R4-030047	25.123	291		F	Rel-4	4.7.0	Total received power density definition for TDD BS	TEI4
R4-030048	25.123	292		A	Rel-5	5.3.0	Total received power density definition for TDD BS	TEI4

RP-030034
Agenda Item

CRs (Rel-4 and Rel-5/Rel-6 Category A) to TS 25.133
8.4.4

RAN4 Tdoc	Spec	CR	R	Cat	Rel	Curr Ver	Title	Work Item
R4-030114	25.133	525		F	Rel-4	4.7.0	UE rx-tx time difference type 1	TEI4
R4-030115	25.133	526		A	Rel-5	5.5.0	UE rx-tx time difference type 1	TEI4
R4-030116	25.133	527		A	Rel-6	6.0.0	UE rx-tx time difference type 1	TEI4

RP-030035

**CRs (Rel-4 and Rel-5/Rel-6 Category A) to TS 25.104 & TS 25.141 on
"Correction to external equipment definition"
8.4.4**

Agenda Item

RAN4 Tdoc	Spec	CR	R	Cat	Rel	Curr Ver	Title	Work Item
R4-030141	25.104	180		F	Rel-4	4.6.0	Correction to external equipment definition	TEI4
R4-030142	25.104	181		A	Rel-5	5.5.0	Correction to external equipment definition	TEI4
R4-030143	25.104	182		A	Rel-6	6.0.0	Correction to external equipment definition	TEI4
R4-030148	25.105	148		F	Rel-4	4.6.0	Correction to external equipment definition	TEI4
R4-030149	25.105	149		A	Rel-5	5.3.0	Correction to external equipment definition	TEI4
R4-030144	25.141	286		F	Rel-4	4.7.0	Correction to external equipment definition	TEI4
R4-030145	25.141	287		A	Rel-5	5.5.0	Correction to external equipment definition	TEI4
R4-030146	25.141	288		A	Rel-6	6.0.0	Correction to external equipment definition	TEI4
R4-030150	25.142	163		F	Rel-4	4.7.0	Correction to external equipment definition	TEI4
R4-030151	25.142	164		A	Rel-5	5.3.0	Correction to external equipment definition	TEI4

RP-030036

**CRs (Rel-4 and Rel-5 Category A) to TS 25.106 & TS 25.143 (Repeaters
specifications) on "FDD - GSM co-existence in the same geographic area"
8.4.4**

Agenda Item

RAN4 Tdoc	Spec	CR	R	Cat	Rel	Curr Ver	Title	Work Item
-----------	------	----	---	-----	-----	----------	-------	-----------

RAN4 Tdoc	Spec	CR	R	Cat	Rel	Curr Ver	Title	Work Item
R4-030100	25.106	020		F	Rel-4	4.4.0	FDD GSM co-existence in the Same Geographic Area	RInImp-REP
R4-030101	25.106	021		A	Rel-5	5.3.0	FDD GSM co-existence in the Same Geographic Area	RInImp-REP
R4-030102	25.143	029		F	Rel-4	4.6.0	FDD GSM co-existence in the Same Geographic Area	RInImp-REP
R4-030103	25.143	030		A	Rel-5	5.3.0	FDD GSM co-existence in the Same Geographic Area	RInImp-REP

RP-030037
Agenda Item

CRs (Rel-5) to TS 25.101
8.4.5

RAN4 Tdoc	Spec	CR	R	Cat	Rel	Curr Ver	Title	Work Item
R4-030331	25.101	205	1	F	Rel-5	5.5.0	Phase shift due to power steps	TEI5
R4-030243	25.101	223		F	Rel-5	5.5.0	Correction to PRACH modulation quality	TEI5

RP-030038
Agenda Item

CR (Rel-5) to TS 25.102
8.4.5

RAN4 Tdoc	Spec	CR	R	Cat	Rel	Curr Ver	Title	Work Item
R4-030275	25.102	133	1	F	Rel-5	5.3.0	Transmit modulation quality clarification	TEI5

RP-030039
Agenda Item

CR (Rel-5) to TS 25.113
8.4.5

RAN4 Tdoc	Spec	CR	R	Cat	Rel	Curr Ver	Title	Work Item
R4-030086	25.113	020		F	Rel-5	5.3.0	Assessment of BLER in Uplink for Immunity Test	TEI5

RP-030040
Agenda Item

CRs (Rel-5) to TS 25.133
8.4.5

RAN4 Tdoc	Spec	CR	R	Cat	Rel	Curr Ver	Title	Work Item
R4-030073	25.133	519		F	Rel-5	5.5.0	Correction of measurement and reporting capability requirements in CELL_DCH state in case of parallel measurements	TEI5
R4-030074	25.133	520		A	Rel-6	6.0.0	Correction of measurement and reporting capability requirements in CELL_DCH state in case of parallel measurements	TEI5
R4-030187	25.133	532		F	Rel-5	5.5.0	Changes to TFC selection requirements for codec mode switch	TEI5
R4-030188	25.133	533		A	Rel-6	6.0.0	Changes to TFC selection requirements for codec mode switch	TEI5

RP-030041
Agenda Item

CRs (Rel-5 and Rel-6 Category A) to TS 25.141
8.4.5

RAN4 Tdoc	Spec	CR	R	Cat	Rel	Curr Ver	Title	Work Item
-----------	------	----	---	-----	-----	----------	-------	-----------

RAN4 Tdoc	Spec	CR	R	Cat	Rel	Curr Ver	Title	Work Item
R4-030289	25.141	279	1	F	Rel-5	5.5.0	Statistical approach for BER BLER tests	TEI5
R4-030292	25.141	280	1	A	Rel-6	6.0.0	Statistical approach for BER BLER tests	TEI5

RP-030042
Agenda Item

CRs (Rel-5) to TS 25.142
8.4.5

RAN4 Tdoc	Spec	CR	R	Cat	Rel	Curr Ver	Title	Work Item
R4-030039	25.142	162		F	Rel-5	5.3.0	Correction to BS configurations	TEI5
R4-030252	25.142	165		F	Rel-5	5.3.0	Correction of Transmit Modulation testing for 3,84 Mcps TDD Option	TEI5

RP-030043
Agenda Item

CR (Rel-5) to TS 34.124
8.4.5

RAN4 Tdoc	Spec	CR	R	Cat	Rel	Curr Ver	Title	Work Item
R4-030041	34.124	012		F	Rel-5	5.2.0	Correction to radiated spurious emission measurement bandwidth	TEI5

RP-030044

**CRs (Rel-5 and Rel-6 Category A) to TS 25.104 & TS 25.141 on "Clarification of the WCDMA interferer definition for ACS and blocking requirements and tests"
8.4.5**

Agenda Item

RAN4 Tdoc	Spec	CR	R	Cat	Rel	Curr Ver	Title	Work Item
R4-030258	25.104	179	1	F	Rel-5	5.5.0	Clarification of the W-CDMA interferer definition in BS requirements for ACS and blocking characteristics	TEI5
R4-030263	25.104	183		A	Rel-6	6.0.0	Clarification of the W-CDMA interferer definition in BS requirements for ACS and blocking characteristics	TEI5
R4-030264	25.141	285	1	F	Rel-5	5.5.0	Clarification of the W-CDMA interferer definition in BS conformance tests for ACS and blocking characteristics	TEI5
R4-030265	25.141	289		A	Rel-6	6.0.0	Clarification of the W-CDMA interferer definition in BS conformance tests for ACS and blocking characteristics	TEI5

Note:

Category and WI Acronym on the cover sheet of CR179 to 25.104 are incorrect
WI Acronym on the cover sheet of CR 183 to 25.104 is incorrect

RP-030045

**CRs (Rel-5) to TS 25.105, TS 25.142 & TR 25.952 on "The definition of UTRA TDD BS classes"
8.4.5**

Agenda Item

RAN4 Tdoc	Spec	CR	R	Cat	Rel	Curr Ver	Title	Work Item
R4-030298	25.105	150		F	Rel-5	5.3.0	The definition of UTRA-TDD BS classes	RInImp- BSClass- TDD

RAN4 Tdoc	Spec	CR	R	Cat	Rel	Curr Ver	Title	Work Item
R4-030300	25.142	166		F	Rel-5	5.3.0	The definition of UTRA-TDD BS classes	RInImp- BSClass- TDD
R4-030301	25.952	002		F	Rel-5	5.1.0	The definition of UTRA-TDD BS classes	BSClass- TDD

RP-030046
Agenda Item

CRs (Rel-5) for WI "High Speed Downlink Packet Access" (FDD UE)
9.4.1

RAN4 Tdoc	Spec	CR	R	Cat	Rel	Curr Ver	Title	Work Item
R4-030267	25.101	212	1	F	Rel-5	5.5.0	Specification of HSDPA FRC Performance for H-Sets 4 & 5	HSDPA-RF
R4-030268	25.101	213	1	F	Rel-5	5.5.0	Specification of HSDPA FRC Performance with Open Loop Transmit Diversity	HSDPA-RF
R4-030270	25.101	215	1	F	Rel-5	5.5.0	Clarification of HSDPA FRC Test Procedure on HS-SCCH Signalling Error	HSDPA-RF

RP-030047
Agenda Item

CRs (Rel-5) for WI "High Speed Downlink Packet Access" (TDD UE)
9.4.1

RAN4 Tdoc	Spec	CR	R	Cat	Rel	Curr Ver	Title	Work Item
R4-030306	25.102	134		F	Rel-5	5.3.0	Clarification of HSDPA FRC test procedure on HS-SCCH	HSDPA-RF

RAN4 Tdoc	Spec	CR	R	Cat	Rel	Curr Ver	Title	Work Item
							signalling error	
R4-030307	25.102	135		F	Rel-5	5.3.0	Addition of VRC definition for 3.84 Mcps & 1.28 Mcps TDD in Annex A	HSDPA-RF
R4-030309	25.102	136		B	Rel-5	5.3.0	Additional VRC performance requirement for 1.28 Mcps TDD option	HSDPA-RF

RP-030048
Agenda Item

CRs (Rel-6) for WI "Technical Enhancements and Improvements"
9.7

RAN4 Tdoc	Spec	CR	R	Cat	Rel	Curr Ver	Title	Work Item
R4-030259	25.101	201	1	F	Rel-6	5.5.0	Addition of requirement of CSICH demodulation when CA is active.	TEI6
R4-030319	25.133	553		F	Rel-6	6.0.0	Corrections of CPICH_Ec/Io relative measurement accuracy requirement	TEI6

RP-030049
Agenda Item

CRs (Rel-6) for WI "FDD BS Classification"
9.8

RAN4 Tdoc	Spec	CR	R	Cat	Rel	Curr Ver	Title	Work Item
R4-030088	25.104	175		B	Rel-6	6.0.0	Co-siting requirements for different FDD BS classes	RInImp- BSCClass-

RAN4 Tdoc	Spec	CR	R	Cat	Rel	Curr Ver	Title	Work Item
								FDD
R4-030358	25.104	177	4	B	Rel-6	6.0.0	Maximum output power for different BS class	RInImp-BSClass-FDD
R4-030297	25.104	184		F	Rel-6	6.0.0	The definition of UTRA-FDD BS classes	RInImp-BSClass-FDD
R4-030089	25.141	276		B	Rel-6	6.0.0	Co-siting requirements for different FDD BS classes	RInImp-BSClass-FDD
R4-030350	25.141	278	3	B	Rel-6	6.0.0	Maximum output power for different BS class	RInImp-BSClass-FDD
R4-030299	25.141	290		F	Rel-6	6.0.0	The definition of UTRA-FDD BS classes	RInImp-BSClass-FDD

RP-030118

Agenda Item

Linked CRs (R'99 and Rel-4/Rel-5 Category A) to TS 25.306, TS 25.331 and TS 25.101 on variable Tx/Rx frequency separation in 1800 and 1900 band 8.2.6

RAN4 Tdoc	Spec	CR	R	Cat	Rel	Curr Ver	Title	Work Item
R4-030286	25.101	207	1	F	R99	3.12.0	Variable TX/RX frequency separation in the 1800 and 1900 bands	TEI
R4-030287	25.101	208	1	A	Rel-4	4.6.0	Variable TX/RX frequency separation in the 1800 and 1900	TEI

RAN4 Tdoc	Spec	CR	R	Cat	Rel	Curr Ver	Title	Work Item
R4-030288	25.101	209	1	A	Rel-5	5.5.0	Variable TX/RX frequency separation in the 1800 and 1900 bands	TEI