

TSG RAN Meeting #21
Frankfurt, Germany, 16 - 19 September 2003

RP-030446

Title CRs (Rel-5 only) to TS 25.413, TS 25.419, TS 25.423, TS 25.433 and TS 25.453 (Rel-5 and Rel-6 Category A) on Removal of the note in chapter 10
Source TSG RAN WG3
Agenda Item 7.4.6

RAN3 Tdoc	Spec	curr. Vers.	new Vers.	REL	CR	Rev	Cat	Title	Work item
R3-031159	25.413	5.5.0	5.6.0	REL-5	595	-	F	Removal of the note in chapter 10	TEI5
R3-031160	25.419	5.4.0	5.5.0	REL-5	119	1	F	Removal of the note in chapter 10	TEI5
R3-031161	25.423	5.6.0	5.7.0	REL-5	866	-	F	Removal of the note in chapter 10	TEI5
R3-031162	25.433	5.5.0	5.6.0	REL-5	887	1	F	Removal of the note in chapter 10	TEI5
R3-031163	25.453	5.6.0	5.7.0	REL-5	058	-	F	Removal of the note in chapter 10	TEI5
R3-031164	25.453	6.1.0	6.2.0	REL-6	059	-	A	Removal of the note in chapter 10	TEI5

CR-Form-v7

CHANGE REQUEST

25.413 CR 595 # rev **-** # Current version: **5.5.0**

For **HELP** on using this form, see bottom of this page or look at the pop-up text over the # symbols.

Proposed change affects: UICC apps# ME Radio Access Network Core Network

Title:	# Removal of the "Note" in chapter 10		
Source:	# RAN3		
Work item code:	# TEI5	Date:	# 25/08/2003
Category:	# F	Release:	# Rel-5
	Use <u>one</u> of the following categories:		Use <u>one</u> of the following releases:
	F (correction)		2 (GSM Phase 2)
	A (corresponds to a correction in an earlier release)		R96 (Release 1996)
	B (addition of feature),		R97 (Release 1997)
	C (functional modification of feature)		R98 (Release 1998)
	D (editorial modification)		R99 (Release 1999)
	Detailed explanations of the above categories can be found in 3GPP TR 21.900 .		Rel-4 (Release 4)
			Rel-5 (Release 5)
			Rel-6 (Release 6)

Reason for change:	# The sentence after the first numbered paragraph of chapter 10.3.2 is not aligned between all protocol specifications.
Summary of change:	# Removal of the Note in section 10.3.2
Consequences if not approved:	# Without the correction the sentence remains incorrect in the specification. Impact Analysis: This CR has no impact with the previous version of the specification (same release).

Clauses affected:	# 10.3.2						
Other specs	#	Other core specifications	#				
	<table border="1" style="border-collapse: collapse;"> <tr> <td style="width: 20px; height: 20px; text-align: center;">Y</td> <td style="width: 20px; height: 20px; text-align: center;">N</td> </tr> <tr> <td style="text-align: center;">X</td> <td></td> </tr> </table>	Y	N	X			#
Y	N						
X							
affected:		Test specifications	#				
		O&M Specifications	#				
Other comments:	#						

How to create CRs using this form:

Comprehensive information and tips about how to create CRs can be found at <http://www.3gpp.org/specs/CR.htm>. Below is a brief summary:

- 1) Fill out the above form. The symbols above marked ⌘ contain pop-up help information about the field that they are closest to.
- 2) Obtain the latest version for the release of the specification to which the change is proposed. Use the MS Word "revision marks" feature (also known as "track changes") when making the changes. All 3GPP specifications can be downloaded from the 3GPP server under <ftp://ftp.3gpp.org/specs/> For the latest version, look for the directory name with the latest date e.g. 2001-03 contains the specifications resulting from the March 2001 TSG meetings.
- 3) With "track changes" disabled, paste the entire CR form (use CTRL-A to select it) into the specification just in front of the clause containing the first piece of changed text. Delete those parts of the specification which are not relevant to the change request.

10.3.2 Criticality Information

In the RANAP messages there is criticality information set for individual IEs and/or IE groups. This criticality information instructs the receiver how to act when receiving an IE or an IE group that is not comprehended, i.e. the entire item (IE or IE group) which is not (fully or partially) comprehended shall be treated in accordance with its own criticality information as specified in subclause 10.3.4.

In addition, the criticality information is used in case of the missing IE/IE group abstract syntax error (see subclause 10.3.5).

The receiving node shall take different actions depending on the value of the Criticality Information. The three possible values of the Criticality Information for an IE/IE group are:

- Reject IE.
- Ignore IE and Notify Sender.
- Ignore IE.

The following rules restrict when a receiving entity may consider an IE, an IE group, or an EP not comprehended (not implemented), and when action based on criticality information is applicable:

1. IE or IE group: When one new or modified IE or IE group is implemented for one EP from a standard version, then other new or modified IEs or IE groups specified for that EP in that standard version shall be considered comprehended by a receiving entity (some may still remain unsupported).

~~Note that this restriction is not applicable to a sending entity for constructing messages.~~

2. EP: The comprehension of different EPs within a standard version or between different standard versions is not mandated. Any EP that is not supported may be considered not comprehended, even if another EP from that standard version is comprehended, and action based on criticality shall be applied.

CHANGE REQUEST

25.419 CR 119 # rev **1** # Current version: **5.4.0**

For **HELP** on using this form, see bottom of this page or look at the pop-up text over the # symbols.

Proposed change affects: UICC apps# ME Radio Access Network Core Network

Title:	# Removal of the "Note" in chapter 10
Source:	# RAN3
Work item code:	# TEI5
Date:	# 25/08/2003
Category:	# F
	<p><i>Use one of the following categories:</i></p> <p>F (correction) A (corresponds to a correction in an earlier release) B (addition of feature), C (functional modification of feature) D (editorial modification)</p> <p>Detailed explanations of the above categories can be found in 3GPP TR 21.900.</p>
Release:	# Rel-5
	<p><i>Use one of the following releases:</i></p> <p>2 (GSM Phase 2) R96 (Release 1996) R97 (Release 1997) R98 (Release 1998) R99 (Release 1999) Rel-4 (Release 4) Rel-5 (Release 5) Rel-6 (Release 6)</p>

Reason for change:	# The sentence after the first numbered paragraph of chapter 10.3.2 is not aligned between all protocol specifications.
Summary of change:	# R1: Removal of the Note in section 10.3.2. Title has been changed.
	R0: Insertion of a "not" between "is" and "applicable"
	Additionally the sentence will be changed to a formal NOTE.
Consequences if not approved:	# Without the correction the sentence remains incorrect in the specification.
	Impact Analysis: This CR has no impact with the previous version of the specification (same release).

Clauses affected:	# 10.3.2				
Other specs	#				
	<table border="1" style="display: inline-table; vertical-align: middle;"> <tr> <td style="width: 20px; text-align: center;">Y</td> <td style="width: 20px; text-align: center;">N</td> </tr> <tr> <td style="text-align: center;">X</td> <td style="text-align: center;"></td> </tr> </table>	Y	N	X	
Y	N				
X					
	Other core specifications # CR595 25.413 Rel-5 CR866 25.423 Rel-5 CR887 25.433 Rel-5 CR058 25.453 Rel-5 CR059 25.453 Rel-6				
affected:	<table border="1" style="display: inline-table; vertical-align: middle;"> <tr> <td style="width: 20px; text-align: center;">X</td> <td style="width: 20px; text-align: center;">X</td> </tr> <tr> <td style="text-align: center;"></td> <td style="text-align: center;">X</td> </tr> </table>	X	X		X
X	X				
	X				
	Test specifications O&M Specifications				

How to create CRs using this form:

Comprehensive information and tips about how to create CRs can be found at <http://www.3gpp.org/specs/CR.htm>. Below is a brief summary:

- 1) Fill out the above form. The symbols above marked ☹ contain pop-up help information about the field that they are closest to.
- 2) Obtain the latest version for the release of the specification to which the change is proposed. Use the MS Word "revision marks" feature (also known as "track changes") when making the changes. All 3GPP specifications can be downloaded from the 3GPP server under <ftp://ftp.3gpp.org/specs/> For the latest version, look for the directory name with the latest date e.g. 2001-03 contains the specifications resulting from the March 2001 TSG meetings.
- 3) With "track changes" disabled, paste the entire CR form (use CTRL-A to select it) into the specification just in front of the clause containing the first piece of changed text. Delete those parts of the specification which are not relevant to the change request.

10.3.2 Criticality Information

In the SABP messages there is criticality information set for individual IEs and/or IE groups. This criticality information instructs the receiver how to act when receiving an IE or an IE group that is not comprehended i.e. the entire item (IE or IE group) which is not (fully or partially) comprehended shall be treated in accordance with its own criticality information as specified in subclause 10.3.4.

In addition, the criticality information is used in case of the missing IE/IE group abstract syntax error (see subclause 10.3.5).

The receiving node shall take different actions depending on the value of the Criticality Information. The three possible values of the Criticality Information for an IE/IE group are:

- Reject IE;
- Ignore IE and Notify Sender;
- Ignore IE.

The following rules restrict when a receiving entity may consider an IE, an IE group or an EP not comprehended (not implemented), and when action based on criticality information is applicable:

1. IE or IE group: When one new or modified IE or IE group is implemented for one EP from a standard version, then other new or modified IEs or IE groups specified for that EP in that standard version shall be considered comprehended by the receiving entity (some may still remain unsupported).

~~Note that this restriction is applicable to a sending entity for constructing messages.~~

2. EP: The comprehension of different EPs within a standard version or between different standard versions is not mandated. Any EP that is not supported may be considered not comprehended, even if another EP from that standard version is comprehended, and action based on criticality shall be applied.

CR-Form-v7

CHANGE REQUEST

25.423 CR 866 # rev **-** # Current version: **5.6.0**

For **HELP** on using this form, see bottom of this page or look at the pop-up text over the # symbols.

Proposed change affects: UICC apps# ME Radio Access Network Core Network

Title:	# Removal of the "Note" in chapter 10				
Source:	# RAN3				
Work item code:	# TEI5	Date:	# 25/08/2003		
Category:	# F	Release:	# Rel-5		
	Use <u>one</u> of the following categories:		Use <u>one</u> of the following releases:		
	F (correction)		2 (GSM Phase 2)		
	A (corresponds to a correction in an earlier release)		R96 (Release 1996)		
	B (addition of feature),		R97 (Release 1997)		
	C (functional modification of feature)		R98 (Release 1998)		
	D (editorial modification)		R99 (Release 1999)		
	Detailed explanations of the above categories can be found in 3GPP TR 21.900 .		Rel-4 (Release 4)		
			Rel-5 (Release 5)		
			Rel-6 (Release 6)		

Reason for change:	# The sentence after the first numbered paragraph of chapter 10.3.2 is not aligned between all protocol specifications.				
Summary of change:	# Removal of the Note in section 10.3.2				
Consequences if not approved:	# Without the correction the sentence remains incorrect in the specification. Impact Analysis: This CR has no impact with the previous version of the specification (same release).				

Clauses affected:	# 10.3.2										
Other specs	#	<table border="1" style="border-collapse: collapse;"> <tr> <td style="width: 20px; text-align: center;">Y</td> <td style="width: 20px; text-align: center;">N</td> </tr> <tr> <td style="text-align: center;">X</td> <td></td> </tr> </table>	Y	N	X		Other core specifications	#	CR595 25.413 Rel-5 CR119 25.419 Rel-5 CR887 25.433 Rel-5 CR058 25.453 Rel-5 CR059 25.453 Rel-6		
Y	N										
X											
affected:		<table border="1" style="border-collapse: collapse;"> <tr> <td style="width: 20px; text-align: center;">Y</td> <td style="width: 20px; text-align: center;">N</td> </tr> <tr> <td></td> <td style="text-align: center;">X</td> </tr> <tr> <td></td> <td style="text-align: center;">X</td> </tr> </table>	Y	N		X		X	Test specifications O&M Specifications		
Y	N										
	X										
	X										
Other comments:	#										

How to create CRs using this form:

Comprehensive information and tips about how to create CRs can be found at <http://www.3gpp.org/specs/CR.htm>. Below is a brief summary:

- 1) Fill out the above form. The symbols above marked ⌘ contain pop-up help information about the field that they are closest to.
- 2) Obtain the latest version for the release of the specification to which the change is proposed. Use the MS Word "revision marks" feature (also known as "track changes") when making the changes. All 3GPP specifications can be downloaded from the 3GPP server under <ftp://ftp.3gpp.org/specs/> For the latest version, look for the directory name with the latest date e.g. 2001-03 contains the specifications resulting from the March 2001 TSG meetings.
- 3) With "track changes" disabled, paste the entire CR form (use CTRL-A to select it) into the specification just in front of the clause containing the first piece of changed text. Delete those parts of the specification which are not relevant to the change request.

10.3.2 Criticality Information

In the RNSAP messages there is criticality information set for individual IEs and/or IE groups. This criticality information instructs the receiver how to act when receiving an IE or an IE group that is not comprehended, i.e. the entire item (IE or IE group) which is not (fully or partially) comprehended shall be treated in accordance with its own criticality information as specified in subclause 10.3.4.

In addition, the criticality information is used in case of the missing IE/IE group abstract syntax error (see subclause 10.3.5).

The receiving node shall take different actions depending on the value of the Criticality Information. The three possible values of the Criticality Information for an IE/IE group are:

1. Reject IE;
2. Ignore IE and Notify Sender;
3. Ignore IE.

The following rules restrict when a receiving entity may consider an IE, an IE group or an EP not comprehended (not implemented), and when action based on criticality information is applicable:

1. IE or IE group: When one new or modified IE or IE group is implemented for one EP from a standard version, then other new or modified IEs or IE groups specified for that EP in that standard version shall be considered comprehended by a receiving entity (some may still remain unsupported).

~~Note that this restriction is not applicable to a sending entity for constructing messages.~~

2. EP: The comprehension of different EPs within a standard version or between different standard versions is not mandated. Any EP that is not supported may be considered not comprehended, even if another EP from that standard version is comprehended, and action based on criticality shall be applied.

CR-Form-v7

CHANGE REQUEST

25.433 CR 887 # rev **1** # Current version: **5.5.0**

For **HELP** on using this form, see bottom of this page or look at the pop-up text over the # symbols.

Proposed change affects: UICC apps# ME Radio Access Network Core Network

Title:	# Removal of the "Note" in chapter 10
Source:	# RAN3
Work item code:	# TEI5
Date:	# 25/08/2003
Category:	# F
	<p>Use <u>one</u> of the following categories:</p> <p>F (correction) A (corresponds to a correction in an earlier release) B (addition of feature), C (functional modification of feature) D (editorial modification)</p> <p>Detailed explanations of the above categories can be found in 3GPP TR 21.900.</p>
Release:	# Rel-5
	<p>Use <u>one</u> of the following releases:</p> <p>2 (GSM Phase 2) R96 (Release 1996) R97 (Release 1997) R98 (Release 1998) R99 (Release 1999) Rel-4 (Release 4) Rel-5 (Release 5) Rel-6 (Release 6)</p>

Reason for change:	# The sentence after the first numbered paragraph of chapter 10.3.2 is not aligned between all protocol specifications.
Summary of change:	# R1: Removal of the Note in section 10.3.2. Title is changed.
	# R0: Insertion of a "not" between "is" and "applicable"
	# Additionally the sentence will be changed to a formal NOTE.
Consequences if not approved:	# Without the correction the sentence remains incorrect in the specification.
	# Impact Analysis: This CR has no impact with the previous version of the specification (same release).

Clauses affected:	#										
Other specs	#										
	<table border="1" style="display: inline-table; vertical-align: middle;"> <thead> <tr> <th>Y</th> <th>N</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">X</td> <td></td> </tr> <tr> <td></td> <td></td> </tr> <tr> <td></td> <td style="text-align: center;">X</td> </tr> <tr> <td></td> <td style="text-align: center;">X</td> </tr> </tbody> </table>	Y	N	X					X		X
Y	N										
X											
	X										
	X										
affected:	<table style="display: inline-table; vertical-align: middle;"> <tr> <td style="width: 15%;">Other core specifications</td> <td># CR595 25.413 Rel-5</td> </tr> <tr> <td></td> <td># CR119 25.419 Rel-5</td> </tr> <tr> <td></td> <td># CR866 25.423 Rel-5</td> </tr> <tr> <td></td> <td># CR058 25.453 Rel-5</td> </tr> <tr> <td></td> <td># CR059 25.453 Rel-6</td> </tr> </table>	Other core specifications	# CR595 25.413 Rel-5		# CR119 25.419 Rel-5		# CR866 25.423 Rel-5		# CR058 25.453 Rel-5		# CR059 25.453 Rel-6
Other core specifications	# CR595 25.413 Rel-5										
	# CR119 25.419 Rel-5										
	# CR866 25.423 Rel-5										
	# CR058 25.453 Rel-5										
	# CR059 25.453 Rel-6										
	<table style="display: inline-table; vertical-align: middle;"> <tr> <td style="width: 15%;">Test specifications</td> <td></td> </tr> <tr> <td>O&M Specifications</td> <td></td> </tr> </table>	Test specifications		O&M Specifications							
Test specifications											
O&M Specifications											

How to create CRs using this form:

Comprehensive information and tips about how to create CRs can be found at <http://www.3gpp.org/specs/CR.htm>. Below is a brief summary:

- 1) Fill out the above form. The symbols above marked ☹ contain pop-up help information about the field that they are closest to.
- 2) Obtain the latest version for the release of the specification to which the change is proposed. Use the MS Word "revision marks" feature (also known as "track changes") when making the changes. All 3GPP specifications can be downloaded from the 3GPP server under <ftp://ftp.3gpp.org/specs/> For the latest version, look for the directory name with the latest date e.g. 2001-03 contains the specifications resulting from the March 2001 TSG meetings.
- 3) With "track changes" disabled, paste the entire CR form (use CTRL-A to select it) into the specification just in front of the clause containing the first piece of changed text. Delete those parts of the specification which are not relevant to the change request.

10.3.2 Criticality Information

In the NBAP messages there is criticality information set for individual IEs and/or IE groups. This criticality information instructs the receiver how to act when receiving an IE or an IE group that is not comprehended, i.e. the entire item (IE or IE group) which is not (fully or partially) comprehended shall be treated in accordance with its own criticality information as specified in subclause 10.3.4.

In addition, the criticality information is used in case of the missing IE/IE group abstract syntax error (see subclause 10.3.5).

The receiving node shall take different actions depending on the value of the Criticality Information. The three possible values of the Criticality Information for an IE/IE group are:

- Reject IE
- Ignore IE and Notify Sender
- Ignore IE

The following rules restrict when a receiving entity may consider an IE, an IE group or an EP not comprehended (not implemented), and when action based on criticality information is applicable:

1. IE or IE group: When one new or modified IE or IE group is implemented for one EP from a standard version, then other new or modified IEs or IE groups specified for that EP in that standard version shall be considered comprehended by the receiving entity (some may still remain unsupported).

~~Note that this restriction is applicable to a sending entity for constructing messages.~~

2. EP: The comprehension of different EPs within a standard version or between different standard versions is not mandated. Any EP that is not supported may be considered not comprehended, even if another EP from that standard version is comprehended, and action based on criticality shall be applied.

CR-Form-v7

CHANGE REQUEST

25.453 CR 058 # rev **-** # Current version: **5.6.0**

For **HELP** on using this form, see bottom of this page or look at the pop-up text over the # symbols.

Proposed change affects: UICC apps# ME Radio Access Network Core Network

Title:	# Removal of the "Note" in chapter 10				
Source:	# RAN3				
Work item code:	# TEI5	Date:	# 25/08/2003		
Category:	# F	Release:	# Rel-5		
	Use <u>one</u> of the following categories:		Use <u>one</u> of the following releases:		
	F (correction)		2 (GSM Phase 2)		
	A (corresponds to a correction in an earlier release)		R96 (Release 1996)		
	B (addition of feature),		R97 (Release 1997)		
	C (functional modification of feature)		R98 (Release 1998)		
	D (editorial modification)		R99 (Release 1999)		
	Detailed explanations of the above categories can be found in 3GPP TR 21.900 .		Rel-4 (Release 4)		
			Rel-5 (Release 5)		
			Rel-6 (Release 6)		

Reason for change:	# The sentence after the first numbered paragraph of chapter 10.3.2 is not aligned between all protocol specifications.				
Summary of change:	# Removal of the Note in section 10.3.2				
Consequences if not approved:	# Without the correction the sentence remains incorrect in the specification. Impact Analysis: This CR has no impact with the previous version of the specification (same release).				

Clauses affected:	# 10.3.2										
Other specs	#	<table border="1" style="border-collapse: collapse;"> <tr> <td style="width: 20px; text-align: center;">Y</td> <td style="width: 20px; text-align: center;">N</td> </tr> <tr> <td style="text-align: center;">X</td> <td></td> </tr> </table>	Y	N	X		Other core specifications	#	CR595 25.413 Rel-5 CR119 25.419 Rel-5 CR866 25.423 Rel-5 CR887 25.433 Rel-5 CR059 25.453 Rel-6		
Y	N										
X											
affected:		<table border="1" style="border-collapse: collapse;"> <tr> <td style="width: 20px; text-align: center;">Y</td> <td style="width: 20px; text-align: center;">N</td> </tr> <tr> <td></td> <td style="text-align: center;">X</td> </tr> <tr> <td></td> <td style="text-align: center;">X</td> </tr> </table>	Y	N		X		X	Test specifications O&M Specifications		
Y	N										
	X										
	X										
Other comments:	#										

How to create CRs using this form:

Comprehensive information and tips about how to create CRs can be found at <http://www.3gpp.org/specs/CR.htm>. Below is a brief summary:

- 1) Fill out the above form. The symbols above marked ⌘ contain pop-up help information about the field that they are closest to.
- 2) Obtain the latest version for the release of the specification to which the change is proposed. Use the MS Word "revision marks" feature (also known as "track changes") when making the changes. All 3GPP specifications can be downloaded from the 3GPP server under <ftp://ftp.3gpp.org/specs/> For the latest version, look for the directory name with the latest date e.g. 2001-03 contains the specifications resulting from the March 2001 TSG meetings.
- 3) With "track changes" disabled, paste the entire CR form (use CTRL-A to select it) into the specification just in front of the clause containing the first piece of changed text. Delete those parts of the specification which are not relevant to the change request.

10.3.2 Criticality Information

In the PCAP messages there is criticality information set for individual IEs and/or IE groups. This criticality information instructs the receiver how to act when receiving an IE or an IE group that is not comprehended, i.e. the entire item (IE or IE group) which is not (fully or partially) comprehended shall be treated in accordance with its own criticality information as specified in subclause 10.3.4.

In addition, the criticality information is used in case of the missing IE/IE group abstract syntax error (see subclause 10.3.5).

The receiving node shall take different actions depending on the value of the Criticality Information. The three possible values of the Criticality Information for an IE/IE group are:

- Reject IE.
- Ignore IE and Notify Sender.
- Ignore IE.

The following rules restrict when a receiving entity may consider an IE, an IE group, or an EP not comprehended (not implemented), and when action based on criticality information is applicable:

1. IE or IE group: When one new or modified IE or IE group is implemented for one EP from a standard version, then other new or modified IEs or IE groups specified for that EP in that standard version shall be considered comprehended by a receiving entity (some may still remain unsupported).

~~NOTE: This restriction is not applicable to a sending entity for constructing messages.~~

2. EP: The comprehension of different EPs within a standard version or between different standard versions is not mandated. Any EP that is not supported may be considered not comprehended, even if another EP from that standard version is comprehended, and action based on criticality shall be applied.

CR-Form-v7

CHANGE REQUEST

25.453 CR 059 # rev - # Current version: 6.1.0

For **HELP** on using this form, see bottom of this page or look at the pop-up text over the # symbols.

Proposed change affects: UICC apps ME Radio Access Network Core Network

Title:	# Removal of the "Note" in chapter 10		
Source:	# RAN3		
Work item code:	# TEI5	Date:	# 25/08/2003
Category:	# A	Release:	# Rel-6
	Use <u>one</u> of the following categories:		Use <u>one</u> of the following releases:
	F (correction)		2 (GSM Phase 2)
	A (corresponds to a correction in an earlier release)		R96 (Release 1996)
	B (addition of feature),		R97 (Release 1997)
	C (functional modification of feature)		R98 (Release 1998)
	D (editorial modification)		R99 (Release 1999)
	Detailed explanations of the above categories can be found in 3GPP TR 21.900 .		Rel-4 (Release 4)
			Rel-5 (Release 5)
			Rel-6 (Release 6)

Reason for change:	# The sentence after the first numbered paragraph of chapter 10.3.2 is not aligned between all protocol specifications.
Summary of change:	# Removal of the Note in section 10.3.2
Consequences if not approved:	# Without the correction the sentence remains incorrect in the specification. Impact Analysis: This CR has no impact with the previous version of the specification (same release).

Clauses affected:	# 10.3.2						
Other specs	<table border="1" style="display: inline-table; border-collapse: collapse;"> <tr> <td style="width: 20px; height: 20px; text-align: center;">Y</td> <td style="width: 20px; height: 20px; text-align: center;">N</td> </tr> <tr> <td style="text-align: center;">X</td> <td></td> </tr> </table>	Y	N	X		Other core specifications	# CR595 25.413 Rel-5 CR119 25.419 Rel-5 CR866 25.423 Rel-5 CR887 25.433 Rel-5 CR058 25.453 Rel-5
Y	N						
X							
affected:	<table border="1" style="display: inline-table; border-collapse: collapse;"> <tr> <td style="width: 20px; height: 20px;"></td> <td style="width: 20px; height: 20px; text-align: center;">X</td> </tr> <tr> <td style="text-align: center;">X</td> <td></td> </tr> </table>		X	X		Test specifications O&M Specifications	
	X						
X							
Other comments:	#						

How to create CRs using this form:

Comprehensive information and tips about how to create CRs can be found at <http://www.3gpp.org/specs/CR.htm>. Below is a brief summary:

- 1) Fill out the above form. The symbols above marked ⌘ contain pop-up help information about the field that they are closest to.
- 2) Obtain the latest version for the release of the specification to which the change is proposed. Use the MS Word "revision marks" feature (also known as "track changes") when making the changes. All 3GPP specifications can be downloaded from the 3GPP server under <ftp://ftp.3gpp.org/specs/> For the latest version, look for the directory name with the latest date e.g. 2001-03 contains the specifications resulting from the March 2001 TSG meetings.
- 3) With "track changes" disabled, paste the entire CR form (use CTRL-A to select it) into the specification just in front of the clause containing the first piece of changed text. Delete those parts of the specification which are not relevant to the change request.

10.3.2 Criticality Information

In the PCAP messages there is criticality information set for individual IEs and/or IE groups. This criticality information instructs the receiver how to act when receiving an IE or an IE group that is not comprehended, i.e. the entire item (IE or IE group) which is not (fully or partially) comprehended shall be treated in accordance with its own criticality information as specified in subclause 10.3.4.

In addition, the criticality information is used in case of the missing IE/IE group abstract syntax error (see subclause 10.3.5).

The receiving node shall take different actions depending on the value of the Criticality Information. The three possible values of the Criticality Information for an IE/IE group are:

- Reject IE.
- Ignore IE and Notify Sender.
- Ignore IE.

The following rules restrict when a receiving entity may consider an IE, an IE group, or an EP not comprehended (not implemented), and when action based on criticality information is applicable:

1. IE or IE group: When one new or modified IE or IE group is implemented for one EP from a standard version, then other new or modified IEs or IE groups specified for that EP in that standard version shall be considered comprehended by a receiving entity (some may still remain unsupported).

~~NOTE: This restriction is not applicable to a sending entity for constructing messages.~~

2. EP: The comprehension of different EPs within a standard version or between different standard versions is not mandated. Any EP that is not supported may be considered not comprehended, even if another EP from that standard version is comprehended, and action based on criticality shall be applied.