

CR-Form-v7

CHANGE REQUEST

25.423 CR 950 # rev - # Current version: 5.8.0

For **HELP** on using this form, see bottom of this page or look at the pop-up text over the # symbols.

Proposed change affects: UICC apps ME Radio Access Network Core Network

Title:	# DCH Information Response Issue		
Source:	# RAN3		
Work item code:	# TEI5	Date:	# 16/02/2004
Category:	# F	Release:	# REL-5
	Use <u>one</u> of the following categories:		Use <u>one</u> of the following releases:
	F (correction)		2 (GSM Phase 2)
	A (corresponds to a correction in an earlier release)		R96 (Release 1996)
	B (addition of feature),		R97 (Release 1997)
	C (functional modification of feature)		R98 (Release 1998)
	D (editorial modification)		R99 (Release 1999)
	Detailed explanations of the above categories can be found in 3GPP TR 21.900 .		Rel-4 (Release 4)
			Rel-5 (Release 5)
			Rel-6 (Release 6)

Reason for change:	# The current RNSAP specification as it is written allows the DRNC to include several DCHs belonging to the same set of coordinated DCHs in the <i>DCH Information Response</i> IE. However, the NBAP specification mandates that only one such DCH shall be included in the <i>DCH Information Response</i> IE. When reading those two specifications, it can be interpreted that the DRNC should also include only one DCH. In order to avoid such a misinterpretation that might lead to an interoperability issue over the lur, it should be clearly stated that "several DCHs belonging to the same set of coordinated DCHs may be included" in the <i>DCH Information Response</i> IE.
Summary of change:	# Clarification that "several DCHs belonging to the same set of coordinated DCHs may be included" in the <i>DCH Information Response</i> IE. Impact Analysis: Impact assessment towards the previous version of the specification (same release): This CR has no impact with the previous version of the specification (same release) because it simply adds a clarification.
Consequences if not approved:	# Without this clarification, the possible misinterpretation of the RNSAP specification remains.

Clauses affected:	# 9.2.1.16A						
Other specs affected:	#						
	<table border="1" style="display: inline-table; border-collapse: collapse; text-align: center;"> <tr> <td style="width: 20px;">Y</td> <td style="width: 20px;">N</td> </tr> <tr> <td>X</td> <td></td> </tr> <tr> <td></td> <td>X</td> </tr> </table> Other core specifications # 25.423 v 6.0.0 CR 951 Test specifications	Y	N	X			X
Y	N						
X							
	X						

Other comments: ☞

How to create CRs using this form:

Comprehensive information and tips about how to create CRs can be found at <http://www.3gpp.org/specs/CR.htm>. Below is a brief summary:

- 1) Fill out the above form. The symbols above marked ☞ contain pop-up help information about the field that they are closest to.
- 2) Obtain the latest version for the release of the specification to which the change is proposed. Use the MS Word "revision marks" feature (also known as "track changes") when making the changes. All 3GPP specifications can be downloaded from the 3GPP server under <ftp://ftp.3gpp.org/specs/> For the latest version, look for the directory name with the latest date e.g. 2001-03 contains the specifications resulting from the March 2001 TSG meetings.
- 3) With "track changes" disabled, paste the entire CR form (use CTRL-A to select it) into the specification just in front of the clause containing the first piece of changed text. Delete those parts of the specification which are not relevant to the change request.

9.2.1.16A DCH Information Response

The *DCH Information* IE provides information for DCHs that have been established or modified.

IE/Group Name	Presence	Range	IE Type and Reference	Semantics Description	Criticality	Assigned Criticality
DCH Information Response		<i>1..<maxno ofDCHs></i>		Several DCHs belonging to the same set of coordinated DCHs may be included.	–	
>DCH ID	M		9.2.1.16		–	
>Binding ID	O		9.2.1.3		–	
>Transport Layer Address	O		9.2.1.62		–	
>Allowed Rate Information	O		9.2.1.2A		YES	ignore

Range bound	Explanation
<i>maxnoofDCHs</i>	Maximum number of DCHs for one UE.

CHANGE REQUEST

25.423 CR 951 # rev - # Current version: 6.0.0

For **HELP** on using this form, see bottom of this page or look at the pop-up text over the # symbols.

Proposed change affects: UICC apps ME Radio Access Network Core Network

Title:	# DCH Information Response Issue		
Source:	# RAN3		
Work item code:	# TEI5	Date:	# 16/02/2004
Category:	# A	Release:	# REL-6
	Use <u>one</u> of the following categories:		Use <u>one</u> of the following releases:
	F (correction)		2 (GSM Phase 2)
	A (corresponds to a correction in an earlier release)		R96 (Release 1996)
	B (addition of feature),		R97 (Release 1997)
	C (functional modification of feature)		R98 (Release 1998)
	D (editorial modification)		R99 (Release 1999)
	Detailed explanations of the above categories can be found in 3GPP TR 21.900 .		Rel-4 (Release 4)
			Rel-5 (Release 5)
			Rel-6 (Release 6)

Reason for change:	# The current RNSAP specification as it is written allows the DRNC to include several DCHs belonging to the same set of coordinated DCHs in the <i>DCH Information Response</i> IE. However, the NBAP specification mandates that only one such DCH shall be included in the <i>DCH Information Response</i> IE. When reading those two specifications, it can be interpreted that the DRNC should also include only one DCH. In order to avoid such a misinterpretation that might lead to an interoperability issue over the lur, it should be clearly stated that "several DCHs belonging to the same set of coordinated DCHs may be included" in the <i>DCH Information Response</i> IE.
Summary of change:	# Clarification that "several DCHs belonging to the same set of coordinated DCHs may be included" in the <i>DCH Information Response</i> IE. Impact Analysis: Impact assessment towards the previous version of the specification (same release): This CR has no impact with the previous version of the specification (same release) because it simply adds a clarification.
Consequences if not approved:	# Without this clarification, the possible misinterpretation of the RNSAP specification remains.

Clauses affected:	# 9.2.1.16A						
Other specs affected:	#						
	<table border="1" style="display: inline-table; border-collapse: collapse; text-align: center;"> <tr> <td style="width: 20px;">Y</td> <td style="width: 20px;">N</td> </tr> <tr> <td>X</td> <td></td> </tr> <tr> <td></td> <td>X</td> </tr> </table> Other core specifications # 25.423 v 5.8.0 CR 950 Test specifications	Y	N	X			X
Y	N						
X							
	X						

Other comments: ⌘

How to create CRs using this form:

Comprehensive information and tips about how to create CRs can be found at <http://www.3gpp.org/specs/CR.htm>. Below is a brief summary:

- 1) Fill out the above form. The symbols above marked ⌘ contain pop-up help information about the field that they are closest to.
- 2) Obtain the latest version for the release of the specification to which the change is proposed. Use the MS Word "revision marks" feature (also known as "track changes") when making the changes. All 3GPP specifications can be downloaded from the 3GPP server under <ftp://ftp.3gpp.org/specs/> For the latest version, look for the directory name with the latest date e.g. 2001-03 contains the specifications resulting from the March 2001 TSG meetings.
- 3) With "track changes" disabled, paste the entire CR form (use CTRL-A to select it) into the specification just in front of the clause containing the first piece of changed text. Delete those parts of the specification which are not relevant to the change request.

9.2.1.16A DCH Information Response

The *DCH Information* IE provides information for DCHs that have been established or modified.

IE/Group Name	Presence	Range	IE Type and Reference	Semantics Description	Criticality	Assigned Criticality
DCH Information Response		1..<maxno ofDCHs>		Several DCHs belonging to the same set of coordinated DCHs may be included.	–	
>DCH ID	M		9.2.1.16		–	
>Binding ID	O		9.2.1.3		–	
>Transport Layer Address	O		9.2.1.62		–	
>Allowed Rate Information	O		9.2.1.2A		YES	ignore

Range bound	Explanation
<i>maxnoofDCHs</i>	Maximum number of DCHs for one UE.