Athens, Greece, 8 - 10 December 2004

Agenda Item:

Source: IPWireless

Title: WI Proposal for Optimisation of Channelisagtion Code Utilisation Code Optimisation 3.84

Mcps TDD

Work Item Description

Title: Optimisation of channelisation code utilization 3.84 Mcps TDD

1 **3GPP Work Area**

Х	Radio Access
	Core Network
	Services

2 Linked work items

3 Justification

Code utilisation is an important element for the uplink and downlink efficiency of UTRA-TDD cells. Several features require a UE specific code for a dedicated channel, such as HSDPA which requires an associated DPCH, IMS with infrequent RTCP packets and full headers which have to be sent with low delay.

HSDPA transmissions also require channelisation codes and so efficient code utilisation of dedicated channels also improves HSDPA performance.

For TDD code resources are limited on both uplink and downlink. Efficient utilisation and careful management of both downlink and uplink code resources is desirable.

4 **Objective**

The objective of this work item is to introduce improvements which allow a better utilisation of codes for dedicated channels. This applies to the downlink and uplink for TDD.

5 **Service Aspects**

None

6 **MMI-Aspects**

None

7 **Charging Aspects** None

8 Security Aspects

None

9 Impacts

Affects :	USIM	ME	AN	CN	Others
Yes		X	X		
No	X			X	X
Don't know					

Expected Output and Time scale (to be updated at each plenary)

New specifications								
Spec No.	Title			rsp. WG(s)	Presented for endorsement at plenary#	Approved at plenary#		Comments
TR			R1	R2, R3		RAN#25		
	Affected existing specifications							
Spec No.	CR	Subject					Approved at plenary#	Comments
TBD							RAN#26	

Work item raporteurs

Nicholas Anderson (IPWireless)

Work item leadership

TSG-RAN WG1

13 Supporting Companies

IPWireless, InterDigital, Softbank, Alcatel

14 Classification of the WI (if known)

	Feature (go to 14a)
X	Building Block (go to 14b)
	Work Task (go to 14c)

14a The WI is a Feature: List of building blocks under this feature

14b The WI is a Building Block: parent Feature

RAB support enhancements

(one Work Item identified as a feature)

14c The WI is a Work Task: parent Building Block

(one Work Item identified as a building block)
This WI has not finished yet. See RAN_Work_Items.