

# **[eMBB] XR/CG Enhancements**

## eMBB consumer

### MIMO

- CSI enh.
- BM: [subject to R17]
- Stationary: 8Rx, overhead redux
- UL sub-band precod.
- UL 4+ layers

### DC/CA Enh.

- X-carrier HARQ: feedback & re-Tx
- Fast re-Tx split bearer
- Temporal RS PScell act
- Scalable x-carrier sch.

### XR/CG Enh.

- QoS+, x-layer opt.

### MBS

- SFN+
- QoS+ (Tput, reliab.)
- TV (ATSC3.0 ref)

## NW Topology

### Sidelink LLeMBB

- SL-U esp. <7GHz, FR2
- Low latency 1Gbps
- SL-U RedCap

### Sidelink Relay

- U2U relay
- UE scheduling UE
- mPath, mHop
- Mobility (Remote, Relay)
- Network coding

### Smart Repeaters

- Beamforming
- Interf. Mgmt (T/F DD)
- Integration (UE authorization)

## NTN Evolution

### NTN NR

- Mobility
- Regenerative arch
- HD-FDD, VoNR, MBS
- R17 leftovers

### NTN IoT

- Mobility (connected)
- R17 leftovers

### SID Spectr. sharing

- Study scenarios, target spectrum and regulation status

## Long-term explor.

### SID AI/ML integr.

- NG-RAN/AS integrat.
- DMRS ch. est., Rx noise suppress, CSI-RS overhead, CSI feedback
- (UE-based) Mobility predict., Pos. enh.
- NW functions (load balancing, radio resource planning..)

### SID AI traffic

- Traffic and arch.
- Overhead optim.

SID >71GHz

- Spectrum charac.

## Common tech.

### [FR2] Mobility

- L1/L2 trig. CHO
- Inter-/intra-cell beam switching delay redux
- RRC DAPS HO mPanel

### System Energy

- DCI-based pwr sav mTRP and mPanel
- gNB/TRP dormancy (UE -trig. / -imposed)
- Eval. Methodology (Pwr. Cons. Models)

### POS (NR, SL, RedCap)

- cm-level (Tx + meas related to signal  $\phi$ )
- SL (-based, -assisted)
- RedCap UE
- R17 leftovers

### SID gNB Full Duplex

- Partitioning, scenarios, interf.

## Verticals

### URLLC

- DL control efficiency
- NR-U enh

### RedCap

- PA-less
- (POS)
- NO LPWA

(UAV: neutral)

## eMBB

## MIMO

- CSI enh.
- BM: [subject to R17]
- Stationary: 8Rx, overhead redux
- UL sub-band precod.
- UL 4+ layers

## DC/CA Enh.

- X-carrier HARQ: feedback & re-Tx
- Fast re-Tx split bearer
- Temporal RS PScell act
- Scalable x-carrier sch.

## Sidelink LLeMBB

- SL-U esp. <7GHz, FR2
- Low latency 1Gbps
- SL-U RedCap

## XR/CG Enh. [SA-led]

- QoS+, x-layer opt.

## NTN NR

- R17 leftovers
- Mobility
- Regenerative arch
- VoNR, MBS, HD-FDD

## MBS

- SFN+
- QoS+ (Tput, reliab.)
- TV (ATSC3.0 ref)

(may also be seen as non-eMBB)

## Non-eMBB

## URLLC

- DL control efficiency
- NR-U enh

## RedCap

- PA-less
- (POS)
- NO LPWA

## NTN IoT

- R17 leftovers
- Mobility (connected)

(UAV: neutral)

X-areas  
New areas

## System Energy

- DCI-based pwr sav mTRP and mPanel
- gNB/TRP dormancy (UE -trig. / -imposed)
- Eval. Methodology (Pwr. Cons. Models)

## Sidelink Relay

- U2U relay
- UE scheduling UE
- mPath, mHop
- Mobility (Remote, Relay)
- Network coding

## POS (NR, SL, RedCap)

- cm-level (Tx + meas related to signal  $\phi$ )
- SL (-based, -assisted)
- RedCap UE
- R17 leftovers

SID NTN  $f$  sharing

- Study scenarios, target spectrum and regulation status

## SID AI/ML integr.

- NG-RAN/AS integrat.
- DMRS ch. est., Rx noise suppress, CSI-RS overhead, CSI feedback
- (UE-based) Mobility predict., Pos. enh.
- NW functions (load balancing, radio resource planning..)

## [FR2] Mobility

- L1/L2 trig. CHO
- Inter-/intra-cell beam switching delay redux
- RRC DAPS HO mPanel

## Smart Repeaters

- Beamforming
- Interf. Mgmt (T/F DD)
- Integration (UE authorization)

## SID gNB Full Duplex

- Partitioning, scenarios, interf.

## SID AI traffic

- Traffic and arch.
- Overhead optim.



# XR/CG Enhancements SA-led

Optimized support for Low-latency throughput-intensive applications esp. CG, XR


Objective I: QoS improvements for LLeMBB traffic

- Investigate issues pertaining to data rates fluctuation, jitter, congestion and packet dropping
- Mutual awareness between application and 5GS through cross-layer optimization

Objective II: Radio-related optimizations >> see: DC/CA, Mobility, SL enh

3GPP TUs (Total w/ 9 meetings)			
RAN1	RAN2	RAN3	RAN4
-	-	-	-

SA/CT Dependency: **Yes**




# XR/CG Enhancements

## Radio-Related Optimizations

- Motivation
  - Stimulate creation and adoption of new consumer services and applications with unprecedented user experience
  - Ensure 5G viability for popular consumer services
  - Rel-17 Gap analysis:

Scenarios Spectrum	Outdoor (AR/CG)	Outdoor to Indoor (VR)
FR1 Lic.	Capacity (latency constrained)	
FR1 Lic. + Unlic.	Capacity (latency constrained)	
FR1 + FR2	SCG change, UE complexity	Service coverage
FR2 only	Mobility, UE complexity	Service coverage

- Proposal: Generic Enh. in DC/CA, Mobility and SL



Scenarios Spectrum	Outdoor (AR/CG)	Outdoor to Indoor (VR)
FR1 Lic.	CA enhancement	
FR1 Lic. + Unlic.	CA enhancement	
FR1 + FR2	DC enh., CA enh.	Low-latency 1Gbps SL
FR2 only	Mobility enh., CA enh.	Low-latency 1Gbps SL

*NOTE: Leverage Rel-17 Power Saving Enh. and QoS Enh.*

# Thank You!

# MediaTek TDocs to RAN Rel-18 Workshop

<a href="#">RWS-210092</a>	MediaTek Views on Rel-18 content	MediaTek Inc.
<a href="#">RWS-210093</a>	[eMBB] MIMO Enhancements	MediaTek Inc.
<a href="#">RWS-210094</a>	[eMBB] DC/CA Enhancements	MediaTek Inc.
<a href="#">RWS-210095</a>	[eMBB] XR/CG Enhancements	MediaTek Inc.
<a href="#">RWS-210096</a>	[eMBB/Other] MBS Enhancements	MediaTek Inc.
<a href="#">RWS-210097</a>	[eMBB] Sidelink Enhancements - LLeMBB	MediaTek Inc.
<a href="#">RWS-210100</a>	[eMBB] NTN NR Enhancements	MediaTek Inc.
<a href="#">RWS-210101</a>	[non-eMBB] NTN IoT Enhancements	MediaTek Inc.
<a href="#">RWS-210108</a>	[non-eMBB] URLLC Enhancements	MediaTek Inc.
<a href="#">RWS-210109</a>	[non-eMBB] NR RedCap Enhancements	MediaTek Inc.
<a href="#">RWS-210098</a>	[x-area] Sidelink Relay Enhancements	MediaTek Inc.
<a href="#">RWS-210099</a>	[x-area] Smart Repeaters Enhancements	MediaTek Inc.
<a href="#">RWS-210102</a>	[x-area] NTN/TN Spectrum Sharing	MediaTek Inc.
<a href="#">RWS-210103</a>	[x-area] AI/ML Integration	MediaTek Inc.
<a href="#">RWS-210104</a>	[x-area] AI/ML Traffic	MediaTek Inc.
<a href="#">RWS-210105</a>	[x-area] Mobility Enhancements	MediaTek Inc.
<a href="#">RWS-210106</a>	[x-area] System Energy Enhancements	MediaTek Inc.
<a href="#">RWS-210107</a>	[x-area] Positioning Enhancements	MediaTek Inc.
<a href="#">RWS-210197</a>	[x-area] Sub-band Full-duplex for gNB	MediaTek Inc.
<a href="#">RWS-210110</a>	Draft WID: System Energy Enhancements	MediaTek Inc.
<a href="#">RWS-210111</a>	Draft WID: Mobility Enhancements	MediaTek Inc.
<a href="#">RWS-210112</a>	Draft WID: DC/CA Enhancements	MediaTek Inc.
<a href="#">RWS-210113</a>	Draft WID: NTN IoT Evolution	MediaTek Inc.