# TSG-RAN Working Group 3 meeting #4 Warwick, UK, 1st – 4th June 1999

TSGR3#3(99)419

Agenda Item:

Source: Editor

**Title:** 25.442: UTRAN Implementation Specific O&M Transport V0.0.1

**Document for:** 


# TS 25.442 V0.0.1 (1999-04)

Technical Specification

3<sup>rd</sup> Generation Partnership Project (3GPP); Technical Specification Group (TSG) RAN;

**Implementation Specific O&M Transport** 

UMTS <spec>





Reference
<workitem> (<shortfilename>.PDF)</shortfilename></workitem>
Keywords
<keyword[, keyword]=""></keyword[,>

3GPP			
Postal addre	SS		
Office addre	ss		

secretariat@3gpp.org
Individual copies of this deliverable
can be downloaded from
http://www.3gpp.org

Internet

#### **Copyright Notification**

No part may be reproduced except as authorized by written permission. The copyright and the foregoing restriction extend to reproduction in all media.

© All rights reserved.

# Contents

1	SCO	OPE	5
2	REF	FERENCES	5
3	DEF	FINITIONS, SYMBOLS AND ABBREVIATIONS	5
	3.1	DEFINITIONS	5
	3.2	SYMBOLS	5
	3.3	ABBREVIATIONS	5
4		PLEMENTATION SPECIFIC O&M TRANSPORT	
	4.1	IntroductionRoutingTransport Bearer	5
	4.2	Routing	5
	4.3	Transport Bearer	5
6		LIOGRAPHY	
H	ISTOR	Y	6

# **Intellectual Property Rights**

### **Foreword**

This Technical Specification (TS) has been produced by the 3<sup>rd</sup> Generation Partnership Project (3GPP).

The contents of this TS are subject to continuing work within 3GPP and may change following formal TSG approval. Should the TSG modify the contents of this TS, it will be re-released with an identifying change of release date and an increase in version number as follows:

Version m.t.e

where:

- m indicates [major version number]
- x the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- y the third digit is incremented when editorial only changes have been incorporated into the specification.

## Introduction

This clause is optional. If it exists, it is always the third unnumbered clause.

No text block identified.

## 1 Scope

The present document ...

### 2 References

[1] 3GPP TS 25.413, UTRAN Iub interface Layer 1

### 3 Definitions, symbols and abbreviations

#### 3.1 Definitions

For the purposes of the present document, the [following] terms and definitions [given in ... and the following] apply.

### 3.2 Symbols

For the purposes of the present document, the following symbols apply:

#### 3.3 Abbreviations

For the purposes of the present document, the following abbreviations apply:

# 4 Implementation Specific O&M Transport

#### 4.1 Introduction

[Editor's note: This chapter should describe briefly the separation of logical and implementation specific O&M and the requirements to a transport mechanism for implementation specific O&M]

### 4.2 Requirements

[Editor's note: This section should describe two possibilities for the routing of the implementation specific O&M signalling: directly to the Management Platform or via the RNC. It should point out that both routes should be supported.]

### 4.3 Transport Bearer

[Editor's note: Within this section the transport mechanism, i.e. one or more protocol stacks, should be specified. In case of routing via the RNC, Layer 1 as described in [1] should be used between NodeB and RNC..]

# 6 Bibliography

The following material, though not specifically referenced in the body of the present document (or not publicly available), gives supporting information.

# History

Document history			
V0.0.1	1999-06	Initial Specification Structure	
Editor for 3GPP RAN 25.442 is:			

Stephan Recker

Mannesmann Mobilfunk

Tel.: +49 211 5333973 Fax: +49 211 5333804

Email: stephan.recker@d2privat.de

This document is written in Microsoft Word version 7/97.