

**TSG-RAN Meeting #14**  
**Kyoto, Japan, 11 – 14, December, 2001**

**RP-010734**

**Title:** Supplement (List of agreed CRs) to Report from WG1 chairman to TSG-RAN

**Source:** TSG-RAN WG1

**Agenda item:** 8.1.1

**1. Release 99 CRs + Associated Release 4 CRs**

**1.1 TS 25.201 (Contained in RP-010735)**

No.	Spec	CR	Rev	R1 T-doc	Subject	Release	Cat	W/I Code	V_old	V_new
1	25.201	007	-	R1-01-1241	Removal of slow power control and ODMA from TS 25.201	R99	F	TEI	3.1.0	3.2.0
2	25.201	008	-	R1-01-1241	Removal of slow power control and ODMA from TS 25.201	Rel-4	A	TEI	4.0.0	4.1.0

**1.2 TS 25.211 (Contained in RP-010736)**

No.	Spec	CR	Rev	R1 T-doc	Subject	Release	Cat	W/I Code	V_old	V_new
1	25.211	115	1	R1-01-0925	Clarification of the pilot bits on CPCH message part and S-CCPCH	R99	F	TEI	3.8.0	3.9.0
2	25.211	116	1	R1-01-0925	Clarification of the pilot bits on CPCH message part and S-CCPCH	Rel-4	A	TEI	4.2.0	4.3.0
3	25.211	122	-	R1-01-1114	Addition of pilot bit patterns table of downlink DPCCH for antenna 2 using closed loop mode 1	R99	F	TEI	3.8.0	3.9.0
4	25.211	123	-	R1-01-1114	Addition of pilot bit patterns table of downlink DPCCH for antenna 2 using closed loop mode 1	Rel-4	A	TEI	4.2.0	4.3.0
5	25.211	124	-	R1-01-1161	Slot format for the CPCH	R99	F	TEI	3.8.0	3.9.0
6	25.211	125	-	R1-01-1161	Slot format for the CPCH	Rel-4	A	TEI	4.2.0	4.3.0
7	25.211	126	1	R1-01-1247	Clarification of Tx diversity with PDSCH, AP-AICH, CD/CA-ICH and DL-DPCCH associated to CPCH	R99	F	TEI	3.8.0	3.9.0
8	25.211	127	1	R1-01-1247	Clarification of Tx diversity with PDSCH, AP-AICH, CD/CA-ICH and DL-DPCCH associated to CPCH	Rel-4	A	TEI	4.2.0	4.3.0
9	25.211	128	1	R1-01-1248	Interaction between DSCH scheduling and phase reference modification	R99	F	TEI	3.8.0	3.9.0
10	25.211	129	1	R1-01-1248	Interaction between DSCH scheduling and phase reference modification	Rel-4	A	TEI	4.2.0	4.3.0
11	25.211	130	-	R1-01-1164	Support of multiple CCTrChs of dedicated type	R99	F	TEI	3.8.0	3.9.0
12	25.211	131	-	R1-01-1164	Support of multiple CCTrChs of dedicated type	Rel-4	A	TEI	4.2.0	4.3.0
13	25.211	132	-	R1-01-1242	Removal of slow power control from TS 25.211	R99	F	TEI	3.8.0	3.9.0
14	25.211	133	-	R1-01-1242	Removal of slow power control from TS 25.211	Rel-4	A	TEI	4.2.0	4.3.0

### 1.3 TS 25.212 (Contained in RP-010737)

No.	Spec	CR	Rev	R1 T-doc	Subject	Release	Cat	W/I Code	V_old	V_new
1	25.212	117	-	R1-01-1121	Clarification of compressed mode	R99	F	TEI	3.7.0	3.8.0
2	25.212	118	-	R1-01-1121	Clarification of compressed mode	Rel-4	A	TEI	4.2.0	4.3.0
3	25.212	121	-	R1-01-1165	Support of multiple CCTrChs of dedicated type	R99	F	TEI	3.7.0	3.8.0
4	25.212	122	-	R1-01-1165	Support of multiple CCTrChs of dedicated type	Rel-4	A	TEI	4.2.0	4.3.0

### 1.4 TS 25.213 (Contained in RP-010738)

No.	Spec	CR	Rev	R1 T-doc	Subject	Release	Cat	W/I Code	V_old	V_new
1	25.213	046	-	R1-01-1207	Correction of section number reference	R99	F	TEI	3.6.0	3.7.0
2	25.213	047	-	R1-01-1207	Correction of section number reference	Rel-4	A	TEI	4.1.0	4.2.0

### 1.5 TS 25.214 (Contained in RP-010739)

No.	Spec	CR	Rev	R1 T-doc	Subject	Release	Cat	W/I Code	V_old	V_new
1	25.214	206	1	R1-01-1125	Power control in compressed mode when DPC_MODE=1	R99	F	TEI	3.8.0	3.9.0
2	25.214	207	1	R1-01-1125	Power control in compressed mode when DPC_MODE=1	Rel-4	A	TEI	4.2.0	4.3.0
3	25.214	208	-	R1-01-0993	Clarification of closed loop mode 1 and 2 Tx diversity operation during compressed mode	R99	F	TEI	3.8.0	3.9.0
4	25.214	209	-	R1-01-0993	Clarification of closed loop mode 1 and 2 Tx diversity operation during compressed mode	Rel-4	A	TEI	4.2.0	4.3.0
5	25.214	210	-	R1-01-1122	Downlink phase reference reconfiguration	R99	F	TEI	3.8.0	3.9.0
6	25.214	211	-	R1-01-1122	Downlink phase reference reconfiguration	Rel-4	A	TEI	4.2.0	4.3.0
7	25.214	218	1	R1-01-1251	Downlink power control for channels supporting CPCH	R99	F	TEI	3.8.0	3.9.0
8	25.214	219	1	R1-01-1251	Downlink power control for channels supporting CPCH	Rel-4	A	TEI	4.2.0	4.3.0
9	25.214	222	-	R1-01-1245	Removal of slow power control from TS 25.214	R99	F	TEI	3.8.0	3.9.0
10	25.214	223	-	R1-01-1245	Removal of slow power control from TS 25.214	Rel-4	A	TEI	4.2.0	4.3.0

**1.6 TS 25.215 (Contained in RP-010740)**

No.	Spec	CR	Rev	R1 T-doc	Subject	Release	Cat	W/I Code	V_old	V_new
1	25.215	097	-	R1-01-1124	Clarification of internal measurements	R99	F	TEI	3.8.0	3.9.0
2	25.215	098	-	R1-01-1124	Clarification of internal measurements	Rel-4	A	TEI	4.2.0	4.3.0
3	25.215	100	1	R1-01-1291	Correction to the definitions of UE and UTRAN GPS timing of cell frames for UE positioning	R99	F	TEI	3.8.0	3.9.0
4	25.215	101	1	R1-01-1291	Correction to the definitions of UE and UTRAN GPS timing of cell frames for UE positioning	Rel-4	A	TEI	4.2.0	4.3.0
5	25.215	102	-	R1-01-1169	Clarification of P-CCPCH RSCP in 25.215	R99	F	TEI	3.8.0	3.9.0
6	25.215	103	-	R1-01-1169	Clarification of P-CCPCH RSCP in 25.215	Rel-4	A	TEI	4.2.0	4.3.0
7	25.215	104	-	R1-01-1238	Revised definitions of CPICH Ec/No and UTRA carrier RSSI	R99	F	TEI	3.8.0	3.9.0
8	25.215	105	-	R1-01-1238	Revised definitions of CPICH Ec/No and UTRA carrier RSSI	Rel-4	A	TEI	4.2.0	4.3.0

**1.7 TS 25.221 (Contained in RP-010741)**

No.	Spec	CR	Rev	R1 T-doc	Subject	Release	Cat	W/I Code	V_old	V_new
1	25.221	064	1	R1-01-1271	Transmit diversity for P-CCPCH and PICH	R99	F	TEI	3.8.0	3.9.0
2	25.221	065	1	R1-01-1271	Transmit diversity for P-CCPCH and PICH	Rel-4	A	TEI	4.2.0	4.3.0
3	25.221	066	-	R1-01-1110	Clarification of midamble transmit power in TS25.221	R99	F	TEI	3.8.0	3.9.0
4	25.221	067	-	R1-01-1110	Clarification of midamble transmit power in TS25.221	Rel-4	A	TEI	4.2.0	4.3.0

**1.8 TS 25.224 (Contained in RP-010742)**

No.	Spec	CR	Rev	R1 T-doc	Subject	Release	Cat	W/I Code	V_old	V_new
1	25.224	065	-	R1-01-1006	Removal of the remark on power control	R99	F	TEI	3.8.0	3.9.0
2	25.224	066	-	R1-01-1006	Removal of the remark on power control	Rel-4	A	TEI	4.2.0	4.3.0
3	25.224	067	1	R1-01-1272	Transmit diversity for P-CCPCH and PICH	R99	F	TEI	3.8.0	3.9.0
4	25.224	068	1	R1-01-1272	Transmit diversity for P-CCPCH and PICH	Rel-4	A	TEI	4.2.0	4.3.0
5	25.224	069	1	R1-01-1157	Correction to random access procedure (Primitive from MAC)	R99	F	TEI	3.8.0	3.9.0
6	25.224	070	1	R1-01-1157	Correction to random access procedure (Primitive from MAC)	Rel-4	A	TEI	4.2.0	4.3.0

**1.9 TS 25.225 (Contained in RP-010743)**

No.	Spec	CR	Rev	R1 T-doc	Subject	Release	Cat	W/I Code	V_old	V_new
1	25.225	035	1	R1-01-1273	Removal of references to Block STTD	R99	F	TEI	3.8.0	3.9.0
2	25.225	036	1	R1-01-1273	Removal of references to Block STTD	Rel-4	A	TEI	4.2.0	4.3.0
3	25.225	039	-	R1-01-1080	Correction of measurement definition for UTRA Carrier RSSI and CPICH_Ec/No	R99	F	TEI	3.8.0	3.9.0
4	25.225	040	-	R1-01-1080	Correction of measurement definition for UTRA Carrier RSSI and CPICH_Ec/No	Rel-4	A	TEI	4.2.0	4.3.0

**1.10 TS 25.214 (Conditionally agreed) (Contained in RP-010775)**

No.	Spec	CR	Rev	R1 T-doc	Subject	Release	Cat	W/I Code	V_old	V_new
1	25.214	215	1	R1-01-1250	Uplink TPC command processing in SHO with SSdT	R99	F	TEI	3.8.0	3.9.0
2	25.214	216	-	R1-01-1250	Uplink TPC command processing in SHO with SSdT	Rel-4	A	TEI	4.2.0	4.3.0

## 2. Release 4 CRs

### 2.1 TS 25.214 (Contained in RP-010744)

No.	Spec	CR	Rev	R1 T-doc	Subject	Release	Cat	W/I Code	V_old	V_new
1	25.214	217	2	R1-01-1304	DSCH power control clarification	Rel-4	F	RInImp-DSCHsho	4.2.0	4.3.0

### 2.2 TS 25.215 (Contained in RP-010745)

No.	Spec	CR	Rev	R1 T-doc	Subject	Release	Cat	W/I Code	V_old	V_new
1	25.215	099	2	R1-01-1258	UE GPS code phase measurement	Rel-4	F	TEI4	4.2.0	4.3.0
2	25.215	106	1	R1-01-1294	UTRAN SFN-SFN observed time difference measurement	Rel-4	F	LCS1-UEpos-enh	4.2.0	4.3.0

### 2.3 TS 25.221 (Contained in RP-010746)

No.	Spec	CR	Rev	R1 T-doc	Subject	Release	Cat	W/I Code	V_old	V_new
1	25.221	059	-	R1-01-0807	Bit Scrambling for 1.28 Mcps TDD	Rel-4	F	LCRTDD-Phys	4.2.0	4.3.0
2	25.221	068	-	R1-01-1111	Transmit diversity for P-CCPCH and PICH	Rel-4	F	LCRTDD-Phys	4.2.0	4.3.0
3	25.221	069	-	R1-01-1148	Corrections of reference numbers in TS 25.221	Rel-4	F	LCRTDD-Phys	4.2.0	4.3.0

### 2.4 TS 25.222 (Contained in RP-010747)

No.	Spec	CR	Rev	R1 T-doc	Subject	Release	Cat	W/I Code	V_old	V_new
4	25.222	059	-	R1-01-0807	Bit scrambling for TDD	Rel-4	F	LCRTDD-Phys	4.1.0	4.2.0
5	25.222	061	-	R1-01-1149	Corrections in clause 4.1 and 4.2 of TS 25.222	Rel-4	F	LCRTDD-Phys	4.1.0	4.2.0

### 2.5 TS 25.223 (Contained in RP-010748)

No.	Spec	CR	Rev	R1 T-doc	Subject	Release	Cat	W/I Code	V_old	V_new
1	25.223	023	-	R1-01-1150	A correction of figure 7 in subclause 7.7.2 of TS 25.223	Rel-4	F	LCRTDD-Phys	4.2.0	4.3.0

**2.6 TS 25.224 (Contained in RP-010749)**

No.	Spec	CR	Rev	R1 T-doc	Subject	Release	Cat	W/I Code	V_old	V_new
1	25.224	073	1	R1-01-1260	Random access procedure for 1.28Mcps TDD	Rel-4	F	LCRTDD-Phys	4.2.0	4.3.0
2	25.224	074	-	R1-01-1111	Transmit diversity for P-CCPCH and PICH	Rel-4	F	LCRTDD-Phys	4.2.0	4.3.0
3	25.224	075	-	R1-01-1119	Correction of Annex A.3 in 25.224	Rel-4	F	LCRTDD-Phys	4.2.0	4.3.0
4	25.224	076	-	R1-01-1158	Removal of the remark on power control	Rel-4	F	LCRTDD-Phys	4.2.0	4.3.0
5	25.224	077	-	R1-01-1168	Corrections to DL-PC sections for 1.28 Mcps TDD	Rel-4	F	LCRTDD-Phys	4.2.0	4.3.0

**2.7 TS 25.225 (Contained in RP-010750)**

No.	Spec	CR	Rev	R1 T-doc	Subject	Release	Cat	W/I Code	V_old	V_new
1	25.225	038	1	R1-01-1259	Introduction of new "UE GPS code phase" measurement	Rel-4	F	TEI4	4.2.0	4.3.0
2	25.225	042	-	R1-01-1151	Corrections in annex A.2 in TS 25.225	Rel-4	F	LCRTDD-Phys	4.2.0	4.3.0