

Title List of CRs RAN WG4
Source TSG RAN WG4
Agenda Item 7.5.1

7.5.2 Discussions on decisions from WG4

RP-040044 Technically Endorsed CRs (R99 and Rel-4/Rel-5/Rel-6 Category A) to TS25.133 on "Minimum requirements for TPC combining in soft HO"

RAN4 Tdoc	Spec	CR	R	Cat	Rel	Curr Ver	Title	Work Item
R4-040162	25.101	335	1	F	R99	3.16.0	Minimum requirements for TPC combining in soft Handover	TEI
R4-040163	25.101	336	1	A	Rel-4	4.10.0	Minimum requirements for TPC combining in soft Handover	TEI
R4-040164	25.101	337	1	A	Rel-5	5.9.0	Minimum requirements for TPC combining in soft Handover	TEI
R4-040165	25.101	338	1	A	Rel-6	6.3.0	Minimum requirements for TPC combining in soft Handover	TEI

7.5.3 Approval of CRs to Release '99 with linked CRs to Release 4 and Release 5

RP-040034

CRs (R99 and Rel-4/Rel-5/Rel-6 Category A) to TS25.133 on "Inter system HO from UTRAN FDD to GSM"

RAN4 Tdoc	Spec	CR	R	Cat	Rel	Curr Ver	Title	Work Item
R4-040156	25.133	651	1	F	R99	3.16.0	Inter system HO from UTRAN FDD to GSM	TEI
R4-040157	25.133	652	1	A	Rel-4	4.11.0	Inter system HO from UTRAN FDD to GSM	TEI
R4-040158	25.133	653	1	A	Rel-5	5.9.0	Inter system HO from UTRAN FDD to GSM	TEI
R4-040159	25.133	654	1	A	Rel-6	6.4.0	Inter system HO from UTRAN FDD to GSM	TEI

7.5.4 Approval of independent CRs to Release 4 with linked CRs to Release 5

RP-040035

CRs (Rel-4 and Rel-5/Rel-6 Category A) to TS25.123 on "Test case for SFN-SFN observed time difference type 2 for 1.28Mcps TDD"

RAN4 Tdoc	Spec	CR	R	Cat	Rel	Curr Ver	Title	Work Item
R4-040138	25.123	334	1	F	Rel-4	4.11.0	Test case for SFN-SFN observed time difference type 2 for 1.28Mcps TDD	LCRTDD-RF
R4-040139	25.123	335	1	A	Rel-5	5.7.0	Test case for SFN-SFN observed time difference type 2 for 1.28Mcps TDD	LCRTDD-RF
R4-040140	25.123	336	1	A	Rel-6	6.0.0	Test case for SFN-SFN observed time difference type 2 for 1.28Mcps TDD	LCRTDD-RF

7.5.5 Approval of independent CRs to Release 5

RP-040036

CRs (Rel-5 and Rel-6 Category A) to TS25.101

RAN4 Tdoc	Spec	CR	R	Cat	Rel	Curr Ver	Title	Work Item
R4-040075	25.101	327		F	Rel-5	5.9.0	Clarification of frequency error observation period for PRACH preambles	TEI5
R4-040076	25.101	328		A	Rel-6	6.3.0	Clarification of frequency error observation period for PRACH preambles	TEI5
R4-040100	25.101	332		F	Rel-5	5.9.0	Correction of a typo in section 9.3.2.2. (CQI Testing for UE Capability Categories 11 and 12)	HSDPA-RF
R4-040129	25.101	333		F	Rel-5	5.9.0	Minimum requirements for UE ACS	TEI5
R4-040130	25.101	334		A	Rel-6	6.3.0	Minimum requirements for UE ACS	TEI5

RP-040037

CRs (Rel-5 and Rel-6 Category A) to TS25.133 on "Test case for multipath fading intra-frequency cell identification"

RAN4 Tdoc	Spec	CR	R	Cat	Rel	Curr Ver	Title	Work Item
R4-040131	25.133	648	1	F	Rel-5	5.9.0	Test case for multipath fading intra-frequency cell identification	TEI5
R4-040132	25.133	649	1	A	Rel-6	6.4.0	Test case for multipath fading intra-frequency cell identification	TEI5

RP-040038

CRs (Rel-5 and Rel-6 Category A) to TR25.942, TR25.945, TS34.124 & TR34.926 for "Correction of references to ITU recommendations"

RAN4 Tdoc	Spec	CR	R	Cat	Rel	Curr Ver	Title	Work Item
R4-040037	25.942	012		F	Rel-5	5.1.0	Correction of references to ITU recommendations	TEI5
R4-040041	25.942	013		A	Rel-6	6.1.0	Correction of references to ITU recommendations	TEI5
R4-040038	25.945	002		F	Rel-5	5.0.0	Correction of references to ITU recommendations	TEI5
R4-040039	34.124	015		F	Rel-5	5.3.0	Correction of references to ITU recommendations	TEI5
R4-040040	34.926	001		F	Rel-5	5.0.0	Correction of references to ITU recommendations	TEI5

8.1.2 UMTS 1.7/2.1 GHz

RP-040039

CRs (Rel-6) to TS25.101, TS25.104, TS25.133, TS25.141 for the introduction of UMTS 1.7/2.1 GHz requirements

RAN4 Tdoc	Spec	CR	R	Cat	Rel	Curr Ver	Title	Work Item
R4-040027	25.101	324		B	Rel-6	6.3.0	Introduction of UMTS 1.7/2.1 GHz requirements	RInImp-UMTS1721
R4-040119	25.104	216	1	B	Rel-6	6.4.0	Introduction of UMTS 1.7/2.1 GHz requirements	RInImp-UMTS1721
R4-040148	25.133	650	1	F	Rel-6	6.4.0	Introduction of band IV, V and VI requirements	RInImp-UMTS850; UMTS800; UMTS1721
R4-040120	25.141	336	1	B	Rel-6	6.4.0	Introduction of UMTS 1.7/2.1 GHz requirements	RInImp-UMTS1721

8.9 Technical Small Enhancements and Improvements

RP-040040

CRs (Rel-6) to TS25.104, TS25.141 for the protection of UTRA FDD UE & BS in bands IV and VI operating in areas where UTRA FDD is deployed in other bands

RAN4 Tdoc	Spec	CR	R	Cat	Rel	Curr Ver	Title	Work Item
R4-040030	25.104	217		F	Rel-6	6.4.0	Co-existence with UTRA FDD in frequency band IV	TEI6
R4-040051	25.104	219		F	Rel-6	6.4.0	Co-existence with UTRA FDD in frequency band VI	TEI6
R4-040031	25.141	337		F	Rel-6	6.4.0	Co-existence with UTRA FDD in frequency band IV	TEI6
R4-040052	25.141	339		F	Rel-6	6.4.0	Co-existence with UTRA FDD in frequency band VI	TEI6

RP-040042

CRs (Rel-6) to TS25.101, TS25.123, TS25.133 and TS25.141 for small enhancements and improvements

RAN4 Tdoc	Spec	CR	R	Cat	Rel	Curr Ver	Title	Work Item
R4-040032	25.101	325		F	Rel-6	6.3.0	Additional spurious emission requirements for Bands II and V to protect 1.7/2.1 GHz	TEI6
R4-040050	25.101	326		F	Rel-6	6.3.0	Additional spurious emission requirements for Band I to protect UMTS800	TEI6
R4-040074	25.101	329	1	F	Rel-6	6.3.0	Clarification to Power on/off time mask diagram	TEI6
R4-040141	25.123	339	1	F	Rel-6	6.0.0	Some correction to GSM reselection in CELL_FACH for 1.28Mcps TDD	LCRTDD-RF
R4-040155	25.133	647	1	F	Rel-6	6.4.0	Clarify measurement control for FDD/FDD Inter-frequency Hard Handover test case	TEI6

TSG RAN Meeting #23
Phoenix, US, 10 - 12 March 2004

RP-040033

RAN4 Tdoc	Spec	CR	R	Cat	Rel	Curr Ver	Title	Work Item
R4-040072	25.141	341		B	Rel-6	6.4.0	Introduction of DCH performance test requirements for BS without Rx diversity	TEI6

8.10 Closed Release-6 Work Items

RP-040041 CRs (Rel-6) to TS25.104, TS25.141 for the introduction of performance requirements for ACK/NACK detection for HS-DPCCH

RAN4 Tdoc	Spec	CR	R	Cat	Rel	Curr Ver	Title	Work Item
R4-040034	25.104	218		B	Rel-6	6.4.0	Performance requirements for HS-DPCCH signaling detection	HSDPA-RF
R4-040166	25.141	338	1	B	Rel-6	6.4.0	Performance requirements for HS-DPCCH signaling detection	HSDPA-RF

RP-040043 CRs (Rel-6) to TS25.101, TS25.104, TS25.141 for reduction of channel numbers for UMTS800 (band VI)

RAN4 Tdoc	Spec	CR	R	Cat	Rel	Curr Ver	Title	Work Item
R4-040086	25.101	331		F	Rel-6	6.3.0	Reduction of channel number for UMTS800(band VI)	RInImp-UMTS800
R4-040087	25.104	221		F	Rel-6	6.4.0	Reduction of channel number for UMTS800(band VI)	RInImp-UMTS800
R4-040088	25.141	342		F	Rel-6	6.4.0	Reduction of channel number for UMTS800(band VI)	RInImp-UMTS800