

Source: SA5 (Telecom Management)
Title: 32.111 CR, “Split of TS - Part 2: Alarm Integration Reference Point (IRP): Information Service (IS)” (S5-000332)
Document for: Approval
Agenda Item: 6.5.3

SA5 has split TS 32.111 into a multi-part TS as identified below:

Part 1: “3G Fault Management Requirements”;

Part 2: “Alarm Integration Reference Point: Information Service”;

Part 3: “Alarm Integration Reference Point: CORBA Solution Set”;

Part 4: “Alarm Integration Reference Point: CMIP Solution Set”.

Six (6) CRs are submitted to SA#8 for approval; the present one is highlighted in yellow:

Spec	CR	Phase	Subject	Cat	Version-Current	Version-New	Doc-2nd-Level
32.111	001	R99	Split of TS - Part 1: Main part of spec – Requirements	F	3.0.1	3.1.0	S5-000328
32.111	002	R99	Split of TS - Part 1: Main part of spec - Merging of Clause X into Clause 4, etc.	F	3.0.1	3.1.0	S5-000329
32.111	003	R99	Split of TS - Part 1: Main part of spec – Alignment of FM requirements with IRP, etc.	F	3.0.1	3.1.0	S5-000331
32.111	004	R99	Split of TS - Part 2: Alarm IRP Information Service (IS)	F	3.0.1	3.1.0	S5-000332
32.111	005	R99	Split of TS - Part 3: Alarm IRP CORBA Solution Set (SS)	F	3.0.1	3.1.0	S5-000333
32.111	006	R99	Split of TS - Part 4: Alarm IRP CMIP Solution Set (SS)	F	3.0.1	3.1.0	S5-000334

3G TS 32.111-2

Technical Specification



**3rd Generation Partnership Project;
Technical Specification Group Services and System Aspects;
PART2: Alarm Integration Reference Point:
Information Service
(Release 1999)**

The present document has been developed within the 3rd Generation Partnership Project (3GPP™) and may be further elaborated for the purposes of 3GPP.

The present document has not been subject to any approval process by the 3GPP Organisational Partners and shall not be implemented. This Specification is provided for future development work within 3GPP only. The Organisational Partners accept no liability for any use of this Specification. Specifications and reports for implementation of the 3GPP™ system should be obtained via the 3GPP Organisational Partners' Publications Offices.

Keywords

Fault Management, Alarms

3GPP

Postal address

3GPP support office address

650 Route des Lucioles - Sophia Antipolis
Valbonne - FRANCE
Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Internet

<http://www.3gpp.org>

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© 2000, 3GPP Organizational Partners (ARIB, CWTS, ETSI, T1, TTA, TTC).
All rights reserved.

Contents

Foreword	4
Introduction	4
1 Scope	6
2 References	6
3 Definitions and abbreviations	7
3.1 Definitions	7
3.2 Abbreviations	7
4 Basic aspects	9
4.1 Background	9
4.2 System Overview	9
5 IRP Information Service	10
5.1 Interfaces	10
5.2 Operations of AlarmIRPOperations Interface	10
5.2.1 Operation acknowledgeAlarms (M)	10
5.2.2 Operation unacknowledgeAlarms (O)	11
5.2.3 Operation getAlarmList (M)	12
5.2.4 Operation getAlarmCount (O)	13
5.2.5 Operation getAlarmIRPVersion (M)	14
5.3 Notifications of AlarmIRPNotifications Interface	14
5.3.1 General	14
5.3.2 Notification notifyNewAlarm (M)	15
5.3.3 Notification notifyChangedAlarm (O)	15
5.3.4 Notification notifyAckStateChanged (M)	15
5.3.5 Notification notifyClearedAlarm (M)	16
5.3.6 Notification notifyAlarmListRebuilt (M)	16
5.4 Behavior	16
5.4.1 Alarm List	16
5.4.2 Network Resource Name	17
5.4.3 Alarm Information Identification	17
5.4.4 Alarm loss detection and recovery	17
5.4.5 Alarm List loss	18
5.4.6 Alarm Information	18
6 Dynamic Model	20
6.1 Alarm states	20
Appendix A (normative): Event Types and Extended Event Types	20
Appendix B (normative): Probable Causes	22
Appendix C (informative): Examples Use of notifyChangedAlarm	30
Appendix D (informative): Change history	34

Foreword

This Technical Specification (TS) has been produced by the 3rd Generation Partnership Project (3GPP).

The present document is part 2 of multi-part 3G TS covering the 3rd Generation Partnership Project: Technical Specification Group Services and System Aspects, as identifies below:

Part 1: “3G Fault Management Requirements”;

Part 2: “Alarm Integration Reference Point: Information Service”;

Part 3: “Alarm Integration Reference Point: CORBA SS”;

Part 4: “Alarm Integration Reference Point: CMIP SS”.

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
 - 1 presented to TSG for information;
 - 2 presented to TSG for approval;
 - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

Introduction

The present document is part of a set of TSs which describe the requirements and information model necessary for the Telecommunication Management (TM) of 3G systems. The TM principles and TM architecture are specified in 3G TS 32.101 and 3G TS 32.102.

A 3G system is composed of a multitude of network elements (NE) of various types and, typically, different vendors which inter-operate in a co-ordinated manner in order to satisfy the network users' communication requirements. The occurrence of failures in a network element may cause a deterioration of this NE's function and/or service quality and will, in severe cases, lead to the complete unavailability of the NE. In order to minimise the effects of such failures on the quality of service as perceived by the network users it is necessary to:

- detect failures in the network as soon as they occur and alert the operating personnel as fast as possible;
- isolate the failures (autonomously or through operator intervention), i.e. switch off faulty units and, if applicable, limit the effect of the failure as much as possible by reconfiguration of the faulty NE/adjacent NEs;
- if necessary, determine the cause of the failure using diagnosis and test routines; and,
- repair/eliminate failures in due time through the application of maintenance procedures.

This aspect of the management environment is termed "Fault Management" (FM). The purpose of FM is to detect failures as soon as they occur and to limit their effects on the network quality of service as far as possible. The latter is achieved by bringing additional/redundant equipment into operation, reconfiguring existing equipment/NEs, or by repairing/eliminating the cause of the failure.

Fault Management encompasses all of the above functionalities except commissioning/decommissioning of NEs and potential operator triggered reconfiguration (these are a matter of Configuration Management, cf. [1]). It also includes associated features in the OS, such as the administration of a pending alarms list, the presentation of operational state information of physical and logical devices/resources/functions, and the provision and analysis of the alarm and state history of the network.

1 Scope

This document (TS 32.111 Part-2) defines the Alarm IRP Information Service (IS), which addresses the alarm surveillance aspects of fault management, applied to the N Interface between EM-NM and NE-NM.

The purpose of the Alarm IRP is to define an interface through which a 'system' (typically a network element manager or a network element) can communicate alarm information for its managed objects to one or several Manager systems (typically network management systems).

The Alarm IRP IS defines the semantics of alarms and the interactions visible across the reference point in a protocol neutral way. It defines the semantics of the operations and notifications visible in the IRP. It does not define the syntax or encoding of the operations, notifications and their parameters.

2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document. References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.

- For a specific reference, subsequent revisions do not apply.
 - For a non-specific reference, the latest version applies.
1. ITU-T Recommendation Q821 - STAGE 2 AND STAGE 3 DESCRIPTION FOR THE Q3 INTERFACE – ALARM SURVEILLANCE
 2. ITU-T Recommendation X.733 (02/92): - Information technology - Open Systems Interconnection - Systems management: Alarm Reporting Function
 3. ITU-T Recommendation X.721: Information Technology - Open Systems Interconnection - Structure Of Management Information: Definition Of Management Information
 4. ITU-T Recommendation X.736: Security Alarm Reporting Function
 5. ITU-T Recommendation X.732: Relationship Management Function
 6. ITU-T Recommendation X.731: State Management Function
 7. ITU-T Recommendation X.730: Object Management Function
 8. ITU-T Recommendation X.720: Management Information Model
 9. ITU-T Recommendation M.3100 (07/95) - Generic network information model
 10. GSM 12.11 version 6.2.0 Release 1997, Fault management of the Base Station System (BSS)
 11. TS 32.106-2 Notification IRP: Information Service, Version 1
 12. TS 32.101 3G Telecom Management principles and high level requirements
 13. TS 32.102 3G Telecom Management architecture
 14. TS 32.106-8 Name Convention for Managed Objects
 15. TS 32.111-1 3G Fault Management
 16. TS 32.111-3 Alarm Integration Reference Point: CORBA Solution Set
 17. TS 32.111-4 Alarm Integration Reference Point: CMIP Solution Set

3 Definitions and abbreviations

3.1 Definitions

In addition to the terms and definitions defined in [15], the following definitions apply to this document:

Acknowledge alarm: It is a functionality provided to facilitate the management of alarms. The definition of the practical activity associated to the alarm acknowledgement is outside the scope of this IRP. The alarm acknowledgement process is summarised as follows:

IRPAgent, when first reports an alarm to IRPManager, will set the alarm's Acknowledgement State to unacknowledged. IRPManager, on behalf of the user (e.g., operator), can set the state to acknowledged by supplying (a) identifier of user acknowledging the alarm and (b) identifier of management system on which IRPManager runs. IRPAgent records the two pieces of information and the time of acknowledgement in Alarm Information of Alarm List. IRPManager representing a human operator can initiate acknowledge alarm request. IRPManager, representing an authorized management application, can initiate acknowledge alarm request as well.

Alarm List: It contains a list of Alarm Information whose severity level is not Cleared, or severity level is Cleared but is not yet Acknowledged. IRPAgent maintains the Alarm List.

Correlated Notifications: It contains a set of Notification identifiers. It may be present as a parameter of Notification. If present, the set of Notifications identified by Correlated Notifications and the subject Notification are related (correlated).

Event: It is an occurrence that is of significance to network operators, the network elements under surveillance and network management applications. Events do not have state.

IRPManager: defined in [13]

Notification: It refers to the transport of events from IRPAgent to IRPManager. In this IRP, notification is used to carry alarm information from IRPAgent to IRPManager.

Notification Identifier: It provides an identifier for the notification, which may be carried in the Correlated Notifications parameter (see below) of future notifications. Notification identifiers must be chosen to be unique across all notifications of a particular managed object (representing the NE) throughout the time that correlation is significant. Notification carries this identifier in parameter called `notificationId`. The algorithm by which correlation is accomplished is outside the scope of this IRP.

IRPAgent: defined in [13].

3.2 Abbreviations

For the purposes of the present document, the following abbreviations apply:

AIR	Alarm Information Reference
CCITT	The International Telegraph and Telephone Consultative Committee
CMIP	Common Management Information Protocol
EM	Element Manager
ETSI	European Telecommunications Standards Institute
IRP	Integration Reference Point
ITU-T	International Telecommunication Union, Telecommunication Sector
MO	Managed Object
MOC	Managed Object Class
MOI	Managed Object Instance
NE	Network Element
NM	Network Manager

NMC	Network Management Centre
OS	Operations System
OSI	Open System Interconnection
SS	Solution Set
TS	Technical Specification
UML	Unified Modeling Language

4 Basic aspects

4.1 Background

Integration Reference Points (IRPs) are the means within 3G telecom management for specifying interoperable points of information exchange between systems and applications.

TS 32.101 [12] and 32.102 [13] contain background and introductory information about IRP.

4.2 System Overview

The following figures identify system contexts of this IRP in terms of implementations called IRPAgent and IRPManager.

“IRPManager” depicts a process that interacts with IRPAgent for the purpose of receiving alarms via this IRP. Examples of IRPManagers can be network management systems and alarm viewing devices (such as a local craft terminal). IRPAgent implements and supports the Alarm IRP. IRPAgent can be one Network Element (NE) (see Figure 1) or it can be one Element Manager (EM) with one or more NEs. (Figure 2). In the latter case, the interfaces (represented by a thick dotted line) between the EM and the NEs are not subject of this IRP. Whether EM and NE share the same hardware system is not relevant to this IRP either. By observing the interaction across the Alarm IRP, one cannot deduce if EM and NE are integrated in a single system or if they run in separate systems.

As indicated in the figures, the subject IRP need to be complemented with the Notification IRP [11] (to allow IRPManager to subscribe to notifications issued by IRPAgent) and (optionally) product-specific resource models describing the MOs maintained by IRPAgent.

Figure 1: System Context A





Figure 2: System Context B




5 IRP Information Service

5.1 Interfaces

The following figure illustrates the operations and notifications defined as interfaces implemented and used by IRPAgent and IRPManager. In this document the word “interface” is used to convey identical meaning as that defined within UML. Parameters and return status are not indicated.

Two interfaces are defined. One is called AlarmIRPOperations. This interface defines operations implemented by IRPAgent and used (or called by) IRPManager. The other is called AlarmIRPNotifications. This interface defines notification implemented by IRPManager and used by IRPAgent.

Figure 3: Operations and Notification



5.2 Operations of AlarmIRPOperations Interface

5.2.1 Operation acknowledgeAlarms (M)

IRPManager invokes this operation to acknowledge one or more alarms. IRPManager does not supply time of acknowledgement. If operation is successful, IRPAgent registers the time of operation in ackTime in Alarm Information in Alarm List. IRPAgent registers ackUserId and ackSystemId in Alarm Information. It sets ackState to “acknowledged” as well.

The ackTime, ackUserId, ackSystemId and ackState are collectively called Acknowledgement Information in this document.

IRPAgent shall send notifications about Acknowledgement Information to all IRPManagers in subscriptions.

Table 1: Parameters for acknowledgeAlarms

Name	Qualifier	Purpose
alarmInformationReferenceList	Input, M	It carries one or more identifiers identifying Alarm Information in Alarm List. Each identifier identifies at most one Alarm Information in Alarm List.
AckUserId	Input, M	It identifies the user acknowledging the alarm. It can be used to identify the human operator such as “John Smith” or it can identify a group, such as “Team Six”. It may contain no information implying that IRPManager does not wish this information be kept in Alarm Information in Alarm List.
ackSystemId	Input, O	It identifies the processing system on which the subject IRPManager runs. It may contain no information implying that IRPManager does not wish this information be kept in Alarm Information in Alarm List.
badAlarmInformationReferenceList	Output, M	It identifies the Alarm Information that are not present in Alarm List or that they are present, but Acknowledgement Information has not changed, in contrast to IRPManager’s request. Element of this list is a pair of Alarm Information Reference and reason. This parameter shall contain at least one element in case the output status indicates partial failure. Otherwise, it shall contain no information.
status	Output, M	<p>(a) Operation succeeded. Acknowledgement State of all Alarm Information (in Alarm List) identified by alarmInformationReferenceList are “acknowledged” or</p> <p>(b) Operation failed. No change is made to Acknowledgement Information in any Alarm Information in Alarm List. Example of one such failure is when parameter alarmInformationReferenceList contains no identifier or no valid identifier or</p> <p>(c) Operation partially failed. It indicates that at least one but not all Alarm Information (in Alarm List) identified by parameter alarmInformationReferenceList has changed its Acknowledgement Information according to IRPManager’s request. In this case, the output parameter, called badAlarmInformationReferenceList, shall contain a subset of the identifiers carried in parameter alarmInformationReferenceList.</p>

5.2.2 Operation unacknowledgeAlarms (O)

IRPManager invokes this operation to unacknowledge one or more alarms.

If operation is successful, IRPAgent shall remove all Acknowledgement Information in Alarm Information in Alarm List. It shall send notifications carrying Acknowledgement Information to all IRPManagers (including the subject IRPManager) in subscriptions. The Acknowledgement Information carried shall contain ackUserId, ackTime and ackState. In addition it may contain ackSystemId.

Table 2: Parameters for unacknowledgeAlarms

Name	Qualifier	Purpose
alarmInformationReferenceList	Input, M	It carries one or more identifiers identifying Alarm Information in Alarm List. Each identifier identifies at most one Alarm Information in Alarm List.

ackUserId	Input, M	It identifies the user un-acknowledging the alarm.
ackSystemId	Input, O	It identifies the processing system on which the subject IRPManager runs.
badAlarmInformationReferenceList	Output, M	It identifies the Alarm Information that are not present in Alarm List or that they are present, but Acknowledgement Information has not changed, in contrast to IRPManager's request. Element of this list is a pair of Alarm Information Reference and reason. This parameter shall contain at least one element in case the output status indicates partial failure. Otherwise, it shall contain no information.
status	Output, M	<p>(a) Operation succeeded. Acknowledgement State of the Alarm Information (in Alarm List) identified by alarmInformationReferenceList is "unacknowledged" or</p> <p>(b) Operation failed. No change is made to Acknowledgement Information in any Alarm Information in Alarm List. Failure examples are (a) when parameter alarmInformationReferenceList contains no identifier (b) it contains no valid identifier (c) its ackUserId and ackSystemId do not correspond to ones used in previous acknowledgeAlarms operation.</p> <p>(c) Operation partially failed. It indicates that at least one but not all Alarm Information (in Alarm List) identified by parameter alarmInformationReferenceList has changed its Acknowledgement Information according to IRPManager's request. In this case, the output parameter, called badAlarmInformationReferenceList, shall contain a subset of the identifiers carried in parameter alarmInformationReferenceList.</p>

5.2.3 Operation getAlarmList (M)

IRPManager requests IRPAgent to provide a list of alarms in Alarm List.

Table 3: Parameters of getAlarmList

Name	Qualifier	Purpose
alarmInformationList	Output, M	It carries Alarm Information in Alarm List. Implementation of this parameter is SS dependent.
alarmAckState	Input, O	<p>It has five values indicating a) all alarms b) all active alarms c) all active and acknowledged alarms d) all active and un-acknowledged alarms e) all cleared and un-acknowledged alarms.</p> <p>If present, IRPAgent shall use it to apply on Alarm Information in Alarm List when constructing its output parameter alarmInformationList. If input parameter filter is also present, the filter constraint carried in filter shall also be applied as well.</p> <p>If absent, IRPAgent shall return all Alarm Information in Alarm List subject to filter constraint expressed in filter parameter.</p>

filter	Input, O	<p>It carries a filter constraint. IRPAgent shall return Alarm Information that satisfy this filter constraint only. Filter constraint grammar is SS dependent</p> <p>If parameter is absent and subscriptionId is present and valid, IRPAgent shall apply the current filter constraint of the subscription.</p> <p>If parameter is absent and subscriptionId is absent, IRPAgent shall return all Alarm Information in Alarm List.</p>
status	Output, M	<p>(a) Operation succeeded in that alarmInformationList contains the required Alarm Information</p> <p>Or</p> <p>(b) Operation failed because of specified or unspecified reason.</p>

5.2.4 Operation getAlarmCount (O)

IRPManager wishes to know the amount of Alarm Information kept in IRPAgent. IRPManager requests IRPAgent to provide the counts via this operation. Possible usage is for IRPManager to find out the number of Alarm Information in Alarm List before invoking getAlarmList operation.

Table 4: Parameters for getAlarmCount

Name	Qualifier	Purpose
filter	Input, O	<p>It carries a filter constraint. IRPAgent shall return Alarm Information that satisfy this filter constraint only. Filter constraint grammar is SS dependent.</p> <p>If parameter is absent and subscriptionId is present and valid, IRPAgent shall apply the current filter constraint of the subscription.</p> <p>If parameter is absent and subscriptionId is absent, IRPAgent shall return all Alarm Information in Alarm List.</p>
alarmAckState	Input, O	<p>It has five values indicating a) all alarms b) all active alarms c) all active and acknowledged alarms d) all active and un-acknowledged alarms e) all cleared and un-acknowledged alarms.</p> <p>If present, IRPAgent shall apply it for counting. If input parameter filter is also present, IRPAgent shall apply the filter constraint for counting as well.</p> <p>If absent, IRPAgent shall count all Alarm Information, subject to filter constraint expressed in filter parameter.</p>
criticalCount, majorCount, minorCount, warningCount, indeterminateCount, clearedCount	Output, M	<p>They specify the number of Alarm Information whose perceived severity are critical, major, minor, warning, indeterminate and Cleared respectively.</p>
status	Output, M	<p>(a) Operation succeeded in that the counts returned are valid</p> <p>Or</p> <p>(b) Operation failed because of specified or unspecified reason.</p>

5.2.5 Operation `getAlarmIRPVersion` (M)

IRPManager wishes to determine the IRP versions supported by the IRPAgent. IRPAgent shall return with a list of (one or more) version numbers currently supported..

Table 5: Parameters of `getAlarmIRPVersion`

Name	Qualifier	Purpose
<code>versionNumberList</code>	Output, M	It indicates one or more SS version numbers supported by the IRPAgent.
<code>status</code>	Output, M	(a) Operation succeeded in that IRPAgent is able to provide the list of version numbers. (b) Operation failed in that the IRPAgent is not able to provide the list of supported version numbers.

5.3 Notifications of `AlarmIRPNotifications` Interface

5.3.1 General

Operations that IRPManager uses to manage subscription to receive notifications are specified in Notification IRP [11]. Reference [11] also specifies a generic notification `notify`. Reference [11] defines a number of parameter-attributes that are commonly carried in notifications as well.

The commonly carried parameter-attributes are collectively called `notificationHeader` in this document. The parameter-attribute names and their qualifiers are listed below.

Table 6: Notification Header

Parameter-Attributes defined in [11]	Qualifier for use in this IS
<code>managedObjectClass</code>	M
<code>managedObjectInstance</code>	M
<code>notificationId</code>	M
<code>eventTime</code>	M
<code>systemDN</code>	O
<code>eventType</code>	M
<code>extendedEventType</code>	M

The following clauses define specific notifications relevant for Alarm IRP by extending `notify` in [11].

5.3.2 Notification `notifyNewAlarm` (M)

IRPAgent notifies the subscribed IRPManager that a new alarm has been added into the 5.4.1 Alarm List and that the added alarm satisfies the current filter constraint of the subscription.

Table 7: Parameters of `notifyNewAlarm`

Name	Qualifier	Comment
<code>notificationHeader</code>	Input, M	See Table 6: Notification Header,
<code>alarmInformationBody</code>	Input, M	It contains information about the new alarm. See clause 4.4.6 Alarm Information.

5.3.3 Notification `notifyChangedAlarm` (O)

IRPAgent notifies subscribed IRPManager regarding changes in e.g. perceived severity level in Alarm Information in Alarm List. The Alarm Information carried in the notification shall satisfy the current filter constraint of the subscription.

Table 8: Parameters of `notifyChangedAlarm`

Name	Qualifier	Purpose
<code>notificationHeader</code>	Input, M	See Table 6: Notification Header
<code>alarmInformationBody</code>	Input, M	It contains information of the changed Alarm Information. See clause 4.4.6.

5.3.4 Notification `notifyAckStateChanged` (M)

IRPAgent notifies the subscribed IRPManager regarding changes in alarm `Acknowledgement State` in Alarm Information in Alarm List. The Alarm Information carried in the notification shall satisfy the current filter constraint of the subscription.

If the alarm `Acknowledgement State` is changed to `acknowledged`, the `Acknowledgement Information` of the Alarm Information in Alarm List shall contain `ackTime` and `ackState` indicating “acknowledged”. It may contain `ackUserId` and `ackSystemId`. The Alarm Information carried in the notification shall contain identical set of parameters as well.

If the `Acknowledgement State` is changed to “unacknowledged”, the `Acknowledgement Information` of the Alarm Information in the Alarm List shall be absent or shall contain no information. The Alarm Information carried in the notification shall have the `Acknowledgement Information`. It shall contain `ackUserId`, `ackTime` and `ackState` indicating unacknowledged. It may contain `ackSystemId`.

Table 9: Parameters of `notifyAckStateChanged`

Name	Qualifier	Purpose
<code>notificationHeader</code>	Input, M	See Table 6: Notification Header
<code>alarmInformationBody</code>	Input, M	It contains the Alarm Information whose <code>Acknowledgement State</code> has changed.

Clause 6.1 specifies the Alarm States and some of these states relate to `Acknowledgement State`.

5.3.5 Notification `notifyClearedAlarm` (M)

IRPAgent notifies the subscribed IRPManager of alarm clearing if the subject Alarm Information satisfies the optional filter constraint expressed in the `subscribe` operation.

IRPAgent shall remove the Alarm Information whose `perceivedSeverity` is Cleared and its `Acknowledgement State` is “acknowledged” from Alarm List.

Table 10: Parameters for `notifyClearedAlarm`

Name	Qualifier	Purpose
<code>notificationHeader</code>	Input, M	See Table 6: Notification Header
<code>alarmInformationBody</code>	Input, M	It contains Alarm Information whose <code>perceivedSeverity</code> is Cleared. Additionally, the Alarm Information may contain <code>correlatedNotification</code> (defined in [11]) that contains references to other Alarm Information whose <code>perceivedSeverity</code> levels are Cleared as well. Alternatively, it contains an Alarm Information containing a <code>correlatedNotification</code> (defined in [11]) that contains references to other Alarm Information whose <code>perceivedSeverity</code> levels are Cleared.

5.3.6 Notification `notifyAlarmListRebuilt` (M)

IRPAgent maintains an Alarm List. If IRPAgent rebuilds this list for any reason, the IRPAgent shall notify IRPManager after the Alarm List is rebuilt. The conditions under which IRPAgent shall rebuild and the means by which IRPAgent shall rebuild its Alarm List are outside the scope of this IRP.

Table 11: Parameters for `notifyAlarmListRebuilt`

Name	Qualifier	Purpose
<code>notificationHeader</code>	Input, M	See Table 6: Notification Header
<code>reason</code>	Input, M	It provides Alarm List rebuilt reason. One valid reason is “indeterminate”.

5.4 Behavior

5.4.1 Alarm List

IRPAgent maintains an Alarm List. It contains all currently active alarms (i.e., Alarm Information whose `perceivedSeverity` is not Cleared) and alarms that is Cleared but not yet acknowledged. When an alarm is Cleared and is acknowledged, its corresponding Alarm Information in this Alarm List is removed. The removed Alarm Information will no longer be accessible via this IRP.

IRPAgent shall create a new Alarm Information in Alarm List whenever an alarm is emitted (internally within IRPAgent) that does not match with any alarm in the Alarm List. In this case, after the creation of the new Alarm Information, IRPAgent invokes `notifyNewAlarm` operation.

IRPAgent shall not create a new Alarm Information in Alarm List when an alarm is emitted (internally within IRPAgent) that matches with an alarm in the Alarm List. In this case, IRPAgent shall invoke either (1) `notifyChangedAlarm` or (2) `notifyClearedAlarm` followed by `notifyNewAlarm` operation.

See Appendix D for specification of alarm matching criterion.

In the case of a matched Alarm Information and the change is the perceived Severity value, the following additional rule shall apply.

IRPAgent shall remove all information in Acknowledgement Information of the subject Alarm Information. The Acknowledgement State shall be “unacknowledged”. IRPAgent updates the `eventTime` and `perceivedSeverity` of the matched Alarm Information. IRPAgent invokes `notifyChangedAlarm` notification to all subscribed IRPManagers.

5.4.2 Network Resource Name

An alarm provides the alarm information of a specific network resource. Alarms use one parameter-attribute, Managed Object Instance (MOI), to identify the network resource. The semantics of MOI is defined in [8]. The MOI must be unique within a certain context, such as a transmission network or a switching network. This IRP does not specify the context.

The encoding of MOI parameter-attribute value is SS dependent and is specified in [8] and [14],.

5.4.3 Alarm Information Identification

Because IRPManager can acknowledge and unacknowledge Alarm Informations currently kept in Alarm List of IRPAgent, there is a need to establish a convention so IRPManager and IRPAgent can unambiguously identify Alarm Informations in Alarm List.

Because IRPAgent can generate notifications about the state change (e.g., `perceivedSeverity` level changes or Acknowledgement State changes) of an Alarm Information in Alarm List, there is a need to establish a convention so IRPManager and IRPAgent can unambiguously identify the Alarm Information whose state has changed.

The convention, to identify Alarm Information, is the subject of this clause.

5.4.3.1 Use of `alarmInformationReference`

An `alarmInformationReference` (AIR) unambiguously identifies one Alarm Information in IRPAgent’s Alarm List. One IRPAgent has one Alarm List. The IRPAgent assigns AIR for the Alarm Informations in its own Alarm List.

IRPAgent includes AIR in all notifications it emits.

IRPManager must include AIR(s) in `acknowledgeAlarms` and `unacknowledgeAlarms`.

The mapping of AIR into its equivalents in respectively SS are done in Appendix D.

5.4.4 Alarm loss detection and recovery

This IRP does not specify methods for IRPManager to detect alarm loss. The use of `alarmId` (see clause 4.4.3.1) to detect alarm loss is an arrangement made between IRPAgent and IRPManager. This arrangement is outside the scope of this IRP. For example, IRPAgent may use integer sequence (e.g., 1, 2, 3, 4, 5...) as `alarmIds` for its alarms. Based on this knowledge, IRPManager can detect alarm loss. This kind of arrangement may not be possible for all SS.

This IRP does not specify if IRPAgent can determine if IRPManager has received alarms correctly. Not all SSs provide such capability.

This IRP does not specify methods for IRPManager and IRPAgent to recover alarm loss. The only mechanism recommended to deal with alarm loss is the use of `getAlarmList` operation. This IRP does not specify conditions under which IRPManager should invoke this operation.

5.4.5 Alarm List loss

IRPAgent can lose confidence in the integrity of its Alarm List. Under this condition, IRPAgent shall invoke `notifyAlarmListRebuilt` notification after it has successfully rebuilt the Alarm List.

5.4.6 Alarm Information

This clause specifies the information contained in Alarm Information.

Alarm Information(s) are stored in Alarm List. They are carried in `notifyNewAlarm`, `notifyChangedAlarm`, `notifyAckStateChanged`, `notifyClearedAlarm`. They are also carried in the response to `getAlarmList` operation.

When it is carried in `notifyChangedAlarm` notification, it indicates that one or more parameter-attribute values of the Alarm Information have changed since the most recent `notifyNewAlarm` or `notifyChangedAlarm` notification on the subject alarm. The following table identifies, using the symbol [Y] under "Qualifier" column, those parameters-attributes whose value changes would trigger IRPAgent to invoke `notifyChangedAlarm` or `notifyAckStateChanged` notification.

When the alarm is carried in `notifyChangedAlarm` or `notifyAckStateChanged` notification, the following rule shall apply.

- At least the value of one parameter-attribute marked with [Y] must be different than that carried in the most recent `notifyNewAlarm` or `notifyChangedAlarm` of the subject alarm.

Alarm Information, carried in notifications, always contain the AIR. In `notifyNewAlarm`, the AIR is used to identify the active Alarm Information carried in the notification. In `notifyChangedAlarm` and `notifyClearedAlarm`, the AIR is used to identify the active Alarm Information whose state has changed. In `notifyAckStateChangedAlarm`, the AIR is used to identify the Alarm Information (active or inactive) in the Alarm List whose acknowledgement state has changed.

Alarm Information contains the `notificationHeader` and `alarmInformationBody`. Table 6 defines parameter-attributes of `notificationHeader`. The following table defines the parameter-attributes of `alarmInformationBody`.

Letter M and O stands for mandatory and optional respectively. Letter Y identifies the parameter-attribute whose value changes would trigger IRPAgent to invoke `notifyChangedAlarm` or `notifyAckStateChanged`.

Table 13: Parameter-Attributes of `alarmInformationBody`

Name	Qualifier	Comment
<code>probableCause</code>	M	It qualifies alarm and provides further information than <code>eventType</code> . See Appendix B for a complete listing. This list is extensive. It is recommended that IRPAgent should use the list as is and not to extend it. It is noted that IRPAgent can privately (outside the scope of this IRP) define values for <code>specificProblem</code> that provides semantics not conveyed by <code>probableCause</code> . A special probable cause value (SS specific, e.g. -1) indicates that this alternative is valid. This parameter-attribute value shall be single-value and of simple type such as integer or string. See definition in [2] clause 8.1.2.1.
<code>perceivedSeverity</code>	M, Y	It indicates the relative level of urgency for operator attention. . Legal values are <code>Critical</code> , <code>Major</code> , <code>Minor</code> , <code>Warning</code> , <code>Indeterminate</code> and <code>Cleared</code> , according to [2]. This IRP does not recommend the use of

Name	Qualifier	Comment
		indeterminate.
specific Problem	O	It provides further qualification on the alarm than probableCause. This parameter-attribute value shall be single-value and of simple type such as integer or string. See definition in [2] clause 8.1.2.2.
correlated Notifications	O	It identifies a set of notifications to which this notification is considered to be correlated. See definition in [2] clause 8.1.2.9.
backedUpStatus	O, Y	It indicates if an object has a back up. See definition in [2] clause 8.1.2.4.
backUpObject	O, Y	It carries the DN of the back up object. It shall be absent if backUpStatus is absent or its value indicates false. See definition in [2] clause 8.1.2.5.
trend Indication	O, Y	It indicate if some observed condition is getting better, worse, or not changing. Legal values are “less severe”, “no change” and “more severe”. See definition in [2] clause 8.1.2.6.
threshold Info	O, Y	It indicates if the threshold crossed was in the up or down direction. See definition in [2] clause 8.1.2.7.
stateChange Definition	O, Y	It indicates MO attribute value changes. See definition in [2] clause 8.1.2.10.
monitored Attributes	O, Y	It indicates MO attributes whose value changes are being monitored. See definition in [2] clause 8.1.2.11.
proposed Repair Actions	O, Y	It indicates proposed repair actions. See definition in [2] clause 8.1.2.12.
additional Text	O,	It provides the identity of the NE (e.g. RNC, Node-B) from which the alarm has been originated. It corresponds to the “user label” attribute of the MOC representing the NE in the Basic CM IRP Information Model. It can contain further information on the alarm.
additional Information	(see next column)	It carries additional information related to the subject Alarm Information. It may contain the following parameter-attributes. AlarmId [Y]: It identifies at most one Alarm Information in the Alarm List. See clause 5.4.3.1. Use of this parameter-attribute is SS dependent. ackTime [Y]: It identifies the time of last operation acknowledgeAlarms or unacknowledgeAlarms. It is mandatory for notifyAckStateChanged, it is optional for other notifications ackUserId [Y]: It identifies the last user who has change the Acknowledgement State via operation acknowledgeAlarms or unacknowledgeAlarms. It is mandatory for notifyAckStateChanged, it is optional for other notifications ackSystemId [Y]: It identifies the system in which IRPManager, that invokes the acknowledgeAlarms or unacknowledgeAlarms operation, runs. It is optional for all notifications. ackState [Y]: It identifies the Acknowledgement State of the alarm. Its valid values are “acknowledged” and “unacknowledged”. It is mandatory for notifyAckStateChanged, it is optional for other notifications

6 Dynamic Model


6.1 Alarm states

Alarms have states. The following figure illustrates the alarm states.

The triggers “MO emits...” are internal within IRPAgent and are not observable via the Alarm IRP. Other triggers, e.g., “acknowledgeAlarms”, are observable via the Alarm IRP.

The solid circle icon represents the *Start State*. The double circle icon represents the *End State*. In this state, the alarm is Cleared and acknowledged. The alarm shall not be accessible via the IRP and is removed from the Alarm List.

Figure 4: Alarm States



Appendix A (normative): Event Types and Extended Event Types

This appendix lists and explains event types and extended event types used by Alarm IRP.

Event type is carried by a parameter called `eventType` defined by [11].

Extended event types is carried by a parameter called `extendedEventType` [11].

Encoding of `eventType` and `extendedEventType` is SS dependent. For example, the value of `eventType` can be encoded as Object Identifier in CMIP SS and as numeric string in CORBA SS.

The following two tables may be extended in the future.

Table14: Event Types

Event Types	Explanation
Communications Alarm	An alarm of this type is associated with the procedure and/or process required conveying information from one point to another (X.733 [2]).
Processing Error Alarm	An alarm of this type is associated with a software or processing fault (X.733 [2]).
Environmental Alarm	An alarm of this type is associated with a condition related to an enclosure in which the equipment resides (X.733 [2]).
Quality of Service Alarm	An alarm of this type is associated with degradation in the quality of a service (X.733 [2]).
Equipment Alarm	An alarm of this type is associated with an equipment fault (X.733 [2]).

Table15: Extended Event Types

Extended Event Types	Explanation
New Alarm	A notification of this type indicates that a new alarm has occurred.
Changed Alarm	A notification of this type indicates that one or more attributes, excepting those related to acknowledgement state, of an active alarm have changed.
Acknowledgement State Changed	A notification of this type indicates that the acknowledgement state of an alarm has changed.
Cleared Alarm	A notification of this type indicates that an alarm has been cleared and is no longer active.
Alarm List Rebuilt	A notification of this type indicates that the Alarm List has been successfully rebuilt.

Appendix B (normative): Probable Causes

This appendix lists probable causes and their corresponding event types.

Sources of these probable causes are [9], [3], [2], [4] and [10].

The list may be extended in the future, e.g. with UMTS-specific probable causes.

Table 16: Probable Causes from M.3100 [9]

M.3100 Probable cause	Event type
Indeterminate	Unknown
Alarm Indication Signal (AIS)	Communications
Call Setup Failure	Communications
Degraded Signal	Communications
Far End Receiver Failure (FERF)	Communications
Framing Error	Communications
Loss Of Frame (LOF)	Communications
Loss Of Pointer (LOP)	Communications
Loss Of Signal (LOS)	Communications
Payload Type Mismatch	Communications
Transmission Error	Communications
Remote Alarm Interface	Communications
Excessive Bit Error Rate (EBER)	Communications
Path Trace Mismatch	Communications
Unavailable	Communications
Signal Label Mismatch	Communications
Loss Of Multi Frame	Communications
Back Plane Failure	Equipment
Data Set Problem	Equipment
Equipment Identifier Duplication	Equipment
External IF Device Problem	Equipment
Line Card Problem	Equipment
Multiplexer Problem	Equipment
NE Identifier Duplication	Equipment
Power Problem	Equipment
Processor Problem	Equipment
Protection Path Failure	Equipment
Receiver Failure	Equipment

M.3100 Probable cause	Event type
Replaceable Unit Missing	Equipment
Replaceable Unit Type Mismatch	Equipment
Synchronisation Source Mismatch	Equipment
Terminal Problem	Equipment
Timing Problem	Equipment
Transmitter Failure	Equipment
Trunk Card Problem	Equipment
Replaceable Unit Problem	Equipment
Air Compressor Failure	Environmental
Air Conditioning Failure	Environmental
Air Dryer Failure	Environmental
Battery Discharging	Environmental
Battery Failure	Environmental
Commercial Power Failure	Environmental
Cooling Fan Failure	Environmental
Engine Failure	Environmental
Fire Detector Failure	Environmental
Fuse Failure	Environmental
Generator Failure	Environmental
Low Battery Threshold	Environmental
Pump Failure	Environmental
Rectifier Failure	Environmental
Rectifier High Voltage	Environmental
Rectifier Low F Voltage	Environmental
Ventilation System Failure	Environmental
Enclosure Door Open	Environmental
Explosive Gas	Environmental
Fire	Environmental
Flood	Environmental
High Humidity	Environmental
High Temperature	Environmental
High Wind	Environmental
Ice Build Up	Environmental
Intrusion Detection	Environmental

M.3100 Probable cause	Event type
Low Fuel	Environmental
Low Humidity	Environmental
Low Cable Pressure	Environmental
Low Temperature	Environmental
Low Water	Environmental
Smoke	Environmental
Toxic Gas	Environmental
Storage Capacity Problem	Processing error
Memory Mismatch	Processing error
Corrupt Data	Processing error
Out Of CPU Cycles	Processing error
Software Environment Problem	Processing error
Software Download Failure	Processing error

Table 17: Probable Causes from X.721/X.733 [3]/[2]

X.733 Probable Cause	Event type
Adapter Error	Equipment
Application Subsystem Failure	Processing error
Bandwidth Reduction	Quality of service
Call Establishment Error	Communications
Communication Protocol Error	Communications
Communication Subsystem Failure	Communications
Configuration or Customizing Error	Processing error
Congestion	Quality of service
Corrupt Data	Processing error
CPU Cycles Limit Exceeded	Processing error
Data Set or Modem Error	Equipment
Degraded Signal	Communications
DTE-DCE Interface Error	Communications
Enclosure Door Open	Environmental
Equipment Malfunction	Equipment
Excessive Vibration	Environmental
File Error	Processing error
Fire Detected	Environmental
Flood Detected	Environmental

X.733 Probable Cause	Event type
Framing Error	Communications
Heating or Ventilation or Cooling System Problem	Environmental
Humidity Unacceptable	Environmental
Input/Output Device Error	Equipment
Input Device Error	Equipment
LAN Error	Communications
Leak Detection	Environmental
Local Node Transmission Error	Communications
Loss of Frame	Communications
Loss of Signal	Communications
Material Supply Exhausted	Environmental
Multiplexer Problem	Equipment
Out of Memory	Processing error
Output Device Error	Equipment
Performance Degraded	Quality of service
Power Problem	Equipment
Pressure Unacceptable	Environmental
Processor Problem	Equipment
Pump Failure	Environmental
Queue Size Exceeded	Quality of service
Receive Failure	Equipment
Receiver Failure	Equipment
Remote Node Transmission Error	Communications
Resource at or Nearing Capacity	Quality of service
Response Time Excessive	Quality of service
Re-transmission Rate Excessive	Quality of service
Software Error	Processing error
Software Program Abnormally Terminated	Processing error
Software Program Error	Processing error
Storage Capacity Problem	Processing error
Temperature Unacceptable	Environmental
Threshold Crossed	Quality of service
Timing Problem	Equipment
Toxic Leak Detected	Environmental

X.733 Probable Cause	Event type
Transmit Failure	Equipment
Transmitter Failure	Equipment
Underlying Resource Unavailable	Processing error
Version Mismatch	Processing error

Table 19: Probable Causes from GSM12.11 [10]

GSM 12.11 Probable Cause	Event Type
A-bis to BTS interface failure	Equipment
A-bis to TRX interface failure	Equipment
Antenna problem	Equipment
Battery breakdown	Equipment
Battery charging fault	Equipment
Clock synchronisation problem	Equipment
Combiner problem	Equipment
Disk problem	Equipment
Equipment failure	Equipment
Excessive receiver temperature	Equipment
Excessive transmitter output power	Equipment
Excessive transmitter temperature	Equipment
Frequency hopping degraded	Equipment
Frequency hopping failure	Equipment
Frequency redefinition failed	Equipment
Line interface failure	Equipment
Link failure	Equipment
Loss of synchronisation	Equipment
Lost redundancy	Equipment
Mains breakdown with battery back-up	Equipment
Mains breakdown without battery back-up	Equipment
Power supply failure	Equipment
Receiver antenna fault	Equipment
Receiver Failure	Equipment
Receiver multicoupler failure	Equipment
Reduced transmitter output power	Equipment
Signal quality evaluation fault	Equipment

GSM 12.11 Probable Cause	Event Type
Timeslot hardware failure	Equipment
Transceiver problem	Equipment
Transcoder problem	Equipment
Transcoder or rate adapter problem	Equipment
Transmitter antenna failure	Equipment
Transmitter antenna not adjusted	Equipment
Transmitter failure	Equipment
Transmitter low voltage or current	Equipment
Transmitter off frequency	Equipment
Database inconsistency	Processing error
File system call unsuccessful	Processing error
Input parameter out of range	Processing error
Invalid parameter	Processing error
Invalid pointer	Processing error
Message not expected	Processing error
Message not initialised	Processing error
Message out of sequence	Processing error
System call unsuccessful	Processing error
Timeout expired	Processing error
Variable out of range	Processing error
Watch dog timer expired	Processing error
Cooling system failure	Environmental
External equipment failure	Environmental
External power supply failure	Environmental
External transmission device failure	Environmental
Fan failure	Environmental
High humidity	Environmental
High temperature	Environmental
Intrusion detected	Environmental
Low humidity	Environmental
Low temperature	Environmental
Smoke detected	Environmental
Excessive Error Rate	Quality of service
Reduced alarm reporting	Quality of service

GSM 12.11 Probable Cause	Event Type
Reduced event reporting	Quality of service
Reduced logging capability	Quality of service
System resources overload	Quality of service
Broadcast channel failure	Communications
Connection establishment error	Communications
Invalid message received	Communications
Invalid MSU received	Communications
LAPD link protocol failure	Communications
Local alarm indication	Communications
Remote alarm indication	Communications
Routing failure	Communications
SS7 protocol failure	Communications
Transmission error	Communications

The following table identifies probable causes that are defined by more than one standard. This is for information only.

Table 20: Duplicated Probable Causes

Duplicated Probable Cause	GSM 12.11	X.721 X.733	M.3100	Event Type
Call Establishment Failure (X.721/X.733) Call Setup Failure (M.3100)		X	X	Communications
Degraded Signal		X	X	Communications
Framing Error		X	X	Communications
Loss of Frame		X	X	Communications
Loss of Signal		X	X	Communications
Equipment Failure (GSM 12.11) Equipment Malfunction (X.721/X.733)	X	X		Equipment
Multiplexer Problem		X	X	Equipment
Power Problem		X	X	Equipment
Processor Problem		X	X	Equipment
Receiver Failure	X	X	X	Equipment
Timing Problem		X	X	Equipment
Transmitter Failure	X	X	X	Equipment
Enclosure Door Open		X	X	Environmental
Fan Failure (GSM 12.11) Cooling Fan Failure (M.3100)	X		X	Environmental
Fire Detected (X.721/X.733) Fire (M.3100)		X	X	Environmental
Flood Detected (X.721/X.733) Flood (M.3100)		X	X	Environmental
High Humidity	X		X	Environmental
High Temperature	X		X	Environmental
Intrusion Detected (GSM 12.11) Intrusion Detection (X.736/M.3100)	X		X	Environmental
Low Humidity	X		X	Environmental
Low Temperature	X		X	Environmental
Pump Failure		X	X	Environmental
Smoke Detected (GSM 12.11) Smoke (M.3100)	X		X	Environmental
Storage Capacity Problem		X	X	Processing Error
Excessive Bit Error Rate (M.3100) Excessive Error Rate (GSM12.11)	X		X	
Corrupt Data		X	X	Processing Error

Appendix C (informative): Examples Use of notifyChangedAlarm

This appendix describes a number of valid and invalid interactions governing the case when IRPAgent is reporting a specific fault of a particular network resource whose alarm severity level changes from, say critical to minor and then to Cleared.

In the examples, ni is notificationId, moc is managedObjectClass, moi is managedObjectInstance, et is eventType, pc is probableCause, sp is specificProblem, ps is perceivedSeverity and ai is AlarmId.

Valid sequence 1 to support the hypothetical case:

(1) NotifyNewAlarm

(ni=1, ai=X, moc=A, moi=B, et=C, pc=D, sp=E, ps=Critical)

(2) NotifyChangedAlarm

(ni=2, ai=X, moc=A, moi=B, et=C, pc=D, sp=E, ps=Minor)

(3) NotifyClearedAlarm

(ni=3, ai=X, moc=A, moi=B, et=C, pc=D, sp=E, ps=Minor)

Valid sequence 2 to support the hypothetical case:

(1) NotifyNewAlarm

(ni=1, ai=X, moc=A, moi=B, et=C, pc=D, sp=E, ps=Critical)

(2) NotifyClearedAlarm

(ni=2, ai=X, moc=A, moi=B, et=C, pc=D, sp=E, ps=Critical)

(3) NotifyNewAlarm

(ni=3, ai=Y, moc=A, moi=B, et=C, pc=D, sp=E, ps=Minor)

(4) NotifyClearedAlarm

(ni=4, ai=Y, moc=A, moi=B, et=C, pc=D, sp=E, ps=Minor)

Invalid sequence 1 to support the hypothetical case:

(1) NotifyNewAlarm

(ni=1, ai=X, moc=A, moi=B, et=C, pc=D, sp=E, ps=Critical)

(2) NotifyChangedAlarm

(ni=2, ai=Y, moc=A, moi=B, et=C, pc=D, sp=E, ps=Minor)

(3) NotifyClearedAlarm

(ni=3, ai=Y, moc=A, moi=B, et=C, pc=D, sp=E, ps=Minor)

Interaction (2) is illegal since it uses a different `ai` for the same alarm. It should use `ai=X` as in interaction (1).

Invalid sequence 2 to support the hypothetical case:

(1) `NotifyNewAlarm`

`(ni=1, ai=X, moc=A, moi=B, et=C, pc=D, sp=E, ps=Critical)`

(2) `NotifyNewAlarm`

`(ni=2, ai=X, moc=A, moi=B, et=C, pc=D, sp=E, ps=Minor)`

Interaction (2) is illegal since it invokes `notifyNewAlarm` using same `ai` value. It should use `notifyChangedAlarm` with the same `ai` value..

Appendix D (normative): Mapping of Alarm Information Reference to its Solution Set Equivalents

This appendix specifies the mapping of AIR into its SS equivalents. It also specifies the conditions under which these attributes shall be used in the mapping process.

Currently, there are two methods to map AIR into SS equivalents. One method is the use of `managedObjectInstance` and `notificationId` whose semantics are defined by ITU-T. The other method is the use of `alarmId` whose semantics is identical to AIR.

The following table specifies how identification of Alarm Information is achieved, with and without the use of `alarmId`.

Table 21: AIR Mapping Process

	AlarmId is used	AlarmId is not used
AcknowledgeAlarm, unacknowledgeAlarm	IRPManager places value of <code>alarmId</code> of the received <code>notifyNewAlarm</code> or related <code>notifyChangedAlarm</code> or related <code>notifyClearedAlarm</code> (they shall have the same value) in AIRs of <code>alarmInformationReferenceList</code> of this operation. IRPManager can place multiple values.	IRPManager places values of <code>managedObjectInstance</code> and <code>notificationId</code> of the received <code>notifyNewAlarm</code> notification in AIRs of <code>alarmInformationReferenceList</code> of this operation. IRPManager can place multiple pairs of values.
<code>notifyNewAlarm</code>	IRPAgent assigns a new <code>alarmId</code> for this notification. AIR is mapped to this <code>alarmId</code> . IRPAgent creates a new Alarm Information. This new Alarm Information is classified as active.	IRPAgent assigns a new <code>notificationId</code> to this notification. AIR is mapped to the <code>managedObjectInstance</code> and the <code>notificationId</code> of this notification. IRPAgent creates a new Alarm Information. This new Alarm Information is classified as active.
<code>notifyChangedAlarm</code>	IRPAgent uses the same <code>alarmId</code> of the related <code>notifyNewAlarm</code> for the <code>alarmId</code> of this notification. AIR is mapped to this <code>alarmId</code> . IRPAgent shall not create a new Alarm Information.	IRPAgent assigns a new <code>notificationId</code> to this notification. AIR is mapped to the <code>matching-criteria-attributes</code> (defined below) of this notification. The value of this set of attributes shall be identical to that of one active Alarm Information in the Alarm List. IRPAgent shall not create a new Alarm Information.
<code>notifyClearedAlarm</code>	IRPAgent uses the same <code>alarmId</code> of the related <code>notifyNewAlarm</code> for the <code>alarmId</code>	IRPAgent assigns a new <code>notificationId</code> to this notification.

	<p>alarmId of this notification.</p> <p>AIR is mapped to this alarmId.</p> <p>The IRPAgent shall not create a new Alarm Information.</p> <p>IRPAgent cannot indicate alarm clearing of more than one Alarm Information.</p>	<p>IRPAgent shall not create a new Alarm Information</p> <p>AIR is mapped to the matching-criteria-attributes of this notification. The value of this set of attributes shall be identical to that of one active Alarm Information in the Alarm List. Additionally (in the same notification), IRPAgent may use correlatedNotifications to carry AIRs of other active Alarm Informations whose perceivedSeverity is now set to Cleared as well. (in accordance to X.733 [2])</p> <p>Or</p> <p>IRPAgent shall use correlatedNotifications exclusively to carry AIRs of active Alarm Informations whose perceivedSeverity is now set to Cleared. (in accordance to [1]).</p>
<p>notifyAckStateChange</p>	<p>IRPAgent uses the same alarmId of the related notifyNewAlarm for the alarmId of this notification.</p> <p>AIR is mapped to this alarmId.</p> <p>The IRPAgent shall not create a new Alarm Information.</p> <p>IRPAgent cannot indicate Acknowledgement State change of more than one Alarm Information.</p>	<p>IRPAgent assigns a new notificationId to this notification.</p> <p>IRPAgent shall not create a new Alarm Information.</p> <p>AIR is mapped to the matching-criteria-attributes of this notification. The value of this set of attributes shall be identical to that of the active Alarm Information in the Alarm List. Additionally (in the same notification), IRPAgent may use correlatedNotifications to carry AIRs of other Alarm Informations whose Acknowledgement State has changed as well. (in accordance to X.733 [2])</p> <p>Or</p> <p>IRPAgent shall use correlatedNotifications exclusively to carry AIRs of Alarm Informations whose Acknowledgement State has changed. (in accordance to Q.821 [1]).</p>

Matching-Criteria-Attributes

This clause identifies attributes that are defined in [2] as the matching-criteria-attributes. The attributes are:

- managedObjectInstance
- eventType
- probableCause
- specificProblem, if present

Appendix E (informative): Change history

Change history					
TSG SA#	Version	CR	Tdoc SA	New Version	Subject/Comment
S_07	2.0.0	-	SP-000012	3.0.0	Approved at TSG SA #7 and placed under Change Control

CHANGE REQUEST

Please see embedded help file at the bottom of this page for instructions on how to fill in this form correctly.

32.111 CR 004

Current Version: **3.0.1**

GSM (AA.BB) or 3G (AA.BBB) specification number ↑

↑ CR number as allocated by MCC support team

For submission to: **SA#8**

list expected approval meeting # here
↑

for approval
for information

strategic (for SMG use only)
non-strategic

Form: CR cover sheet, version 2 for 3GPP and SMG The latest version of this form is available from: <ftp://ftp.3gpp.org/Information/CR-Form-v2.doc>

Proposed change affects:

(at least one should be marked with an X)

(U)SIM ME UTRAN / Radio Core Network

Source:

SA5#12

Date:

20 June 2000

Subject:

Split of TS - Part 2: Alarm Integration Reference Point (IRP): Information Service (IS)

Work item:

32.111 3G Fault Management

Category:

(only one category shall be marked with an X)

F Correction
A Corresponds to a correction in an earlier release
B Addition of feature
C Functional modification of feature
D Editorial modification

Release:

Phase 2	<input type="checkbox"/>
Release 96	<input type="checkbox"/>
Release 97	<input type="checkbox"/>
Release 98	<input type="checkbox"/>
Release 99	<input checked="" type="checkbox"/>
Release 00	<input type="checkbox"/>

Reason for change:

The following changes are proposed to be introduced in TS 32.111 Ver 3.0.1

The change contains the TS 32.111 Part-2 (Alarm IRP Information Service)

This part is not present in the version 3.0.1 of TS 32.111, therefore the entire document must be seen as “new”.

Clauses affected:

None of the current TS 32.111 clauses are affected.

Other specs affected:

Other 3G core specifications	<input type="checkbox"/>	→ List of CRs:	
Other GSM core specifications	<input type="checkbox"/>	→ List of CRs:	
MS test specifications	<input type="checkbox"/>	→ List of CRs:	
BSS test specifications	<input type="checkbox"/>	→ List of CRs:	
O&M specifications	<input type="checkbox"/>	→ List of CRs:	

Other comments:

