Status Report from CN#10

Stephen Hayes

Principal Engineer - Ericsson

Chair 3GPP TSG-CN

stephen.hayes@ericsson.com

Dec. 11, 2000

Issues for SA Information

- Support of CAMEL Ph2 implies support of CAMEL Ph1
  - Consistent with SA1 position
  - Issue tbd. for CAMEL Ph3 and higher

- Lossless Relocation for UMTS (R99)
  - Working Assumption is to allow Y-shaped tunnel
  - CN4 to ensure problems with sequence numbering overcome
  - 29.060 will be changed to align with 23.060

- Bearer Independent CS Network (Rel 4)
  - Premature to restrict number of CC protocols on Nc I/f
  - 23.205 (stage 2) and 29.232 (MGC-MGW I/f) presented for info
  - BICC CS2 determined in ITU-T

Issues for SA Information (cont.)

- V.44 Support agreed for SNDCP (Rel 4)
  - Why is there compression in SNDCP but not in PDCP?

- Intention to create new WI for ODB in GPRS (Rel 4)
  - Urgently needed to prevent fraud in GPRS
  - SA1 has agreed to requirement
  - SA2 - impacts to 23.060
  - WI needs technical review (Goal is to approve in CN#11)
  - Liaison in SP-000618

- IP Multimedia making good progress
  - Document structure agreed (23.cde, 24.228, 24.229)
  - Drafting meetings between S2/CN1 and CNx ongoing
  - CN1 implementing IETF Collaboration agreements
  - WI approved for CSCF-HSS (Cx) I/f

Dec. 11, 2000

Issues for SA Information (cont.)

- TrFO
  - Excellent Progress
  - Change of RFCI Issue resolved
  - 23.153 (OoBTC Stage 2) approved and and raised to Version 4

- Service Modification w/o Pre-notification (Rel 4)
  - Supporting companies withdrawing support
  - Most functionality handled under Multimedia Swap and Fallback
  - WI will be deleted once SA1 requirement is removed

- CAMEL Ph4
  - Now targeted for Rel 5
  - Work on VoIP support is stalled awaiting SA1 decision

- Hexadecimal IMEI
  - No activity

Issues for SA Decision

- Context needed for positive authentication reporting
  - SA3 requires pos. auth. reporting for 3GPP2 subscribers
  - Security requirement covered under "Enhanced Home Control of Security"
  - More general WI needed on intersystem roaming needed to understand how 3GPP2 subscribers roam into 3GPP network.
  - Protocol work should not be done without this context
  - Liaison in SP-000638

- 3 R99 CRs to 23.127 for SA approval (endorsed by CN)
  - CN5 has maintenance responsibility for those sections of 23.127
  - SA2 owns 23.127
  - CRs in Liaison SP-000637

Dec. 11, 2000

New Work Items Approved at CN#10

Work Item Title	Group	Target
CSCF-HSS (Cx) I/F	CN4	Rel-5
#7 Signalling over IP	CN4	Rel-4
ASCI	CN1	Rel-4
CN Work on Intra-domain connection of RAN nodes to multiple CN Nodes	CN1	Rel-4

Work Processes

- Project Plan tracking now seems to be working OK
- CN Endorses proposed changes to 21.900 and to "reference stock text"
- CN Endorses creation of a generic TE&I WID
    - Each TSG is responsible for preventing misuse.
- CN WGs having co-located Plenaries (mostly).
- IETF Collaboration Agreement is being implemented
    - CN1 has procedures in place for interacting with IETF
    - TSG-Chair will be meeting with relevant IETF Area Directors

Dec. 11, 2000