Technical Specification Group Core NetworkTdoc NP-010480Technical Specification Group Radio Access NetworkTdoc RP-010567Technical Specification Group TerminalsTdoc TP-010172Technical Specification Group Services and System AspectsTdoc SP-010418Meeting #13, Beijing, 18 - 27 September 2001Tdoc SP-010418

Source:	MCC mailto:john.meredith@etsi.fr			
Title:	3GPP TS 21.103 v1.0.0: "3rd Generation mobile system Release 5 specifications"			
Document for:	CN: information RAN: information T: information SA: information			
Agenda Item:	CN: 11 RAN: 12 T: 6 SA: 8.8			

TS 21.103 lists the UMTS specifications for Release 5. This is a draft for information, and the table of specs is far from complete. It shows those specs and reports which either exist already or which the TSGs have shown a clear intention of producing.

During the December 2001 meetings - the anticipated freeze date for Release-5 -, the TSGs will be expected to decide on a case by case basis which of the remaining Release-4 specifications are to be migrated to Release-5.

3GPP TS 21.103 V1.0.0 (2001-09)

Technical Specification

3rd Generation Partnership Project; Technical Specification Group Services and System Aspects; 3rd Generation mobile system Release 5 specifications (Release 5)



The present document has been developed within the 3rd Generation Partnership Project (3GPP TM) and may be further elaborated for the purposes of 3GPP.

The present document has not been subject to any approval process by the 3GPP Organisational Partners and shall not be implemented. This Specification is provided for future development work within 3GPP only. The Organisational Partners accept no liability for any use of this Specification. Specifications and reports for implementation of the 3GPPTM system should be obtained via the 3GPP Organisational Partners' Publications Offices. Keywords UMTS, architecture

3GPP

Postal address

3GPP support office address 650 Route des Lucioles - Sophia Antipolis Valbonne - FRANCE Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Internet

http://www.3gpp.org

Copyright Notification

No part may be reproduced except as authorized by written permission. The copyright and the foregoing restriction extend to reproduction in all media.

© 2001, 3GPP Organizational Partners (ARIB, CWTS, ETSI, T1, TTA, TTC). All rights reserved.

Contents

Anne	x A (informative): Change history	9
5	Specifications and Reports of 3G Release 5	6
4	General	5
3	Abbreviations	5
2	References	5
1	Scope	5
Forew	vord	4

Foreword

This Technical Specification (TS) has been produced by the 3rd Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

4

Version x.y.z

where:

- x the first digit:
 - 1 presented to TSG for information;
 - 2 presented to TSG for approval;
 - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

1 Scope

The present document identifies the 3^{rd} generation mobile system specifications for Release 5. The specifications and reports of 3G Release 5 have a major version number 5 (e.g. 5.x.y).

Most of the core Release 5 Technical Specifications and Technical Reports will be functionally frozen at the 14th Technical Specification Group meetings in December 2001.

- NOTE 1: Functionally frozen means that no further functionality/features may be incorporated into the set of specifications, and that only corrective Change Requests (CRs) are to be accepted and agreed.
- NOTE 2: It can be expected that corrective CRs will be introduced into the Release 5 version 5.x.y specifications throughout 2002 and beyond.

2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies. In the case of a reference to a 3GPP document (including a GSM document), a non-specific reference implicitly refers to the latest version of that document *in the same Release as the present document*.
- [1] 3GPP TR 21.905: "Vocabulary for 3GPP Specifications".
- [2] 3GPP TR 21.900: "Technical Specification Group working procedures".

3 Abbreviations

For the purposes of the present document, the terms and definitions given in 3GPP TS 21.905 [1] apply.

4 General

Release 5 consists of 3G-only specifications and the GSM Core Network specifications developed for both GSM Release 5 and Release 5 of the 3rd Generation mobile system.

The present document identifies the 3G system set of specifications required to implement Release 5.

The numbering scheme for specifications is described in 3GPP TR 21.900 [2].

5 Specifications and Reports of 3G Release 5

- NOTE 1: The final column of the table below indicates whether or not the documents are intended for adoption by the partner Standards Development Organizations as their own publications. Those marked "no" are internal working documents of the 3GPP TSGs.
- NOTE 2: Some of the algorithm specifications in the 35.-series are available only under licence.
- NOTE 3: "Type" indicates Technical Specification (TS) or Technical Report (TR).

Туре	Number	Number Title				
TS	21.103	3rd Generation mobile system Release 5 specifications	SP	Yes		
TR	21.905	Vocabulary for 3GPP Specifications	S1	Yes		
TS	22.038	USIM/SIM Application Toolkit (USAT/SAT); Service description; Stage 1	S1	Yes		
TS	22.057	Mobile Execution Environment (MExE); Stage 1	S1	Yes		
TS	22.078	CAMEL; Stage 1	S1	Yes		
TS	22.101	Service aspects; Service principles	S1	Yes		
TS	22.115	Service Aspects Charging and billing	S1	Yes		
TS	22.121	Service aspects; The Virtual Home Environment; Stage 1	S1	Yes		
TS	22.127	Service Requirement for the Open Services Access (OSA); Stage 1	S1	Yes		
TS	22.141	Support of Presence Capability (SOP); stage 1	S1	Yes		
TS	22.146	Multimedia Broadcast/Multicast Service; Stage 1	S1	Yes		
TS	22.226	Global text telephony; Stage 1: Service description	S1	Yes		
TS	22.228	IP multimedia subsystem; Stage 1	S1	Yes		
TR	22.928	IP-based multimedia services examples	S1	Yes		
TR	22.941	IP based multimedia framework specifications	S1	Yes		
TR	22.946	Broadcast and multicast services	S1	Yes		
TS	23.002	Network Architecture	S2	Yes		
TS	23.003	Numbering, Addressing and Identification	N4	Yes		
TS	23.018	Basic Call Handling; Technical realization	N4	Yes		
TS	23.040	Technical realization of Short Message Service (SMS)	T2	Yes		
TS	23.048	Security Mechanisms for SIM Toolkit Application; Stage 2	T3	Yes		
TS	23.084	MultiParty (MPTY) Supplementary Service; Stage 2	N4	Yes		
TS	23.107	Quality of Service (QoS) concept and architecture	S2	Yes		
TS	23.207	End to end quality of service concept and architecture	S2	Yes		
TS	23.218	IP Multimedia (IM) session handling; IM call model	N1	Yes		
TS	23.221	Architectural requirements	S2	Yes		
TS	23.226	Global text telephony; Stage 2: Architecture	N4	Yes		
TS	23.228	IP multimedia subsystem; Stage 2		Yes		
10	23.220	Intra-domain connection of radio access network nodes to multiple core				
TS	23.236	network nodes		Yes		
TS	23.271	Functional stage 2 description of location services	S2	Yes		
TR	23.915	Charging implications of IMS architecture	S2	Yes		
TR	23.955	Virtual Home Environment (VHE) concepts	S2	Yes		
TR	23.974	Support of push service	S2	Yes		
		Mobile Radio Interface Layer 3 specification; Core Network Protocols;				
тs	24.008	Stage 3	N1	Yes		
		Signalling flows for the IP multimedia call control based on SIP and SDP;				
тs	24.228	stage 3	N1	Yes		
TS	24.229	IP Multimedia Call Control Protocol based on SIP and SDP; stage 3		Yes		
TS	25.305	Stage 2 functional specification of UE positioning in UTRAN		Yes		
TS	25.308	High speed downlink packet access		Yes		
TS	25.401	UTRAN Overall Description		Yes		
TS	25.450	UTRAN Overall Description UTRAN lupc interface general aspects and principles		Yes		
TS	25.451	UTRAN lupc interface layer 1	R3 R3	Yes		
TS	25.452	UTRAN lupc interface signalling transport		Yes		
	UTRAN lupc interface Positioning Calculation Application Part (PCAP)		R3			
TS	25.453	signalling R3		Yes		
TR	25.854	Uplink Synchronous Transmission Scheme (USTS)		No		
TR	25.855	High Speed Downlink Packet Access (HSDPA); Overall UTRAN description R2				

Туре	Number		WG prime	For publication	
		High Speed Downlink Packet Access (HSDPA); Layer 2 and 3 aspects			
TR	25.856	hans	R2	No	
TR	25.857	UE positioning enhancements	R2	No	
TR	25.858	Physical layer aspects of UTRA High Speed Downlink Packet Access	R1	No	
TR	25.859	User Equipment positioning enhancements for 1,28 Mcps TDD	R2	No	
TR	25.868	Node B synchronization for 1,28 Mcps, TDD	R1	No	
TR	25.869	RAN WG1 report on Tx diversity solutions for multiple antennas	R1	No	
TR	25.870	Enhancement on the DSCH Hard Split mode	R1	No	
TR	25.875	NAS node selector function	R3	No	
TR	25.876	Multiple-Input Multiple-Output Antenna Processing for HSDPA	R1	No	
TR	25.877		R3	No	
TR	25.878	RL Timing Adjustment	R3	No	
TR	25.879	Separation of resource reservation and radio link activation	R3	No	
TS	25.880	Traffic Termination Point Swapping	R3	No	
TR	25.881	Improvement of Radio Resource Management across RNS and RNS/BSS		No	
TR	25.882	1,28 Mcps TDD option base station classification	R4	No	
TR	25.883	Direct Transport Bearers Between SRNC and Node-B	R3	No	
TR	25.884	Iur Neighbouring cell reporting efficiency optimisation	R3	No	
TR	25.952	Base Station classification (TDD)	R4	Yes	
		Feasibility study on the mitigation of the effect of common pilot channel			
TR	25.991	(CPICH) interference at the user equipment	R4	Yes	
TS	26.103	Codec lists	S4	Yes	
		Narrow Band (3,1kHz) Speech & Video Telephony Terminal Acoustic			
TS	26.131	Characteristics	S4	Yes	
		Narrow Band (3,1kHz) Speech & Video Telephony Terminal Acoustic Test			
TS	26.132	Specification.	S4	Yes	
TS	26.171	AMR speech codec, wideband; General description	S4	Yes	
TS	26.173	AMR speech codec, wideband; C-source code	S4	Yes	
TS	26.174	AMR speech codec, wideband; Test sequences	S4	Yes	
		Mandatory Speech Codec speech processing functions AMR Wideband			
тs	26.190	speech codec; Transcoding functions	S4	Yes	
TS	26.191	AMR speech codec, wideband; Error concealment of lost frames	S4	Yes	
		Mandatory Speech Codec speech processing functions AMR Wideband			
тs	26.192	Speech Codec; Comfort noise aspects	S4	Yes	
TS	26.193	AMR speech codec, wideband; Source Controlled Rate operation		Yes	
		Mandatory Speech Codec speech processing functions AMR Wideband			
TS	26.194	speech codec; Voice Activity Detector (VAD)		Yes	
TS	26.201	AMR speech codec, wideband; Frame structure	S4	Yes	
TS	26.202	AMR speech codec, wideband; Interface to lu and Uu	S4	Yes	
TS	26.226	Global text telephony;Transport of text in the voice channel	S4	Yes	
		Global text telephony; Cellular text telephone modem transmitter C-code	• •	100	
		description			
тs	26.230	description	S4	Yes	
		Global text telephony; Cellular text telephone modem minimum	• •		
тs	26.231	performance requirements	S4	Yes	
TS	26.235			Yes	
TR	26.976	Packet switched conversational multimedia applications; Default codecs		Yes	
TS	27.104	Results of the AMR wideband (AMR-W) selection phase		Yes	
TS	29.162	vObjects and other constructs for data synchronization Interworking between the IM CN subsystem and IP networks		Yes	
TS	29.163	Interworking between the IM CN subsystem and CS networks	N3 N3	Yes	
13	29.103	Open Service Access (OSA) Application Programming Interface (API);	INO	165	
те	20 108 00			Voc	
TS	29.198-09		N5	Yes	
тѕ	20 109 10	Open Service Access (OSA) Application Programming Interface (API); Part 10: Connectivity manager SCE	N5	Voc	
	29.198-10	Part 10: Connectivity manager SCF		Yes	
TS	29.207	End to end quality of service; stage 3		Yes	
			N4	Yes	
то	00.000	IP Multimedia (IM) Subsystem Cx Interface; Signalling flows and message		Yes	
TS	29.228				
	29.229	Cx Interface based on the DIAMETER protocol; Protocol details	N4	Yes	
TS	29.229	Feasibility study on SS7 signalling transportation in the core network with			

Type Number		Title	WG prime	For publication	
TR	29.998-04-2	N5	Yes		
TR	29.998-05-2	Subpart 2: Open Service Access (OSA) Application Programming Interface (API) Mapping for Open Service Access; Part 5: User Interaction Service Mapping; Subpart 2:	N5	Yes	
TR	29.998-05-3	Open Service Access (OSA) Application Programming Interface (API) Mapping for Open Service Access; Part 5: User Interaction Service Mapping; Subpart 3	N5	Yes	
TS	31.114	USAT interpreter protocol and administration	Т3	Yes	
TS	32.112	Telecommunication Management; Fault Management; Alarm Integration Reference Point: Information Service	S5	Yes	
TS	32.113	Telecommunication Management; Fault Management; Alarm Integration Reference Point: CORBA solution set version 1:1	S5	Yes	
TS	32.114	Telecommunication Management; Fault Management; Alarm Integration Reference Point: CMIP solution set		Yes	
TS	32.140	3G Service Management Requirements & Framework		Yes	
TS	32.225	Telecom management; Charging management; Charging data description for the IMS domain	S5	Yes	
TS	33.106	Lawful interception requirements	S3	Yes	
TS	33.107	Lawful interception architecture and functions	S3	Yes	
TS	33.108	Lawful Interception; Interface between core network and law agency equipment	S3	Yes	
TS	33.201	Access domain security		Yes	
TS	33.203	Access Security for IP based services		Yes	
TS	33.210	Network Domain Security - IP		Yes	
TR	33.800	Principles for Network Domain Security	S3	No	
TR	33.900	Guide to 3G security	S3	Yes	
TR	33.903	Access Security for IP based services	S3	Yes	

8

Annex A (informative): Change history

Change history						
TSG SA#	Version	CR	Tdoc SA	New Version	Subject/Comment	
SP-12	0.0.0	-	SP-010275		First draft	
SP-12	0.1.0		SP-010382		table of specs revised	
SP-13	1.0.0		SP-010418		table of specs revised	