Source: SA5

Title: **R99 CR32.106-6 (Basic Configuration Management IRP: CORBA Solution Set Version 1:1)**

Document for: **Approval**

Agenda Item: **7.5.3**

Doc-1st-Level	Doc-2nd-Level	Spec	CR	Rev	Phase	Subject	Cat	Version Current	Version-New	Workitem
SP-010473	S5-010459	32.106-6	010		R99	Duplicated exception definition for FilterComplexityLimit	F	3.2.0	3.3.0	OAM-CM

CR-Form-v4

CHANGE REQUEST

| | ⌘ | **32.106-6** CR **010** | ⌘ | ev | **-** | ⌘ | Current version: | **3.2.0** | ⌘ |

*For **HELP** on using this form, see bottom of this page or look at the pop-up text over the ⌘ symbols.*

Proposed change affects: ⌘   (U)SIM ☐   ME/UE ☐   Radio Access Network ☐   Core Network **X**

Title:	⌘	Duplicated exception definition for FilterComplexityLimit
Source:	⌘	SA5
Work item code: ⌘		OAM-CM *Date:* ⌘ 20/07/2001
Category:	⌘	**F** *Release:* ⌘ R99

Use one of the following categories:
F (correction)
A (corresponds to a correction in an earlier release)
B (addition of feature),
C (functional modification of feature)
D (editorial modification)
Detailed explanations of the above categories can be found in 3GPP TR 21.900.

Use one of the following releases:
2 (GSM Phase 2)
R96 (Release 1996)
R97 (Release 1997)
R98 (Release 1998)
R99 (Release 1999)
REL-4 (Release 4)
REL-5 (Release 5)

Reason for change:	⌘	Duplicated 2-lines of CORBA IDL code which may generate confusion/errors
Summary of change: ⌘		Delete 1 definition of duplicated CORBA IDL exception declaration for FilterComplexityLimit
Consequences if not approved:	⌘	Potential confusion/errors for implementers of the TS

Clauses affected:	⌘	Annex A: CORBA IDL, Access Protocol
Other specs affected:	⌘ ☐	Other core specifications ⌘
	☐	Test specifications
	☐	O&M Specifications
Other comments:	⌘	

Annex A (normative):
CORBA IDL, Access Protocol

```
   exception FilterComplexityLimit {
      string reason;
   };
   exception FilterComplexityLimit {
      string reason;
   };
```