

---

**Source:** SA5 (Telecom Management)  
**Title:** Rel-4 CR 32.624 (S5-010778)  
**Document for:** Decision  
**Agenda Item:** 7.5.3

---

Doc-1st-	Spec	CR	Phas	Subject	C	Versi	Versi	Doc-2nd-	Workitem
SP-010648	32.624	003	Rel-4	Change to Read/Write the attribute "userDefinedState" in MOC "ManagementNode"	F	4.1.0	4.2.0	S5-010778	OAM-CM

## CHANGE REQUEST

⌘ **32.624** CR **CRNum** ⌘ ev **-** ⌘ Current version: **4.1.0** ⌘

For [HELP](#) on using this form, see bottom of this page or look at the pop-up text over the ⌘ symbols.

Proposed change affects: ⌘ (U)SIM  ME/UE  Radio Access Network  Core Network

<b>Title:</b>	⌘ Change to Read/Write the attribute "userDefinedState" in MOC "ManagementNode"
<b>Source:</b>	⌘ SA5
<b>Work item code:</b>	⌘ OAM-CM
	<b>Date:</b> ⌘ 30/11/2001
<b>Category:</b>	⌘ <b>F</b>
	<div style="display: flex; justify-content: space-between;"> <div style="width: 45%;"> <p><i>Use one of the following categories:</i></p> <p><b>F</b> (correction)</p> <p><b>A</b> (corresponds to a correction in an earlier release)</p> <p><b>B</b> (addition of feature),</p> <p><b>C</b> (functional modification of feature)</p> <p><b>D</b> (editorial modification)</p> <p>Detailed explanations of the above categories can be found in 3GPP <a href="#">TR 21.900</a>.</p> </div> <div style="width: 45%;"> <p><i>Use one of the following releases:</i></p> <p><b>2</b> (GSM Phase 2)</p> <p><b>R96</b> (Release 1996)</p> <p><b>R97</b> (Release 1997)</p> <p><b>R98</b> (Release 1998)</p> <p><b>R99</b> (Release 1999)</p> <p><b>REL-4</b> (Release 4)</p> <p><b>REL-5</b> (Release 5)</p> </div> </div>

<b>Reason for change:</b>	⌘ The attribute "userDefinedState" in MOC "ManagementNode" is defined in 32.622 as Read/Write but in 32.624 incorrectly as Read-Only.
<b>Summary of change:</b>	⌘ Change of the attribute "userDefinedState" in MOC "managementNode" in 32.624 Subclause 5.2.8 from GET to GET-REPLACE.
<b>Consequences if not approved:</b>	⌘ Inconsistency between 32.622 and 32.624

<b>Clauses affected:</b>	⌘ 5.2.8						
<b>Other specs affected:</b>	<table style="width: 100%;"> <tr> <td style="width: 50%;"><input type="checkbox"/> Other core specifications</td> <td style="width: 50%;">⌘</td> </tr> <tr> <td><input type="checkbox"/> Test specifications</td> <td></td> </tr> <tr> <td><input type="checkbox"/> O&amp;M Specifications</td> <td></td> </tr> </table>	<input type="checkbox"/> Other core specifications	⌘	<input type="checkbox"/> Test specifications		<input type="checkbox"/> O&M Specifications	
<input type="checkbox"/> Other core specifications	⌘						
<input type="checkbox"/> Test specifications							
<input type="checkbox"/> O&M Specifications							
<b>Other comments:</b>	⌘						

## 5.2.8 managementNodeBasicPackage

### **managementNodeBasicPackage** PACKAGE

#### ATTRIBUTES

managementNodeId GET,

userDefinedState GET,

"Recommendation M.3100: 1995" : userLabel GET [REPLACE](#),

"Recommendation M.3100: 1995" : vendorName GET,

"Recommendation M.3100: 1995" : locationName GET;

swVersion: GET;

REGISTERED AS {ts32-624Package 8};

### **managementNodeBasicPackageBehaviour** BEHAVIOUR

#### DEFINED AS

"This managed object class represents a telecommunications management system (EM or NM) within the TMN, that manages a number of Managed Elements. The management system communicates with the MEs directly or indirectly over one or more standard interfaces for the purpose of monitoring and/or controlling these MEs.";