TSGS#14(01)0667

Technical Specification Group Services and System Aspects Meeting #14, Kyoto, Japan, 17-20 December 2001

Source: SA1

Title: CRs to 22.011 R99 and Rel-4 on 'Simplification of the procedure

for user PLMN reselection'

Document for: Approval

Agenda Item: 7.1.3

Doc-1st- Level	Spec	CR	Rev	Phase	Cat	Subject	Vers	Vers New	Doc-2nd- Level
SP-010667	22.011	038		R99		CR to 22.011 R99 'Simplification of the procedure for user PLMN reselection'	3.5.0	3.6.0	1337
SP-010667	22.011	039		Rel-4		CR to 22.011 R4 'Simplification of the procedure for user PLMN reselection'	4.4.0	4.5.0	1338

TSG-SA WG 1 (Services) meeting #14 Kobe, Japan, 5-9 November 2001

\$1-011337 Agenda Item: 7

3.2.2.3 User reselection

At any time, the user may request the UE to initiate reselection and registration onto an alternative available PLMN, according to the following procedures, dependent upon the operating mode.

A) Automatic Network Selection Mode

The UE shall-select the HPLMN. If the HPLMN is not available, the UE shall-follow the procedure defined in clause 3.2.2.2.A) above.

B) Manual Network Selection Mode

The procedure of 3.2.2.2 B) is followed.

TSG-SA WG 1 (Services) meeting #14 Kobe, Japan, 5-9 November 2001

\$1-011057 Agenda Item: 7

3.2.2.3 User reselection

At any time, the user may request the UE to initiate reselection and registration onto an alternative available PLMN, according to the following procedures, dependent upon the operating mode.

A) Automatic Network Selection Mode

The UE shall-select the HPLMN. If the HPLMN is not available, the UE shall-follow the procedure defined in clause 3.2.2.2.A) above.

B) Manual Network Selection Mode

The procedure of 3.2.2.2 B) is followed.