
Source: SA1
Title: CRs to 22.011 R99 and Rel-4 on 'Simplification of the procedure for user PLMN reselection'
Document for: Approval
Agenda Item: 7.1.3

Doc-1st-Level	Spec	CR	Rev	Phase	Cat	Subject	Vers	Vers New	Doc-2nd-Level
SP-010667	22.011	038		R99	F	CR to 22.011 R99 'Simplification of the procedure for user PLMN reselection'	3.5.0	3.6.0	1337
SP-010667	22.011	039		Rel-4	A	CR to 22.011 R4 'Simplification of the procedure for user PLMN reselection'	4.4.0	4.5.0	1338

CR-Form-v4

CHANGE REQUEST

⌘ **22.011 CR 038** ⌘ ev **-** ⌘ Current version: **3.5.0** ⌘

For **HELP** on using this form, see bottom of this page or look at the pop-up text over the ⌘ symbols.

Proposed change affects: ⌘ (U)SIM ME/UE Radio Access Network Core Network

Title:	⌘ Simplification of the procedure for user PLMN reselection		
Source:	⌘ SA1		
Work item code:	⌘	Date:	⌘ 09 – 11 – 2001
Category:	⌘ F	Release:	⌘ R99
	Use <u>one</u> of the following categories:		Use <u>one</u> of the following releases:
	F (correction)	2 (GSM Phase 2)	R96 (Release 1996)
	A (corresponds to a correction in an earlier release)	R97 (Release 1997)	R98 (Release 1998)
	B (addition of feature),	R99 (Release 1999)	REL-4 (Release 4)
	C (functional modification of feature)	REL-5 (Release 5)	
	D (editorial modification)		
	Detailed explanations of the above categories can be found in 3GPP TR 21.900 .		

Reason for change:	⌘ Some of the current text in 3.2.2.3 is redundant. The CR streamlines the text and adds clarity. If the user requests to initiate a reselection and registration onto an alternative PLMN, the HPLMN always has the highest priority.
Summary of change:	⌘ Removed the duplicated requirement to select the HPLMN during a automatic network selection
Consequences if not approved:	⌘ Redundant service requirement in the document

Clauses affected:	⌘ 3.2.2.3	
Other specs affected:	⌘ <input type="checkbox"/> Other core specifications	⌘
	<input type="checkbox"/> Test specifications	
	<input type="checkbox"/> O&M Specifications	
Other comments:	⌘	

How to create CRs using this form:

Comprehensive information and tips about how to create CRs can be found at: http://www.3gpp.org/3G_Specs/CRs.htm. Below is a brief summary:

- 1) Fill out the above form. The symbols above marked ⌘ contain pop-up help information about the field that they are closest to.
- 2) Obtain the latest version for the release of the specification to which the change is proposed. Use the MS Word "revision marks" feature (also known as "track changes") when making the changes. All 3GPP specifications can be downloaded from the 3GPP server under <ftp://ftp.3gpp.org/specs/> For the latest version, look for the directory name with the latest date e.g. 2001-03 contains the specifications resulting from the March 2001 TSG meetings.
- 3) With "track changes" disabled, paste the entire CR form (use CTRL-A to select it) into the specification just in front of the clause containing the first piece of changed text. Delete those parts of the specification which are not relevant to the change request.

3.2.2.3 User reselection

At any time, the user may request the UE to initiate reselection and registration onto an alternative available PLMN, according to the following procedures, dependent upon the operating mode.

A) Automatic Network Selection Mode

The UE shall ~~select the HPLMN. If the HPLMN is not available, the UE shall~~ follow the procedure defined in clause 3.2.2.2.A) above.

B) Manual Network Selection Mode

The procedure of 3.2.2.2 B) is followed.

CR-Form-v4

CHANGE REQUEST

⌘ **22.011 CR 039** ⌘ ev **-** ⌘ Current version: **4.4.0** ⌘

For **HELP** on using this form, see bottom of this page or look at the pop-up text over the ⌘ symbols.

Proposed change affects: ⌘ (U)SIM ME/UE Radio Access Network Core Network

Title:	⌘ Simplification of the procedure for user PLMN reselection		
Source:	⌘ SA1		
Work item code:	⌘	Date:	⌘ 09 – 11 – 2001
Category:	⌘ A	Release:	⌘ REL-4
	Use <u>one</u> of the following categories:		Use <u>one</u> of the following releases:
	F (correction)	2 (GSM Phase 2)	
	A (corresponds to a correction in an earlier release)	R96 (Release 1996)	
	B (addition of feature),	R97 (Release 1997)	
	C (functional modification of feature)	R98 (Release 1998)	
	D (editorial modification)	R99 (Release 1999)	
	Detailed explanations of the above categories can be found in 3GPP TR 21.900 .		REL-4 (Release 4)
			REL-5 (Release 5)

Reason for change:	⌘ Some of the current text in 3.2.2.3 is redundant. The CR streamlines the text and adds clarity. If the user requests to initiate a reselection and registration onto an alternative PLMN, the HPLMN always has the highest priority.
Summary of change:	⌘ Removed the duplicated requirement to select the HPLMN during a automatic network selection
Consequences if not approved:	⌘ Redundant service requirement in the document

Clauses affected:	⌘ 3.2.2.3	
Other specs affected:	⌘ <input type="checkbox"/> Other core specifications	⌘
	<input type="checkbox"/> Test specifications	
	<input type="checkbox"/> O&M Specifications	
Other comments:	⌘	

How to create CRs using this form:

Comprehensive information and tips about how to create CRs can be found at: http://www.3gpp.org/3G_Specs/CRs.htm. Below is a brief summary:

- 1) Fill out the above form. The symbols above marked ⌘ contain pop-up help information about the field that they are closest to.
- 2) Obtain the latest version for the release of the specification to which the change is proposed. Use the MS Word "revision marks" feature (also known as "track changes") when making the changes. All 3GPP specifications can be downloaded from the 3GPP server under [ftp://ftp.3gpp.org/specs/](http://ftp.3gpp.org/specs/) For the latest version, look for the directory name with the latest date e.g. 2001-03 contains the specifications resulting from the March 2001 TSG meetings.
- 3) With "track changes" disabled, paste the entire CR form (use CTRL-A to select it) into the specification just in front of the clause containing the first piece of changed text. Delete those parts of the specification which are not relevant to the change request.

3.2.2.3 User reselection

At any time, the user may request the UE to initiate reselection and registration onto an alternative available PLMN, according to the following procedures, dependent upon the operating mode.

A) Automatic Network Selection Mode

The UE shall ~~select the HPLMN. If the HPLMN is not available, the UE shall~~ follow the procedure defined in clause 3.2.2.2.A) above.

B) Manual Network Selection Mode

The procedure of 3.2.2.2 B) is followed.