TSGS#15(02)0197

Technical Specification Group Services and System Aspects Meeting #15, Cheju Island, Korea, 11-14 March 2002

Source: SA WG3

Title: CRs: Renumbering of specs to reflect access-technology-

independence of IST

Document for: Approval

Agenda Item: 8.6

Spec	CR	R	Phase	Subject	Cat	Current Version
21.101	009		R99	Renumbering of specs to reflect access-	В	3.6.0
21.102	006		Rel-4	technology-independence of IST	D	4.3.0
01.01	006		R99		В	8.4.0
41.102	005		Rel-4		D	4.3.0

		orm-v5
	CHANGE REQUEST	
*	21.101 CR 009	
For <u>HELP</u> on us	ing this form, see bottom of this page or look at the pop-up text over the 光 symbol	s.
Proposed change a	ffects: (U)SIM ME/UE Radio Access Network Core Netwo	rk
Title: 第	Renumbering of specs to reflect access-technology-independence of IST	
Source: #	MCC mailto:john.meredith@etsi.fr	
Work item code: ₩	TEI Date: 第 2002-03-13	
Category: 第	Release: Release: R99 Use one of the following categories: F (correction) A (corresponds to a correction in an earlier release) B (addition of feature), C (functional modification of feature) P (editorial modification) C (ditorial modification) C (functional modification) R98 R99 Release 1996) R97 Release 1997) R98 Release 1998) R99 Release 1999) Retailed explanations of the above categories can perform the following release. R96 Release 1996) R97 Release 1999) R99 Release 1999) REL-4 REL-5 (Release 5)	s:
Reason for change	★ IST is not GERAN-specific, but is equally applicable to UTRAN.	
Summary of chang	add 22.032; add 23.035	
Consequences if not approved:	★ Confusion over contents of this Release.	
Clauses affected:	₩ 5	
Other specs affected:	# Other core specifications # 21.102, 01.01, 41.102 Test specifications O&M Specifications	
Other comments:	Ψ	

How to create CRs using this form:

- 1) Fill out the above form. The symbols above marked \$\mathbb{K}\$ contain pop-up help information about the field that they are closest to.
- 2) Obtain the latest version for the release of the specification to which the change is proposed. Use the MS Word "revision marks" feature (also known as "track changes") when making the changes. All 3GPP specifications can be downloaded from the 3GPP server under ftp://ftp.3gpp.org/specs/ For the latest version, look for the directory name with the latest date e.g. 2001-03 contains the specifications resulting from the March 2001 TSG meetings.
- 3) With "track changes" disabled, paste the entire CR form (use CTRL-A to select it) into the specification just in front of the clause containing the first piece of changed text. Delete those parts of the specification which are not relevant to the change request.

Туре	Number	Title	WG prime	For publication
				f
TS	22.022	Personalisation of Mobile Equipment (ME); Mobile functionality specification	S3	Yes
TS	22.024	Description of Charge Advice Information (CAI)	S1	Yes
TS	22.030	Man-Machine Interface (MMI) of the User Equipment (UE)	S1	Yes
TS	22.032	Immediate Service Termination (IST); Service description; Stage 1	<u>S3</u>	Yes
TS	22.034	High Speed Circuit Switched Data (HSCSD); Stage 1	S1	Yes
TS	22.038	USIM/SIM Application Toolkit (USAT/SAT); Service description; Stage 1	S1	Yes
TS	22.041	Operator Determined Call Barring	S1	Yes
TS	23.018	Basic Call Handling; Technical realization	N4	Yes
TS	23.032	Universal Geographical Area Description (GAD)	S2	Yes
TS	23.034	High Speed Circuit Switched Data (HSCSD); Stage 2	N1	Yes
TS	23.035	Immediate Service Termination (IST); Stage 2	<u>S3</u>	Yes
TS	23.038	Alphabets and language-specific information	T2	Yes
TR	23.039	Interface Protocols for the Connection of Short Message Service Centers (SMSCs) to Short Message Entities (SMEs)	T2	Yes
TS	23.040	Technical realization of Short Message Service (SMS)	T2	Yes

CHANGE REQUEST											
*	21.	102	CR 006	×	rev	-	¥	Current vers	ion:	4.3.0	¥
For <u>HELP</u> on u	ısing t	his for	rm, see bottom	of this p	age or	look a	at the	e pop-up text	over t	the ¥ sym	nbols.
Proposed change	affect	s: #	(U)SIM	ME/U	E	Radi	o Ac	cess Network	k	Core Ne	twork
Title: 第	Rer	numbe	ering of specs to	o reflect	access	-tech	nolo	gy-independe	ence o	f IST	
Source: #	MC ⁶	C <u>mai</u>	lto:john.meredi	ith@etsi.	<u>fr</u>						
Work item code: ₩	TEI							Date: ૠ	200	2-03-13	
Category: #	Use of a large of the second o	F (corn A (corn B (add C (fun D (edi led exp	the following cate rection) responds to a co dition of feature), ctional modification torial modification planations of the 3GPP TR 21.900	orrection in ion of feat n) above ca	ture)		lease	Release: # Use <u>one</u> of 2 e) R96 R97 R98 R99 REL-4 REL-5	the foli (GSM (Relea (Relea (Relea	lowing rele Phase 2) ase 1996) ase 1997) ase 1998) ase 4)	ases:
Reason for change	e: Ж	IST i	s not GERAN-s	specific,	but is e	equall	у арլ	plicable to UT	ΓRAN.		
Summary of chang	ge:₩	add	22.032; add 23	3.035							
Consequences if not approved:	ж	Conf	fusion over con	itents of	this Re	lease	•				
Clauses affected:	ж	5									
Other specs affected:	¥	Te	ther core speci est specification &M Specification	ns	ж	21.	101,	01.01, 41.10)2		
Other comments:	90										

How to create CRs using this form:

- 1) Fill out the above form. The symbols above marked **%** contain pop-up help information about the field that they are closest to.
- 2) Obtain the latest version for the release of the specification to which the change is proposed. Use the MS Word "revision marks" feature (also known as "track changes") when making the changes. All 3GPP specifications can be downloaded from the 3GPP server under ftp://ftp.3gpp.org/specs/ For the latest version, look for the directory name with the latest date e.g. 2001-03 contains the specifications resulting from the March 2001 TSG meetings.
- 3) With "track changes" disabled, paste the entire CR form (use CTRL-A to select it) into the specification just in front of the clause containing the first piece of changed text. Delete those parts of the specification which are not relevant to the change request.

Туре	Number	Title	WG prime	For publication
				f
TS	22.022	Personalisation of Mobile Equipment (ME); Mobile functionality specification	S3	Yes
TS	22.024	Description of Charge Advice Information (CAI)	S1	Yes
TS	22.030	Man-Machine Interface (MMI) of the User Equipment (UE)	S1	Yes
TS	22.032	Immediate Service Termination (IST); Service description; Stage 1	<u>S3</u>	Yes
TS	22.034	High Speed Circuit Switched Data (HSCSD); Stage 1	S1	Yes
TS	22.038	USIM/SIM Application Toolkit (USAT/SAT); Service description; Stage 1	S1	Yes
TS	22.041	Operator Determined Call Barring	S1	Yes
TS	23.018	Basic Call Handling; Technical realization	N4	Yes
TS	23.032	Universal Geographical Area Description (GAD)	S2	Yes
TS	23.034	High Speed Circuit Switched Data (HSCSD); Stage 2	N1	Yes
TS	23.035	Immediate Service Termination (IST); Stage 2	<u>S3</u>	Yes
TS	23.038	Alphabets and language-specific information	T2	Yes
TR	23.039	Interface Protocols for the Connection of Short Message Service Centers (SMSCs) to Short Message Entities (SMEs)	T2	Yes
TS	23.040	Technical realization of Short Message Service (SMS)	T2	Yes

CHANGE REQUEST										
¥	01.01	CR <mark>006</mark>	жrev	- #	Current vers	8.4.0	ж			
For <u>HELP</u> on usi	ing this forr	m, see bottom o	of this page or	look at th	e pop-up text	over the # syn	nbols.			
Proposed change at	ffects: #	(U)SIM	ME/UE	Radio Ad	ccess Networl	k Core Ne	etwork			
Title: 第	Renumber	ring of specs to	reflect access	s-technolo	gy-independe	ence of IST				
Source: #	MCC mails	to:john.meredit	h@etsi.fr							
Work item code: 第	TEI				Date: ₩	2002-03-13				
	F (corre A (corre B (adde C (func D (edite Detailed exp	he following cate ection) esponds to a corition of feature), tional modification modification anations of the a	rection in an ea on of feature)) above categorie		2	R99 the following rele (GSM Phase 2) (Release 1996) (Release 1997) (Release 1998) (Release 1999) (Release 4) (Release 5)	eases:			
Reason for change:	₩ IST is	not GERAN-s	pecific, but is	equally ap	plicable to U	TRAN.				
Summary of change	e: 第 <mark>renun</mark>	nber 02.32 to 2	2.032; renuml	ber 03.35	to 23.035					
Consequences if not approved:	₩ Confu	usion over cont	ents of this Re	elease.						
Clauses affected:	ж <mark>6</mark>									
Other specs affected:	Te	ner core specifi st specification kM Specificatio	S	21.101	, 21.102, 41.1	02				
Other comments:	9									

How to create CRs using this form:

- 1) Fill out the above form. The symbols above marked **%** contain pop-up help information about the field that they are closest to.
- 2) Obtain the latest version for the release of the specification to which the change is proposed. Use the MS Word "revision marks" feature (also known as "track changes") when making the changes. All 3GPP specifications can be downloaded from the 3GPP server under ftp://ftp.3gpp.org/specs/ For the latest version, look for the directory name with the latest date e.g. 2001-03 contains the specifications resulting from the March 2001 TSG meetings.
- 3) With "track changes" disabled, paste the entire CR form (use CTRL-A to select it) into the specification just in front of the clause containing the first piece of changed text. Delete those parts of the specification which are not relevant to the change request.

Number	Title	WG prime
02.09	Security Aspects	S3
02.17	Subscriber Identity Modules, Functional Characteristics	Т3
02.31	Fraud Information Gathering System (FIGS) Service description; Stage 1	S3
02.32	Immediate Service Termination (IST); Service description; Stage 1	\$3
02.33	Lawful Interception; Stage 1	S3
02.43	Support of Localised Service Area (SoLSA); Service description; Stage 1	S1
02.48	Security mechanisms for the SIM Application Toolkit; Stage 1	Т3
03.30	Radio Network Planning Aspects	GP
03.31	Fraud Information Gathering System (FIGS); Service description; Stage 2	S3
03.33	Lawful Interception; Stage 2	S3
03.35	Immediate Service Termination (IST); Stage 2	\$ 3
03.45	Technical Realization of Facsimile Group 3 Service - transparent	N3
03.46	Technical Realization of Facsimile Group 3 Service - non transparent	N3
03.48	Security Mechanisms for SIM Toolkit Application; Stage 2	T3
22.022	Personalisation of Mobile Equipment (ME); Mobile functionality specification	S3
22.024	Description of Charge Advice Information (CAI)	S1
22.030	Man-Machine Interface (MMI) of the User Equipment (UE)	S1
22.032	Immediate Service Termination (IST); Service description; Stage 1	<u>S3</u>
22.034	High Speed Circuit Switched Data (HSCSD); Stage 1	S1
22.038	USIM/SIM Application Toolkit (USAT/SAT); Service description; Stage 1	S1
22.041	Operator Determined Call Barring	S1
23.018	Basic Call Handling; Technical realization	N4
23.032	Universal Geographical Area Description (GAD)	S2
23.034	High Speed Circuit Switched Data (HSCSD); Stage 2	N1
23.035	Immediate Service Termination (IST); Stage 2	S3
23.038	Alphabets and language-specific information	T2
23.039	Interface Protocols for the Connection of Short Message Service Centers (SMSCs) to Short Message Entities (SMEs)	T2
23.040	Technical realization of Short Message Service (SMS)	T2

	CHANGE REQUEST										
ж	41.	102	CR <mark>005</mark>	ж r	ev	-	¥	Current vers	ion:	4.3.0	æ
For <u>HELP</u> on u	ısing tı	his fori	m, see bottom	of this pag	ie or l	ook a	t the	e pop-up text	over	the ₩ syr	nbols.
Proposed change	affect	s: #	(U)SIM	ME/UE[Radio	o Ac	cess Networl	<	Core Ne	twork
Title:	Rer	umbei	ring of specs to	o reflect ac	cess-	techr	nolog	gy-independe	nce c	of IST	
Source: #	MC	C <u>mail</u>	to:john.meredi	th@etsi.fr							
Work item code: ₩	TEI							Date: ૠ	200	2-03-13	
Category: अ	Detai	F (corre A (corre B (add C (fund D (edited led exp	he following cate ection) responds to a co ition of feature), ctional modification orial modification lanations of the GGPP TR 21.900	orrection in a ion of featur n) above cate	e)		ease	Release: # Use <u>one</u> of 2 e) R96 R97 R98 R99 REL-4 REL-5	the fol (GSN (Rele (Rele (Rele (Rele (Rele	-	eases:
Reason for change	e: Ж	IST is	not GERAN-	specific, bu	ıt is e	qually	/ app	olicable to UT	RAN		
Summary of chang	ge:₩		mber 42.032 to	·				5 to 23.035			
Consequences if not approved:	Ж	Confu	usion over con	tents of thi	s Rel	ease.					
Clauses affected:	ж	5									
Other specs affected:	Ж	Te	her core speci st specification &M Specification	ns	₩	21.1	101,	21.102, 01.0	1		
Other comments:	æ										

How to create CRs using this form:

- 1) Fill out the above form. The symbols above marked **%** contain pop-up help information about the field that they are closest to.
- 2) Obtain the latest version for the release of the specification to which the change is proposed. Use the MS Word "revision marks" feature (also known as "track changes") when making the changes. All 3GPP specifications can be downloaded from the 3GPP server under ftp://ftp.3gpp.org/specs/ For the latest version, look for the directory name with the latest date e.g. 2001-03 contains the specifications resulting from the March 2001 TSG meetings.
- 3) With "track changes" disabled, paste the entire CR form (use CTRL-A to select it) into the specification just in front of the clause containing the first piece of changed text. Delete those parts of the specification which are not relevant to the change request.

Number	Title	WG prime	For publication ?	
22.022	Personalisation of Mobile Equipment (ME); Mobile functionality specification	S3	Yes	
22.024	Description of Charge Advice Information (CAI)	S1	Yes	
22.030	Man-Machine Interface (MMI) of the User Equipment (UE)	S1	Yes	
22.032	Immediate Service Termination (IST); Service description; Stage 1	<u>S3</u>	<u>Yes</u>	
22.034	High Speed Circuit Switched Data (HSCSD); Stage 1	S1	Yes	
22.038	USIM/SIM Application Toolkit (USAT/SAT); Service description; Stage 1	S1	Yes	
22.041	Operator Determined Call Barring	S1	Yes	
23.018	Basic Call Handling; Technical realization	N4	Yes	
23.032	Universal Geographical Area Description (GAD)	S2	Yes	
23.034	High Speed Circuit Switched Data (HSCSD); Stage 2	N1	Yes	
23.035	Immediate Service Termination (IST); Stage 2	<u>S3</u>	Yes	
23.038	Alphabets and language-specific information	T2	Yes	
23.039	Interface Protocols for the Connection of Short Message Service Centers (SMSCs) to Short Message Entities (SMEs)	T2	Yes	
23.040	Technical realization of Short Message Service (SMS)	T2	Yes	
 42.017	Subscriber Identity Modules, Functional Characteristics	T3	Yes	
42.019	Subscriber Identity Module Application Programming Interface (SIM API); Service description; Stage 1	T3	Yes	
42.031	Fraud Information Gathering System (FIGS) Service description; Stage	S3	Yes	
42.032	Immediate Service Termination (IST); Service description; Stage 1	\$3	Yes	
42.033	Lawful Interception; Stage 1	S3	Yes	
42.043	Support of Localised Service Area (SoLSA); Service description; Stage 1	S1	Yes	
43.030	Radio Network Planning Aspects	G1	Yes	
43.031	Fraud Information Gathering System (FIGS); Service description; Stage 2	S3	Yes	
43.033	Lawful Interception; Stage 2	S3	Yes	
43.035	Immediate Service Termination (IST); Stage 2	S3	Yes	
43.045	Technical Realization of Facsimile Group 3 Service - transparent	N3	Yes	
43.046	Technical Realization of Facsimile Group 3 Service - non transparent	N3	Yes	
43.050	Transmission Planning Aspects of the Speech Service in the GSM Public Land Mobile Network (PLMN) System	S4	Yes	