Tdoc **#***SP-020832*

replaces #SP-020781

New Orleans, USA, December 2002

CHANGE REQUEST						
ж	01.01 CR 009					
For <u>HELP</u> on t	ing this form, see bottom of this page or look at the pop-up text over the \mathbb{K} symbols.					
Proposed change	Proposed change affects: UICC apps# ME Radio Access Network Core Network					
Title:	Correction to list of specs					
Source: #	MCC (mailto:john.meredith@etsi.org)					
Work item code: 3	TEI Date: 第 11/12/2002					
Category: 3	Release: Release: Rele					
Reason for chang	* ** Additions / deletions to list of specs comprising this Release.					
Summary of chan	Adds 11.17; renumbers FIGS specs.					
Consequences if not approved:	₩ Confusion over Release contents.					
Clauses affected:	 8 6 6 1 1 1 1 1 1 1 1 1 1					
Other specs affected:	Y N X Other core specifications Test specifications O&M Specifications					
Other comments:	$oldsymbol{\omega}$					

6 Specifications and Reports

Specifications in the range 01.xx to 12.xx are 'pure' GSM specs - that is, those only required to build systems which are based on 3GPP specifications and which use a GSM/EDGE Radio Access Network (GERAN). Specifications in the range 21.xxx to 35.xxx are common to systems which are based on 3GPP specifications, and which use either a GSM/EDGE radio access network or a UTRA Radio Access Network (UTRAN) (or both).

Number	Title	WG prime	For publication?
01.01	GSM Release 1999 Specifications	SP	Yes
01.04	Abbreviations and acronyms	GP	Yes
01.31	Fraud Information Gathering System (FIGS); Service requirements; Stage 0	S3	Yes
01.33	Lawful Interception requirements for GSM	S3	Yes
01.61	General Packet Radio Service (GPRS); GPRS ciphering algorithm requirements	S3	Yes
02.09	Security aspects	S3	Yes
02.17	Subscriber Identity Module (SIM); Functional characteristics	Т3	Yes
02.19	Subscriber Identity Module Application Programming Interface (SIM API); Stage 1	T3	Yes
02.31	Fraud Information Gathering System (FIGS); Service description; Stage 1	\$3	Yes
02.33	Lawful Interception (LI); Stage 1	S3	Yes
02.43	Support of Localised Service Area (SoLSA); Service description; Stage 1	S1	Yes
02.48	Security mechanisms for the SIM Application Toolkit; Stage 1	Т3	Yes
02.53	Tandem Free Operation (TFO); Service description; Stage 1	S4	Yes
02.56	GSM Cordless Telephony System (CTS), Phase 1; Service description; Stage 1	S1	Yes
02.68	Voice Group Call Service (VGCS); Stage 1	S1	Yes
02.69	Voice Broadcast Service (VBS); Stage 1	S1	Yes
02.76	Noise Suppression for the AMR	S4	Yes
02.94	Follow Me Service description; Stage 1	S1	Yes
02.95	Support of Private Numbering Plan (SPNP); Service description; Stage 1	S1	Yes
03.05	Technical performance objectives	NP	Yes
03.10	GSM Public Land Mobile Network (PLMN) Connection Types	N3	Yes
03.13	Discontinuous Reception (DRX) in the GSM System	G1	Yes
03.19	GSM API for SIM toolkit stage 2	T3	Yes
03.20	Security-related Network Functions	S3	Yes
03.22	Functions related to Mobile Station (MS) in idle mode and group receive mode	G1	Yes
03.26	Multiband operation of GSM/DCS 1800 by a single operator	G1	Yes
03.30	Radio Network Planning Aspects	GP	Yes
03.31	Fraud Information Gathering System (FIGS); Service description; Stage 2	\$3	Yes
03.33	Lawful Interception; Stage 2	S3	Yes
03.45	Technical Realization of Facsimile Group 3 Service - transparent	N3	Yes
03.46	Technical Realization of Facsimile Group 3 Service - non transparent	N3	Yes
03.48	Security mechanisms for SIM application toolkit; Stage 2	Т3	Yes
03.50	Transmission Planning Aspects of the Speech Service in the GSM Public Land Mobile Network (PLMN) System	S4	Yes
03.52	Lower layers of the GSM Cordless Telephony	G1	Yes

Number	Title	WG prime	For publication?
	System (CTS) radio interface; Stage 2	p.m.c	
03.53	Tandem Free Operation (TFO); Service description; Stage 2	S4	Yes
03.55	Dual Transfer Mode (DTM); Stage 2	G1	Yes
03.58	Characterisation, test methods and quality	S4	Yes
00.00	assessment for handsfree Mobile Stations (MSs)	•	
03.64	General Packet Radio Service (GPRS); Overall description of the GPRS radio interface; Stage 2	G1	Yes
03.68	Voice Group Call Service (VGCS); Stage 2	N1	Yes
03.69	Voice Broadcast service (VBS); Stage 2	N1	Yes
03.71	Location Services (LCS); Functional description;	S2	Yes
03.73	Stage 2 Support of Localised Service Area (SoLSA);	N4	Yes
04.01	Stage 2	N1	
	Mobile Station - Base Station System (MS - BSS) Interface General Aspects and Principles		Yes
04.03	Mobile Station - Base Station System (MS - BSS) Interface Channel Structures and Access Capabilities	G2	Yes
04.04	Layer 1 - General Requirements	G2	Yes
04.05	Data Link (DL) Layer General Aspects	G2	Yes
04.06	Mobile Station - Base Stations System (MS - BSS) Interface Data Link (DL) Layer Specification	G2	Yes
04.08	Mobile radio interface layer 3 specification	N1	Yes
04.12	Short Message Service Cell Broadcast (SMSCB) Support on the Mobile Radio Interface	G2	Yes
04.13	Performance Requirements on Mobile Radio Interface	N1	Yes
04.14	Individual equipment type requirements and interworking; Special conformance testing functions	G2	Yes
04.18	Mobile radio interface layer 3 specification; Radio Resource Control Protocol	G2	Yes
04.21	Rate Adaption on the Mobile Station - Base Station System (MS-BSS) Interface	N3	Yes
04.31	Location Services (LCS); Mobile Station (MS) - Serving Mobile Location Centre (SMLC) Radio Resource LCS Protocol (RRLP)	G2	Yes
04.35	Location Services (LCS); Broadcast network assistance for Enhanced Observed Time Difference (E-OTD) and Global Positioning System (GPS) positioning methods	G2	Yes
04.56	GSM Cordless Telephony System (CTS), (Phase 1) CTS Radio Interface Layer 3 Specification	N1	Yes
04.57	GSM Cordless Telephony System (CTS), (Phase 1) CTS CTS supervising system Layer 3 Specification	N1	Yes
04.60	General Packet Radio Service (GPRS); Mobile Station (MS) - Base Station System (BSS) interface; Radio Link Control/ Medium Access Control (RLC/MAC) protocol	G2	Yes
04.64	General Packet Radio Service (GPRS); Mobile Station - Serving GPRS Support Node (MS- SGSN) Logical Link Control (LLC) layer specification	N1	Yes
04.65	General Packet Radio Service (GPRS); Mobile Station (MS) - Serving GPRS Support Node (SGSN); Subnetwork Dependent Convergence Protocol (SNDCP)	N1	Yes
04.68	Group Call Control (GCC) Protocol	N1	Yes
04.69	Broadcast Call Control (BCC) protocol	N1	Yes
04.71	Location Services (LCS); Mobile radio interface layer 3 specification	G2	Yes

Number	Title	WG prime	For publication?
05.01	Physical Layer on the Radio Path (General Description)	G1	Yes
05.02	Multiplexing and Multiple Access on the Radio Path	G1	Yes
05.03	Channel coding	G1	Yes
05.04	Modulation	G1	Yes
05.05	Radio Transmission and Reception	G1	Yes
05.08	Radio Subsystem Link Control	G1	Yes
05.09	Link adaptation	G1	Yes
05.10	Radio subsystem synchronization	G1	Yes
05.22	Radio link management in hierarchical networks	G1	Yes
05.50	Background for RF Requirements	G1	Yes
05.56	CTS-FP Radio Sub-system	G1	Yes
06.01	Full Rate Speech Processing Functions	S4	Yes
06.02	Half Rate Speech Processing Functions	S4	Yes
06.06	Half Rate Speech: ANSI-C Code for GSM Half Rate Speech Codec	S4	Yes
06.07	Half Rate Speech: Test Sequence for GSM Half Rate Speech Codec	S4	Yes
06.08	Half Rate Speech; Performance Characterization of the GSM Half Rate speech codec	S4	Yes
06.10	Full Rate Speech Transcoding	S4	Yes
06.11	Substitution and Muting of Lost Frames for Full Rate Speech Channels	S4	Yes
06.12	Comfort Noise Aspects for Full Rate Speech Traffic Channels	S4	Yes
06.20	Half Rate Speech Transcoding	S4	Yes
06.21	Half rate speech; Substitution and muting of lost frames for half rate speech traffic channels	S4	Yes
06.22	Comfort Noise Aspects for Half Rate Speech Traffic Channels	S4	Yes
06.31	Discontinuous Transmission (DTX) for Full Rate Speech Traffic Channels	S4	Yes
06.32	Voice Activity Detection (VAD)	S4	Yes
06.41	Discontinuous Transmission (DTX) for Half Rate Speech Traffic Channels	S4	Yes
06.42	Voice Activity Detection (VAD) for Half Rate Speech Traffic Channels	S4	Yes
06.51	GSM Enhanced full rate speech processing functions: General description	S4	Yes
06.53	ANSI-C code for the GSM Enhanced full rate speech codec	S4	Yes
06.54	Test sequences for the GSM Enhanced Full Rate (EFR)		Yes
06.55	Performance characterisation of the GSM EFR Speech Codec	S4	Yes
06.60	Enhanced full rate speech transcoding	S4	Yes
06.61	Substitution and muting of lost frames for encanced full rate speech traffic channels	S4	Yes
06.62	Comfort noise aspects for Enhanced Full Rate (EFR) speech traffic channels	S4	Yes
06.76	Adaptive Multi-Rate (AMR) speech codec; Study phase report	S4	Yes
06.77	Minimum Performance Requirements for Noise Suppresser Application to the AMR Speech Encoder	S4	Yes
06.78	Results of the AMR noise suppression selection phase	S4	Yes
06.81	Discontinuous Transmission (DTX) for encanced full rate speech traffic channels	S4	Yes
06.82	Voice Activity Detection (VAD) for encanced full rate speech traffic channels	S4	Yes
06.85	Subjective tests on the interoperability of the HR/FR/EFR speech codecs; single, tandem and	S4	Yes

Number	Title	WG prime	For publication?
	tandem free operation	-	
08.01	General Aspects on the BSS-MSC Interface	G2	Yes
08.02	Base Station System - Mobile Services Switching Centre (BSS-MSC) Interface - Interface Principles	G2	Yes
08.04	Base Station System - Mobile Services Switching Centre (BSS-MSC) Interface Layer 1 Specification	G2	Yes
08.06	Signalling Transport Mechanism Specification for the Base Station System - Mobile Services Switching Centre (BSS-MSC) Interface	G2	Yes
80.80	Mobile-services Switching Centre - Base Station system (MSC-BSS) Interface Layer 3 Specification	G2	Yes
08.14	General Packet Radio Service (GPRS); Base Station System (BSS) - Serving GPRS Support Node (SGSN) interface; Gb Interface Layer 1	G2	Yes
08.16	General Packet Radio Service (GPRS); Base Station System (BSS) - Serving GPRS Support Node (SGSN) Interface; Network Service	G2	Yes
08.18	General Packet Radio Service (GPRS); Base Station System (BSS) - Serving GPRS Support Node (SGSN); BSS GPRS Protocol	G2	Yes
08.20	Rate Adaptation on the Base Station System - Mobile Service Switching Centre (BSS-MSC) Interface	N3	Yes
08.31	Location Services LCS: Serving Mobile Location Centre - Serving Mobile Location Centre (SMLC - SMLC); SMLCPP specification	G2	Yes
08.51	Base Station Controller - Base Tranceiver Station (BSC-BTS) Interface General Aspects	G2	Yes
08.52	Base Station Controller - Base Tranceiver Station (BSC-BTS) Interface - Interface Principles	G2	Yes
08.54	BSC-BTS Layer 1; Structure of Physical Circuits	G2	Yes
08.56	BSC-BTS Layer 2; Specification	G2	Yes
08.58	Base Station Controler - Base Transceiver Station (BCS-BTS) Interface Layer 3 Specification	G2	Yes
08.60	In-band control of remote transcoders and rate adaptors for Enhanced Full Rate (EFR) and full rate traffic channels	G1	Yes
08.61	In-band control of remote transcoders and rate adaptors for half rate traffic channels	G1	Yes
08.62	Inband Tandem Free Operation (TFO) of Speech Codecs; Service Description; Stage 3	S4	Yes
08.71	Location Services (LCS); Serving Mobile Location Centre - Base Station System (SMLC- BSS) interface; Layer 3	G2	Yes
09.01	General Network Interworking Scenarios	N4	Yes
09.08	Application of the Base Station System Application Part (BSSAP) on the E-Interface	N1	Yes
09.31	Location Services (LCS); Base Station System Application Part LCS Extension (BSSAP-LE)	G2	Yes
10.56	Project scheduling and open issues: GSM Cordless Telephony System CTS, Phase 1	S2	No
10.59	Project scheduling and open issues for EDGE	G1	No
11.10-1	Mobile station (MS) conformance specification; Part1: Conformance specification	G5	Yes
11.10-4	Mobile Station (MS) Conformance Specification; Part 4: SIM Application Toolkit conformance specification	G5	Yes
11.11	Specification of the Subscriber Identity Module - Mobile Equipment (SIM-ME) Interface	T3	Yes

Number	Title	WG prime	For publication?
11.13	Test specification for SIM API for Java card	T3	Yes
11.14	Specification of the SIM Application Toolkit for the Subscriber Identity Module - Mobile Equipment (SIM-ME) interface	Т3	Yes
<u>11.17</u>	SIM test specification	<u>T3</u>	<u>Yes</u>
11.21	Base Station System (BSS) equipment specification; Radio aspects	G3	Yes
11.26	Base Station System (BSS) equipment specification; Part 4: Repeaters	G3	Yes
12.03	Security Management	S5	Yes
12.04	Performance data measurements	S5	Yes
12.21	Network Management (NM) procedures and messages on the A-bis interface	G3	Yes
12.71	Location Services (LCS); Location services management	S5	Yes
21.900	Technical Specification Group working methods	SP	Yes
21.978	Feasibility Technical Report; CAMEL Control of VoIP Services	N2	Yes
22.001	Principles of circuit telecommunication services supported by a Public Land Mobile Network (PLMN)	S1	Yes
22.002	Circuit Bearer Services (BS) supported by a Public Land Mobile Network (PLMN)	S1	Yes
22.003	Circuit Teleservices supported by a Public Land Mobile Network (PLMN)	S1	Yes
22.004	General on supplementary services	S1	Yes
22.011	Service accessibility	S1	Yes
22.016	International Mobile Equipment Identities (IMEI)	S1	Yes
22.022	Personalisation of Mobile Equipment (ME); Mobile functionality specification	S3	Yes
22.024	Description of Charge Advice Information (CAI)	S1	Yes
22.030	Man-Machine Interface (MMI) of the User Equipment (UE)	S1	Yes
22.031	Fraud Information Gathering System (FIGS); Service description; Stage 1	<u>S3</u>	<u>Yes</u>
22.032	Immediate Service Termination (IST); Service description; Stage 1	S3	Yes
22.034	High Speed Circuit Switched Data (HSCSD); Stage 1	S1	Yes
22.038	USIM/SIM Application Toolkit (USAT/SAT); Service description; Stage 1	S1	Yes
22.041	Operator Determined Call Barring	S1	Yes
22.042	Network Identity and Time Zone (NITZ) service description; Stage 1	S1	Yes
22.057	Mobile Execution Environment (MExE) service description; Stage 1	S1	Yes
22.060	General Packet Radio Service (GPRS); Service description; Stage 1	S1	Yes
22.066	Support of Mobile Number Portability (MNP); Stage 1	S1	Yes
22.067	enhanced Multi-Level Precedence and Pre- emption service (eMLPP); Stage 1	S1	Yes
22.071	Location Services (LCS); Stage 1	S1	Yes
22.072	Call Deflection (CD); Stage 1	S1	Yes
22.078	Customized Applications for Mobile network Enhanced Logic (CAMEL); Service description; Stage 1	S1	Yes
22.079	Support of optimal routeing; Stage 1	S1	Yes
22.081	Line Identification supplementary services; Stage		Yes
22.082	Call Forwarding (CF) Supplementary Services; Stage 1	S1	Yes
22.083	Call Waiting (CW) and Call Hold (HOLD) supplementary services; Stage 1	S1	Yes

Number	Title	WG prime	For publication?
22.084	MultiParty (MPTY) supplementary service; Stage	S1	Yes
22.085	Closed User Group (CUG) supplementary services; Stage 1	S1	Yes
22.086	Advice of Charge (AoC) supplementary services; Stage 1	S1	Yes
22.087	User-to-user signalling (UUS); Stage 1	S1	Yes
22.088	Call Barring (CB) supplementary services; Stage 1	S1	Yes
22.090	Unstructured Supplementary Service Data (USSD); Stage 1	S1	Yes
22.091	Explicit Call Transfer (ECT) supplementary service; Stage 1	S1	Yes
22.093	Completion of Calls to Busy Subscriber (CCBS); Service description, Stage 1	S1	Yes
22.094	Follow Me service description - Stage 1	S1	Yes
22.096	Name identification supplementary services; Stage 1	S1	Yes
22.097	Multiple Subscriber Profile (MSP) Phase 1; Service description - Stage 1	S1	Yes
22.115	Service Aspects Charging and billing	S1	Yes
22.121	Service aspects; The Virtual Home Environment; Stage 1	S1	Yes
22.129	Handover requirements between UTRAN and GERAN or other radio systems	S1	Yes
22.945	Study of provision of fax service in GSM and UMTS	T2	Yes
23.002	Network Architecture	S2	Yes
23.003	Numbering, Addressing and Identification	N4	Yes
23.007	Restoration procedures	N4	Yes
23.008	Organisation of subscriber data	N4	Yes
23.009	Handover procedures	N1	Yes
23.011	Technical realization of Supplementary Services	N4	Yes
23.012 23.014	Location management procedures Support of Dual Tone Multi Frequency (DTMF) signalling	N4 N1	Yes Yes
23.015	Technical realisation of Operator Determined Barring (ODB)	N4	Yes
23.016	Subscriber data management; Stage 2	N4	Yes
23.018	Basic Call Handling; Technical realization	N4	Yes
23.031	Fraud Information Gathering System (FIGS); Service description; Stage 2	<u>S3</u>	Yes
23.032	Universal Geographical Area Description (GAD)	S2	Yes
23.034	High Speed Circuit Switched Data (HSCSD); Stage 2	N1	Yes
23.035	Immediate Service Termination (IST); Stage 2	S3	Yes
23.038	Alphabets and language-specific information	T2	Yes
23.039	Interface Protocols for the Connection of Short Message Service Centers (SMSCs) to Short Message Entities (SMEs)	T2	Yes
23.040	Technical realization of Short Message Service (SMS)	T2	Yes
23.041	Technical realization of Cell Broadcast Service (CBS)	T2	Yes
23.042	Compression algorithm for SMS	T2	Yes
23.057	Mobile Execution Environment (MExE); Functional description; Stage 2	T2	Yes
23.060	General Packet Radio Service (GPRS) Service description; Stage 2	S2	Yes
23.066	Support of GSM Mobile Number Portability (MNP) stage 2	N4	Yes
23.067	Enhanced Multi-Level Precedence and Preemption Service (EMLPP); Stage 2	N4	Yes
23.072	Call Deflection Supplementary Service; Stage 2	N4	Yes

Customised Applications for Mobile network Enhanced Logic (CAMEL); Stage 2	Number	Title	WG prime	For publication?
Support of Optimal Routeing (SOR); Technical realization; Stage 2 23.081 Line Identification supplementary services; Stage 2 23.082 Call Forwarding (CF) Supplementary Services; Stage 2 23.083 Call Waiting (CW) and Call Hold (HOLD) N4 Yes Stage 2 23.084 Waiting (CW) and Call Hold (HOLD) N4 Yes Stage 2 MultiParty (MPTY) Supplementary Service; Stage 2 MultiParty (MPTY) Supplementary Service; Stage 2 N4 Yes Stage 2 Stage 2 Closed User Group (CUG) Supplementary Service; Stage 2 23.085 Advice of Charge (AoC) Supplementary Service; Stage 2 23.086 Advice of Charge (AoC) Supplementary Service; Stage 2 23.087 User-to-User Signalling (UUS) supplementary Service; Stage 2 23.098 Call Barring (CB) Supplementary Service; Stage 2 23.090 Unstructured Supplementary Service Data (USSD); Stage 2 23.091 Explicit Call Transfer (ECT) Supplementary N4 Yes Service; Stage 2 23.093 Technical realization of Completion of Calls to Busy Subscriber (CCBS); Stage 2 N4 Yes Subscriber (CCBS); Stage 2 N4 Yes Subscriber (CCBS); Stage 2 N4 Yes Stage 2	23.078		_	Yes
Line Identification supplementary services; Stage 2 2 2 2 2 2 2 2 2	23.079	Support of Optimal Routeing (SOR); Technical	N4	Yes
Call Forwarding (CF) Supplementary Services; Stage 2 23.083 Call Waiting (CW) and Call Hold (HOLD) Supplementary Service; Stage 2 23.084 MultiParty (MPTY) Supplementary Service; Stage 2 23.085 Closed User Group (CUG) Supplementary Service; Stage 2 23.086 Advice of Charge (AoC) Supplementary Service; Stage 2 23.087 User-to-User Signalling (UUS) supplementary Service; Stage 2 23.080 Clal Barring (CB) Supplementary Service; Stage 2 23.080 Call Barring (CB) Supplementary Service; Stage 2 23.090 Unstructured Supplementary Service; Stage 2 23.090 Unstructured Supplementary Service Data (USSD); Stage 2 23.091 Explicit Call Transfer (ECT) Supplementary Service; Stage 2 23.092 Explicit Call Transfer (ECT) Supplementary Service; Stage 2 23.093 Technical realization of Completion of Calls to Busy Subscriber (CCBS); Stage 2 23.094 Follow Me Stage 2 23.095 Name Identification Supplementary Service; Stage 2 23.096 Name Identification Supplementary Service; Stage 2 23.097 Multiple Subscriber Profile (MSP) Phase 1; N4 Yes Stage 2 23.118 Mobile radio interface layer 3 specification core network protocols; Stage 2 (structured procedures) 23.119 Stage 2 23.110 UMTS Access Stratum Services and Functions S2 23.118 Super-Charger technical realization; Stage 2 3.119 Stage 2 3.110 UMTS Access Stratum Services and Functions S2 23.119 Service (MSP); Functional description; Stage 2 3.110 Stage 2 3.110 Stage 2 3.1110 Stage 3 3.1110 Stage 3 4 Yes 3 3.1110 Stage 4 4 Yes 3 3.1111 Stage 4 4 Yes 3 3.112 Architectural requirements for Release 1999 S2 Yes 4 3.112 Architectural requirements for Release 1999 S2 Yes 5 4 Yes 5 4 Yes 6 4 Yes 6 4 Yes 7 5 Yes 7 5 Yes 7 5 Yes 7 6 Yes 8 6 Yes 8 6 Yes 8 6 Yes 9 7 Ye	23.081	Line Identification supplementary services; Stage	N4	Yes
Call Waiting (CW) and Call Hold (HOLD) Supplementary Service; Stage 2 23.084 MultiParty (MPTY) Supplementary Service; Stage 2 23.085 Closed User Group (CUG) Supplementary Service; Stage 2 23.086 Advice of Charge (AoC) Supplementary Service; Stage 2 23.087 User-to-User Signalling (UUS) supplementary service: Stage 2 23.088 Call Barring (CB) Supplementary Service; Stage 2 23.089 User-to-User Signalling (UUS) supplementary service: Stage 2 23.090 Unstructured Supplementary Service Data (USSD); Stage 2 23.091 Explicit Call Transfer (ECT) Supplementary Service: Stage 2 23.092 Technical realization of Completion of Calls to Busy Subscriber (CCBS); Stage 2 23.094 Follow Me Stage 2 23.095 Name Identification Supplementary Service; Stage 2 23.096 Name Identification Supplementary Service; Stage 2 23.097 Multiple Subscriber Profile (MSP) Phase 1; Stage 2 23.098 Mobile radio interface layer 3 specification core network protocols; Stage 2 (structured procedures) 32.110 UMTS Access Stratum Services and Functions 23.110 Super-Charger technical realization; Stage 2 33.110 UMTS Access Stratum Services and Functions 24.110 Multimedia Messaging Service (MMS); Functional description; Stage 2 33.909 Technical report on Pre-Paging 33.909 Technical report on the Gateway Location Register 33.901 Technical report on the Gateway Location Register 33.902 Technical report on the Gateway Location Register 33.903 Technical report on the Gateway Location Register 33.903 Technical report on the Gateway Location Register 33.904 Technical report on the Gateway Location Register 33.905 Technical report on the Gateway Location Register 33.907 Technical report on General Aspects 34.000 Mobile radio interface Layer 3 specification; Core 35.907 Technical report on General Aspects 36.908 Technical report on General Aspects 37.909 Mobile radio interface Layer 3 Supplementary 38.909 Technical report on General Aspects 39.900 Technical report on General Aspects 39.901 Technical report on General Aspects 39.902 Technical report on Mobile Radio Interface	23.082	Call Forwarding (CF) Supplementary Services;	N4	Yes
MultiParty (MPTY) Supplementary Service; Stage 2	23.083	Call Waiting (CW) and Call Hold (HOLD)	N4	Yes
Closed User Group (CUG) Supplementary Service; Stage 2 23.086 Advice of Charge (AoC) Supplementary Service; Stage 2 23.087 User-to-User Signalling (UUS) supplementary service; Stage 2 23.088 Call Barring (CB) Supplementary Service; Stage 2 23.090 Unstructured Supplementary Service Data (USSD); Stage 2 23.091 Explicit Call Transfer (ECT) Supplementary Service; Stage 2 23.091 Explicit Call Transfer (ECT) Supplementary Service; Stage 2 23.093 Technical realization of Completion of Calls to Busy Subscriber (CCBS); Stage 2 23.094 Follow Me Stage 2 23.095 Name Identification Supplementary Service; Stage 2 23.097 Multiple Subscriber Profile (MSP) Phase 1; Stage 2 23.108 Mobile radio interface layer 3 specification core network protocols; Stage 2 (structured procedures) UMTS Access Stratum Services and Functions S2 Yes 23.110 UMTS Access Stratum Service and Functions S2 Yes 23.111 Architectural requirements for Release 1999 S2 Yes 23.121 Architectural requirements for Release 1999 S2 Yes 23.121 Architectural requirements for Release 1999 S2 Yes 23.123.190 Technical report on Pre-Paging N4 Yes 23.908 Technical report on Pre-Paging N4 Yes 23.909 Technical report on the Gateway Location N4 Yes 23.911 Technical report on Pre-Paging N4 Yes 23.921 Technical report on Super-Charger N4 Yes 23.912 Technical report on Super-Charger N4 Yes 23.923 Combined GSM and Mobile IP mobility handling S2 Yes 24.002 GSM-UMTS Public Land Mobile Network (PLMN) Access Reference Configuration Mobile radio interface Layer 3 specification; Core N1 Yes 10 Mobile Radio interface Layer 3 specification; Core N1 Yes 24.001 Mobile Radio interface Layer 3 specification; Core N1 Yes 24.002 Mobile radio interface Layer 3 specification; Core N1 Yes 24.003 Mobile Radio interface Layer 3 specification; Core N1 Yes 24.001 Mobile Radio interface Layer 3 specification; Core N1 Yes 24.002 Radio Link Protocol (RLP) for circuit switched bearer and teleservices 24.002 Radio Link Protocol (RLP) for circuit switched bearer and teleservi	23.084	MultiParty (MPTY) Supplementary Service;	N4	Yes
Stage 2 User-to-User Signalling (UUS) supplementary service; Stage 2 23.088 Call Barring (CB) Supplementary Service; Stage 2 Unstructured Supplementary Service Data (USSD); Stage 2 23.090 Unstructured Supplementary Service Data (USSD); Stage 2 23.091 Explicit Call Transfer (ECT) Supplementary Service; Stage 2 23.093 Technical realization of Completion of Calls to Busy Subscriber (CCBS); Stage 2 23.094 Follow Me Stage 2 23.096 Name Identification Supplementary Service; Stage 2 23.097 Multiple Subscriber Profile (MSP) Phase 1; Stage 2 23.108 Mobile radio interface layer 3 specification core network protocols; Stage 2 (structured procedures) 23.110 UMTS Access Stratum Services and Functions 23.111 Super-Charger technical realization; Stage 2 23.121 Architectural requirements for Release 1999 23.140 Multimedia Messaging Service (MMS); Functional description; Stage 2 23.908 Technical report on Pre-Paging 23.909 Technical report on Pre-Paging 23.909 Technical report on Super-Charger 23.911 Technical report on Super-Charger 23.921 Technical report on Super-Charger 23.922 Combined GSM and Mobile IP mobility handling in UMTS IP CN 23.923 Combined GSM and Mobile IP mobility handling in UMTS IP CN 23.925 UMTS Core network based ATM transport 24.002 GSM-UMTS Public Land Mobile Network (PLMN) Access Reference Configuration 24.007 Mobile radio interface Layer 3 specification; Core network protocols; Stage 3 24.010 Mobile radio interface Layer 3 - Supplementary Services Specification - General Aspects 24.001 Mobile Radio Interface Layer 3 - Supplementary Services Specification - General Aspects 24.002 Radio Link Protocol (RLP) for circuit switched bearer and teleservices 24.002 Radio Link Protocol (RLP) for circuit switched bearer and teleservices 24.002 Location Services (LCS); Supplementary service poperations; Stage 3 24.003 Location Services (LCS); Supplementary service poperations; Stage 3	23.085		N4	Yes
service; Stage 2 23.080 Call Barring (CB) Supplementary Service; Stage 2 23.090 Unstructured Supplementary Service Data (USSD); Stage 2 23.091 Explicit Call Transfer (ECT) Supplementary Service; Stage 2 23.093 Technical realization of Completion of Calls to Busy Subscriber (CCBS); Stage 2 23.094 Follow Me Stage 2 23.095 Name Identification Supplementary Service; Stage 2 23.096 Name Identification Supplementary Service; Stage 2 23.097 Multiple Subscriber Profile (MSP) Phase 1; N4 Yes Stage 2 23.108 Mobile radio interface layer 3 specification core network protocols; Stage 2 (structured procedures) 23.110 UMTS Access Stratum Services and Functions S2 Yes 23.116 Super-Charger technical realization; Stage 2 N4 Yes 23.119 Gateway Location Register (GLR); Stage 2 N4 Yes 23.119 Gateway Location Register (GLR); Stage 2 N4 Yes 23.110 UMTS Access Stratum Service (MMS); T2 Yes Functional description; Stage 2 23.090 Technical report on Pre-Paging N4 Yes 23.909 Technical report on Pre-Paging N4 Yes 23.909 Technical report on Pre-Paging N4 Yes 23.911 Technical report on Super-Charger N4 Yes 23.911 Technical report on Super-Charger N4 Yes 23.925 UMTS Core network based ATM transport S2 Yes In UMTS IP CN Supplied The Mobile Probility handling in UMTS IP CN Supplied Sand Mobile IP mobility handling in UMTS IP CN Supplied Sand Mobile Network N1 Yes (PLMM) Access Reference Configuration N4 Yes 23.925 UMTS Core network based ATM transport S2 Yes Mobile radio interface Layer 3 specification; Core network protocols; Stage 3 Mobile radio interface Layer 3 - Supplementary Service Specification - General Aspects N6 Mobile Radio Interface Layer 3 - Supplementary Services Specification - General Aspects N1 Yes Services Specification - General Aspects N1 Y	23.086		N4	Yes
23.090 Unstructured Supplementary Service Data (USSD); Stage 2 23.091 Explicit Call Transfer (ECT) Supplementary Service; Stage 2 23.093 Technical realization of Completion of Calls to Busy Subscriber (CCBS); Stage 2 23.094 Follow Me Stage 2 23.095 Name Identification Supplementary Service; Stage 2 23.097 Multiple Subscriber Profile (MSP) Phase 1; Stage 2 23.108 Mobile radio interface layer 3 specification core network protocols; Stage 2 (structured procedures) 23.110 UMTS Access Stratum Services and Functions S2 Yes 23.111 Super-Charger technical realization; Stage 2 N4 Yes 23.119 Gateway Location Register (GLR); Stage 2 N4 Yes 23.119 Gateway Location Register (GLR); Stage 2 N4 Yes 23.121 Architectural requirements for Release 1999 S2 Yes 23.140 Multimedia Messaging Service (MMS); T2 Yes Functional description; Stage 2 23.908 Technical report on Pre-Paging N4 Yes 23.909 Technical report on the Gateway Location Register Cantrol Register Sample Sam	23.087		N4	Yes
(USSD); Stage 2 23.091 Explicit Call Transfer (ECT) Supplementary Service; Stage 2 23.093 Technical realization of Completion of Calls to Busy Subscriber (CCBS); Stage 2 23.094 Follow Me Stage 2 23.096 Name Identification Supplementary Service; Stage 2 23.097 Multiple Subscriber Profile (MSP) Phase 1; Stage 2 23.098 Mobile radio interface layer 3 specification core network protocols; Stage 2 (structured procedures) 23.110 UMTS Access Stratum Services and Functions 23.1110 Super-Charger technical realization; Stage 2 23.1140 Super-Charger technical realization; Stage 2 23.1140 Multimedia Messaging Service (MMS); Functional description; Stage 2 23.121 Architectural requirements for Release 1999 23.123.121 Architectural requirements for Release 1999 23.140 Multimedia Messaging Service (MMS); Functional description; Stage 2 23.908 Technical report on Pre-Paging 23.909 Technical report on Pre-Paging 23.901 Technical report on He Gateway Location Register 23.911 Technical report on Out-of-band transcoder 23.912 Technical report on Super-Charger 23.913 Combined GSM and Mobile IP mobility handling 23.925 UMTS Core network based ATM transport 24.002 GSM-UMTS Public Land Mobile Network (PLMN) Access Reference Configuration 24.007 Mobile radio interface Layer 3 specification; Core network protocols; Stage 3 24.010 Mobile radio interface Layer 3 - Supplementary Services Specification - General Aspects 24.020 Radio Link Protocol (RLP) for circuit switched bearer and teleservices 24.030 Location Services (LCS); Supplementary service operations; Stage 3 24.030 Location Services (LCS); Supplementary service operations; Stage 3	23.088		N4	Yes
Service; Stage 2 23.093 Technical realization of Completion of Calls to Busy Subscriber (CCBS); Stage 2 23.094 Follow Me Stage 2 23.096 Name Identification Supplementary Service; Stage 2 23.097 Multiple Subscriber Profile (MSP) Phase 1; Stage 2 23.097 Multiple Subscriber Profile (MSP) Phase 1; Stage 2 23.108 Mobile radio interface layer 3 specification core network protocols; Stage 2 (structured procedures) 23.110 UMTS Access Stratum Services and Functions S2 Yes 23.111 Super-Charger technical realization; Stage 2 N4 Yes 23.112 Architectural requirements for Release 1999 S2 Yes 23.114 Multimedia Messaging Service (MMS); T2 Yes Functional description; Stage 2 23.908 Technical report on Pre-Paging N4 Yes 23.909 Technical report on the Gateway Location N4 Yes 23.911 Technical report on Out-of-band transcoder N4 Yes 23.912 Technical report on Out-of-band transcoder N4 Yes 23.912 Technical report on Super-Charger N4 Yes 23.912 Technical report on Super-Charger N4 Yes 23.925 UMTS Core network based ATM transport S2 Yes 24.002 GSM-UMTS Public Land Mobile IP mobility handling in UMTS IP CN 23.925 UMTS Core network based ATM transport S2 Yes 24.007 Mobile radio interface signalling layer 3; General Aspects 24.008 Mobile radio interface Layer 3 specification; Core network protocols; Stage 3 24.010 Mobile Radio Interface Layer 3 - Supplementary Services Specification - General Aspects 24.020 Radio Link Protocol (RLP) for circuit switched bearer and teleservices 24.030 Location Services (LCS); Supplementary service	23.090		N4	Yes
Busy Subscriber (CCBS); Stage 2 23.094 Follow Me Stage 2 23.096 Name Identification Supplementary Service; Stage 2 23.097 Multiple Subscriber Profile (MSP) Phase 1; Stage 2 23.108 Mobile radio interface layer 3 specification core network protocols; Stage 2 (structured procedures) 23.110 UMTS Access Stratum Services and Functions S2 Yes 23.116 Super-Charger technical realization; Stage 2 N4 Yes 23.119 Gateway Location Register (GLR); Stage 2 N4 Yes 23.110 Architectural requirements for Release 1999 S2 Yes 23.121 Architectural requirements for Release 1999 S2 Yes 23.140 Multimedia Messaging Service (MMS); T2 Yes Functional description; Stage 2 23.908 Technical report on Pre-Paging N4 Yes 23.909 Technical report on the Gateway Location N4 Yes 23.911 Technical report on Out-of-band transcoder Control 23.912 Technical report on Super-Charger N4 Yes 23.923 Combined GSM and Mobile IP mobility handling in UMTS IP CN 23.925 UMTS Core network based ATM transport S2 Yes 24.002 GSM-UMTS Public Land Mobile Network (PLMN) Access Reference Configuration 24.007 Mobile radio interface signalling layer 3; General Aspects 24.008 Mobile radio interface Layer 3 specification; Core N1 Yes N2 Network protocols; Stage 3 24.010 Mobile Radio Interface Layer 3 - Supplementary N4 Yes Services Specification - General Aspects 24.021 Radio Link Protocol (RLP) for circuit switched bearer and teleservices 24.022 Radio Link Protocol (RLP) for circuit switched bearer and teleservices 24.030 Location Services (LCS); Supplementary service N4 Yes Operations; Stage 3	23.091		N4	Yes
23.096 Name Identification Supplementary Service; Stage 2 23.097 Multiple Subscriber Profile (MSP) Phase 1; Stage 2 23.108 Mobile radio interface layer 3 specification core network protocols; Stage 2 (structured procedures) 23.110 UMTS Access Stratum Services and Functions S2 Yes 23.1110 Super-Charger technical realization; Stage 2 N4 Yes 23.1119 Gateway Location Register (GLR); Stage2 N4 Yes 23.1110 Multimedia Messaging Service (MMS); T2 Yes 23.1141 Architectural requirements for Release 1999 S2 Yes 23.1142 Architectural requirements for Release 1999 S2 Yes 23.1154 Multimedia Messaging Service (MMS); T2 Yes Functional description; Stage 2 23.908 Technical report on Pre-Paging N4 Yes 23.909 Technical report on the Gateway Location N4 Yes 23.911 Technical report on Out-of-band transcoder Control 23.912 Technical report on Super-Charger N4 Yes 23.923 Combined GSM and Mobile IP mobility handling in UMTS IP CN 23.925 UMTS Core network based ATM transport S2 Yes 24.002 GSM-UMTS Public Land Mobile Network (PLMN) Access Reference Configuration 24.007 Mobile radio interface signalling layer 3; General Aspects 24.008 Mobile radio interface Layer 3 specification; Core network protocols; Stage 3 24.010 Mobile Radio Interface Layer 3 - Supplementary Services Specification - General Aspects 24.021 Radio Link Protocol (RLP) for circuit switched bearer and teleservices 24.022 Radio Link Protocol (RLP) for circuit switched bearer and teleservices Cate Operations; Stage 3 24.030 Location Services (LCS); Supplementary service N4 Yes 0perations; Stage 3	23.093		N4	Yes
Stage 2 23.097 Multiple Subscriber Profile (MSP) Phase 1; Stage 2 23.108 Mobile radio interface layer 3 specification core network protocols; Stage 2 (structured procedures) 23.110 UMTS Access Stratum Services and Functions S2 Yes 23.1110 Super-Charger technical realization; Stage 2 N4 Yes 23.1111 Gateway Location Register (GLR); Stage 2 N4 Yes 23.112 Architectural requirements for Release 1999 S2 Yes 23.140 Multimedia Messaging Service (MMS); T2 Yes Functional description; Stage 2 23.908 Technical report on Pre-Paging N4 Yes 23.909 Technical report on the Gateway Location Register 23.911 Technical report on Out-of-band transcoder Control Register 23.912 Technical report on Super-Charger N4 Yes 23.923 Combined GSM and Mobile IP mobility handling in UMTS IP CN 23.925 UMTS Core network based ATM transport S2 Yes 24.002 GSM-UMTS Public Land Mobile Network (PLMN) Access Reference Configuration 24.007 Mobile radio interface signalling layer 3; General Aspects 24.008 Mobile radio interface Layer 3 specification; Core network protocols; Stage 3 24.010 Mobile Radio Interface Layer 3 - Supplementary N4 Yes Services Specification - General Aspects 24.021 Radio Link Protocol (RLP) for circuit switched N3 Yes bearer and teleservices 24.032 Location Services (LCS); Supplementary service N4 Yes operations; Stage 3	23.094	Follow Me Stage 2	N4	Yes
Stage 2 23.108 Mobile radio interface layer 3 specification core network protocols; Stage 2 (structured procedures) 23.110 UMTS Access Stratum Services and Functions S2 Yes 23.116 Super-Charger technical realization; Stage 2 N4 Yes 23.119 Gateway Location Register (GLR); Stage2 N4 Yes 23.121 Architectural requirements for Release 1999 S2 Yes 23.121 Multimedia Messaging Service (MMS); T2 Yes Functional description; Stage 2 23.908 Technical report on Pre-Paging N4 Yes 23.909 Technical report on the Gateway Location Register 23.911 Technical report on Out-of-band transcoder control 23.912 Technical report on Super-Charger N4 Yes 23.923 Combined GSM and Mobile IP mobility handling S2 Yes in UMTS IP CN 23.925 UMTS Core network based ATM transport S2 Yes 24.002 GSM-UMTS Public Land Mobile Network (PLMN) Access Reference Configuration 24.007 Mobile radio interface signalling layer 3; General N1 Yes Aspects 24.008 Mobile radio interface Layer 3 specification; Core network protocols; Stage 3 24.010 Mobile Radio Interface Layer 3 - Supplementary Services Specification - General Aspects 24.021 Radio Link Protocol (RLP) Short Message Service (SMS) Support on Mobile Radio Interface 24.022 Radio Link Protocol (RLP) for circuit switched bearer and teleservices 24.030 Location Services (LCS); Supplementary service operations; Stage 3	23.096		N4	Yes
23.108 Mobile radio interface layer 3 specification core network protocols; Stage 2 (structured procedures) 23.110 UMTS Access Stratum Services and Functions S2 Yes 23.111 Super-Charger technical realization; Stage 2 N4 Yes 23.112 Architectural requirements for Release 1999 S2 Yes 23.121 Architectural requirements for Release 1999 S2 Yes 23.140 Multimedia Messaging Service (MMS); T2 Yes Functional description; Stage 2 23.908 Technical report on Pre-Paging N4 Yes 23.909 Technical report on the Gateway Location Register 23.911 Technical report on Out-of-band transcoder control 23.912 Technical report on Super-Charger N4 Yes 23.923 Combined GSM and Mobile IP mobility handling S2 Yes in UMTS IP CN 23.925 UMTS Core network based ATM transport S2 Yes 24.002 GSM-UMTS Public Land Mobile Network (PLMN) Access Reference Configuration 24.007 Mobile radio interface signalling layer 3; General N1 Yes Aspects 24.008 Mobile radio interface Layer 3 specification; Core network protocols; Stage 3 24.010 Mobile Radio Interface Layer 3 - Supplementary Services Specification - General Aspects 24.021 Radio Link Protocol (RLP) Short Message Service (SMS) Support on Mobile Radio Interface 24.022 Radio Link Protocol (RLP) for circuit switched bearer and teleservices 24.030 Location Services (LCS); Supplementary service operations; Stage 3	23.097		N4	Yes
23.110 UMTS Access Stratum Services and Functions S2 Yes 23.116 Super-Charger technical realization; Stage 2 N4 Yes 23.119 Gateway Location Register (GLR); Stage2 N4 Yes 23.121 Architectural requirements for Release 1999 S2 Yes 23.140 Multimedia Messaging Service (MMS); T2 Functional description; Stage 2 Yes Functional description; Stage 2 Yes 23.908 Technical report on Pre-Paging N4 Yes 23.909 Technical report on Eateway Location Register Paging Technical report on Out-of-band transcoder Control Combined GSM and Mobile IP mobility handling In UMTS IP CN Services Reference Configuration S2 Yes (PLMN) Access Reference Configuration Mobile radio interface signalling layer 3; General Aspects Aspects S4.001 Mobile Radio Interface Layer 3 specification; Core N1 Yes Services Specification - General Aspects Pagin UMTS Core notwork Mobile Radio Interface Layer 3 - Supplementary Services Specification - General Aspects Pagin Umproved Interface Radio Int	23.108	network protocols; Stage 2 (structured	N1	Yes
23.116 Super-Charger technical realization; Stage 2 N4 Yes 23.119 Gateway Location Register (GLR); Stage2 N4 Yes 23.121 Architectural requirements for Release 1999 S2 Yes 23.140 Multimedia Messaging Service (MMS); T2 Yes Functional description; Stage 2 23.908 Technical report on Pre-Paging N4 Yes 23.909 Technical report on the Gateway Location Register 23.911 Technical report on Out-of-band transcoder Control 23.912 Technical report on Super-Charger N4 Yes 23.923 Combined GSM and Mobile IP mobility handling in UMTS IP CN 23.925 UMTS Core network based ATM transport S2 Yes 24.002 GSM-UMTS Public Land Mobile Network (PLMN) Access Reference Configuration 24.007 Mobile radio interface signalling layer 3; General Aspects 24.008 Mobile radio interface Layer 3 specification; Core network protocols; Stage 3 24.010 Mobile Radio Interface Layer 3 - Supplementary Services Specification - General Aspects 24.011 Point-to-Point (PP) Short Message Service (SMS) Support on Mobile Radio Interface 24.022 Radio Link Protocol (RLP) for circuit switched bearer and teleservices 24.030 Location Services (LCS); Supplementary service Operations; Stage 3	23.110		S2	Yes
23.121 Architectural requirements for Release 1999 S2 Yes 23.140 Multimedia Messaging Service (MMS); Functional description; Stage 2 23.908 Technical report on Pre-Paging N4 Yes 23.909 Technical report on the Gateway Location Register 23.911 Technical report on Out-of-band transcoder control 23.912 Technical report on Super-Charger N4 Yes 23.923 Combined GSM and Mobile IP mobility handling in UMTS IP CN 23.925 UMTS Core network based ATM transport S2 Yes 24.002 GSM-UMTS Public Land Mobile Network (PLMN) Access Reference Configuration 24.007 Mobile radio interface Layer 3 specification; Core network protocols; Stage 3 24.010 Mobile Radio Interface Layer 3 - Supplementary Services Specification - General Aspects 24.021 Point-to-Point (PP) Short Message Service (SMS) Support on Mobile Radio Interface 24.022 Radio Link Protocol (RLP) for circuit switched bearer and teleservices 24.030 Location Services (LCS); Supplementary service N4 Yes operations; Stage 3	23.116		N4	Yes
Multimedia Messaging Service (MMS); Functional description; Stage 2 23.908 Technical report on Pre-Paging N4 Yes 23.909 Technical report on the Gateway Location Register 23.911 Technical report on Out-of-band transcoder control 23.912 Technical report on Super-Charger 23.923 Combined GSM and Mobile IP mobility handling in UMTS IP CN 23.925 UMTS Core network based ATM transport 24.002 GSM-UMTS Public Land Mobile Network (PLMN) Access Reference Configuration 24.007 Mobile radio interface signalling layer 3; General Aspects 24.008 Mobile radio interface Layer 3 specification; Core network protocols; Stage 3 24.010 Mobile Radio Interface Layer 3 - Supplementary Services Specification - General Aspects 24.011 Point-to-Point (PP) Short Message Service (SMS) Support on Mobile Radio Interface 24.022 Radio Link Protocol (RLP) for circuit switched bearer and teleservices 24.030 Location Services (LCS); Supplementary service operations; Stage 3	23.119	Gateway Location Register (GLR); Stage2	N4	Yes
Functional description; Stage 2 23.908 Technical report on Pre-Paging N4 Yes 23.909 Technical report on the Gateway Location Register 23.911 Technical report on Out-of-band transcoder control 23.912 Technical report on Super-Charger N4 Yes 23.923 Combined GSM and Mobile IP mobility handling in UMTS IP CN 23.925 UMTS Core network based ATM transport S2 Yes 24.002 GSM-UMTS Public Land Mobile Network (PLMN) Access Reference Configuration 24.007 Mobile radio interface signalling layer 3; General Aspects 24.008 Mobile radio interface Layer 3 specification; Core network protocols; Stage 3 24.010 Mobile Radio Interface Layer 3 - Supplementary Services Specification - General Aspects 24.011 Point-to-Point (PP) Short Message Service (SMS) Support on Mobile Radio Interface 24.022 Radio Link Protocol (RLP) for circuit switched bearer and teleservices 24.030 Location Services (LCS); Supplementary service operations; Stage 3	23.121	Architectural requirements for Release 1999	S2	Yes
Technical report on the Gateway Location Register Technical report on Out-of-band transcoder control Technical report on Super-Charger Combined GSM and Mobile IP mobility handling in UMTS IP CN Combined GSM and Mobile IP mobility handling in UMTS Core network based ATM transport Combined GSM and Mobile IP mobility handling in UMTS IP CN Combined GSM and Mobile IP mobility handling in UMTS IP CN Combined GSM and Mobile IP mobility handling in UMTS IP CN Combined GSM and Mobile IP mobility handling in UMTS IP CN Combined GSM and Mobile IP mobility handling in UMTS IP CN Combined GSM and Mobile IP mobility handling in UMTS IP CN Combined GSM and Mobile IP mobility handling in UMTS IP CN Combined GSM and Mobile IP mobility handling in UMTS IP CN Combined GSM and Mobile IP mobility handling in UMTS IP CN Combined GSM and Mobile IP mobility handling in UMTS IP CN Combined GSM and Mobile IP mobility handling in UMTS IP CN Combined GSM and Mobile IP mobility handling in UMTS IP CN Combined GSM and Mobile IP mobility handling in UMTS IP CN Combined GSM and Mobile IP Mobility handling in UMTS IP CN Combined GSM and Mobile IP mobility handling in UMTS IP CN Combined GSM and Mobile IP Mobility handling in UMTS IP CN Combined GSM and Mobile IP mobility handling in UMTS IP CN Combined GSM and Mobile IP mobility handling in UMTS IP COMBINED Combined GSM and Mobile IP Mobility handling in UMTS IP COMBINED Combined GSM and Mobile IP Mobility handling in UMTS IP COMBINED Combined GSM and Mobile IP Mobility handling in UMTS IP COMBINED Combined GSM and Mobile IP Mobility handling in UMTS IP COMBINED Combined GSM and Mobile IP Mobility handling in UMTS IP COMBINED Combined GSM and Mobile IP Mobility handling in UMTS IP COMBINED Combined GSM and Mobile IP Mobility handling in UMTS IP COMBINED Combined GSM and Mobile IP Mobility handling in UMTS IP COMBINED Combined GSM and Mobile IP Mobility handling in UMTS IP COMBINED Combined GSM and Mobile IP Mobility handling in UMTS IP COMBINED Combined GSM an	23.140		T2	Yes
Register 23.911 Technical report on Out-of-band transcoder control 23.912 Technical report on Super-Charger 23.923 Combined GSM and Mobile IP mobility handling in UMTS IP CN 23.925 UMTS Core network based ATM transport 24.002 GSM-UMTS Public Land Mobile Network (PLMN) Access Reference Configuration 24.007 Mobile radio interface signalling layer 3; General Aspects 24.008 Mobile radio interface Layer 3 specification; Core network protocols; Stage 3 24.010 Mobile Radio Interface Layer 3 - Supplementary Services Specification - General Aspects 24.011 Point-to-Point (PP) Short Message Service (SMS) Support on Mobile Radio Interface 24.022 Radio Link Protocol (RLP) for circuit switched bearer and teleservices 24.030 Location Services (LCS); Supplementary service operations; Stage 3	23.908		N4	Yes
control 23.912 Technical report on Super-Charger 23.923 Combined GSM and Mobile IP mobility handling in UMTS IP CN 23.925 UMTS Core network based ATM transport 24.002 GSM-UMTS Public Land Mobile Network (PLMN) Access Reference Configuration 24.007 Mobile radio interface signalling layer 3; General Aspects 24.008 Mobile radio interface Layer 3 specification; Core network protocols; Stage 3 24.010 Mobile Radio Interface Layer 3 - Supplementary Services Specification - General Aspects 24.011 Point-to-Point (PP) Short Message Service (SMS) Support on Mobile Radio Interface 24.022 Radio Link Protocol (RLP) for circuit switched bearer and teleservices 24.030 Location Services (LCS); Supplementary service operations; Stage 3	23.909		N4	Yes
Combined GSM and Mobile IP mobility handling in UMTS IP CN 23.925 UMTS Core network based ATM transport S2 Yes 24.002 GSM-UMTS Public Land Mobile Network (PLMN) Access Reference Configuration 24.007 Mobile radio interface signalling layer 3; General Aspects 24.008 Mobile radio interface Layer 3 specification; Core network protocols; Stage 3 24.010 Mobile Radio Interface Layer 3 - Supplementary Services Specification - General Aspects 24.011 Point-to-Point (PP) Short Message Service (SMS) Support on Mobile Radio Interface 24.022 Radio Link Protocol (RLP) for circuit switched bearer and teleservices 24.030 Location Services (LCS); Supplementary service N4 Yes operations; Stage 3	23.911		N4	Yes
in UMTS IP CN 23.925 UMTS Core network based ATM transport S2 Yes 24.002 GSM-UMTS Public Land Mobile Network (PLMN) Access Reference Configuration 24.007 Mobile radio interface signalling layer 3; General Aspects 24.008 Mobile radio interface Layer 3 specification; Core network protocols; Stage 3 24.010 Mobile Radio Interface Layer 3 - Supplementary Services Specification - General Aspects 24.011 Point-to-Point (PP) Short Message Service (SMS) Support on Mobile Radio Interface 24.022 Radio Link Protocol (RLP) for circuit switched bearer and teleservices 24.030 Location Services (LCS); Supplementary service N4 Yes operations; Stage 3	23.912			Yes
24.002 GSM-UMTS Public Land Mobile Network (PLMN) Access Reference Configuration 24.007 Mobile radio interface signalling layer 3; General Aspects 24.008 Mobile radio interface Layer 3 specification; Core network protocols; Stage 3 24.010 Mobile Radio Interface Layer 3 - Supplementary Services Specification - General Aspects 24.011 Point-to-Point (PP) Short Message Service (SMS) Support on Mobile Radio Interface 24.022 Radio Link Protocol (RLP) for circuit switched bearer and teleservices 24.030 Location Services (LCS); Supplementary service N4 Yes operations; Stage 3	23.923	in UMTS IP CN		Yes
(PLMN) Access Reference Configuration 24.007 Mobile radio interface signalling layer 3; General Aspects 24.008 Mobile radio interface Layer 3 specification; Core network protocols; Stage 3 24.010 Mobile Radio Interface Layer 3 - Supplementary Services Specification - General Aspects 24.011 Point-to-Point (PP) Short Message Service (SMS) Support on Mobile Radio Interface 24.022 Radio Link Protocol (RLP) for circuit switched bearer and teleservices 24.030 Location Services (LCS); Supplementary service N4 Yes operations; Stage 3	23.925			
Aspects 24.008 Mobile radio interface Layer 3 specification; Core network protocols; Stage 3 24.010 Mobile Radio Interface Layer 3 - Supplementary Services Specification - General Aspects 24.011 Point-to-Point (PP) Short Message Service (SMS) Support on Mobile Radio Interface 24.022 Radio Link Protocol (RLP) for circuit switched bearer and teleservices 24.030 Location Services (LCS); Supplementary service N4 Yes operations; Stage 3	24.002	(PLMN) Access Reference Configuration		Yes
network protocols; Stage 3 24.010 Mobile Radio Interface Layer 3 - Supplementary Services Specification - General Aspects 24.011 Point-to-Point (PP) Short Message Service (SMS) Support on Mobile Radio Interface 24.022 Radio Link Protocol (RLP) for circuit switched bearer and teleservices 24.030 Location Services (LCS); Supplementary service operations; Stage 3	24.007		N1	Yes
Services Specification - General Aspects 24.011 Point-to-Point (PP) Short Message Service (SMS) Support on Mobile Radio Interface 24.022 Radio Link Protocol (RLP) for circuit switched bearer and teleservices 24.030 Location Services (LCS); Supplementary service operations; Stage 3	24.008		N1	Yes
24.011 Point-to-Point (PP) Short Message Service (SMS) Support on Mobile Radio Interface 24.022 Radio Link Protocol (RLP) for circuit switched bearer and teleservices 24.030 Location Services (LCS); Supplementary service operations; Stage 3	24.010	Mobile Radio Interface Layer 3 - Supplementary	N4	Yes
24.022 Radio Link Protocol (RLP) for circuit switched bearer and teleservices 24.030 Location Services (LCS); Supplementary service N4 Yes operations; Stage 3	24.011	Point-to-Point (PP) Short Message Service	N1	Yes
24.030 Location Services (LCS); Supplementary service N4 Yes operations; Stage 3	24.022	Radio Link Protocol (RLP) for circuit switched	N3	Yes
	24.030	Location Services (LCS); Supplementary service	N4	Yes
	24.067		N4	Yes

Number	Title	WG prime	For publication?
	emption service (eMLPP); Stage 3	_	
24.072	Call Deflection Supplementary Service; Stage 3	N4	Yes
24.080	Mobile radio Layer 3 supplementary service specification; Formats and coding	N4	Yes
24.081	Line Identification Supplementary Service; Stage 3	N4	Yes
24.082	Call Forwarding supplementary service; Stage 3	N4	Yes
24.083	Call Waiting (CW) and Call Hold (HOLD) Supplementary Service; Stage 3	N4	Yes
24.084	MultiParty (MPTY) Supplementary Service; Stage 3	N4	Yes
24.085	Closed User Group (CUG) Supplementary Service; Stage 3	N4	Yes
24.086	Advice of Charge (AoC) Supplementary Service; Stage 3	N4	Yes
24.087	User-to-User Signalling (UUS); Stage 3	N4	Yes
24.088	Call Barring (CB) Supplementary Service; Stage 3	N4	Yes
24.090	Unstructured Supplementary Service Data (USSD); Stage 3	N4	Yes
24.091	Explicit Call Transfer (ECT) Supplementary Service; Stage 3	N4	Yes
24.093	Call Completion to Busy Subscriber (CCBS); Stage 3	N4	Yes
24.096	Name Identification Supplementary Service; Stage 3	N4	Yes
26.071	AMR speech Codec; General description	S4	Yes
26.073	AMR speech Codec; C-source code	S4	Yes
26.074	AMR speech Codec; Test sequences	S4	Yes
26.090	AMR speech Codec; Transcoding Functions	S4	Yes
26.091	AMR speech Codec; Error concealment of lost frames	S4	Yes
26.092	AMR speech Codec; comfort noise for AMR Speech Traffic Channels	S4	Yes
26.093	AMR speech Codec; Source Controlled Rate operation	S4	Yes
26.094	AMR Speech Codec; Voice Activity Detector for AMR Speech Traffic Channels	S4	Yes
26.102	AMR speech Codec; Interface to Iu and Uu	S4	Yes
26.103	Speech codec list for GSM and UMTS	S4	Yes
26.104	ANSI-C code for the floating-point Adaptive Multi-Rate (AMR) speech codec	S4	Yes
26.110	Codec for circuit switched multimedia telephony service; General description	S4	Yes
26.111	Codec for Circuit switched Multimedia Telephony Service; Modifications to H.324	S4	Yes
26.911	Codec for Circuit switched Multimedia Telephony Service; Terminal Implementor's Guide	S4	Yes
26.975	Performance characterization of the Adaptive Multi-Rate (AMR) speech codec	S4	Yes
27.001	General on Terminal Adaptation Functions (TAF) for Mobile Stations (MS)	N3	Yes
27.002	Terminal Adaptation Functions (TAF) for services using Asynchronous bearer capabilities		Yes
27.003	Terminal Adaptation Functions (TAF) for services using Synchronous bearer capabilities		Yes
27.005	Use of Data Terminal Equipment - Data Circuit terminating Equipment (DTE-DCE) interface for Short Message Service (SMS) and Cell Broadcast Service (CBS)	T2	Yes
27.007	AT command set for 3G User Equipment (UE)	T2	Yes
27.010	Terminal Equipment to User Equipment (TE-UE) multiplexer protocol	T2	Yes
27.060	Packet domain; Mobile Station (MS) supporting	N3	Yes

Number	Title	WG prime	For publication?
	Packet Switched services		
27.103	Wide Area Network Synchronization	T2	Yes
29.002	Mobile Application Part (MAP) specification	N4	Yes
29.007	General requirements on interworking between the Public Land Mobile Network (PLMN) and the Integrated Services Digital Network (ISDN) or Public Switched Telephone Network (PSTN)	N3	Yes
29.010	Information Element Mapping between Mobile Station - Base Station System (MS - BSS) and Base Station System - Mobile-services Switching Centre (BSS - MCS) Signalling Procedures and the Mobile Application Part (MAP)	N4	Yes
29.011	Signalling Interworking for Supplementary Services	N4	Yes
29.013	Signalling interworking between ISDN supplementary services Application Service Element (ASE) and Mobile Application Part (MAP) protocols	N4	Yes
29.016	Serving GPRS Support Node SGSN - Visitors Location Register (VLR); Gs Interface Network Service Specification	N1	Yes
29.018	General Packet Radio Service (GPRS); Serving GPRS Support Node (SGSN) - Visitors Location Register (VLR); Gs interface layer 3 specification	N1	Yes
29.060	General Packet Radio Service (GPRS); GPRS Tunnelling Protocol (GTP) across the Gn and Gp interface	N4	Yes
29.061	Interworking between the Public Land Mobile Network (PLMN) supporting Packet Based services and Packet Data Networks (PDN)	N3	Yes
29.078	Customised Applications for Mobile network Enhanced Logic (CAMEL); CAMEL Application Part (CAP) specification	N2	Yes
29.993	Modifications to be incorporated in equipment to cater for errors in the standards	RP	Yes
29.994	Recommended infrastructure measures to overcome specific Mobile Station (MS) and User Equipment (UE) faults	N1	Yes
31.111	USIM Application Toolkit (USAT)	T3	Yes