

---

**Source:** SA5 (Telecom Management)  
**Title:** 2 Rel-5 CRs 32.603 (Basic Configuration Management IRP:  
CORBA SS)  
**Document for:** Approval  
**Agenda Item:** 7.5.3

---

Doc-1st-Level	Spec	CR	Rev	Phase	Subject	Cat	Ver-Current	Doc-2nd-Level	Workitem
SP-030139	32.603	007	-	Rel-5	<b>Add CORBA equivalents to IS operations "get{Operation Notification}Profile" - alignment with 32.602 &amp; 32.312</b>	F	5.0.0	S5-036120	OAM-NIM
SP-030139	32.603	008	-	Rel-5	<b>Correction of IDL errors</b>	F	5.0.0	S5-036323	OAM-NIM

## CHANGE REQUEST

⌘ **32.603 CR 007** ⌘ rev **-** ⌘ Current version: **5.0.0** ⌘

For **HELP** on using this form, see bottom of this page or look at the pop-up text over the ⌘ symbols.

**Proposed change affects:** UICC apps  ME  Radio Access Network  Core Network

<b>Title:</b>	⌘	Add CORBA equivalents to IS operations "get{Operation Notification}Profile" - alignment with 32.602 & 32.312	
<b>Source:</b>	⌘	S5	
<b>Work item code:</b>	⌘	OAM-NIM	<b>Date:</b> ⌘ 28/02/2003
<b>Category:</b>	⌘	<b>F</b>	<b>Release:</b> ⌘ Rel-5
		Use <u>one</u> of the following categories: <b>F</b> (correction) <b>A</b> (corresponds to a correction in an earlier release) <b>B</b> (addition of feature), <b>C</b> (functional modification of feature) <b>D</b> (editorial modification) Detailed explanations of the above categories can be found in 3GPP <a href="#">TR 21.900</a> .	Use <u>one</u> of the following releases: <b>2</b> (GSM Phase 2) <b>R96</b> (Release 1996) <b>R97</b> (Release 1997) <b>R98</b> (Release 1998) <b>R99</b> (Release 1999) <b>Rel-4</b> (Release 4) <b>Rel-5</b> (Release 5) <b>Rel-6</b> (Release 6)

<b>Reason for change:</b>	⌘	CORBA equivalents to TS 32.602 IOC "BasicCmIRP" operations "getOperationProfile" and "getNotificationProfile" inherited from TS 32.312 IOC "ManagedGenericIRP" are missing.
<b>Summary of change:</b>	⌘	<ul style="list-style-type: none"> <li>Update/add mapping tables for IS operations "getOperationProfile" and "getNotificationProfile"</li> <li>Add CORBA methods "get_basicCm_IRP_operation_profile" and "get_basicCm_IRP_notification_profile"</li> <li>Add CORBA exceptions "GetBasicCmIRPOperationProfile" and "GetBasicCmIRPNotificationProfile"</li> <li>Editorial changes</li> </ul>
<b>Consequences if not approved:</b>	⌘	The TS would be inconsistent with TSs 32.602 (Basic CM IRP IS) and 32.312 (Generic IRP Management IS).

<b>Clauses affected:</b>	⌘	6.2, 6.3, annex A								
<b>Other specs affected:</b>	⌘	<table border="1" style="display: inline-table; border-collapse: collapse; text-align: center;"> <tr> <td style="width: 20px;">Y</td> <td style="width: 20px;">N</td> </tr> <tr> <td style="border: none;"> </td> <td style="border: none;">X</td> </tr> <tr> <td style="border: none;"> </td> <td style="border: none;">X</td> </tr> <tr> <td style="border: none;"> </td> <td style="border: none;">X</td> </tr> </table> Other core specifications ⌘ Test specifications ⌘ O&M Specifications ⌘	Y	N		X		X		X
Y	N									
	X									
	X									
	X									
<b>Other comments:</b>	⌘									

**Change in Subclause 6.2**

## 6.2 Operation mapping

The Basic CM IRP: ~~ISM~~ (see 3GPP TS 32.602 [4]) defines semantics of operation visible across the Basic Configuration Management IRP. Table 1 indicates mapping of these operations to their equivalents defined in this SS.

**Table 1: Mapping from IS Operation to SS equivalents**

IS Operation (3GPP TS 32.602 [4])	SS Method	Qualifier
getMoAttributes	BasicCmIrpOperations::find_managed_objects BasicCmInformationIterator::next_basicCmInformations	M
getContainment	BasicCmIrpOperations::find_managed_objects BasicCmInformationIterator::next_basicCmInformations	O
<del>getBasicCmIRPVersion</del> <a href="#">getIRPVersion</a> (see note)	get_basicCm_IRP_version	M
cancelOperation	BasicCmInformationIterator::destroy	O
createMo	BasicCmIrpOperations::create_managed_object	O
deleteMo	BasicCmIrpOperations::delete_managed_objects	O
setMoAttributes	BasicCmIrpOperations::modify_managed_objects	O
<a href="#">getOperationProfile</a> (see note)	<a href="#">get_basicCm_IRP_operation_profile</a>	<a href="#">O</a>
<a href="#">getNotificationProfile</a> (see note)	<a href="#">get_basicCm_IRP_notification_profile</a>	<a href="#">O</a>
<b>NOTE:</b> This operation is of IOC ManagedGenericIRP specified in [10]. The IOC BasicCmIRP of [4] inherits from it.		

**End of Change in Subclause 6.2**

**Change in Subclause 6.3**

## 6.3 Operation parameter mapping

The Basic CM IRP: IS (see 3GPP TS 32.602 [4]) defines semantics of parameters carried in operations across the Basic Configuration Management IRP. Tables 2 through 8 indicate the mapping of these parameters, as per operation, to their equivalents defined in this SS.

The SS operation find\_managed\_objects is equivalent to the IS operation getMoAttributes when called with ResultContents set to NAMES\_AND\_ATTRIBUTES. Iterating the BasicCmInformationIterator is used to fetch the result.

**Table 2: Mapping from IS getMoAttributes parameters to SS equivalents**

IS Operation parameter	SS Method parameter	Qualifier
invokelIdentifier	- (No equivalence)	-
invokelIdentifierOut	Return value of type BasicCmInformationIterator	M
baseObjectInstance	in DN baseObject	M
scope	in SearchControl searchControl (SearchControl.type and SearchControl.level)	M
filter	in SearchControl searchControl (SearchControl.filter)	M
attributeListIn	in AttributeNameSet requestedAttributes	M
managedObjectClass managedObjectInstance attributeListOut	Return value of type BasicCmInformationIterator - parameter out ResultSet fetchedElements of method next_basicCmInformations	M

IS Operation parameter	SS Method parameter	Qualifier
status	Exceptions: FindManagedObjects, ManagedGenericIRPSystem::InvalidParameter, UndefinedMOException, IllegalDNFormatException, UndefinedScopeException, IllegalScopeTypeException, IllegalScopeLevelException, IllegalFilterFormatException, FilterComplexityLimit	M

The SS operation find\_managed\_objects is equivalent to the IS operation getContainment when called with ResultContents set to NAMES. Iterating the BasicCmInformationIterator is used to fetch the result.

**Table 3: Mapping from IS getContainment parameters to SS equivalents**

IS Operation parameter	SS Method parameter	Qualifier
invokelidentifier	- (No equivalence)	-
invokelidentifierOut	Return value of type BasicCmInformationIterator	M
baseObjectInstance	in DN baseObject	M
scope	in SearchControl searchControl (SearchControl.type and SearchControl.level)	O
Not specified in IS	in SearchControl searchControl (SearchControl.filter)	M
containment	Return value of type BasicCmInformationIterator - parameter out ResultSet fetchedElements of method next_basicCmInformations	M
status	Exceptions: FindManagedObjects, ManagedGenericIRPSystem::ParameterNotSupported, ManagedGenericIRPSystem::InvalidParameter, ManagedGenericIRPSystem::ValueNotSupported, UndefinedMOException, IllegalDNFormatException, UndefinedScopeException, IllegalScopeTypeException, IllegalScopeLevelException, IllegalFilterFormatException, FilterComplexityLimit	M

**Table 4: Mapping from IS [getBasicCmIRPVersion](#)/[getIRPVersion](#) parameters to SS equivalents**

IS Operation parameter	SS Method parameter	Qualifier
versionNumberSet	Return value of type ManagedGenericIRPConstDefs::VersionNumberSet	M
status	Exceptions: GetBasicCmIRPVersion	M

**Table 5: Mapping from IS cancelOperation parameters to SS equivalents**

IS Operation parameter	SS Method parameter	Qualifier
invokelidentifier	- (Not applicable, the BasicCmInformationIterator instance identifies the ongoing operation)	M
status	Exceptions: DestroyException	M

**Table 6: Mapping from IS createMo parameters to SS equivalents**

IS Operation parameter	SS Method parameter	Qualifier
managedObjectClass	in DN objectName	M
managedObjectInstance	in DN referenceObject	O
referenceObjectInstance	in DN referenceObject	O
attributeListIn	inout MoAttributeSet attributes	M
attributeListOut		

IS Operation parameter	SS Method parameter	Qualifier
status	out AttributeErrorSeq attributeErrors Exceptions: CreateManagedObject, ManagedGenericIRPSystem::OperationNotSupported, ManagedGenericIRPSystem::ParameterNotSupported, ManagedGenericIRPSystem::InvalidParameter, UndefinedMOException, IllegalDNFormatException, DuplicateMO, CreateNotAllowed, ObjectClassMismatch, NoSuchObjectClass	M

**Table 7: Mapping from IS deleteMo parameters to SS equivalents**

IS Operation parameter	SS Method parameter	Qualifier
baseObjectInstance	in DN baseObject	M
scope	in SearchControl searchControl (SearchControl.type and SearchControl.level)	M
filter	in SearchControl searchControl (SearchControl.filter)	M
deletionList	Return value of type DeleteResultIterator - parameter out ResultSet fetchedElements of method next_basicCmInformations	M
status	Return value of type DeleteResultIterator - parameter out DeleteErrorSeq fetchedDeleteErrors of method next_deleteErrors Exceptions: DeleteManagedObjects, ManagedGenericIRPSystem::OperationNotSupported, ManagedGenericIRPSystem::InvalidParameter, UndefinedMoException, IllegalDNFormatException, UndefinedScopeException, IllegalScopeTypeException, IllegalScopeLevelException, IllegalFilterFormatException, FilterComplexityLimit	M

**Table 8: Mapping from IS setMoAttributes parameters to SS equivalents**

IS Operation parameter	SS Method parameter	Qualifier
baseObjectInstance	in DN baseObject	M
scope	in SearchControl searchControl (SearchControl.type and SearchControl.level)	M
filter	in SearchControl searchControl (SearchControl.filter)	M
modificationList	in AttributeModificationSet modifications	M
modificationListOut	Return value of type ModifyResultIterator - parameter out ResultSet fetchedElements of method next_basicCmInformations	M
status	Return value of type ModifyResultIterator - parameter out ModifyAttributeErrorsSeq fetchedModifyErrors of method next_modifyErrors Exceptions: ModifyManagedObjects, ManagedGenericIRPSystem::OperationNotSupported, ManagedGenericIRPSystem::InvalidParameter, UndefinedMoException, IllegalDNFormatException, UndefinedScopeException, IllegalScopeTypeException, IllegalScopeLevelException, IllegalFilterFormatException, FilterComplexityLimit	M

**Table 9: Mapping from IS getOperationProfile parameters to SS equivalents**

<a href="#">IS Operation parameter</a>	<a href="#">SS Method parameter</a>	<a href="#">Qualifier</a>
<a href="#">irpVersion</a>	<a href="#">ManagedGenericIRPConstDefs::VersionNumber basicCm_IRP_version</a>	<a href="#">M</a>
<a href="#">operationNameProfile, operationParameterProfile</a>	<a href="#">Return value of type ManagedGenericIRPConstDefs::MethodList</a>	<a href="#">M</a>
<a href="#">status</a>	<a href="#">Exceptions: GetBasicCmIRPOperationProfile, ManagedGenericIRPSystem::OperationNotSupported, ManagedGenericIRPSystem::InvalidParameter</a>	<a href="#">M</a>

**Table 10: Mapping from IS getNotificationProfile parameters to SS equivalents**

<a href="#">IS Operation parameter</a>	<a href="#">SS Method parameter</a>	<a href="#">Qualifier</a>
<a href="#">irpVersion</a>	<a href="#">ManagedGenericIRPConstDefs::VersionNumber basicCm_IRP_version</a>	<a href="#">M</a>
<a href="#">notificationNameProfile, notificationParameterProfile</a>	<a href="#">Return value of type ManagedGenericIRPConstDefs::MethodList</a>	<a href="#">M</a>
<a href="#">status</a>	<a href="#">Exceptions: GetBasicCmIRPNotificationProfile, ManagedGenericIRPSystem::OperationNotSupported, ManagedGenericIRPSystem::InvalidParameter</a>	<a href="#">M</a>

<b>End of Change in Subclause 6.3</b>
---------------------------------------

<b>Change in Annex A</b>
--------------------------

## Annex A (normative): CORBA IDL, Access Protocol

```

#ifndef BasicCmIRPSystem_idl
#define BasicCmIRPSystem_idl

#include "ManagedGenericIRPConstDefs.idl"
#include "ManagedGenericIRPSystem.idl"

// This statement must appear after all include statements
#pragma prefix "3gppsa5.org"

module BasicCmIRPSystem
{
    /**
     * Defines the name of a Managed Object Class
     */
    typedef string MOClass;

    /**
     * The format of Distinguished Name (DN) is specified in 3GPP TS 32.300
     * "Name Conventions for Managed Objects".
     */
    typedef string DN;

    /**
     * Defines the name of an attribute of a Managed Object
     */

```

```

typedef string MOAttributeName;

/**
 * Defines the value of an attribute of a Managed Object in form of a CORBA
 * Any. Apart from basic datatypes already defined in CORBA, the allowed
 * attribute value types are defined in the AttributeTypes module.
 */
typedef any MOAttributeValue;

/**
 * This module adds datatype definitions for types
 * used in the NRM which are not basic datatypes defined
 * already in CORBA.
 */
module AttributeTypes
{
    /**
     * An MO reference refers to an MO instance.
     * "otherMO" contains the distinguished name of the referred MO.
     * A conceptual "null" reference (meaning no MO is referenced)
     * is represented as an empty string ("").
     */
    struct MReference
    {
        DN otherMO;
    };

    /**
     * MReferenceSet represents a set of MO references.
     * This type is used to hold 0..n MO references.
     * A referred MO is not allowed to be repeated (therefore
     * it is denoted as a "Set")
     */
    typedef sequence<MReference> MReferenceSet;

    /**
     * A set of strings.
     */
    typedef sequence<string> StringSet;
};

exception IllegalFilterFormatException {
    string reason;
};
exception IllegalDNFormatException {
    string reason;
};
exception IllegalScopeTypeException {
    string reason;
};
exception IllegalScopeLevelException {
    string reason;
};
exception UndefinedMOException {
    string reason;
};
};

```

```

exception UndefinedScopeException {
    string reason;
};

exception FilterComplexityLimit {
    string reason;
};

exception DuplicateMO {};

exception CreateNotAllowed {};

exception ObjectClassMismatch {};

exception NoSuchObjectClass {
    MOClass objectClass;
};

/**
 * System otherwise fails to complete the operation. System can provide
 * reason to qualify the exception. The semantics carried in reason
 * is outside the scope of this IRP.
 */
exception NextBasicCmInformations { string reason; };
exception NextDeleteErrors { string reason; };
exception NextModifyErrors { string reason; };
exception DestroyException { string reason; };
exception GetBasicCmIRPVersion { string reason; };
exception GetBasicCmIRPOperationProfile { string reason; };
exception GetBasicCmIRPNotificationProfile { string reason; };
exception FindManagedObjects { string reason; };
exception CreateManagedObject { string reason; };
exception DeleteManagedObjects { string reason; };
exception ModifyManagedObjects { string reason; };

/**
 *
 * In this version the only allowed filter value is "TRUE" i.e. a filter that
 * matches everything.
 */
typedef string FilterType;

/**
 * ResultContents is used to tell how much information to get back
 * from the find_managed_objects operation.
 *
 * NAMES: Used to get only Distinguished Name
 *         for MOs.
 *         The name contains both the MO class
 *         and the names of all superior objects in the naming
 *         tree.
 *
 * NAMES_AND_ATTRIBUTES: Used to get both NAMES plus
 *         MO attributes (all or selected).
 */
enum ResultContents
{
    NAMES,
    NAMES_AND_ATTRIBUTES
};

/**

```



```

* ScopeType defines the kind of scope to use in a search
* together with SearchControl.level, in a SearchControl value.
*
* SearchControl.level is always >= 0. If a level is bigger than the
* depth of the tree there will be no exceptions thrown.
* BASE_ONLY: level ignored, just return the base object.
* BASE_NTH_LEVEL: return all subordinate objects that are on "level"
* distance from the base object, where 0 is the base object.
* BASE_SUBTREE: return the base object and all of its subordinates
* down to and including the nth level.
* BASE_ALL: level ignored, return the base object and all of it's
* subordinates.
*/
enum ScopeType
{
    BASE_ONLY,
    BASE_NTH_LEVEL,
    BASE_SUBTREE,
    BASE_ALL
};

/**
 * SearchControl controls the find_managed_object search,
 * and contains:
 * the type of scope ("type" field),
 * the level of scope ("level" field), level 0 means the "baseObject",
 * level 1 means baseobject including its sub-ordinates etc..
 * the filter ("filter" field),
 * the result type ("contents" field).
 * The type, level and contents fields are all mandatory.
 * The filter field contains the filter expression.
 * The string "TRUE" indicates "no filter",
 * i.e. a filter that matches everything.
 */
struct SearchControl
{
    ScopeType type;
    unsigned long level;
    FilterType filter;
    ResultContents contents;
};

/**
 * Represents an attribute: "name" is the attribute name
 * and "value" is the attribute value.
 */
struct MOAttribute
{
    MOAttributeName name;
    MOAttributeValue value;
};

typedef sequence<MOAttribute> MOAttributeSet;

struct Result
{
    DN mo;
    MOAttributeSet attributes;
};

typedef sequence<Result> ResultSet;

```

```
/**
 * AttributeErrorCategory defines the categories of errors, related to
 * attributes, that can occur during creation or modification of MOs.
 *
 * NO_SUCH_ATTRIBUTE: The specified attribute does not exist.
 * INVALID_ATTRIBUTE_VALUE: The specified attribute value is not valid.
 * MISSING_ATTRIBUTE_VALUE: An attribute value is required but none was
 * provided and no default value is defined for the attribute.
 * INVALID_MODIFY_OPERATOR: The specified modify operator is not valid
 * (e.g. operator ADD_VALUES applied to a non multi-valued attribute
 * or operator SET_TO_DEFAULT applied where no default value is defined).
 * MODIFY_NOT_ALLOWED: The modification of the attribute is not allowed.
 * MODIFY_FAILED: The modification failed because of an unspecified reason.
 */
enum AttributeErrorCategory
{
    NO_SUCH_ATTRIBUTE,
    INVALID_ATTRIBUTE_VALUE,
    MISSING_ATTRIBUTE_VALUE,
    INVALID_MODIFY_OPERATOR,
    MODIFY_NOT_ALLOWED,
    MODIFY_FAILED
};

/**
 * DeleteErrorCategory defines the categories of errors that can occur
 * during deletion of MOs.
 *
 * SUBORDINATE_OBJECT: The MO cannot be deleted due to subordinate MOs.
 * DELETE_NOT_ALLOWED: The deletion of the MO is not allowed.
 * DELETE_FAILED: The deletion failed because of an unspecified reason.
 */
enum DeleteErrorCategory
{
    SUBORDINATE_OBJECT,
    DELETE_NOT_ALLOWED,
    DELETE_FAILED
};

/**
 * AttributeError represents an error, related to an attribute, that occurred
 * during creation or modification of MOs.
 * It contains:
 * - the name of the indicted attribute ("name" field),
 * - the category of the error ("error" field),
 * - optionally, the indicted attribute value ("value" field),
 * - optionally, additional details on the error ("reason" field).
 */
struct AttributeError
{
    MOAttributeName name;
    AttributeErrorCategory error;
    MOAttributeValue value;
    string reason;
};

typedef sequence<AttributeError> AttributeErrorSeq;
```

```

/**
 * DeleteError represents an error that occurred during deletion of MOs.
 * It contains:
 * - the distinguished name of the indicted MO ("object" field),
 * - the category of the error ("error" field),
 * - optionally, additional details on the error ("reason" field).
 */
struct DeleteError
{
    DN object;
    DeleteErrorCategory error;
    string reason;
};

typedef sequence<DeleteError> DeleteErrorSeq;

/**
 * ModifyAttributeErrors represents errors that occurred during
 * modification of attributes of a MO.
 * It contains:
 * - the distinguished name of the indicted MO ("object" field),
 * - a sequence containing the attribute errors ("errors" field).
 */
struct ModifyAttributeErrors
{
    DN object;
    AttributeErrorSeq errors;
};

typedef sequence<ModifyAttributeErrors> ModifyAttributeErrorsSeq;

/**
The BasicCmInformationIterator is used to iterate through a snapshot of
Managed Object Information when IRPManager invokes find_managed_objects.
IRPManager uses it to pace the return of Managed Object Information.

IRPAgent controls the life-cycle of the iterator. However, a destroy
operation is provided to handle the case where IRPManager wants to stop
the iteration procedure before reaching the last iteration.
*/
interface BasicCmInformationIterator
{
    /**
    This method returns between 1 and "how_many" Managed Object information.
    The IRPAgent may return less than "how_many" items even if there are
    more items to return. "how_many" must be non-zero. Return TRUE if there
    may be more Managed Object information to return. Return FALSE if there
    are no more Managed Object information to be returned.

    If FALSE is returned, the IRPAgent will automatically destroy the
    iterator.

    @param how_many how many elements to return in the "fetchedElements" out
    parameter.
    @param fetchedElements the elements.
    @returns A boolean indicating if any elements are returned.
    "fetchedElements" is empty when the BasicCmInformationIterator is
    empty.
    */

```

```

boolean next_basicCmInformations (
    in unsigned short how_many,
    out ResultSet fetchedElements
)
raises (NextBasicCmInformations,
        ManagedGenericIRPSystem::InvalidParameter);

/**
This method destroys the iterator.
*/

void destroy ()
raises (DestroyException);

}; // end of BasicCmInformationIterator

/**
The DeleteResultIterator is used to iterate through the list of deleted MOs
when IRPManager invokes method "delete_managed_objects".
IRPManager uses it to pace the return of Managed Object Information.

IRPAgent controls the life-cycle of the iterator. However, a destroy
operation is provided to handle the case where IRPManager wants to stop
the iteration procedure before reaching the last iteration.
*/
interface DeleteResultIterator : BasicCmInformationIterator
{

/**
Inherited method "next_basicCmInformations" has the same behaviour as
for interface BasicCmInformationIterator, except that:
- The Managed Object information returned in parameter
  "fetchedElements" contains only the DNs of the deleted MOs
  (no attributes are returned).
- If FALSE is returned, the IRPAgent will not automatically destroy the
  iterator.
*/

/**
This method returns between 0 and "how_many" deletion errors. The
IRPAgent may return less than "how_many" items even if there are more
items to return. "how_many" must be non-zero. Return TRUE if there are
more deletion errors to return. Return FALSE if there are no more
deletion errors to be returned.

If FALSE is returned and last call to inherited method
"next_basicCmInformations" also returned FALSE (i.e. no more Managed
Object information to be returned), the IRPAgent will automatically
destroy the iterator.

@param how_many: how many deletion errors to return in the
  "fetchedDeleteErrors" out parameter.
@param fetchedDeleteErrors: the deletion errors.
@returns: a boolean indicating if any deletion errors are returned.
*/

boolean next_deleteErrors (
    in unsigned short how_many,
    out DeleteErrorSeq fetchedDeleteErrors
)
raises (NextDeleteErrors,
        ManagedGenericIRPSystem::InvalidParameter);

```

```

}; // end of DeleteResultIterator

/**
The ModifyResultIterator is used to iterate through the list of modified
MOs when IRPManager invokes method "modify_managed_objects".
IRPManager uses it to pace the return of Managed Object Information.

IRPAgent controls the life-cycle of the iterator. However, a destroy
operation is provided to handle the case where IRPManager wants to stop
the iteration procedure before reaching the last iteration.
*/
interface ModifyResultIterator : BasicCmInformationIterator
{
    /**
    Inherited method "next_basicCmInformations" has the same behaviour as
    for interface BasicCmInformationIterator, except that:
    - The Managed Object information returned in parameter
      "fetchedElements" contains DNs and attributes of the modified MOs.
    - If FALSE is returned, the IRPAgent will not automatically destroy the
      iterator.
    */

    /**
    This method returns between 0 and "how_many" modification errors. The
    IRPAgent may return less than "how_many" items even if there are more
    items to return. "how_many" must be non-zero. Return TRUE if there are
    more modification errors to return. Return FALSE if there are no more
    modification errors to be returned.

    If FALSE is returned and last call to inherited method
    "next_basicCmInformations" also returned FALSE (i.e. no more Managed
    Object information to be returned), the IRPAgent will automatically
    destroy the iterator.

    @parm how_many: how many modification errors to return in the
      "fetchedModifyErrors" out parameter.
    @parm fetchedModifyErrors: the modification errors.
    @returns: a boolean indicating if any modification errors are returned.
    */

    boolean next_modificationErrors (
        in unsigned short how_many,
        out ModifyAttributeErrorsSeq fetchedModifyErrors
    )
    raises (NextModifyErrors,
           ManagedGenericIRPSystem::InvalidParameter);
}; // end of ModifyResultIterator

typedef sequence<MOAttributeName> AttributeNameSet;

/**
* ModifyOperator defines the way in which an attribute value is to be
* applied to an attribute in a modification of MO attributes.
*
* REPLACE: replace the current value with the provide value
* ADD_VALUES: for a multi-valued attribute, add the provided values to the
* current list of values

```

```

* REMOVE_VALUES: for a multi-valued attribute, remove the provided values
*   from the current list of values
* SET_TO_DEFAULT: set the attribute to its default value
*/
enum ModifyOperator
{
    REPLACE,
    ADD_VALUES,
    REMOVE_VALUES,
    SET_TO_DEFAULT
};

/**
* AttributeModification defines an attribute value and the way it is to
* be applied to an attribute in a modification of MO attributes.
* It contains:
* - the name of the attribute to modify ("name" field),
* - the value to apply to this attribute ("value" field),
* - the way the attribute value is to be applied to the attribute
*   ("operator" field).
*/
struct AttributeModification
{
    MOAttributeName name;
    MOAttributeValue value;
    ModifyOperator operator;
};

typedef sequence<AttributeModification> AttributeModificationSet;

/**
* The BasicCmIrpOperations interface.
* Supports a number of Resource Model versions.
*/
interface BasicCmIrpOperations
{
    /**
    * Get the version(s) of the interface
    *
    * @raises GetBasicCmIRPVersion when the system for some reason
    *   can not return the supported versions.
    * @returns all supported versions.
    */
    ManagedGenericIRPConstDefs::VersionNumberSet get_basicCm_IRP_version()
        raises (GetBasicCmIRPVersion);

    /**
    * Return the operation profile for a specific Basic CM IRP version.
    *
    * @raises GetBasicCmIRPOperationProfile when the system for some reason
    *   cannot return the supported operations and parameters.
    * @returns the list of all supported operations and their supported
    *   parameters for the specified version.
    */
    ManagedGenericIRPConstDefs::MethodList get_basicCm_IRP_operation_profile
    (
        in ManagedGenericIRPConstDefs::VersionNumber basicCm_IRP_version
    )
    raises (GetBasicCmIRPOperationProfile,
           ManagedGenericIRPSystem::OperationNotSupported,
           ManagedGenericIRPSystem::InvalidParameter);

```

```

/**
 * Return the notification profile for a specific Basic CM IRP version.
 *
 * @raises GetBasicCmIRPNotificationProfile when the system for some
 * reason cannot return the supported notifications and parameters.
 * @returns the list of all supported notifications and their supported
 * parameters for the specified version.
 */
ManagedGenericIRPConstDefs::MethodList
  get_basicCm_IRP_notification_profile (
    in ManagedGenericIRPConstDefs::VersionNumber basicCm_IRP_version
  )
  raises (GetBasicCmIRPNotificationProfile,
    ManagedGenericIRPSystem::OperationNotSupported,
    ManagedGenericIRPSystem::InvalidParameter);

/**
 * Performs a containment search, using a SearchControl to
 * control the search and the returned results.
 *
 * All MOs in the scope constitute a set that the filter works on.
 * The result BasicCmInformationIterator contains all matched MOs,
 * with the amount of detail specified in the SearchControl.
 * For the special case when no managed objects are matched in
 * find_managed_objects, the BasicCmInformationIterator will be returned.
 * Executing the next_basicCmInformations in the
 * BasicCmInformationIterator will return FALSE for
 * completion.
 *
 * @parm baseObject The start MO in the containment tree.
 * @parm searchControl the SearchControl to use.
 * @parm requestedAttributes defines which attributes to get.
 * If this parameter is empty (""), all attributes shall
 * be returned. In this version this is the only supported semantics.
 * Note that this argument is only
 * relevant if ResultContents in the search control is
 * specided to NAMES_AND_ATTRIBUTES.
 *
 * @raises ManagedGenericIRPSystem::ValueNotSupported if a valid but
 * unsupported parameter value is passed. E.g. the contents
 * field in the searchcontrol parameter contains the value NAMES and
 * the optional getContainment IS operation is not supported.
 * @raises UndefinedMOException The MO does not exist.
 * @raises IllegalDNFormatException The dn syntax string is
 * malformed.
 * @raises IllegalScopeTypeException The ScopeType in scope contains
 * an illegal value.
 * @raises IllegalScopeLevelException The scope level is negative
 * (<0).
 * @raises IllegalFilterFormatException The filter string is
 * malformed.
 * @raises FilterComplexityLimit if the filter syntax is correct,
 * but the filter is too complex to be processed by the IRP agent.
 * @see SearchControl
 * @see BasicCmInformationIterator
 */
BasicCmInformationIterator find_managed_objects(in DN baseObject,
  in SearchControl searchControl,
  in AttributeNameSet requestedAttributes)
  raises (FindManagedObjects,
    ManagedGenericIRPSystem::ParameterNotSupported,

```

```

        ManagedGenericIRPSystem::InvalidParameter,
        ManagedGenericIRPSystem::ValueNotSupported,
        UndefinedMOException,
        IllegalDNFormatException,
        UndefinedScopeException,
        IllegalScopeTypeException,
        IllegalScopeLevelException,
        IllegalFilterFormatException,
        FilterComplexityLimit);

/**
 * Performs the creation of a MO instance in the MIB maintained
 * by the IRPAgent.
 *
 * @parm objectName: the distinguished name of the MO to create.
 * @parm referenceObject: the distinguished name of a reference MO.
 * @parm attributes: in input, initial attribute values for the MO to
 * create; in output, actual attribute values of the created MO.
 * @parm attributeErrors: errors, related to attributes, that caused the
 * creation of the MO to fail.
 *
 * @raises ManagedGenericIRPSystem::OperationNotSupported: The operation
 * is not supported.
 * @raises ManagedGenericIRPSystem::ParameterNotSupported: An optional
 * parameter is not supported.
 * @raises ManagedGenericIRPSystem::InvalidParameter: An invalid
 * parameter value has been provided.
 * @raises UndefinedMOException: The MO does not exist.
 * @raises IllegalDNFormatException: The DN syntax string is malformed.
 * @raises DuplicateMO: A MO already exist with the same DN as the one
 * to create.
 * @raises CreateNotAllowed: The creation of the MO is not allowed.
 * @raises ObjectClassMismatch: The object class of the MO to create does
 * not match with the object class of the provided reference MO.
 * @raises NoSuchObjectClass: The class of the object to create is not
 * recognized.
 */
void create_managed_object (
    in DN objectName,
    in DN referenceObject,
    inout MoAttributeSet attributes,
    out AttributeErrorSeq attributeErrors
)
raises (CreateManagedObject,
        ManagedGenericIRPSystem::OperationNotSupported,
        ManagedGenericIRPSystem::ParameterNotSupported,
        ManagedGenericIRPSystem::InvalidParameter,
        UndefinedMOException,
        IllegalDNFormatException,
        DuplicateMO,
        CreateNotAllowed,
        ObjectClassMismatch,
        NoSuchObjectClass);

/**
 * Performs the deletion of one or more MO instances from the MIB
 * maintained by the IRPAgent, using a SearchControl to control the
 * instances to be deleted.
 *
 * All MOs in the scope constitute a set that the filter works on.
 * All matched MOs will be deleted by this operation.
 * The returned DeleteResultIterator is used to retrieve the DNs of the
 * MOs deleted and the errors that may have occurred preventing deletion

```



```

* of some MOs.
* For the special case when no managed objects are matched in
* delete_managed_objects, the DeleteResultIterator will be returned.
* Executing the next_basicCmInformations in the DeleteResultIterator
* will return FALSE for completion.
*
* @parm baseObject: the start MO in the containment tree.
* @parm searchControl: the SearchControl to use; field "contents" has no
* meaning here and shall be ignored.
@returns: a DeleteResultIterator (see above).
*
* @raises ManagedGenericIRPSystem::OperationNotSupported: The operation
* is not supported.
* @raises ManagedGenericIRPSystem::InvalidParameter: An invalid
* parameter value has been provided.
* @raises UndefinedMOException: The MO does not exist.
* @raises IllegalDNFormatException: The DN syntax string is malformed.
* @raises IllegalScopeTypeException: The ScopeType in scope contains
* an illegal value.
* @raises IllegalScopeLevelException: The scope level is negative (<0).
* @raises IllegalFilterFormatException: The filter string is malformed.
* @raises FilterComplexityLimit: The filter syntax is correct,
* but the filter is too complex to be processed by the IRPAgent.
*/
DeleteResultIterator delete_managed_objects (
    in DN baseObject,
    in SearchControl searchControl
)
raises (DeleteManagedObjects,
        ManagedGenericIRPSystem::OperationNotSupported,
        ManagedGenericIRPSystem::InvalidParameter,
        UndefinedMOException,
        IllegalDNFormatException,
        UndefinedScopeException,
        IllegalScopeTypeException,
        IllegalScopeLevelException,
        IllegalFilterFormatException,
        FilterComplexityLimit);

/**
* Performs the modification of MO attributes. One or more MOs attributes
* may be modified according to a SearchControl.
*
* All MOs in the scope constitute a set that the filter works on.
* All matched MOs will have their attributes modified by this operation.
* The returned ModifyResultIterator is used to retrieve the DNs of the
* modified MOs together with the values of the modified attributes, and
* the errors that may have occurred preventing modification of some
* attributes.
* For the special case when no managed objects are matched in
* modify_managed_objects, the ModifyResultIterator will be returned.
* Executing the next_basicCmInformations in the ModifyResultIterator
* will return FALSE for completion.
*
* @parm baseObject: the start MO in the containment tree.
* @parm searchControl: the SearchControl to use; field "contents" has no
* meaning here and shall be ignored.
* @parm modifications: the values for the attributes to modify and
* the way those values are to be applied to the attributes.
@returns: a ModifyResultIterator (see above).
*
* @raises ManagedGenericIRPSystem::OperationNotSupported: The operation
* is not supported

```

```
* @raises ManagedGenericIRPSystem::InvalidParameter: An invalid
*   parameter value has been provided
* @raises UndefinedMOException: The MO does not exist.
* @raises IllegalDNFormatException: The DN syntax string is malformed.
* @raises IllegalScopeTypeException: The ScopeType in scope contains
*   an illegal value.
* @raises IllegalScopeLevelException: The scope level is negative (<0).
* @raises IllegalFilterFormatException: The filter string is malformed.
* @raises FilterComplexityLimit: The filter syntax is correct,
*   but the filter is too complex to be processed by the IRPAgent.
*/
ModifyResultIterator modify_managed_objects (
    in DN baseObject,
    in SearchControl searchControl,
    in AttributeModificationSet modifications
)
raises (ModifyManagedObjects,
        ManagedGenericIRPSystem::OperationNotSupported,
        ManagedGenericIRPSystem::InvalidParameter,
        UndefinedMOException,
        IllegalDNFormatException,
        UndefinedScopeException,
        IllegalScopeTypeException,
        IllegalScopeLevelException,
        IllegalFilterFormatException,
        FilterComplexityLimit);

};
};
#endif
```

<b>End of Change in Annex A</b> <b>End of Document</b>
---

## CHANGE REQUEST

⌘ **32.603 CR 008** ⌘ rev **-** ⌘ Current version: **5.0.0** ⌘

For **HELP** on using this form, see bottom of this page or look at the pop-up text over the ⌘ symbols.

**Proposed change affects:** UICC apps  ME  Radio Access Network  Core Network

<b>Title:</b>	⌘ Correction of IDL errors		
<b>Source:</b>	⌘ S5		
<b>Work item code:</b>	⌘ OAM-NIM	<b>Date:</b>	⌘ 28/02/2003
<b>Category:</b>	⌘ <b>F</b>	<b>Release:</b>	⌘ Rel-5
	<i>Use <u>one</u> of the following categories:</i> <b>F</b> (correction) <b>A</b> (corresponds to a correction in an earlier release) <b>B</b> (addition of feature), <b>C</b> (functional modification of feature) <b>D</b> (editorial modification) Detailed explanations of the above categories can be found in 3GPP <a href="#">TR 21.900</a> .		<i>Use <u>one</u> of the following releases:</i> 2 (GSM Phase 2) R96 (Release 1996) R97 (Release 1997) R98 (Release 1998) R99 (Release 1999) Rel-4 (Release 4) Rel-5 (Release 5) Rel-6 (Release 6)

<b>Reason for change:</b>	⌘ IDL errors were introduced when applying new R4 to R5 changes.
<b>Summary of change:</b>	⌘ <ol style="list-style-type: none"> <li>1) Rename CORBA reserved name "object" to "objectName".</li> <li>2) Change "MoAttributeSet" to "MOAttributeSet".</li> <li>3) Close comment before AttributeModification definition.</li> <li>4) Correct some comment typos.</li> </ol>
<b>Consequences if not approved:</b>	⌘ CORBA IDL will not compile.

<b>Clauses affected:</b>	⌘ Annex A										
<b>Other specs affected:</b>	<table border="1" style="display: inline-table; border-collapse: collapse;"> <tr> <td style="width: 20px; text-align: center;">Y</td> <td style="width: 20px; text-align: center;">N</td> </tr> <tr> <td style="text-align: center;">⌘</td> <td style="text-align: center;">X</td> </tr> <tr> <td style="text-align: center;">⌘</td> <td style="text-align: center;">X</td> </tr> <tr> <td style="text-align: center;">⌘</td> <td style="text-align: center;">X</td> </tr> </table> Other core specifications	Y	N	⌘	X	⌘	X	⌘	X	⌘	
Y	N										
⌘	X										
⌘	X										
⌘	X										
<b>Other comments:</b>	⌘										

**How to create CRs using this form:**

**Change in Annex A**

---

## Annex A (normative): CORBA IDL, Access Protocol

```
#ifndef BasicCmIRPSystem_idl
#define BasicCmIRPSystem_idl

#include "ManagedGenericIRPConstDefs.idl"
#include "ManagedGenericIRPSystem.idl"

// This statement must appear after all include statements
#pragma prefix "3gppsa5.org"

module BasicCmIRPSystem
{

    /**
     * Defines the name of a Managed Object Class
     */
    typedef string MOClass;

    /**
     * The format of Distinguished Name (DN) is specified in 3GPP TS 32.300
     * "Name Conventions for Managed Objects".
     */
    typedef string DN;

    /**
     * Defines the name of an attribute of a Managed Object
     */
    typedef string MOAttributeName;

    /**
     * Defines the value of an attribute of a Managed Object in form of a CORBA
     * Any. Apart from basic datatypes already defined in CORBA, the allowed
     * attribute value types are defined in the AttributeTypes module.
     */
    typedef any MOAttributeValue;

    /**
     * This module adds datatype definitions for types
     * used in the NRM which are not basic datatypes defined
     * already in CORBA.
     */
    module AttributeTypes
    {

        /**
         * An MO reference refers to an MO instance.
         * "otherMO" contains the distinguished name of the referred MO.
         * A conceptual "null" reference (meaning no MO is referenced)
         * is represented as an empty string ("").
         */
        struct MOReference
        {
            DN otherMO;
        }
    }
}

```

```
};

/**
 * MReferenceSet represents a set of MO references.
 * This type is used to hold 0..n MO references.
 * A referred MO is not allowed to be repeated (therefore
 * it is denoted as a "Set")
 */
typedef sequence<MReference> MReferenceSet;

/**
 * A set of strings.
 */
typedef sequence<string> StringSet;
};

exception IllegalFilterFormatException {
    string reason;
};
exception IllegalDNFormatException {
    string reason;
};
exception IllegalScopeTypeException {
    string reason;
};
exception IllegalScopeLevelException {
    string reason;
};
exception UndefinedMOException {
    string reason;
};

exception UndefinedScopeException {
    string reason;
};

exception FilterComplexityLimit {
    string reason;
};

exception DuplicateMO {};

exception CreateNotAllowed {};

exception ObjectClassMismatch {};

exception NoSuchObjectClass {
    MOClass objectClass;
};

/**
 * System otherwise fails to complete the operation. System can provide
 * reason to qualify the exception. The semantics carried in reason
 * is outside the scope of this IRP.
 */
exception NextBasicCmInformations { string reason; };
exception NextDeleteErrors { string reason; };
exception NextModifyErrors { string reason; };
exception DestroyException { string reason; };
exception GetBasicCmIRPVersion { string reason; };
exception FindManagedObjects { string reason; };
```

```
exception CreateManagedObject { string reason; };
exception DeleteManagedObjects { string reason; };
exception ModifyManagedObjects { string reason; };

/**
 *
 * In this version the only allowed filter value is "TRUE" i.e. a filter that
 * matches everything.
 */
typedef string FilterType;

/**
 * ResultContents is used to tell how much information to get back
 * from the find_managed_objects operation.
 *
 * NAMES: Used to get only Distinguished Name
 *         for MOs.
 *         The name contains both the MO class
 *         and the names of all superior objects in the naming
 *         tree.
 *
 * NAMES_AND_ATTRIBUTES: Used to get both NAMES plus
 *         MO attributes (all or selected).
 */
enum ResultContents
{
    NAMES,
    NAMES_AND_ATTRIBUTES
};

/**
 * ScopeType defines the kind of scope to use in a search
 * together with SearchControl.level, in a SearchControl value.
 *
 * SearchControl.level is always >= 0. If a level is bigger than the
 * depth of the tree there will be no exceptions thrown.
 * BASE_ONLY: level ignored, just return the base object.
 * BASE_NTH_LEVEL: return all subordinate objects that are on "level"
 * distance from the base object, where 0 is the base object.
 * BASE_SUBTREE: return the base object and all of its subordinates
 * down to and including the nth level.
 * BASE_ALL: level ignored, return the base object and all of it's
 * subordinates.
 */
enum ScopeType
{
    BASE_ONLY,
    BASE_NTH_LEVEL,
    BASE_SUBTREE,
    BASE_ALL
};

/**
 * SearchControl controls the find_managed_object search,
 * and contains:
 * the type of scope ("type" field),
 * the level of scope ("level" field), level 0 means the "baseObject",
 * level 1 means baseobject including its sub-ordinates etc..
 * the filter ("filter" field),
 * the result type ("contents" field).
 * The type, level and contents fields are all mandatory.
 * The filter field contains the filter expression.
 */
```

```
* The string "TRUE" indicates "no filter",
* i.e. a filter that matches everything.
*/
struct SearchControl
{
    ScopeType type;
    unsigned long level;
    FilterType filter;
    ResultContents contents;
};

/**
 * Represents an attribute: "name" is the attribute name
 * and "value" is the attribute value.
 */
struct MOAttribute
{
    MOAttributeName name;
    MOAttributeValue value;
};

typedef sequence<MOAttribute> MOAttributeSet;

struct Result
{
    DN mo;
    MOAttributeSet attributes;
};

typedef sequence<Result> ResultSet;

/**
 * AttributeErrorCategory defines the categories of errors, related to
 * attributes, that can occur during creation or modification of MOs.
 *
 * NO_SUCH_ATTRIBUTE: The specified attribute does not exist.
 * INVALID_ATTRIBUTE_VALUE: The specified attribute value is not valid.
 * MISSING_ATTRIBUTE_VALUE: An attribute value is required but none was
 * provided and no default value is defined for the attribute.
 * INVALID_MODIFY_OPERATOR: The specified modify operator is not valid
 * (e.g. operator ADD_VALUES applied to a non multi-valued attribute
 * or operator SET_TO_DEFAULT applied where no default value is defined).
 * MODIFY_NOT_ALLOWED: The modification of the attribute is not allowed.
 * MODIFY_FAILED: The modification failed because of an unspecified reason.
 */
enum AttributeErrorCategory
{
    NO_SUCH_ATTRIBUTE,
    INVALID_ATTRIBUTE_VALUE,
    MISSING_ATTRIBUTE_VALUE,
    INVALID_MODIFY_OPERATOR,
    MODIFY_NOT_ALLOWED,
    MODIFY_FAILED
};

/**
 * DeleteErrorCategory defines the categories of errors that can occur
 * during deletion of MOs.
 */
```



```

* SUBORDINATE_OBJECT: The MO cannot be deleted due to subordinate MOs.
* DELETE_NOT_ALLOWED: The deletion of the MO is not allowed.
* DELETE_FAILED: The deletion failed because of an unspecified reason.
*/
enum DeleteErrorCategory
{
    SUBORDINATE_OBJECT,
    DELETE_NOT_ALLOWED,
    DELETE_FAILED
};

/**
 * AttributeError represents an error, related to an attribute, that occurred
 * during creation or modification of MOs.
 * It contains:
 * - the name of the indicted attribute ("name" field),
 * - the category of the error ("error" field),
 * - optionally, the indicted attribute value ("value" field),
 * - optionally, additional details on the error ("reason" field).
 */
struct AttributeError
{
    MOAttributeName name;
    AttributeErrorCategory error;
    MOAttributeValue value;
    string reason;
};

typedef sequence<AttributeError> AttributeErrorSeq;

/**
 * DeleteError represents an error that occurred during deletion of MOs.
 * It contains:
 * - the distinguished name of the indicted MO ("objectobjectName" field),
 * - the category of the error ("error" field),
 * - optionally, additional details on the error ("reason" field).
 */
struct DeleteError
{
    DN objectobjectName;
    DeleteErrorCategory error;
    string reason;
};

typedef sequence<DeleteError> DeleteErrorSeq;

/**
 * ModifyAttributeErrors represents errors that occurred during
 * modification of attributes of a MO.
 * It contains:
 * - the distinguished name of the indicted MO ("objectobjectName" field),
 * - a sequence containing the attribute errors ("errors" field).
 */
struct ModifyAttributeErrors
{
    DN objectobjectName;
    AttributeErrorSeq errors;
};

typedef sequence<ModifyAttributeErrors> ModifyAttributeErrorsSeq;

```

```

/**
The BasicCmInformationIterator is used to iterate through a snapshot of
Managed Object Information when IRPManager invokes find_managed_objects.
IRPManager uses it to pace the return of Managed Object Information.

IRPAgent controls the life-cycle of the iterator. However, a destroy
operation is provided to handle the case where IRPManager wants to stop
the iteration procedure before reaching the last iteration.
*/
interface BasicCmInformationIterator
{
    /**
This method returns between 1 and "how_many" Managed Object information.
The IRPAgent may return less than "how_many" items even if there are
more items to return. "how_many" must be non-zero. Return TRUE if there
may be more Managed Object information to return. Return FALSE if there
are no more Managed Object information to be returned.

If FALSE is returned, the IRPAgent will automatically destroy the
iterator.

@param how_many how many elements to return in the "fetchedElements" out
parameter.
@param fetchedElements the elements.
@returns A boolean indicating if any elements are returned.
"fetchElements" is empty when the BasicCmInformationIterator is
empty.
*/

    boolean next_basicCmInformations (
        in unsigned short how_many,
        out ResultSet fetchedElements
    )
    raises (NextBasicCmInformations,
           ManagedGenericIRPSystem::InvalidParameter);

    /**
This method destroys the iterator.
*/

    void destroy ()
    raises (DestroyException);
}; // end of BasicCmInformationIterator

/**
The DeleteResultIterator is used to iterate through the list of deleted MOs
when IRPManager invokes method "delete_managed_objects".
IRPManager uses it to pace the return of Managed Object Information.

IRPAgent controls the life-cycle of the iterator. However, a destroy
operation is provided to handle the case where IRPManager wants to stop
the iteration procedure before reaching the last iteration.
*/
interface DeleteResultIterator : BasicCmInformationIterator
{
    /**
Inherited method "next_basicCmInformations" has the same behaviour as

```

```
for interface BasicCmInformationIterator, except that:
- The Managed Object information returned in parameter
  "fetchedElements" contains only the DNSs of the deleted MOs
  (no attributes are returned).
- If FALSE is returned, the IRPAgent will not automatically destroy the
  iterator.
*/

/**
This method returns between 0 and "how_many" deletion errors. The
IRPAgent may return less than "how_many" items even if there are more
items to return. "how_many" must be non-zero. Return TRUE if there are
more deletion errors to return. Return FALSE if there are no more
deletion errors to be returned.

If FALSE is returned and last call to inherited method
"next_basicCmInformations" also returned FALSE (i.e. no more Managed
Object information to be returned), the IRPAgent will automatically
destroy the iterator.

@param how_many: how many deletion errors to return in the
  "fetchedDeleteErrors" out parameter.
@param fetchedDeleteErrors: the deletion errors.
@returns: a boolean indicating if any deletion errors are returned.
*/

boolean next_deleteErrors (
    in unsigned short how_many,
    out DeleteErrorSeq fetchedDeleteErrors
)
raises (NextDeleteErrors,
        ManagedGenericIRPSystem::InvalidParameter);

}; // end of DeleteResultIterator

/**
The ModifyResultIterator is used to iterate through the list of modified
MOs when IRPManager invokes method "modify_managed_objects".
IRPManager uses it to pace the return of Managed Object Information.

IRPAgent controls the life-cycle of the iterator. However, a destroy
operation is provided to handle the case where IRPManager wants to stop
the iteration procedure before reaching the last iteration.
*/
interface ModifyResultIterator : BasicCmInformationIterator
{

/**
Inherited method "next_basicCmInformations" has the same behaviour as
for interface BasicCmInformationIterator, except that:
- The Managed Object information returned in parameter
  "fetchedElements" contains DNSs and attributes of the modified MOs.
- If FALSE is returned, the IRPAgent will not automatically destroy the
  iterator.
*/

/**
This method returns between 0 and "how_many" modification errors. The
IRPAgent may return less than "how_many" items even if there are more
items to return. "how_many" must be non-zero. Return TRUE if there are
more modification errors to return. Return FALSE if there are no more
modification errors to be returned.
```

If FALSE is returned and last call to inherited method "next\_basicCmInformations" also returned FALSE (i.e. no more Managed Object information to be returned), the IRPAgent will automatically destroy the iterator.

```
@parm how_many: how many modification errors to return in the
"fetchModifyErrors" out parameter.
@parm fetchedModifyErrors: the modification errors.
@returns: a boolean indicating if any modification errors are returned.
*/
```

```
boolean next_modificationErrors (
    in unsigned short how_many,
    out ModifyAttributeErrorsSeq fetchedModifyErrors
)
raises (NextModifyErrors,
        ManagedGenericIRPSystem::InvalidParameter);
```

```
}; // end of ModifyResultIterator
```

```
typedef sequence<MOAttributeName> AttributeNameSet;
```

```
/**
 * ModifyOperator defines the way in which an attribute value is to be
 * applied to an attribute in a modification of MO attributes.
 *
 * REPLACE: replace the current value with the provided value
 * ADD_VALUES: for a multi-valued attribute, add the provided values to the
 * current list of values
 * REMOVE_VALUES: for a multi-valued attribute, remove the provided values
 * from the current list of values
 * SET_TO_DEFAULT: set the attribute to its default value
 */
```

```
enum ModifyOperator
{
    REPLACE,
    ADD_VALUES,
    REMOVE_VALUES,
    SET_TO_DEFAULT
};
```

```
/**
 * AttributeModification defines an attribute value and the way it is to
 * be applied to an attribute in a modification of MO attributes.
 * It contains:
 * - the name of the attribute to modify ("name" field),
 * - the value to apply to this attribute ("value" field),
 * - the way the attribute value is to be applied to the attribute
 * ("operator" field).
 */
```

```
struct AttributeModification
{
    MOAttributeName name;
    MOAttributeValue value;
    ModifyOperator operator;
};
```

```
typedef sequence<AttributeModification> AttributeModificationSet;
```

```

/**
 * The BasicCmIrpOperations interface.
 * Supports a number of Resource Model versions.
 */
interface BasicCmIrpOperations
{

    /**
     * Get the version(s) of the interface
     *
     * @raises GetBasicCmIRPVersion when the system for some reason
     *     can not return the supported versions.
     * @returns all supported versions.
     */
    ManagedGenericIRPConstDefs::VersionNumberSet get_basicCm_IRP_version()
        raises (GetBasicCmIRPVersion);

    /**
     * Performs a containment search, using a SearchControl to
     * control the search and the returned results.
     *
     * All MOs in the scope constitute a set that the filter works on.
     * The result BasicCmInformationIterator contains all matched MOs,
     * with the amount of detail specified in the SearchControl.
     * For the special case when no managed objects are matched in
     * find_managed_objects, the BasicCmInformationIterator will be returned.
     * Executing the next_basicCmInformations in the
     * BasicCmInformationIterator will return FALSE for
     * completion.
     *
     * @parm baseObject The start MO in the containment tree.
     * @parm searchControl the SearchControl to use.
     * @parm requestedAttributes defines which attributes to get.
     *     If this parameter is empty (""), all attributes shall
     *     be returned. In this version this is the only supported semantics.
     *     Note that this argument is only
     *     relevant if ResultContents in the search control is
     *     specided to NAMES_AND_ATTRIBUTES.
     *
     * @raises ManagedGenericIRPSystem::ValueNotSupported if a valid but
     *     unsupported parameter value is passed. E.g. the contents
     *     field in the searchcontrol parameter contains the value NAMES and
     *     the optional getContainment IS operation is not supported.
     * @raises UndefinedMOException The MO does not exist.
     * @raises IllegalDNFormatException The dn syntax string is
     *     malformed.
     * @raises IllegalScopeTypeException The ScopeType in scope contains
     *     an illegal value.
     * @raises IllegalScopeLevelException The scope level is negative
     *     (<0).
     * @raises IllegalFilterFormatException The filter string is
     *     malformed.
     * @raises FilterComplexityLimit if the filter syntax is correct,
     *     but the filter is too complex to be processed by the IRP agent.
     * @see SearchControl
     * @see BasicCmInformationIterator
     */
    BasicCmInformationIterator find_managed_objects(in DN baseObject,
        in SearchControl searchControl,

```

```

                                in AttributeNameSet requestedAttributes)
    raises (FindManagedObjects,
            ManagedGenericIRPSystem::ParameterNotSupported,
            ManagedGenericIRPSystem::InvalidParameter,
            ManagedGenericIRPSystem::ValueNotSupported,
            UndefinedMOException,
            IllegalDNFormatException,
            UndefinedScopeException,
            IllegalScopeTypeException,
            IllegalScopeLevelException,
            IllegalFilterFormatException,
            FilterComplexityLimit);

/**
 * Performs the creation of a MO instance in the MIB maintained
 * by the IRPAgent.
 *
 * @parm objectName: the distinguished name of the MO to create.
 * @parm referenceObject: the distinguished name of a reference MO.
 * @parm attributes: in input, initial attribute values for the MO to
 * create; in output, actual attribute values of the created MO.
 * @parm attributeErrors: errors, related to attributes, that caused the
 * creation of the MO to fail.
 *
 * @raises ManagedGenericIRPSystem::OperationNotSupported: The operation
 * is not supported.
 * @raises ManagedGenericIRPSystem::ParameterNotSupported: An optional
 * parameter is not supported.
 * @raises ManagedGenericIRPSystem::InvalidParameter: An invalid
 * parameter value has been provided.
 * @raises UndefinedMOException: The MO does not exist.
 * @raises IllegalDNFormatException: The DN syntax string is malformed.
 * @raises DuplicateMO: A MO already exist with the same DN as the one
 * to create.
 * @raises CreateNotAllowed: The creation of the MO is not allowed.
 * @raises ObjectClassMismatch: The object class of the MO to create does
 * not match with the object class of the provided reference MO.
 * @raises NoSuchObjectClass: The class of the object to create is not
 * recognized.
 */
void create_managed_object (
    in DN objectName,
    in DN referenceObject,
    inout MoAttributeSet MOAttributeSet attributes,
    out AttributeErrorSeq attributeErrors
)
    raises (CreateManagedObject,
            ManagedGenericIRPSystem::OperationNotSupported,
            ManagedGenericIRPSystem::ParameterNotSupported,
            ManagedGenericIRPSystem::InvalidParameter,
            UndefinedMOException,
            IllegalDNFormatException,
            DuplicateMO,
            CreateNotAllowed,
            ObjectClassMismatch,
            NoSuchObjectClass);

/**
 * Performs the deletion of one or more MO instances from the MIB
 * maintained by the IRPAgent, using a SearchControl to control the
 * instances to be deleted.
 *
 * All MOs in the scope constitute a set that the filter works on.

```

```

* All matched MOs will be deleted by this operation.
* The returned DeleteResultIterator is used to retrieve the DNs of the
* MOs deleted and the errors that may have occurred preventing deletion
* of some MOs.
* For the special case when no managed objects are matched in
* delete_managed_objects, the DeleteResultIterator will be returned.
* Executing the next_basicCmInformations in the DeleteResultIterator
* will return FALSE for completion.
*
* @parm baseObject: the start MO in the containment tree.
* @parm searchControl: the SearchControl to use; field "contents" has no
* meaning here and shall be ignored.
@returns: a DeleteResultIterator (see above).
*
* @raises ManagedGenericIRPSystem::OperationNotSupported: The operation
* is not supported.
* @raises ManagedGenericIRPSystem::InvalidParameter: An invalid
* parameter value has been provided.
* @raises UndefinedMOException: The MO does not exist.
* @raises IllegalDNFormatException: The DN syntax string is malformed.
* @raises IllegalScopeTypeException: The ScopeType in scope contains
* an illegal value.
* @raises IllegalScopeLevelException: The scope level is negative (<0).
* @raises IllegalFilterFormatException: The filter string is malformed.
* @raises FilterComplexityLimit: The filter syntax is correct,
* but the filter is too complex to be processed by the IRPAgent.
*/
DeleteResultIterator delete_managed_objects (
    in DN baseObject,
    in SearchControl searchControl
)
raises (DeleteManagedObjects,
        ManagedGenericIRPSystem::OperationNotSupported,
        ManagedGenericIRPSystem::InvalidParameter,
        UndefinedMOException,
        IllegalDNFormatException,
        UndefinedScopeException,
        IllegalScopeTypeException,
        IllegalScopeLevelException,
        IllegalFilterFormatException,
        FilterComplexityLimit);

/**
* Performs the modification of MO attributes. One or more MOs attributes
* may be modified according to a SearchControl.
*
* All MOs in the scope constitute a set that the filter works on.
* All matched MOs will have their attributes modified by this operation.
* The returned ModifyResultIterator is used to retrieve the DNs of the
* modified MOs together with the values of the modified attributes, and
* the errors that may have occurred preventing modification of some
* attributes.
* For the special case when no managed objects are matched in
* modify_managed_objects, the ModifyResultIterator will be returned.
* Executing the next_basicCmInformations in the ModifyResultIterator
* will return FALSE for completion.
*
* @parm baseObject: the start MO in the containment tree.
* @parm searchControl: the SearchControl to use; field "contents" has no
* meaning here and shall be ignored.
* @parm modifications: the values for the attributes to modify and
* the way those values are to be applied to the attributes.
@returns: a ModifyResultIterator (see above).

```

```
*
* @raises ManagedGenericIRPSystem::OperationNotSupported: The operation
*   is not supported
* @raises ManagedGenericIRPSystem::InvalidParameter: An invalid
*   parameter value has been provided
* @raises UndefinedMOException: The MO does not exist.
* @raises IllegalDNFormatException: The DN syntax string is malformed.
* @raises IllegalScopeTypeException: The ScopeType in scope contains
*   an illegal value.
* @raises IllegalScopeLevelException: The scope level is negative (<0).
* @raises IllegalFilterFormatException: The filter string is malformed.
* @raises FilterComplexityLimit: The filter syntax is correct,
*   but the filter is too complex to be processed by the IRPAgent.
*/
ModifyResultIterator modify_managed_objects (
    in DN baseObject,
    in SearchControl searchControl,
    in AttributeModificationSet modifications
)
raises (ModifyManagedObjects,
        ManagedGenericIRPSystem::OperationNotSupported,
        ManagedGenericIRPSystem::InvalidParameter,
        UndefinedMOException,
        IllegalDNFormatException,
        UndefinedScopeException,
        IllegalScopeTypeException,
        IllegalScopeLevelException,
        IllegalFilterFormatException,
        FilterComplexityLimit);

};
#endif
```

<b>End of Change in Annex A</b> <b>End of Document</b>
---