

Status Report from CN#23

Stephen Hayes
Chair TSG-CN
stephen.hayes@ericsson.com
+1 469 360 8500










Topics for CN Presentation to SA

- CR Statistics
- Release 5 Status Overview
- Release 6 Work Items
- Questions for Guidance by TSG-SA
- 2003/2004 CN Meeting Schedule





CN#23 CR Statistics



Release 5 Status Overview



- Various IMS Cleanup (examples)
 - Integrity protection fixes (UE P-CSCF)
 - Registration timer handling in S-CSCF
 - Fixes to P-CSCF handling of Record-Route header
 - P-Charging-Function-Addresses header handling NOT approved
 - Go cleanup
- CAMEL4 Cleanup
 - In preparation for CN2 closure
- R99-Rel 5 CRs not yet completed for routing of emergency calls based on geographic location
 - CN4 LS is SP-040022
 - Guidance given by CN to complete R99 –Rel 4 CRs for CN#24
- TrFO handling of codecs for inter-MSC handover (SRNS relocation) clarified (issue closure)

Release 6 (New or Revised Items)

- New: Network Sharing Stage 3 (NP-040036)
 - Target is June 2004
 - Currently only CN1 work identified
- New: Trace Management Stage 3 (NP-040146)
 - CN4 work targeted to complete June 2004
 - CN1 work (IMS) completed earliest Dec 2004 (IETF Dependency
- Revised: IMS Phase 2 (NP-040034)
 - Added UE solution for interworking with non-IMS SIP clients (incl. IPv4 SIP clients)
 - Completion slipped to Sept 04
- OSA Stage 3 (NP-040144)
 - Documents current contents of OSA work for Rel 6 (Agreed wired)
 - GUP input still required from SA1

Release 6 (Miscellaneous)

- Completed: Interoperability and commonality between IMS using different IP connectivity networks (IMSCOOF)
- Completed: CAMEL4 prepay support for SCUDIF
- No CN work anticipated for SRES and AMR WB+
- CN position on overlap of IMS messaging, group management, presence in SP-040019
- High Availability discussions continuing in CN5
 - Currently no consensus reached
 - LS describing what is/is not agreed in SP-040184
- Extensive use of Diameter
 - SA3: Zn, Zh, SA5: Ro, Rf, CN3: Gq, CN4: Cx, Dx, Sh, Wx
 - Coordination of App Ids, Command codes, AVPs, Experimenta Result-Codes via CN4 (to be documented in a central spec)
 - Rel 6 usage of Diameter command codes will be negotiated will let IETF



Questions for Guidance from SA

- Request SA provide consolidated response to ITU-T SG-16 on use of H.323 over GPRS
 - CN position in SP-040020
 - Route response through ITU-T coordination ad-hoc
- Request SA provide consolidated LS to PCG/OP on collaboration with Liberty Alliance
 - CN position in SP-040021
- Request SA provide consolidated response to TISPAN on use of IMS for NGN
 - CN position in SP-040182
 - Route response through ITU-T coordination ad-hoc




Questions for Guidance from SA

- Use of RAT in PLMN Background Scan
 - CN takes working assumption that RAT is used in background scan
 - CN analysis based upon this assumption in SP-040183
 - CRs to be approved at CN#24
 - Other groups (especially SA1) requested to give feedback on proposed side effects/issues.
 - Vote in CN#24 between alternatives if CN1 cannot agree on a solution.

TW

36P

CN Leadership Structure



TSG-SA#23, March. 15-18, 2004



CN 2004 Schedule

Meeting	Date	Place	Host
CN1,CN3	Mar 30-Apr 2	Sophia Antipolis, FR	ETSI
CN4 (with T2)	Apr 14- Apr 20	Edinburgh, UK	EF3
CN5	Apr 19- Apr 23	Sophia Antipolis, FR	ETSI
CN1, CN2, CN3, CN4	May 10-14	Zagreb, HR	EF3
CN#24	Jun 2-4	Seoul, KR	KR Friends
CN1, CN3, CN4	Aug 16-20	Sophia Antipolis, FR	ETSI
CN#25	Sept 8-10	Palm Springs, US	NA Friends
CN1, CN3, CN4	Nov 15-19	Tbd, Korea	KR Friends
CN#26	Dec 8-10	Athens, GR	EF3