

Source: SA1
Title: CRs 21.905 on Correction of abbreviation of OSA (Rel-6, Rel-7)
Document for: Approval
Agenda Item: 7.1.3

Meeti ng	SA Doc	TS No.	CR No	Re v	Rel	Cat	Subject	Vers Curren t	Vers New	SA1 Doc
SP-28	SP-050213	21.905	062	-	Rel-6	F	Correction of abbreviation in 21.905 (Rel-6)	6.8.0	6.9.0	S1-050487
SP-28	SP-050213	21.905	063	-	Rel-7	A	Correction of abbreviation in 21.905 (Rel-7)	7.0.0	7.1.0	S1-050488

CR-Form-v7.1

CHANGE REQUEST

⌘ **21.905** **CR** **062** ⌘ rev **-** ⌘ Current version: **6.8.0** ⌘

For **HELP** on using this form, see bottom of this page or look at the pop-up text over the ⌘ symbols.

Proposed change affects: UICC apps ⌘ ☐ ME ☐ Radio Access Network ☐ Core Network ☐

Title:	⌘ Correction of OSA acronym		
Source:	⌘ SA1 (Rapporteur (T-Mobile))		
Work item code:	⌘ Vocab	Date:	⌘ 30/03/2005
Category:	⌘ F Use <u>one</u> of the following categories: F (correction) A (corresponds to a correction in an earlier release) B (addition of feature), C (functional modification of feature) D (editorial modification) Detailed explanations of the above categories can be found in 3GPP TR 21.900 .		Release: ⌘ REL-6 Use <u>one</u> of the following releases: Ph2 (GSM Phase 2) R96 (Release 1996) R97 (Release 1997) R98 (Release 1998) R99 (Release 1999) Rel-4 (Release 4) Rel-5 (Release 5) Rel-6 (Release 6) Rel-7 (Release 7)

Reason for change:	⌘ The old meaning A in the definition of OSA is still documented in the 3GPP vocabulary, although the acronym is correct
Summary of change:	⌘ Changed the meaning of A in the OSA definition from Architecture to Access
Consequences if not approved:	⌘ Wrong entry in the 3GPP vocabulary document

Clauses affected:	⌘ O										
Other specs affected:	<table border="1"> <tr> <td>Y</td> <td>N</td> </tr> <tr> <td><input checked="" type="checkbox"/></td> <td><input checked="" type="checkbox"/></td> </tr> <tr> <td><input checked="" type="checkbox"/></td> <td><input checked="" type="checkbox"/></td> </tr> <tr> <td><input checked="" type="checkbox"/></td> <td><input checked="" type="checkbox"/></td> </tr> </table>	Y	N	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Other core specifications Test specifications O&M Specifications	⌘
Y	N										
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>										
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>										
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>										
Other comments:	⌘										

How to create CRs using this form:

Comprehensive information and tips about how to create CRs can be found at <http://www.3gpp.org/specs/CR.htm>. Below is a brief summary:

- 1) Fill out the above form. The symbols above marked ⌘ contain pop-up help information about the field that they are closest to.

- 2) Obtain the latest version for the release of the specification to which the change is proposed. Use the MS Word "revision marks" feature (also known as "track changes") when making the changes. All 3GPP specifications can be downloaded from the 3GPP server under <ftp://ftp.3gpp.org/specs/> For the latest version, look for the directory name with the latest date e.g. 2001-03 contains the specifications resulting from the March 2001 TSG meetings.
- 3) With "track changes" disabled, paste the entire CR form (use CTRL-A to select it) into the specification just in front of the clause containing the first piece of changed text. Delete those parts of the specification which are not relevant to the change request.

O

Off-Line charging: A charging process where charging information does not affect, in real time, the service rendered.

On-Line Charging: A charging process where charging information can affect, in real time, the service rendered and therefore directly interacts with the session/service control.

One Stop Billing: One bill for all charges incurred using the 3GPP System.

Open group: A group that does not have a pre-defined set of members. Any user may participate in an open group.

Open Service ~~Architecture~~ Access: Concept for introducing a vendor independent means for introduction of new services.

Operations System: This abbreviation indicates a generic management system, independent of its location level within the management hierarchy.

Optional UE Requirement: Any other requirements than mandatory UE requirement, essential UE requirement (conditional), essential UE requirement (unconditional). It is totally up to individual manufacturer to decide whether it should be implemented or not (e.g. Network initiated MM connection establishment).

Originating network: The network where the calling party is located.

Orthogonal Channel Noise Simulator a mechanism used to simulate the users or control signals on the other orthogonal channels of a downlink

OSA Interface: Standardised Interface used by application/clients to access service capability features.

CR-Form-v7.1

CHANGE REQUEST

⌘ **21.905** CR **063** ⌘ rev **-** ⌘ Current version: **7.0.0** ⌘

For **HELP** on using this form, see bottom of this page or look at the pop-up text over the ⌘ symbols.

Proposed change affects: UICC apps ☐ ME ☐ Radio Access Network ☐ Core Network ☐

Title:	⌘ Correction of OSA acronym		
Source:	⌘ SA1 (Rapporteur (T-Mobile))		
Work item code:	⌘ Vocab	Date:	⌘ 30/03/2005
Category:	⌘ A Use <u>one</u> of the following categories: F (correction) A (corresponds to a correction in an earlier release) B (addition of feature), C (functional modification of feature) D (editorial modification) Detailed explanations of the above categories can be found in 3GPP TR 21.900 .		Release: ⌘ REL-7 Use <u>one</u> of the following releases: Ph2 (GSM Phase 2) R96 (Release 1996) R97 (Release 1997) R98 (Release 1998) R99 (Release 1999) Rel-4 (Release 4) Rel-5 (Release 5) Rel-6 (Release 6) Rel-7 (Release 7)

Reason for change:	⌘ The old meaning A in the definition of OSA is still documented in the 3GPP vocabulary, although the acronym is correct
Summary of change:	⌘ Changed the meaning of A in the OSA definition from Architecture to Access
Consequences if not approved:	⌘

Clauses affected:	⌘ O										
Other specs affected:	<table border="1"> <tr> <td>Y</td> <td>N</td> </tr> <tr> <td><input checked="" type="checkbox"/></td> <td><input checked="" type="checkbox"/></td> </tr> <tr> <td><input checked="" type="checkbox"/></td> <td><input checked="" type="checkbox"/></td> </tr> <tr> <td><input checked="" type="checkbox"/></td> <td><input checked="" type="checkbox"/></td> </tr> </table>	Y	N	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Other core specifications Test specifications O&M Specifications	⌘
Y	N										
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>										
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>										
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>										
Other comments:	⌘										

How to create CRs using this form:

Comprehensive information and tips about how to create CRs can be found at <http://www.3gpp.org/specs/CR.htm>. Below is a brief summary:

- 1) Fill out the above form. The symbols above marked ⌘ contain pop-up help information about the field that they are closest to.

- 2) Obtain the latest version for the release of the specification to which the change is proposed. Use the MS Word "revision marks" feature (also known as "track changes") when making the changes. All 3GPP specifications can be downloaded from the 3GPP server under <ftp://ftp.3gpp.org/specs/> For the latest version, look for the directory name with the latest date e.g. 2001-03 contains the specifications resulting from the March 2001 TSG meetings.
- 3) With "track changes" disabled, paste the entire CR form (use CTRL-A to select it) into the specification just in front of the clause containing the first piece of changed text. Delete those parts of the specification which are not relevant to the change request.

[...]

O

Off-Line charging: A charging process where charging information does not affect, in real time, the service rendered.

On-Line Charging: A charging process where charging information can affect, in real time, the service rendered and therefore directly interacts with the session/service control.

One Stop Billing: One bill for all charges incurred using the 3GPP System.

Open group: A group that does not have a pre-defined set of members. Any user may participate in an open group.

Open Service ~~Architecture~~ Access: Concept for introducing a vendor independent means for introduction of new services.

Operations System: This abbreviation indicates a generic management system, independent of its location level within the management hierarchy.

Optional UE Requirement: Any other requirements than mandatory UE requirement, essential UE requirement (conditional), essential UE requirement (unconditional). It is totally up to individual manufacturer to decide whether it should be implemented or not (e.g. Network initiated MM connection establishment).

Originating network: The network where the calling party is located.

Orthogonal Channel Noise Simulator a mechanism used to simulate the users or control signals on the other orthogonal channels of a downlink

OSA Interface: Standardised Interface used by application/clients to access service capability features.

[...]