Technical Specification Group Services and System Aspects

TSGS#22(03)0722

Meeting #22, Hawaii, USA, 15-18 December 2003

ж	22.101 CR CRNum # rev - ^{# Current version:} 5.11.0 [#]		
For <u>HELP</u> on using this form, see bottom of this page or look at the pop-up text over the <i># symbols</i> .			
Proposed change affects: UICC apps# ME X Radio Access Network Core Network			
Title: #	Removal of unnecessary numbers from the ME default emergency number list		
Source: #	Nokia, Siemens		
Work item code: ℜ	EMC1 Date: 육 1/12/2003		
Category: अ	A Release: # Rel-5 Use one of the following categories: Use one of the following releases: 2 F (correction) 2 (GSM Phase 2) A (corresponds to a correction in an earlier release) R96 (Release 1996) B (addition of feature), R97 (Release 1997) C (functional modification of feature) R98 (Release 1998) D (editorial modification) R99 (Release 1999) Detailed explanations of the above categories can be found in 3GPP TR 21.900. Rel-4 (Release 5) Rel-6 (Release 6) Rel-6 Rel-8		
Reason for change	Release Rel-5 ME default emergency number list contains some emergency numbers that are not needed and that will cause problems to some operators because they overlap used service or typed emergency call numbers (e.g. 110 is used as a typed emergency number in manu countries). These numbers are not needed in the list since operators that want to use these emergency numbers must anyway include them in the SIM list of emergency numbers since phones of earlier releases do not have these numbers but they are capable of reading the numbers from the SIM list. Removing these numbers eliminates the risk of unintentional (untyped emergency) calls to the emergency centre.		
Summary of chang	 With this change the conflict is removed and we still leave the possibility to use the numbers that were removed from the default list as emergency numbers in those countries where it is necessary. 		
Consequences if not approved:	 Conflicts between default emergency numbers and service numbers leading to inaccessibility of some service numbers. Unnecessary emergency calls may lead to legal issues in some countries. 		
Clauses affected:	策 <mark>10.1</mark>		
Other specs Affected:	Y N X Other core specifications # X Test specifications # X O&M Specifications #		
Other comments:	ж		

10.1 General requirements

It shall be possible to establish an emergency speech call. Emergency calls will be routed to the emergency services in accordance with national regulations for where the subscriber is located. This may be based upon one or more default numbers stored in the ME. It shall be allowed to establish an emergency call without the need to dial a dedicated number to avoid the mis-connection in roaming case, such as menu, by use of a 'red button', or a linkage to a car air bag control. Emergency Calls shall be supported by the UE without a SIM/USIM being present. No other type than Emergency calls shall be accepted without a SIM/USIM.

The Emergency service is required only if the UE supports voice.

Note: It will be left to the national authorities to decide whether the network should accept emergency calls without the SIM/USIM.

It shall be possible to initiate emergency calls to different emergency call centers, depending on the type of emergency. The following types of emergency calls shall be possible:

- Police
- Ambulance
- Fire Brigade
- Marine Guard
- Mountain Rescue
- Spare, at least [three] different types

When a SIM/USIM is present, subscriber specific emergency call set-up MMI shall be provided. The Home Environment operator shall specify preferred emergency call MMI(s) (e.g. 911 for US citizens or 110, 118 and 119 for Japanese citizens). This shall be stored in the SIM/USIM and the ME shall read this and use any entry of these digits to set up an emergency call. It shall be possible to store more than one instance of this field.

Note: Release '98 and earlier SIM cards have the capability to store additional emergency call set-up MMI. However in many cases this has not been used.

It shall be possible to tie any emergency call number, specified in the preferred emergency call MMI(s) above, to any single emergency call type or to any combination of emergency types. The association between emergency numbers and emergency call type shall be able to be programmed by the Home Environment operator into the SIM/USIM.

Example:

19 F	Police (Albania)
------	------------------

- 100 Police and Fire Brigade (Greek cities)
- 100 Ambulance and Fire Brigade (Belgium)
- 112 Police and Ambulance (Italy)
- 112 General emergency call, all categories (Sweden)
- 115 Fire Brigade (Italy)
- 114 Ambulance (Austria)
- Note 1: if the UE does not recognise the emergency call MMI(s) (i.e. the dialled number is not stored in SIM/USIM) but the serving network recognises the dialled number as an emergency call number used in the country, a normal call set up takes place over the radio interface and after the serving network has recognised the emergency number the call is routed as an emergency call.

Note 2: The ME contains the following emergency numbers: 000, 08, 112, 110, 118, 119, 911 and 999. The availability of these numbers varies depending on the presence of the SIM/USIM and operator provisioned emergency numbers on the SIM/USIM.

The serving network may download additional emergency numbers to the UE in order to ensure that local emergency numbers are known to the UE. The UE shall regard these emergency numbers as valid in that country only (as identified by the MCC) and shall discard them when a new country is entered.

When a SIM/USIM containing stored emergency numbers is present, only 112, 911, the SIM/USIM numbers and emergency numbers downloaded from the serving network (if any) are identified as emergency numbers.

When no numbers are stored in the SIM/USIM, only 000, 08, 112, 110, 911, 999 and emergency numbers downloaded from the serving network (if any) are identified as emergency numbers.

Note: Emergency numbers stored in the ME, for use when no emergency numbers are stored in the SIM/USIM, should not overlap with existing service numbers used by any operator.

The user friendly MMI which specifies the type of emergency directly (e.g. menu) should be supported for use in any (i.e. home or visited) PLMN to avoid the mis-connection in roaming case. This shall be allowed to both with and without SIM/USIM being present.

When there is no SIM/USIM present only 000, 08, 112, 110, 118, 119, 911 and 999 are identified as emergency numbers.