3GPP TSG SA WG3 Security — S3#28 6 - 9 May 2003 Berlin, Germany

S3-030175

3GPP TSG-SA WG2 meeting #30 Milan, Italy, 24th – 28th February 2003

Tdoc S2-030905

Title: Response to LS on clarification on the requirement for UE re-authentication initiated by

HSS

Response to: S2-030531/N4-030249

Release: Rel-5 Work Item: IMS-CCR

Source: SA2

To: CN4, SA3 **Cc:** CN1

Contact Person:

Name: Shabnam Sultana Tel. Number: +46702659067

E-mail Address: Shabnam.sultana@era.ericsson.se

Attachments: None

1. Overall Description:

SA2 has discussed the issue raised by CN4 regarding "Network-initiated re-authentication":

"Within the section 5.4.1.6 "Network-initiated reauthentication", the TS 24.229 (v5.3.0) stated in an annotation that:

Network initiated re-authentication might be requested from the HSS or may occur due to internal processing within the S-CSCF."

Within the SA2 specification, TS 23.228, there is no requirement and there is no need to provide a mechanism regarding HSS explicitly initiating re-authentication that would require changes to the Cx reference point.

In SA2 view, current mechanism as explained by CN4 LS (i.e. network-initiated deregistration procedure followed by an authenticated registration) is sufficient unless SA3 has identified a need for explicit HSS request for re-authentication. SA2 did not find such requirement in the current TS 33.203 v5.4.0.

2. Actions:

To CN4

ACTION: SA2 kindly ask CN4 to take into account SA2 inputs above regarding this issue.

3. Date of Next SA2 Meetings:

SA2 #31 7th April – 11th April 2003 South Korea SA2 #32 12th May – 16th May 2003 San Diego, U.S.A