

**Agenda Item:** WLAN  
**Source:** Ericsson  
**Title:** WLAN – Implications of the trust relation between the Cellular Operator and the WLAN Access Provider  
**Document for:** Discussion and decision

---

## 1. Introduction

This document considers the trust relation between the Cellular Operator and the WLAN Access Provider (see Annex B of TS33.234) and analyses how this trust relation impacts on the WLAN-3GPP interworking solution.

---

## 2. Assumptions

For simplicity, only two levels of trust are considered between the Cellular Operator and the WLAN Access Provider:

- Low trust: The Cellular Operator does not trust the WLAN Access Provider so much as to base charging only on accounting records received from the WLAN Access Provider. Moreover, the Cellular Operator cannot count on the WLAN Access Provider Network to perform actions such as authorisation enforcement, WLAN session tear down, etc. at demand of the Cellular Operator Network.
- High trust: The Cellular Operator trusts the WLAN Access Provider so much as to base charging on accounting records received from the WLAN Access Provider, and to relay tasks (such as authorisation enforcement, WLAN session tear down, etc.) on the WLAN Access Provider Network.

Additionally, two groups of scenarios are considered with regard to the implications of the trust relation between the Cellular Operator and the WLAN Access Provider:

- Access to services provided by the WLAN Access Provider, which corresponds to scenarios 1 and 2 described in ref. [1].
  - Access to services provided by the Cellular Operator. This corresponds to scenarios 3, 4, 5 and 6 in ref. [1].
- 

## 3. Implications of Low Trust between the Cellular Operator and the WLAN Access Provider

### 3.1 Access to services provided by the WLAN Access Provider

In this scenario, user traffic does not get to the Cellular Operator Network, and accounting information received from the WLAN Access Provider cannot be trusted. The only reliable information that the Cellular Operator has about its subscribers getting WLAN services from the WLAN Access Provider is authentication information, which probably is not sufficient to carry out charging based on usage. E.g. it can be known when a WLAN session begins but not when it ends. Therefore, it is likely that the subscriber will have to be charged based on some fee not depending on usage.

Moreover, the Cellular Operator Network can send authorisation directives to the WLAN Access Provider Network, but it cannot count on the WLAN Access Provider network actually enforcing authorisation according to those authorisation directives. Therefore, the subscriber should not be charged based on the authorisation level.

Also, in this case the Cellular Operator has no means to ensure protection of user data.

### 3.2 Access to services provided by the Cellular Operator

User data arrives to the Cellular Operator Network, thanks to tunnels between the WLAN-UEs and the Cellular Operator Network. Charging, authorisation enforcement, control of sessions, etc. must be carried out at the Cellular Operator Network, taking the necessary actions on traffic received from the users via the aforementioned tunnels.

Furthermore, the tunnelling mechanism must be able to provide protection of user data, at least data origin authentication and integrity protection.

---

## 4. Implications of High Trust between the Cellular Operator and the WLAN Access Provider

### 4.1 Access to services provided by the WLAN Access Provider

User traffic does not get to the Cellular Operator Network, but the subscriber can be charged based on accounting information received from the WLAN Access Provider.

Moreover, the Cellular Operator Network may control sessions, authorisation, etc. by exchanging information with the WLAN Access Provider Network.

The WLAN Access Provider is trusted to grant adequate protection of user data.

### 4.2 Access to services provided by the Cellular Operator

The subscriber can be charged based on information available at the Cellular Operator Network and/or information available at the WLAN Access Provider Network. Likewise, authorisation enforcement, control of sessions, etc. can be performed with participation of both networks.

If the WLAN Access Provider provides sufficient protection of user data, it may be unnecessary to implement any protection mechanism in the tunnel between the WLAN-UE and the Cellular Operator Network.

---

## 5. Conclusions

The following table summarises the conclusions of the present analysis.

	<b>LOW TRUST</b>	<b>HIGH TRUST</b>
Access to services provided by the WLAN Access Provider	<ul style="list-style-type: none"> <li>Subscriber should not be charged based on usage or authorisation level.</li> <li>Cellular Operator cannot grant user data protection.</li> </ul>	<ul style="list-style-type: none"> <li>Cellular Operator controls sessions, charging, authorisation, etc., based on information received from the WLAN Access Provider Network, and actions performed at said network.</li> <li>The WLAN Access Provider is trusted to grant adequate protection of user data.</li> </ul>
Access to services provided by the Cellular Operator	<ul style="list-style-type: none"> <li>Charging, authorisation enforcement, control of sessions, etc. must be performed at the Cellular Operator Network, counting on user data received via tunnels.</li> <li>The tunnelling mechanism must be able to provide data origin authentication and integrity protection at least.</li> </ul>	<ul style="list-style-type: none"> <li>Charging, authorisation enforcement, control of sessions, etc. can be performed with participation of both networks.</li> <li>It may be unnecessary that the tunnelling mechanism implements any protection mechanism.</li> </ul>

It is suggested to incorporate this analysis into Annex B of TS 33.234.

It is also proposed that SA3 informs SA1 and SA2 about the implications that the trust relation between the Cellular Operator and the WLAN Access Provider has on the WLAN-3GPP interworking solution.

---

## 6. References

[1] 3GPP TR 22.934 "Feasibility study on 3GPP system to Wireless Local Area Network (WLAN) interworking"