## 3GPP TSG-T (Terminals) Meeting #25 Palm Springs, CA, USA 8 - 10 September 2004

TP-040163

Source: TSG T1

Title: Revision of T1 work items based on proposals of T1#24

Agenda item: 5.1.5

**Document for: Information** 

This document contains a revision of the T1 work items(T1-041037 / TP-040124) based on these documents;

T1-041405 Release 6 Work item proposal for 34.121 and 34.122

T1-041409 Terminal Conformance Specification of Radio Transmission and Reception for

introduction in the UMTS-850 MHz Band

T1-041424 Difference and Corresponding Effect Analysis between FDD and 1.28Mcps TDD in

Radio Access Stratum Protocol Aspects

## T1-06

Version 4718,

T1 Work Item descriptions for Rel 4, Rel 5 and Release Independent

The following document contains all of the Work Item descriptions so far identified for TSG T1 releases 4, 5 and release independent items. The intention is that a single document will be more convenient for people to use and more easily referenced from the work plan.

The work items in the work plan are organised so that the conformance test aspects, related to each feature, are collected into a single building block. Each building block has the title 'Conformance Test Aspects –' followed by the title of the parent feature. The Work Tasks going into the Conformance Test Aspects building blocks then correspond to the other UE related work items under the parent feature.

Note: Building blocks are supported by TSG T1 collectively whereas the work tasks are required to have 4 supporting companies before they are approved by T1.

Work plan ID shown in *italics* refer to ID numbers in the T1 modified work plan and may change when added to the formal work plan.

The titles are colour coded to indicate the WI status.

Green: WI description approved
Blue: For approval by TSG T1/T
Yellow: WI drafted but not approved

Gray: WI closed, withdrawn or merged with another work item

Red: WI sheet not yet drafted

#### Table of Contents:-

BB_T1-06_1. Conformance Test Aspects - Evolutions of the transport in the UTRAN	9
WT_T1-06_2. Testing radio access bearer support enhancements (SIG/Rel 5)	9
BB_T1-06_3. Conformance Test Aspects - improvements in Radio Interface	10
WT_T1-06_4Node B sync. Withdrawn due to withdrawal of RAN WI	13
WT_T1-06_5. Testing improvement of inter-frequency and inter-system measurement (Rel	<u>5)</u> 14
WT_T1-06_6. Testing Hybrid ARQ II/III (Rel 5)	16
WT T1-06 7. Testing Improved usage of DL resource in FDD for CCTrCHs of dedicated ty	pe (Rel 5)
Withdrawn due to withdrawal of RAN WI	17
WT_T1-06_8. Testing Terminal Power saving features (SIG/Rel5)	18
WT_T1-06_9. Testing DSCH power control improvement in soft handover (SIG/RF)	18
WT_T1-06_10. Testing UMTS 1800 (SIG/RF) Rel. IndCLOSED	19
BB T1-06 11. Conformance Test Aspects - Low Chip Rate TDD	20
WT_T1-06_12. Testing Physical Layer (RF)	_23
WT_T1-06_13. LCR TDD, Testing Layer 2 and layer 3 protocol aspects (SIG)	24
WT_T1-06_14. Testing RF Radio Transmission and Reception (RF) -CLOSED	26
WT_T1-06_15. Testing UE radio access capability (SIG)	26
BB T1-06 16. Conformance Test Aspects - RAN Improvements	27
WT_T1-06_17. Testing Smart antenna (Withdrawn from RAN WIs)	29
WT_T1-06_18. Testing Node B synchronisation for TDD (SIG/RF)	29
WT_T1-06_19. Testing Radio access bearer support enhancements - except Robust Heade	<mark>er</mark>
Compression (SIG/Rel5)	30
BB T1-06 20. Conformance Test Aspects - Bearer modification without pre-notification	32
WT_T1-06_21. Testing Support for Bearer Modification without pre-notification (SIG)	32
WT_T1-06_22. Testing Stage 2 signalling (SIG/Rel 5)	32
BB_T1-06_23. Conformance Test Aspects - Emergency call enhancements	33
WT_T1-06_24. Testing Stage 3 for emergency calls and packet emergency calls in general	<u>(SIG – Rel</u>
<u>5)</u>	35
WT_T1-06_25. Testing Emergency call enhancements for CS based calls (SIG) –CLOSED	37
BB T1-06 26. Miscelleneous UE Conformance Testing Activities	38

WT T1-06 27. Optimisation of Test Time, RF Aspects (FDD) (RF) Rel. Ind.	10
	_40
WT_T1-06_28. Optimisation of Test Time, RF Aspects (TDD) (RF) Rel. Ind.	_42
WT T1-06 29. Extensions to R99 Test cases (FDD/SIG)	44
WT_T1-06_30, Review all other work items for impact on new or exiting 34 series specs.	46
WT T1-06 31, Additional signalling tests to cover VHE, OSA, MEXE, W/B Telephony AMR	
	_46
WT_T1-06_32. Maintenance of the R99 test specification and test cases (SIG)	_47
WT_T1-06_33. Completion of the Release 99 TCs for TDD (SIG)	49
WT_T1-06_34. Testing RAB support enhancements-Robust Header Compression (SIG/Rel	
WT_T1-06_35. Testing UMTS 1900 (SIG/RF) Rel. Ind. –CLOSED	_54
WT_T1-06_36. Conformance Testing of HSDPA	_55
WT T1-06 39. Testing of Extended RoHC (SIG/Rel 4)	58
WT 40. Testing of support for IMS, Rel-5	60
	_62
WT_41. General changes to TS34.121 and TS34.122 corresponding to release 5	
WT_42. General changes to TS34.121 corresponding to release 4	_64
WT 51. Conformance Testing of MExE Environment-CLOSED	65
WT_52. Signalling testing for W/B AMR codec functions, Rel-5	66
WT_53. Terminal Conformance Specification of Radio Transmission and Reception for DS-C	
Introduction in the 800 MHz Band	_68
WT_54. Conformance Testing of A-GPS Minimum Performance	69
WT 55. General changes to TS34.121 and TS34.122 corresponding to release 6	71
WT 56. Terminal Conformance Specification of Radio Transmission and Reception for introd	
the UMTS-850 MHz Band	_73
WT_57. Difference and Corresponding Effect Analysis between FDD and 1.28Mcps TDD in	Radio
Access Stratum Protocol Aspects	76
BB_T1-06_1. Conformance Test Aspects - Evolutions of the transport in the UTRAN	_, o
	<del></del>
WT_T1-06_2. Testing radio access bearer support enhancements (SIG/Rel 5)	<del>6</del>
BB_T1-06_3. Conformance Test Aspects - improvements in Radio Interface	<del>7</del>
WT_T1-06_4Node B sync. Withdrawn due to withdrawal of RAN WI	<del>10</del>
WT_T1-06_5. Testing improvement of inter-frequency and inter-system measurement (Rel 5	. •
W1_11-00_5. Testing improvement of inter-riequency and inter-system measurement (Ref.	
WT_T1-06_6. Testing Hybrid ARQ II/III (Rel 5)	<del>-13</del>
WT_T1-06_7. Testing Improved usage of DL resource in FDD for CCTrCHs of dedicated type	e (Rel 5)
Withdrawn due to withdrawal of RAN WI	_14
M/T T1-06 8 Testing Terminal Power saving features (SIG/Rel5)	
WT_T1-06_8. Testing Terminal Power saving features (SIG/Rel5)	<del>15</del>
WT_T1-06_9. Testing DSCH power control improvement in soft handover (SIG/RF)	— <del>15</del> — <del>15</del>
WT_T1-06_9. Testing DSCH power control improvement in soft handover (SIG/RF) WT_T1-06_10. Testing UMTS 1800 (SIG/RF) Rel. IndCLOSED	— <del>15</del> — <del>15</del> — <del>16</del>
WT_T1-06_9. Testing DSCH power control improvement in soft handover (SIG/RF) WT_T1-06_10. Testing UMTS 1800 (SIG/RF) Rel. IndCLOSED	— <del>15</del> — <del>15</del>
WT_T1-06_9. Testing DSCH power control improvement in soft handover (SIG/RF) WT_T1-06_10. Testing UMTS 1800 (SIG/RF) Rel. IndCLOSED BB_T1-06_11. Conformance Test Aspects - Low Chip Rate TDD	—15 —15 —16 —17
WT_T1-06_9. Testing DSCH power control improvement in soft handover (SIG/RF) WT_T1-06_10. Testing UMTS 1800 (SIG/RF) Rel. Ind. –CLOSED BB_T1-06_11. Conformance Test Aspects - Low Chip Rate TDD WT_T1-06_12. Testing Physical Layer (RF)	—15 —15 —16 —17 —20
WT_T1-06_9. Testing DSCH power control improvement in soft handover (SIG/RF) WT_T1-06_10. Testing UMTS 1800 (SIG/RF) Rel. Ind. –CLOSED BB_T1-06_11. Conformance Test Aspects - Low Chip Rate TDD WT_T1-06_12. Testing Physical Layer (RF) WT_T1-06_13. LCR TDD, Testing Layer 2 and layer 3 protocol aspects (SIG)	-15 -15 -16 -17 -20 -21
WT_T1-06_9. Testing DSCH power control improvement in soft handover (SIG/RF) WT_T1-06_10. Testing UMTS 1800 (SIG/RF) Rel. IndCLOSED BB_T1-06_11. Conformance Test Aspects - Low Chip Rate TDD WT_T1-06_12. Testing Physical Layer (RF) WT_T1-06_13. LCR TDD, Testing Layer 2 and layer 3 protocol aspects (SIG) WT_T1-06_14. Testing RF Radio Transmission and Reception (RF) -CLOSED	-15 -15 -16 -17 -20 -21 -23
WT_T1-06_9. Testing DSCH power control improvement in soft handover (SIG/RF) WT_T1-06_10. Testing UMTS 1800 (SIG/RF) Rel. IndCLOSED BB_T1-06_11. Conformance Test Aspects - Low Chip Rate TDD WT_T1-06_12. Testing Physical Layer (RF) WT_T1-06_13. LCR TDD, Testing Layer 2 and layer 3 protocol aspects (SIG) WT_T1-06_14. Testing RF Radio Transmission and Reception (RF) -CLOSED	-15 -15 -16 -17 -20 -21
WT_T1-06_9. Testing DSCH power control improvement in soft handover (SIG/RF) WT_T1-06_10. Testing UMTS 1800 (SIG/RF) Rel. IndCLOSED BB_T1-06_11. Conformance Test Aspects - Low Chip Rate TDD WT_T1-06_12. Testing Physical Layer (RF) WT_T1-06_13. LCR TDD, Testing Layer 2 and layer 3 protocol aspects (SIG) WT_T1-06_14. Testing RF Radio Transmission and Reception (RF) -CLOSED WT_T1-06_15. Testing UE radio access capability (SIG)	-15 -15 -16 -17 -20 -21 -23 -23
WT_T1-06_9. Testing DSCH power control improvement in soft handover (SIG/RF) WT_T1-06_10. Testing UMTS 1800 (SIG/RF) Rel. IndCLOSED BB_T1-06_11. Conformance Test Aspects - Low Chip Rate TDD WT_T1-06_12. Testing Physical Layer (RF) WT_T1-06_13. LCR TDD, Testing Layer 2 and layer 3 protocol aspects (SIG) WT_T1-06_14. Testing RF Radio Transmission and Reception (RF) -CLOSED WT_T1-06_15. Testing UE radio access capability (SIG) BB_T1-06_16. Conformance Test Aspects - RAN Improvements	-15 -15 -16 -17 -20 -21 -23 -23 -24
WT_T1-06_9. Testing DSCH power control improvement in soft handover (SIG/RF) WT_T1-06_10. Testing UMTS 1800 (SIG/RF) Rel. Ind. —CLOSED BB_T1-06_11. Conformance Test Aspects — Low Chip Rate TDD WT_T1-06_12. Testing Physical Layer (RF) WT_T1-06_13. LCR TDD, Testing Layer 2 and layer 3 protocol aspects (SIG) WT_T1-06_14. Testing RF Radio Transmission and Reception (RF) —CLOSED WT_T1-06_15. Testing UE radio access capability (SIG) BB_T1-06_16. Conformance Test Aspects — RAN Improvements WT_T1-06_17. Testing Smart antenna (Withdrawn from RAN WIs)	-15 -15 -16 -17 -20 -21 -23 -23 -24 -26
WT_T1-06_9. Testing DSCH power control improvement in soft handover (SIG/RF) WT_T1-06_10. Testing UMTS 1800 (SIG/RF) Rel. Ind. —CLOSED BB_T1-06_11. Conformance Test Aspects – Low Chip Rate TDD WT_T1-06_12. Testing Physical Layer (RF) WT_T1-06_13. LCR TDD, Testing Layer 2 and layer 3 protocol aspects (SIG) WT_T1-06_14. Testing RF Radio Transmission and Reception (RF) —CLOSED WT_T1-06_15. Testing UE radio access capability (SIG) BB_T1-06_16. Conformance Test Aspects – RAN Improvements WT_T1-06_17. Testing Smart antenna (Withdrawn from RAN WIs) WT_T1-06_18. Testing Node B synchronisation for TDD (SIG/RF)	-15 -15 -16 -17 -20 -21 -23 -23 -24 -26 -26
WT_T1-06_9. Testing DSCH power control improvement in soft handover (SIG/RF) WT_T1-06_10. Testing UMTS 1800 (SIG/RF) Rel. Ind. —CLOSED BB_T1-06_11. Conformance Test Aspects - Low Chip Rate TDD WT_T1-06_12. Testing Physical Layer (RF) WT_T1-06_13. LCR TDD, Testing Layer 2 and layer 3 protocol aspects (SIG) WT_T1-06_14. Testing RF Radio Transmission and Reception (RF) —CLOSED WT_T1-06_15. Testing UE radio access capability (SIG) BB_T1-06_16. Conformance Test Aspects - RAN Improvements WT_T1-06_17. Testing Smart antenna (Withdrawn from RAN WIs) WT_T1-06_18. Testing Node B synchronisation for TDD (SIG/RF) WT_T1-06_19. Testing Radio access bearer support enhancements - except Robust Heade	-15 -15 -16 -17 -20 -21 -23 -23 -24 -26 -26
WT_T1-06_9. Testing DSCH power control improvement in soft handover (SIG/RF) WT_T1-06_10. Testing UMTS 1800 (SIG/RF) Rel. Ind. —CLOSED BB_T1-06_11. Conformance Test Aspects - Low Chip Rate TDD WT_T1-06_12. Testing Physical Layer (RF) WT_T1-06_13. LCR TDD, Testing Layer 2 and layer 3 protocol aspects (SIG) WT_T1-06_14. Testing RF Radio Transmission and Reception (RF) —CLOSED WT_T1-06_15. Testing UE radio access capability (SIG) BB_T1-06_16. Conformance Test Aspects - RAN Improvements WT_T1-06_17. Testing Smart antenna (Withdrawn from RAN WIs) WT_T1-06_18. Testing Node B synchronisation for TDD (SIG/RF) WT_T1-06_19. Testing Radio access bearer support enhancements - except Robust Heade	-15 -15 -16 -17 -20 -21 -23 -23 -24 -26 -26
WT_T1-06_9. Testing DSCH power control improvement in soft handover (SIG/RF) WT_T1-06_10. Testing UMTS 1800 (SIG/RF) Rel. Ind. —CLOSED BB_T1-06_11. Conformance Test Aspects - Low Chip Rate TDD WT_T1-06_12. Testing Physical Layer (RF) WT_T1-06_13. LCR TDD, Testing Layer 2 and layer 3 protocol aspects (SIG) WT_T1-06_14. Testing RF Radio Transmission and Reception (RF) —CLOSED WT_T1-06_15. Testing UE radio access capability (SIG) BB_T1-06_16. Conformance Test Aspects - RAN Improvements WT_T1-06_17. Testing Smart antenna (Withdrawn from RAN WIs) WT_T1-06_18. Testing Node B synchronisation for TDD (SIG/RF) WT_T1-06_19. Testing Radio access bearer support enhancements - except Robust Heade Compression (SIG/Rel5)	-15 -15 -16 -17 -20 -21 -23 -23 -24 -26 -26
WT_T1-06_9. Testing DSCH power control improvement in soft handover (SIG/RF) WT_T1-06_10. Testing UMTS 1800 (SIG/RF) Rel. Ind. —CLOSED BB_T1-06_11. Conformance Test Aspects - Low Chip Rate TDD WT_T1-06_12. Testing Physical Layer (RF) WT_T1-06_13. LCR TDD, Testing Layer 2 and layer 3 protocol aspects (SIG) WT_T1-06_14. Testing RF Radio Transmission and Reception (RF) —CLOSED WT_T1-06_15. Testing UE radio access capability (SIG) BB_T1-06_16. Conformance Test Aspects - RAN Improvements WT_T1-06_17. Testing Smart antenna (Withdrawn from RAN WIs) WT_T1-06_18. Testing Node B synchronisation for TDD (SIG/RF) WT_T1-06_19. Testing Radio access bearer support enhancements - except Robust Heade Compression (SIG/ReI5) BB_T1-06_20. Conformance Test Aspects - Bearer modification without pre-notification	-15 -15 -16 -17 -20 -21 -23 -23 -24 -26 -26 -27 -29
WT_T1-06_9. Testing DSCH power control improvement in soft handover (SIG/RF) WT_T1-06_10. Testing UMTS 1800 (SIG/RF) Rel. Ind. —CLOSED BB_T1-06_11. Conformance Test Aspects - Low Chip Rate TDD WT_T1-06_12. Testing Physical Layer (RF) WT_T1-06_13. LCR TDD, Testing Layer 2 and layer 3 protocol aspects (SIG) WT_T1-06_14. Testing RF Radio Transmission and Reception (RF) —CLOSED WT_T1-06_15. Testing UE radio access capability (SIG) BB_T1-06_16. Conformance Test Aspects - RAN Improvements WT_T1-06_17. Testing Smart antenna (Withdrawn from RAN WIs) WT_T1-06_18. Testing Node B synchronisation for TDD (SIG/RF) WT_T1-06_19. Testing Radio access bearer support enhancements - except Robust Heade Compression (SIG/ReIS) BB_T1-06_20. Conformance Test Aspects - Bearer modification without pre-notification WT_T1-06_21. Testing Support for Bearer Modification without pre-notification (SIG)	-15 -15 -16 -17 -20 -21 -23 -23 -24 -26 -26 -26 -27 -29
WT_T1-06_9. Testing DSCH power control improvement in soft handover (SIG/RF) WT_T1-06_10. Testing UMTS 1800 (SIG/RF) Rel. Ind. —CLOSED BB_T1-06_11. Conformance Test Aspects - Low Chip Rate TDD WT_T1-06_12. Testing Physical Layer (RF) WT_T1-06_13. LCR TDD, Testing Layer 2 and layer 3 protocol aspects (SIG) WT_T1-06_14. Testing RF Radio Transmission and Reception (RF) —CLOSED WT_T1-06_15. Testing UE radio access capability (SIG) BB_T1-06_16. Conformance Test Aspects - RAN Improvements WT_T1-06_17. Testing Smart antenna (Withdrawn from RAN WIs) WT_T1-06_18. Testing Node B synchronisation for TDD (SIG/RF) WT_T1-06_19. Testing Radio access bearer support enhancements - except Robust Heade Compression (SIG/Rel5) BB_T1-06_20. Conformance Test Aspects - Bearer modification without pre-notification WT_T1-06_21. Testing Support for Bearer Modification without pre-notification (SIG) WT_T1-06_22. Testing Stage 2 signalling (SIG/Rel 5)	-15 -15 -16 -17 -20 -21 -23 -23 -24 -26 -26 -26 -27 -29 -29
WT_T1-06_9. Testing DSCH power control improvement in soft handover (SIG/RF) WT_T1-06_10. Testing UMTS 1800 (SIG/RF) Rel. Ind. —CLOSED BB_T1-06_11. Conformance Test Aspects - Low Chip Rate TDD WT_T1-06_12. Testing Physical Layer (RF) WT_T1-06_13. LCR TDD, Testing Layer 2 and layer 3 protocol aspects (SIG) WT_T1-06_14. Testing RF Radio Transmission and Reception (RF) —CLOSED WT_T1-06_15. Testing UE radio access capability (SIG) BB_T1-06_16. Conformance Test Aspects - RAN Improvements WT_T1-06_17. Testing Smart antenna (Withdrawn from RAN WIs) WT_T1-06_18. Testing Node B synchronisation for TDD (SIG/RF) WT_T1-06_19. Testing Radio access bearer support enhancements - except Robust Heade Compression (SIG/ReIS) BB_T1-06_20. Conformance Test Aspects - Bearer modification without pre-notification WT_T1-06_21. Testing Support for Bearer Modification without pre-notification (SIG)	-15 -15 -16 -17 -20 -21 -23 -23 -24 -26 -26 -26 -27 -29
WT_T1-06_9. Testing DSCH power control improvement in soft handover (SIG/RF) WT_T1-06_10. Testing UMTS 1800 (SIG/RF) Rel. Ind. —CLOSED BB_T1-06_11. Conformance Test Aspects — Low Chip Rate TDD WT_T1-06_12. Testing Physical Layer (RF) WT_T1-06_13. LCR TDD, Testing Layer 2 and layer 3 protocol aspects (SIG) WT_T1-06_14. Testing RF Radio Transmission and Reception (RF) —CLOSED WT_T1-06_15. Testing UE radio access capability (SIG) BB_T1-06_16. Conformance Test Aspects — RAN Improvements WT_T1-06_17. Testing Smart antenna (Withdrawn from RAN WIs) WT_T1-06_18. Testing Node B synchronisation for TDD (SIG/RF) WT_T1-06_19. Testing Radio access bearer support enhancements — except Rebust Heade Compression (SIG/Rel5) BB_T1-06_20. Conformance Test Aspects — Bearer modification without pre-notification WT_T1-06_21. Testing Support for Bearer Modification without pre-notification (SIG) WT_T1-06_22. Testing Stage 2 signalling (SIG/Rel 5) BB_T1-06_23. Conformance Test Aspects — Emergency call enhancements	-15 -15 -16 -17 -20 -21 -23 -23 -24 -26 -26 -27 -29 -29 -29
WT_T1-06_9. Testing DSCH power control improvement in soft handover (SIG/RF) WT_T1-06_10. Testing UMTS 1800 (SIG/RF) Rel. Ind. —CLOSED BB_T1-06_11. Conformance Test Aspects — Low Chip Rate TDD WT_T1-06_12. Testing Physical Layer (RF) WT_T1-06_13. LCR TDD, Testing Layer 2 and layer 3 protocol aspects (SIG) WT_T1-06_14. Testing RF Radio Transmission and Reception (RF) —CLOSED WT_T1-06_15. Testing UE radio access capability (SIG) BB_T1-06_16. Conformance Test Aspects — RAN Improvements WT_T1-06_17. Testing Smart antenna (Withdrawn from RAN WIs) WT_T1-06_18. Testing Node B synchronisation for TDD (SIG/RF) WT_T1-06_19. Testing Radio access bearer support enhancements — except Rebust Heade Compression (SIG/Rel5) BB_T1-06_20. Conformance Test Aspects — Bearer modification without pre-notification WT_T1-06_21. Testing Support for Bearer Modification without pre-notification (SIG) WT_T1-06_22. Testing Stage 2 signalling (SIG/Rel 5) BB_T1-06_23. Conformance Test Aspects — Emergency call enhancements	-15 -15 -16 -17 -20 -21 -23 -23 -24 -26 -26 -27 -29 -29 -29 -30 SIG - Rel
WT_T1-06_9. Testing DSCH power control improvement in soft handover (SIG/RF) WT_T1-06_10. Testing UMTS 1800 (SIG/RF) Rel. Ind. —CLOSED BB_T1-06_11. Conformance Test Aspects – Low Chip Rate TDD WT_T1-06_12. Testing Physical Layer (RF) WT_T1-06_13. LCR TDD, Testing Layer 2 and layer 3 protocol aspects (SIG) WT_T1-06_14. Testing RF Radio Transmission and Reception (RF) —CLOSED WT_T1-06_15. Testing UE radio access capability (SIG) BB_T1-06_16. Conformance Test Aspects – RAN Improvements WT_T1-06_17. Testing Smart antenna (Withdrawn from RAN WIS) WT_T1-06_18. Testing Node B synchronisation for TDD (SIG/RF) WT_T1-06_19. Testing Radio access bearer support enhancements – except Robust Heade Compression (SIG/Rel5) BB_T1-06_20. Conformance Test Aspects – Bearer modification without pre-notification WT_T1-06_21. Testing Support for Bearer Modification without pre-notification (SIG) WT_T1-06_23. Conformance Test Aspects – Emergency call enhancements WT_T1-06_24. Testing Stage 3 for emergency calls and packet emergency calls in general (5)	-15 -15 -16 -17 -20 -21 -23 -24 -26 -26 -26 -27 -29 -29 -29 -30 SIG - Rel
WT_T1-06_9. Testing DSCH power control improvement in soft handover (SIG/RF) WT_T1-06_10. Testing UMTS 1800 (SIG/RF) Rel. Ind. —CLOSED BB_T1-06_11. Conformance Test Aspects - Low Chip Rate TDD WT_T1-06_12. Testing Physical Layer (RF) WT_T1-06_13. LCR TDD, Testing Layer 2 and layer 3 protocol aspects (SIG) WT_T1-06_14. Testing RF Radio Transmission and Reception (RF) —CLOSED WT_T1-06_15. Testing UE radio access capability (SIG) BB_T1-06_16. Conformance Test Aspects - RAN Improvements WT_T1-06_17. Testing Smart antenna (Withdrawn from RAN WIs) WT_T1-06_18. Testing Node B synchronisation for TDD (SIG/RF) WT_T1-06_19. Testing Radio access bearer support enhancements - except Robust Heade Compression (SIG/Rel5) BB_T1-06_20. Conformance Test Aspects - Bearer modification without pre-notification WT_T1-06_21. Testing Support for Bearer Modification without pre-notification (SIG) WT_T1-06_23. Conformance Test Aspects - Emergency call enhancements WT_T1-06_24. Testing Stage 3 for emergency calls and packet emergency calls in general (5) WT_T1-06_25. Testing Emergency call enhancements for CS based calls (SIG) —CLOSED	-15 -15 -16 -17 -20 -21 -23 -23 -24 -26 -26 -26 -27 -29 -29 -29 -30 SIG - Rel -32 -34
WT_T1-06_9. Testing DSCH power control improvement in soft handover (SIG/RF) WT_T1-06_10. Testing UMTS 1800 (SIG/RF) Rel. Ind. —CLOSED BB_T1-06_11. Conformance Test Aspects – Low Chip Rate TDD WT_T1-06_12. Testing Physical Layer (RF) WT_T1-06_13. LCR TDD, Testing Layer 2 and layer 3 protocol aspects (SIG) WT_T1-06_14. Testing RF Radio Transmission and Reception (RF) —CLOSED WT_T1-06_15. Testing UE radio access capability (SIG) BB_T1-06_16. Conformance Test Aspects – RAN Improvements WT_T1-06_17. Testing Smart antenna (Withdrawn from RAN WIS) WT_T1-06_18. Testing Node B synchronisation for TDD (SIG/RF) WT_T1-06_19. Testing Radio access bearer support enhancements – except Robust Heade Compression (SIG/Rel5) BB_T1-06_20. Conformance Test Aspects – Bearer modification without pre-notification WT_T1-06_21. Testing Support for Bearer Modification without pre-notification (SIG) WT_T1-06_23. Conformance Test Aspects – Emergency call enhancements WT_T1-06_24. Testing Stage 3 for emergency calls and packet emergency calls in general (5)	-15 -15 -16 -17 -20 -21 -23 -24 -26 -26 -26 -27 -29 -29 -29 -30 SIG - Rel
WT_T1-06_9. Testing DSCH power control improvement in soft handover (SIG/RF) WT_T1-06_10. Testing UMTS 1800 (SIG/RF) Rel. Ind. —CLOSED BB_T1-06_11. Conformance Test Aspects - Low Chip Rate TDD WT_T1-06_12. Testing Physical Layer (RF) WT_T1-06_13. LCR TDD, Testing Layer 2 and layer 3 protocol aspects (SIG) WT_T1-06_14. Testing RF Radio Transmission and Reception (RF) —CLOSED WT_T1-06_15. Testing UE radio access capability (SIG) BB_T1-06_16. Conformance Test Aspects - RAN Improvements WT_T1-06_17. Testing Smart antenna (Withdrawn from RAN WIS) WT_T1-06_18. Testing Node B synchronisation for TDD (SIG/RF) WT_T1-06_19. Testing Radio access bearer support enhancements - except Rebust Heade Compression (SIG/Rel5) BB_T1-06_20. Conformance Test Aspects - Bearer modification without pre-notification WT_T1-06_21. Testing Support for Bearer Modification without pre-notification (SIG) WT_T1-06_23. Conformance Test Aspects - Emergency call enhancements WT_T1-06_24. Testing Stage 3 for emergency calls and packet emergency calls in general (5) WT_T1-06_25. Testing Emergency call enhancements for CS based calls (SIG) —CLOSED-BB_T1-06_26. Miscelleneous UE Conformance Testing Activities	-15 -15 -16 -17 -20 -21 -23 -23 -24 -26 -26 -26 -27 -29 -29 -29 -30 SIG - Rel -32 -34 -35
WT_T1-06_9. Testing DSCH power control improvement in seft handover (SIG/RF) WT_T1-06_10. Testing UMTS 1800 (SIG/RF) Rel. Ind. – CLOSED BB_T1-06_11. Conformance Test Aspects – Low Chip Rate TDD WT_T1-06_12. Testing Physical Layer (RF) WT_T1-06_13. LCR TDD. Testing Layer 2 and layer 3 protocol aspects (SIG) WT_T1-06_14. Testing RF Radio Transmission and Reception (RF) – CLOSED WT_T1-06_15. Testing UE radio access capability (SIG) BB_T1-06_16. Conformance Test Aspects – RAN Improvements WT_T1-06_17. Testing Smart antenna (Withdrawn from RAN WIs) WT_T1-06_18. Testing Node B synchronisation for TDD (SIG/RF) WT_T1-06_19. Testing Radio access bearer support enhancements – except Robust Heade Compression (SIG/Rel5) BB_T1-06_20. Conformance Test Aspects – Bearer modification without pre-notification WT_T1-06_21. Testing Support for Bearer Modification without pre-notification (SIG) WT_T1-06_22. Testing Stage 2 signalling (SIG/Rel 5) BB_T1-06_23. Conformance Test Aspects – Emergency call enhancements WT_T1-06_24. Testing Stage 3 for emergency calls and packet emergency calls in general (S) WT_T1-06_25. Testing Emergency call enhancements for CS based calls (SIG) – CLOSED BB_T1-06_26. Miscelleneous UE Conformance Testing Activities WT_T1-06_27. Optimisation of Test Time, RF Aspects (FDD) (RF) Rel. Ind.	-15 -15 -16 -17 -20 -21 -23 -23 -24 -26 -26 -26 -27 -29 -29 -29 -30 -30 -31 -32 -34 -35 -37
WT_T1-06_9. Testing DSCH power control improvement in seft handover (SIG/RF) WT_T1-06_10. Testing UMTS 1800 (SIG/RF) Rel. IndCLOSED BB_T1-06_11. Conformance Test Aspects - Low Chip Rate TDD WT_T1-06_12. Testing Physical Layer (RF) WT_T1-06_13. LCR TDD, Testing Layer 2 and layer 3 protocol aspects (SIG) WT_T1-06_14. Testing RF Radio Transmission and Reception (RF) -CLOSED WT_T1-06_15. Testing UE radio access capability (SIG) BB_T1-06_15. Testing Smart antenna (Withdrawn from RAN WIs) WT_T1-06_17. Testing Smart antenna (Withdrawn from RAN WIs) WT_T1-06_18. Testing Node B synchronisation for TDD (SIG/RF) WT_T1-06_19. Testing Radio access bearer support enhancements - except Rebust Heade Compression (SIG/Rel5) BB_T1-06_20. Conformance Test Aspects - Bearer modification without pre-notification WT_T1-06_21. Testing Support for Bearer Modification without pre-notification (SIG) WT_T1-06_22. Testing Stage 2 signalling (SIG/Rel 5) BB_T1-06_23. Conformance Test Aspects - Emergency call enhancements WT_T1-06_24. Testing Stage 3 for emergency calls and packet emergency calls in general (S) WT_T1-06_25. Testing Emergency call enhancements for CS based calls (SIG) -CLOSED BB_T1-06_26. Miscelleneous UE Conformance Testing Activities WT_T1-06_27. Optimisation of Test Time, RF Aspects (FDD) (RF) Rel. Ind. WT_T1-06_28. Optimisation of Test Time, RF Aspects (TDD) (RF) Rel. Ind.	-15 -15 -16 -17 -20 -21 -23 -23 -24 -26 -26 -26 -27 -29 -29 -29 -30 SIG - Rel -32 -34 -35 -37 -39
WT_T1-06_9. Testing DSCH power control improvement in seft handover (SIG/RF) WT_T1-06_10. Testing UMTS 1800 (SIG/RF) Rel. Ind. – CLOSED BB_T1-06_11. Conformance Test Aspects – Low Chip Rate TDD WT_T1-06_12. Testing Physical Layer (RF) WT_T1-06_13. LCR TDD. Testing Layer 2 and layer 3 protocol aspects (SIG) WT_T1-06_14. Testing RF Radio Transmission and Reception (RF) – CLOSED WT_T1-06_15. Testing UE radio access capability (SIG) BB_T1-06_16. Conformance Test Aspects – RAN Improvements WT_T1-06_17. Testing Smart antenna (Withdrawn from RAN WIs) WT_T1-06_18. Testing Node B synchronisation for TDD (SIG/RF) WT_T1-06_19. Testing Radio access bearer support enhancements – except Robust Heade Compression (SIG/Rel5) BB_T1-06_20. Conformance Test Aspects – Bearer modification without pre-notification WT_T1-06_21. Testing Support for Bearer Modification without pre-notification (SIG) WT_T1-06_22. Testing Stage 2 signalling (SIG/Rel 5) BB_T1-06_23. Conformance Test Aspects – Emergency call enhancements WT_T1-06_24. Testing Stage 3 for emergency calls and packet emergency calls in general (S) WT_T1-06_25. Testing Emergency call enhancements for CS based calls (SIG) – CLOSED BB_T1-06_26. Miscelleneous UE Conformance Testing Activities WT_T1-06_27. Optimisation of Test Time, RF Aspects (FDD) (RF) Rel. Ind.	-15 -15 -16 -17 -20 -21 -23 -23 -24 -26 -26 -26 -27 -29 -29 -30 SIG - Rel -32 -34 -35 -37 -39 -41
WT_T1-06_9. Testing DSCH power control improvement in seft handover (SIG/RF) WT_T1-06_10. Testing UMTS 1800 (SIG/RF) Rel. IndCLOSED BB_T1-06_11. Conformance Test Aspects - Low Chip Rate TDD WT_T1-06_12. Testing Physical Layer (RF) WT_T1-06_13. LCR TDD, Testing Layer 2 and layer 3 protocol aspects (SIG) WT_T1-06_14. Testing RF Radio Transmission and Reception (RF) -CLOSED WT_T1-06_15. Testing UE radio access capability (SIG) BB_T1-06_15. Testing Smart antenna (Withdrawn from RAN WIs) WT_T1-06_17. Testing Smart antenna (Withdrawn from RAN WIs) WT_T1-06_18. Testing Node B synchronisation for TDD (SIG/RF) WT_T1-06_19. Testing Radio access bearer support enhancements - except Rebust Heade Compression (SIG/Rel5) BB_T1-06_20. Conformance Test Aspects - Bearer modification without pre-notification WT_T1-06_21. Testing Support for Bearer Modification without pre-notification (SIG) WT_T1-06_22. Testing Stage 2 signalling (SIG/Rel 5) BB_T1-06_23. Conformance Test Aspects - Emergency call enhancements WT_T1-06_24. Testing Stage 3 for emergency calls and packet emergency calls in general (S) WT_T1-06_25. Testing Emergency call enhancements for CS based calls (SIG) -CLOSED BB_T1-06_26. Miscelleneous UE Conformance Testing Activities WT_T1-06_27. Optimisation of Test Time, RF Aspects (FDD) (RF) Rel. Ind. WT_T1-06_28. Optimisation of Test Time, RF Aspects (TDD) (RF) Rel. Ind.	-15 -15 -16 -17 -20 -21 -23 -23 -24 -26 -26 -26 -27 -29 -29 -29 -30 SIG - Rel -32 -34 -35 -37 -39
WT_T1-06_9. Testing DSCH power control improvement in seft handover (SIG/RF) WT_T1-06_10. Testing UMTS 1800 (SIG/RF) Rel. IndCLOSED BB_T1-06_11. Conformance Test Aspects - Low Chip Rate TDD WT_T1-06_12. Testing Physical Layer (RF) WT_T1-06_13. LCR TDD, Testing Layer 2 and layer 3 protocol aspects (SIG) WT_T1-06_14. Testing RF Radio Transmission and Reception (RF) -CLOSED WT_T1-06_15. Testing UE radio access capability (SIG) BB_T1-06_15. Testing Smart antenna (Withdrawn from RAN WIs) WT_T1-06_17. Testing Smart antenna (Withdrawn from RAN WIs) WT_T1-06_18. Testing Node B synchronisation for TDD (SIG/RF) WT_T1-06_19. Testing Radio access bearer support enhancements - except Rebust Heade Compression (SIG/Rel5) BB_T1-06_20. Conformance Test Aspects - Bearer modification without pre-notification WT_T1-06_21. Testing Support for Bearer Modification without pre-notification (SIG) WT_T1-06_22. Testing Stage 2 signalling (SIG/Rel 5) BB_T1-06_23. Conformance Test Aspects - Emergency call enhancements WT_T1-06_24. Testing Stage 3 for emergency calls and packet emergency calls in general (S) WT_T1-06_25. Testing Emergency call enhancements for CS based calls (SIG) -CLOSED BB_T1-06_26. Miscelleneous UE Conformance Testing Activities WT_T1-06_27. Optimisation of Test Time, RF Aspects (FDD) (RF) Rel. Ind. WT_T1-06_28. Optimisation of Test Time, RF Aspects (TDD) (RF) Rel. Ind.	-15 -15 -16 -17 -20 -21 -23 -23 -24 -26 -26 -26 -27 -29 -29 -30 SIG - Rel -32 -34 -35 -37 -39 -41
WT_T1-06_9. Testing DSCH power control improvement in soft handover (SIG/RF) WT_T1-06_10. Testing UMTS 1800 (SIG/RF) Rel. Ind. —CLOSED BB_T1-06_11. Conformance Test Aspects — Low Chip Rate TDD WT_T1-06_12. Testing Physical Layer (RF) WT_T1-06_13. LCR TDD, Testing Layer 2 and layer 3 protocol aspects (SIG) WT_T1-06_14. Testing RF Radio Transmission and Reception (RF) —CLOSED WT_T1-06_15. Testing UE radio access capability (SIG) BB_T1-06_15. Testing Smart antenna (Withdrawn from RAN WIs) WT_T1-06_17. Testing Smart antenna (Withdrawn from RAN WIs) WT_T1-06_18. Testing Node B synchronisation for TDD (SIG/RF) WT_T1-06_19. Testing Radio access bearer support enhancements — except Rebust Heade Compression (SIG/Rel5) BB_T1-06_20. Conformance Test Aspects — Bearer modification without pre-notification WT_T1-06_21. Testing Support for Bearer Modification without pre-notification WT_T1-06_22. Testing Stage 2 signalling (SIG/Rel 5) BB_T1-06_23. Conformance Test Aspects — Emergency call enhancements WT_T1-06_24. Testing Stage 3 for emergency calls and packet emergency calls in general (5) WT_T1-06_25. Testing Emergency call enhancements for CS based calls (SIG) —CLOSED BB_T1-06_26. Miscelleneous UE Conformance Testing Activities WT_T1-06_27. Optimisation of Test Time, RF Aspects (FDD) (RF) Rel. Ind. WT_T1-06_29. Extensions to R99 Test cases (FDD/SIG)	-15 -15 -16 -17 -20 -21 -23 -23 -24 -26 -26 -27 -29 -29 -29 -29 -30 SIG - Rel -32 -34 -35 -37 -39 -41 -43 -43
WT_T1-06_9. Testing DSCH power centrol improvement in seft handover (SIG/RF) WT_T1-06_10. Testing UMTS 1800 (SIG/RF) Rel. Ind. —CLOSED BB_T1-06_11. Centermance Test Aspects — Lew Chip Rate TDD WT_T1-06_12. Testing Physical Layer (RF) WT_T1-06_13. LCR TDD, Testing Layer 2 and layer 3 protocol aspects (SIG) WT_T1-06_15. Testing RF Radio Transmission and Reception (RF) —CLOSED WT_T1-06_15. Testing UE radio access capability (SIG) BB_T1-06_16. Centermance Test Aspects — RAN Improvements WT_T1-06_17. Testing Smart antenna (Withdrawn from RAN WIs) WT_T1-06_18. Testing Node B synchronisation for TDD (SIG/RF) WT_T1-06_19. Testing Radio access bearer support enhancements — except Robust Heade Compression (SIG/Rel5) BB_T1-06_20. Centermance Test Aspects — Bearer medification without pre-notification WT_T1-06_21. Testing Support for Bearer Medification without pre-notification (SIG) WT_T1-06_22. Testing Stage 2 signalling (SIG/Rel 5) BB_T1-06_23. Centermance Test Aspects — Emergency call enhancements WT_T1-06_24. Testing Stage 3 for emergency calls and packet emergency calls in general (s) WT_T1-06_25. Testing Emergency call enhancements for CS based calls (SIG) —CLOSED BB_T1-06_26. Miscelleneous UE Centermance Testing Activities WT_T1-06_27. Optimisation of Test Time, RF Aspects (FDD) (RF) Rel. Ind. WT_T1-06_29. Extensions to R99 Test cases (FDD/SIG)  WT_T1-06_29. Extensions to R99 Test cases (FDD/SIG)	-15 -15 -16 -17 -20 -21 -23 -23 -24 -26 -26 -26 -27 -29 -29 -29 -30 SIG - Rel -32 -34 -35 -37 -39 -41 -43 -43 -44
WT_T1-06_9. Testing DSCH power control improvement in soft handover (SIG/RF) WT_T1-06_10. Testing UMTS 1800 (SIG/RF) Rel. Ind. —CLOSED BB_T1-06_11. Conformance Test Aspects — Low Chip Rate TDD WT_T1-06_12. Testing Physical Layer (RF) WT_T1-06_13. LCR TDD, Testing Layer 2 and layer 3 protocol aspects (SIG) WT_T1-06_14. Testing RF Radio Transmission and Reception (RF) —CLOSED WT_T1-06_15. Testing UE radio access capability (SIG) BB_T1-06_15. Testing Smart antenna (Withdrawn from RAN WIs) WT_T1-06_17. Testing Smart antenna (Withdrawn from RAN WIs) WT_T1-06_18. Testing Node B synchronisation for TDD (SIG/RF) WT_T1-06_19. Testing Radio access bearer support enhancements — except Rebust Heade Compression (SIG/Rel5) BB_T1-06_20. Conformance Test Aspects — Bearer modification without pre-notification WT_T1-06_21. Testing Support for Bearer Modification without pre-notification WT_T1-06_22. Testing Stage 2 signalling (SIG/Rel 5) BB_T1-06_23. Conformance Test Aspects — Emergency call enhancements WT_T1-06_24. Testing Stage 3 for emergency calls and packet emergency calls in general (5) WT_T1-06_25. Testing Emergency call enhancements for CS based calls (SIG) —CLOSED BB_T1-06_26. Miscelleneous UE Conformance Testing Activities WT_T1-06_27. Optimisation of Test Time, RF Aspects (FDD) (RF) Rel. Ind. WT_T1-06_29. Extensions to R99 Test cases (FDD/SIG)	-15 -15 -16 -17 -20 -21 -23 -23 -24 -26 -26 -27 -29 -29 -29 -29 -30 SIG - Rel -32 -34 -35 -37 -39 -41 -43 -43 -44 -46

WT T1-06 35. Testing UMTS 1900 (SIG/RF) Rel. IndCLOSED	<del>51</del>
WT_T1-06_36. Conformance Testing of HSDPA	<del>52</del>
WT_T1-06_39. Testing of Extended RoHC (SIG/Rel 4)	<del>55</del>
WT_40. Testing of support for IMS, Rel-5	<del>57</del>
WT_41. General changes to TS34.121 and TS34.122 corresponding to release 5	<del>59</del>
WT_42. General changes to TS34.121 corresponding to release 4	<del>61</del>
WT_51. Conformance Testing of MExE Environment-CLOSED	<del>62</del>
WT 52. Signalling testing for W/B AMR codec functions. Rel-5	<del>63</del>
WT 53. Terminal Conformance Specification of Radio Transmission and Reception for I	S-CDMA
Introduction in the 800 MHz Band	<del>65</del>
WT_54. Conformance Testing of A-GPS Minimum Performance	<del>66</del>

## **Change History**

#### Version 0 to 1

- 1. Update Work Plan IDs to match the released work plan, release 19<sup>th</sup> December, 2000
- 2. Remove work task 4, Testing Node B synchronisation for TDD
- 3. Change references from T1-000279 to T1-06
- 4. WT\_T1-06\_14 Testing RF Radio Transmission and Reception, prepared for approval
- 5. The suffix 'SIG or RF' was added to each WI title to make it easier for each SWG to identify WIs belonging to them
- 6. The suffix 'Rel 5' has been added to WI titles that are now part of Release 5
- 7. Add WIs for optimisation of test times for RF conformance testing
- 8. Add WI for additional R99 test cases
- 9. Remove WI for Smart Antennas, removed from RAN
- 10. Introduce blue colour code for WI ready for approval
- 11. Add two new work items for maintenance of R99 and creation of TDD ATS
- 12. Change the naming convention to T1-06\_<number> prefixed with 'BB or WT' for building block or work task.
- 13. Added a 'work starts' item to each affected document section

#### Version 1 to 2

- 1. Change work item T1\_06 to be a release 5 work item
- 2. Add names of supporting companies (T1\_WI\_Index\_r4.xls)
- Add T1\_34 Radio Bearer Support Enhancements Robust Header Compression as it falls into release 4

#### Version 2 to 3

- 1. Remove BB related to 'Evolutions of the transport in the UTRAN'. Since no testing identified. WT moved to BB 'RAN improvements' and slighly modified.
- 2. Correction of Release number in the 'Justification' section of some WI
- 3. Deletion of 'Node B synchronisation for TDD' as related WI in BB T1-06 3
- Addition of T1\_34 'Radio Bearer Support Enhancements Robust Header Compression' as subordinate WT in BB\_T1-06\_16
- Deletion of BB and WT related to 'Bearer modification without pre-notification' due to deletion at TSG #11

#### Version 3 to 4

- 1. Modify T1-06\_10 to include 1900MHz and propose the creation of two new documents that are 'release independent'
- 2. Combine T1-06\_12 with T1-06\_14, Testing Physical Layer is merged with Testing RF Radio Transmission and Reception
- 3. Combine T1-06\_15 with T1-06\_13, Testing UE radio access capability is merged with Testing Layer 2 and layer 3 protocol aspects
- Rename T1-06\_33 to 'Completion' of the release 99 TTCN TCs for TDD. This was to avoid the confusion that the supporters of this work item were prepared to develop voluntary TTCN test cases for TDD
- 5. Update forecast dates for optimisation of test times

#### Version 4 to 5

- 1. Modify T1-06\_10 to reflect decision in TSG T#11 to keep release independent items in the current working documents and use an applicability table, or equivalent
- 2. Revise the target completion dates for the first approved document release at TSG T in WIs put forward for approval at TSG T#12
- 3. Clarify the purpose of T1-06\_29 and T1-06\_33 so that '29' covers the completion of release 99 FDD signalling test cases (prose and TTCN) and the '33' covers the conversion and completion of release 99 TDD signalling test cases (prose and TTCN)
- 4. Add Ericsson and Samsung to the supporting companies for T1-06\_10 and add /1900 to the WI title

#### Version 5 to 6

- Work item T1-06\_18, removed since there no longer seems to be a feature here to be tested.
- Split WI T1-06\_10 in to two separate WIs to cover UMTS1800 and UMTS1900 separately, see TP-010154
- 3. Change colour of approved work item titles, see TP-010154
- 4. Change title of WI\_13 for clarity.

#### Version 6 to 7

- 1. Add references to release independence in WIs 10, 27, 28, 35
- 2. Change expected completion dates of test time optimisation to align with the expected completion/closing of TS34.121. (WI 27, 28)
- 3. Addition of draft WIDs for Conformance Testing of MExE Environment (WI\_51) and Signalling testing for W/B AMR codec functions (WI\_52)

#### Version 7 to 8

- Set WI\_51, Conformance Testing of the MExE environment, to 'ready for TSG T' approval.
- 2. Add Peter George and Peter Neuman as joint rapporteurs of WI\_51
- 3. Update forecasted dates in line with current expectations from SWG chairmen and changes to WI\_13 and WI\_29 agreed at TSG T1#14

#### Version 8 to 9

1. Add work item T1-06 39 Testing of Extended RoHC

#### Version 9 to 10

- 1. Add work item T1-06 40, Testing of support for IMS, Rel-5
- 2. Correct completion forecast dates for T1-06\_27, T1-06\_28 to March 03

- 3. Change forecast dates for WI T1-06\_33 to July 03
- 4. Mark work item T1\_39, as approved (highlighted green)

#### Version 10 to 11

- 1. Mark work item T1 40 as approved (highlighted green)
- 2. Add place holder for T1\_41, Additional test specifications required for Rel 5, Radio Interface Improvements feature

#### Version 11 to 12 (T1/RF #28)

- 1. Create work item 42 to cover general change requests to TS34.121 for changes corresponding to release 4.
- 2. Prepare work item 41 to cover general change requests to TS34.121 for changes corresponding to release 5
- 3. Increase the forecasted completion dates for WIs 27 and 28 to September, 2003. This is due to further investigation into new proposals.
- 4. Remove references to Mr Yonekura, Fujitsu, as raporteurs from any active work items. He is replaced by Mr Yokoyama, Agilent.

#### Version 12 to 13

- 1. Change any references to Sony in the supporting companies to Sony-Ericsson
- 2. Change references to Denso in WIs 29 and 32 to Rohde & Schwarz
- 3. Change the name Hutchison to Three in supporting companies
- 4. For WI 33 increase the time for completion of prose by 1 year
- 5. For WI 34 increase the prose completion date to Sept 2003 and add Cetecom as a supporting company
- 6. In the WI 40, increase completion dates for 34.123 by 6 months
- 7. Remove Cetecom from the supporting companies in WI 51
- 8. Add Nokia as a supporting company for WI 36 for HSDPA, rel 5

#### Version 13 to 14

- 1. Add WID WT-53, Testing of DS-CDMA 800M, Rel independent.
- 2. Add the comment to WI 07
- 3. Add place holder for T1-06\_36 Conformance Testing of HSDPA as Rel5
- 4. Add NTT DoCoMo to the supporting companies for T1-06\_36 Conformance Testing of HSDPA
- 5. Change colour of approved work item titles, see TP-030052

#### Version 14 to 15

- 1. Change colour of approved work item titles, see TP-030106
- 2. Change editorial errors
- 3. Erased WT\_T1-06\_-6 "Testing Hybrid ARQ II/III (Rel 5)"
- 4. Closed WT T1-06 10 "Testing UMTS 1800 (SIG/RF) Rel. Ind."
- 5. Change the target date of WT\_T1-06\_13
- 6. Add Datang to the supporting companies for T1-06\_13
- 7. Closed WT\_T1-06\_14 "Testing RF Radio Transmission and Reception (RF)"
- 8. Closed WT\_T1-06\_25 "Testing Emergency call enhancements for CS based calls (SIG)"
- 9. Remove Sharp from the supporting companies in WT\_T1-06\_29 "Extensions to R99 Test cases (FDD/SIG)"

- 10. Remove Sharp from the supporting companies in WT\_T1-06\_34 "Testing RAB support enhancements-Robust Header Compression (SIG/Rel 4)"
- 11. Closed WT T1-06 35 "Testing UMTS 1900 (SIG/RF) Rel. Ind."
- 12. Add detail information of WT T1-06\_36 "Conformance Testing of HSDPA"
- 13. Erased WT\_T1-06\_8 "Testing Terminal Power saving features (SIG/Rel5)" and WT\_T1-06\_9 "Testing DSCH power control improvement in soft handover (SIG/RF)"

#### Version 15 to 16

- 1. Change colour of approved work item titles, see TP-030196
- 2. Change editorial errors
- 3. Add WID WT-54, Conformance Testing of A-GPS Minimum Performance, Rel 6.
- 4. Add ERICSSON to the supporting companies for T1-06\_5
- 5. Change the completion date of T1-06\_27 and 28 to T#24 June 2004
- 6. Change the completion date of T1-06\_29 to T#24 June 2004 (TS34.123a,b) and T#25 Sep 2004 (TS34.123c)
- 7. Add ANRITSU to the supporting companies for T1-06\_32
- 8. Change the completion date of T1-06\_34 and 39 to T#24 June 2004 (TS34.123a,b) and T#25 Sep 2004 (TS34.123c)
- 9. Erase IRISA and add Nortel Networks to the supporting companies for T1-06\_34 and 39
- 10. Change the completion date of T1-06\_40 to TBD

#### Version 16 to 17

- 1. Change the completion date of T1-06\_13 to TSG T#27, Mar 05 (TS34.123a,b) and TSG T#29, Sep 05 (TS34.123c)
- 2. Change the completion date of T1-06\_29 to TSG T#26, Dec 04 (TS34.123a,b) and TSG T#28, Jun 05 (TS34.123c)
- 3. Change the completion date of T1-06\_33 to TSG T#27, Mar 05 (TS34.123a,b) and TSG T#31, Mar 06 (TS34.123c)
- 4. Change the completion date of T1-06\_34 to TSG T#26, Dec 04 (TS34.123a,b) and TSG T#28, Jun 05 (TS34.123c)
- 5. Change the completion date of T1-06\_39 to TSG T#26, Dec 04 (TS34.123a,b) and TSG T#28, Jun 05 (TS34.123c)
- 6. Closed WT\_T1-06\_42 "General changes to TS34.121 corresponding to release 4"
- 7. Change the completion date of T1-06\_41 to TSG T#26, Dec 04.
- 8. Change the completion date of T1-06\_27 to TSG T#26, Dec 04.
- 9. Change the completion date of T1-06\_28 to TSG T#26, Dec 04.
- 10. Closed WT\_53 "Terminal Conformance Specification of Radio Transmission and Reception for DS-CDMA Introduction in the 800 MHz Band"

#### Version 16 to 17

- 1. Add WID WT-55, General changes to TS34.121 and TS34.122 corresponding to release 6.
- 2. Add WID WT-54, Terminal Conformance Specification of Radio Transmission and Reception for introduction in the UMTS-850 MHz Band
- 3. Add WID WT-57, Difference and Corresponding Effect Analysis between FDD and 1.28Mcps TDD in Radio Access Stratum Protocol Aspects

## BB\_T1-06\_1. Conformance Test Aspects - Evolutions of the transport in the UTRAN

Withdrawn - no subordinated WT due to transference of 'Radio Access Bearer support enhancement' to the feature 'RAN improvements'

## **Work Item Description**

## WT\_T1-06\_2. Testing radio access bearer support enhancements (SIG/Rel 5)

Withdrawn - The related RAN WT was wrongly included under the feature 'RAB support enhancements'. It belongs to the feature 'RAN improvements'. This WT is now moved to T1-06\_19.

## BB\_T1-06\_3. Conformance Test Aspects - improvements in Radio Interface

#### 1. 3GPP Work Area

Χ	Radio Access
	Core Network
	Services

#### 2. Linked work items

WP ID	WID	Rel. *	Title
1216	RAN_Wis_21	P_F	Improvements of Radio Interface
1839	T1-06_3	BB	Conformance Test Aspects - improvements in Radio Interface
2210	T1-06_5	S_WT	Testing improvement of inter-frequency and inter- system measurement
2211	T1-06_6	S_WT	Testing Hybrid ARQ II/III
2212	T1-06_7	S_WT	Testing Improved usage of downlink resource in FDD for CCTrCHs of dedicated type
2213	T1-06_8	S_WT	Testing Terminal Power saving features
2214	T1-06_9	S_WT	Testing DSCH power control improvement in soft handover
2215	T1-06_10	S_WT	Testing UMTS 1800/1900
1470	RAN_Wis_16	R_WI	Improvement of inter-frequency and inter-system measurement
1217	RAN_Wis_7	R_WI	Hybrid ARQ II/III
1218	RAN_Wis_17	R_WI	Improved usage of downlink resource in FDD for CCTrCHs of dedicated type
1507	RAN_Wis_11	R_WI	Terminal Power saving features
1994	RAN_Wis_37	R_WI	DSCH power control improvement in soft handover
1996	RAN_Wis_39	R_WI	UMTS 1800

<sup>\*</sup> Relationship: P = Parent, F = Feature, BB = Building Block, S = Subordinate, R = Related

#### 3. Justification

The core specifications are being updated and enhanced for release 4 and 5 (formerly release 2000) and therefore the test specifications must be updated to reflect these changes.

#### 4. Objective

This work item is a building block used to collect together the conformance testing aspects related to a 3GPP feature. As such it does not require any work at this level and for this reason it is supported by TSG T1 and reported on by the T1 chairman.

All of the work of TSG T1 takes place in its subordinate Work Tasks.

5. Service Aspects

None

6. MMI-Aspects

None

7. Charging Aspects

None

8. Security Aspects

None

## 9. Impacts

Affects:	USIM	ME	AN	CN	Others
Yes		Х			
No	Х		Х	Х	
Don't know					Х

## 10.Expected Output and Time scale (to be updated at each plenary)

	New specifications										
Spec No.	Title		Prime rsp. WG	rsp. WG(s)	info	sented for ormation at nary#	Approved at plenary#	Comments			
			Affe	cted exist	ng	specificatio	ons				
Spec No.	CR	Subject				Approved at	plenary#	Comments			

1	1		V	V	O	r	k	(	it	:6	1	r	1	r	а	ı	)	O	r	t	е	u	ır	. 5	;
---	---	--	---	---	---	---	---	---	----	----	---	---	---	---	---	---	---	---	---	---	---	---	----	-----	---

TSG T1 Chairman

12 Work item leadership

TSG T1

13 Supporting Companies

TSG T1

## 14 Classification of the WI (if known)

	Feature (go to 14a)
Х	Building Block (go to 14b)
	Work Task (go to 14c)

14b. See section 2, Linked work items, for relationship between this building block, its parent feature and associated work tasks

## WT\_T1-06\_4...Node B sync. Withdrawn due to withdrawal of RAN WI

## WT\_T1-06\_5. Testing improvement of inter-frequency and inter-system measurement (Rel 5)

#### 1. 3GPP Work Area

Χ	Radio Access
	Core Network
	Services

#### 2. Linked work items

WP ID	WID	Rel. *	Title
1216	RAN_Wis_21	P_F	Improvements of Radio Interface
1839	T1-06_3	P_BB	Conformance Test Aspects - improvements in Radio Interface
2210	T1-06_5	S_WT	Testing improvement of inter-frequency and inter- system measurement
1470	RAN_Wis_16	R_WI	Improvement of inter-frequency and inter-system measurement

<sup>\*</sup> Relationship: P = Parent, F = Feature, BB = Building Block, S = Subordinate, R = Related

#### 3. Justification

The core specifications are being updated and enhanced for release 5 and therefore the test specifications must be updated to reflect these changes.

Changes are being proposed to the way in which compressed mode works to allow more efficient inter-frequency and inter system measurements.

#### 4. Objective

To change or enhance the existing test specifications to take account of the improvements in compressed mode operation and to confirm that correct inter frequency/system measurements are being performed.

#### 5. Service Aspects

None

#### 6. MMI-Aspects

None

#### 7. Charging Aspects

None

#### 8. Security Aspects

## 9. Impacts

Affects:	USIM	ME	AN	CN	Others
Yes		Х			
No	X		Х	Х	
Don't know					Х

## 10.Expected Output and Time scale (to be updated at each plenary)

	New specifications									
Spec No.	Title	rsp. WG rsp. WG(s) infor		esented for ormation at nary#	Approved at plenary#	Comments				
	Affected existing specifications									
Spec No.	CR	Subject				Approved at plenary#		Comments		
TS34.121		Terminal Conformance Specification; Radio transmission and reception (FDD)			))	Work starts:	TSG T1 #?	Test specification to confirm correct inter frequency or inter system measurement reports		
TS34.123a,b		specification; Part 1: Protocol of specification, Part 2: Implement	rt 1: Protocol conformance			Work starts:	TSG T1 #?	Test specification to confirm correct signalling and timing for new compressed mode		
TS34.123c		User Equipment specification; Part 3: TTCN Tes	ent (UE) conformance			Work starts:	TSG T1 #?	Develop TTCN test cases to support conformance test spec		

## 11.Work item raporteurs

T.B.A

## 12 Work item leadership

TSG T1

## 13 Supporting Companies

Motorola, ERICSSON

## 14 Classification of the WI (if known)

	Feature (go to 14a)
	Building Block (go to 14b)
Х	Work Task (go to 14c)

14c. See section 2, Linked Work Items for relationship between this Work Task and its parent Building Block and Feature.

## WT\_T1-06\_6. Testing Hybrid ARQ II/III (Rel 5)

Erased from Core specification (T1 #20)

# WT\_T1-06\_7. Testing Improved usage of DL resource in FDD for CCTrCHs of dedicated type (Rel 5) Withdrawn due to withdrawal of RAN WI

Erased from Core specification

## WT\_T1-06\_8. Testing Terminal Power saving features (SIG/Rel5)

No test cases are required by core specification (T1 #21)

## **Work Item Description**

## WT\_T1-06\_9. Testing DSCH power control improvement in soft handover (SIG/RF)

No test cases are required by core specification (T1 #21)

## WT\_T1-06\_10. Testing UMTS 1800 (SIG/RF) Rel. Ind. – CLOSED

Closed (TSG T1 #20)

## BB\_T1-06\_11. Conformance Test Aspects - Low Chip Rate TDD

#### 1. 3GPP Work Area

Χ	Radio Access
	Core Network
	Services

#### 2. Linked work items

WP ID	WID	Rel. *	Title		
1222	RAN_Wis_1	P_F	Low Chip Rate TDD option		
2103	T1-06_11	BB	Conformance Test Aspects - Low Chip Rate TDD		
			Testing Physical Layer Combined with T1-06_14		
2217	T1-06_13	S_WT	Testing Layer 2 and layer 3 protocol aspects		
2218	T1-06_14	S_WT	Testing RF Radio Transmission and Reception		
			Testing UE radio access capability, combined with T1-06_13		
1223	RAN_Wis_26	R_WI	Physical Layer		
1224	RAN_Wis_27	R_WI	Layer 2 and layer 3 protocol aspects		
1225	RAN_Wis_28	R_WI	RF Radio Transmission and Reception		
1227	RAN_Wis_30	R_WI	UE radio access capability		

<sup>\*</sup> Relationship: P = Parent, F = Feature, BB = Building Block, S = Subordinate, R = Related

#### 3. Justification

The core specifications are being updated and enhanced for release 4 (formerly release 2000) and therefore the test specifications must be updated to reflect these changes.

#### 4. Objective

This work item is a building block used to collect together the conformance testing aspects related to a 3GPP feature. As such it does not require any work at this level and for this reason it is supported by TSG T1 and reported on by the T1 chairman.

All of the work of TSG T1 takes place in its subordinate Work Tasks.

## 5. Service Aspects

None

#### 6. MMI-Aspects

None

#### 7. Charging Aspects

## 8. Security Aspects

None

#### 9. Impacts

Affects:	USIM	ME	AN	CN	Others
Yes		Х			
No	Х		Х	Х	
Don't know					Х

## 10.Expected Output and Time scale (to be updated at each plenary)

	New specifications								
Spec No.	Title		Prime rsp. WG	2ndary Presented for rsp. WG(s) information at plenary#		Approved at plenary#	Comments		
	Affected existing specifications								
Spec No.	CR	Subject				Approved at	plenary#	Comments	
							,		

## 11. Work item raporteurs

TSG T1 Chairman

## 12 Work item leadership

TSG T1

## 13 Supporting Companies

TSG T1

## 14 Classification of the WI (if known)

	Feature (go to 14a)
X	Building Block (go to 14b)
	Work Task (go to 14c)

14b. See section 2, Linked work items, for relationship between this building block, its parent feature and associated work tasks

## WT\_T1-06\_12. Testing Physical Layer (RF)

Now combined with T1-06\_14, Testing RF Radio Transmission and Reception

## WT\_T1-06\_13. LCR TDD, Testing Layer 2 and layer 3 protocol aspects (SIG)

#### 1. 3GPP Work Area

Χ	Radio Access
	Core Network
	Services

#### 2. Linked work items

WP ID	WID	Rel. *	Title	
1222	RAN_Wis_1	P_F	Low Chip Rate TDD option	
2103	T1-06_11	P_BB	Conformance Test Aspects - Low Chip Rate TDD	
2217	T1-06_13	WT	Testing Layer 2 and layer 3 protocol aspects	
1227	RAN_Wis_30	R_WI	UE radio access capability	
1224	RAN_Wis_27	R_WI	Layer 2 and layer 3 protocol aspects	

<sup>\*</sup> Relationship: P = Parent, F = Feature, BB = Building Block, S = Subordinate, R = Related

#### 3. Justification

The core specifications are being updated and enhanced for release 4 (formerly release 2000) and therefore the test specifications must be updated to reflect these changes.

#### 4. Objective

The objective is to prepare a conformance test specification for the signalling layers L2 and L3. Low chip rate TDD shares many similarities with full rate TDD but inevitably there will be differences.

The RAN work tasks for low rate TDD include:-

- UE procedures in idle mode
- Interlayer procedures in connected mode
- Control plane protocol aspects
- User plane protocol aspects
- mobility aspects

#### 5. Service Aspects

None

#### 6. MMI-Aspects

None

#### 7. Charging Aspects

## 8. Security Aspects

None

#### 9. Impacts

Affects:	USIM	ME	AN	CN	Others
Yes		Х			
No	Х		Х	Х	
Don't know					Х

## 10.Expected Output and Time scale (to be updated at each plenary)

				New spe	ecif	ications		
Spec No.	Title		Prime rsp. WG	2ndary rsp. WG(s)	info	esented for ormation at nary#	Approved at plenary#	Comments
			Affe	cted exist	ing	specification	ons	
Spec No.	CR	Subject	t			Approved at plenary#		Comments
TS34.123a,b		specification; Part 1: Protocol specification, Part 2: Impleme	otocol conformance			TSG T#27, M	/ar 05	Test specification to confirm correct signalling and operation of UEs operating low chip rate TDD mode
TS34.123c		specification;	User Equipment (UE) conformance specification; Part 3: TTCN Test Cases		TSG T#29, S	Sep 05	Develop TTCN test cases to support conformance test spec	

#### 11. Work item raporteurs

Mr Dan FOX, Anritsu Ltd, UK

## 12 Work item leadership

TSG T1

## 13 Supporting Companies

Anritsu, Siemens, Ericsson, NTTDoCoMo, Motorola, Rohde &Schwarz, Datang

## 14 Classification of the WI (if known)

		Feature (go to 14a)
		Building Block (go to 14b)
Х	(	Work Task (go to 14c)

14c. See section 2, Linked Work Items for relationship between this Work Task and its parent Building Block and Feature.

## WT\_T1-06\_14. Testing RF Radio Transmission and Reception (RF) –CLOSED

Closed (TSG T1 #20)

## **Work Item Description**

WT\_T1-06\_15. Testing UE radio access capability (SIG)

Now combined with T1-06\_13, Testing Layer 2 and layer 3 protocol aspects

## BB\_T1-06\_16. Conformance Test Aspects - RAN Improvements

#### 1. 3GPP Work Area

Х	Radio Access
	Core Network
	Services

#### 2. Linked work items

WP ID	WID	Rel. *	Title			
9	RAN_Wis_	P_F	RAN improvements			
2102	T1-06_16	BB	Conformance Testing Aspects - RAN improvements			
2221	T1-06_19	S_WT	Testing Node B synchronisation for TDD (Master)			
2222	T1-06_20	S_WT	Testing Radio access bearer support enhancement - except Robust Header Compression			
2461	T1-06_34	S_WT	Testing Radio access bearer support enhancement - Robust Header Compression			
655	RAN_Wis_8	R_WI	Node B synchronisation for TDD (Master)			
1472	RAN_Wis_15	R_WI	Radio access bearer support enhancement			

<sup>\*</sup> Relationship: P = Parent, F = Feature, BB = Building Block, S = Subordinate, R = Related

#### 3. Justification

The core specifications are being updated and enhanced for release 4 and 5 and therefore the test specifications must be updated to reflect these changes.

#### 4. Objective

This work item is a building block used to collect together the conformance testing aspects related to a 3GPP feature. As such it does not require any work at this level and for this reason it is supported by TSG T1 and reported on by the T1 chairman.

All of the work of TSG T1 takes place in its subordinate Work Tasks.

#### 5. Service Aspects

None

#### 6. MMI-Aspects

None

#### 7. Charging Aspects

None

## 8. Security Aspects

## 9. Impacts

Affects:	USIM	ME	AN	CN	Others
Yes		Х			
No	Х		Х	X	
Don't know					Х

## 10.Expected Output and Time scale (to be updated at each plenary)

New specifications								
Spec No.	Title		Prime rsp. WG	2ndary rsp. WG(s)	Presented information plenary#		Approved at plenary#	Comments
			Affe	cted exist	ing speci	ficatio	ns	
Spec No.	CR	Subject			Appro	ved at p	plenary#	Comments

## 11. Work item raporteurs

TSG T1 Chairman

## 12 Work item leadership

TSG T1

## 13 Supporting Companies

TSG T1

## 14 Classification of the WI (if known)

	Feature (go to 14a)
Χ	Building Block (go to 14b)
	Work Task (go to 14c)

14b. See section 2, Linked work items, for relationship between this building block, its parent feature and associated work tasks

## WT\_T1-06\_17. Testing Smart antenna (Withdrawn from RAN WIs)

## **Work Item Description**

## WT\_T1-06\_18. Testing Node B synchronisation for TDD (SIG/RF)

1. Withdrawn since there does not seem to be any new features here that specifically require testing

WT\_T1-06\_19. Testing Radio access bearer support enhancements - except Robust Header Compression (SIG/ReI5)

#### 1. 3GPP Work Area

Х	Radio Access
	Core Network
	Services

#### 2. Linked work items

WP ID	WID	Rel. *	Title				
9	RAN_Wis_20	P_F	RAN improvements				
2102	T1-06_1	P_BB	Conformance Test Aspects - RAN improvements				
624	RAN_Wis 15	R_WI	Radio access bearer support enhancement - except Robust Header Compression				
2208	T1-06_2	WT	Testing radio access bearer support enhancements- except Robust Header Compression				

<sup>\*</sup> Relationship: P = Parent, F = Feature, BB = Building Block, S = Subordinate, R = Related

#### 3. Justification

The core specifications are being updated and enhanced for release 5 and therefore the test specifications must be updated to reflect these changes.

#### 4. Objective

This work item should provide the conformance test capability to verify that the radio access bearer support enhancements on the Uu interface are correctly implemented within the UE. These enhancements include the following RAN core specification changes:-

- Radio Access Bearer multiplexing in PDCP
- Support of unequal error protection over Uu
- Channel type switching for logical channels
  - Today it is only possible to switch all logical channels of one UE, not individual. For DSCH it would be much better to be able to switch single logical channels
- IP header removal as developed within GERAN

#### 5. Service Aspects

None

#### 6. MMI-Aspects

None

#### 7. Charging Aspects

## 8. Security Aspects

None

## 9. Impacts

Affects:	USIM	ME	AN	CN	Others
Yes		Х			
No	Х		Х	Х	
Don't know					Х

## 10.Expected Output and Time scale (to be updated at each plenary)

	New specifications							
Spec No.	Title		Prime rsp. WG	2ndary rsp. WG(s)	info	esented for ormation at nary#	Approved at plenary#	Comments
			Affe	cted exist	ing	specification	ns	
Spec No. CR Subject				Approved at plenary#		Comments		
TS34.123a,b		User Equipment (UE) conformance specification; Part 1: Protocol conformance specification, Part 2: Implementation Conformance Statement (ICS) proforma specification			TSG T #14 Work starts:	TSG T1 #?	Changes to include; RAB multiplexing in PDCP, Header compression for VoIP, Normally referenced from an IETF RFC?, unequal error protection over Uu, switching for single logical channels, IP header removal	
TS34123c		specification;	quipment (UE) conformance cation; TTCN Test Cases		TSG T #15 Work starts: TSG T1 #?		Preparation and modification of TTCN test cases to accommodate changes in test specification	

## 11.Work item raporteurs

Dan Fox, Chairman of TSG T1/SIG

## 12 Work item leadership

TSG T1 SWG/SIG

## 13 Supporting Companies

Ericsson, Sharp, Motorola

## 14 Classification of the WI (if known)

	Feature (go to 14a)
	Building Block (go to 14b)
Χ	Work Task (go to 14c)

14c. See section 2, Linked Work Items for relationship between this Work Task and its parent Building Block and Feature.

## BB\_T1-06\_20. Conformance Test Aspects - Bearer modification without pre-notification

Withdrawn - The feature 'Bearer Modificatin without pre-notification' was deleted at TSG #11

## **Work Item Description**

## WT\_T1-06\_21. Testing Support for Bearer Modification without pre-notification (SIG)

Withdrawn - The feature 'Bearer Modificatin without pre-notification' was deleted at TSG #11

## **Work Item Description**

WT\_T1-06\_22. Testing Stage 2 signalling (SIG/Rel 5)

Withdrawn - The feature 'Bearer Modificatin without pre-notification' was deleted at TSG #11

## BB\_T1-06\_23. Conformance Test Aspects - Emergency call enhancements

#### 1. 3GPP Work Area

Х	Radio Access
	Core Network
	Services

#### 2. Linked work items

WP ID	WID	Rel. *	Title
1652		P_F	Emergency call enhancements
2224	T1-06_23	BB	Conformance Test Aspects - Emergency call enhancements
1646	NP-000380	R_WI	Stage 3 for emergency calls and packet emergency calls in general
1654	NP-000379	R_WI	Emergency call enhancements for CS based calls
2225	T1-06_24	S_WT	Testing Stage 3 for emergency calls and packet emergency calls in general
2226	T1-06_25	S_WT	Testing Emergency call enhancements for CS based calls

<sup>\*</sup> Relationship: P = Parent, F = Feature, BB = Building Block, S = Subordinate, R = Related

#### 3. Justification

The core specifications are being updated and enhanced for release 4 and 5 and therefore the test specifications must be updated to reflect these changes.

#### 4. Objective

This work item is a building block used to collect together the conformance testing aspects related to a 3GPP feature. As such it does not require any work at this level and for this reason it is supported by TSG T1 and reported on by the T1 chairman.

All of the work of TSG T1 takes place in its subordinate Work Tasks.

#### 5. Service Aspects

None

#### 6. MMI-Aspects

None

#### 7. Charging Aspects

None

#### 8. Security Aspects

## 9. Impacts

Affects:	USIM	ME	AN	CN	Others
Yes		Х			
No	Х		Х	Х	
Don't know					Х

## 10.Expected Output and Time scale (to be updated at each plenary)

New specifications								
Spec No.	Title		Prime rsp. WG	2ndary Presented for information at plenary#		Approved at plenary#	Comments	
			Affe	cted exist	ing	specification	ons	
Spec No.	CR				Approved at plenary#		Comments	

## 11. Work item raporteurs

TSG T1 Chairman

## 12 Work item leadership

TSG T1

## 13 Supporting Companies

TSG T1

## 14 Classification of the WI (if known)

	Feature (go to 14a)				
Χ	Building Block (go to 14b)				
	Work Task (go to 14c)				

14b. See section 2, Linked work items, for relationship between this building block, its parent feature and associated work tasks

## WT\_T1-06\_24. Testing Stage 3 for emergency calls and packet emergency calls in general (SIG – Rel 5)

#### 1. 3GPP Work Area

Х	Radio Access					
	Core Network					
	Services					

#### 2. Linked work items

WP ID	WID	Rel. *	Title
1652		P_F	Emergency call enhancements
2224	T1-06_23	P_BB	Conformance Test Aspects - Emergency call enhancements
1646	NP-000380	R_WI	Stage 3 for emergency calls and packet emergency calls in general
2225	T1-06_24	S_WT	Testing Stage 3 for emergency calls and packet emergency calls in general

<sup>\*</sup> Relationship: P = Parent, F = Feature, BB = Building Block, S = Subordinate, R = Related

#### 3. Justification

The core specifications are being updated and enhanced for release 4 and 5 and therefore the test specifications must be updated to reflect these changes.

#### 4. Objective

For release 5 it will be possible to place 'emergency calls' in the packet domain. This requires changes to the UE core specifications.

This work task is to update the conformance test specifications to accommodate emergency call procedure in the packet switched domain.

#### 5. Service Aspects

None

#### 6. MMI-Aspects

None

## 7. Charging Aspects

None

#### 8. Security Aspects

#### 9. Impacts

Affects:	USIM	ME	AN	CN	Others
Yes		Х			
No	Х		Х	Х	
Don't know					Х

## 10.Expected Output and Time scale (to be updated at each plenary)

					New spe	ecifications			
Spec No.	Title	Э		Prime rsp. WG		Presented for information at plenary#	Approved at plenary#	Comments	
				Affected existing		ng specificat	tions		
Spec No.		CR	Subject			Approved a	at plenary#	Comments	
TS34.123	a,b		User Equipment specification; Part 1: Protocol specification, Part 2: Implement Statement (ICS)	conforma	nce		s: TSG T1 #?	Modify the protocol test specification to reflect the changes to the UE core specification for Stage 3 emergency calls in the PS domain	
TS34.123	С		User Equipment (UE) conformance specification; Part 3: TTCN Test Cases			Work starts	s: TSG T1 #?	Develop TTCN test cases to support conformance test spec	

#### 11.Work item raporteurs

Mr Dan FOX, Anritsu Ltd, UK

## 12 Work item leadership

TSG T1 SWG /SIG

## 13 Supporting Companies

(at least 4 companies)

## 14 Classification of the WI (if known)

	Feature (go to 14a)					
	Building Block (go to 14b)					
Х	Work Task (go to 14c)					

<sup>14</sup>c.Ssee section 2, Linked Work Items for relationship between this Work Task and its parent Building Block and Feature.

# WT\_T1-06\_25. Testing Emergency call enhancements for CS based calls (SIG) –CLOSED

Closed (TSG T1 #20)

# BB\_T1-06\_26. Miscelleneous UE Conformance Testing Activities

#### 1. 3GPP Work Area

Х	Radio Access
	Core Network
	Services

#### 2. Linked work items

WP ID	WID	Rel. *	Title
1861	T1-06_26	P_F	Miscellaneous UE Conformance Testing Activities
1862	T1-06_27	S_WT	Optimisation of Test Time, RF Aspects (FDD)
1863	T1-06_28	S_WT	Optimisation of Test Time, RF Aspects (TDD)
1907	T1-06_29	S_WT	Extensions to R99 Test cases
1908	T1-06_30	S_WT	Review all other work items for impact on new or exiting 34 series specs.
1909	T1-06_31	S_WT	Additional signalling tests to cover VHE, OSA, MExE, W/B Telephony AMR
TBD	T1-06_32	S_WT	Work to maintain the current release 99 test specification and test cases
TBD	T1-06_33	S_WT	Completion of the Release 99 TCs for TDD

<sup>\*</sup> Relationship: P = Parent, F = Feature, BB = Building Block, S = Subordinate, R = Related

#### 3. Justification

Because of the large number of changes to the core specifications for release 99, it was not possible to develop and optimise all aspects of the test specifications. This building block includes a number of work items to improve these release 99 test specifications.

This work in turn will be carried forward to improve release 4 and 5 test specifications.

#### 4. Objective

This work item is a building block used to collect together the conformance testing aspects which are not directly related to a 3GPP feature. As such it does not require any work at this level and for this reason it is supported by TSG T1 and reported on by the T1 chairman.

All of the work of TSG T1 takes place in its subordinate Work Tasks.

#### 5. Service Aspects

None

## 6. MMI-Aspects

None

#### 7. Charging Aspects

## 8. Security Aspects

None

## 9. Impacts

Affects:	USIM	ME	AN	CN	Others
Yes		Х			
No	Х		Х	Х	
Don't know					Х

## 10.Expected Output and Time scale (to be updated at each plenary)

	New specifications									
Spec No.	Title		Prime rsp. WG	rsp. WG(s)	Presented for information at plenary#	Approved at plenary#	Comments			
			Affe	cted exist	ing specification	ons				
Spec No.	CR	Subject			Approved at	plenary#	Comments			

### 11.Work item raporteurs

TSG T1 Chairman

## 12 Work item leadership

TSG T1

## 13 Supporting Companies

TSG T1

## 14 Classification of the WI (if known)

		Feature (go to 14a)					
	Χ	Building Block (go to 14b)					
Ī		Work Task (go to 14c)					

14b. See section 2, Linked work items, for relationship between this building block, its parent feature and associated work tasks

# WT\_T1-06\_27. Optimisation of Test Time, RF Aspects (FDD) (RF) Rel. Ind.

#### 1. 3GPP Work Area

Χ	Radio Access
	Core Network
	Services

#### 3. Linked work items

WP ID	WID	Rel. *	Title
1861	T1-06_26	P_F	Miscellaneous UE Conformance Testing Activities
1862	T1-06_27	S_WT	Optimisation of Test Time, RF Aspects (FDD)

<sup>\*</sup> Relationship: P = Parent, F = Feature, BB = Building Block, S = Subordinate, R = Related

#### 3. Justification

The current test specifications are designed to provide comprehensive testing of a UE against the core specification. At this stage (Rel 99) little consideration has been given to the practical issues of overall test time and the number of test cases required to provide an acceptable level of confidence.

### 4. Objective

The objective then is as follows:-

- 1. To investigate the typical test time of each test case
- 2. To investigate where test functionality overlaps from one test case to another
- 3. To recommend a minimum combination of test cases and test parameters that are consistent with proving conformance of the UE to the core specifications and to a high level of confidence
- 4. This should then be consistent with the optimum test time

#### 5. Service Aspects

None

## 6. MMI-Aspects

None

#### 7. Charging Aspects

None

#### 8. Security Aspects

### 9. Impacts

Affects:	USIM	ME	AN	CN	Others
Yes		Х			
No	Х		Х	Х	
Don't know					Х

## 10.Expected Output and Time scale (to be updated at each plenary)

				New sp	ecifi	cations		
Spec No. Title		Prime rsp. WG	2ndary Presented for Approved at rsp. WG(s) information at plenary#		Approved at plenary#	Comments		
			Affe	cted exist	ing s	specification	ons	
Spec No.	CR	Subject			,	Approved at	plenary#	Comments
TS34.121		Terminal Conformation Radio transmissi				TSG T#26, [	Dec 04	Recommended test suite to provide high level of confidence consistent with optimised test time

## 11. Work item raporteurs

Mr Mitsuru Yokoyama, Agilent Technologies, Japan;

## 12 Work item leadership

TSG T1

## 13 Supporting Companies

Agilent, Rohde & Schwarz, Anritsu, Nokia, Qualcomm

## 14 Classification of the WI (if known)

	Feature (go to 14a)
	Building Block (go to 14b)
Χ	Work Task (go to 14c)

# WT\_T1-06\_28. Optimisation of Test Time, RF Aspects (TDD) (RF) Rel. Ind.

#### 1. 3GPP Work Area

Χ	Radio Access
	Core Network
	Services

#### 4. Linked work items

WP ID	WID	Rel. *	Title
1861	T1-06_26	P_F	Miscellaneous UE Conformance Testing Activities
1863	T1-06_28	S_WT	Optimisation of Test Time, RF Aspects (TDD)

<sup>\*</sup> Relationship: P = Parent, F = Feature, BB = Building Block, S = Subordinate, R = Related

#### 3. Justification

The current test specifications are designed to provide comprehensive testing of a UE against the core specification. At this stage (Rel 99) little consideration has been given to the practical issues of overall test time and the number of test cases required to provide an acceptable level of confidence.

#### 4. Objective

The objective then is as follows:-

- 5. To investigate the typical test time of each test case
- 6. To investigate where test functionality overlaps from one test case to another
- 7. To recommend a minimum combination of test cases and test parameters that are consistent with proving conformance of the UE to the core specifications and to a high level of confidence
- 8. This should then be consistent with the optimum test time

#### 5. Service Aspects

None

## 6. MMI-Aspects

None

#### 7. Charging Aspects

None

#### 8. Security Aspects

#### 9. Impacts

Affects:	USIM	ME	AN	CN	Others
Yes		Х			
No	Х		Х	Х	
Don't know					Х

## 10.Expected Output and Time scale (to be updated at each plenary)

				New spe	ecific	ations		
Spec No.	Title						Approved at plenary#	Comments
			Affe	cted exist	ing s	pecification	ons	
Spec No.	CR	Subject			А	pproved at	plenary#	Comments
TS34.122			mance Specification; ion and reception (TDD)			'SG T#26, D		Recommended test suite to provide high level of confidence consistent with optimised test time

## 11. Work item raporteurs

Mr Thomas Maucksch, Rohde & Schwarz, Germany;

## 12 Work item leadership

TSG T1

## 13 Supporting Companies

Agilent, Rohde & Schwarz, Anritsu and Nokia

## 14 Classification of the WI (if known)

	Feature (go to 14a)
	Building Block (go to 14b)
Χ	Work Task (go to 14c)

# WT\_T1-06\_29. Extensions to R99 Test cases (FDD/SIG)

## 1. 3GPP Work Area

Χ	Radio Access
	Core Network
	Services

#### 5. Linked work items

WP ID	WID	Rel. *	Title
1861	T1-06_26	P_F	Miscellaneous UE Conformance Testing Activities
1907	T1-06_29	S_WT	Extensions to R99 Test cases

<sup>\*</sup> Relationship: P = Parent, F = Feature, BB = Building Block, S = Subordinate, R = Related

#### 3. Justification

For release 99 it has not been possible to provide a complete coverage of signalling test cases. For this reason TSG T1 aims to complete the remaining sections as part of its Release 4 work.

#### 4. Objective

To provide additional test cases to cover the remaining areas not covered by Rel 99, for FDD. This includes both prose and TTCN via the project team

#### 5. Service Aspects

None

#### 6. MMI-Aspects

None

#### 7. Charging Aspects

None

### 8. Security Aspects

None

#### 9. Impacts

Affects:	USIM	ME	AN	CN	Others
Yes		Х			
No	Х		Х	Х	
Don't know					X

## 10. Expected Output and Time scale (to be updated at each plenary)

				New spe	ecif	ications		
Spec No.	Title		rsp. WG rsp. WG(s) info		esented for ormation at nary#	Approved at plenary#	Comments	
			Affe	cted exist	ing	specificatio	ons	
Spec No.	CR	Subject				Approved at plenary#		Comments
TS34.123a,b		specification; Part 1: Protocol of specification, Part 2: Implement	Part 1: Protocol conformance			TSG T#26, D	ec 04	Additional test cases
TS34.123c		User Equipment specification; Part 3: TTCN Tes	(UE) conformance st Cases			TSG T#28, Ji	un 05	

## 11. Work item raporteurs

Mr Dan FOX, Anritsu Ltd, UK;

#### 12 Work item leadership

TSG T1

## 13 Supporting Companies

Nokia, Siemens, Sony-Ericsson, NTT DoCoMo, Rohde & Schwarz, Motorola

## 14 Classification of the WI (if known)

	Feature (go to 14a)
	Building Block (go to 14b)
X	Work Task (go to 14c)

WT\_T1-06\_30, Review all other work items for impact on new or exiting 34 series specs.

WT\_T1-06\_31, Additional signalling tests to cover VHE, OSA, MExE, W/B Telephony AMR

# WT\_T1-06\_32. Maintenance of the R99 test specification and test cases (SIG)

#### 1. 3GPP Work Area

Х	Radio Access
	Core Network
	Services

#### 6. Linked work items

WP ID	WID	Rel. *	Title
1861	T1-06_26	P_F	Miscellaneous UE Conformance Testing Activities
TBD	T1-06_32	S_WT	Work to maintain the current release 99 test specification and test cases

<sup>\*</sup> Relationship: P = Parent, F = Feature, BB = Building Block, S = Subordinate, R = Related

#### 3. Justification

It is expected that for the immediate future it will be necessary to update and maintain the release 99 test specifications, especially those relating to signalling. It is also expected that this will represents a significant amount of work for TSG T1 hence the need for a separate work item.

#### 4. Objective

To update and maintain the release 99 test specifications. This is most likely to affect documents 34.123 parts 1-3.

#### 5. Service Aspects

None

## 6. MMI-Aspects

None

## 7. Charging Aspects

None

#### 8. Security Aspects

None

#### 9. Impacts

Affects:	USIM	ME	AN	CN	Others
Yes		Х			
No	X		Х	Х	
Don't know					Х

## 10. Expected Output and Time scale (to be updated at each plenary)

				New spe	ecif	ications		
Spec No.	Title		rsp. WG rsp. WG(s) info				Comments	
			Affe	cted exist	ing	specification	ons	
Spec No.	CR	Subject				Approved at plenary#		Comments
TS34.123a,b		specification; Part 1: Protocol of specification, Part 2: Implement	Part 1: Protocol conformance			Dependent o core specs	n stability of	General maintenance and updates
TS34.123c		User Equipment specification; Part 3: TTCN Tes			Dependent o the core spec	•		

## 11. Work item raporteurs

Mr Dan FOX, Anritsu Ltd, UK;

#### 12 Work item leadership

TSG T1

## 13 Supporting Companies

Nokia, Siemens, Sony-Ericsson, NTTDoCoMo, Rohde & Schwarz, Motorola, Ericsson, ANRITSU

## 14 Classification of the WI (if known)

	Feature (go to 14a)
	Building Block (go to 14b)
Х	Work Task (go to 14c)

# WT\_T1-06\_33. Completion of the Release 99 TCs for TDD (SIG)

#### 1. 3GPP Work Area

Х	Radio Access
	Core Network
	Services

#### 7. Linked work items

WP ID	WID	Rel. *	Title
1861	T1-06_26	P_F	Miscellaneous UE Conformance Testing Activities
TBD	T1-06_33	S_WT	Completion of the Release 99 TCs for TDD

<sup>\*</sup> Relationship: P = Parent, F = Feature, BB = Building Block, S = Subordinate, R = Related

#### 3. Justification

So far for release 99 it has only been possible to create the signalling test cases for FDD. It will be necessary to modify and adapt these FDD test cases to test TDD.

#### 4. Objective

To provide 3GPP with prose signalling test cases and an abstract test suite in TTCN capable of conformance testing the TDD release 99 UEs.

### 5. Service Aspects

None

#### 6. MMI-Aspects

None

## 7. Charging Aspects

None

#### 8. Security Aspects

None

## 9. Impacts

Affects:	USIM	ME	AN	CN	Others
Yes		Х			
No	Х		Х	Х	
Don't know					Х

## 10. Expected Output and Time scale (to be updated at each plenary)

			New sp	ecif	ications		
Spec No. Title		Prime rsp. W	,	2ndary Presented for rsp. WG(s) information at plenary#		Approved at plenary#	Comments
		А	ffected exist	ing	specification	ons	
Spec No.	CR	Subject			Approved at plenary#		Comments
TS34.123a,b		User Equipment (UE) conformance specification; Part 1: Protocol conformance specification, Part 2: Implementation Conformance Statement (ICS) proforma specification			TSG T#27, M	Mar 05	Adaptation for TDD
TS34.123c	User Equipment (UE) conformance specification; Part 3: TTCN Test Cases			TSG T#31, M	1ar 06	Adaptation for TDD	

## 11. Work item raporteurs

Mr Dan FOX, Anritsu Ltd, UK;

#### 12 Work item leadership

TSG T1

## 13 Supporting Companies

Siemens, NTTDoCoMo, Nokia, Anritsu

## 14 Classification of the WI (if known)

	Feature (go to 14a)
	Building Block (go to 14b)
Χ	Work Task (go to 14c)

# WT\_T1-06\_34. Testing RAB support enhancements-Robust Header Compression (SIG/Rel 4)

#### 1. 3GPP Work Area

Χ	Radio Access
	Core Network
	Services

#### 2. Linked work items

WP ID	WID	Rel. *	Title
9	RAN_Wis_	P_F	RAN improvements
2102	T1-06_16	P_BB	Conformance Testing Aspects - RAN improvements
2206	WI Completed	R_WI	RAB support enhancement - ROHC part only
2461?	T1-06_34	WT	Testing RAB support enhancements-Robust Header Compression

<sup>\*</sup> Relationship: P = Parent, F = Feature, BB = Building Block, S = Subordinate, R = Related

#### 3. Justification

The core specifications are being updated and enhanced for release 4 (formerly release 2000) and therefore the test specifications must be updated to reflect these changes.

See LS from R2, R2-010760

TSG RAN WG2 would like to inform TSG-T WG1 that the Robust Header Compression (ROHC) protocol as standardised in the Internet Engineering Task Force (IETF) ROHC WG has been agreed by TSG RAN WG2 to be included in Release 4 of PDCP(TS 25.323).

ROHC has been part of the work item, "Radio Access Bearer Support Enhancements" and the results are captured in TR 25.844 v2.0.0. The corresponding CRs to include ROHC into the Release 4 of radio interface protocols have also been agreed in TSG RAN WG2.

The IETF standardisation process has a requirement for interoperability testing before an IETF protocol is made a permanent standard. However, TSG RAN WG2 would like to ask TSG-T WG1 if it is necessary to test the ROHC protocol in 3GPP if it already will be done in IETF. Should there be tests in 3GPP and/or co-operation from 3GPP with the IETF interoperability tests for ROHC?.

TSG RAN2 WG2 would like TSG-T WG1 to consider these questions when designing tests for Release 4 of PDCP.

#### 4. Objective

This work item should provide the conformance test capability to verify that the radio access bearer support enhancements on the Uu interface are correctly implemented within the UE for Robust Header Compression (RoHC).

#### 5. Service Aspects

## 6. MMI-Aspects

None

## 7. Charging Aspects

None

## 8. Security Aspects

None

## 9. Impacts

Affects:	USIM	ME	AN	CN	Others
Yes		Х			
No	Х		Х	Х	
Don't know					Х

## 10.Expected Output and Time scale (to be updated at each plenary)

				New spe	ecif	ications		
Spec No.			rsp. WG rsp. WG(s) info				Comments	
			Affe	cted existi	ng	specification	ons	<u> </u>
Spec No.	CR	Subject				Approved at plenary#		Comments
TS34.123a,b		User Equipment (UE) conformance specification; Part 1: Protocol conformance specification, Part 2: Implementation Conformance Statement (ICS) proforma specification				TSG T#26, D	0ec 04	Header compression for VoIP, Normally referenced from an IETF RFC?,
TS34123c		User Equipment (UE) conformance specification; Part 3: TTCN Test Cases			TSG T#28, J	un 05	Preparation and modification of TTCN test cases to accommodate changes in test specification	
		Tart 3. TTON	Tost Oase					

## 11.Work item raporteurs

Dan Fox

## 12 Work item leadership

TSG T1

## 13 Supporting Companies

Ericsson, Motorola, Nokia, Cetecom, Nortel Networks

# 14 Classification of the WI (if known)

	Feature (go to 14a)
	Building Block (go to 14b)
X	Work Task (go to 14c)

# WT\_T1-06\_35. Testing UMTS 1900 (SIG/RF) Rel. Ind. – CLOSED

Closed (TSG T1 #20)

## WT\_T1-06\_36. Conformance Testing of HSDPA

#### 1 3GPP Work Area

X	Radio Access
	Core Network
	Services

#### 2 Linked work items

WP ID	WID	Rel. *	Title
2476	RP-010915	P_F	High Speed Downlink Packet Access (HSDPA)
2478	RP-010915	P_BB	High Speed Downlink Packet Access (HSDPA) - layer 2 and 3 aspects
2480	RP-010915	P_BB	HSDPA RF Radio Transmission/ Reception, System Performance Requirements and Conformance Testing

<sup>\*</sup> Relationship: P = Parent, F = Feature, BB = Building Block, S = Subordinate, R = Related

#### 3 Justification

The study item on HSDPA was concluded in RAN WG#11with recommendations on the techniques to be included in Rel-5. The core specifications were updated and enhanced for Rel-5 and therefore the test specifications must be updated to reflect these changes. This work item enables the conformance testing of HSDPA.

#### 4 Objective

The technical objective of this work item is the conformance testing of HSDPA to prepare a conformance test specification for the signalling layer 2 and 3 aspects. Also prepare a conformance test specification for the various RF characteristics of the HSDPA feature as they impact the mobile station performance and the radio resource management aspects.

## 5 Service Aspects

None

#### 6 MMI-Aspects

None

## 7 Charging Aspects

## 8 Security Aspects

None

## 9 Impacts

Affects:	USIM	ME	AN	CN	Others
Yes		Х	Х		
No	Х			Х	X
Don't know					

## 10 Expected Output and Time scale

				New spe	ecif	ications		
Spec No.	Title		Prime rsp. WG	rsp.	Presented for information at plenary#			Comments
			A 66 a	atad aviati		on colfication		
		<del>                                     </del>	Affe	ecteu existi	ırıg	specificatio	iis .	
Spec No.	CR	Subject				Approved a	at plenary#	Comments
34.108		Common Test Environments for User Equipment (UE) Conformance Testing			r			
34.121		Terminal Conformance Specification, Radio Transmission and Reception - FDD			on			
34.122		Terminal Conformance Specification, Radio Transmission and Reception - TDD			on			
34.123		UE Conforma Protocol, aspe		ecification;				

## 11 Work item rapporteurs

Carolyn Taylor (Motorola)

# 12 Work item leadership

T1

## 13 Supporting Companies

Panasonic, Nokia, NTT DoCoMo, Ericsson, Motorola

# 14 Classification of the WI (if known)

	Feature (go to 14a)
	Building Block (go to 14b)
Χ	Work Task (go to 14c)

## 14c The WI is a Work Task:

# WT\_T1-06\_39. Testing of Extended RoHC (SIG/Rel 4)

#### 1. 3GPP Work Area

Χ	Radio Access
	Core Network
	Services

#### 2. Linked work items

WP ID	WID	Rel. *	Title		
9	RAN_Wis_	P_F	RAN improvements		
2102	T1-06_16	P_BB	Conformance Testing Aspects - RAN improvements		
TBD	T1-06_39	WT	Testing of Extended RoHC		

<sup>\*</sup> Relationship: P = Parent, F = Feature, BB = Building Block, S = Subordinate, R = Related

#### 3. Justification

The core specifications are being updated and enhanced for release 4 (formerly release 2000) and therefore the test specifications must be updated to reflect these changes.

ROHC is designed for IP-based networks to be used in "cellular links" as in PS domain of 3GPP. Therefore ROHC is an essential part of PDCP Release 4. However, ROHC specification is a complex state/mode machine, which is subdivided in a framework specification part and in 4 profiles (RTP, UDP, ESP, uncompressed) described in detail in ROHC specification IETF RFC 3095. Since ROHC is optional but an essential for PDCP, ROHC conformance testing is proposed to be tested in terms of 3GPP.

See also WI. T1-06\_34

#### 4. Objective

This work item should provide extended conformance test capability to verify that Robust Header Compression (RoHC) as described in Specification IETF RFC 3095 and used in the PDCP layer description Release 4 is correctly implemented within the UE supporting RoHC.

#### 5. Service Aspects

None

6. MMI-Aspects

None

7. Charging Aspects

None

8. Security Aspects

#### 9. Impacts

Affects:	USIM	ME	AN	CN	Others
Yes		Х			
No	Х		Х	Х	
Don't know					Х

## 10.Expected Output and Time scale (to be updated at each plenary)

				New spe	ecif	ications		
Spec No.	Title		rsp. WG rsp. WG(s) info		info			Comments
			Affe	cted existi	ing	specification	ons	
Spec No.	CR	Subject	Subject			Approved at	plenary#	Comments
TS34.123a,b		specification; Part 1: Protoc specification, Part 2: Implen	Part 1: Protocol conformance			TSG T #24, \	Jun 2004	Header compression for several IP packet types, Referenced from IETF RFC 3095
TS34123c		User Equipment (UE) conformance specification; Part 3: TTCN Test Cases			TSG T #25, \$	Sep 2004	Drafting and modification of TTCN test cases as separate tes clause	

## 11.Work item raporteurs

Dan Fox, Chairman of TSG T1/SIG

## 12 Work item leadership

TSG T1 SWG/SIG

## 13 Supporting Companies

Cetecom, Nokia, Samsung, Nortel Networks

## 14 Classification of the WI (if known)

	Feature (go to 14a)
	Building Block (go to 14b)
Χ	Work Task (go to 14c)

# WT\_40. Testing of support for IMS, Rel-5

#### 1. 3GPP Work Area

Χ	Radio Access
	Core Network
	Services

#### 2. Linked work items

WP ID	WID	Rel. *	Title
TBD	T1-06_xx	P_F	UE Performance tests for Release 5
1274	SP-010339	R_WI	Call control and Roaming to support IMS
TBD	T1-06_40	WT	Testing of support for IMS, Rel-5

<sup>\*</sup> Relationship: P = Parent, F = Feature, BB = Building Block, S = Subordinate, R = Related

#### 3. Justification

With the introduction of IMS as a release 5 feature it will be necessary to ensure that the UE can respond correctly to the call control commands. In addition new Radio Access Bearers will be need to support IMS and therefore the test specifications will need to reflect these enhancements

#### 4. Objective

The objective of this work item is to develop signalling test cases that prove the correct operation of a Rel 5 UE when used with IMS. The test cases will ensure correct behaviour and the ability to support the IMS features and associated RABs.

This will result in changes to documents 34.108 and 34.123.

#### 5. Service Aspects

None

#### 6. MMI-Aspects

None

#### 7. Charging Aspects

None

#### 8. Security Aspects

None

#### 9. Impacts

Affects:	USIM	ME	AN	CN	Others
Yes		Х			
No	Х		Х	X	
Don't know					Х

## 10. Expected Output and Time scale (to be updated at each plenary)

				New sp	ecif	ications		
Spec No.	Title		Prime rsp. WG	2ndary rsp. WG(s)	info	esented for ormation at nary#	Approved at plenary#	Comments
	TBC	)						
			Affe	cted exist	ing	specificati	ons	
Spec No.	CR	Subject	Subject			Approved at plenary#		Comments
TS 34.108		Common Test Environments for User Equipment (UE) Conformance Testing			or	TBD		Create and maintain release 5 version and add new RAB(s)
TS 34.123		UE Conformance Specfication; Protocol, aspects		,	TBD		Create and maintain Rel 5 version of document and add new IMS test cases	

## 11.Work item rapporteurs

TBD (Mr Dan FOX, Anritsu Ltd, UK)

## 12 Work item leadership

Phillip Brown, Three, UK

## 13 Supporting Companies

Three, Nortel Networks, DoCoMo, TIM

## 14 Classification of the WI (if known)

	Feature (go to 14a)
	Building Block (go to 14b)
Х	Work Task (go to 14c)

# WT\_41. General changes to TS34.121 and TS34.122 corresponding to release 5

#### 1. 3GPP Work Area

Χ	Radio Access
	Core Network
	Services

#### 2. Linked work items

WP ID	WID	Rel. *	Title
1216	RAN 21	P_F	Radio Interface Improvements
1839	T1-06_03	BB	Conformance Test Aspects - improvements in Radio Interface
TBD	T1-06_41	WT	General changes to TS34.121 and TS34.122 corresponding to release 5

<sup>\*</sup> Relationship: P = Parent, F = Feature, BB = Building Block, S = Subordinate, R = Related

#### 3. Justification

It is recognised that as part of the release 5 improvements to the radio interface there will be additions to the core specification that will dictate the need for additional test specifications and changes to existing ones.. This WI covers those changes that become necessary when moving from release 4 and that are not already covered by other specific Rel 5 work items.

## 4. Objective

The WI will cover any additional change requests to TS 34.121 and TS34.122 necessary to provide test specifications that correspond to the release 5 core specifications.

#### 5. Service Aspects

None

#### 6. MMI-Aspects

None

#### 7. Charging Aspects

None

#### 8. Security Aspects

#### 9. Impacts

Affects:	USIM	ME	AN	CN	Others
Yes		Х			
No	Х		Х	Х	
Don't know					Х

## 10.Expected Output and Time scale (to be updated at each plenary)

				New sp	ecifi	ications		
Spec No.	Title		Prime rsp. WG	2ndary rsp. WG(s)	info	sented for rmation at nary#	Approved at plenary#	Comments
	TBD	)						
			Affe	cted exist	ing	specificati	ons	
Spec No.	CR	Subject	ect			Approved at	plenary#	Comments
TS 34.108			ommon Test Environments for ser Equipment (UE)			TSG T#26, I	Dec 04	
TS34.121 and TS34.122		UE Conforma Radio Transi Reception FI	mission			TSG T#26, I	Dec 04	

## 11. Work item raporteurs

Mr Mitsuru Yokoyama, Agilent Technologies

## 12 Work item leadership

TSG<sub>T1</sub>

## 13 Supporting Companies

Agilent Technologies, Nokia, Motorola, Anritsu, Rohde & Schwarz....

## 14 Classification of the WI (if known)

	Feature (go to 14a)
	Building Block (go to 14b)
X	Work Task (go to 14c)

# WT\_42. General changes to TS34.121 corresponding to release 4

Closed (TSG T1 #23)

WT\_51. Conformance Testing of MExE Environment-CLOSED

# WT\_52. Signalling testing for W/B AMR codec functions, Rel-5

#### 1. 3GPP Work Area

Х	Radio Access
	Core Network
	Services

#### 2. Linked work items

WP ID	WID	Rel. *	Title
TBD	T1-06_70	P_F	Applications Platform Tests for Release 5
1445	SP-99354	R_WI	Wideband Telephony Service - AMR
TBD	T1-06_52	WT	Signalling testing for W/B AMR codec functions Rel-5

<sup>\*</sup> Relationship: P = Parent, F = Feature, BB = Building Block, S = Subordinate, R = Related

#### 3. Justification

SA4 in LS to T1 stated that it was up to T1 whether there was any testing aspect required. Current thinking is that we need to perform a protocol test to ensure that the UE swiches codec types when requested to.

The performance of the codec will not be tested, rather it will be a matter of commercial forces will apply

## 4. Objective

The objective of this work item is to prove that the UE can switch to AMR codec when requested by the network

#### 5. Service Aspects

None

#### 6. MMI-Aspects

None

### 7. Charging Aspects

None

#### 8. Security Aspects

None

### 9. Impacts

Affects:	USIM	ME	AN	CN	Others
Yes		Х			
No			Х	Х	
Don't know	Х				Х

## 10.Expected Output and Time scale (to be updated at each plenary)

	New specifications							
Spec No.	Title		Prime rsp. WG	2ndary rsp. WG(s)	Presented informatio plenary#		Approved at plenary#	Comments
	ТВГ	)						
			Affe	cted exist	ing speci	fication	ons	
Spec No.	Spec No. CR Subject Approved at plenary# Comments							Comments

11.Work item raporteurs

**TBD** 

12 Work item leadership

TBD

13 Supporting Companies

TBD

## 14 Classification of the WI (if known)

	Feature (go to 14a)
	Building Block (go to 14b)
Χ	Work Task (go to 14c)

WT\_53. Terminal Conformance Specification of Radio Transmission and Reception for DS-CDMA Introduction in the 800 MHz Band

Closed (TSG T1 #23)

# WT\_54. Conformance Testing of A-GPS Minimum Performance

#### 1 3GPP Work Area

Х	Radio Access
	Core Network
	Services

#### 2 Linked work items

WP ID	WID	Rel. *	Title
24012	RP-030308	P_BB	AGPS Minimum Performance Specification Development

<sup>\*</sup> Relationship: P = Parent, F = Feature, BB = Building Block, S = Subordinate, R = Related

#### 3 Justification

RAN WG4 has agreed to provide minimum performance for A-GPS in TS 25.133. There is no active effort to pursue A-GPS performance test specification in TS 34.121. As a result, the location measurement reporting accuracy from different UE vendors could be different, which makes it difficult for a network operator to use these location reports to fulfil the service requirements for location clients.

## 4 Objective

The technical objective of this work item is the conformance testing of A-GPS to prepare a conformance test specification based on A-GPS minimum performance requirements for both UE based and UE assisted A-GPS.

#### 5 Service Aspects

None

#### 6 MMI-Aspects

None

#### 7 Charging Aspects

None

## 8 Security Aspects

## 9 Impacts

Affects:	USIM	ME	AN	CN	Others
Yes		Х	Х		
No	Х			Х	X
Don't know					

## 10 Expected Output and Time scale

	New specifications								
Spec No.	Title			rsp.	Presented for information at plenary#		Comments		
			Affe	cted existii	ng specificatio	ns			
Spec No.	· ·			Approved a	at plenary#	Comments			
34.121		Terminal Conformance Specification, Radio Transmission and Reception - FDD		T#25 on					

## 11 Work item rapporteurs

Carolyn Taylor (Motorola)

## 12 Work item leadership

T1

## 13 Supporting Companies

Agilent, Ericsson, Motorola, Nokia, Qualcomm, Spirent Communications

## 14 Classification of the WI (if known)

	Feature (go to 14a)
	Building Block (go to 14b)
Χ	Work Task (go to 14c)

#### 14c The WI is a Work Task:

# WT 55. General changes to TS34.121 and TS34.122 corresponding to release 6

#### 1. 3GPP Work Area

<u>X</u>	Radio Access
	Core Network
	Services

### 2. Linked work items

WP ID	WID	<u>Rel. *</u>	<u>Title</u>
<u>1216</u>	<u>RAN 21</u>	<u>P_F</u>	Radio Interface Improvements
<u>TBD</u>	<u>T1-06_XX</u>	<u>BB</u>	Conformance Test Aspects - improvements in Radio Interface
TBD	T1-06_YY	<u>WT</u>	General changes to TS34.121 and TS34.122 corresponding to release 6

<sup>\*</sup> Relationship: P = Parent, F = Feature, BB = Building Block, S = Subordinate, R = Related

#### 3. Justification

It is recognised that as part of the release 6 improvements to the radio interface there will be additions to the core specification that will dictate the need for additional test specifications and changes to existing ones. This WI covers those changes that become necessary when moving from release 5 and that are not already covered by other specific Rel 6 work items.

### 4. Objective

The WI will cover any additional change requests to TS 34.121 and TS34.122 necessary to provide test specifications that correspond to the release 6 core specifications.

#### 5. Service Aspects

None

## 6. MMI-Aspects

**None** 

#### 7. Charging Aspects

<u>None</u>

### 8. Security Aspects

#### 9. Impacts

Affects:	<u>USIM</u>	<u>ME</u>	AN	<u>CN</u>	<u>Others</u>
<u>Yes</u>		X			
<u>No</u>	X		X	X	
Don't know					X

# 10.Expected Output and Time scale (to be updated at each plenary)

	New specifications							
Spec No.	<u>Title</u>		Prime rsp. WG	2ndary rsp. WG(s)	Presented for information at plenary#	Approved at plenary#	<u>Comments</u>	
	TBD	<u>)</u>						
Affected existing specifications								
Spec No.	<u>CR</u>	<u>Subject</u>	Subject			t plenary#	Comments	
TS 34.108			Common Test Environments for User Equipment (UE)			Sept 05		
S34.121 and TS34.122	UE Conformance Specification; Radio Transmission and Reception FDD/TDD			TSG T#29,	<u>Sept 05</u>			

### 11.Work item raporteurs

Mr Moray Rumney, Agilent Technologies

## 12 Work item leadership

TSG T1

## **13 Supporting Companies**

Agilent Technologies, Nokia, Motorola, Aeroflex, Siemens

## 14 Classification of the WI (if known)

		Feature (go to 14a)
		Building Block (go to 14b)
>	<u>(</u>	Work Task (go to 14c)

WT 56. Terminal Conformance Specification of Radio Transmission and Reception for introduction in the UMTS-850 MHz Band

#### 1. 3GPP Work Area

<u>X</u>	Radio Access
	Core Network
	Services

### 2. Linked work items

WP ID	WID	Rel. *	<u>Title</u>
<u>1216</u>	RAN_Wis_23	<u>P_</u> F	Improvements of Radio Interface
24007	RP-030197	P_BB	<u>UMTS-850</u>

<sup>\*</sup> Relationship: P = Parent, F = Feature, BB = Building Block, S = Subordinate, R = Related

#### 3. Justification

As for IMT-2000, spectrum was first identified by WARC-92. WRC 2000 extended the current IMT-2000 frequency allocation to include bands currently occupied with-in the 850 MHz band. In addition, ITU-R Study group 8F has recently forwarded into the ITU approval process a revision to ITU-R Recommendation M. [1036-1]. This revision includes recognition of the WRC 2000 bands identified for IMT-2000, in particular the band range 806-960 MHz.

It is believed that GPRS/EDGE at 850MHz will eventually begin evolving into UMTS atUMTS-850 with-in ITU Region 2. Therefore, the proponents of this work item believe that there is high possibility that IMT-2000 would be introduced ITU Region 2 in the near future.

#### 4. Objective

The purpose of this work item is to:

4.1 Alignment of Terminal Conformance Specification of UMTS-850 MHz FDD band to core specification.

The specific bands to be discussed are<sup>1</sup>:

824 - 849 MHz: Up-link (UE transmit, Node B receive)

869 - 894 MHz: Down-link (Node B transmit, UE receive)

- 4.2 Generate CR's to update the appropriate documents
- 4.3 Any additional related issues.

#### **5. Service Aspects**

<sup>&</sup>lt;sup>1</sup> These uplink/downlink parings are consistent with the revision of ITU-R M. [1036-1].

## 6. MMI-Aspects

<u>None</u>

## 7. Charging Aspects

<u>None</u>

## **8. Security Aspects**

**None** 

## 9 Impacts

Affects:	<u>USIM</u>	<u>ME</u>	AN	<u>CN</u>	<u>Others</u>
<u>Yes</u>		X	X		
No	X			X	X
Don't know					

## 10. Expected Output and Time scale

	New specifications							
Spec No.	<u>Title</u>		Prime rsp. WG		Presented for information at plenary#	Approved at plenary#	<u>Comments</u>	
	Affected existing specifications							
Spec No.	<u>CR</u>	<u>Subject</u>			Approved at	plenary#	Comments	
<u>34.121</u>		Terminal Conformance Specification, Radio Transmission and Reception						
<u>34.108</u>		Common test Equipment (UE) Conformance te		ents for L	T#27 March (	05		

## 11. Work item rapporteurs

Carolyn Taylor (Motorola)

## 12. Work item leadership

T1/RF

## 13. Supporting Companies

Motorola, Qualcomm, Nokia, Cingular, Nortel Networks, Ericsson

# 14. Classification of the WI (if known)

	Feature (go to 14a)
	Building Block (go to 14b)
X	Work Task (go to 14c)

# 14c The WI is a Work Task:

WT 57. Difference and Corresponding Effect Analysis between FDD and 1.28Mcps TDD in Radio Access Stratum Protocol Aspects

#### 1. 3GPP Work Area

<u>X</u>	Radio Access
	Core Network
	Services

#### 2. Linked work items

WP ID	WID Rel. *		<u>Title</u>	
<u>1222</u>	RAN_Wis_1	<u>P_F</u>	P_F Low Chip Rate TDD option	
<u>2103</u>	T1-06_11	P_BB	Conformance Test Aspects - Low Chip Rate TDD	
<u>2217</u>	T1-06_13	WT	Testing Layer 2 and layer 3 protocol aspects	
<u>1227</u>	RAN_Wis_30	R_WI	UE radio access capability	
<u>1224</u>	RAN_Wis_27	R_WI	Layer 2 and layer 3 protocol aspects	

<sup>\*</sup> Relationship: P = Parent, F = Feature, BB = Building Block, S = Subordinate, R = Related

#### 3. Justification

FDD and LCR TDD share mostly contents in layers beyond physical layer. A detailed TR on difference analysis and their corresponding effects between FDD and LCR TDD will be helpful to share the FDD TTCN resources as mostly as possible in LCR TDD TTCN development. In hence, it can accelerate the LCR TDD TTCN development progress.

### 4. Objective

The WI will provide a detailed analysis on the different aspects and their corresponding effect to conformance test between FDD and LCR TDD in Uu interface and lub interface.

#### 5. Service Aspects

**None** 

#### 6. MMI-Aspects

**None** 

#### 7. Charging Aspects

<u>None</u>

#### 8. Security Aspects

<u>None</u>

## 9. Impacts

Affects:	<u>USIM</u>	<u>ME</u>	AN	<u>CN</u>	<u>Others</u>
Yes					
No	X	X	X	X	
Don't know					<u>X</u>

## 10. Expected Output and Time scale (to be updated at each plenary)

	New specifications							
Spec No.	Title		Prime rsp. WG	2ndary rsp. WG(s)	Present information	tion at	Approved at plenary#	<u>Comments</u>
34.xxx	Corre Analy FDD TDD	rence and esponding Effect ysis between and 1.28Mcps in Radio Access um Protocol			<u>#27</u>		#28	
	•		Affe	cted exist	ng spe	cificatio	ons	-
Spec No.	<u>CR</u>	<u>Subject</u>			Apr	Approved at plenary#		Comments

## 11. Work item raporteurs

Mr Zhifeng Ma, ZTE Corporation

## 12. Work item leadership

TSG T1

## 13. Supporting Companies

ZTE Corporation, Datang Mobile, RITT, Siemens

# 14. Classification of the WI (if known)

Feature (go to 14a)
Building Block (go to 14b)
Work Task (go to 14c)