Fail: Error found in test case during verification Pass: Test case is OK

N/A: Test case is not tested or no result available

Green: Test cases that are ready to be verified Red: Test cases that are supplied for visual inspection and comment only

Verified Test cases - v110

| | | | | | | | | | page 1 of 2 |
|-----------------------|---------------|---|---|---------|----------------------|--------------|----------|---------------------|--|
| Nr of error report | Test case nr. | Title | Environment | Version | Test category | Test results | Problem | Comment from MCC Ta | Done date |
| 020021 | | | | | | | | | |
| | tc_8_1_1_1 | Paging for Connection in idle mode | ☐ environment_n/a ✓ FDD ☐ TDD | v1.1.0 | test in work station | on pass | VERIFIED | | 16/02/2002 |
| | | | CS PS with integrity voice call data call | | | | | | GCF prioritie Category: D Package: 1 |
| | tc_8_1_2_1 | RRC Connection Establishment in CELL_DCH state: Success | environment_n/a FDD TDD | v1.1.0 | test in work station | on pass | VERIFIED | | 16/02/2002 |
| | | | CS PS with integrity voice call data call | | | | | | GCF prioritie Category: D Package: 1 |
| | tc_8_1_2_3 | RRC Connection Establishment: Failure (V300 is greater than N300) | environment_n/a FDD TDD | v1.1.0 | test in work station | on pass | VERIFIED | | 16/02/2002 |
| | | | ☐ CS ☐ PS ☐ with integrity ☐ voice call ☐ data call | | | | | | GCF prioritie Category: P Package: 3 |

produced on: 16/09/2002 11:48:03

produced on: 16/09/2002 11:48:03

page 2 of 21

| Nr of error report | Test case nr. | Title | Environment | Version | Test category | Test results | Problem | Comment from MCC Ta | Done date |
|-----------------------|---------------|---|--|---------|----------------------|--------------|----------|---------------------|---------------------------------------|
| | tc_8_1_2_5 | RRC Connection Establishment: Reject ("wait time" is not equal to 0 and V300 is greater than N300) | environment_n/a FDD TDD CS PS with integrity voice call data call | v1.1.0 | test in work station | pass | VERIFIED | | GCF priorities Category: Package: |
| | tc_8_1_2_7 | RRC Connection Establishment in CELL_FACH state: Success | environment_n/a FDD TDD CS PS with integrity voice call data call | v1.1.0 | test in work station | pass | VERIFIED | | GCF priorities Category: D Package: 1 |
| | tc_8_1_2_9 | RRC Connection Establishment: Success after Physical | environment_n/a FDD TDD CS PS with integrity voice call data call | v1.1.0 | test in work station | pass | VERIFIED | | GCF priorities Category: B Package: 1 |

produced on: 16/09/2002 11:48:03

page 3 of 21

| Nr of error report | Test case nr. | Title | Environment | Version | Test category | Test results | Problem | Comment from MCC Ta | Done date |
|--------------------|---------------|--|--|---------|----------------------|--------------|----------|---------------------|---------------------------------------|
| | tc_8_1_3_1 | RRC Connection Release in CELL_DCH state: Success | environment_n/a FDD TDD CS PS with integrity voice call data call | v1.1.0 | test in work station | pass | VERIFIED | | GCF priorities Category: D Package: 1 |
| | tc_8_1_3_2 | RRC Connection Release in CELL_FACH state: Success | □ environment_n/a ☑ FDD □ TDD □ CS □ PS □ with integrity □ voice call □ data call | v1.1.0 | test in work station | n pass | VERIFIED | | GCF priorities Category: D Package: 1 |
| | tc_8_1_3_3 | RRC Connection Release using on CCCH in CELL_FACH state: Success | □ environment_n/a ✓ FDD □ TDD □ CS □ PS □ with integrity □ voice call □ data call | v1.1.0 | test in work station | n pass | VERIFIED | | GCF priorities Category: D Package: 1 |

produced on: 16/09/2002 11:48:03

page 4 of 21

| Nr of error report | Test case nr. | Title | Environment | Version | Test category | Test results | Problem | Comment from MCC Ta | Done date |
|--------------------|---------------|---|--|---------|----------------------|--------------|----------|---------------------|---|
| 020037 | | | | | | | | | |
| | tc_10_1_2_5_1 | Outgoing call / U4 call delivered / CONNECT received | □ environment_n/a ✓ FDD □ TDD □ CS □ PS □ with integrity □ voice call □ data call | v1.1.0 | test in work station | pass | VERIFIED | | GCF priorities Category: O Package: 3 |
| | tc_10_1_3_4_1 | Incoming call / U7 call received / call accepted | environment_n/a FDD TDD CS PS with integrity voice call data call | v1.1.0 | test in work station | pass | VERIFIED | | GCF priorities Category: O Package: 3 |
| | tc_7_2_2_10 | UM Segmentation / 15-bit Length Indicators / One octet short LI | ☐ environment_n/a ✓ FDD ☐ TDD ☐ CS ☐ PS ☐ with integrity ☐ voice call ☐ data call | v1.1.0 | test in work station | pass | VERIFIED | | 13/09/2002 GCF priorities Category: Package: |

produced on: 16/09/2002 11:48:04

page 5 of 21

| Nr of error report | Test case nr. | Title | Environment | Version | Test category | Test results | Problem | Comment from MCC Ta | Done date |
|-----------------------|---------------|----------|--|---------|----------------------|--------------|----------|---------------------|---|
| | tc_7_2_2_11 | value | environment_n/a FDD TDD CS PS with integrity voice call data call | v1.1.0 | test in work station | n pass | VERIFIED | | 13/09/2002 GCF priorities Category: Package: |
| | tc_7_2_2_12 | PDU Size | □ environment_n/a ✓ FDD □ TDD □ CS □ PS □ with integrity □ voice call □ data call | v1.1.0 | test in work station | n pass | VERIFIED | | GCF priorities Category: Package: |
| | tc_7_2_2_13 | ociei Li | environment_n/a FDD TDD CS PS with integrity voice call data call | v1.1.0 | test in work statior | n pass | VERIFIED | | 13/09/2002 GCF priorities Category: Package: |

produced on: 16/09/2002 11:48:04

page 6 of 21

| Nr of error report | Test case nr. | Title | Environment | Version | Test category | Test results | Problem | Comment from MCC Ta | Done date |
|--------------------|---------------|---|--|---------|----------------------|--------------|----------|---------------------|---------------------------------------|
| | tc_7_2_2_2 | UM Segmentation and reassembly / Selection of 7 or 15 bit Length Indicators | environment_n/a FDD TDD CS PS with integrity voice call data call | v1.1.0 | test in work station | pass | VERIFIED | | GCF priorities Category: C Package: 1 |
| | tc_7_2_2_3 | UM Segmentation / 7-bit Length Indicators / Padding | □ environment_n/a ✓ FDD □ TDD □ CS □ PS □ with integrity □ voice call □ data call | v1.1.0 | test in work station | pass | VERIFIED | | GCF priorities Category: C Package: 1 |
| | tc_7_2_2_4 | UM Segmentation / 7-bit Length Indicators / LI = 0 | environment_n/a FDD TDD CS PS with integrity voice call data call | v1.1.0 | test in work station | pass | VERIFIED | | GCF priorities Category: C Package: 1 |

produced on: 16/09/2002 11:48:04

page 7 of 21

| Nr of error report | Test case nr. | Title | Environment | Version | Test category | Test results | Problem | Comment from MCC Ta | Done date |
|-----------------------|---------------|--|--|---------|----------------------|--------------|----------|---------------------|---------------------------------------|
| 1 | tc_7_2_5 | UM Segmentation / 7-bit Length Indicators / Invalid LI value | environment_n/a FDD TDD CS PS with integrity voice call data call | v1.1.0 | test in work station | pass | VERIFIED | | GCF priorities Category: C Package: 1 |
| | tc_7_2_2_6 | UM Segmentation / 7-bit Length Indicators / LI value > PDU size | □ environment_n/a ✓ FDD □ TDD □ CS □ PS □ with integrity □ voice call □ data call | v1.1.0 | test in work station | pass | VERIFIED | | GCF priorities Category: C Package: 1 |
| | tc_7_2_2_7 | UM Segmentation / 7-bit Length Indicators / First data octet LI | environment_n/a FDD TDD CS PS with integrity voice call data call | v1.1.0 | test in work station | pass | VERIFIED | | GCF priorities Category: C Package: 1 |

produced on: 16/09/2002 11:48:04

page 8 of 21

| Nr of error report | Test case nr. | Title | Environment | Version | Test category | Test results | Problem | Comment from MCC Ta | Done date |
|-----------------------|---------------|---|--|---------|----------------------|--------------|----------|---------------------|---|
| | tc_7_2_2_8 | UM Segmentation / 15-bit Length Indicators / Padding | □ environment_n/a ✓ FDD □ TDD □ CS □ PS □ with integrity □ voice call □ data call | v1.1.0 | test in work station | pass | VERIFIED | | 13/09/2002 GCF priorities Category: Package: |
| | tc_7_2_2_9 | UM Segmentation / 15-bit Length Indicators / LI = 0 | environment_n/a FDD TDD CS PS with integrity voice call data call | v1.1.0 | test in work station | pass | VERIFIED | | 13/09/2002 GCF priorities Category: Package: |
| | tc_7_2_3_2 | AM Segmentation and reassembly / Selection of 7 or 15 bit Length Indicators | □ environment_n/a ✓ FDD □ TDD □ CS □ PS □ with integrity □ voice call □ data call | v1.1.0 | test in work station | pass | VERIFIED | | 13/09/2002 GCF priorities Category: C Package: 1 |

produced on: 16/09/2002 11:48:04

page 9 of 21

| Nr of error report | Test case nr. | Title | Environment | Version | Test category | Test results | Problem | Comment from MCC Ta | Done date |
|--------------------|---------------|---|--|---------|----------------------|--------------|----------|---------------------|---|
| 1 | tc_7_2_3_3 | AM Segmentation / 7-bit Length Indicators / Padding or Piggy- backed Status | environment_n/a FDD TDD CS PS with integrity voice call data call | v1.1.0 | test in work station | pass | VERIFIED | | 13/09/2002 GCF priorities Category: Package: |
| | tc_7_2_3_4 | AM Segmentation / 7-bit Length Indicators / LI = 0 | □ environment_n/a ✓ FDD □ TDD □ CS □ PS □ with integrity □ voice call □ data call | v1.1.0 | test in work station | pass | VERIFIED | | GCF priorities Category: C Package: 1 |
| | tc_7_2_3_5 | AM Segmentation / 7-bit Length Indicators / Reserved LI value | environment_n/a FDD TDD CS PS with integrity voice call data call | v1.1.0 | test in work station | pass | VERIFIED | | GCF priorities Category: C Package: 1 |

produced on: 16/09/2002 11:48:04

page 10 of 21

| Nr of error report | Test case nr. | Title | Environment | Version | Test category | Test results | Problem | Comment from MCC Ta | Done date |
|-----------------------|---------------|---|--|---------|----------------------|--------------|----------|---------------------|---|
| | tc_7_2_3_6 | AM Segmentation / 7-bit Length Indicators / LI value > PDU size | □ environment_n/a ☑ FDD □ TDD □ CS □ PS □ with integrity □ voice call □ data call | v1.1.0 | test in work station | n pass | VERIFIED | | GCF priorities Category: C Package: 1 |
| | tc_7_2_3_7 | AM Segmentation / 15-bit Length Indicators / Padding or Piggy-backed Status | □ environment_n/a ☑ FDD □ TDD □ CS □ PS □ with integrity □ voice call □ data call | v1.1.0 | test in work station | n pass | VERIFIED | | 13/09/2002 GCF priorities Category: Package: |
| | tc_8_1_1_1 | Paging for Connection in idle mode | environment_n/a FDD TDD CS PS with integrity voice call data call | v1.1.0 | test in work station | n pass | VERIFIED | | GCF priorities Category: D Package: 1 |

produced on: 16/09/2002 11:48:04

page 11 of 21

| Nr of error report | Test case nr. | Title | Environment | Version | Test category | Test results | Problem | Comment from MCC Ta | Done date |
|--------------------|---------------|---|--|---------|----------------------|--------------|----------|---------------------|---|
| | tc_8_1_1_2 | | environment_n/a FDD TDD CS PS with integrity voice call data call | v1.1.0 | test in work station | pass | VERIFIED | | GCF priorities Category: D Package: 1 |
| | tc_8_1_1_3 | Paging for Connection in connected mode (URA_PCH) | □ environment_n/a ☑ FDD □ TDD □ CS □ PS □ with integrity □ voice call □ data call | v1.1.0 | test in work station | pass | VERIFIED | | GCF priorities Category: D Package: 1 |
| | tc_8_1_1_4 | Paging for Notification in idle mode | environment_n/a FDD TDD CS PS with integrity voice call data call | v1.1.0 | real environment | pass | VERIFIED | | 13/09/2002 GCF priorities Category: D Package: 1 |

produced on: 16/09/2002 11:48:04

page 12 of 21

| Nr of error report | Test case nr. | Title | Environment | Version | Test category | Test results | Problem | Comment from MCC Ta | Done date |
|--------------------|---------------|---|--|---------|----------------------|--------------|----------|---------------------|---------------------------------------|
| | tc_8_1_1_5 | Paging for Notification in connected mode (CELL_PCH) | environment_n/a FDD TDD CS PS with integrity voice call data call | v1.1.0 | test in work station | n pass | VERIFIED | | GCF priorities Category: D Package: 1 |
| | tc_8_1_1_6 | Paging for Notification in connected mode (URA_PCH) | □ environment_n/a ☑ FDD □ TDD □ CS □ PS □ with integrity □ voice call □ data call | v1.1.0 | test in work station | n pass | VERIFIED | | GCF priorities Category: D Package: 1 |
| | tc_8_1_1_8 | Paging for Notification in connected mode (CELL_FACH) | environment_n/a FDD TDD CS PS with integrity voice call data call | v1.1.0 | test in work station | n pass | VERIFIED | | GCF priorities Category: D Package: 1 |

produced on: 16/09/2002 11:48:05

page 13 of 21

| Nr of error report | Test case nr. | Title | Environment | Version | Test category | Test results | Problem | Comment from MCC Ta | Done date |
|-----------------------|---------------|---|--|---------|----------------------|--------------|----------|---------------------|---|
| | tc_8_1_2_1 | RRC Connection Establishment in CELL_DCH state: Success | environment_n/a FDD TDD CS PS with integrity voice call data call | v1.1.0 | real environment | pass | VERIFIED | | 13/09/2002 GCF priorities Category: D Package: 1 |
| | tc_8_1_2_3 | RRC Connection Establishment: Failure (V300 is greater than N300) | ☐ environment_n/a ✓ FDD ☐ TDD ☐ CS ☐ PS ☐ with integrity ☐ voice call ☐ data call | v1.1.0 | test in work station | n pass | VERIFIED | | 13/09/2002 GCF priorities Category: P Package: 3 |
| | tc_8_1_2_5 | RRC Connection Establishment: Reject ("wait time" is not equal to 0 and V300 is greater than N300) | □ environment_n/a ✓ FDD □ TDD □ CS □ PS □ with integrity □ voice call □ data call | v1.1.0 | real environment | pass | VERIFIED | | 13/09/2002 GCF priorities Category: Package: |

produced on: 16/09/2002 11:48:05

page 14 of 21

| Nr of error report | Test case nr. | Title | Environment | Version | Test category | Test results | Problem | Comment from MCC Ta | Done date |
|--------------------|---------------|---|--|---------|----------------------|--------------|----------|---------------------|---|
| | tc_8_1_2_6 | RRC Connection Establishment: Reject ("wait time" is set to 0) | environment_n/a FDD TDD CS PS with integrity voice call data call | v1.1.0 | test in work station | pass | VERIFIED | | 13/09/2002 GCF priorities Category: Package: |
| | tc_8_1_2_7 | RRC Connection Establishment in CELL_FACH state: Success | □ environment_n/a ☑ FDD □ TDD □ CS □ PS □ with integrity □ voice call □ data call | v1.1.0 | test in work station | pass | VERIFIED | | 13/09/2002 GCF priorities Category: D Package: 1 |
| | tc_8_1_2_9 | RRC Connection Establishment: Success after Physical | environment_n/a FDD TDD CS PS with integrity voice call data call | v1.1.0 | real environment | pass | VERIFIED | | 13/09/2002 GCF priorities Category: B Package: 1 |

produced on: 16/09/2002 11:48:05

page 15 of 21

| Nr of error report | Test case nr. | Title | Environment | Version | Test category | Test results | Problem | Comment from MCC Ta | Done date |
|--------------------|---------------|--|--|---------|----------------------|--------------|----------|---------------------|---|
| | tc_8_1_3_1 | RRC Connection Release in CELL_DCH state: Success | □ environment_n/a ✓ FDD □ TDD □ CS □ PS □ with integrity □ voice call □ data call | v1.1.0 | real environment | pass | VERIFIED | | GCF priorities Category: D Package: 1 |
| | tc_8_1_3_2 | RRC Connection Release in CELL_FACH state: Success | □ environment_n/a ☑ FDD □ TDD □ CS □ PS □ with integrity □ voice call □ data call | v1.1.0 | test in work station | n pass | VERIFIED | | GCF priorities Category: D Package: 1 |
| | tc_8_1_3_3 | RRC Connection Release using on CCCH in CELL_FACH state: Success | □ environment_n/a ✓ FDD □ TDD □ CS □ PS □ with integrity □ voice call □ data call | v1.1.0 | test in work station | n pass | VERIFIED | | 13/09/2002 GCF priorities Category: D Package: 1 |

produced on: 16/09/2002 11:48:05

page 16 of 21

| Nr of error report | Test case nr. | Title | Environment | Version | Test category | Test results | Problem | Comment from MCC Ta | Done date |
|--------------------|---------------|---|--|---------|------------------|--------------|----------|---------------------|---|
| | tc_8_1_5_1 | | environment_n/a FDD TDD CS PS with integrity voice call data call | v1.1.0 | real environment | pass | VERIFIED | | GCF priorities Category: D Package: 1 |
| | tc_8_1_5_2 | T304 timeout | environment_n/a FDD TDD CS PS with integrity voice call data call | v1.1.0 | real environment | pass | VERIFIED | | GCF priorities Category: Package: |
| | tc_8_1_5_3 | state: Failure (After N304 retransmissions) | environment_n/a FDD TDD CS PS with integrity voice call data call | v1.1.0 | real environment | pass | VERIFIED | | 13/09/2002 GCF priorities Category: Package: |

produced on: 16/09/2002 11:48:05

page 17 of 21

| Nr of error report | Test case nr. | Title | Environment | Version | Test category | Test results | Problem | Comment from MCC Ta | Done date |
|--------------------|---------------|--------------------------------------|--|---------|----------------------|--------------|----------|---------------------|---|
| | tc_8_1_5_4 | | environment_n/a FDD TDD CS PS with integrity voice call data call | v1.1.0 | test in work station | pass | VERIFIED | | 13/09/2002 GCF priorities Category: D Package: 1 |
| | tc_8_1_5_5 | state: Success after T304 timeout | environment_n/a FDD TDD CS PS with integrity voice call data call | v1.1.0 | test in work station | pass | VERIFIED | | 13/09/2002 GCF priorities Category: Package: |
| | tc_8_1_6_1 | state (invalid message reception) | environment_n/a FDD TDD CS PS with integrity voice call data call | v1.1.0 | real environment | pass | VERIFIED | | 13/09/2002 GCF priorities Category: P Package: 3 |

produced on: 16/09/2002 11:48:05

page 18 of 21

| Nr of error report | Test case nr. | Title | Environment | Version | Test category | Test results | Problem | Comment from MCC Ta | Done date |
|--------------------|---------------|-------|--|---------|----------------------|--------------|----------|---------------------|---|
| | tc_8_1_6_2 | | □ environment_n/a ✓ FDD □ TDD □ CS □ PS □ with integrity □ voice call □ data call | v1.1.0 | test in work station | pass | VERIFIED | | 13/09/2002 GCF priorities Category: P Package: 3 |
| | tc_8_1_9 | | □ environment_n/a ✓ FDD □ TDD □ CS □ PS □ with integrity □ voice call □ data call | v1.1.0 | test in work station | pass | VERIFIED | | 13/09/2002 GCF priorities Category: D Package: 1 |
| | tc_8_1_9 | | environment_n/a FDD TDD CS PS with integrity voice call data call | v1.1.0 | real environment | pass | VERIFIED | | 13/09/2002 GCF priorities Category: D Package: 1 |

produced on: 16/09/2002 11:48:05

page 19 of 21

| Nr of error report | Test case nr. | Title | Environment | Version | Test category | Test results | Problem | Comment from MCC Ta | Done date |
|--------------------|---------------|---|---|---------|----------------------|--------------|----------|---------------------|---|
| | tc_8_3_1_12 | Cell Update: Failure (After Maximum Re-transmissions) | environment_n/a FDD TDD | v1.1.0 | test in work station | pass | VERIFIED | | 13/09/2002 |
| | | | ☐ CS ☐ PS ☐ with integrity ☐ voice call ☐ data call | | | | | | GCF priorities Category: P Package: 3 |
| | tc_8_3_1_13 | Cell Update: Reception of Invalid CELL UPDATE CONFIRM Message | □ environment_n/a ☑ FDD □ TDD □ CS □ PS □ with integrity | v1.1.0 | test in work station | pass | VERIFIED | | 13/09/2002 GCF priorities Category: Package: |
| | tc_8_3_1_14 | Cell Update: Incompatible simultaneous reconfiguration | voice call data call environment_n/a fd FDD TDD | v1.1.0 | test in work station | pass | VERIFIED | | 13/09/2002 |
| | | | CS PS with integrity voice call data call | | | | | | GCF priorities Category: Package: |

produced on: 16/09/2002 11:48:05

page 20 of 21

| Nr of error report | Test case nr. | Title | Environment | Version | Test category | Test results | Problem | Comment from MCC Ta | Done date |
|--------------------|---------------|---|--|---------|----------------------|--------------|----------|---------------------|---|
| | tc_8_3_1_17 | Cell Update: Failure (UTRAN initiate an RRC connection release procedure on DCCH) | □ environment_n/a ✓ FDD □ TDD □ CS □ PS □ with integrity | v1.1.0 | test in work station | pass | VERIFIED | | 13/09/2002 GCF priorities Category: P |
| | | | voice call data call | | | | | | Package: 3 |
| | tc_8_3_1_20 | Cell Update: Reception of CELL UPDATE CONFIRM Message that causes invalid configuration | □ environment_n/a ✓ FDD □ TDD □ CS □ PS □ with integrity □ voice call | v1.1.0 | test in work station | pass | VERIFIED | | 13/09/2002 GCF priorities Category: Package: |
| | tc_8_3_3_1 | UTRAN Mobility Information: Success | data call environment_n/a FDD | v1.1.0 | test in work station | pass | VERIFIED | | 13/09/2002 |
| | | | ☐ TDD ☐ CS ☐ PS ☐ with integrity ☐ voice call ☐ data call | | | | | | GCF priorities Category: D Package: 1 |

produced on: 16/09/2002 11:48:05

page 21 of 21

| Nr of error report | Test case nr. | Title | Environment | Version | Test category | Test results | Problem | Comment from MCC Ta | Done date |
|--------------------|---------------|--|--|---------|----------------------|--------------|----------|---------------------|---|
| | tc_9_2_3 | Authentication rejected by the UE (MAC code failure) | □ environment_n/a ☑ FDD □ TDD □ CS □ PS □ with integrity □ voice call □ data call | v1.1.0 | test in work station | pass | VERIFIED | | 13/09/2002 GCF priorities Category: B Package: 1 |
| | tc_9_2_4 | Authentication rejected by the UE (SQN failure) | □ environment_n/a ✓ FDD □ TDD □ CS □ PS □ with integrity □ voice call □ data call | v1.1.0 | test in work station | pass | VERIFIED | | 13/09/2002 GCF priorities Category: B Package: 1 |

This report contains:

Number of verified test cases: 62