Technical Specification Group Services and System AspectsLCS(01)0008LCS Workshop, London, UK, 11-12 January 2001

Source:	MCC
Title:	Work item description for Open Location Services Interfaces in UMTS and GERAN
Document for:	Information
Agenda Item:	

Technical Specification Group Services and System AspectsTSGS#10(00)0685Meeting #10, Bangkok, Thailand, 11-14 December 2000TSGS#10(00)0685

Source:3GPP SA (review of SP-000599 from 3GPP SA2)Title:Work item description for Open Location Services Interfaces in
UMTS and GERANDocument for:APPROVAL

This document is a revision of the WID originally provided as attachment of the LS from SA2 in SP-000599.

Work Item Description

1

Title: Open Location Services Interfaces in UMTS and GERAN

2

1 3GPP Work Area

Х	Radio Access
Х	Core Network
	Services

2 Linked work items

335 Location Services336 FS on Geographical Area Description337 Event Based and Periodic LS

341 LCS Network Management

343 LCS support in the CS domain

344 LCS support in the PS domain

350 LCS interoperation Stage 2 Aspects

352 Position method enhancement in UTRAN

357 FS on LCS support in the IM CN subsystem

3 Justification

Location services functionality and open interfaces standardized in GSM Releases '98 and '99 is missing from the current 3GPP Release 2000 GERAN and UMTS.

Provision of the missing functionality and open interfaces is viewed as being important to carriers in providing an open flexible architecture, and ensuring smooth network evolution (architectural compatibility).

4 Objective

The objective of this work item is to provide support for functionally similar open interfaces and protocols (to the degree possible) in UMTS and GERAN comparable to those provided in GSM Release 99. This includes provision of open interfaces between interfaces in UMTS and GERAN that would correspond to the following GSM interfaces:

```
-the BSC and the network based SMLC (Lb interface), and
-the MSC/VLR and the network based SMLC (Ls interface), and
-the LMU (Type A) and the BTS (over the air, Um interface), and
-the LMU (Type B) and the BTS (fixed connection interface), and
- the Cell Broadcast Center and the SMLC.
```

5 Service Aspects

None identified.

6 MMI-Aspects

None identified.

7 Charging Aspects

None identified.

8 Security Aspects

None identified.

9 Impacts

Affects:	USIM	ME	AN	CN	Others
Yes			Х	Х	
No	Х	Х			
Don't					
know					

10 Expected Output and Time scale (to be updated at each plenary)

				New speci	fications		
Spec No.	Title		Prime rsp. WG	2ndary rsp. WG(s)	Presented for information at plenary#		Comments
	Locati	ion Protocol	RAN 3	RAN 2			This interface would be analogous to the Lb interface. The starting points would be GSM 09.31 and GSM 08.71.
		SGSN – SMLC ion Protocol	CN X	SA 2			This interface would be analogous to the Ls interface. The starting points would be GSM 09.31 and GSM 08.71.
			Affect	ed existing	specificatio	ons	
Spec No.	CR	Subject			Approved at p		Comments
25.305		UTRAN Stage 2				High Level details presented in Tdoc S2- 001440.	
25.331		RRC Protocol					High Level details presented in Tdoc S2- 001440.
23.271		LCS Stage 2					High Level details presented in Tdoc S- LCS000015.
43.509		GERAN Stage	2				High Level details presented in Tdoc S- LCS000015.
25.413		lu Interface					Will need to support CN Based SMLC
23.041		Cell Broadcast					Will need to support interface to SMLC and SRNC to support LCS

11 Work item raporteurs

Kirk Burroughs, Qualcomm, San Jose, California, USA

12 Work item leadership

SA 2

13 Supporting Companies

Vodafone, Voicestream, Pacific Bell Wireless, Orange, Bell South Mobility, Mannesmann, Lucent, Qualcomm, France Telecom, diAx.

14 Classification of the WI (if known)

	Feature (go to 14a)
	Building Block (go to 14b)
Х	Work Task (go to 14c)

14a The WI is a Feature: List of building blocks under this feature

N/A

14b The WI is a Building Block: parent Feature

14c The WI is a Work Task: parent Building Block